Presented by

.....

..... *193*

22500172372

1912

FOR OFFICIAL USE.

WEEKLY RETURNS

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN

TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

1912.

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from

WYMAN AND SONS, LIMITED, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN;

or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, W.C.

PRINTED BY

A. THOM & CO., LTD., ABBEY STREET, DUBLIN.

1913.

Price 1½*d.*

WELLCOME INSTITUTE
LIBRARY

Coll.	WelMOmec
Coll.	
No.	

YEARLY SUMMARY

OF THE

WEEKLY RETURNS.

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

1912.

BIRTHS.—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1912 (52 weeks) 10,980 births—5,628 boys and 5,352 girls—being equal to one in 37, or an annual rate of 27·4 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28·7 per 1,000.

Of the 10,980 births registered in 1912, 9,455, or 31 in every 1,000 of the population, occurred in the city, and 1,525, or only 16 in every 1,000 inhabitants, in the urban districts named above.

Of the 10,980 births in the entire district, 2,897 were registered during the first quarter of the year, 2,840 in the second, 2,744 in the third, and 2,499 in the fourth, the weekly average being 211.

In London the number of births registered during the year 1912 (52 weeks) was 111,516, being equal to an annual rate of 25 in every 1,000 of the estimated population ; in Glasgow the number was 21,851, equal to 28 per 1,000 ; and in Edinburgh it was 6,651, or 21 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, and registered during the year 1912 was 8,209 ; this number is equal to one in 49, or 20·5 per 1,000 of the population of the Area, estimated to the middle of the year 1912. The average death-rate for the 10 years 1902-11 was 22·1 per 1,000. Thus the rate for last year is 1·6 below the average—a decrease equivalent to 7·2 per cent.

The total number of deaths registered during the year, namely, 8,728 (4,353 males and 4,375 females), including the deaths of 519 persons who were admitted into public institutions from localities outside the Area, is equal to one in 46, or 21·8 per 1,000 of the estimated population. The average rate for the preceding 10 years was 23·2 per 1,000.

The rate for the city of Dublin was 22·0 per 1,000 (21·5 on the North side, and 22·6 on the South), and for the suburbs 15·4 per 1,000. The rates for the several districts range from 10·7 for Finglas and Glasnevin, part of, to 26·5 for North City No. 2.

Of the 8,728 deaths in the entire district, 2,690 were registered during the first quarter of the year, 2,317 in the second, 1,732 in the third, and 1,989 in the fourth, the weekly average being 168.

* See note (*) page xiv.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging from the lowest to the highest:—Queenstown, 11·9 per 1,000 of the population* ; Portadown, 12·8 ; Armagh, 13·1 ; Tralee, 13·4 ; Sligo, 14·8 ; Drogheda, 14·8 ; Londonderry, 15·2 ; Lisburn, 16·0 ; Clonmel, 16·3 ; Ballymena, 16·7 ; Wexford, 17·3 ; Lurgan, 17·8 ; Waterford, 18·0 ; Newry, 18·1 ; Belfast, 18·1 ; Newtownards, 18·4 ; Kilkenny, 19·0 ; Cork, 19.1 ; Galway, 19·2 ; Dundalk, 19·4 and Limerick, 20·6.

The number of deaths registered in London during the year 1912 (52 weeks) was 61,111, being equal to an annual rate of 13·5 in every 1,000 of the inhabitants ; in Glasgow, 13,671, equal to 17·4 per 1,000 ; and in Edinburgh, 4,999, or 15·6 in every 1,000 of the estimated population.

Public Institutions.—Of the 8,728 deaths registered in the Dublin Registration Area last year, 3,783, or 43·3 per cent., occurred in public institutions, viz. :—2,218 in the various hospitals, prisons, and lunatic asylums ; 657 in the North Dublin Union Workhouse, 861 in the South Dublin Union Workhouse ; and 47 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

DISEASES.

Dublin Registration Area.—(See Tables III. and IV)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 861. This number is equal to a rate of 2·1 per 1,000 of the estimated population.

The following tabular statement shows the mortality from some of the principal epidemic diseases during the year 1912, and the average annual number of deaths for the ten years 1902—1911.

Names of Diseases.	No of Deaths in 1912.	Average No. of Deaths, 1902–1911
Enteric Fever, ...	52	70
Typhus, ...	3	4
Small-pox, ...	—	4
Measles, ...	280	144
Scarlet Fever, ...	68	38
Whooping-cough, ...	94	136
Diphtheria, ...	110	57

Enteric Fever.—There were 52 deaths from enteric fever registered during the period under notice ; this figure is under the average (70) for the 10 years 1902–1911, and is equal to an annual death-rate of 1·3 per 10,000 of the population of the Dublin Registration Area estimated to the middle of the year 1912. Of the deaths 16 were registered in March quarter, 10 in June quarter, 8 in September quarter, and 18 in December quarter. The deaths of 28 persons were registered for north Dublin city, 11 for south Dublin city, 3 for the urban district of Rathmines and Rathgar, and 4 for the urban district of Pembroke ; and there were 6 deaths of persons admitted to institutions from without the Registration Area. The Hospital statistics for enteric fever, the other principal epidemic diseases, and pneumonia are given in Table I. It appears from this table that 48 cases of enteric fever were in hospital at the close of the previous year, 315 cases were admitted during the year, 305 were discharged, 29 died, and 29 persons were under treatment at the close of the yearly period. From Table II. it appears that 255 cases of enteric fever were notified in the city of Dublin, 15 in the urban district of Rathmines and Rathgar, 13 in Pembroke urban district, and one in the urban district of Kingstown.

Typhus.—Three deaths from typhus were registered, the average number being 4.

Small-pox.—In the year 1903, there were 36 deaths from small-pox registered. Since that year there has been no record of mortality from this disease.

*See note (*), page xiv.

†Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

Measles.—The deaths from measles, 280 in number, exceed the average by 136, and represent an annual death-rate of 7·0 per 10,000. In Table IV. it may be seen that of the total deaths from measles, 124 were registered for north Dublin city, 124 for south Dublin city, 9 for the urban district of Rathmines and Rathgar, 5 for Pembroke urban district, one for Blackrock, and 12 for Kingstown; and there were 5 deaths in institutions of persons admitted from without the Registration Area.

Scarlet Fever.—In number 68, the deaths from scarlet fever exceeded the average (38) and corresponded to an annual rate of 1·7 per 10,000. Of the 68 deaths, 39 were registered for north Dublin city, 17 for south Dublin city, 4 in each of the urban districts of Rathmines and Rathgar, and Pembroke, one in each of the urban districts of Blackrock and Kingstown; and 2 were deaths of persons from outside the Area. It appears from Table I. that altogether 1,324 cases of scarlet fever were treated in hospitals during the year, 1,157 were discharged, 55 died, and 112 (exclusive of 16 patients in Beneavin) remained under treatment at the close of the year. During the period under notice 1,067 cases of scarlet fever were notified in the Area under the provisions of the Notification Act.

Whooping-Cough.—Unlike the figures for measles and scarlet fever, the 94 deaths from whooping-cough are below the average (136) and are equal to an annual rate of 2·3 per 10,000. Of the total deaths, 79 belonged to Dublin city, 13 to the suburbs and 2 were of persons admitted from without the Area.

Diphtheria.—The mortality from diphtheria, 110 deaths, represent an annual rate of 2·7 per 10,000, and is above the average (57) and also above the number of deaths registered in the year 1911 namely, 101, which was the largest number recorded in any year of the decennial period, 1902–1911. The deaths were distributed as follows:—33 for north Dublin city, 42 for south Dublin city, 14 for the urban district of Rathmines and Rathgar, 12 for the urban district of Pembroke, 2 for each of the urban districts of Blackrock and Kingstown, and 5 in institutions of persons not belonging to the Area. There were 775 persons treated in hospitals, 631 were discharged, 89 died and 55 were under treatment at the close of the yearly period now under notice. In the aggregate 631 cases of diphtheria were notified to the Public Health Authorities in the Registration Area.

Diarrhœal Diseases.—The deaths allotted to this group include the deaths of 235 children under 2 years of age from diarrhœa and enteritis. The total is considerably below the high mortality figure which obtained in the year 1911, when 663 deaths were registered. Of the 235 deaths, 210 appertained to the city of Dublin.

Influenza.—The deaths of 72 persons were attributed to influenza, the average being 101. The 72 deaths represent an annual rate of 1·8 per 10,000.

Cerebro-spinal Fever.—Three deaths from cerebro-spinal fever were recorded.

Pneumonia.—The total deaths from pneumonia (all forms), 806, include 444 deaths from broncho-pneumonia, 84 from lobar pneumonia and 278 from pneumonia (type not distinguished) and are equivalent to a mortality-rate of 20·1 per 10,000, the average number of deaths for the preceding 10 years being 637.

TUBERCULOSIS.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and from Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1902–1912, with the respective rates per 1,000 of the population represented thereby ; also the averages for the years, 1902–11. (See notes (*) and (†) on page viii.)

Years.	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1902	1,736	4·58	1,261	3·27
1903	1,778	4·69	1,218	3·21
1904	1,779	4·69	1,172	3·09
1905	1,724	4·55	1,207	3·18
1906	1,694	4·47	1,152	3·04
1907	1,793	4·59	1,183	3·03
1908	1,742	4·34	1,174	2·93
1909	1,508	3·79	1,049	2·64
1910	1,491	3·70	1,006	2·50
1911	1,451	3·59	1,052	2·60
Average 1902–1911	1,669	4·30	1,147	2·95
1912	1,440	3·59	1,065	2·66

It appears from this table that since the year 1907 the number of deaths from all forms of tuberculous disease has steadily declined, the numbers being 1,793 in 1907, 1,742 in 1908, 1,508 in 1909, 1,491 in 1910, 1,451 in 1911, and in the year under review 1,440. The annual rate per 1,000 of the estimated population represented by the latter figure is 3·59, the rate for 1911 being 3·59, and the average rate for the 10 years 1902–11, 4·30.

One thousand four hundred and forty deaths from tuberculosis were registered in the Dublin Registration Area during the year under review. Of this number 115 were of persons admitted to institutions from without the Area. The number of deaths belonging to the Area proper is 1,325 with a rate of 3·31 per 1,000 of the deaths of inhabitants of the Dublin Registration Area, 1,156 belonging to the city of Dublin with a rate of 3·77 per 1,000 ; in the north city the deaths were 555 and the rate 3·42 per 1,000, and in the south city the deaths numbered 601, and the rate was 4·17 per 1,000 ; 69 belong to the urban district of Rathmines and Rathgar, with a rate of 1·79 per 1,000 ; 49 belong to the urban district of Pembroke with a rate of 1·65 per 1,000 ; 17 belong to the urban district of Blackrock with a rate of 1·86 per 1,000; and 34 belong to the urban district of Kingstown with a rate of 2·01 per 1,000. The rates for pulmonary tuberculosis were as follow :—for the whole city 2·76 per 1,000, for the northern portion 2·54 per 1,000, for the southern portion 3·00 per 1,000, for Rathmines and Rathgar 1·51 per 1,000, for Pembroke 1·21 per 1,000, for Blackrock 1·64 per 1,000, and for Kingstown 1·71 per 1,000. In the total deaths registered from all forms of tuberculous disease there was a slight decline of 11 deaths in the year 1912, when compared with the year 1911. Of the total deaths from tuberculosis (which constitutes 16·5 per cent. of all deaths registered or 1 in every 6 deaths), there were 1,065 deaths from pulmonary tuberculosis, 121 from tuberculous meningitis, 87 from abdominal tuberculosis, 26 from tuberculosis of the vertebral column, 14 from tuberculosis of joints, 20 from tuberculosis of other organs, and 107 from disseminated tuberculosis.

CANCER.—There were 470 deaths from cancer, representing an annual rate of 11·7 per 10,000 of the estimated population of the Area.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—Among the 821 deaths are 208 from *convulsions*, all of which were deaths of children under 5 years of age. The total (821) represents an annual rate of 20·5 per 10,000.

DISEASES OF THE CIRCULATORY SYSTEM.—There were 874 deaths equal to an annual rate of 21·8 per 10,000.

BRONCHITIS.—The deaths of 1,025 persons, representing an annual rate of 25·6 per 10,000 were caused by bronchitis.

PREMATURE BIRTH. CONGENITAL DEBILITY.—The deaths of 210 infants were attributed to prematurity and those of 166 to congenital debility.

ACCIDENTAL VIOLENCE.—The deaths of 168 persons were from accidental causes. Of this figure, 47 were caused by burns, scalds or explosions, which includes the deaths of 25 children under 5 years of age, 16 deaths were caused by drowning, 25 by vehicles or horses, 4 by suffocation in bed, 7 by railway accidents, and 5 by poisons or poisonous vapours.

HOMICIDE.—There were 5 homicidal deaths.

SUICIDE.—Twelve deaths by suicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1912 (52 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever, ...	48	315	305	29	29
Typhus, ...	5	12	15	2	—
Small-pox, ...	—	—	—	—	—
Measles, ...	19	886	789	115	1
Scarlet Fever, ...	189	1,135	1,157	55	112*
Diphtheria, ...	60	715	631	89	55
Pneumonia, ...	19	463	395	68	19

* Exclusive of 16 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 278 cases the cause of death was uncertified, there having been no medical attendant during the last illness ; of these 278 cases, 142, or 51·1 per cent., were deaths of children under 5 years of age ; these 142 deaths form 5·3 per cent. of the total number of deaths of children of that age-period. Of the deaths of 490 infants under one month old registered, there were 55 (or 11·2 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District ; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District ; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District ; by Dr. Vaughan, Executive Sanitary Officer for Kingstown Urban District ; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year 1912 (52 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population in middle of 1912.*	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (Phthisis).	Acute Policmyelitis	Other Notifiable Diseases.	Total.
CITY OF DUBLIN	306,573	.	—	—	712	11	.	439	.	49	255	314	4	—	—	2	—	495	(a)	—	2,281
RATHMINES AND RATHGAR URBAN DISTRICT.	38,495	.	—	—	136	.	.	98	.	.	15	16	1	1†	—	—	—	—	—	—	267
PEMBROKE URBAN DISTRICT	29,731	.	165	12	89	1	.	59	1	.	13	12	1	5‡	111	—	—	11	—	—	480
BLACKROCK URBAN DISTRICT	9,125	.	—	—	56	.	.	16	.	.	.	2	.	—	—	.	—	—	—	—	74
KINGSTOWN URBAN DISTRICT	16,941	.	—	—	74	.	4	19	.	.	1	11	1	—	—	—	—	46	—	—	156
CITY OF BELFAST ..	391,974	.	—	—	916	2	.	244	8	14(b)	51	193	5	—	—	2§	—	451	1§	—	1,887

* See Note (*) on page xiv. † Notifiable from 10th July, 1911 for a period of 6 months.
‡ Notifiable from 1st July, 1911, for a period of 12 months; another case was returned after the expiration of this period.
§ Notifiable for 6 months ending 31st August, 1912.
(a) Notifiable from 4th October, 1912.
(b) Including 2 cases in which the patients were subsequently found to be suffering from typhus,

TABLE III.—DUBLIN REGISTRATION AREA.*—CAUSES OF DEATH in the years 1902–1912, with the Ratio of the Deaths to the Population.

Names of Diseases.	Number of Deaths Registered. 1902 (53† weeks).	1903 (52 weeks).	1904 (52 weeks).	1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks.)	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	Yearly Average. 1902–11.	1912. Total (52 weeks).	1912. 1st Quarter.	1912. 2nd Quarter.	1912. 3rd Quarter.	1912. 4th Quarter.	Annual rate for each cause per 10,000 Persons living. Yearly Average, 1902–1911.	Annual rate 1912 (52 weeks).
Enteric Fever	121	94	74	64	54	38	58	68	48	83	70	52	16	10	8	18	1·8	1·3
Typhus	8	2	1	.	4	8	2	3	5	4	4	3	2	.	.	1	0·1	0·1
Small-pox	.	36	.	.	.	.	.	.	.	.	4	.	.	.	.	.	0·1	–
Measles	392	49	191	97	56	154	150	121	20	207	144	280	53	158	56	13	3·7	7·0
Scarlet Fever	76	63	26	24	13	14	19	25	44	77	38	68	21	21	14	12	1·0	1·7
Whooping-cough	59	129	239	48	101	228	91	156	126	183	136	94	42	21	18	13	3·5	2·3
Diphtheria	85	60	35	32	40	47	49	60	64	101	57	110	38	29	21	22	1·5	2·7
Croup	16	15	4	8	10	6	4	4	.	5	7	3	2	.	.	1	0·2	0·1
Influenza	95	105	86	79	69	121	176	102	104	71	101	72	22	30	7	13	2·6	1·8
Dysentery	—	—	—	—	—	—	—	—	—	7	—	4	1	.	.	3	.	0·1
Tuberculous Disease. Phthisis	1,261	1,218	1,172	1,207	1,152	1,183	1,174	1,049	1,006	1,052	1,147	1,065	308	278	212	207	29·5	26·6
Tuberculous Disease. Other Forms	475	560	607	517	542	610	568	459	485	399	522	375	88	106	89	92	13·4	9·3
Cancer	342	362	367	372	453	399	426	418	476	447	406	470	112	114	118	126	10·4	11·7
Diseases of: Nervous System / Circulatory System	2,034	2,174	2,010	1,981	2,002	2,027	1,960	1,852	1,841	858 / 874	1,961	821 / 874	261 / 280	207 / 218	179 / 172	174 / 204	50·5	20·5 / 21·8
Organs of Special Sense	10	7	11	10	6	9	6	14	9	13	10	15	3	4	5	3	0·3	0·4
Respiratory System. Pneumonia	620	522	619	553	622	770	663	746	647	603	637	806	282	252	110	162	16·4	20·1
Respiratory System. Others	1,323	1,168	1,164	1,000	1,083	1,285	1,180	1,175	1,185	1,042	1,161	1,160	487	284	135	254	29·9	28·9
Digestive System. Diarrhœa and *Enteritis* under 2 years	.									663		235	39	43	95	58		5·9
Digestive System. Diarrhœa 2 yrs. and upwards.	331	257	464	430	577	359	507	396	459	62	458	15	4	5	4	2	11·8	0·4
Digestive System. *Enteritis* 2 yrs. and upwards.										70		35	14	8	9	4		0·9
Digestive System. Others	460	409	428	415	441	367	394	362	353	390	402	347	94	92	80	81	10·3	8·7
Genito-urinary System	296	280	305	253	306	324	294	319	301	315	299	311	79	69	69	94	7·7	7·8
Puerperal Septicæmia, &c.	14	16	18	9	16	10	9	9	16	13	13	28	7	6	6	9	0·3	0·7
Other Causes incident to Pregnancy and Childbirth.	40	26	21	21	26	27	23	27	18	23	25	21	3	7	6	5	0·6	0·5
Diseases of Skin and Cellular Tissue	31	22	14	16	15	16	18	14	16	46	21	53	15	14	17	7	0·5	1·3
Diseases of Locomotor System	29	14	10	5	11	20	14	14	10	17	14	13	3	1	4	5	0·4	0·3
Violent Deaths	221	217	198	208	203	232	222	179	220	222	212	185	59	48	31	47	5·5	4·6
Other Specified Causes, / Ill-defined, &c., Causes,	1,388	1,242	1,200	1,076	1,055	1,193	1,063	1,178	1,051	1,084 / 187	1,172	964 / 249	288 / 67	221 / 71	206 / 61	249 / 50	30·2	24·0 / 6·2
Deaths from all Causes	9,727	9,047	9,264	8,425	8,857	9,447	9,070	8,750	8,504	9,118	9,021	8,728	2,690	2,317	1,732	1,989	232·2	217·7
Annual Death-rate per 1,000 of Pop.*	25·3	23·9	24·4	22·2	23·4	24·2	22·6	22·0	21·1	22·6	23·2	21·8	26·8	23·1	17·3	19·8	.	.
Mean Temperature of the Air (Fahr.)	47·9°	47·7°	48·1°	48·4°	48·3°	47·7°	48·8°	47·5°	47·8°	49·0°	48·1°	47·9°	42·3°	50·7°	53·6°	45·0°	.	.
Rainfall (in inches)	26·97	32·48	22·62	24·46	23·59	27·80	24·41	26·42	31·33	23·33	26·34	27·04	6·61	5·85	9·14	5·44	.	.

* The rates are calculated on the population estimated to the middle of the respective years.

† The numbers for the years 1902 and 1908 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.

TABLE IV.—Showing for the YEAR 1912 (52 weeks) the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1912.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM DISEASES IN COLS. 13-20, 26-7.	TOTAL DEATHS.	YEAR 1912 (52 WEEKS). DEATHS. Under 1 year.	and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E. ..	29,697	23·4	3·1	695	139	56	53	45	32	110	142	118	6	–	–	39	10	18	5	–	90	25	14	67	103	12	1	17	23
" 1. W. ..	40,583	24·5	2·7	993	209	69	69	47	47	155	201	196	8	–	–	30	10	10	8	1	115	33	50	107	130	40	1	17	54
" 2 ..	27,883	26·5	2·5	739	163	59	38	37	22	137	165	118	3	–	–	15	4	10	4	–	92	41	25	86	105	32	2	14	13
" 3 ..	34,937	21·4	2·7	749	152	72	44	41	33	118	151	138	6	–	–	38	10	9	10	–	84	33	39	83	80	19	2	14	18
CLONTARF AND HOWTH, No. 1, part of.	5,393	10·9	0·4	59	5	1	2	3	5	13	16	14	–	–	–	–	1	–	1	–	5	2	4	7	3	–	–	–	1
COOLOCK AND DRUMCONDRA, part of.	13,455	11·4	1·1	153	20	5	7	7	8	21	37	48	3	–	–	2	3	4	3	–	16	7	8	8	16	4	–	2	4
FINGLAS AND GLASNEVIN, part of.	10,542	10·7	0·9	113	17	3	5	1	5	19	30	33	2	–	–	–	1	–	2	–	11	1	7	7	17	3	1	3	1
South City.																													
SOUTH CITY, No. 1 ..	40,080	23·7	2·3	951	189	73	71	46	42	142	198	190	5	1	–	34	6	3	14	1	115	44	36	72	161	23	4	18	26
" 2 ..	18,341	23·5	1·6	431	74	33	28	11	11	86	106	82	–	–	–	10	1	6	4	–	68	30	19	34	83	7	1	8	11
" 3 ..	42,805	24·0	2·1	1,027	205	81	78	40	63	139	231	190	3	1	–	28	4	14	14	–	149	60	41	115	164	23	1	21	43
" 4 ..	33,171	21·0	3·3	695	133	57	52	41	26	97	145	144	3	–	–	50	5	7	7	–	84	27	30	65	87	38	–	19	18
NEW KILMAINHAM	9,686	15·8	1·8	153	30	7	10	12	10	27	27	30	–	–	–	2	1	2	3	–	16	8	4	10	38	9	–	6	7
Urban Districts.																													
RATHMINES AND RATHGAR ..	38,495	14·9	1·2	574	67	15	26	24	26	79	129	208	3	–	–	9	4	5	14	1	58	11	33	41	68	9	1	13	23
PEMBROKE	29,731	14·3	1·3	424	73	18	15	22	25	50	101	120	4	–	–	5	4	3	12	–	36	13	40	41	35	10	–	8	12
BLACKROCK	9,125	15·3	0·7	140	13	1	4	4	8	21	24	65	–	–	–	1	1	1	2	–	15	2	15	11	12	1	–	2	3
KINGSTOWN	16,941	18·5	1·4	313	44	20	15	14	13	36	75	96	–	–	–	12	1	4	2	–	29	5	24	33	36	3	1	3	21
Total City. North, ...	162,490	21·5	2·4	3,501	705	265	218	181	152	573	742	665	28	–	–	124	39	47	33	1	413	142	147	365	454	110	7	67	114
Total City. South, ...	144,083	22·6	2·3	3,257	631	251	239	150	152	491	707	636	11	2	–	124	17	32	42	1	432	169	130	296	533	100	6	72	105
Total City. North and South,	306,573	22·0	2·4	6,758	1,336	516	457	331	304	1,064	1,449	1,301	39	2	–	248	56	79	75	2	845	311	277	661	987	210	13	139	219
Total Urban Districts, ..	94,292	15·4	1·2	1,451	197	54	60	64	72	186	329	489	7	–	–	27	10	13	30	1	138	31	112	126	151	23	2	26	59
Total Registration Area, ..	400,865	20·5	2·1	8,209	1,533	570	517	395	376	1,250	1,778	1,790	46	2	–	275	66	92	105	3	983	342	389	787	1,138	233	15	165	278
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				519	27	8	18	34	59	145	152	76	6	1	–	5	2	2	5	1	82	33	81	19	22	2	–	20	–

* See Note (†) on page iv. † See Note (*) on page xiv.

AGES.—Of the 8,728 deaths registered during the year, 2,673, or 31 per cent. were of children under five years of age, and 1,866, or 21 per cent., were of persons aged 65 years and upwards, including those of 1,376 persons aged 70 years and upwards, of whom 59 were stated to have been nonagenarians, and 2 (a male and a female), were stated to have been aged 100 and 104 years, respectively.

The deaths of infants under 1 year old were equal to 142 for every 1,000 births registered against 159 in the preceding year, and 145 in 1910.

TABLE V. (i.)—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1901, the Number of Deaths registered in each of the years 1901–1910, and the proportion which the Deaths at each age-period bear to the estimated Population* at the same age.

Years, &c.		Ages.							
		All Ages.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
Census Population in 1901		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
Number of Deaths *Registered.*	Year 1901	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	„ 1902,†	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	„ 1903, ...	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	„ 1904	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	„ 1905	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	„ 1906	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	„ 1907	9,447	2,935	669	3,604	1,410	1,910	2,117	406
	„ 1908†	9,070	2,768	576	3,344	1,358	1,932	2,032	404
	„ 1909	8,750	2,620	561	3,181	1,318	1,763	2,109	379
	„ 1910	8,504	2,441	557	2,998	1,239	1,731	2,124	412
	Yearly average, 1901–1910	9,066	2,722	644	3,366	1,417	1,867	2,011	405
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same Age.	Year 1901	25·4	71·9	7·0	24·1	11·4	28·9	85·7	235·8
	„ 1902†	25·3	81·5	7·0	26·6	11·4	27·3	74·5	209·9
	„ 1903	23·9	66·5	6·0	22·0	11·1	28·1	80·1	209·2
	„ 1904	24·4	78·5	6·1	25·1	10·5	26·1	78·6	211·8
	„ 1905	22·2	63·0	5·9	21·0	10·0	25·0	75·5	209·7
	„ 1906	23·4	64·8	5·8	21·3	10·1	27·9	83·5	194·6
	„ 1907	24·2	73·9	6·0	23·9	10·0	26·7	83·8	204·8
	„ 1908†	22·6	67·9	5·1	21·6	9·4	26·4	78·4	198·6
	„ 1909	22·0	64·7	5·0	20·7	9·2	24·2	81·9	187·5
	„ 1910	21·1	59·6	4·9	19·3	8·5	23·5	81·5	201·6
	Yearly average, 1901–1910	22·5	69·2	5·9	22·6	10·2	26·4	80·4	206·4

* See note (*), page viii. † See note (†), page viii.

TABLE V. (ii.)—Showing, by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the years 1911 and 1912, and the proportion which the Deaths at each Age-Period bear to the estimated Population at the same age.

Year.		Ages.									
		All Ages.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
Census Population in 1911 ..		393,235	8,917	31,996		70,937	80,260	124,692	58,957	16,883	5,593
Number of Deaths *Registered.*	Year 1911 ..	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912 ..	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	1st Quarter, 1912	2,690	496	176	157	135	125	382	604	378	237
	2nd „	2,317	372	198	182	130	124	367	501	272	171
	3rd „	1,732	334	123	111	82	77	302	373	187	143
	4th „	1,989	358	81	85	82	109	344	452	295	183
Number of Deaths at each Age-Period to every 1,000 of the Estimated Population at Same Age.	Year 1911 ..	22·6	200·0	36·8		5·6	5·4	11·3	31·9	65·5	143·2
	Year 1912 ..	21·8	173·8	34·6		6·0	5.4	11·1	32·5	66·6	130·4

Occupations.—Table VII. on page xii. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 14·2 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·4; and in the "General Service Class" it was 23·8. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

Table VI.—Showing by Ages, in Five General Classes and Eighteen Groups, the Occupations or Social Position of the Inhabitants of the Dublin Registration Area in 1901.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Ages. Under 5 years.	5 and under 15.	15 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
	ALL PERSONS	375,350	38,157	67,552	39,171	135,683	68,610	24,273	1,904
	CLASSES.								
	Families of the :—								
I.	Professional and Independent Class ..	17,436	937	2,136	1,322	5,665	4,490	2,532	354
II.	Middle Class	87,188	7,418	14,383	9,936	33,875	15,662	5,460	454
III.	Artisan Class and Petty Shopkeepers ..	110,423	12,336	21,973	11,462	37,921	20,434	5,920	377
IV.	General Service Class	154,279	17,205	28,768	16,320	57,135	26,398	7,989	464
V.	Inmates of Workhouses	6,024	261	292	131	1,087	1,626	2,372	255
I.	Professional and Independent Class.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,799	541	997	548	2,654	2,196	793	70
	2. Merchants and Manufacturers, Higher Class	1,277	139	268	98	325	322	116	9
	3. Persons of Rank and Property, not otherwise described.	8,360	257	871	676	2,686	1,972	1,623	275
II.	Middle Class.								
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	822	1,509	822	2,461	1,658	412	28
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	22,016	2,849	5,110	1,330	6,494	4,995	1,181	57
	6. Clerks and Commercial Assistants	30,432	2,477	3,842	5,170	14,637	3,630	663	13
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	27,028	1,270	3,922	2,614	10,283	5,379	3,204	356
III.	Artisan Class and Petty Shopkeepers.								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	9,874	1,364	2,151	940	3,627	1,512	271	9
	9. Building and Furnishing Trades	29,801	4,037	6,963	2,619	9,373	5,452	1,289	68
	10. Clothing Trades	23,260	1,359	2,995	3,338	9,277	4,484	1,700	107
	11. Food Supply Trades	9,242	1,279	2,023	742	3,300	1,565	320	13
	12. Other Trades and Callings ranking with Trades	30,352	3,472	6,258	3,151	9,923	5,623	1,770	155
	13. Petty Shopkeepers	7,894	825	1,583	672	2,421	1,798	570	25
IV.	General Service Class.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	13,425	1,376	2,217	2,238	5,068	1,655	836	35
	15. Domestic Servants	36,603	916	2,256	5,873	18,887	6,290	2,203	178
	16. Coach and Car Drivers, Vanmen, &c. ..	14,390	2,250	3,385	838	5,084	2,416	407	10
	17. Hawkers, Porters, Labourers, &c.	89,861	12,663	20,910	7,371	28,096	16,037	4,543	241
V.	Inmates of Workhouses.								
	18. Workhouse Inmates	6,024	261	292	131	1,087	1,626	2,372	255

TABLE VII.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the Year 1912 (52 weeks), the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, YEAR 1912 (52 WEEKS). Annual Death Rate per 1000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis	Other Forms	Cancer	*Convulsions*	Diseases of the Respiratory System. Pneumonia	Other	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards	Violence	Other Causes	Number of Uncertified Deaths
	ALL PERSONS	375,350	–	8,728	2673	429	435	1395	1930	1132	734	52	3	–	280	68	94	110	4	1065	375	470	208	806	1160	235	15	185	3598	278
	CLASSES.																													
	DEATHS IN THE FAMILIES OF THE—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS	17,436	14·2	247	12	1	4	15	61	67	87	1	–	–	1	1	–	3	–	6	–	32	–	17	29	2	–	2	153	5
II.	MIDDLE CLASS	87,188	16·5	1,437	240	70	94	240	362	218	213	14	1	–	18	9	4	27	2	153	43	120	16	113	121	13	1	33	749	30
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS	110,423	16·4	1,813	529	101	99	318	437	218	111	12	1	–	50	19	27	30	1	247	72	101	42	176	232	38	4	31	730	74
IV.	GENERAL SERVICE CLASS	154,279	23·8	3,666	1622	226	181	528	628	306	175	23	1	–	205	37	57	50	1	374	155	135	148	436	455	122	8	111	1348	169
V.	INMATES OF WORKHOUSES	6,024	–	1,565	270	31	57	294	442	323	148	2	–	–	6	2	6	–	–	285	105	82	2	64	323	60	2	8	618	–
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers and Heads of Public Departments.	7,799	23·3	182	10	1	3	13	47	49	59	1	–	–	–	1	–	2	–	5	–	23	–	11	25	2	–	2	110	5
	2. Merchants and Manufacturers, Higher Class.	1,277	1·6	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
	3. Persons of Rank and Property, not otherwise described.	8,360	7·5	63	1	–	1	1	14	18	28	–	–	–	1	–	–	1	–	1	–	9	–	5	4	–	–	–	42	–
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c.	7,712	16·7	129	20	3	4	17	28	25	32	2	–	–	–	1	–	1	–	14	4	10	2	8	9	–	–	3	75	2
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	22,016	16·1	355	64	14	5	63	114	57	38	4	–	–	3	1	1	8	–	27	8	21	4	37	24	4	–	6	207	5
	6. Clerks and Commercial Assistants ..	30,432	14·1	428	113	15	47	93	88	50	22	6	–	–	10	5	3	9	1	61	17	21	8	33	37	7	–	9	201	15
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above.	27,028	19·4	525	43	38	38	67	132	86	121	2	1	–	5	2	–	9	1	51	14	68	2	35	51	2	1	15	266	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	9,874	19·0	188	74	16	13	33	30	13	9	2	–	–	3	2	3	4	–	28	13	9	6	18	22	4	–	5	69	6
	9. Building and Furnishing Trades ..	29,801	15·6	464	175	29	19	68	111	45	17	3	–	–	20	9	7	9	1	57	20	29	9	60	61	12	3	6	158	22
	10. Clothing Trades	23,260	11·0	256	58	7	16	52	60	43	20	2	–	–	7	3	4	2	–	40	9	18	3	14	38	3	–	1	112	9
	11. Food Supply Trades	9,242	14·2	131	43	8	4	29	30	14	3	1	–	–	5	–	4	2	–	15	6	10	3	18	17	3	–	2	45	6
	12. Other Trades and Callings ranking with Trades.	30,352	21·4	651	152	33	40	114	181	80	51	3	1	–	14	5	7	11	–	89	18	31	18	59	77	11	1	13	293	23
	13. Petty Shopkeepers	7,894	15·6	123	27	8	7	22	25	23	11	1	–	–	1	–	2	2	–	18	6	4	3	7	17	5	–	4	53	8
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	16·6	223	75	14	5	30	45	24	30	–	–	–	8	4	–	8	–	12	9	10	4	23	25	8	1	9	102	8
	15. Domestic Servants	36,603	9·6	350	72	6	41	81	74	39	37	9	1	–	5	2	2	3	–	48	18	19	9	25	25	10	–	5	169	12
	16 Coach and Car Drivers, Vanmen, &c.	14,390	24·0	346	145	10	18	64	63	32	14	1	–	–	15	1	4	3	–	36	12	12	12	55	43	5	–	13	134	14
	17. Hawkers, Porters, Labourers, &c. ..	89,861	30·6	2,747	1330	196	117	353	446	211	94	13	–	–	177	30	51	36	1	278	116	94	123	333	362	99	7	84	943	135
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates;	6,024	–	1,565	270	31	57	294	442	323	148	2	–	–	6	2	6	–	–	285	105	82	2	64	323	60	2	8	618	–

PROVINCIAL URBAN DISTRICTS.—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest:—

Wexford, 0·1 per 1,000 of the population; Drogheda, 0·2; Newtownards, 0·3; Sligo, 0·4; Londonderry, 0·5; Lisburn, 0·5; Queenstown, 0·5; Armagh, 0·5; Kilkenny, 0·7; Cork, 0·7; Portadown 0·9; Waterford, 1·2; Lurgan, 1·2; Galway, 1·6; Belfast, 1·7; Tralee, 1·8; Clonmel, 2·0; Newry, 2·1; Ballymena, 2·5; Dundalk, 2·7; and Limerick, 4·5.

Enteric Fever.—In the course of the year 17 deaths from enteric fever were registered belonging to Belfast, 6 for Cork, one for Londonderry, and 3 for Limerick; there were 2 deaths in each of Galway and Newry, and one death in each of Dundalk, Sligo, Clonmel and Tralee.

Typhus.—Of 4 deaths from typhus, 2 appertained to Belfast, one to Waterford and one to Kilkenny.

Small-pox.—There was no mortality from small-pox reported from the Provincial Urban Districts during the period under notice.

Measles.—There were 171 deaths for Belfast, 6 for Cork, 127 for Limerick, 17 for Dundalk, 4 for each of Clonmel and Tralee, and 2 for each of Ballymena and Kilkenny.

Scarlet Fever.—Deaths from scarlet fever occurred as follows:—48 for Belfast, 5 for Cork, 2 for Limerick, 6 for Galway, 4 for Lurgan, 3 for Kilkenny, 2 for each of Dundalk, Portadown, Tralee and Newtownards, and one for each of Sligo and Queenstown.

Whooping-cough.—For Belfast the deaths from whooping-cough numbered 217, for Cork 11, for Londonderry 2, for Limerick 30, and for Waterford one death. There were 24 deaths for Ballymena, 20 for Newry, 9 for Portadown, 7 for Clonmel, 6 for Dundalk, 5 for Lurgan, 3 for Armagh, 2 for Drogheda, and one death for each of Galway, Lisburn, and Kilkenny.

Diphtheria.—The fatalities caused by diphtheria were for Belfast 37, for Cork 6, for Londonderry 2, for Limerick one, and for Waterford 2. There were 7 deaths belonging to Galway, also 7 deaths to Dundalk; there was one death for each of the following districts:—Lurgan, Lisburn, Sligo and Tralee.

Diarrhoea and Enteritis of Children under 2 years of age.—Of 249 deaths classified under this heading, 141 belonged to Belfast, 17 to Cork, 12 to Londonderry, 9 to Limerick, and 27 to Waterford.

Cerebro-spinal Fever.—Four deaths from cerebro-spinal fever or *cerebro-spinal meningitis* were recorded for Belfast during the year 1912. In the year 1911 the deaths numbered 2, and in the year 1910 there were 3 deaths registered. During the year 1912 2 cases of cerebro-spinal fever or *cerebro-spinal meningitis* were returned as having been notified in Belfast. (See Table II).

Phthisis (Tuberculous Phthisis.)—The number of deaths from phthisis registered in the twenty-one Town Districts amounted to 1,571, being 42 less than the number registered in 1911. The total (1,571) is equal to an annual rate of 2·1 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast, 802, represent a rate of 2·0 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths, 769, represent an annual rate of 2·1 per 1,000 of the aggregate population of these Areas. The death-rate for phthisis in the Dublin Registration Area (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·5 per 1,000 of the estimated population.

* See note (†) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the YEAR 1912 (52 weeks) in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by: Births.	Deaths. From all Causes.	Deaths. From Diseases in Cols. 10-17, 23-4.	Registration—Year, 1912 (52 weeks). Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards	Violence.	Inquest Cases	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 22 Town Districts	1,154,150	19·8	26·8	18·7	1·7	30,900	21,607	3,888	4,993	81	6	–	608	144	432	171	4	2554	943	996	1951	2944	482	46	387	704	6726	807
Dublin Registration Area:— Total	400,865	29·2	27·4	20·5	2·1	10,980	8,209†	1,533	1,790	46	2	–	275	66	92	105	3	983	342	389	787	1138	233	15	165	216	3264	278
City of Dublin	306,573	38·8	30·8	22·0	2·4	9,455	6,758	1,336	1,301	39	2	–	248	56	79	75	2	845	311	277	661	987	210	13	139	185	2865	219
Urban Districts. Rathmines and Rathgar	38,495	22·5	14·7	14·9	1·2	564	574	67	208	3	–	–	9	4	5	14	1	58	11	33	41	68	9	1	13	14	166	23
Pembroke	29,731	18·9	17·7	14·3	1·3	526	424	73	120	4	–	–	5	4	3	12	–	36	13	40	41	35	10	–	8	9	120	12
Blackrock	9,125	8·4	15·3	15·3	0·7	140	140	13	65	–	–	–	1	1	1	2	–	15	2	15	11	12	1	–	2	1	33	3
Kingstown	16,941	11·6	17·4	18·5	1·4	295	313	44	96	–	–	–	12	1	4	2	–	29	5	24	33	36	3	1	3	7	80	21
Urban Districts. Belfast	391,974	26·2	27·8	18·1	1·7	10,884	7,111†	1,408	1,352	17	2	–	171	48	217	37	–	802	338	317	799	981	141	18	131	303	1755	81
Cork	76,673	28·6	24·8	19·1	0·7	1,903	1,464	204	412	6	–	–	6	5	11	6	1	231	71	66	69	166	17	–	16	56	560	58
Londonderry	40,891	15·9	24·5	15·2	0·5	1,000	620	84	179	1	–	–	–	–	2	2	–	83	28	33	26	100	12	2	10	20	72	14
Limerick	38,518	16·1	25·3	20·6	4·5	976	795	148	127	3	–	–	127	2	30	1	–	80	11	23	30	128	9	3	2	20	250	84
Waterford	27,464	19·1	24·3	18·0	1·2	667	495	83	143	–	1	–	–	–	1	2	–	59	30	24	24	78	27	1	15	29	197	40
Galway	13,255	2·5	26·2	19·2	1·6	347	255	32	100	2	–	–	–	6	1	7	–	22	10	11	20	28	4	1	8	6	99	44
Dundalk	13,128	9·5	29·7	19·4	2·7	390	255	45	66	1	–	–	17	2	6	7	–	30	5	14	45	16	2	–	6	8	54	10
Drogheda	12,501	8·4	24·2	14·8	0·2	302	185	24	76	–	–	–	–	–	2	–	–	15	10	11	16	19	1	–	–	1	43	16
Newry	11,963	17·0	23·8	18·1	2·1	285	217	38	68	2	–	–	–	–	20	–	–	18	5	11	29	30	3	–	6	6	45	9
Lurgan	12,553	14·7	24·9	17·8	1·2	313	224	42	51	–	–	–	–	4	5	1	–	28	10	10	21	27	4	1	4	4	43	8
Lisburn	12,388	10·9	23·1	16·0	0·5	286	198	28	72	–	–	–	–	–	1	1	–	24	2	11	13	18	3	1	3	9	46	3
Wexford	11,531	22·8	28·2	17·3	0·1	325	200	21	79	–	–	–	–	–	–	–	–	22	17	6	12	31	1	–	3	5	39	31
Ballymena	11,381	9·3	23·7	16·7	2·5	270	190	31	64	–	–	–	2	–	24	–	–	22	2	13	13	13	3	–	6	7	16	15
Sligo	11,163	3·8	24·3	14·8	0·4	271	165	20	58	1	–	–	–	1	–	1	–	11	17	5	2	11	–	2	1	3	44	36
Kilkenny	10,514	11·4	22·4	19·0	0·7	236	200	18	86	–	1	–	2	3	1	–	–	25	3	11	12	54	–	–	1	–	63	16
Clonmel	10,209	7·8	21·5	16·3	2·0	219	166	31	43	1	–	–	4	–	7	–	–	21	6	9	3	20	8	–	1	1	59	21
Portadown	11,727	15·3	29·3	12·8	0·9	343	150	32	48	–	–	–	–	2	9	–	–	16	11	6	7	22	–	–	4	4	–	4
Tralee	10,300	17·4	26·9	13·4	1·8	277	138	22	39	1	–	–	4	2	–	1	–	19	8	7	8	5	10	1	2	–	40	5
Newtownards	9,587	20·1	26·1	18·4	0·3	250	176	20	71	–	–	–	–	2	–	–	–	34	5	8	6	37	1	–	3	6	21	12
Queenstown	8,209	14·7	25·0	11·9	0·5	205	98	15	31	–	–	–	–	1	–	–	–	4	6	7	7	6	3	–	–	–	–	6
Armagh	7,356	21·8	23·2	13·1	0·5	171	96	9	38	–	–	–	–	–	3	–	–	5	6	4	2	16	–	1	–	–	16	16

* According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area and for the Cities of Belfast and Londonderry, the Population given is estimated to the middle of 1912.

† Including 3 deaths from cerebro-spinal fever or *cerebro-spinal meningitis* in Dublin, and 4 in Belfast.

TABLE IX.—Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1912 (52 weeks), Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No of BIRTHS.	DEATHS. Annual Rate* of Mortality per 1 000 of the Population in 1911, represented by Deaths from: All Causes.	Diseases in Cols. 12–19, 25–6.	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT ..	15,879	393	20·9	2·5	332	70	51	23	49	74	62	3	–	–	15	–	10	2	–	42	6	18	37	42	8	1	12	22	101	2
Do. 2 do. ..	49,500	1,340	18·3	1·5	904	159	120	103	130	203	189	3	1	–	30	1	19	5	–	96	26	41	87	157	13	2	11	36	182	13
Do. 3 do. ..	50,032	1,455	19·3	1·9	967	201	135	112	143	205	171	3	1	–	19	10	29	3	–	125	43	44	133	122	27	2	19	40	201	22
Do. 4 do. ..	32,637	1.292	21·0	1·7	686	165	69	68	107	134	143	2	–	–	3	4	27	2	–	78	19	26	66	83	17	1	18	27	300	3
Do. 5 do. ..	16,112	490	25·7	1·9	414	99	56	34	67	97	61	2	–	–	3	1	18	1	–	43	39	18	53	54	4	2	18	23	141	8
Do. 6 do. ..	37,293	723	14·6	0·9	546	79	48	52	86	125	156	1	–	–	3	2	13	8	–	59	20	29	56	60	8	–	10	24	110	5
Do. 7 do. ..	2,681	56	12·7	0·4	34	7	5	6	3	4	9	–	–	–	–	–	–	1	–	6	2	1	4	4	–	–	1	2	5	2
Do. 8 do. ..	5,964	122	15·8	0·7	94	18	10	10	12	21	23	–	–	–	1	–	2	–	–	11	2	4	9	14	1	–	2	5	19	–
Do. 9 do. ..	24,427	640	16·3	1·6	399	71	63	52	65	88	60	1	–	–	3	–	19	3	–	69	20	18	59	50	11	1	7	14	83	4
Do. 10 do. ..	28,958	888	17·6	2·3	511	102	79	74	69	108	79	–	–	–	25	3	18	1	–	68	17	26	61	65	16	3	6	16	105	9
Do. 11 do. ..	39,311	1,052	15·2	1·1	599	107	65	75	91	147	114	–	–	–	7	10	15	1	–	68	36	31	54	75	8	1	10	20	124	8
Do. 12 do. ..	38,076	1,256	19·6	2·5	747	172	158	97	84	128	108	–	–	–	42	9	17	8	–	46	58	25	67	160	16	4	10	47	173	4
Do. 13 do. ..	23,233	573	11·9	1·2	277	40	36	32	41	63	65	1	–	–	5	5	15	1	–	36	15	15	21	39	2	–	1	6	33	1
Do. 14 do. ..	175	4	11·4	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Do. 15 do. ..	22,669	600	26·4	2·0	599	117	80	64	96	131	111	1	–	–	15	3	15	1	–	55	35	21	92	56	10	1	6	21	178	–
Total	386,947	10,884	18·1	1·7	7,111*	1408	975	805	1043	1528	1352	17	2	–	171	48	217	37	–	802	338	317	799	981	141	18	131	303	1755	81
City of Cork.																														
CORK URBAN No. 1 DISTRICT ..	12,867	271	16·7	0·5	224	26	5	29	38	41	85	2	–	–	2	–	3	–	–	43	5	16	7	18	–	–	–	5	119	6
Do. 2 do. ..	10,701	311	17·1	1·4	178	29	27	18	28	46	30	1	–	–	2	4	3	3	–	19	11	5	5	24	2	–	4	9	35	9
Do. 3 do. ..	9,978	291	18·3	0·6	179	33	22	21	30	31	42	1	–	–	1	–	1	–	–	32	7	5	5	39	3	–	2	9	44	10
Do. 4 do. ..	8,666	202	14·9	0·5	136	22	14	15	27	30	28	–	–	–	–	–	–	1	1	29	7	6	5	22	3	–	1	4	45	5
Do. 5 do. ..	6,592	128	23·5	0·3	147	18	7	16	29	35	42	–	–	–	–	–	1	–	–	19	10	10	13	16	1	–	1	9	60	5
Do. 6 do. ..	10,702	277	24·6	0·8	285	37	19	31	47	61	90	2	–	–	–	1	1	2	–	44	17	10	14	22	3	–	1	6	131	6
Do. 7 do. ..	16,616	423	19·6	0·5	315	39	20	31	56	74	95	–	–	–	1	–	2	–	–	45	14	14	20	25	5	–	7	14	126	17
Total	76,122	1,903	19·1	0·7	1,464	204	114	161	255	318	412	6	–	–	6	5	11	6	1	231	71	66	69	166	17	–	16	56	560	58

* See note (‡) on page xiv. † The rates for the total of Belfast City are calculated on the population estimated to the middle of the year,

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
12th February, 1913.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 33726 Wt. P. 589–61/139 375. 1. 1913. Sch. 10

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 6TH JANUARY, 1912. [No. 1.

General Register Office, Charlemont House,
Dublin, 8th January, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 16	Dec. 23	Dec. 30	Jan. 6	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 16	Dec. 23	Dec. 30	Jan. 6	Average Rate for 4 weeks.
22 Town Districts, ...	**20·9**	**18·2**	**18·0**	**18·6**	**18·9**	Limerick	21·7	13·6	20·4	9·5	16·3
						Lisburn	17·1	34·3	12·9	21·4	21·4
Armagh	6·9	.	20·6	6·9	8·6	Londonderry	11·5	11·5	14·1	19·1	14·1
Ballymena	27·5	27·5	9·2	27·5	22·9	Lurgan	8·6	30·1	21·5	4·3	16·1
Belfast	20·5	18·1	16·9	17·2	18·2	Newry	39·3	17·4	21·8	13·1	22·9
Clonmel	5·1	.	10·1	15·2	7·6	Newtownards	5·7	11·4	22·9	11·4	12·9
Cork	35·4	22·5	21·1	17·7	24·2	Portadown	8·9	.	17·8	17·8	11·1
Drogheda	8·4	21·0	16·8	4·2	12·6	Queenstown	13·2	6·6	13·2	.	8·3
Dublin Reg. Area ...	22·0	19·9	19·9	23·3	21·3	Sligo	.	4·7	18·7	14·0	9·4
Dundalk	15·9	11·9	19·9	11·9	14·9	Tralee	21·1	10·6	10·6	15·9	14·6
Galway	15·7	23·6	19·7	7·9	16·7	Waterford	22·8	5·7	7·6	17·1	13·3
Kilkenny	5·0	39·7	14·9	19·8	19·8	Wexford	31·9	22·8	13·7	18·2	21·6

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·4 in Portadown, the 4 deaths from all causes for that district including one from scarlet fever. Among the 129 deaths from all causes for Belfast are 2 from whooping-cough, and 3 from diphtheria, and one of the 26 deaths from all causes for Cork was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 213—119 boys and 94 girls—and the deaths to 191—96 males and 95 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·3 per 1,000 of the population, the total deaths registered, numbering 191, representing an annual rate of 24·5 per 1,000.

Among the deaths there were 2 from enteric fever, 6 from measles, 3 from scarlet fever, one death from whooping-cough, 4 from diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years of age.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

In each of the 3 preceding weeks deaths from enteric fever were 3, 0, and one; deaths from measles were 5, 4, and 3; deaths from scarlet fever were one, 3, and one: deaths from whooping-cough were 3, 5, and 4; deaths from diphtheria were 4, 5, and 3, and deaths from diarrhœa and *enteritis* of children under 2 years were 3, 2, and 3.

Deaths from all forms of tuberculous disease, which had been 21, 25, and 30 in the 3 preceding weeks, rose to 33 in the week under notice: this latter figure includes 23 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, one death from abdominal tuberculosis, one death from tuberculosis of the vertebral column, one death from tuberculosis of a joint, and 3 deaths from disseminated tuberculosis.

Of 15 deaths from pneumonia, 9 were attributed to broncho-pneumonia, one to lobar pneumonia, and 5 to *pneumonia* (type not distinguished).

There were 7 deaths from *convulsions*, 3 being of infants under one month, 3 under one year, and one between the ages of one year and 2 years.

Sixteen deaths were caused by organic diseases of the heart, and 29 were due to bronchitis.

The deaths of 6 infants were ascribed to prematurity, one to congenital heart disease, and one to congenital debility.

Of 3 deaths from accidental causes one was by poisoning, and one was of a child between the ages of 2 years and 5 years from burning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 67 years.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 12 were under one month old) and 40 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·3 per 1,000; the rate in the City was 24·8 (North City Districts, 25·2; South, 24·3) and in the Suburbs, 18·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 2·8 (2·9 in the North City Districts, and 2·7 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·5 per 1,000, and include 3 from measles, one from whooping-cough, 3 from tuberculous disease, one from lobar pneumonia, 2 from bronchitis, and one from diarrhœa or *enteritis* of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 23·4 per 1,000. Diarrhœa or *enteritis* of a child under 2 years caused one death. Tuberculous disease caused the deaths of 5 persons; there were 2 deaths from broncho-pneumonia, and 5 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·3 per 1,000. There were 4 deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 35·6 per 1,000. Measles and scarlet fever each caused one death, diarrhœa or *enteritis* of a child under 2 years one death, there were 3 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, and 4 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 6·7. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from tuberculous meningitis and one from bronchitis; and the one death for Finglas and Glasnevin, part of, was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31·3 per 1,000. Scarlet fever caused 2 deaths, there was one death from diphtheria, 2 deaths from pulmonary tuberculosis, one from broncho-pneumonia, 3 from *pneumonia* (type not distinguished), 4 from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·7 per 1,000. Of the deaths 2 were from measles and 3 were from pulmonary tuberculosis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 24·0 per 1,000. There were 3 deaths from tuberculous disease, one from each of broncho-pneumonia and *pneumonia* (type not distinguished), 4 from other diseases of the respiratory system, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. The deaths include one from enteric fever, one from diarrhœa or *enteritis* of a child under 2 years, one from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·3 per 1,000. Diphtheria caused one death, there was one death from pulmonary tuberculosis, and one death from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·1; Pembroke, 21·1; Blackrock, 22·9; and Kingstown, 9·1. The deaths from the principal epidemic diseases tabulated for these districts include one from each of enteric fever, diphtheria, and diarrhœa or *enteritis* of a child under 2 years for Rathmines and Rathgar, and one from diphtheria for Pembroke. Among the 15 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease, one from *pneumonia* (type not distinguished), and one from bronchitis. Of the 12 deaths from all causes for Pembroke, 2 are from tuberculous disease, one from broncho-pneumonia, and one from bronchitis. Included in the 4 deaths from all causes for Blackrock is one from bronchitis; and one death from bronchitis is also included in the 3 deaths from all causes for Kingstown.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th January, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 16,	.	—	—	30	3	.	23	.	3	6	6	.	—	—	.	—	15	—	86
	Dec. 23,	.	—	—	17	1	.	9	.	.	1	6	.	—	—	.	—	7	—	41
	Dec. 30,	.	—	—	22	.	.	9	.	.	8	6	.	—	—	.	—	8	—	53
	Jan. 6,	.	—	—	15	.	.	8	.	3	4	8	.	—	—	.	—	5	—	43
Rathmines and Rathgar Urban District.	Dec. 16,	.	—	—	11	.	.	1	.	.	2	1	.	.	—	—	—	—	—	15
	Dec. 23,	.	—	—	3	.	.	.	.	.	1	.	.	.	—	—	—	—	—	4
	Dec. 30,	.	—	—	4	.	.	2	.	1	.	1	.	.	—	—	—	—	—	8
	Jan. 6,	.	—	—	2	.	.	2	.	.	.	1	.	.	—	—	—	—	—	5
Pembroke Urban District.	Dec. 16,	.	.	.	3	.	.	.	.	.	.	2	.	.	.	.	—	.	—	5
	Dec. 23,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	—	.	—	1
	Dec. 30,	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.	—	1	—	6
	Jan. 6,	.	1	.	3	.	.	3	.	.	.	.	.	.	.	.	—	.	—	7
Blackrock Urban District.	Dec. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 30,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 16,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	3	—	7
	Dec. 23,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	3	—	4
	Dec. 30,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	3	—	6
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	3	—	4
City of Belfast.	Dec. 16,	.	—	—	11	3	.	12	.	1	1	2	.	—	—	.	—	9	—	39
	Dec. 23,	.	—	—	16	.	.	5	.	.	.	6	.	—	—	.	—	10	—	37
	Dec. 30,	.	—	—	18	.	.	7	.	.	.	8	.	—	—	.	—	3	—	36
	Jan. 6,	.	—	—	16	1	.	8	.	.	.	1	.	—	—	.	—	14	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th January, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Fourteen cases of measles were admitted to hospital during the week, 8 were discharged, there were 2 deaths, and 23 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 18, 15, and 19 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 32 were discharged, there were 2 deaths, and 171* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 191, 187, and 189, respectively.

Five cases of typhus remained under treatment in hospital at the close of the week.

Fourteen cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 63, 54, and 60 respectively, were 64 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 44 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 67, 51, and 48.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 24 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 15·5) was equal to an average annual death-rate of 15·3 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·9 per 1,000, the rate for Glasgow being 17·3, and for Edinburgh 16·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th January. From this Report it appears that of a total of 50 cases notified, 16 were phthisis, 16 diphtheria, 12 scarlet fever, 5 erysipelas, and one enteric fever. Among the 403 cases of infectious diseases in hospital at the close of the week were 168 cases of scarlet fever, 70 of diphtheria, 60 of measles, 54 of phthisis, 16 of whooping-cough, 9 of erysipelas, 7 of chicken-pox, 6 of enteric fever, and one of puerperal fever.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th January, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 6TH JANUARY, 1912. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (d) Week ending 6th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	26·9	18·6	1·3	598	413	66	116	2	...	...	6	4	4	7	...	44	16	21	28	71	6	...	4	8	143	15	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA :— TOTAL, (c.) ...	406,536	29·5	27·3	23·3	2·7	213	182	35	40	2	...	...	6	3	1	4	...	21	9	10	15	31	5	...	2	4	81	6	e53·0	30·1	44·1	1·58	e53·3	30·4	43·8	0·56	e6·8	31·7	44·7	0·60
CITY OF DUBLIN,	311,601	39·4	30·1	24·8	2·8	180	148	30	28	1	...	...	6	3	1	2	...	18	7	9	13	27	4	...	2	4	68	6	f52·5 g51·9	36·9 31·0	46·2 44·5	1·10 1·63	f54·2 g53·6	34·7 32·0	45·5 43·9	0·40 0·53	f57·2 g56·8	33·9 32·0	46·1 45·4	0·83 0·79
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	24·1	20·1	4·0	18	15	3	5	1	...	...	...	...	...	1	...	2	1	...	1	1	1	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	15·8	21·1	1·8	9	12	2		...	...	...	...	...	...	1	...	1	1	1	1	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	11·4	22·9	.	2	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	9·1	.	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	55	36	44·8	1·35	55	31	44·9	0·39	55	37	46·8	0·96
Urban Districts. BELFAST ...	391,051	26·6	28·0	17·2	0·7	210	129	23	32	...	...	...	...	...	2	3	...	12	7	3	12	20	.	...	1	2	41	1	53·0	34·0	44·9	0·57	51·8	28·5	42·2	1·28	53·5	32·0	44·0	0·90
CORK, ...	76,632	33·8	19·7	17·7	0·7	29	26	2	12	...	...	...	...	...	1	...	...	4	...	1	...	3	...	...	...	1	7	2	54	39	47·3	0·80	53	38	46·3	1·04	53	37	47·0	2·25
LONDONDERRY...	40,912	18·9	37·0	19·1	.	29	15	3	6	...	...	...	...	...	...	...	...	...	...	3	...	5	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	12·2	9·5	1·4	9	7	1	4	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	2	52·3	36·1	45·4	1·40	53·7	34·7	45·8	1·39	54·5	28·3	43·8	1·96
WATERFORD, ...	27,430	19·1	28·5	17·1	.	15	9	...	3	...	...	...	...	...	...	...	...	...	...	2	...	3	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	15·7	7·9	.	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	50	35	45·7	1·14	52	33	44·4	1·47	54	36	44	1·06
DUNDALK, ...	13,128	9·5	47·7	11·9	.	12	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	25·2	4·2	.	6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	21·8	13·1	.	5	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88
LURGAN, ...	12,135	14·3	30·1	4·3	.	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88
LISBURN, ...	12,172	10·7	47·1	21·4	.	11	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88
WEXFORD, ...	11,455	23·8	18·2	18·2	.	4	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	.	27·5	.	.	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	14·0	.	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	53·0	33·0	44·8	1·15	51·2	27·7	41·9	1·29	58·2	29·0	42·0	1·49
KILKENNY, ...	10,513	11·4	5·0	19·8	.	1	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	55	34	44·5	1·07	53	30	43·8	0·91	53	28	43·1	1·42
CLONMEL, ...	10,277	7·9	30·4	15·2	.	6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	53·4	17·8	4·4	12	4	...	2	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	...	...	...	...	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88
TRALEE, ...	9,867	16·6	37·0	15·9	.	7	3	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	40·1	11·4	.	7	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	54	35	44·3	0·63	54	33	42·6	0·83	53	34	44·0	0·95
QUEENSTOWN, ...	7,909	14·4	19·8	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54	39	47·3	0·80	53	38	46·3	1·04	53	37	47·0	2·25
ARMAGH, ...	7,588	22·2	27·5	6·9	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99	54·0	30·6	41·1	0·88

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the City of Belfast, the Population given is that estimated to the middle of 1912; in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of January, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	6	.
Scarlet Fever,	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	4	1	3	.	.	.	2	3	2	.	1	2	1	.	.	21	2
Tuberculous Disease. — Other Forms,	1	1	3	.	.	1	.	.	.	1	.	.	1	1	.	.	9	1
Cancer,	1	1	1	3	.	.	.	.	.	1	1	1	.	1	.	.	10	.
Diseases of Nervous System,	.	2	.	3	1	.	.	4	.	2	4	.	.	1	1	.	18	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	2	4	1	2	.	2	.	1	.	.	2	1	1	1	17	1
" Respiratory System. — Pneumonia,	1	2	1	2	.	.	.	4	.	2	1	.	1	1	.	.	15	.
" Respiratory System. — Others,	2	5	2	4	.	1	1	5	.	4	2	1	1	1	1	1	31	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	1	1	.	1	.	.	.	.	.	.	1	.	1	.	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	2
" Genito-urinary System,	1	.	.	.	.	.	.	.	1	1	.	1	.	1	1	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	2	1	.	.	.	4	1	5	2	.	2	2	.	.	23	.
Violent Deaths,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	5	.
Deaths from All Causes	17	18	12	23	2	4	1	25	7	20	13	6	15	12	4	3	182	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·5	23·4	20·3	35·6	19·3	17·9	6·7	31·3	16·7	24·0	18·8	34·3	20·1	21·1	22·9	9·1	23·3	.
	25·2							24·3					18·7					
	24·8																	
Ages at Death. — Under 1 year,	4	5	.	6	.	.	.	4	2	3	5	1	3	2	.	.	35	.
Ages at Death. — 1 and under 2 years,	2	3	1	.	.	.	.	1	.	2	2	1	.	.	.	.	12	.
Ages at Death. — 2 " 5 "	.	.	.	1	.	.	.	4	.	.	1	2	1	.	.	.	9	1
Ages at Death. — 5 " 15 "	2	.	2	1	.	1	.	3	.	2	.	.	1	3	.	.	15	1
Ages at Death. — 15 " 25 "	.	.	.	.	.	.	.	3	.	2	.	.	1	1	.	.	7	2
Ages at Death. — 25 " 45 "	2	2	2	.	2	1	.	2	2	3	.	.	2	1	1	.	20	3
Ages at Death. — 45 " 65 "	3	3	3	9	.	1	.	5	3	6	3	2	2	1	1	2	44	2
Ages at Death. — 65 and upwards,	4	5	4	6	.	1	1	3	.	2	2	.	5	4	2	1	40	.
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	2	1	1	.	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	3	1	3	1	1	.	7	3	7	1	1	6	3	1	1	43	9
Workhouse Hospitals,	4	4	4	10	.	.	.	6	3	3	2	.	1	1	.	.	38	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1912–1911.	In the Week ending Saturday, 6th January, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 45·4	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 45·4	° 37·2	° 41·6	° 44·1										
ALL CAUSES.	223	206	208	192	168	246	199	190	174	176	198·2	191	12	23	12	10	16	9	23	46	21	19
Enteric Fever, ...	2	3	6	1	3	.	.	5	.	.	2·0	2	.	.	.	.	1	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	2	3	.	3	.	9	2	4	2·5	6	.	4	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	3	.	.	.	.	.	.	7	1·2	3	.	.	.	1	2	.	.	.	.	.
Whooping-cough, ...	1	2	9	.	2	7	6	.	3	6	3·6	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	3	3	1	.	2	.	1	1	1	1	1·3	4	.	.	1	2	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	7	1	.	2	6	1	.	2	.	2·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	1	3	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	23	26	31	21	24	20	21	24	21	24·1	23	.	1	2	2	3	2	6	6	1	.
Tuberculous Meningitis, ...	2	2	3	3	5	.	.	3	2	2	2·2	4	.	.	.	.	4	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	1	5	2	.	.	1	1	1	1·3	1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of Joints, ...	3	3	7	4	5	6	8	4	2	.	4·3	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		3	.	.	.	.	1	.	2	.	.	.
Venereal Diseases, ...	2	.	.	2	1	.	1	1	1	.	·8	2	2	.	.	.	.	.	.	.	.	.
Cancer, ...	11	6	7	13	7	8	9	8	8	8	8·5	10	.	.	.	.	.	.	1	7	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	2	1	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	—	—	4	.	.	.	.	.	1	.	1	.	2
Alcoholism, ...	3	2	4	1	2	1	.	1	.	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	1	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		2	.	.	1	.	.	.	.	1	.	.
Cerebral Hæmorrhage, *Apoplexy.*										8		5	.	.	.	.	.	.	1	1	3	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		3	.	.	.	.	.	1	.	1	1	.
Epilepsy, ...										2		2	.	.	.	.	.	1	.	1	.	.
Convulsions (non-puerperal),										3		7	3	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	47	59	43	46	41	60	56	43	42	4	47·4	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	1	.	.	.	.
Organic Diseases of the Heart,										13		16	.	.	.	.	1	.	5	5	3	2
Embolism and Thrombosis (including Cerebral)										2		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	37	15	35	29	24	31	32	26	17	27	27·3	29	.	3	1	3	1	.	1	10	6	4
Broncho-pneumonia, ...										9		9	.	3	3	.	1	.	1	.	1	.
Lobar-pneumonia, ...	16	11	17	20	12	23	20	21	22	2	17·7	1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)										4		5	.	.	.	.	.	1	2	2	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	4	5	1	2	6	3	4	3	1	3·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		2	.	.	.	.	.	.	.	2	.	.

FIRST WEEK ending Saturday, 6th January, 1912, with the deaths from each cause the corresponding Week the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 1st Week of the 10 years 1902–1911.	In the Week ending Saturday, 6th January, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 4, 1902.	Jan. 10, 1903.	Jan. 9, 1904.	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·4	° 39·4	° 40·0	° 46·7	° 43·4	° 39·4	° 35·5	° 43·4	° 45·4	° 37·2	° 41·6	° 44·1										
Diseases of the Pharynx, Tonsillitis.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	5	4	4	3	12	5	5	4	3	4·9	5	.	4	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	3	.	.	1	3	2	2	.	2	1	1·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		1	2	.	.	2	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	1	.	.	.	1	.	·2	1	.	.	.	1	.	.	.	.	.	.
Other Diseases of Digestive System.	11	6	4	4	7	7	7	7	8	1	6·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		4	.	.	.	.	.	.	1	3	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	5	9	2	7	10	3	11	7	.	6·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Genito-urinary System.										.		2	.	.	.	.	.	.	.	.	1	1
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	5	1	.	.	2	.	1	.	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	2	7	4	2	1	7	5	4	2	5	3·9	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	10	10	3	1	3	8	3	3	1	4	4·6	9	.	.	.	.	.	.	.	1	1	7
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	2	.	3	2	4	3	.	.	.	1·5	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	1	2	1	1	.	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	2	2	1	2	1	2	.	2	2	1·4	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	5	6	3	5	4	6	5	.	3	2	4·0	3	.	.	.	1	.	.	1	1	.	.
In connection with above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	2	.	1	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	6	—	5	.	3	.	.	.	.	.	.		2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911—WEEK ENDING																									
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered.	190	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213
Average Births in corresponding week of previous 10 years, ...	204	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230
DEATHS registered, ...	172	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191
Annual Death-rate per 1,000, ...	22·2	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5
Average Deaths in corresponding week of previous 10 years, ...	141	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198
Ages, Under 5 years, ...	41	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57
5—15 " ...	13	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16
15—25 " ...	11	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9
25—45 " ...	31	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23
45—65 " ...	33	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46
65—75 " ...	24	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21
75 and upwards, ...	19	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19
Deaths from:—																										
Enteric Fever, ...	3	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6
Scarlet Fever, ...	3	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3
Whooping-cough, ...	1	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1
Diphtheria, ...	3	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4
Influenza, ...	1	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.
Dysentery, ...	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23
Tuberculous Disease, Other Forms,	12	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10
Cancer, ...	4	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10
Diseases of Circulatory System,	22	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18
Diseases of Respiratory System, Pneumonia,	10	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15
Diseases of Respiratory System, Others, ...	11	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31
Diarrhœa and *Enteritis*, under 2 years, ...	5	11	34	29	41	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5
Diarrhœa, 2 years and upwards,	.	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.
Violent Deaths, ...	7	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3
Number of Uncertified Deaths,	5	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6
Mean Temperature of the Air (Phœnix Park)	60·9	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1
Average Mean Temperature in corresponding week of previous 10 years, ...	58·5	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6
Rainfall in inches, ...	·000	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th January, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 6th January, 1912. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	191	57	16	9	23	46	21	19	2	.	.	6	3	1	4	.	23	10	10	7	15	31	5	.	3	71	6
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	3	5	2	4	7	4	6	1	.	.	1	1	.	1	.	3	3	2	1	1	4	.	.	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	8	4	2	5	7	4	.	.	.	.	.	2	.	3	.	6	3	1	.	2	4	1	.	.	8	1
IV.	GENERAL SERVICE CLASS, ...	154,279	29·4	87	40	5	3	12	18	5	4	1	.	.	4	.	1	.	.	8	3	4	6	9	17	1	.	2	31	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	6	2	2	2	12	8	6	.	.	.	1	.	.	.	.	6	1	3	.	3	6	3	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	18·9	8	1	1	.	1	3	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.	1	3	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	1	2	.	2	3	1	1	.	.	.	1	1	.	.	.	1	2	1	.	.	1	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	1	2	1	1	1	4	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	2	1	.	2	4	2	.	.	.	.	.	1	.	1	.	2	2	.	.	2	2	.	.	.	1	1
	10. Clothing Trades, ...	23,260	13·5	6	1	1	.	2	2	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	.	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	3	1	2	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1	.	.	4	.
	13. Petty Shopkeepers	7,894	19·8	3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
	15. Domestic Servants, ...	36,603	15·7	11	.	1	1	2	5	.	2	1	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	1	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·9	67	35	4	1	8	12	5	2	.	.	.	4	.	1	.	.	7	2	4	5	5	13	1	.	1	24	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	38	6	2	2	2	12	8	6	.	.	.	1	.	.	.	.	6	1	3	.	3	6	3	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Nov. 18,	40·2	7·0	23	.	.	.	.	.	.	.	.	3	2	2	1	4	4	.	1	1
		„ 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	1	1
		Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	1	.
		9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	1
		„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	1	.
		„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
		30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
		Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Nov. 18,	22·2	1·3	17	.	.	.	.	.	1	.	.	2	.	.	.	4	.	.	1	1
		„ 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	3	.	.	1
		Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	1
		„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.
		„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	1	4
		„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
		„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
		Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Nov. 18,	25·5	.	15	.	.	.	.	.	.	.	.	1	1	2	2	2	.	.	.	.
		„ 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	1	1
		Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	2	.	.	2
		„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	1	1
		„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.
		„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
		„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
		Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Nov. 18,	32·7	3·1	21	.	.	.	.	1	.	.	1	1	1	2	1	2	.	.	.	.
		„ 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.
		Dec. 2,	9·3	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
		„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.
		„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	1	.
		„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
		„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
		Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Nov. 18,	26·4	7·6	21	.	.	.	4	.	1	.	.	1	2	2	1	3	1	.	.	.
		„ 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	1	.	.	1
		Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	1
		„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	2	.	1	.
		„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.
		„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
		„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
		Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Nov. 18,	31·2	7·2	13	.	.	.	1	1	.	1	.	1	.	1	.	3	.	.	1	.
		„ 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
		Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.
		„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	1
		„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
		„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
		Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Nov. 18,	24·2	3·6	20	.	.	.	.	.	1	2	.	5	2	3	2	1	.	.	1	.
		„ 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	1	1
		Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
		„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.
		„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.
		„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
		„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
		Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Nov. 18,	11·6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
		„ 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
		Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	1
		„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.
		„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
		„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
		Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Nov. 18,	17·7	.	13	.	.	.	.	.	.	.	.	4	1	3	.	.	.	.	1	.
	„ 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Nov. 18,	17·8	1·8	10	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	2
	„ 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	2	.	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Nov. 18,	9·1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Nov. 18,	17·7	1·6	131	.	.	.	.	1	1	4	.	17	7	4	10	15	6	.	5	1
	„ 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	6	1	1	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	2	.	.	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	2	.	.	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	2	.	.	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
Cork. Pop. in 1911 76,632.	Nov. 18,	25·9	4·8	38	.	.	.	2	.	.	2	.	6	2	3	1	4	2	1	1	1
	„ 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	3	.	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
Londonderry. Pop. in 1912 (Est.) 40,912.	Nov. 18,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	1
	„ 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
Limerick. Pop. in 1911 38,403.	Nov. 18,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1
	„ 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
Waterford. Pop. in 1911 27,430.	Nov. 18,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	„ 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th January, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	3	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.
Do. 2 do.		29			13	2	2	3	1	1	4	.	.	.	.	.	.	1	.	.	.	.	1	4	.	.	.	.	6	.
Do. 3 do.		28			17	5	3	2	1	1	5	.	.	.	.	.	.	.	.	2	.	.	4	3	.	.	.	.	3	.
Do. 4 do.		29			12	4	.	.	2	3	3	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	6	.
Do. 5 do.		7			5	3	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Do. 6 do.		15			14	3	1	1	3	2	4	.	.	.	.	.	.	1	.	3	1	.	1	.	.	.	.	.	1	.
Do. 7 do.		.			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 8 do.		2			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		13			8	1	2	1	2	1	1	.	.	.	.	.	2	.	.	1	.	.	1	.	.	.	.	.	3	.
Do. 10 do.		16			10	.	3	1	1	3	2	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	2	.
Do. 11 do.		25			15	2	2	1	4	3	3	.	.	.	.	.	.	.	.	3	1	1	1	2	.	.	.	.	3	.
Do. 12 do.		24			19	2	6	1	2	4	4	.	.	.	.	.	.	.	.	1	2	.	2	4	.	.	.	.	7	1
Do. 13 do.		13			2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.
Do. 15 do.		6			6	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	210			129	23	20	11	18	25	32	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	2	41	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 2 do.		6			5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
Do. 3 do.		2			5	.	1	.	.	2	2	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		4			3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Do. 6 do.		6			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		3			7	.	.	2	.	2	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
Total,	—	29	17·7	0·7	26	2	2	3	1	6	12	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	1	7	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911—WEEK ENDING																									
	July 15.	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
No. of weeks in Annual Series,	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1
BIRTHS registered, ...	207	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210
DEATHS registered, ...	123	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129
Annual Death rate per 1,000 of estimated population, ...	16·6	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2
AGES, Under 1 year, ...	25	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23
1—5 years, ...	9	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20
5—25 ,, ...	16	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11
25—45 ,, ...	25	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18
45—65 ,, ...	29	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25
65 and upwards, ...	19	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.
Whooping-cough, ...	1	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2
Diphtheria, ...	.	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	18	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12
Tuberculous Disease. Other Forms,	8	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7
Cancer, ...	6	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3
Diseases of Respiratory System, Pneumonia,	2	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12
Diseases of Respiratory System, Others, ...	14	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20
Diarrhœa, and *Enteritis*, under 2 years, ...	9	18	23	21	38	27	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.
Diarrhœa, 2 years and upwards,	.	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.
Violent Deaths, ...	3	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1
Number of Uncertified Deaths, ...	1	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Jan. 6,	2,324	1,347	15·5	5	.	21	3	14	6	17*a*
Edinburgh, ...	321,200	Dec. 30,	105	95	15·5	.	.	2	.	.	4	.
		Jan. 6,	112	100	16·2	1	.	2	.	.	1	1
Glasgow, ...	785,600	Dec. 30,	399	274	18·2	2	.	17	3	4	5	5
		Jan. 6,	423	261	17·3	.	.	13	3	3	7	1
Calcutta, ...	890,493	Dec. 2,	.	540	31·5	127*	1	.	.	3	2	108‡
Bombay, ...	977,822	„ 2,	496	592	31·5	79*	3	.	.	1	.	55‡
Madras, ...	509,346	Nov. 11,	397	577	58·9	101*	3	1	?	?	?	169‡
Cairo, ...	693,806	„ 11,	637	403	30·3	5	1	4	.	.	15†	68*a*
Paris, ...	2,846,986	Dec. 9,	965	847	16·0	4	.	10	2	.	8†	25*a*
Brussels, ...	705,295	„ 16,	196	160	11·3	1	.	.	1	.	1	11
Antwerp, ...	320,640	„ 16,	115	74	12·0	1	.	.	2	.	.	4*a*
Amsterdam, ...	580,365	„ 16,	239	126	11·3	1	.	1	.	2	.	.
Copenhagen, ...	462,132	„ 16,	197	111	12·5	.	.	.	2	1	1	5*a*
Stockholm, ...	343,832	„ 16,	162	60	9·1	.	.	.	.	1	.	2*a*
Christiania, ...	244,038	„ 23,	108	66	14·1	.	.	2	1	.	3	1
St. Petersburg, ...	1,639,266	„ 2,	730	594	19·4	18	3	15	11	3	6	34
Moscow, ...	1,493,600	„ 2,	.	715	25·0	5	1	31	9	7	12†	78
Berlin, ...	2,082,246	„ 2,	755	601	15·1	1	.	2	11	1	26†	24
Hamburg, ...	931,035	„ 16,	.	278	15·2	1	.	.	3	4	12†	10*a*
Breslau, ...	523,079	„ 16,	.	178	17·8	1	.	.	1	1	.	9
Munich, ...	597,000	„ 23,	.	168	14·7	.	.	2	.	2	3†	14
Vienna (with suburbs),	2,064,583	„ 16,	670	603	15·2	1	.	7	1	4	5†	31*a*
Buda-Pesth, ...	891,585	„ 16,	460	306	17·8	2	.	17	5	.	4†	8*a*
Prague and Faubourgs,	508,310	„ 2,	159	162	17·6	3	2	2	.	4	1†	9*a*
Trieste, ...	233,925	„ 16,	144	76	16·9	.	.	.	.	1	1†	2*a*
Rome, ...	602,068	Sept. 2,	273	184	15·9	.	8	.	.	.	.	40
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Nov. 25,	2,612	1,378	14·4	14	.	2	2	8	15†	36*a*
Philadelphia, ...	1,580,250	„ 4,	.	.	.	.	.	.	.	.	.	.
Boston ...	686,912	Dec. 16,	.	230	17·4	2	.	1	.	.	4	5

* Deaths from "fever," including 11 deaths from enteric fever and 5 from plague in Calcutta, one from enteric fever and 8 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 51 deaths from cholera in Calcutta, 4 in Bombay, and 52 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending January 6th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	1	.	.	.	.	.	3
" " 1, West, ...	.	1	.	.	1	.	1	1	2	.	.	1	7
" " 2, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 3, ...	.	1	.	.	1	.	.	1	2	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	1	.	.	.	3
Finglas and Glasnevin (part of), ...	.	3	.	.	.	.	1	.	.	.	.	.	4
South City No. 1, ...	.	4	.	.	2	.	.	.	2	.	.	1	9
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
" " 3, ...	.	3	.	.	.	.	.	.	.	.	.	3	6
" " 4, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	.	.	8	.	3	4	8	.	.	5	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th January, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th January.			
	Dec. 16.	Dec. 23.	Dec. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	18	15	19	14	8	2	23
Scarlet Fever, ...	191	187	189	16	32	2	171*
Typhus, ...	6	7	5	.	.	.	5
Diphtheria, ...	63	54	60	14	9	1	64
Enteric Fever, ...	67	51	48	7	11	.	44
Pneumonia, ...	24	20	19	9	3	1	24

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 6th January, 1912:—

"During the earlier days of this week the greater part of the United Kingdom was under the influence of an anticyclonic system which had drifted slowly northwards across France from Morocco and the Peninsula in the course of the previous week. The weather was therefore finer and drier than it had been for a long time, but temperature remained high for the time of year owing to the continued prevalence of a south-westerly air-current. Sunday broke cool, calm, and foggy in Dublin. A slight drizzling shower occurred at 1 p.m. and the thermometer rose to 52·2° from a minimum of 37·9°. On that day, as well as on Monday a splendid sunset was observed. On Tuesday morning a deep depression appeared over Lapland and this system spread southwards and southwestwards, drawing a cold air-current from N.W., first over Scandinavia and later over Scotland also. For the first time this winter, severe frost set in over the North of Europe, the minimal temperatures recorded at Haparanda, Gulf of Bothnia, being 7°, 25°, 18°, 2°,—4°,—20°, and—29°. New Year's Day was extremely mild in all parts of the British Isles, and bright sunshine prevailed in Dublin and on the coasts of Devon and Dorset. On Wednesday the Scandinavian 'chill' reached Scotland in a very modified form. But it was not until Friday that temperature gave way in Ireland and afterwards in England also, under the influence of a brisk W.N.W. wind connected with a cyclonic system central at 7 a.m. of that day between Caithness and the Orkneys. Suddenly, on Friday night, a still deeper atmospheric depression advanced over Ireland from the Atlantic causing gloomy, wet weather on Saturday. The centre of the system passed over Dublin about 3 p.m. of that day, at which hour the barometer stood at 28·721 inches. In this City the mean atmospheric pressure of the week was 29·900 inches, the range being from 30·384 inches at 9 a.m. of Tuesday (wind, W.S.W.) to 28·721 inches at 3 p.m. of Saturday (wind E. to N.W.). The corrected mean temperature was 46·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·4°. On Monday the screened thermometers rose to 52·5°; they fell to 36·9° on Friday. W.S.W. and W. winds prevailed. Rain fell on the last 4 days to the amount of 1·396 inches, ·765 inch being recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·883 inches. The highest reading (30·396) was on Monday at 9 p.m., wind S.W., the lowest (28·876) on Saturday at 9 a.m., wind E.S.E.

The mean temperature for the week was 44·1, being 2·5° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Monday, on which day the thermometer registered 53·0°, and was lowest on Sunday, the mercury having fallen to 30·1°. The mean of the Dry Bulb for the week was 44·2° and of the Wet Bulb, 43·1°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·575 inches.

At Greenwich the mean temperature for the week was 45·7°, the maximum 51·3°, and the minimum 37·1°, and at Edinburgh the maximum was 54·7°, the minimum 33·8°, and the mean 43·3°. The rainfall at Greenwich measured 0·76 in., and at Edinburgh, 0·19 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

December and January, 1911–12. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 31,	30·107	52·8	30·1	41·5	46·7	45·6	·92	·1	0·0	·000	Calm.	S.W.
Monday, January 1,	30·381	53·0	42·0	47·5	45·7	44·5	·91	·5	2·2	·000	W.S.W.	S.W.
Tuesday, „ 2,	30·333	48·0	41·0	44·5	45·8	43·9	·87	·0	0·0	·000	S.W.	S.W.
Wednesday, „ 3,	30·148	51·0	46·0	48·5	48·8	48·1	·95	·5	0·0	·080	W.S.W.	W.S.W.
Thursday, „ 4,	29·753	51·0	45·0	48·0	47·4	46·4	·93	·7	0·0	·305	W.S.W.	W.S.W.
Friday, „ 5,	29·570	46·0	35·0	40·5	35·9	34·7	·89	·7	2·8	·330	W.S.W.	W.S.W.
Saturday, „ 6,	28·886	42·0	35·0	38·5	39·2	38·7	·96	·4	0·0	·860	E.S.E.	Calm.
Mean, ...	29·883	49·1	39·2	44·1	44·2	43·1	·92	·4	Total 5·0	Total 1·575	Prevailing Wind, W.S.W.	

Sunday—Day overcast; night cloudy. *Monday*—Day cloudy, fine; night clear to overcast. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast, drizzling rain from 9.30 a.m. to 4 p.m.; and 6.20 to 7.10 p.m.; night overcast, drizzling from 5.40 to 6.50 a.m. *Thursday*—Day overcast; drizzling rain from 10 a.m. to 3.30 p.m.; heavy rain 5.45 to 7.45 p.m.; night overcast to cloudy. *Friday*—Day cloudy, fine; night cloudy to overcast, drizzling and heavy rain from 2.40 a.m. to 9.0 a.m. *Saturday*—Day overcast; drizzling and heavy rain from 9 a.m. to 8 p.m.; night overcast, drizzling and heavy rain from 12 midnight to 7 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 6th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1911–1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 31,	43·2	43·0	45·1	53·4	35·0	44·2	—	—
Monday, January 1,	51·1	43·8	45·2	54·0	43·5	48·8	1·0	—
Tuesday, „ 2,	45·8	43·8	45·3	49·0	43·7	46·4	—	—
Wednesday, „ 3,	48·9	44·3	45·3	52·1	46·3	49·2	—	·025
Thursday, „ 4,	50·9	40·5	45·4	53·0	46·3	49·7	—	·197
Friday, „ 5,	38·3	45·2	45·6	53·0	36·2	44·6	2·4	·435
Saturday, „ 6,	41·1	38·4	45·8	43·0	36·0	39·5	—	·750
Weekly Mean,	45·0	42·7	45·4	51·1	41·0	46·1	Total 3·4	Total 1·407

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31737. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 13TH JANUARY, 1912. [No. 2.

General Register Office, Charlemont House,
Dublin, 15*th January,* 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 23	Week ending Dec. 30	Week ending Jan. 6	Week ending Jan. 13	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 23	Week ending Dec. 30	Week ending Jan. 6	Week ending Jan. 13	Average Rate for 4 weeks.
22 Town Districts, ...	**18·2**	**18·0**	**18·6**	**20·3**	**18·8**	Limerick	13·6	20·4	9·5	14·9	14·6
						Lisburn	34·3	12·9	21·4	12·9	20·4
Armagh	.	20·6	6·9	34·4	15·5	Londonderry	11·5	14·1	19·1	15·3	15·0
Ballymena	27·5	9·2	27·5	13·8	19·5	Lurgan	30·1	21·5	4·3	12·9	17·2
Belfast	18·1	16·9	17·2	19·5	17·9	Newry	17·4	21·8	13·1	8·7	15·3
Clonmel	.	10·1	15·2	20·3	11·4	Newtownards	11·4	22·9	11·4	28·6	18·6
Cork	22·5	21·1	17·7	25·2	21·6	Portadown	.	17·8	17·8	13·3	12·2
Drogheda	21·0	16·8	4·2	16·8	14·7	Queenstown	6·6	13·2	.	26·4	11·6
Dublin Reg. Area ...	19·9	19·9	23·3	20·7	20·9	Sligo	4·7	18·7	14·0	14·0	12·9
Dundalk	11·9	19·9	11·9	31·8	18·9	Tralee	10·6	10·6	15·9	31·7	17·2
Galway	23·6	19·7	7·9	15·7	16·7	Waterford	5·7	7·6	17·1	19·0	12·4
Kilkenny	39·7	14·9	19·8	54·6	32·2	Wexford	22·8	13·7	18·2	18·2	18·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh, the 5 deaths from all causes for that district including one from whooping-cough. Among the 146 deaths from all causes for Belfast are one from typhus, 6 from whooping-cough, and one from cerebro-spinal fever. Included in the 37 deaths from all causes for Cork are one from measles and one from diarrhœa or *enteritis* of a child under 2 years of age. One of the 3 deaths from all causes for Lurgan was from whooping-cough and one of the 11 deaths from all causes for Kilkenny was from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 265—134 boys and 131 girls—and the deaths to 179—76 males and 103 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·7 per 1,000 of the population. During the two weeks ending with Saturday last the death-rate averaged 22·0, and was 3·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 179, represent an annual rate of 23·0 per 1,000 ; the annual rate for the past two weeks was 23·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

The 179 deaths registered include one from enteric fever, 3 from measles, 2 from scarlet fever, 3 from whooping-cough, 3 from diphtheria, one from influenza, and one from diarrhœa or *enteritis* of a child under 2 years of age. In the 3 preceding weeks deaths from enteric fever numbered 0, one, and 2 ; deaths from measles were 4, 3, and 6 ; deaths from scarlet fever were 3, one, and 3 ; deaths from whooping-cough were 5, 4, and one ; deaths from diphtheria were 5, 3, and 4 ; deaths from influenza were one, 3, and 0, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 2, 3, and 5.

Tuberculous disease, which in the 3 preceding weeks caused 25, 30, and 33 deaths, in the week under notice caused 25 deaths, comprising 19 from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, and one from tuberculosis of other organs.

Broncho-pneumonia caused 8 deaths, and *pneumonia* (type not distinguished) 4 deaths.

There was one death, that of an infant under one month old, from *convulsions.*

The deaths of 24 persons were due to organic diseases of the heart, and bronchitis caused 25 deaths.

The deaths of 6 infants were ascribed to prematurity ; congenital malformation caused one death, and congenital debility 2 deaths.

There were 4 accidental deaths, all of which were caused by burns.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one infant under one year old and the death of one person aged 69 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 12 were under one month old) and 42 were aged 65 years and upwards, including 32 persons aged 70 and upwards ; among the latter were 17 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 92, and 94 years respectively.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse, and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000 ; the rate in the City was 23·1 (North City Districts, 21·9 ; South, 24·3) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (3·3 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·8 per 1,000, and include one from whooping-cough, one from diarrhœa of a person aged over 2 years, 2 from abdominal tuberculosis, one from broncho-pneumonia, znd one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·7 per 1,000. There were 2 deaths from pulmonary tuberculosis, 3 from broncho-pneumonia, and 3 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·2 per 1,000, and include one from diphtheria, 2 from tuberculous disease, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·3 per 1,000. Of the total 3 were caused by measles, one was from whooping-cough, one from diphtheria, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 47·2. Of the 2 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis. Among the 7 deaths from all causes for Finglas and Glasnevin, part of, one was from enteric fever, one from scarlet fever, one from pulmonary tuberculosis, and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·3 per 1,000, and include one from diphtheria, 2 from pulmonary tuberculosis, and 5 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 23·9 per 1,000. The total includes one from scarlet fever, one from whooping-cough, 3 from pulmonary tuberculosis, and 2 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 31·2 per 1,000. Tuberculous disease caused 3 deaths, *pneumonia* (type not distinguished) 2 deaths, bronchitis 5 deaths, and accidental burns one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·0 per 1,000, and include 2 deaths from bronchitis and one from accidental burns.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·6 per 1,000. Broncho-pneumonia caused one death, *pneumonia* (type not distinguished) one death, and bronchitis one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1 ; Pembroke, 10·5 ; Blackrock, 11·4 ; and Kingstown, 18·2. There were no deaths from any of the principal epidemic diseases tabulated for these districts for last week. Among the 9 deaths from all causes for Rathmines and Rathgar are one from tuberculous meningitis and one from accidental burns. Of the 6 deaths from all causes for Pembroke one was from broncho-pneumonia. The 2 deaths from all causes for Blackrock comprise one from influenza and one from bronchitis ; and of the 6 deaths from all causes for Kingstown one is from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one from bronchitis.

* See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th January, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 23,	.	—	—	17	1	.	9	.	.	1	6	.	—	—	.	—	7	—	41
	Dec. 30,	.	—	—	22	.	.	9	.	.	8	6	.	—	—	.	—	8	—	53
	Jan. 6,	.	—	—	15	.	.	8	.	3	4	8	.	—	—	.	—	5	—	43
	Jan. 13,	.	—	—	15	.	.	16	.	1	13	9	1	—	—	.	—	6	—	61
Rathmines and Rathgar Urban District.	Dec. 23,	.	—	—	3	.	.	.	.	.	1	.	.	.	—	—	—	—	—	4
	Dec. 30,	.	—	—	4	.	.	2	.	1	.	1	.	.	—	—	—	—	—	8
	Jan. 6,	.	—	—	2	.	.	2	.	.	.	1	.	.	—	—	—	—	—	5
	Jan. 13,	.	—	—	1	.	.	.	.	.	1	.	.	1	—	—	—	—	—	3
Pembroke Urban District.	Dec. 23,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	—	.	—	1
	Dec. 30,	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.	—	1	—	6
	Jan. 6,	.	1	.	3	.	.	3	.	.	.	.	.	.	.	.	—	.	—	7
	Jan. 13,	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	—	.	—	5
Blackrock Urban District.	Dec. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Dec. 30,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 23,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	3	—	4
	Dec. 30,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	3	—	6
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	3	—	4
	Jan. 13,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	.	—	3
City of Belfast.	Dec. 23,	.	—	—	16	.	.	5	.	.	.	6	.	—	—	.	—	10	—	37
	Dec. 30,	.	—	—	18	.	.	7	.	.	.	8	.	—	—	.	—	3	—	36
	Jan. 6,	.	—	—	16	1	.	8	.	.	.	1	.	—	—	.	—	14	—	40
	Jan. 13,	.	—	—	13	1	.	3	.	.	.	5	1	—	—	.	—	8	—	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th January, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eighteen cases of measles were admitted to hospital during the week, 9 were discharged, there were 4 deaths, and 28 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 15, 19, and 23 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 34 were discharged, there were 3 deaths, and 158* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 187, 189, and 171, respectively.

Four cases of typhus were discharged from hospital during the week, and one case remained under treatment at its close.

Twenty-two cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 54, 60, and 64, respectively, were 75 at the close of last week.

Ten cases of enteric fever were admitted to hospital during the week, 9 were discharged, there were 2 deaths, and 43 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 51, 48, and 44.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 7 were discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 14·5) was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 18·7 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 19·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th January. From this Report it appears that of a total of 68 cases notified, 30 were phthisis, 24 scarlet fever, 7 erysipelas, 6 diphtheria, and one enteric fever. Among the 407 cases of infectious diseases in hospital at the close of the week were 170 cases of scarlet fever, 72 of measles, 62 of diphtheria, 56 of phthisis, 16 of whooping-cough, 12 of erysipelas, 5 of enteric fever, and 3 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th January, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 13th January, 1912. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 13th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th December, 1911. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	30·8	20·2	1·3	683	449	82	114	2	1	...	5	2	11	3	...	44	12	18	40	69	2	2	11	13	142	11	° ...	° ...	° ...	– ...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total. (c) ...	406,536	29·5	34·0	20·7	1·8	265	161	30	41	1	...	...	3	2	3	3	...	14	5	7	12	27	1	1	3	2	65	3	e55·0	25·0	41·8	0·48	e53·0	30·1	44·1	1·58	e53·3	30·4	43·8	0·56
City of Dublin,	311,601	39·4	38·3	23·1	2·3	229	138	30	30	1	...	...	3	2	3	3	...	14	4	5	9	24	1	1	2	2	58	3	f53·2 g53·9	33·1 29·0	44·6 42·7	0·89 0·60	f52·5 g51·9	36·9 31·0	46·2 44·5	1·40 1·63	f51·2 g53·6	34·7 32·0	45·5 43·9	0·40 0·53
Urban Districts. Rathmines and Rathgar.	38,889	22·7	12·1	12·1	.	9	9	...	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	33·4	10·5	.	19	6	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	5·7	11·4	.	1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	21·2	18·2	.	7	6	...	4	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	...	...	...	51	34	44·6	1·21	55	36	44·8	1·35	55	31	41·9	0·39
Urban Districts. Belfast (h) ...	391,051	26·6	28·7	19·5	0·9	215	146	32	31	...	1	...	...	...	6	...	...	9	5	8	14	20	...	...	3	6	27	1	49·0	25·0	39·1	1·96	53·0	31·0	41·9	0·57	51·8	28·5	42·2	1·28
Cork, ...	76,632	33·8	26·5	25·2	1·4	39	37	5	14	...	...	...	1	...	...	...	...	7	...	1	3	8	1	...	...	1	13	1	51	35	46·2	2·54	54	39	47·3	0·80	53	38	46·3	1·01
Londonderry...	40,912	18·9	25·5	15·3	.	20	12	1	4	...	...	...	...	...	...	...	...	1	...	...	2	2	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	36·7	14·9	2·7	27	11	3	1	1	...	...	...	...	...	...	...	1	...	...	2	1	...	1	...	...	4	3	53·3	30·5	44·3	1·17	52·3	36·1	45·4	1·40	53·7	34·7	45·8	1·39
Waterford, ...	27,430	19·1	24·7	19·0	.	13	10	1	1	...	...	...	...	...	...	...	...	4	...	...	1	1	...	...	...	...	8	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	25·5	19·7	15·7	.	5	4	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	3	...	50	30	44·3	0·85	50	35	45·7	1·14	52	33	44·4	1·47
Dundalk, ...	13,128	9·5	35·7	31·8	.	9	8	2	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	29·4	16·8	.	7	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	21·8	8·7	.	5	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99
Lurgan, ...	12,135	14·3	38·7	12·9	4·3	9	3	1	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99
Lisburn, ...	12,172	10·7	21·4	12·9	.	5	3	...	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99
Wexford, ...	11,455	23·8	36·4	18·2	.	8	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	22·9	13·8	.	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	42·0	14·0	.	9	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	52·0	25·0	41·6	1·63	53·0	33·0	44·8	1·15	51·2	27·7	41·9	1·29
Kilkenny, ...	10,513	11·4	49·6	54·6	5·0	10	11	1	3	...	...	...	1	...	...	...	...	...	...	...	2	4	...	...	...	...	8	...	51	28	43·7	1·92	55	34	44·5	1·07	53	30	43·8	0·91
Clonmel, ...	10,277	7·9	10·1	20·3	.	2	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	44·5	13·3	.	10	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99
Tralee, ...	9,867	16·6	37·0	31·7	.	7	6	2	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	22·9	28·6	.	4	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	1	1	1	...	49	30	42·1	1·40	54	35	44·3	0·63	54	33	42·6	0·83
Queenstown, ...	7,909	14·4	26·4	26·4	.	4	4	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	51	35	46·2	2·54	54	39	47·3	0·80	53	38	46·3	1·04
Armagh, ...	7,588	22·2	34·4	34·4	6·9	5	5	1	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03	51·4	31·8	42·3	0·99

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 18 deaths of persons (including one at 65 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of January, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	2	.
Whooping-cough,	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Diphtheria,	.	.	1	1	.	.	.	1	.	.	.	.	.	.		.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	2	1	2	.	1	1	2	3	2	.	.	.	.	.	.	14	5
Tuberculous Disease. — Other Forms,	2	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	5	1
Cancer,	.	1	.	.	.	.	.	1	.	3	.	.	1	.	.	1	7	5
Diseases of Nervous System,	.	1	1	1	.	.	.	4	1	1	2	.	2	.	.	1	14	1
" Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	3	3	2	.	.	1	1	1	4	3	1	2	1	.	.	23	2
" Respiratory System. — Pneumonia,	1	3	.	1	.	.	.	.	.	2	.	2	.	1	.	2	12	.
" Respiratory System. — Others,	1	3	1	2	.	.	2	5	2	5	2	1	.	1	1	1	27	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
" Digestive System. — Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	3	1
" Genito-urinary System,	1	.	.	2	.	.	.	.	.	1	.	.	.	.	.	1	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	5	1	.	.	.	1	6	1	3	.	.	1	2	.	.	23	2
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	1
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	2	1	.	1	.	.	.	5	.
Deaths from All Causes	12	19	9	17	1	2	7	21	10	26	9	5	9	6	2	6	161	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·8	24·7	15·2	26·3	9·7	8·9	47·2	26·3	23·9	31·2	13·0	28·6	12·1	10·5	11·4	18·2	20·7	.
	21·9							24·3					12·6					
	23·1																	
Ages at Death. — Under 1 year,	5	6	.	4	.	.	1	6	2	3	.	3	.	.	.	.	30	.
1 and under 2 years,	1	1	1	2	.	.	.	2	1	2	.	.	.	1	.	.	11	.
2 " 5 "	2	2	1	1	.	.	2	.	1	2	1	.	1	.	.	.	13	1
5 " 15 "	.	1	3	1	.	.	.	1	.	1	.	.	1	1	.	.	9	1
15 " 25 "	.	.	.	1	.	1	.	1	.	.	.	1	1	.	.	.	5	3
25 " 45 "	1	2	1	2	.	.	1	3	3	1	2	.	.	1	.	1	18	5
45 " 65 "	2	4	2	1	1	1	2	3	2	9	2	.	3	1	.	1	34	7
65 and upwards,	1	3	1	5	.	.	1	5	1	8	4	1	3	2	2	4	41	1
Number of Uncertified Deaths,	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	3	6	1	.	3	3	4	4	2	.	4	2	.	.	35	16
Workhouse Hospitals,	1	5	1	5	.	.	.	5	3	7	2	.	1	.	.	.	30	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th January, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·7	° 32·3	° 39·4	° 41·6	° 41·5	° 43·7	° 36·4	° 41·1	° 42·1	° 39·0	° 40·2	° 41·8										
ALL CAUSES.	186	227	216	171	166	219	205	191	177	179	193·7	179	12	18	11	14	10	8	23	41	25	17
Enteric Fever, ...	3	5	3	1	.	1	.	3	1	1	1·8	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	.	12	.	3	.	8	.	3	3·0	3	.	2	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	2	.	.	.	.	.	·4	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	2	2	5	1	3	2	1	2	5	5	2·8	3	.	2	1	.	.	.	.	.	.	.
Diphtheria, ...	3	6	.	2	2	.	1	1	.	2	1·7	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	4	2	2	2	3	2	.	3	1	2·0	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	1	1	2	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	2	1	1	.	1	2	.	.	·8	2	.	1	.	.	.	1	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	26	30	21	14	25	32	17	19	19	23·0	19	.	1	1	.	1	4	9	3	.	.
Tuberculous Meningitis, ...	3	2	5	1	5	6	3	3	3	1	3·2	2	.	.	.	.	2	.	.	.	.	.
Abdominal Tuberculosis, ...	2	3	1	.	1	1	1	3	1	1	1·4	3	.	.	1	1	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	5	7	4	10	6	4	2	2	1	4·8	1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	.	.	1	2	1	1	1	2	1·0	4	2	2	.	.	.	.	.	.	.	.
Cancer, ...	6	6	7	9	5	5	9	13	7	3	7·0	12	.	.	.	.	.	.	.	9	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	.	.	.	.	2	.	1	.	·5	2	.	.	.	.	.	.	1	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	.	1	1	.
Alcoholism, ...	.	1	.	.	3	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										3		7	.	.	.	.	.	1	1	2	2	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		4	.	.	.	.	.	.	1	.	2	1
Epilepsy, ...										3		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	37	55	55	33	35	62	37	41	45	6	43·7	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Organic Diseases of the Heart,										14		24	.	.	.	.	.	1	6	9	8	.
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										4		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	25	34	28	22	24	25	50	28	31	24	29·1	25	1	2	3	1	.	.	1	7	4	6
Broncho-pneumonia, ...		5	10	6	7	7	9	8	7	13		8	.	2	3	1	.	1	.	.	.	1
Lobar-pneumonia, ...	8	.	1	2	1	2	.	2	.	2	14·6	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		3	5	5	7	11	8	9	7	1		4	.	1	.	.	1	.	.	1	1	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	1	4	3	7	5	2	2	.	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	1	.	.

SECOND WEEK ending Saturday, 13th January, 1912, with, as far as practicable, the deaths from each cause in the 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 2nd Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th January, 1912.										
												Deaths of Persons of the Ages of										
												Mean Temp.	0—5.									
	Jan. 11, 1902.	Jan. 17, 1903.	Jan. 16, 1904.	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	44·7°	32·3°	39·4°	41·6°	41·5°	43·7°	36·4°	41·1°	42·1°	39·0°	40·2°	41·8°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	5	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	.	3	4	1	2	2	1	4	2	2·1	1	1	.	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		1	.	.	.	1	.	.	.	.	.	.
Enteritis 2 years and upwards	3	1	.	3	1	1	.	5	3	2	1·9	1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	3	.	.	.	.	.	.	1	2	.	.
Cirrhosis of Liver, ...	5	1	2	1	.	1	3	4	1	.	3·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		1	2	1	1	.	1	1	3	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	5	9	6	7	5	6	3	7	1	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	5	8	5	8	8	6	9	1	2	6·4	1	.	1	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		4	.	.	.	.	.	.	1	2	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	1	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	1	.	1	.	2	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	2	.	1	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Premature Birth, ...	1	3	4	.	6	8	2	5	5	6	4·0	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	·6	2	1	1	.	.	.	.	.	.	.	.
Old Age, ...	13	12	8	5	5	6	2	3	4	6	6·4	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	·1	2	1	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	5	1	1	2	1	.	1	2	3	1·7	4	.	.	.	3	1	.	.	.	.	.
Drowning, ...	1	1	.	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	3	3	1	.	2	.	1	2	1·6	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	6	7	5	4	3	1	4	1	4	5	4·0	4	.	.	.	3	1	.	.	.	.	.
In connection with above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	5	.	.	1	.	.	.	.	.	.	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered.	294	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265
Average Births in corresponding week of previous 10 years, ...	208	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214
DEATHS registered, ...	162	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179
Annual Death-rate per 1,000, ...	20·9	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0
Average Deaths in corresponding week of previous 10 years, ...	144	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194
Ages, Under 5 years, ...	51	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55
5—15 " ...	6	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10
15—25 " ...	10	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8
25—45 " ...	26	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23
45—65 " ...	37	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41
65—75 " ...	18	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25
75 and upwards, ...	14	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17
Deaths from :—																										
Enteric Fever, ...	2	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3
Scarlet Fever, ...	.	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2
Whooping-cough, ...	4	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3
Diphtheria, ...	2	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3
Influenza, ...	2	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1
Dysentery, ...	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19
Tuberculous Disease, Other Forms,	10	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6
Cancer, ...	10	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12
Diseases of Circulatory System,	20	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25
Diseases of Respiratory System, Pneumonia,	8	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12
Diseases of Respiratory System, Others, ...	10	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27
Diarrhœa and *Enteritis*, under 2 years, ...	11	34	29	41	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1
Diarrhœa, 2 years and upwards,	.	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1
Violent Deaths, ...	2	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4
Number of Uncertified Deaths,	2	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3
Mean Temperature of the Air (Phœnix Park)	62·9	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8
Average Mean Temperature in corresponding week of previous 10 years, ...	59·8	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2
Rainfall in inches, ...	·316	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th January, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JANUARY, 1912.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	179	55	10	8	23	41	25	17	1	.	.	3	2	3	3	.	19	6	12	1	12	27	1	1	4	84	3
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	.	3	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	6	.	2	4	8	4	4	1	.	.	.	1	.	.	.	4	1	5	.	3	3	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	11	5	1	2	9	6	4	.	.	.	1	1	1	.	.	1	3	1	1	3	4	.	.	.	22	2
IV.	GENERAL SERVICE CLASS, ...	154,279	25·8	75	35	5	3	10	15	5	2	.	.	.	2	.	1	3	.	8	2	6	.	5	11	1	1	4	31	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	3	.	2	7	9	7	4	.	.	.	.	.	1	.	.	6	.	.	.	.	8	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	2	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	9·5	4	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	3	.	.	1	3	.	1	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	.	1	2	4	1	2	.	.	.	.	1	.	.	.	1	1	3	.	.	2	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	5	2	.	1	1	2	.	.	.	.	1	1	.	.	.	.	1	1	.	1	1	.	.	.	5	1
	10. Clothing Trades, ...	23,260	11·2	5	.	1	.	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	2	.
	11. Food Supply Trades	9,242	28·2	5	.	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	4	1	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	8	1
	13. Petty Shopkeepers	7,894	19·8	3	1	.	.	1	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	22·8	16	3	.	2	4	2	3	2	.	.	.	.	.	.	.	.	3	1	1	.	.	2	.	.	.	9	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	4	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·0	50	28	4	1	4	11	2	.	.	.	.	2	.	1	2	.	5	1	3	.	4	9	1	1	4	17	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	32	3	.	2	7	9	7	4	.	.	.	.	.	1	.	.	6	.	.	.	.	8	.	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Nov. 25,	17·5	1·7	10	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	1	1
	Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	1	.
	„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	1
	„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	1	.
	„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
	„ 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
	Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Nov. 25,	26·1	3·9	20	.	.	.	.	.	.	.	.	3	.	.	2	7	3	.	.	1
	Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	1
	„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.
	„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	1	4
	„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
	„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
	Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Nov. 25,	20·4	3·4	12	.	.	.	.	1	1	.	.	.	2	.	3	1	.	.	1	1
	Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	2	.	.	2
	„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	1	1
	„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.
	„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
	Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Nov. 25,	26·5	1·6	17	.	.	.	.	.	.	.	.	2	1	3	1	3	1	.	.	.
	Dec. 2,	9·2	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.
	„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	1	.
	„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
	„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
	Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Nov. 25,	25·2	5·0	20	.	.	.	2	.	1	.	.	4	2	.	1	1	1	.	.	1
	Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	1
	„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	2	.	1	.
	„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.
	„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
	„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
	Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Nov. 25,	21·6	.	9	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.
	„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	1
	„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
	Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Nov. 25,	29·0	3·6	24	1	.	.	2	.	.	.	.	6	1	.	1	.	.	.	1	1
	Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.
	„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.
	„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
	„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
	Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Nov. 25,	10·2	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	1
	„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.
	„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
	„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
	Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
	„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Nov. 25,	15·0	1·4	11	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Nov. 25,	17·8	3·6	10	.	.	.	.	.	.	.	.	.	1	.	1	2	2	.	1	.
	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Nov. 25,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Nov. 25,	17·3	1·9	128	.	.	.	.	2	5	.	.	8	11	7	9	17	6	1	1	.
	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	2	.	.	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	2	.	.	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	2	.	.	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
Cork. Pop. in 1911 76,632.	Nov. 25,	17·7	2·7	26	.	.	.	.	.	1	.	.	6	2	.	3	1	3	.	.	.
	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,912.	Nov. 25,	5·1	.	4	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.
	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
Limerick. Pop. in 1911 38,403.	Nov. 25,	10·9	1·4	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1
	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
Waterford. Pop. in 1911 27,430.	Nov. 25,	15·2	1·9	8	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1
	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th January, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	3	.
Do. 2 do.		23			17	4	1	3	3	4	2	.	1	.	.	.	.	.	.	1	.	1	1	6	.	.	.	.	4	.
Do. 3 do.		26			20	6	2	2	3	1	6	.	.	.	.	.	.	.	.	1	1	.	4	3	.	.	.	.	2	.
Do. 4 do.		21			14	4	1	1	1	4	3	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1	7	.
Do. 5 do.		11			12	2	4	.	2	4	.	.	.	.	.	.	3	.	.	.	1	.	1	.	.	.	3	3	1	.
Do. 6 do.		16			19	2	.	3	3	5	6	.	.	.	.	.	.	.	.	2	.	2	2	.	.	.	.	.	2	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		12			7	1	1	1	2	2	.	.	.	.	.	.	2	.	.	1	.	.	2	.	.	.	.	.	.	.
Do. 10 do.		17			5	.	1	.	.	2	2	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	1
Do. 11 do.		25			10	3	2	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 12 do.		31			16	5	3	2	.	3	3	.	.	.	.	.	.	.	.	.	1	.	1	6	.	.	.	1	3	.
Do. 13 do.		9			6	.	1	.	2	1	2	.	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			12	3	.	.	1	3	5	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	1	2	.
Total,	—	215			146†	32	16	12	20	35	31	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	6	27	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	2	.	1	1	1	3	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	1
Do. 2 do.		4			6	.	1	2	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.
Do. 3 do.		2			4	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 4 do.		5			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		4			4	1	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Do. 6 do.		4			6	1	1	1	.	2	1	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	3	.
Do. 7 do.		14			8	1	.	.	1	.	6	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.	.	.	5	.
Total,	—	39	25·2	1·4	37	5	3	5	3	7	14	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1	13	1

* See note (‡) at foot of first page.

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	July 22.	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
No. of weeks in Annual Series,	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2
BIRTHS registered, ...	268	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215
DEATHS registered, ...	121	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146*
Annual Death rate per 1,000 of estimated population, ...	16·3	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5
AGES, Under 1 year, ...	32	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32
1—5 years, ...	11	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16
5—25 „ ...	14	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12
25—45 „ ...	22	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20
45—65 „ ...	23	17	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35
65 and upwards, ...	19	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31
Deaths from :—																										
Enteric Fever, ...	1	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.
Whooping-cough, ...	1	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6
Diphtheria, ...	2	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	20	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9
Tuberculous Disease. Other Forms,	6	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5
Cancer, ...	3	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8
Diseases of Respiratory System, Pneumonia,	4	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14
Diseases of Respiratory System, Others, ...	10	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20
Diarrhœa, and *Enteritis*, under 2 years, ...	18	23	21	38	27	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.
Diarrhœa, 2 years and upwards,	.	1	4	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Violent Deaths, ...	5	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3
Number of Uncertified Deaths, ...	.	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1

* Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
LONDON, ...	4,519,754	Jan. 13,	2,246	1,259	14·5	2	.	11	3	14	11	15*a*
EDINBURGH, ...	321,200	„ 13,	123	120	19·5	.	.	5	.	1	3	1
GLASGOW, ...	785,600	„ 13,	443	317	21·1	2	.	23	3	7	3	4
CALCUTTA, ...	890,493	Dec. 9,	.	510	29·7	?	.	.	.	2	3	85‡
BOMBAY, ...	977,822	„ 9,	454	635	33·8	83*	5	1	.	.	.	69‡
MADRAS, ...	509,346	Nov. 18,	403	633	64·6	113*	5	1	?	?	?	206‡
CAIRO, ...	693,806	„ 18,	622	412	31·0	3	.	.	1	.	13†	63*a*
PARIS, ...	2,846,986	Dec. 16,	880	902	17·1	8	2	6	1	2	6†	13*a*
BRUSSELS, ...	705,295	„ 23,	205	185	13·6	.	.	1	1	2	3	4
ANTWERP, ...	320,640	„ 23,	122	75	12·2	1	.	.	.	1	.	5*a*
AMSTERDAM, ...	580,365	„ 23,	275	138	12·4	2	.	2	1	3	.	1
COPENHAGEN, ...	462,132	„ 23,	225	146	16·5	.	.	1	1	4	.	2
STOCKHOLM, ...	343,832	„ 23,	145	76	11·5		.	.	.	1	.	.
CHRISTIANIA, ...	244,038	„ 30,	114	55	11·7	.	.	.	.	.	.	3
ST. PETERSBURG, ...	1,639,266	„ 9,	981	589	19·2	10	1	28	11	9	11	29
MOSCOW, ...	1,493,600	„ 9,	.	706	24·6	2	1	33	16	5	14†	74
BERLIN, ...	2,082,155	„ 9,	753	598	15·0	1	.	4	9	2	26†	14
HAMBURG, ...	931,035	„ 23,	.	270	15·1	1	.	4	4	.	18†	10*a*
BRESLAU, ...	523,079	„ 23,	.	187	18·7	1	.	.	3	1	1	12
MUNICH, ...	597,000	„ 30,	.	177	15·5	.	.	2	1	1	3†	14
VIENNA (with suburbs),	2,064,583	„ 23,	713	586	14·8	.	.	11	4	7	4†	38*a*
BUDA-PESTH, ...	891,585	„ 23,	370	297	17·3	1	.	16	10	1	4†	6*a*
PRAGUE and Faubourgs,	508,310	„ 9,	159	189	20·4	2	.	.	3	1	1†	11*a*
TRIESTE, ...	233,925	„ 23,	120	85	18·9	.	.	2	.	1	.	1
ROME, ...	602,068	Sept. 9,	229	204	17·7	.	.	.	.	1	.	34
VENICE, ...	184,325	„ 2,	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	4,983,385	Dec. 2,	2,433	1,291	13·5	13	1	1	4	3	24†	25*a*
PHILADELPHIA, ...	1,580,250	Nov. 4,	.	.	.	.	.	.	.	.	.	.
BOSTON	686,912	Dec. 23,	.	189	14·3	1	.	.	2	2	4	7

* Deaths from "fever," including one death from enteric fever and 7 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 33 deaths from cholera in Calcutta, 8 in Bombay, and 74 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending January 13th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 1, West, ...	.	.	.	.	.	.	.	1	1	1	.	3	6
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	2	.	.	5	.	.	1	.	.	.	.	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	5	.	.	.	.	7
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	7	.	1	1	4	.	.	3	20
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
„ „ 3, ...	.	2	.	.	2	.	.	2	1	.	.	.	7
„ „ 4, ...	.	1	.	.	1	.	.	3	1	.	.	.	6
New Kilmainham, ...	.	2	.	.	.	.	.	.	1	.	.	.	3
Total, ...	.	15	.	.	16	.	1	13	9	1	.	6	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th January, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th January.			
	Dec. 23.	Dec. 30.	Jan. 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	15	19	23	18	9	4	28
Scarlet Fever, ...	187	189	171	24	34	3	158*
Typhus, ...	7	5	5	.	4	.	1
Diphtheria, ...	54	60	64	22	9	2	75
Enteric Fever, ...	51	48	44	10	9	2	43
Pneumonia, ...	20	19	24	3	7	.	20

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 13th January, 1912:—

"A brief spell of cold weather was felt at the beginning of this week, but there was an early return to the equatorial, or oceanic, type which has so far characterised the present winter season. On Sunday morning a trough of very low atmospheric pressure stretched right across England and Ireland from Germany. At 7 a.m. the centre of the system lay over Belgium and Rhenish Prussia, the barometer being as low as 28·80 inches at Frankfürt and 28·85 inches at Brussels. North of the trough strong N.E. winds and low temperatures prevailed; south of the trough warm, strong westerly winds blew over the S.W. of England and the whole of France. In Dublin the morning was gloomy, wet and cold; the afternoon proved fine and bright. At night sharp frost set in all over Great Britain, the thermometer falling to 24° or 25° at many places in England and Scotland and to 16° at Buxton. On Monday an energetic depression came in over Ireland from the Atlantic, causing rain and a southerly gale. In the English midlands snow fell heavily, but the warm winds of the system soon effected a rapid thaw. The disturbance travelled northwards, but was soon succeeded by another, which reached the Derry coast on Wednesday morning. This apparently merged in a third and still deeper and larger depression in the Iceland region, the barometer falling to 28·71 inches at Isafjord on Thursday morning, whereas it read 30·57 inches at Berlin, in which city the thermometer at the time stood at 13°F. Gradients for warm S. and S.W. winds continued to the end of the week. Both Friday and Saturday were fine and mild in Dublin, though rain fell on Friday night. In this City the mean height of the barometer was 29·691 inches, pressure varying between 29·119 inches, at 9 p.m. of Monday (wind, S.W.) and 30·053 inches at 9 a.m. of Friday (wind, S.S.W.). The corrected mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·9°. The screened thermometers rose to 53·2° on Saturday, having fallen to 33·1° on Monday, when the grass minimum was 28·9°. Rain fell on 5 days, the total precipitation being ·885 inch, of which ·351 inch was measured on Wednesday and ·311 inch on Monday. A flash of lightning was seen towards E. at 5.35 p.m. of Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·693 inches. The highest reading (30·050) was on Friday at 9 a.m., wind S.W., the lowest (29·100) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 41·8°, being 1·6° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Saturday, on which day the thermometer registered 55·0°, and was lowest on Monday, the mercury having fallen to 25·0°. The mean of the Dry Bulb for the week was 43·9° and of the Wet Bulb, 42·1°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·478 inch.

At Greenwich the mean temperature for the week was 41·9°, the maximum 51·0°, and the minimum 29·1°; at Glasgow the maximum was 53·0°, the minimum 23·0°, and the mean 38·9°; and at Edinburgh the maximum was 50·2°, the minimum 26·6°, and the mean 37·8°. The rainfall at Greenwich measured 0·45 in.; at Glasgow, 1·01 ins.; and at Edinburgh, 0·17 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 7,	29·700	40·0	26·0	33·0	32·8	31·2	·84	·3	3·2	·050	N.E.	Calm.
Monday, „ 8,	29·365	51·0	25·0	38·0	43·9	42·7	·91	·6	0·0	·165	S.E.	S.W.
Tuesday, „ 9,	29·420	49·0	38·0	43·5	41·7	40·0	·89	·6	2·2	·000	S.W.	Calm.
Wednesday, „ 10,	29·680	52·0	31·0	41·5	49·1	46·5	·82	·7	0·0	·143	S.E.	S.S.E.
Thursday, „ 11,	29·925	51·0	33·0	42·0	44·2	41·9	·83	·6	6·1	·000	S.S.W.	S.S.W.
Friday, „ 12,	29·965	50·0	39·0	44·5	47·4	45·0	·84	·7	0·0	·100	S.W.	S.
Saturday, „ 13,	29·795	55·0	45·0	50·0	48·4	47·3	·93	·1	2·9	·020	S.W.	S.
Mean, ...	29·693	49·7	33·9	41·8	43·9	42·1	·87	·5	Total 14·4	Total ·478	Prevailing Wind, S.W.	

Sunday—Day overcast to bright, heavy rain 9.0 a.m. to 9.30 a.m.; night overcast, drizzling 7.0 a.m. to 9.0 a.m. *Monday*—Day overcast, drizzling rain 9 a.m. to 4 p.m.; night clear to overcast, heavy shower 9.25 p.m. to 9.35 p.m. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day overcast, drizzling rain at intervals a.m. and p.m.; night overcast, drizzling rain 9.0 p.m. to 2.15 a.m. *Thursday*—A beautiful bright day; night clear to overcast. *Friday*—Day overcast; night cloudy, drizzling rain 12 m.n. to 1.40 a.m. *Saturday*—Day cloudy, fine; night cloudy, heavy shower 6.15 a.m. to 6.45 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 13th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 7,	40·6	42·9	45·8	41·9	31·0	36·5	1·7	·135
Monday, „ 8,	41·0	41·2	45·7	49·9	36·9	43·4	—	·270
Tuesday, „ 9,	46·2	42·0	45·4	50·1	41·0	45·6	3·0	·005
Wednesday, „ 10,	48·3	41·7	45·2	51·5	39·5	45·5	—	·271
Thursday, „ 11,	47·3	43·0	45·2	51·2	43·0	47·1	4·8	—
Friday, „ 12,	47·9	42·7	45·2	51·7	45·0	48·4	—	·069
Saturday, „ 13,	51·7	43·9	45·2	55·2	47·0	51·1	2·4	·006
Weekly Mean, .	46·1	42·5	45·4	50·2	40·5	45·4	Total 11·9	Total ·756

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31737. Wt. P. 392-106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 20TH JANUARY, 1912. [No. 3.

General Register Office, Charlemont House, Dublin, 22nd January, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 30	Jan. 6	Jan. 13	Jan. 20	Average Rate for 4 weeks.	Towns, &c.	Week ending Dec. 30	Jan. 6	Jan. 13	Jan. 20	Average Rate for 4 weeks.
22 Town Districts, ...	**18·0**	**18·6**	**20·3**	**21·8**	**19·7**	Limerick	20·4	9·5	14·9	25·8	17·7
						Lisburn	12·9	21·4	12·9	38·6	21·4
Armagh	20·6	6·9	34·4	6·9	17·2	Londonderry	14·1	19·1	15·3	10·2	14·7
Ballymena	9·2	27·5	13·8	13·8	16·1	Lurgan	21·5	4·3	12·9	12·9	12·9
Belfast	16·9	17·2	19·5	20·8	18·6	Newry	21·8	13·1	8·7	17·4	15·3
Clonmel	10·1	15·2	20·3	5·1	12·7	Newtownards	22·9	11·4	28·6	11·4	18·6
Cork	21·1	17·7	25·2	19·7	20·9	Portadown	17·8	17·8	13·3	22·2	17·8
Drogheda	16·8	4·2	16·8	8·4	11·6	Queenstown	13·2		26·4	26·4	16·5
Dublin Reg. Area ...	19·9	23·3	20·7	25·4	22·3	Sligo	18·7	14·0	14·0	18·7	16·4
Dundalk	19·9	11·9	31·8	15·9	19·9	Tralee	10·6	15·9	31·7	21·1	19·8
Galway	19·7	7·9	15·7	19·7	15·8	Waterford	7·6	17·1	19·0	17·1	15·2
Kilkenny	14·9	19·8	54·6	49·6	34·7	Wexford	13·7	18·2	18·2	18·2	17·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 7·9 in Dundalk, the 4 deaths from all causes for that district including one from each of whooping-cough and diphtheria. Among the 156 deaths from all causes for Belfast are 12 from whooping-cough, 4 from diarrhœa and *enteritis* of children under 2 years of age, and one from *cerebro-spinal meningitis*, and the only death for Clonmel was one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—99 boys and 99 girls—and the deaths to 212—92 males and 120 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·4 per 1,000 of the population. During the three weeks ending with Saturday last the death-rate averaged 23·1, and was 2·0 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 212, represent an annual rate of 27·2 per 1,000; the annual rate for the past three weeks was 24·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

The total deaths registered, 212 in number, include 4* from enteric fever, one from measles, 3 from scarlet fever, 6 from whooping-cough, 3* from diphtheria, and 4 from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were one, 2, and one; deaths from measles were 3, 6, and 3; deaths from scarlet fever were one, 3, and 2; deaths from whooping-cough were 4, one, and 3; deaths from diphtheria were 3, 4, and 3, and deaths from diarrhœa and *enteritis* of children under 2 years of age were 3, 5, and one.

Tuberculous disease caused 35 deaths, comprising 27 deaths from pulmonary tuberculosis, 5 from tuberculous meningitis, one from tuberculosis of the vertebral column, one from tubercle of femur, and one from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 30, 33, and 25 respectively.

Broncho-pneumonia caused 8 deaths, lobar pneumonia 2 deaths and *pneumonia* (type not distinguished) 3 deaths.

There were 3 deaths, all of infants under one year of age, from *convulsions*.

Twenty-one deaths were ascribed to organic diseases of the heart, and bronchitis caused 25 deaths.

Prematurity caused the deaths of 4 infants, congenital malformation one death, and congenital debility 4 deaths.

There were 5 accidental deaths, 2 of which were by drowning; one death by suicide was also registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old and the deaths of 4 persons aged 65 years and upwards.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 6 were under one month old) and 46 were aged 65 years and upwards, including 33 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 93 and 94 years respectively.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·4 per 1,000; the rate in the City was 27·9 (North City Districts, 28·8; South, 27·1) and in the Suburbs, 17·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·8 (3·3 in the North City Districts, and 2·4 in the South), and for the Suburbs, 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·7 per 1,000, and include one from whooping-cough, 4 from pulmonary tuberculosis, one from lobar pneumonia, and 3 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·9 per 1,000. Enteric fever caused one death, diarrhœa or *enteritis* of a child under 2 years of age one death, tuberculous disease 5 deaths, broncho-pneumonia 4 deaths, bronchitis 2 deaths, and there was one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·3 per 1,000, and include one from enteric fever, one from whooping-congh, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 5 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 27·8 per 1,000. Enteric fever, scarlet fever, and whooping-cough each caused one death, tuberculous disease caused 5 deaths, and there were 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 29·0 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 33·7. The 3 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from bronchitis; and the 5 deaths from all causes for Finglas and Glasnevin, part of, include one from diarrhœa or *enteritis* of a child under 2 years of age and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 35·1 per 1,000, and include one from measles, one from whooping-cough, 7 from tuberculous disease, one from lobar pneumonia, 3 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 9·5 per 1,000. The 4 deaths include one from pulmonary tuberculosis, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·4 per 1,000. Of the total, 2 were from diphtheria, 3 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 27·5 per 1,000, and include 2 from tuberculous disease, one from broncho-pneumonia, 4 from bronchitis, and one death caused by suicide.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·3 per 1,000. The total includes one from whooping-cough, one from broncho-pneumonia, one from bronchitis, and one death by drowning.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 12·8; Blackrock, 34·3; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts include one from scarlet fever and one from whooping-cough for Rathmines and Rathgar, and one from scarlet fever for Pembroke. Of the 12 deaths from all causes for Rathmines and Rathgar 2 were from pulmonary tuberculosis, one from bronchitis, and 2 from accidental causes. The 7 deaths from all causes for Pembroke include one from pulmonary tuberculosis. Included in the 6 deaths from all causes for Blackrock is one from each of pulmonary tuberculosis, *pneumonia* (type not distinguished), and bronchitis; and of the 6 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

* See note (*c*), Table II. † See note (‡) at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the 'Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th January, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Dec. 30,	.	—	—	22	.	.	9	.	.	8	6	.	—	—	.	—	8	—	53
	Jan. 6,	.	—	—	15	.	.	8	.	3	4	8	.	—	—	.	—	5	—	43
	Jan. 13,	.	—	—	15	.	.	16	.	1	13	9	1	—	—	.	—	6	—	61
	Jan. 20,	.	—	—	25	.	.	7	.	.	7	9	.	—	—	.	—	10	—	58
Rathmines and Rathgar Urban District.	Dec. 30,	.	—	—	4	.	.	2	.	1	.	1	.	.	—	—	—	—	—	8
	Jan. 6,	.	—	—	2	.	.	2	.	.	.	1	.	.	—	—	—	—	—	5
	Jan. 13,	.	—	—	1	.	.	.	.	.	1	.	.	1	—	—	—	—	—	3
	Jan. 20,	.	—	—	3	.	.	2	.	.	1	.	.	.	—	—	—	—	—	6
Pembroke Urban District.	Dec. 30,	.	.	.	2	.	.	2	.	.	.	1	.	.	.	.	—	1	—	6
	Jan. 6,	.	1	.	3	.	.	3	.	.	.	.	.	.	.	.	—	.	—	7
	Jan. 13,	.	.	.	1	.	.	4	.	.	.	.	.	.	.	.	—	.	—	5
	Jan. 20,	.	1	.	4	.	.	3	.	.	1	.	.	.	.	.	—	.	—	9
Blackrock Urban District.	Dec. 30,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Jan. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Dec. 30,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	3	—	6
	Jan. 6,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	3	—	4
	Jan. 13,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	.	—	3
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	—	3
City of Belfast.	Dec. 30,	.	—	—	18	.	.	7	.	.	.	8	.	—	—	.	—	3	—	36
	Jan. 6,	.	—	—	16	1	.	8	.	.	.	1	.	—	—	.	—	14	—	40
	Jan. 13,	.	—	—	13	1	.	3	.	.	.	5	1	—	—	.	—	8	—	31
	Jan. 20,	.	—	—	20	.	.	1	1	1	.	7	.	—	—	.	—	12	—	42

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th January, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eighteen cases of measles were admitted to hospital during the week, 8 were discharged, and 38 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 19, 23, and 28 respectively.

Twenty-seven cases of scarlet fever were admitted to hospital, 33 were discharged, there was one death, and 151* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 189, 171, and 158, respectively.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Nineteen cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 60, 64, and 75, respectively, were 77 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 2 were discharged, there were 3 deaths, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 48, 44, and 43.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 10 were discharged, there were 2 deaths, and 14 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 94 large English towns (including London, in which the rate was 14·0) was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 19·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th January. From this Report it appears that of a total of 77 cases notified, 34 were phthisis, 22 scarlet fever, 12 diphtheria, 8 erysipelas, and one enteric fever. Among the 426 cases of infectious diseases in hospital at the close of the week were 175 cases of scarlet fever, 87 of measles, 58 of phthisis, 56 of diphtheria, 16 of whooping-cough, 13 of erysipelas, 5 of enteric fever, and 3 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th January, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 20th January, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis and Diarrhœa of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	26·4	21·8	1·8	586	484	77	109	3	...	...	2	3	19	3	...	58	16	18	45	66	9	2	13	21	175	20
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	25·4	25·4	2·6	198	198	28	44	3	...	...	1	3	6	2	...	26	7	3	13	27	4	1	6	7	82	10
CITY OF DUBLIN,	311,601	39·4	28·3	27·9	2·8	169	167	25	32	3	...	...	1	1	5	2	...	21	7	3	12	25	4	1	4	5	69	9
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	13·4	16·1	2·7	10	12	2	4	...	...	...	...	1	1	...	...	2	...	...	...	1	...	...	2	2	5	...
PEMBROKE, ...	29,693	18·7	14·0	12·3	1·8	8	7	1	2	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	3	...
BLACKROCK, ...	9,126	8·4	5·7	34·3	.	1	6	...	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...
KINGSTOWN, ...	17,227	11·8	30·3	18·2	.	10	6	..	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	1
Urban Districts. BELFAST (h) ...	391,051	26·6	30·8	20·8	2·3	231	156	35	28	...	...	...	...	...	12	...	...	12	3	7	20	17	4	1	4	9	42	3
CORK, ...	76,632	33·8	24·5	19·7	.	36	29	3	9	...	...	...	...	...	...	...	...	7	...	3	...	3	...	...	...	1	12	3
LONDONDERRY...	40,912	18·9	15·3	10·2	.	12	8	1	2	...	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	1	...
LIMERICK, ...	38,403	18·2	21·7	25·8	.	16	19	2	4	...	...	...	...	...	...	...	...	2	...	1	...	7	...	...	1	2	11	2
WATERFORD, ...	27,430	19·1	24·7	17·1	.	13	9	1	3	...	...	...	...	...	...	...	...	1	1	2	1	2	...	...	...	...	4	...
GALWAY, ...	13,249	2·5	7·9	19·7	.	2	5	...	2	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	3	...
DUNDALK, ...	13,128	9·5	23·8	15·9	7·9	6	4	1	2	...	...	...	...	...	1	1	...	...	...	1	1	...	...	...	...	...	4	...
DROGHEDA, ...	12,425	8·4	21·0	8·4	.	5	2	...	1	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	1	...
NEWRY, ...	11,956	17·2	26·2	17·4	.	6	4	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	1	1	1	...
LURGAN, ...	12,135	14·3	30·1	12·9	.	7	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	2	...
LISBURN, ...	12,172	10·7	12·9	38·6	.	3	9	...	2	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...	4	...
WEXFORD, ...	11,455	23·8	18·2	18·2	.	4	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
BALLYMENA ...	11,376	9·3	18·3	13·8	.	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1
SLIGO, ...	11,163	3·8	46·7	18·7	.	10	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...
KILKENNY, ...	10,513	11·4	24·8	49·6	.	5	10	...	3	...	...	...	...	...	...	...	...	2	...	...	2	4	...	...	...	...	2	...
CLONMEL, ...	10,277	7·9	15·2	5·1	5·1	3	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	35·6	22·2	.	8	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	1
TRALEE, ...	9,867	16·6	31·7	21·1	.	6	4	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...
NEWTOWNARDS,	9,110	18·9	22·9	11·4	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
QUEENSTOWN, ...	7,909	14·4	39·6	26·4	6·6	6	4	1	2	...	...	...	...	...	...	...	...	..	...	...	1	...	1	...	...	...	...	...
ARMAGH, ...	7,588	22·2	6·9	6·9	.	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...

Towns and Districts.	Meteorology. (d) Week ending 20th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	e52·0	32·0	42·7	0·66	e55·0	25·0	41·8	0·48	e53·0	30·1	44·1	1·58
CITY OF DUBLIN,	f52·1 g51·7	35·8 35·0	44·1 43·0	1·01 0·67	f53·2 g53·9	33·1 29·0	44·6 42·7	0·89 0·60	f52·5 g51·9	36·9 31·0	46·2 44·5	1·40 1·63
Urban Districts. RATHMINES AND RATHGAR.	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	51	35	44·5	1·26	51	34	44·6	1·21	55	36	44·8	1·35
Urban Districts. BELFAST (h) ...	51·0	30·5	41·1	1·75	49·0	25·0	39·1	1·96	53·0	34·0	41·9	0·57
CORK, ...	51	36	46·6	0·82	51	35	46·2	2·54	54	39	47·3	0·80
LONDONDERRY...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	50·8	32·5	43·5	0·04	53·3	30·5	44·3	1·17	52·3	36·1	45·4	1·40
WATERFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	53	32	44·3	0·75	50	30	44·3	0·85	50	35	45·7	1·14
DUNDALK, ...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03
LURGAN, ...	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03
LISBURN, ...	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03
WEXFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	53·0	33·0	42·8	0·25	52·0	25·0	41·6	1·63	53·0	33·0	44·8	1·15
KILKENNY, ...	51	35	43·5	0·80	51	28	43·7	1·92	55	31	44·5	1·07
CLONMEL, ...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	49	32	42·0	1·66	49	30	42·1	1·40	54	35	44·3	0·63
QUEENSTOWN, ...	51	36	46·6	0·82	51	35	46·2	2·54	54	39	47·3	0·80
ARMAGH, ...	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61	53·0	33·7	43·8	1·03

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area: among the 14 deaths is one from each of enteric fever and diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (*) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of January, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.
Whooping-cough,	1	.	1	1	.	.	.	1	.	.	.	1	1	.	.	.	6	.
Diphtheria,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	3	.	3	.	.	1	6	1	2	1	.	2	1	1	1	26	1
Tuberculous Disease. { Other Forms,	.	2	.	2	.	.	.	1	.	1	1	.	.	.	.	.	7	1
Cancer,	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	3	2
Diseases of Nervous System,	3	3	.	1	.	1	.	1	1	2	1	.	2	1	1	2	19	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	4	1	1	.	.	4	.	4	2	.	1	1	.	2	23	2
" Respiratory System. { Pneumonia,	1	4	2	.	.	.	.	1	.	2	1	1	.	.	1	.	13	.
" Respiratory System. { Others,	3	2	5	3	1	.	.	3	1	2	4	1	1	.	1	.	27	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	1	.	.	1	.	1	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	.	.	1	1	.	.	.	1	.	.	1	1	.	6	1
" Genito-urinary System,	1	1	.	2	.	.	.	1	.	1	1	.	.	.	.	.	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	5	2	.	2	1	1	.	7	1	1	3	.	2	1	1	1	28	2
Violent Deaths,	.	1	.	.	.	.	.	1	.	.	1	1	2	.	.	.	6	.
Ill-defined, &c. Causes,	1	1	.	.	.	1	.	1	.	3	1	1	.	1	.	.	10	.
Deaths from All Causes	20	23	15	18	3	4	5	28	4	22	19	6	12	7	6	6	198	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·7	29·9	25·3	27·8	29·0	17·9	33·7	35·1	9·5	26·4	27·5	34·3	16·1	12·3	34·3	18·2	25·4	.
	28·8							27·1					17·0					
	27·9																	
Ages at Death. Under 1 year,	4	5	.	1	.	2	2	6	1	2	.	2	2	1	.	.	28	.
1 and under 2 years,	3	2	2	3	.	.	.	2	.	2	2	1	1	.	.	.	18	.
2 " 5 "	.	3	.	2	.	.	.	2	.	3	.	.	.	.	.	.	10	.
5 " 15 "	1	3	2	1	.	.	.	.	.	.	.	1	.	1	.	.	9	1
15 " 25 "	1	.	.	2	.	.	1	1	.	2	1	.	.	1	1	.	10	1
25 " 45 "	3	4	2	3	.	1	.	4	1	2	3	1	2	2	2	1	31	5
45 " 65 "	5	3	4	4	3	1	2	6	1	7	6	1	3	.	1	1	48	5
65 and upwards,	3	3	5	2	.	.	.	7	1	4	7	.	4	2	2	4	44	2
Number of Uncertified Deaths,	1	2	.	.	.	1	.	2	.	2	.	1	.	.	.	1	10	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	9	2	8	1	1	.	3	.	6	2	.	5	3	.	.	45	13
Workhouse Hospitals,	1	2	5	5	.	.	.	7	1	8	3	.	.	.	1	4	37	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the Week ending Saturday, and in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th January, 1912.	Deaths of Persons of the Ages of									
	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.		Mean Temp.	Under 1 month.	0—5. 1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 37·3	° 42·2	° 42·4	° 38·6	° 38·5	° 43·0	° 44·5	° 38·8	° 37·6	° 38·6	° 40·2	° 42·7										
ALL CAUSES.	177	211	195	160	154	214	246	200	181	190	192·8	212	6	22	18	10	10	11	36	53	31	15
Enteric Fever, ...	1	3	3	1	.	1	3	.	.	.	1·2	4	.	.	.	.	1	.	3	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	5	.	1	.	9	.	6	2·3	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	1	2	1	.	.	.	.	.	·6	3	.	.	2	.	1	.	.	.	.	.
Whooping-cough, ...	.	.	5	.	1	5	.	2	4	6	2·3	6	.	2	4	.	.	.	.	.	.	.
Diphtheria, ...	1	3	.	2	.	2	.	1	3	4	1·6	3	.	.	.	1	.	1	1	.	.	.
Croup, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	3	4	.	4	8	2	5	1	3·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	3	.	1	.	3	1	1	2	1·2	1	.	.	.	1	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	29	27	27	23	22	28	18	21	27	24·2	27	.	.	.	.	1	5	12	9	.	.
Tuberculous Meningitis, ...	2	4	1	3	2	3	4	3	2	4	2·8	5	.	.	1	3	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	.	.	1	.	1	1	2	1	1	0·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	1	9	8	3	11	5	4	3	.	5·2	1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		1	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	.	2	.	2	.	1	1	2	1	1	1·0	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	1	8	7	5	12	8	7	5	8	12	7·3	5	.	.	.	.	.	.	1	2	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Rheumatic Fever, ...	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Diabetes, ...	.	1	.	.	1	.	3	1	.	1	·7	2	.	.	.	.	.	1	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	5	—	6	.	.	.	.	1	.	.	4	1	.
Alcoholism, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		7	.	.	.	.	.	.	1	3	1	2
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		4	.	.	.	.	.	.	.	1	3	.
Epilepsy, ...										.		1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),										4		3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	64	41	35	37	47	47	48	46	8	44·3	4	.	.	.	.	.	.	2	1	1	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		2	.	.	.	.	.	.	.	1	1	.
Organic Diseases of the Heart,										9		21	.	.	.	.	1	.	3	9	4	4
Embolism and Thrombosis (including Cerebral)										2		1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	31	38	27	15	20	30	44	31	25	26	28·7	25	.	3	4	.	.	.	1	8	8	1
Broncho-pneumonia, .		2	10	6	5	10	12	10	12	7		8	.	1	2	2	1	.	1	1	.	.
Lobar-pneumonia, ...	8	.	.	.	2	2	1	.	1	.	15·1	2	.	1	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)		8	6	6	5	7	11	9	8	3		3	.	.	1	.	.	1	1	.	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	2	1	3	2	3	3	3	4	1	2·6	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	1	.	.	.

THIRD WEEK ending Saturday, 20th January, 1912, with, as far as practicable, the deaths from each cause in the 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 3rd Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th January, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Jan. 18, 1902.	Jan. 24, 1903.	Jan. 23, 1904.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	37·3	42·2	42·4	38·6	38·5	43·0	44·5	38·8	37·6	38·6	40·2	42·7										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	·2	3	.	1	.	.	.	.	2	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	1	.	.	1	1	.	1	4	2	1·2	4	.	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards	2	3	1	.	1	4	4	11	3	.	3·1	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	5	2	.	1	1	.	1	3	.	.	2·0	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		.	3	.	.	2	1	.	.	1		1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),		.	1	.	.	1	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	5	6	3	5	6	8	6	3	3	.	4·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	6	4	8	5	11	7	4	4	2	6·5	2	.	.	.	1	1	.	.	.	.	.
Chronic Bright's Disease, ...										5		6	.	.	.	.	.	.	.	5	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	4	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	7	2	4	7	4	2	7	2	4·2	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	4	.	3	.	1	.	.	.	.	.	.
Old Age, ...	11	2	11	5	3	7	7	.	4	7	5·7	8	.	.	.	.	.	.	.	.	2	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	2	4	2	1	2	.	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	2	.	.	1	.	.	.	.	·4	2	.	.	.	.	.	.	1	1	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	2	2	3	2	3	.	.	1·7	3	.	.	.	.	1	.	1	1	.	.
Total Deaths from Accident,	1	4	4	4	7	6	4	5	.	1	3·6	5	.	.	.	.	1	.	2	2	.	.
In connection with above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	1	1	.	.	.	.	.	.	·3	1	.	.	.	.	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	2	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	2	1	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	6	—	10	.	3	.	.	.	.	1	1	3	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered.	233	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198
Average Births in corresponding week of previous 10 years, ...	221	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212
DEATHS registered, ...	186	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212
Annual Death-rate per 1,000, ...	24·0	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2
Average Deaths in corresponding week of previous 10 years, ...	147	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193
Ages, Under 5 years, ...	88	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56
5—15 " ...	5	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10
15—25 " ...	6	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11
25—45 " ...	21	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36
45—65 " ...	29	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53
65—75 " ...	24	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31
75 and upwards, ...	13	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15
Deaths from :—																										
Enteric Fever, ...	1	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1
Scarlet Fever, ...	2	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3
Whooping-cough, ...	3	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6
Diphtheria, ...	1	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3
Influenza, ...	1	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.
Dysentery, ...	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27
Tuberculous Disease, Other Forms,	15	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8
Cancer, ...	6	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5
Diseases of Circulatory System,	15	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25
Diseases of Respiratory System, Pneumonia,	12	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13
Diseases of Respiratory System, Others, ...	13	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27
Diarrhœa and *Enteritis*, under 2 years, ...	34	29	41	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4
Diarrhœa, 2 years and upwards,	5	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1
Violent Deaths, ...	5	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6
Number of Uncertified Deaths,	3	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10
Mean Temperature of the Air (Phœnix Park)	62·7	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7
Average Mean Temperature in corresponding week of previous 10 years, ...	58·2	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2
Rainfall in inches, ...	1·860	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th January, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH JANUARY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	212	56	10	11	36	53	31	15	4	.	.	1	3	6	3	.	27	8	5	3	13	27	4	1	6	101	10
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	1
II.	MIDDLE CLASS, ...	87,188	21·5	36	8	.	5	4	11	3	5	.	.	.	.	.	.	1	.	5	1	1	1	1	3	.	1	1	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	20·8	44	13	3	2	9	10	6	1	1	.	.	.	1	4	1	.	6	2	.	.	3	3	1	.	1	21	3
IV.	GENERAL SERVICE CLASS, ...	154,279	29·7	88	30	6	4	16	17	12	3	3	.	.	1	2	1	1	.	10	3	2	2	8	11	3	.	3	38	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	5	1	.	6	12	10	4	.	.	.	.	.	1	.	.	6	2	2	.	1	8	.	.	1	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	3	1
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	18·9	8	3	.	.	1	2	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	4	.	3	2	2	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	.	.	2	1	6	1	3	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	1	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	29,801	24·5	14	6	1	2	1	3	1	.	.	.	.	.	1	1	.	.	2	2	.	.	2	1	.	.	.	5	.
	10. Clothing Trades, ...	23,260	20·2	9	2	1	.	2	3	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	1	5	1
	11. Food Supply Trades	9,242	39·5	7	2	1	.	2	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	3	.	.	2	3	3	.	.	.	.	.	.	2	.	.	1	.	.	.	1	1	.	.	.	6	1
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	31·1	8	3	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	1	3	.
	15. Domestic Servants, ...	36,603	21·4	15	3	.	2	3	3	1	3	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.	.	.	11	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	2	.	.	3	2	1	.	.	.	.	.	1	.	.	.	2	.	.	.	1	2	.	.	.	2	2
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·1	57	22	4	2	8	11	10	.	3	.	.	1	1	1	.	.	6	2	2	2	5	8	2	.	2	22	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	38	5	1	.	6	12	10	4	.	.	.	.	.	1	.	.	6	2	2	.	1	8	.	.	1	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Dec. 2,	33·2	1·7	19	.	.	.	.	.	1	.	.	1	2	.	1	6	.	.	1	.
	„ 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	1
	„ 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	1	.
	„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
	„ 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
	Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
	„ 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Dec. 2,	22·2	1·3	17	.	.	.	.	.	1	.	.	3	1	1	1	6	.	.	.	1
	„ 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.
	„ 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	1	4
	„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
	„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
	Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Dec. 2,	28·9	3·4	17	.	.	.	.	.	.	.	.	2	.	1	1	1	2	.	.	2
	„ 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	1	1
	„ 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.
	„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
	Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
	„ 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Dec. 2,	9·3	.	6	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	„ 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.
	„ 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	1	.
	„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
	„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
	Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
	„ 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Dec. 2,	34·0	6·3	27	1	1	.	1	.	.	2	.	5	.	1	.	3	.	.	.	1
	„ 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	2	.	1	.
	„ 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.
	„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
	„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
	Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
	„ 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Dec. 2,	28·8	4·8	12	.	.	.	1	1	.	.	.	1	.	.	.	6	.	.	.	.
	„ 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	1
	„ 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
	Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
	„ 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Dec. 2,	15·7	1·2	13	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.
	„ 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.
	„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
	„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
	Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
	„ 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Dec. 2,	20·4	.	14	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	1
	„ 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.
	„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
	„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
	Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
	„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	„ 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Dec. 2,	13·6	.	10	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Dec. 2,	21·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Dec. 2,	15·1	6·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	„ 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	Dec. 2,	13·6	0·9	101	.	.	.	.	1	3	1	.	9	3	5	4	19	2	.	.	1
	„ 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	2	.	.	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	2	.	.	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
Cork. Pop. in 1911 76,632.	Dec. 2,	25·9	2·7	38	.	.	.	1	.	1	1	.	7	1	2	4	2	1	.	.	2
	„ 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
Londonderry. Pop. in 1912 (Est.) 40,912.	Dec. 2,	12·8	1·3	10	.	.	.	.	.	.	.	.	1	1	.	1	2	1	.	.	1
	„ 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	Dec. 2,	12·2	1·4	9	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
Waterford Pop. in 1911 27,430.	Dec. 2,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th January, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Do. 2 do.		22			16	1	5	1	2	3	4	.	.	.	.	.	1	.	.	1	.	.	.	3	.	.	.	3	2	1
Do. 3 do.		34			20	6	4	2	1	3	4	.	.	.	.	.	1	.	.	.	.	2	4	3	2	.	.	1	4	1
Do 4 do.		23			14	3	2	.	3	3	3	.	.	.	.	.	.	.	.	1	.	1	3	3	1	.	1	1	7	.
Do. 5 do.		15			16	6	2	.	2	3	3	.	.	.	.	.	2	.	.	.	.	.	2	1	.	.	1	1	2	.
Do. 6 do.		8			12	.	1	2	3	4	2	.	.	.	.	.	.	.	.	2	2	.	2	.	.	.	.	1	2	.
Do. 7 do.		.			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 8 do.		3			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		14			4	2	.	.	2	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	3	.
Do. 10 do.		29			13	4	3	1	.	4	1	.	.	.	.	.	1	.	.	1	.	1	3	.	.	.	.	.	2	1
Do. 11 do.		23			15	4	3	.	4	1	3	.	.	.	.	.	1	.	.	2	.	.	1	3	1	.	.	.	2	.
Do. 12 do.		28			16	5	2	2	2	3	2	.	.	.	.	.	1	.	.	.	1	.	2	2	.	1	2	2	5	.
Do. 13 do.		4			10	1	3	2	1	3	.	.	.	.	.	.	3	.	.	1	.	1	1	.	.	.	.	.	4	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		22			13	2	1	4	1	2	3	.	.	.	.	.	1	.	.	2	.	1	1	1	.	.	.	.	4	.
Total,	—	231			156†	35	26	15	21	31	28	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	9	42	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	2	.
Do. 2 do.		8			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1
Do. 3 do.		6			3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do. 4 do.		4			3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Do. 5 do.		.			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do. 6 do.		7			5	.	.	1	1	1	2	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
Do. 7 do.		9			8	.	.	.	1	4	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Total,	—	36	19·7	.	29	3	2	2	4	9	9	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	1	12	3

* See note (‡) at foot of first page.

† See note (*) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	July 29.	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3
BIRTHS registered, ...	236	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231
DEATHS registered, ...	105	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156*
Annual Death rate per 1,000 of estimated population, ...	14·2	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8
AGES, Under 1 year, ...	38	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35
1—5 years, ...	8	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26
5—25 „ ...	11	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15
25—45 „ ...	13	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21
45—65 „ ...	17	23	23	28	31	27	29	21	31	20	23	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31
65 and upwards, ...	18	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.
Whooping-cough, ...	1	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12
Diphtheria, ...	.	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12
Tuberculous Disease. Other Forms,	5	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3
Cancer, ...	3	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7
Diseases of Respiratory System, Pneumonia,	6	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20
Diseases of Respiratory System, Others, ...	3	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17
Diarrhœa, and *Enteritis*, under 2 years, ...	23	21	38	27	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4
Diarrhœa, 2 years and upwards,	1	4	4	3	5	3	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1
Violent Deaths, ...	3	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4
Number of Uncertified Deaths, ...	2	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3

* Including one death from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Jan. 20,	1,917	1,217	14·0	4	1	8	.	13	9	14*a*
Edinburgh, ...	321,200	„ 20,	126	118	19·2	.	.	1	1	2	.	.
Glasgow, ...	785,600	„ 20,	412	286	19·0	3	.	43	1	4	3	4
Calcutta, ...	890,493	Dec. 16,	.	583	31·0	116*	.	.	.	2	2	90‡
Bombay, ...	977,822	„ 16,	477	637	33·9	83*	2	1	.	1	.	67‡
Madras, ...	509,346	Nov. 25,	377	625	63·8	130*	.	.	?	?	?	204‡
Cairo, ...	693,806	„ 25,	645	387	29·1	3	.	.	.	.	15†	49*a*
Paris, ...	2,846,986	Dec. 23,	988	937	17·8	8	1	15	2	1	5†	24*a*
Brussels, ...	705,295	„ 30,	233	168	12·4	2	.	.	.	.	1†	1
Antwerp, ...	320,640	„ 30,	126	69	11·2	.	.	1	7	.	.	6*a*
Amsterdam, ...	580,365	„ 30,	296	163	12·8	1	.	1	1	8	.	4
Copenhagen, ...	462,132	„ 30,	195	103	11·6	.	.	.	.	1	1	3
Stockholm, ...	343,832	„ 30,	138	70	10·6		.	1	1	2	1	1
Christiania, ...	244,038	Jan. 6,	94	56	11·9	.	.	.	.	1	2	3
St. Petersburg, ...	1,639,266	Dec. 16,	880	646	21·1	26	1	20	8	3	5	28
Moscow, ...	1,493,600	„ 16,	.	717	25·0	2	1	47	14	4	11†	68
Berlin, ...	2,082,536	„ 16,	771	633	15·8	1	.	3	16	3	27†	18
Hamburg, ...	931,035	„ 30,	.	259	14·5	1	.	6	.	3	13†	12*a*
Breslau, ...	523,079	„ 30,	.	202	20·1	.	.	1	2	2	.	14
Munich, ...	610,000	Jan. 6,	.	171	14·6	.	.	2	.	2	3†	13
Vienna (with suburbs),	2,064,583	Dec. 30,	745	622	15·7	1	.	6	2	4	12†	28*a*
Buda-Pesth, ...	891,585	„ 30,	486	311	18·1	5	.	21	7	.	6†	9*a*
Prague and Faubourgs,	508,310	„ 16,	152	171	18·5	1	.	4	3	.	4†	4*a*
Trieste, ...	233,925	„ 30,	149	82	18·3	1	.	1	.	1	.	1
Rome, ...	551,749	Sept. 16,	268	164	15·5	2	.	.	1	1	.	31
Venice, ...	184,325	„ 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Dec. 9,	2,754	1,418	14·8	8	.	6	8	7	15†	37*a*
Philadelphia, ...	1,580,250	Nov. 4,	.	.	.	.	.	.	.	.	.	.
Boston	686,912	Dec. 30,	.	231	17·5	.	.	2	.	1	2	6

* Deaths from "fever," including 14 deaths from enteric fever, and one from plague in Calcutta, 3 from enteric fever and 5 from plague in Bombay, and one from plague in Madras.

† Including deaths from croup.

‡ Including 28 deaths from cholera in Calcutta, 2 in Bombay, and 65 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending January 20th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 1, West, ...	.	5	.	.	.	.	.	.	.	.	.	.	5
„ „ 2, ...	.	1	.	.	1	.	.	.	1	.	.	1	4
„ „ 3, ...	.	.	.	.	1	.	.	2	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	5	.	.	1	.	.	.	1	.	.	.	7
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	7	.	.	1	.	.	1	3	.	.	5	17
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	3	.	.	2	.	.	1	3	.	.	2	11
„ „ 4, ...	.	2	.	.	.	.	.	3	.	.	.	.	5
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	25	.	.	7	.	.	7	9	.	.	10	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th January, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th January.			
	Dec. 30.	Jan. 6.	Jan. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	19	23	28	18	8	.	38
Scarlet Fever, ...	189	171	158	27	33	1	151*
Typhus, ...	5	5	1	.	1	.	.
Diphtheria, ...	60	64	75	19	15	2	77
Enteric Fever, ...	48	41	43	7	2	3	45
Pneumonia, ...	19	24	20	6	10	2	14

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 20th January, 1912:—

"Extremely unsettled, stormy and generally inclement weather prevailed during the greater part of this week. A large winter anticyclone, in which the barometer from time to time rose to or above 31 inches, hovered over Northern Russia, the Baltic Sea, and Sweden. On the other hand a vast Atlantic low pressure system, or its secondaries, threatened the Northwestern shores of Europe. At 7 a.m. of Monday the barometer ranged from 31·10 inches at Archangel to 28·71 inches on the Atlantic some 250 miles W. of the Kerry coast. This distribution of pressure led to a prevalence of strong winds and gales from S.E. or S. all over Western Europe. Near the ocean the winds were mild, but over the Continent they blew less strongly but were bitterly cold. On Sunday a V.-shaped depression, secondary to the vast barometric depression far out from the land on the Atlantic, passed across Ireland. The morning was mild in Dublin, but temperature fell fast as the wind shifted from S.S.E. to W.N.W. after 10 a.m. By Monday morning the wind had backed again to S.S.E. But the most inclement weather occurred on Wednesday and Thursday. By 7 a.m. of the latter day a shallow depression had formed over the English Channel. This caused a rush of cold E. wind across Great Britain, and rain, hail, sleet and snow fell in large quantities. In Ireland the weather was quieter, but extremely dull and damp. Owing to a snow-covering temperature was very low in England locally. On Friday morning at Liverpool, the thermometer read 25°; at Bath 28°, at 7 a.m. At that time the readings were 49° at Valentia, 48° at Roche's Point and Scilly, 44° in Dublin, and 40° at Holyhead. Saturday was dull and in the afternoon rainy. In Dublin the mean height of the barometer was 29·773 inches, the range being from 29·356 inches at 9 p.m. of Monday (wind, S.E.) to 29·975 inches at 9 a.m. of Friday (wind, S.S.E.). The corrected mean temperature was 44·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·3°. On Sunday the screened thermometers rose to 52·1°; on Friday they fell to 35·8°. The wind was almost constantly from S.E. or E. Rain fell on 6 days, the total measurement being 1·012 inches, of which ·673 inch was recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·768 inches. The highest reading (29·969) was on Friday at 9 p.m., wind S.E, the lowest (29·350) on Monday at 9 p.m., wind S.E.

The mean temperature for the week was 42·7°, being 2·5° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Sunday, on which day the thermometer registered 52·0°, and was lowest on Friday, the mercury having fallen to 32·0°. The mean of the Dry Bulb for the week was 43·7° and of the Wet Bulb, 42·0°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·655 inch.

At Greenwich the mean temperature for the week was 40·2°, the maximum 48·4°, and the minimum 31·4°; at Glasgow the maximum was 50·0°, the minimum 31·8°, and the mean 38·9°; and at Edinburgh the maximum was 47·7°, the minimum 29·8°, and the mean 37·1°. The rainfall at Greenwich measured 0·93 in.; at Glasgow, 0·47 in.; and at Edinburgh, 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, January 14,	29·760	52·0	35·0	43·5	45·1	43·2	·87	·7	2·5	·120	S.S.E.	S.
Monday, „ 15,	29·480	51·0	36·0	43·5	46·9	44·9	·85	·6	0·0	·255	E.S.E.	S.E.
Tuesday, „ 16,	29·500	51·0	45·0	48·0	46·2	44·4	·88	·1	0·3	·120	E.S.E.	S.S.E.
Wednesday, „ 17,	29·850	48·0	39·0	43·5	42·1	41·0	·92	·0	0·0	·000	E.S.E.	E.S.E.
Thursday, „ 18,	29·940	40·0	35·0	37·5	36·8	35·0	·85	·0	0·0	·040	E.N.E.	Calm.
Friday, „ 19,	29·965	45·0	32·0	38·5	43·9	41·6	·82	·0	0·1	·000	E.	S.E.
Saturday, „ 20,	29·880	47·0	42·0	44·5	45·0	44·0	·93	·0	0·0	·120	E.N.E.	E.
Mean, ...	29·768	47·7	37·7	42·7	43·7	42·0	·87	·2	Total 2·9	Total ·655	Prevailing Wind, E.S.E.	

Sunday—Day overcast to clear, drizzling and heavy rain 9.50 a.m. to 12.10 p.m.; night clear. *Monday*—Day overcast, drizzling rain 5.30 p.m. to 9 p.m.; night overcast, drizzling 9.0 p.m. to 9.0 a.m, *Tuesday*—A dull day, drizzling rain 9.0 a.m. to 9.40 a.m.; night clear to overcast, light and heavy rain 4.45 a.m. to 8.0 a.m. *Wednesday*—Day overcast; night overcast. *Thursday*—Day overcast, light rain at intervals a.m. and p.m.; night overcast. *Friday*—Day overcast; night overcast. *Saturday*—Day overcast, drizzling rain from 11.45 a.m. to 9.0 p.m.; night clear to overcast, drizzling from 9.0 p.m. to 9.30 p.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 20th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 14,	51·1	44·9	45·3	52·5	38·5	40·5	1·3	·020
Monday, „ 15,	44·7	43·4	45·5	50·1	38·0	44·1	—	·580
Tuesday, „ 16,	47·8	44·3	45·6	51·9	45·7	48·8	—	·080
Wednesday, „ 17,	46·7	44·1	45·7	49·7	38·3	44·0	—	—
Thursday, „ 18,	38·9	43·3	45·8	41·0	36·0	38·5	—	·028
Friday, „ 19,	44·5	42·2	45·7	45·7	35·7	40·7	—	—
Saturday, „ 20,	45·4	42·7	45·7	47·5	42·0	44·8	—	·130
Weekly Mean, .	45·6	43·6	45·6	48·3	39·2	43·1	Total 1·3	Total ·838

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31737. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116, Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLIX.] Week ending Saturday, 27th January, 1912. [No. 4.

General Register Office, Charlemont House, Dublin, 29th January, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 6	Jan. 13	Jan. 20	Jan. 27	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 6	Jan. 13	Jan. 20	Jan. 27	Average Rate for 4 weeks.
22 Town Districts, ...	**18·6**	**20·3**	**21·8**	**22·3**	**20·7**	Limerick	9·5	14·9	25·8	16·3	16·6
						Lisburn	21·4	12·9	38·6	8·6	20·4
Armagh	6·9	34·4	6·9	13·7	15·5	Londonderry	19·1	15·3	10·2	15·3	15·0
Ballymena	27·5	13·8	13·8	9·2	16·1	Lurgan	4·3	12·9	12·9	12·9	10·8
Belfast	17·2	19·5	20·8	27·5	21·2	Newry	13·1	8·7	17·4	8·7	12·0
Clonmel	15·2	20·3	5·1	10·1	12·7	Newtownards	11·4	28·6	11·4	17 2	17·2
Cork	17·7	25·2	19·7	26·5	22·3	Portadown	17·8	13·3	22·2	17·8	17·8
Drogheda	4·2	16·8	8·4	12·6	10·5	Queenstown	•	26·4	26·4	13·2	16·5
Dublin Reg. Area ...	23·3	20·7	25·4	23·5	23·2	Sligo	14·0	14·0	18·7	14·0	15·2
Dundalk	11·9	31·8	15·9	15·9	18·9	Tralee	15·9	31·7	21·1	5·3	18·5
Galway	7·9	15·7	19·7	7·9	12·8	Waterford	17·1	19·0	17·1	13·3	16·6
Kilkenny	19·8	54·6	49·6	•	31·0	Wexford	18·2	18·2	18·2	4·6	14·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·3 in Lurgan, the 3 deaths from all causes for that district including one from diarrhœa or *enteritis* of a child under 2 years of age. Among the 206 deaths from all causes for Belfast are one from each of enteric fever, scarlet fever, and diphtheria, 12 from whooping-cough, and one from diarrhœa or *enteritis* of a child under 2 years of age, and included in the 39 deaths from all causes for Cork are one from diphtheria and one from diarrhœa or *enteritis* of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—115 boys and 118 girls—and the deaths to 195—100 males and 95 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·5 per 1,000 of the population. During the four weeks ending with Saturday last the death-rate averaged 23·2, and was 1·9 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 195, represent an annual rate of 25·0 per 1,000 ; the annual rate for the past four weeks was 24·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

The 195 deaths registered include 3 from measles, 2 from scarlet fever, 4* from whooping-cough, one from diphtheria, one from *croup*, 2 from influenza, and one from diarrhœa of a child under 2 years of age. In the 3 preceding weeks deaths from measles were 6, 3, and one ; deaths from scarlet fever were 3, 2, and 3 ; deaths from whooping-cough were one, 3, and 6 ; deaths from diphtheria were 4, 3, and 3 ; deaths from *croup* were 0, 0, and 0 ; deaths from influenza were 0, one, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 5, one, and 4.

Tuberculous disease, which in the 3 preceding weeks caused 33, 25, and 35 deaths respectively, in the week under notice caused 37 deaths, comprising 32 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from tuberculosis of the vertebral column, and one from tuberculosis of other organs.

There were 12 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

The deaths of 5 children, all of whom were under one year of age, were ascribed to *convulsions*.

Organic diseases of the heart caused 22 deaths and bronchitis 19 deaths.

Prematurity caused the deaths of 5 infants, congenital malformation one death, and congenital debility 3 deaths.

There were 3 accidental deaths, including one (that of a child aged 3 years) by burns, and one death by drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one person aged 74 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 11 were under one month old) and 41 were aged 65 years and upwards, including 28 persons aged 70 and upwards ; among the latter were 12 aged 75 years and upwards.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 23 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·5 per 1,000 ; the rate in the City was 25·6 (North City Districts, 32·7 ; South, 18·2) and in the Suburbs, 16·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·5 (2·3 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·6 per 1,000, and include one from measles, one from whooping-cough, 4 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 37·7 per 1,000. The total includes one from scarlet fever, 2 from tuberculous disease, 3 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 43·9 per 1,000. Of the total one was from whooping-cough, 5 were from tuberculous disease, 4 from broncho-pneumonia, one from lobar pneumonia, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (20) represent an annual rate of 30·9 per 1,000. Measles, *croup*, influenza, and pulmonary tuberculosis, each caused one death ; *pneumonia* (type not distinguished), caused 2 deaths, and bronchitis one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 22·3 ; and Finglas and Glasnevin, part of, 40·5 The only death for the first-named district is one from pulmonary tuberculosis. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, is one from each of *pneumonia* (type not distinguished), and bronchitis ; and included in the 6 deaths from all causes for Finglas and Glasnevin, part of, is one from diphtheria, one from diarrhœa or *enteritis* of a child under 2 years of age, and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·5 per 1,000, and include one from scarlet fever, 4 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·3 per 1,000. Of the total 2 were from pulmonary tuberculosis, and 2 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·0 per 1,000. Among them are one from measles, 3 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), 2 from bronchitis, and one death by accidental drowning.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000 and include one from influenza, 3 from tuberculous disease, one from *pneumonia* (type not distinguished), and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000, and include one from pulmonary tuberculosis, and one from broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 17·4 ; Pembroke, 19·3 ; Blackrock, 17·1 ; and Kingstown, 9·1. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Kingstown. Among the 13 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from each of broncho-pneumonia and lobar pneumonia, and 2 from bronchitis. Included in the 11 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, and one from each of broncho-pneumonia, bronchitis, and accidental burns. Of the 3 deaths for Blackrock one was from pulmonary tuberculosis, and one death by accident ; and one of the 3 deaths from all causes for Kingstown was from pulmonary tuberculosis.

* See note (*c*), Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the 'Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th January, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 6,	.	—	—	15	.	.	8	.	3	4	8	.	—	—	.	—	5	—	43
	Jan. 13,	.	—	—	15	.	.	16	.	1	13	9	1	—	—	.	—	6	—	61
	Jan. 20,	.	—	—	25	.	.	7	.	.	7	9	.	—	—	.	—	10	—	58
	Jan. 27,	.	—	—	8	.	.	7	.	2	5	10	.	—	—	.	—	12	—	44
Rathmines and Rathgar Urban District.	Jan. 6,	.	—	—	2	.	.	2	.	.	.	1	.	.	—	—	—	—	—	5
	Jan. 13,	.	—	—	1	.	.	.	.	.	1	.	.	1	—	—	—	—	—	3
	Jan. 20,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Jan. 27,	.	—	—	4	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Jan. 6,	.	1	.	3	.	.	3	.	.	.	.	.	.	.	—	—	.	—	7
	Jan. 13,	.	.	.	1	.	.	4	.	.	.	.	.	.	.	—	—	.	—	5
	Jan. 20,	.	1	.	4	.	.	3	.	.	1	.	.	.	.	—	—	.	—	9
	Jan. 27,	.	.	4	3	.	.	.	.	.	.	.	.	.	.	—	—	.	—	7
Blackrock Urban District.	Jan. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Jan. 6,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	3	—	4
	Jan. 13,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	.	—	3
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	—	3
	Jan. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Jan. 6,	.	—	—	16	1	.	8	.	.	.	1	.	—	—	—	—	14	—	40
	Jan. 13,	.	—	—	13	1	.	3	.	.	.	5	1	—	—	—	—	8	—	31
	Jan. 20,	.	—	—	20	.	.	1	1	1	.	7	.	—	—	—	—	12	—	42
	Jan. 27,	.	—	—	12	.	.	10	.	2	3	8	.	—	—	—	—	12	—	47

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th January, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty cases of measles were admitted to hospital during the week, 10 were discharged, there were 2 deaths, and 46 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 23, 28, and 38, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 41 were discharged, there was one death, and 128* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 171, 158, and 151, respectively.

Ten cases of diphtheria were admitted to hospital during the week, 16 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 64, 75, and 77, respectively, were 70 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 46 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 44, 43, and 45.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 15·9) was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·7 per 1,000, the rate for Glasgow being 20·4, and for Edinburgh 17·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th January. From this Report it appears that of a total of 58 cases notified, 25 were phthisis, 17 scarlet fever, 12 diphtheria, and 4 erysipelas. Among the 406 cases of infectious diseases in hospital at the close of the week were 169 cases of scarlet fever, 75 of measles, 61 of phthisis, 54 of diphtheria, 19 of whooping-cough, 10 of erysipelas, 6 of enteric fever, and 2 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th January, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 27th January, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 27th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	27·1	22·3	1·4	602	495	108	92	1	...	...	3	3	15	3	...	60	18	17	71	81	5	...	9	16	126	15	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total, (c.) ...	406,536	29·5	29·9	23·5	1·3	233	183	28	40	...	...	...	3	2	3	1	...	29	4	8	20	22	1	...	3	4	65	6	e47·0	28·0	36·3	0·26	e52·0	32·0	42·7	0·66	e55·0	25·0	41·8	0·48
City of Dublin,	311,601	39·4	33·1	25·6	1·5	198	153	24	27	...	...	...	3	2	2	1	...	23	4	7	17	17	1	...	1	2	57	5	f47·2 g46·8	33·0 29·8	39·3 37·4	0·22 0·28	f52·1 g51·7	35·8 35·0	44·1 43·0	1·01 0·67	f53·2 g53·9	33·1 29·0	44·6 42·7	0·89 0·60
Urban Districts. Rathmines and Rathgar.	38,889	22·7	16·1	17·4	.	12	13	1	6	...	...	...	...	...	...	...	...	2	...	1	2	4	...	...	...	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	22·8	19·3	.	13	11	2	6	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	17·1	.	4	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	18·2	9·1	3·0	6	3	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	50	34	40·1	0·16	51	35	44·5	1·26	51	34	44·6	1·21
Urban Districts. Belfast ...	391,051	26·6	29·6	27·5	2·1	222	206	62	24	1	...	...	...	1	12	1	...	20	7	4	44	42	1	...	3	6	36	1	45·0	28·5	37·2	0·00	51·0	30·5	41·1	1·75	49·0	25·0	39·1	1·96
Cork, ...	76,632	33·8	23·8	26·5	1·4	35	39	4	8	...	...	...	...	...	...	1	...	4	3	1	2	3	1	...	...	2	14	2	50	33	41·9	0·40	51	36	46·6	0·82	51	35	46·2	2·54
Londonderry ...	40,912	18·9	19·1	15·3	.	15	12	1	2	...	...	...	...	...	...	...	...	5	...	...	1	3	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	21·7	16·3	.	16	12	2	4	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	3	1	44·7	26·6	36·5	0·00	50·8	32·5	43·5	0·04	53·3	30·5	44·3	1·17
Waterford, ...	27,430	19·1	11·4	13·3	1·9	6	7	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	23·6	7·9	.	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	50	29	37	0·00	53	32	44·3	0·75	50	30	44·3	0·85
Dundalk, ...	13,128	9·5	31·8	15·9	.	8	4	1	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	8·4	12·6	.	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	26·2	8·7	.	6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61
Lurgan, ...	12,135	14·3	25·8	12·9	4·3	6	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61
Lisburn, ...	12,172	10·7	17·1	8·6	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61
Wexford, ...	11,455	23·8	13·7	4·6	.	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	4·6	9·2	.	1	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	14·0	14·0	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	48·0	22·0	34·8	0·00	53·0	33·0	42·8	0·25	52·0	25·0	41·6	1·63
Kilkenny, ...	10,513	11·4	9·9	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	49	30	38·0	0·06	51	35	43·5	0·80	51	28	43·7	1·92
Clonmel, ...	10,277	7·9	.	10·1	.	.	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	31·1	17·8	.	7	4	1	2	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	1	1	...	...	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61
Tralee, ...	9,867	16·6	68·7	5·3	.	13	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	17·2	.	7	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	45	31	38·8	0·00	49	32	42·0	1·66	49	30	42·1	1·40
Queenstown, ...	7,909	14·4	19·8	13·2	.	3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50	33	41·9	0·40	51	36	46·6	0·82	51	35	46·2	2·54
Armagh, ...	7,588	22·2	27·5	13·7	.	4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94	51·0	25·0	41·4	1·61

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and one at 71 years), admitted to hospital from localities outside the Area; one of the 12 deaths was from whooping-cough. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of January, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Scarlet Fever,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	1
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Influenza,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	1	3	1	1	.	1	4	2	3	2	1	2	2	1	1	29	3
Tuberculous Disease. { Other Forms,	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	4	1
Cancer,	.	2	1	2	.	.	.	.	.	1	1	.	1	.	.	.	8	1
Diseases of Nervous System,	.	6	3	2	.	.	1	.	1	4	2	.	2	2	1	.	24	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	5	3	4	.	.	.	3	.	4	1	.	1	.	.	1	22	1
" Respiratory System. { Pneumonia,	1	4	5	2	.	1	.	1	.	1	1	1	2	1	.	.	20	.
" Respiratory System. { Others,	2	2	2	1	.	1	1	2	3	2	1	.	4	1	.	.	22	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Others,	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	4	3
" Genito-urinary System,	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	1	2	.	2	.	3	.	3	.	1	.	2	.	.	19	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	3	.
Ill-defined, &c. Causes,	.	1	1	1	.	.	1	.	.	.	.	.	1	1	.	.	6	.
Deaths from All Causes	13	29	26	20	1	5	6	14	6	20	10	3	13	11	3	3	183	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·6	37·7	43·9	30·9	9·7	22·3	40·5	17·5	14·3	24·0	14·5	17·2	17·4	19·3	17·1	9·1	23·5	.
	32·7							18·2					16·5					
	25·6																	
Ages at Death. { Under 1 year,	1	8	2	3	.	2	1	.	.	5	2	.	1	2	1	.	28	1
1 and under 2 years,	1	1	2	2	.	.	.	2	1	1	.	.	.	.	.	1	11	.
2 " 5 "	2	3	4	.	.	.	.	1	.	1	.	.	.	1	.	.	12	.
5 " 15 "	.	1	1	1	.	.	1	.	.	.	1	1	.	.	.	1	7	4
15 " 25 "	1	1	2	.	.	.	.	.	.	1	.	.	.	1	1	.	7	2
25 " 45 "	4	5	5	6	.	.	2	2	4	2	2	1	5	.	.	.	38	2
45 " 65 "	2	6	5	4	.	1	1	6	1	5	5	1	1	1	.	1	40	2
65 and upwards,	2	4	5	4	1	2	1	3	.	5	.	.	6	6	1	.	40	1
Number of Uncertified Deaths,	.	.	1	2	.	.	.	.	.	.	2	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	2	3	5	.	2	2	2	3	2	1	.	3	1	.	1	31	6
Workhouse Hospitals,	2	9	2	7	.	.	.	4	3	3	1	.	1	2	.	.	34	6

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th January, 1912.										
													Deaths of Persons of the Ages of									
	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 45·5	° 40·9	° 36·3										
ALL CAUSES.	158	187	196	192	160	225	229	203	177	228	195·5	195	11	18	11	12	11	9	40	42	29	12
Enteric Fever, ...	2	2	1	.	.	1	2	2	2	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	13	.	.	1	6	1	2	2·5	3	.	.	1	2	.	.	.	.	.	.
Scarlet Fever, ...	.	3	.	2	.	1	.	.	1	1	·8	2	.	.	.	1	.	.	1	.	.	.
Whooping-cough, ...	1	.	11	2	1	6	5	2	1	10	3·9	4	.	2	2	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	1	.	.	2	.	1	·6	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	1	.	.	1	.	.	.	.	.	.	.
Influenza, ...	.	3	3	2	2	5	12	.	1	4	3·2	2	.	.	.	.	1	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	1	.	2	.	2	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	.	2	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	1	.	2	1	.	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	18	26	32	21	33	32	18	23	28	25·0	32	.	.	1	.	2	6	16	5	1	1
Tuberculous Meningitis, ...	2	1	4	4	1	4	.	4	2	2	2·4	3	.	1	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	.	5	.	.	2	1	.	3	1·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	7	7	5	5	5	4	6	8	4	.	5·3	1	.	.	.	1	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	.	1	1	2	5	.	.	1·0	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	5	8	1	6	7	12	11	11	7	7·6	9	.	.	.	.	.	.	2	4	1	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	1	3	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	2	.	.	.	.	.	.	.	1	.	1
Alcoholism, ...	.	.	.	.	.	3	1	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	1	.	.	.	.	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										4		10	.	.	.	.	.	.	1	5	3	1
Softening of Brain, ...										1		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										2		3	.	.	.	.	.	.	.	2	.	1
Epilepsy, ...										1		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										3		5	3	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	42	48	41	45	42	42	34	29	7	40·0	3	.	1	.	.	1	.	.	.	1	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										2												
Embolism and Thrombosis (including Cerebral)										22		22	.	.	.	.	.	1	5	12	4	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	14	29	29	28	17	40	52	38	36	39	32·2	19	.	2	2	.	1	.	2	4	7	1
Broncho-pneumonia, .		3	4	4	9	5	7	8	5	7		12	.	4	4	1	1	.	1	1	.	.
Lobar-pneumonia, ..	20	.	.	1	1	1	1	.	2	1	15·2	2	.	.	.	1	.	.	1	.	.	.
Pneumonia (type not distinguished)		8	4	6	6	16	11	6	7	9		6	.	.	.	1	1	1	2	.	1	.
Pleurisy, ...										1		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	4	4	1	1	5	6	9	3	1	3·6	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.										1		2	.	.	.	.	.	.	1	.	1	.

FOURTH WEEK ending Saturday, 27th January, 1912, with, as far as practicable, the deaths from each cause in the 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										4th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th January, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Jan. 25, 1902.	Jan. 31, 1903.	Jan. 30, 1904.	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Averages in	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·0	° 46·7	° 41·9	° 40·4	° 43·1	° 34·3	° 40·2	° 39·6	° 32·5	° 45·5	° 40·9	° 36·3										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	7	1	1	3	.	1	1	2	4	2·4	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	1	2	5	2	1	4	1	2	4	2	2·4	2	.	.	.	2	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	4	—	4	1	.	.	.	1	1	.	.	1	.
Cirrhosis of Liver, ...	2	2	.	2	.	1	1	2	2	1	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	.	.	2	3	1	.	2	1		2	.	.	.	.	.	.	1	1	.	.
Peritonitis (cause unknown),	.	1	1	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	9	3	5	4	6	3	6	7	.	4·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										4		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		3	.	.	.	.	.	.	1	1	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	5	8	5	7	8	3	8	6	.	6·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	2	.	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	.	1	.	1	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	.	1	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	5	3	4	6	4	4	4	4	4·0	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	12	6	4	5	2	3	6	4	3	12	5·7	5	.	.	.	.	.	.	.	1	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	2	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	2	1	2	3	1	.	.	2	1	1·4	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	1	1	1	.	2	1	.	.	1	.	·7	1	.	.	.	.	.	.	.	1	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	5	3	3	4	2	2	.	2	2·3	1	.	.	.	.	.	.	.	.	1	.
Total Deaths from Accident,	5	5	7	5	8	6	2	6	3	3	5·0	3	.	.	.	1	.	.	.	1	1	.
In connection with above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	6	.	.	.	.	.	.	1	1	3	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered.	198	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233
Average Births in corresponding week of previous 10 years, ...	217	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207
DEATHS registered, ...	153	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195
Annual Death-rate per 1,000, ...	19·8	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0
Average Deaths in corresponding week of previous 10 years, ...	145	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196
Ages, Under 5 years, ...	73	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52
5—15 " ...	6	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11
15—25 " ...	6	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9
25—45 " ...	22	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40
45—65 " ...	21	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42
65—75 " ...	15	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29
75 and upwards, ...	10	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12
Deaths from :—																										
Enteric Fever, ...	2	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3
Scarlet Fever, ...	1	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2
Whooping-cough, ...	4	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4
Diphtheria, ...	.	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1
Influenza, ...	.	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2
Dysentery, ...	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	16	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32
Tuberculous Disease, Other Forms,	9	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5
Cancer, ...	5	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9
Diseases of Circulatory System,	10	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23
Diseases of Respiratory System, Pneumonia,	1	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20
Diseases of Respiratory System, Others, ...	3	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23
Diarrhœa and *Enteritis*, under 2 years, ...	29	41	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1
Diarrhœa, 2 years and upwards,	1	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.
Violent Deaths, ...	2	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3
Number of Uncertified Deaths,	3	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6
Mean Temperature of the Air (Phœnix Park)	62·5	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3
Average Mean Temperature in corresponding week of previous 10 years, ...	58·6	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9
Rainfall in inches, ...	·430	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th January, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 27th January, 1912. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	195	52	11	9	40	42	29	12	.	.	.	3	2	4	1	.	32	5	9	5	20	23	1	.	3	87	6
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	1	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	16·1	27	4	2	3	3	8	4	3	.	.	.	.	.	.	1	.	5	.	1	.	2	3	1	.	1	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·9	40	10	2	3	6	8	9	2	.	.	.	.	.	.	.	.	6	1	2	1	3	6	.	.	.	21	1
IV.	GENERAL SERVICE CLASS, ...	154,279	27·7	82	33	6	3	15	13	9	3	.	.	.	3	1	3	.	.	9	3	4	4	13	7	.	.	2	33	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	40	4	1	.	15	11	6	3	.	.	.	.	1	1	.	.	12	1	2	.	1	5	.	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	40·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	14·2	6	.	1	.	1	1	1	2	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	1	1	3	.	4	.	1	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1	.	.	5	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	2	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	.	2	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	17·9	8	.	1	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	5	1
	11. Food Supply Trades	9,242	28·2	5	1	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	4	1	.	3	2	3	.	.	.	.	.	.	.	.	.	3	.	.	1	1	2	.	.	.	6	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	.	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	15. Domestic Servants, ...	36,603	14·2	10	3	.	1	3	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	6	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	2	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·6	63	28	5	2	10	9	7	2	.	.	.	3	1	2	.	.	8	2	2	4	10	6	.	.	2	23	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	40	4	1	.	15	11	6	3	.	.	.	.	1	1	.	.	12	1	2	.	1	5	.	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Dec. 9,	19·2	1·7	11	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	1
		" 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	1	.
		" 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
		" 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
		Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
		" 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
		" 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
		" 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Dec. 9,	11·8	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	.
		" 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	1	4
		" 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
		" 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
		Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
		" 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
		" 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
		" 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Dec. 9,	25·5	3·4	15	.	.	.	.	.	1	.	.	2	.	1	2	2	1	.	1	1
		" 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.
		" 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
		" 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
		Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
		" 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
		" 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
		" 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Dec. 9,	14·0	1·6	9	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.	.
		" 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	1	.
		" 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
		" 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
		Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
		" 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
		" 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
		" 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Dec. 9,	25·2	5·0	20	.	.	.	1	.	1	.	.	3	1	.	2	4	2	.	1	.
		" 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.
		" 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
		" 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
		Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
		" 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
		" 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
		" 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Dec. 9,	26·4	.	11	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	1
		" 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
		" 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		" 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
		Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
		" 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
		" 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		" 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Dec. 9,	32·6	1·2	27	.	.	.	.	.	.	.	.	4	1	4	.	7	1	.	.	.
		" 16,	32·6	3·6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.
		" 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
		" 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
		Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
		" 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
		" 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
		" 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Dec. 9,	14·6	.	10	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
		" 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.
		" 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
		" 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
		Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
		" 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
		" 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
		" 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 9,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.
	„ 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
Pop. in 1912 (Est.) 38,889.	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
Pembroke Urban District.	Dec. 9,	12·4	1·8	7	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	„ 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
Pop. in 1912 (Est.) 29,693.	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
Kingstown Urban District.	Dec. 9,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Pop. in 1911 17,227.	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Belfast.	Dec. 9,	16·1	0·9	119	.	.	.	.	1	2	2	.	19	2	5	10	17	2	.	.	1
	„ 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	2	.	.	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
Pop. in 1912 (Est.) 391,051.	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
Cork.	Dec. 9,	26·5	2·0	39	.	1	.	1	.	.	1	.	10	3	.	3	8	.	.	.	.
	„ 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
Pop. in 1911 76,632.	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
Londonderry.	Dec. 9,	17·9	.	14	.	.	.	.	.	.	.	.	4	1	1	1	5	.	.	.	.
	„ 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
Pop. in 1912 (Est.) 40,912.	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
Limerick.	Dec. 9,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	2
	„ 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
Pop. in 1911 38,403.	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
Waterford.	Dec. 9,	20·9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
Pop. in 1911 27,430.	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th January, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	1	2	.	2	3	3	.	.	.	.	.	1	.	.	.	.	1	1	2	1	.	1	1	3	.
Do. 2 do.		26			21	9	2	.	3	4	3	.	.	.	.	.	2	1	.	1	.	1	5	5	.	.	.	.	5	1
Do. 3 do.		30			34	10	10	5	2	7	.	.	.	.	.	1	.	.	.	6	.	.	8	6	.	.	.	2	5	.
Do 4 do.		38			8	.	2	1	1	2	2	.	.	.	.	.	1	.	.	.	1	1	1	1	.	.	1	1	4	.
Do. 5 do.		7			11	5	1	1	1	2	1	1	.	.	.	.	1	.	.	1	1	.	2	3	.	.	.	.	4	.
Do. 6 do.		15			12	1	.	1	2	5	3	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	2	.
Do. 7 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.		5			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		10			8	2	4	.	.	1	1	.	.	.	.	.	1	.	.	1	.	.	5	1	.	.	.	.	.	.
Do. 10 do.		14			23	11	6	.	1	3	2	.	.	.	.	.	3	.	.	2	.	.	8	4	.	.	1	1	2	.
Do. 11 do.		16			20	5	2	4	2	5	2	.	.	.	.	.	.	.	.	5	2	1	2	6	.	.	.	.	2	.
Do. 12 do.		32			26	6	5	6	1	5	3	.	.	.	.	.	.	.	.	1	3	.	2	7	.	.	.	.	6	.
Do. 13 do.		12			7	4	1	.	1	1	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			23	8	5	1	1	4	4	.	.	.	.	.	1	.	.	1	.	.	8	2	.	.	.	1	3	.
Total,	—	222			206	62	41	19	18	42	24	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	6	36	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	.	1	1	1	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
Do. 2 do.		5			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		5			3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	1
Do. 4 do.		4			5	.	1	.	2	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Do. 5 do.		3			7	.	2	.	2	2	1	.	.	.	.	.	.	1	.	.	1	1	2	.	.	.	.	.	2	.
Do. 6 do.		5			8	.	1	.	2	3	2	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	3	.
Do. 7 do.		9			8	2	.	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	4	1
Total,	—	35	26·5	1·4	39	4	5	5	10	7	8	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2	14	2

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Aug. 5.	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
No. of weeks in Annual Series,	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4
BIRTHS registered, ...	203	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222
DEATHS registered, ...	123	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206
Annual Death rate per 1,000 of estimated population, ...	16·6	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5
AGES, Under 1 year, ...	39	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62
1—5 years, ...	12	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41
5—25 ,, ...	7	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19
25—45 ,, ...	21	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18
45—65 ,, ...	23	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42
65 and upwards, ...	21	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24
Deaths from :—																										
Enteric Fever, ...	.	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1
Whooping-cough, ...	2	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12
Diphtheria, ...	2	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20
Tuberculous Disease. Other Forms,	7	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7
Cancer, ...	9	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4
Diseases of Respiratory System, Pneumonia,	2	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44
Diseases of Respiratory System, Others, ...	4	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42
Diarrhœa, and *Enteritis*, under 2 years, ...	21	38	27	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1
Diarrhœa, 2 years and upwards,	4	4	3	5	3	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.
Violent Deaths, ...	2	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3
Number of Uncertified Deaths, ...	.	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Jan. 27,	2,213	1,376	15·9	3	.	15	3	12	14	17*a*
Edinburgh, ...	321,200	„ 27,	129	109	17·7	.	.	6	.	.	2	.
Glasgow, ...	785,600	„ 27,	421	307	20·4	3	.	22	1	8	6	5
Calcutta, ...	890,493	Dec. 23,	.	.	.	.	.	.	.	.	.	.
Bombay, ...	977,822	„ 23,	479	726	38·6	97*	5	1	.	1	.	78‡
Madras, ...	509,346	„ 2,	409	691	70·5	134*	5	1	?	?	?	236‡
Cairo, ...	693,806	„ 2,	600	393	29·5	5	.	.	1	.	10†	51*a*
Paris, ...	2,846,986	„ 30,	892	885	16·8	6	1	19	5	1	8†	27*a*
Brussels, ...	705,295	Jan. 6,	223	187	13·8	.	.	1	.	1	3†	7
Antwerp, ...	320,640	„ 6,	104	72	11·7	.	.	.	1	.	.	5*a*
Amsterdam, ...	580,962	„ 6,	230	104	10·9	.	.	1	1	7	.	1
Copenhagen, ...	465,000	„ 6,	206	118	13·2	.	.	3	.	1	1	5
Stockholm, ...	343,832	„ 6,	146	87	13·2		.	2	.	.	.	1
Christiania, ...	244,038	„ 13,	122	52	11·1	.	.	1	3	.	.	1
St. Petersburg, ...	1,639,266	Dec. 23,	1,225	736	23·5	29	2	19	16	4	12	21
Moscow, ...	1,493,600	„ 23,	.	807	28·2	5	1	27	25	12	17†	82
Berlin, ...	2,083,209	„ 23,	820	633	15·8	1	.	2	9	10	25†	17
Hamburg, ...	931,035	Jan. 6,	.	236	12·9	.	.	3	1	.	19†	18*a*
Breslau, ...	523,079	„ 6,	.	182	18·1	.	.	.	1	2	2	8
Munich, ...	610,000	„ 13,	.	175	15·0	.	.	1	.	1	3†	17
Vienna (with suburbs),	2,064,583	„ 6,	821	599	15·1	2	.	5	6	4	4†	33*a*
Buda-Pesth, ...	911,891	„ 6,	378	342	19·5	5	.	16	9	1	5†	16*a*
Prague and Faubourgs,	508,310	Dec. 23,	175	171	18·5	1	.	4	3	.	1†	7*a*
Trieste, ...	233,925	Jan. 6,	118	104	23·2	.	.	1	.	2	.	2
Rome, ...	551,749	Sept. 23,	241	168	15·9	9	.	1	.	1	.	34
		„ 30,	277	197	18·6	4	.	.	.	2	1	34
Venice, ...	184,325	„ 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Dec. 16,	2,661	1,402	14·7	13	.	11	9	6	14†	37*a*
Philadelphia, ...	1,580,250	Nov. 18,	.	474	15·6	2	.	.	.	4	11	23
		„ 25,	.	436	14·4	4	.	1	.	1	15	14
Boston ...	720,031	Jan. 6,	.	208	15·1	.	.	2	1	.	7	3

* Deaths from "fever," including 4 deaths from enteric fever, and 11 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 5 deaths from cholera in Bombay, and 94 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending January 27th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	2	.	.	.	3
„ „ 1, West, ...	.	2	.	.	1	.	.	.	2	.	.	3	8
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
„ „ 3, ...	.	.	.	.	2	.	2	2	.	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	2	.	.	.	.	.	.	.	2
South City No. 1, ...	.	.	.	.	.	.	.	.	5	.	.	5	10
„ „ 2, ...	.	.	.	.	1	.	.	1	.	.	.	1	3
„ „ 3, ...	.	4	.	.	.	.	.	.	.	.	.	.	4
„ „ 4, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	2	3
Total, ...	.	8	.	.	7	.	2	5	10	.	.	12	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th January, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th January.			
	Jan. 6.	Jan. 13.	Jan. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	23	28	38	20	10	2	46
Scarlet Fever, ...	171	158	151	19	41	1	128*
Typhus, ...	5	1	.	.	.	.	.
Diphtheria, ...	64	75	77	10	16	1	70
Enteric Fever, ...	44	43	45	8	7	.	46
Pneumonia, ...	24	20	14	6	5	2	13

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 27th January, 1912:—

"Dull, cold, and raw seem fitting epithets whereby to describe the weather of the fourth week of the New Year, 1912. No extreme temperatures were recorded, for the densely clouded state of the sky on most days interfered with either solar or terrestrial radiation. The chief change was the dying out of the equatorial or oceanic air-current, and the gradual extension of a polar or continental air-current over the British Islands. On Sunday morning a rather deep cyclonic system was central on the Atlantic in lat. 50° N., long. 15° W. This system made but little way northeastwards, spreading however southeastwards to the Bay of Biscay. Gradients at this time were slight over the United Kingdom, so that calms and dense fogs were prevalent. On Sunday night an unusually dense wet fog was felt in Dublin, and much mist or fog was reported next morning from England, the N.E. of France, Belgium, and Germany. In the English midlands frost accompanied the calm and fog. By Tuesday baric gradients for N.E. and E. winds had become rather steep in Ireland. On Wednesday morning a tongue of low atmospheric pressure extended up the English Channel. At 7 a.m. the barometer was down to 29·40 inches at Portland Bill. Rain, sleet, or snow fell nearly all over England and in the south of Ireland, and intense gloom prevailed in Dublin between 1 and 3 p.m. At this time an anticyclone was forming over Iceland. This system gradually developed, and spread south-eastwards to Scotland first, and on Friday to Ireland and the northern half of England. Yet, notwithstanding a decided increase of atmospheric pressure the weather remained dull and showery almost to the end of the week. A little hail and snow fell on Saturday, hail early on Friday morning. In Dublin the mean height of the barometer was 29·905 inches, pressure ranging from 29·594 inches at 9 p.m. of Wednesday (wind, E.N.E.) to 30·246 inches at 9 p.m. of Saturday (wind, E.S.E.). The corrected mean temperature was 39·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 38·6°. On Sunday the screened thermometers rose to 47·2°, on Monday they fell to 33·0°. The dominant wind was E.N.E. Rain fell on 4 days to the amount of ·217 inch, ·120 inch being recorded on Thursday. On Friday night the thermometer sank to *minus* 33° F. at Haparanda, on the Gulf of Bothnia."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·895 inches. The highest reading (30·241) was on Saturday at 9 p.m., air calm, the lowest (29·588) on Wednesday at 9 p.m., wind E.N.E.

The mean temperature for the week was 36·3°, being 4·6° below the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Sunday, on which day the thermometer registered 47·0°, and was lowest on Monday, the mercury having fallen to 28·0°. The mean of the Dry Bulb for the week was 36·1° and of the Wet Bulb, 34·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·260 inch.

At Greenwich the mean temperature for the week was 38·9°, the maximum 48·0°, and the minimum 28·4°; at Glasgow the maximum was 42·0°, the minimum 26·4°, and the mean 35·3°; and at Edinburgh the maximum was 39·9°, the minimum 29·7°, and the mean 34·6°. The rainfall at Greenwich measured 0·88 in.; at Glasgow, 0·27 in.: and at Edinburgh, 0·51 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 21,	30·020	47·0	29·0	38·0	32·6	32·3	·96	·0	1·4	·000	Calm.	Calm.
Monday, „ 22,	29·875	42·0	28·0	35·0	37·4	35·9	·89	·1	1·7	·060	Calm.	N.N.E.
Tuesday, „ 23,	29·745	41·0	30·0	35·5	39·9	37·3	·79	·0	0·0	·000	N.N.E.	E.
Wednesday, „ 24,	29·605	41·0	38·0	39·5	39·2	37·0	·83	·0	0·0	·020	E.	E.N.E.
Thursday, „ 25,	29·765	40·0	30·0	35·0	35·1	34·0	·91	·3	0·2	·155	Calm.	N.N.E.
Friday, „ 26,	30·040	41·0	33·0	37·0	35·5	33·8	·84	·4	2·5	·015	N.E.	Calm.
Saturday, „ 27,	30·215	39·0	29·0	34·0	33·1	32·0	·89	·0	0·0	·010	Calm.	Calm.
Mean, ...	29·895	41·6	31·0	36·3	36·1	34·6	·87	·1	Total 5·8	Total ·260	—	

Sunday—Day cloudy, fine; night overcast, heavy fog. *Monday*—Day cloudy, fine; night overcast, shower from 4.20 a.m. to 5.15 a.m. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast, showers at intervals 6.50 p.m. to 9.0 p.m.; night overcast, drizzling from 1.0 a.m. to 2.30 a.m. *Thursday*—Day cloudy, fine; night overcast, drizzling and heavy rain 3.30 a.m. to 6.0 a.m. *Friday*—Day cloudy, fine; night overcast, showers at intervals. *Saturday*—Day overcast, drizzling rain at intervals a.m. and p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January 27th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 21,	35·0	42·8	45·7	48·4	33·5	41·0	1·0	—
Monday, „ 22,	36·7	41·3	45·6	42·5	31·8	37·2	—	·002
Tuesday, „ 23,	41·3	40·0	45·3	42·8	32·9	37·9	—	—
Wednesday, „ 24,	40·2	40·0	45·2	42·3	38·9	40·6	—	·075
Thursday, „ 25,	35·0	40·0	45·0	42·4	33·8	38·1	—	·130
Friday, „ 26,	38·9	41·0	44·9	43·1	36·0	39·6	0·6	·001
Saturday, „ 27,	38·0	40·6	44·8	42·0	33·4	37·7	—	—
Weekly Mean,	37·9	40·8	45·2	43·4	34·3	38·9	Total 1·6	Total ·208

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31737. Wt. P. 292-106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 3RD FEBRUARY, 1912. [No. 5

General Register Office, Charlemont House, Dublin, 5th February, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 13	Jan. 20	Jan. 27	Feb. 3	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 13	Jan. 20	Jan. 27	Feb. 3	Average Rate for 4 weeks.
22 Town Districts, ...	**20·3**	**21·8**	**22·3**	**24·6**	**22·2**	Limerick	14·9	25·8	16·3	25·8	20·7
						Lisburn	12·9	38·6	8·6	12·9	18·3
Armagh	34·4	6·9	13·7	20·6	18·9	Londonderry	15·3	10·2	15·3	12·7	13·4
Ballymena	13·8	13·8	9·2	32·1	17·2	Lurgan	12·9	12·9	12·9	21·5	15·1
Belfast	19·5	20·8	27·5	31·1	24·7	Newry	8·7	17·4	8·7	34·9	17·4
Clonmel	20·3	5·1	10·1	35·5	17·8	Newtownards	28·6	11·4	17 2	34·3	22·9
Cork	25·2	19·7	26·5	19·7	22·8	Portadown	13·3	22·2	17·8	13·3	16·7
Drogheda	16·8	8·4	12·6	21·0	14·7	Queenstown	26·4	26·4	13·2	6·6	18·2
Dublin Reg. Area ...	20·7	25·4	23·5	22·4	23·0	Sligo	14·0	18·7	14·0	4·7	12·9
Dundalk	31·8	15·9	15·9	7·9	17·9	Tralee	31·7	21·1	5·3	15·9	18·5
Galway	15·7	19·7	7·9	27·5	17·7	Waterford	19·0	17·1	13·3	15·2	16·2
Kilkenny	54·6	49·6		19·8	31·0	Wexford	18·2	18·2	4·6	27·3	17·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in nineteen of the districts to 2·5 in Belfast, the 233 deaths from all causes for that district including one from each of scarlet fever and diphtheria, 14 from whooping-cough, and 3 from diarrhœa or *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 227—96 boys and 131 girls—and the deaths to 184—82 males and 102 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·4 per 1,000 of the population. During the five weeks ending with Saturday last the death-rate averaged 23·1, and was 2·1 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 184, represent an annual rate of 23·6 per 1,000; the annual rate for the past five weeks was 24·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

The 184 deaths registered include one from enteric fever, 2 from measles, 2 from scarlet fever, one from whooping-cough, 2 from diphtheria, 2 from influenza, one from dysentery, and 2 from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were one, 4, and 0; deaths from measles were 3, one, and 3; deaths from scarlet fever were 2, 3, and 2; deaths from whooping-cough were 3, 6, and 4; deaths from diphtheria were 3, 3, and one; deaths from influenza were one, 0, and 2; deaths from dysentery were 0, 0, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years of age were one, 4, and one.

Tuberculous disease caused 31 deaths, including 25 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from lupus, and three from disseminated tuberculosis. In the preceding 3 weeks deaths from tuberculous disease numbered 25, 35, and 37 respectively.

Broncho-pneumonia caused 10 deaths, and there were 6 deaths from *pneumonia* (type not distinguished).

The deaths of 4 infants, all of whom were under one year of age, were ascribed to *convulsions*.

Organic diseases of the heart caused 15 deaths and bronchitis 37 deaths.

Prematurity caused the deaths of 7 infants, congenital malformation one death, and congenital debility 3 deaths.

There were 6 accidental deaths, including 2 from burns or scalds, one by a railway accident, and one by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 11 were under one month old) and 42 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·4 per 1,000; the rate in the City was 24·9 (North City Districts, 25·2; South, 24·7) and in the Suburbs, 14·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·7 (2·3 in the North City Districts, and 1·0 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·8 per 1,000, and include 4 deaths from pulmonary tuberculosis, one from broncho-pneumonia, 2 from bronchitis, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 29·9 per 1,000. The total includes one from each of scarlet fever and diphtheria, 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 8 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 33·5 per 1,000. Included among the 20 deaths are one from whooping-cough, one from diarrhœa of a child under 2 years of age, 4 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 23·2 per 1,000, and include one death from each of enteric fever, measles, scarlet fever, pulmonary tuberculosis, and *pneumonia* (type not distinguished), and 4 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 4·5; and Finglas and Glasnevin, part of, 6·7. The only death for the first-named district was from tuberculous meningitis. The one death for Coolock and Drumcondra, part of, was from pulmonary tuberculosis, and the only death for Finglas and Glasnevin, part of, was from accidental scalds.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 32·6 per 1,000. Included in the total are one from each of measles, diphtheria, and dysentery, 5 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), 6 from bronchitis, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 26·3 per 1,000, and include 2 from pulmonary tuberculosis and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (23) are equal to an annual rate of 27·6 per 1,000. Tuberculous disease caused 4 deaths, broncho-pneumonia 2 deaths, *pneumonia* (type not distinguished) one death, and bronchitis 4 deaths.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·0 per 1,000. Of the total one was from disseminated tuberculosis, 2 were from broncho-pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000, and include one from *pneumonia* (type not distinguished).

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·7; Pembroke, 15·8; Blackrock, 17·1; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhœa for Rathmines and Rathgar, and one from *enteritis* of a child under 2 years of age for Pembroke. Included in the 8 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from fracture of the skull. Among the 9 deaths from all causes for Pembroke are one from influenza, one from tuberculous meningitis, and 3 from bronchitis. Of the 3 deaths from all causes for Blackrock one is from influenza and one from broncho-pneumonia, and included in the 6 deaths from all causes for Kingstown is one from each of pulmonary tuberculosis and bronchitis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 3rd February, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 13,	.	—	—	15	.	.	16	.	1	13	9	1	—	—	.	—	6	—	61
	Jan. 20,	.	—	—	25	.	.	7	.	.	7	9	.	—	—	.	—	10	—	58
	Jan. 27,	.	—	—	8	.	.	7	.	2	5	10	.	—	—	.	—	12	—	44
	Feb. 3,	.	—	—	16	.	.	8	.	1	7	9	.	—	—	.	—	15	—	56
Rathmines and Rathgar Urban District.	Jan. 13,	.	—	—	1	.	.	.	.	.	1	.	.	1	—	—	—	—	—	3
	Jan. 20,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Jan. 27,	.	—	—	4	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
	Feb. 3,	.	—	—	3	.	.	1	.	.	.	.	1	—	—	—	—	—	—	5
Pembroke Urban District.	Jan. 13,	.	.	.	1	.	.	4	.	.	.	.	.	.	.	—	—	.	—	5
	Jan. 20,	.	1	.	4	.	.	3	.	.	1	.	.	.	.	—	—	.	—	9
	Jan. 27,	.	.	4	3	.	.	.	.	.	.	.	.	.	.	—	—	.	—	7
	Feb. 3,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	—	—	.	—	4
Blackrock Urban District.	Jan. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Jan. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 13,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	—	—	.	—	3
	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	—	3
	Jan. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Jan. 13,	.	—	—	13	1	.	3	.	.	.	5	1	—	—	—	—	8	—	31
	Jan. 20,	.	—	—	20	.	.	1	1	1	.	7	.	—	—	—	—	12	—	42
	Jan. 27,	.	—	—	12	.	.	10	.	2	3	8	.	—	—	—	—	12	—	47
	Feb. 3,	.	—	—	6	.	.	6	.	1	5	3	.	—	—	—	—	7	—	28

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd February, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Sixty cases of measles were admitted to hospital during the week, 12 were discharged, there was one death, and 93 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 28, 38, and 46, respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 15 were discharged, there was one death, and 135* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 158, 151, and 128, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 75, 77, and 70, respectively, were 66 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 50 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 43, 45, and 46.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, one was discharged, and 20 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 17·7) was equal to an average annual death-rate of 18·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 19·1 per 1,000, the rate for Glasgow being 22·6, and for Edinburgh 14·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd February. From this Report it appears that of a total of 64 cases notified, 22 were phthisis, 17 diphtheria, 12 scarlet fever, 12 erysipelas, and one puerperal fever. Among the 385 cases of infectious diseases in hospital at the close of the week were 129 cases of scarlet fever, 96 of measles, 59 of phthisis, 49 of diphtheria, 21 of whooping-cough, 11 of erysipelas, 6 of enteric fever, and 4 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 3rd February, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 3rd February, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 3rd February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	29·4	24·6	1·4	653	545	114	118	1	...	...	2	3	15	3	1	63	18	12	68	116	6	1	10	25	145	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	29·1	22·4	1·5	227	175	28	39	1	...	...	2	2	1	2	1	24	6	3	16	42	2	1	6	6	68	4	e43·0	17·0	30·6	0·05	e47·0	28·0	36·3	0·26	e52·0	32·0	42·7	0·66
City of Dublin,	311,601	39·4	33·5	24·9	1·7	200	149	25	29	1	...	...	2	2	1	2	1	21	5	2	14	37	1	...	5	5	62	4	f41·1 g 2·0	23·8 20·0	33·3 32·4	0·12 0·06	f47·2 g46·8	33·0 29·8	39·3 37·4	0·22 0·28	f52·1 g51·7	35·8 35·0	44·1 43·0	1·01 0·67
Urban Districts. Rathmines and Rathgar.	38,889	22·7	5·4	10·7	1·3	4	8	1	2	...	...	...	...	...	...	...	...	2	...	...	1	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	19·3	15·8	1·8	11	9	1	2	...	...	...	...	...	...	...	...	...	1	1	...	3	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	34·3	17·1	.	6	3	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	18·2	18·2	.	6	6	...	4	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	43	25	34·5	0·00	50	34	40·1	0·16	51	35	44·5	1·26
Urban Districts. Belfast ...	391,051	26·6	31·9	31·1	2·5	239	233	66	35	...	...	...	...	1	14	1	...	21	7	5	46	45	3	...	4	17	35	1	43·0	30·5	36·4	0·04	45·0	28·5	37·2	0·00	51·0	30·5	41·1	1·75
Cork, ...	76,632	33·8	17·0	19·7	0·7	25	29	7	6	...	...	...	...	...	...	...	...	6	2	2	...	5	1	...	...	...	13	1	45	25	36·6	0·09	50	33	41·9	0·40	51	36	46·6	0·82
Londonderry ...	40,912	18·9	19·1	12·7	.	15	10	1	4	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	47·5	25·8	.	35	19	1	5	...	...	...	...	...	...	...	...	3	1	1	...	4	...	...	...	1	10	2	41·8	25·8	31·2	0·00	44·7	26·6	36·5	0·00	50·8	32·5	43·5	0·04
Waterford, ...	27,430	19·1	36·1	15·2	.	19	8	1	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	31·5	27·5	.	8	7	1	3	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	5	1	40	17	32	0·00	50	29	37	0·00	53	32	44·3	0·75
Dundalk, ...	13,128	9·5	35·7	7·9	.	9	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	21·0	21·0	.	5	5	...	2	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	43·6	34·9	.	10	8	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94
Lurgan, ...	12,135	14·3	34·4	21·5	.	8	5	2	2	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	1	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94
Lisburn, ...	12,172	10·7	21·4	12·9	.	5	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94
Wexford, ...	11,455	23·8	36·4	27·3	.	8	6	2	1	...	...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	4·6	32·1	.	1	7	1	3	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	14·0	4·7	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	44·0	15·0	30·1	0·08	48·0	22·0	34·8	0·00	53·0	33·0	42·8	0·25
Kilkenny, ...	10,513	11·4	19·8	19·8	.	4	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	2	...	43	13	29·8	0·02	49	30	38·0	0·06	51	35	43·5	0·80
Clonmel, ...	10,277	7·9	40·6	35·5	.	8	7	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	17·8	13·3	.	4	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94
Tralee, ...	9,867	16·6	21·1	15·9	.	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	28·6	34·3	.	5	6	1	2	...	...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	...	2	...	44	27	35·8	0·00	45	31	38·8	0·00	49	32	42·0	1·66
Queenstown, ...	7,909	14·4	26·4	6·6	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	45	25	36·6	0·09	50	33	41·9	0·40	51	36	46·6	0·82
Armagh, ...	7,588	22·2	48·1	20·6	.	7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01	48·2	32·0	40·7	0·94

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of February, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	2	.
Dysentery,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	3	3	1	.	1	.	5	2	2	.	.	2	.	.	1	24	1
Tuberculous Disease. { Other Forms,	.	.	1	.	1	.	.	.	.	2	1	.	.	1	.	.	6	.
Cancer,	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	.	3	3
Diseases of Nervous System,	2	3	2	.	.	.	.	1	1	5	.	.	.	1	.	.	15	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	1	.	.	.	.	1	2	1	3	1	2	1	1	.	16	1
" Respiratory System. { Pneumonia,	1	2	2	1	.	.	.	2	.	3	2	1	1	.	1	.	16	.
" Respiratory System. { Others,	4	9	4	4	.	.	.	6	3	4	3	.	1	3	.	1	42	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	3	.
" Genito-urinary System,	1	.	1	3	.	.	.	1	.	.	.	.	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	1	1	4	.	.	.	.	2	2	6	.	.	.	.	.	1	17	.
Violent Deaths,	2	.	.	.	.	.	1	2	.	.	.	.	1	.	.	.	6	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	2	5	.
Deaths from All Causes	16	23	20	15	1	1	1	26	11	23	9	3	8	9	3	6	175	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·8	29·9	33·8	23·2	9·7	4·5	6·7	32·6	26·3	27·6	13·0	17·2	10·7	15·8	17·1	18·2	22·4	.
	25·2							24·7					14·3					
	24·9																	
Ages at Death. { Under 1 year,	2	4	6	2	.	.	.	2	2	6	1	.	1	1	1	.	28	.
1 and under 2 years,	1	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	4	.
2 " 5 "	.	1	1	.	.	.	1	3	.	2	3	.	1	.	.	.	12	.
5 " 15 "	.	.	.	2	.	.	.	4	.	1	.	.	.	.	.	.	7	.
15 " 25 "	.	3	.	1	1	1	.	1	1	2	.	.	.	2	.	.	12	1
25 " 45 "	7	3	5	.	.	.	.	2	3	4	2	1	2	.	.	1	30	3
45 " 65 "	4	5	6	7	.	.	.	5	2	5	2	1	2	3	.	1	43	2
65 and upwards,	2	7	2	3	.	.	.	7	3	3	1	1	2	2	2	4	39	3
Number of Uncertified Deaths,	.	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	2	5	1	.	.	7	1	2	1	.	1	3	.	1	33	8
Workhouse Hospitals,	1	6	6	4	.	.	1	6	3	5	2	.	.	1	.	.	35	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 5th Week of the 10 years 1902–1911.	In the Week ending Saturday, 3rd February, 1912.										
													Deaths of Persons of the Ages of									
	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 34·9	° 44·6	° 37·0	° 43·9	° 44·3	° 37·7	° 41·8	° 44·4	° 38·1	° 35·9	° 40·3	° 30·6										
ALL CAUSES.	169	202	233	183	187	193	208	196	239	200	201·0	184	11	17	4	12	7	13	33	45	28	14
Enteric Fever, ...	.	.	1	.	1	.	.	.	.	3	·5	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	5	.	.	2	7	.	2	1·7	2	.	1	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	3	.	1	1	.	.	.	.	.	·6	2	.	1	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	3	9	2	2	2	2	1	2	4	2·8	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	3	1	1	1	.	.	3	2	5	1·7	2	.	.	1	.	.	1	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	3	2	.	6	6	.	4	3	2·7	2	.	.	.	.	.	.	.	.	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Erysipelas, ...	1	.	1	.	.	.	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	33	21	23	28	29	24	28	24	26	19	25·5	25	.	1	.	.	4	4	13	3	.	.
Tuberculous Meningitis, ...	.	4	4	4	2	3	3	1	4	2	2·7	2	.	.	1	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	2	3	2	.	1	.	2	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	5	4	5	7	8	6	5	12	2	6·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		3	.	1	.	.	1	.	1	.	.	.
Venereal Diseases, ...	1	1	1	1	1	2	1	1	2	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	4	11	8	8	10	6	4	19	16	9·3	6	.	.	.	.	.	1	1	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	1	1	1	.	1	·5	2	.	.	.	.	.	.	1	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	.	1	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										4		3	.	.	.	1	.	2	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										9		5	.	.	.	.	.	.	1	1	2	1
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										1		2	.	.	.	.	.	.	.	1	1	.
Convulsions (non-puerperal),										8		4	.	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	30	48	47	41	45	41	41	43	42	2	42·3	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										15		15	.	.	.	.	.	.	2	5	6	2
Embolism and Thrombosis (including Cerebral)										2		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	29	37	32	25	24	40	41	33	43	26	33·0	37	.	2	.	1	.	1	4	13	12	4
Broncho-pneumonia, ...	15	4	4	7	11	6	9	8	12	11	17·1	10	.	3	1	5	.	.	.	1	.	.
Lobar-pneumonia, ...		2	.	2	.	1	2	3	1	3		.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		11	12	2	8	6	8	12	7	4		6	.	.	.	.	.	2	2	2	.	.
Pleurisy, ...										.		1	.	.	.	1	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	5	3	7	3	4	2	3	.	2	3·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										2		3	.	.	.	.	.	.	1	2	.	.

FIFTH WEEK ending Saturday, 3rd February, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										5th Week of the 10 years 1902–1911.	In the Week ending Saturday, 3rd February, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 1, 1902.	Feb. 7, 1903.	Feb. 6, 1904.	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Averages in Week of the 10 years 1902–1911.	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	34·9°	44·6°	37·0°	43·9°	44·3°	37·7°	41·8°	44·4°	38·1°	35·9°	40·3°	30·6°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	.	1	1	.	1	2	2	.	4	4	1·6	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards	3	1	.	5	2	3	1	.	7	3	2·8	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	3	.	2	1	.	.	.	1	.	1	1·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	3	.	.	.	2	1	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	2	.	.	.	1	1	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	4	5	4	4	1	4	1	2	.	2·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	5	8	4	9	5	5	7	8	1	6·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										1		5	.	.	.	.	.	.	2	1	1	1
Urinary Calculi, ...										1		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		2	1	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	1	1	.	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	2	.	1	1	3	1	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	.	1	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	8	9	7	6	3	7	4	6	4	5·6	7	7	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	6	4	18	5	8	4	6	9	8	6	7·4	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	3	2	2	2	1	2	1	1	1·6	2	.	.	.	1	1	.	.	.	.	.
Drowning, ...	.	1	2	.	.	1	1	.	2	3	1·0	1	.	.	.	.	.	.	.	1	.	.
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	2	1	1	1	.	.	2	1	·9	3	.	.	.	.	.	.	3	.	.	.
Total Deaths from Accident,	2	2	8	4	4	4	2	2	5	6	3·9	6	.	.	.	1	1	.	3	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide.	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide.	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	5	.	.	.	1	.	.	.	.	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered.	210	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227
Average Births in corresponding week of previous 10 years, ...	208	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239
DEATHS registered, ...	169	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184
Annual Death-rate per 1,000, ...	21·8	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6
Average Deaths in corresponding week of previous 10 years, ...	146	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201
Ages, Under 5 years, ...	72	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44
5—15 " ...	8	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7
15—25 " ...	4	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13
25—45 " ...	19	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33
45—65 " ...	40	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45
65—75 " ...	14	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28
75 and upwards, ...	12	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14
Deaths from :—																										
Enteric Fever, ...	2	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2
Scarlet Fever, ...	3	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2
Whooping-cough, ...	1	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1
Diphtheria, ...	.	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2
Influenza, ...	1	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2
Dysentery, ...	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	13	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25
Tuberculous Disease, Other Forms,	5	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6
Cancer, ...	11	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6
Diseases of Circulatory System,	13	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17
Diseases of Respiratory System, Pneumonia,	8	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16
Diseases of Respiratory System, Others, ...	8	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42
Diarrhœa and *Enteritis*, under 2 years, ...	41	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2
Diarrhœa, 2 years and upwards,	6	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1
Violent Deaths, ...	2	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6
Number of Uncertified Deaths,	7	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4
Mean Temperature of the Air (Phœnix Park)	60·8	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6
Average Mean Temperature in corresponding week of previous 10 years, ...	58·5	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3
Rainfall in inches, ...	·170	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd February, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD FEBRUARY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	184	44	7	13	33	45	28	14	1	.	.	2	2	1	2	1	25	6	6	4	16	42	2	1	6	67	4
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	2	1	2	2	10	5	4	.	.	.	.	.	.	.	1	3	.	3	.	1	3	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·7	46	4	3	4	10	15	8	2	1	.	.	.	.	.	1	.	8	1	1	2	4	11	.	1	2	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	24·7	73	34	2	5	12	13	4	3	.	.	.	2	2	1	1	.	12	2	1	2	8	12	1	.	3	26	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	3	1	2	9	7	10	4	.	.	.	.	.	.	.	.	2	3	1	.	3	16	.	.	1	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	2	.	1	1	5	2	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.	.	.	7	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	1	.	1	2	2	2	.	.	.	.	.	.	.	.	1	.	3	.	.	2	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
	9. Building and Furnishing Trades, ...	29,801	24·5	14	4	.	.	2	6	2	.	.	.	.	.	.	.	.	.	2	.	.	2	1	3	.	1	.	5	1
	10. Clothing Trades, ...	23,260	20·2	9	.	.	2	1	3	2	1	.	.	.	.	.	.	1	.	2	.	.	.	.	3	.	.	.	3	.
	11. Food Supply Trades	9,242	22·6	4	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	.	1	2	4	3	3	1	1	.	.	.	.	.	.	.	1	1	1	.	2	4	.	.	.	4	.
	13. Petty Shopkeepers	7,894	19·8	3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	11·4	8	3	.	1	2	.	1	1	.	.	.	.	1	.	.	.	2	.	.	.	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	34·2	59	30	2	2	10	10	3	2	.	.	.	2	1	1	1	.	9	1	1	2	7	11	1	.	3	19	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	36	3	1	2	9	7	10	4	.	.	.	.	.	.	.	.	2	3	1	.	3	16	.	.	1	10	

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Dec. 16,	26·2	7·0	15	.	.	.	2	1	1	.	.	.	2	.	1	2	.	.	1	.
	„ 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
	„ 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
	Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
	„ 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
	„ 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Dec. 16,	18·3	2·6	14	.	.	.	.	.	1	1	.	1	.	.	1	1	.	.	1	4
	„ 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
	„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
	Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
	„ 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Dec. 16,	23·8	5·1	14	.	.	.	.	.	1	1	.	1	2	1	.	5	1	.	.	.
	„ 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
	Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
	„ 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
	„ 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Dec. 16,	15·6	1·6	10	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	1	.
	„ 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
	„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
	Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
	„ 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
	„ 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Dec. 16,	25·2	5·0	20	1	.	.	.	.	.	2	.	2	.	.	1	4	1	.	.	.
	„ 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
	„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
	Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
	„ 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
	„ 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Dec. 16,	26·4	2·4	11	.	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	„ 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
	Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
	„ 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Dec. 16,	32·6	3 6	27	1	.	.	2	.	.	.	.	1	.	.	1	7	.	.	.	.
	„ 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
	„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
	Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
	„ 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
	„ 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Dec. 16,	18·9	.	13	.	.	.	.	.	.	.	.	2	1	2	.	3	.	.	.	.
	„ 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
	„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
	Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
	„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	„ 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
	„ 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb. 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Dec. 16,	19·0	1·4	14	1	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Dec. 16,	19·5	.	11	.	.	.	.	.	.	.	.	.	2	.	1	2	.	.	.	.
	„ 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Dec. 16,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	„ 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Dec. 16,	20·5	1·1	152	.	.	.	.	2	3	1	.	19	9	6	13	19	2	.	.	3
	„ 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
Cork. Pop. in 1911 76,632.	Dec. 16,	35·4	2·7	52	.	.	.	2	.	.	.	.	5	5	.	8	7	2	.	.	2
	„ 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,912.	Dec. 16,	11·5	.	9	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.
	„ 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
Limerick. Pop. in 1911 38,403.	Dec. 16,	21·7	.	16	.	.	.	.	.	.	.	.	3	.	.	.	5	.	.	.	4
	„ 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
Waterford. Pop. in 1911 27,430.	Dec. 16,	22·8	1·9	12	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	2
	„ 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd February, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	11	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		12	3	7	1	.	1	.	.	.	.	.	.	2	.	.	1	.	.	4	1	1	.	.	.	1	.
Do. 2 do.		52			25	5	5	2	4	9	.	.	.	.	.	.	1	.	.	4	.	2	4	7	.	.	.	1	5	.
Do. 3 do.		19			34	11	4	5	5	4	5	.	.	.	.	1	3	.	.	4	1	.	8	4	.	.	1	2	5	.
Do 4 do.		20			23	8	1	2	2	3	7	.	.	.	.	.	.	.	.	1	.	1	2	6	.	.	1	1	8	.
Do. 5 do.		13			11	2	5	1	2	.	1	.	.	.	.	.	1	.	.	2	.	.	5	2	.	.	.	.	3	1
Do. 6 do.		12			11	1	1	2	1	2	4	.	.	.	.	.	.	1	.	2	.	.	1	2	.	.	.	.	1	.
Do. 7 do.		1			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 8 do.		2			2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.		14			12	2	5	1	.	3	1	.	.	.	.	.	2	.	.	.	1	.	3	2	.	.	.	.	2	.
Do. 10 do.		12			22	10	1	2	2	2	5	.	.	.	.	.	1	.	.	3	.	.	3	5	1	.	.	3	1	.
Do. 11 do.		24			29	9	6	3	2	3	6	.	.	.	.	.	1	.	.	2	.	1	7	5	1	.	2	3	3	.
Do. 12 do.		29			34	11	11	4	3	2	3	.	.	.	.	.	1	.	.	.	4	1	5	9	.	.	.	4	2	.
Do. 13 do.		15			3	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			13	3	3	1	1	2	3	.	.	.	.	.	1	.	.	1	.	.	3	1	.	.	.	2	3	.
Total,	—	239			233	66	50	26	24	32	35	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	17	35	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	3	.
Do. 2 do.		10			6	2	3	.	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	2	.
Do. 3 do.		4			3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.
Do. 4 do.		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		.			8	2	.	1	.	3	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	4	.
Do. 7 do.		7			5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	1
Total,	—	25	19·7	0·7	29	7	3	1	7	5	6	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	.	13	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Aug. 12.	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
No. of weeks in Annual Series,	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5
BIRTHS registered, ...	225	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239
DEATHS registered, ...	121	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233
Annual Death rate per 1,000 of estimated population, ...	16·3	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1
AGES, Under 1 year, ...	45	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66
1—5 years, ...	11	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50
5—25 „ ...	14	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26
25—45 „ ...	11	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24
45—65 „ ...	23	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32
65 and upwards, ...	17	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35
Deaths from :—																										
Enteric Fever, ...	1	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1
Whooping-cough, ...	1	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14
Diphtheria, ...	.	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21
Tuberculous Disease. Other Forms,	3	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7
Cancer, ...	4	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5
Diseases of Respiratory System, Pneumonia,	3	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46
Diseases of Respiratory System, Others, ...	5	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45
Diarrhœa, and *Enteritis*, under 2 years, ...	38	27	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3
Diarrhœa, 2 years and upwards,	4	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Violent Deaths, ...	2	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4
Number of Uncertified Deaths, ...	1	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Feb. 3,	2,121	1,538	17·7	2	.	8	.	25	15	25*a*
Edinburgh, ...	321,200	„ 3,	116	92	14·9	.	.	2	.	1	4	.
Glasgow, ...	785,600	„ 3,	416	340	22·6	.	.	43	2	3	4	8
Calcutta, ...	890,493	Dec. 30,	.	592	34·5	122*	.	1	.	4	2	87‡
Bombay, ...	977,822	„ 30,	470	724	38·5	89*	2	2	.	.	.	84‡
Madras, ...	509,346	„ 9,	332	639	65·2	198*	5	.	?	?	?	191‡
Cairo, ...	693,806	„ 9,	728	428	32·2	3	.	.	.	.	5†	51*a*
Paris, ...	2,846,986	Jan. 6,	888	914	17·3	7	.	14	10	1	4†	23*a*
Brussels, ...	705,295	„ 13,	259	186	13·7	2	.	1	.	2	2†	11
Antwerp, ...	320,640	„ 13,	108	78	12·7	.	.	.	1	.	.	6*a*
Amsterdam, ...	580,962	„ 13,	267	134	12·0	.	.	1	.	9	1	1
Copenhagen, ...	465,000	„ 13,	229	143	16·0	.	.	3	1	3	.	5
Stockholm, ...	343,832	„ 13,	152	90	13·6		.	2	2	1	.	1
Christiania, ...	244,038	„ 20,	102	77	16·4	.	.	3	.	.	1	3
St. Petersburg, ...	1,639,266	Dec. 30,	742	606	19·8	11	.	19	10	8	8	32
Moscow, ...	1,493,600	„ 30,	.	785	27·4	3	.	40	15	7	18†	73
Berlin, ...	2,083,391	„ 30,	716	654	16·4	1	.	4	9	5	19†	15
Hamburg, ...	931,035	Jan. 13,	.	297	16·2	2	.	2	1	1	13†	13*a*
Breslau, ...	523,079	„ 13,	.	191	19·0	2	.	.	.	2	.	10
Munich, ...	610,000	„ 20,	.	162	13·8	.	.	.	.	.	1†	4
Vienna (with suburbs),	2,064,583	„ 13,	634	642	16·2	.	.	7	4	4	5†	29*a*
Buda-Pesth, ...	911,891	„ 13,	490	290	16·5	3	.	4	4	.	4†	6*a*
Prague and Faubourgs,	508,310	Dec. 30,	196	197	21·3	2	.	5	5	.	6†	11*a*
Trieste, ...	233,599	Jan. 13,	145	118	26·2	1	.	2	.	.	1	1
Rome, ...	551,749	Oct. 7,	227	201	19·0	4	.	.	.	.	2	36
		„ 14,	240	185	17·5	6	.	.	.	1	1	11
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Dec. 23,	2,478	1,310	13·7	14	.	5	8	.	23†	33*a*
Philadelphia, ...	1,580,250	Dec. 2,	.	495	16·3	7	.	.	.	1	12	14
		„ 9,	.	530	17·4	6	.	.	3	4	10	20
Boston	720,031	Jan. 13,	.	229	16·2	3	.	1	.	2	3	4

* Deaths from "fever," including 4 deaths from enteric fever, and 6 from plague in Calcutta, and 2 from enteric fever, and 14 from plague in Bombay.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 3 in Bombay, and 73 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending February 3rd, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	1	3
" " 1, West, ...	.	3	.	.	1	.	.	.	.	.	.	1	5
" " 2, ...	.	1	.	.	.	.	.	2	.	.	.	6	9
" " 3, ...	.	1	.	.	.	.	1	4	.	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	1	.	.	.	8	.	.	3	16
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
" " 3, ...	.	6	.	.	3	.	.	.	.	.	.	.	9
" " 4, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	16	.	.	8	.	1	7	9	.	.	15	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd February, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd February.			
	Jan. 13.	Jan. 20.	Jan. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	28	38	46	60	12	1	93
Scarlet Fever, ...	158	151	128	23	15	1	135*
Typhus, ...	1	.	.	.	.	.	.
Diphtheria, ...	75	77	70	13	15	2	66
Enteric Fever, ...	43	45	46	6	2	.	50
Pneumonia, ...	20	14	13	8	1	.	20

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 3rd February, 1912:—

"This was by far the coldest week of the present winter. On every night the thermometer fell to or below 32° in the screen, and by day the highest temperature in the shade was 41·1°. In Dublin Saturday was an unusually cold day, the thermometer having fallen to 23·8° early in the morning and rising no higher than 33·1° in the daytime. During the first three days of the week an anticyclone covered the British Isles, drifting slowly westwards so that on Tuesday its central area lay upon Ireland with the barometer up to 30·39 inches in Dublin at 9 a.m. Within the region of the light variable airs and calms of this high pressure system the thermometer sank in the screen early on Monday morning to 19° at Nairn and Oxford, 18° at Nottingham and in London, and in the following night to 17° at Blackpool and 12° at Buxton. By this time Great Britain was coming under the influence of a large atmospheric depression moving southeastwards across Scandinavia, while another equally pronounced cyclonic system had appeared at the Azores. The latter disturbance travelled northeastwards across the Atlantic Ocean to France. The result of these atmospheric movements was to determine the passage of a strong polar air current over the United Kingdom. Sharp frost became general, and hail and snow fell abundantly in many districts, the week closing with Winter in full possession of the country. In Dublin snow fell heavily on Saturday between 12 noon and 1 p.m. and again in the evening. The mean height of the barometer during the week in this City was 30·003 inches, the range of pressure being from 30·389 inches at 9 a.m. of Tuesday (wind, W.) to 29·624 inches at 9 a.m. of Friday (wind, N.N.E.). The corrected mean temperature was 33·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 31·7°. On Monday the screened thermometers rose to 41·1°, on Saturday they fell to 23·8°. W. and N.E. were the most prevalent winds. The rainfall, consisting wholly of melted hail and snow, was ·117 inch on 2 days, ·104 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·999 inches. The highest reading (30·378) was on Monday at 9 p.m., air calm, the lowest (29·621) on Friday at 9 a.m., wind N.N.W.

The mean temperature for the week was 30·6°, being 9·7° below the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Monday, on which day the thermometer registered 43·0°, and was lowest on Saturday, the mercury having fallen to 17·0°. The mean of the Dry Bulb for the week was 28·4° and of the Wet Bulb, 27·5°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·045 inch.

At Greenwich the mean temperature for the week was 30·0°, the maximum 39·0°, and the minimum 19·1°; at Glasgow the maximum was 44·7°, the minimum 18·2°, and the mean 30·7°; and at Edinburgh the maximum was 40·9°, the minimum 21·9°, and the mean 30·2°. The rainfall at Greenwich measured 0·02 in.; at Glasgow, 0·04 in.: and at Edinburgh, 0·14 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, January 28,	30·215	39·0	23·0	31·0	27·8	26·9	·89	·0	4·2	·000	Calm.	Calm.
Monday, „ 29,	30·340	43·0	23·0	33·0	27·7	27·1	·87	·0	6·2	·000	Calm.	Calm.
Tuesday, „ 30,	30·315	41·0	20·0	30·5	28·6	27·3	·79	·3	5·7	·000	Calm.	W.S.W.
Wednesday, „ 31,	30·055	37·0	29·0	33·0	33·3	32·4	·89	·0	0·0	·000	W.S.W.	Calm.
Thursday, February 1,	29·740	40·0	28·0	34·0	30·2	28·7	·79	·5	4·6	·005	Calm.	Calm.
Friday, „ 2,	29·660	33·0	22·0	27·5	26·3	25·5	·83	·4	3·0	·000	N.N.W.	N.N.E.
Saturday, „ 3,	29·665	33·0	17·0	25·0	25·1	24·3	·86	·0	4·8	·040	N.N.E.	N.E.
Mean, ...	29·999	38·0	23·1	30·6	28·4	27·5	·85	·2	Total 28·5	Total ·045	—	

Sunday—A fine bright day, light clouds; night cloudy. *Monday*—A beautiful day; night clear *Tuesday*—A beautiful day; night clear. *Wednesday*—Day overcast; night cloudy. *Thursday*—A fine bright day, light clouds; night cloudy, hail shower 6.0 to 6.15 a.m. *Friday*—A fine day, light clouds; night clear. *Saturday*—Day bright, light clouds, snow from 12.0 p.m. to 1.15 p.m. and 8.0 p.m. to 8 30 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 3rd, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, January 28,	35·0	39·5	44·7	39·2	28·5	33·9	3·9	—
Monday, „ 29,	37·3	38·5	44·5	43·0	30·1	36·6	5·1	—
Tuesday, „ 30,	29·0	37·6	44·2	41·0	26·1	33·6	3·7	—
Wednesday, „ 31,	36·2	37·0	43·9	39·2	31·8	35·5	—	—
Thursday, February 1,	33·7	36·9	43·7	41·1	31·0	36·1	3·8	·010
Friday, „ 2,	32·1	36·8	43·3	34·8	26·0	30·4	2·1	—
Saturday, „ 3,	25·0	36·0	43·0	33·9	22·0	28·0	0·8	·053
Weekly Mean, .	32·6	37·5	43·9	38·9	27·9	33·4	Total 19·4	Total ·063

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31933. Wt. P. 392-106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLIX.] Week ending Saturday, 10th February, 1912. [No. 6

General Register Office, Charlemont House, Dublin, 12th February, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 31·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 20	Jan. 27	Feb. 3	Feb. 10	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 20	Jan. 27	Feb. 3	Feb. 10	Average Rate for 4 weeks.
22 Town Districts, ...	**21·8**	**22·3**	**24·6**	**31·0**	**24·9**	Limerick	25·8	16·3	25·8	17·7	21·4
						Lisburn	38·6	8·6	12·9	25·7	21·5
Armagh	6·9	13·7	20·6	20·6	15·5	Londonderry	10·2	15·3	12·7	20·4	14·7
Ballymena	13·8	9·2	32·1	22·9	19·5	Lurgan	12·9	12·9	21·5	38·7	21·5
Belfast	20·8	27·5	31·1	41·7	30·3	Newry	17·4	8·7	34·9	13·1	18·5
Clonmel	5·1	10·1	35·5	30·4	20·3	Newtownards	11·4	17 2	34·3	34·3	24·3
Cork	19·7	26·5	19·7	23·8	22·4	Portadown	22·2	17·8	13·3	31·1	21·1
Drogheda	8·4	12·6	21·0	33·6	18·9	Queenstown	26·4	13·2	6·6	6·6	13·2
Dublin Reg. Area ...	25·4	23·5	22·4	26·6	24·5	Sligo	18·7	14·0	4·7	23·4	15·2
Dundalk	15·9	15·9	7·9	27·8	16·9	Tralee	21·1	5·3	15·9	15·9	14·6
Galway	19·7	7·9	27·5	43·3	24·6	Waterford	17·1	13·3	15·2	20·9	16·6
Kilkenny	49·6	[illegible]	19·8	39·7	27·3	Wexford	18·2	4·6	27·3	22·8	18·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·9 in Armagh, the 3 deaths from all causes for that district including one from whooping-cough. Among the 313 deaths from all causes for Belfast are one from enteric fever, 15 from whooping-cough, 3 from diphtheria, and one from diarrhœa or *enteritis* of a child under 2 years of age. Included in the 35 deaths from all causes for Cork are one from each of measles and whooping-cough, and one from diarrhœa or *enteritis* of a child under 2 years of age. One of the 13 deaths from all causes for Limerick is from enteric fever. One of the 11 deaths from all causes for Galway is from scarlet fever. Among the 7 deaths from all causes from Dundalk is one from whooping-cough. One death from whooping-cough is recorded for each of Lurgan and Kilkenny, the deaths from all causes numbering 9 and 8 respectively.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—115 boys and 102 girls—and the deaths to 219—104 males and 115 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·6 per 1,000 of the population. During the six weeks ending with Saturday last the death-rate averaged 23·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 219, represent an annual rate of 28·1 per 1,000; the annual rate for the past six weeks was 25·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The 219 deaths registered include one from enteric fever, 4 from measles, one from scarlet fever, 5 from whooping-cough, 3 from diphtheria, one from influenza, and 3 from diarrhœa or *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were 4, 0, and one; deaths from measles were one, 3, and 2; deaths from scarlet fever were 3, 2, and 2; deaths from whooping-cough were 6, 4, and one; deaths from diphtheria were 3, one and 2; deaths from influenza were 0, 2, and 2; and deaths from diarrhœa or *enteritis* of children under 2 years of age were 4, one, and 2.

Tuberculous disease, which in the 3 preceding weeks caused 35, 37, and 31 deaths respectively, in the week under notice caused 28 deaths comprising 26 from pulmonary tuberculosis, one from abdominal tuberculosis, and one from disseminated tuberculosis.

Broncho-pneumonia caused 14 deaths, lobar pneumonia one death, and *pneumonia* (type not distinguished) 6 deaths.

The deaths of 7 children, 6 of whom were under one year of age, were ascribed to *convulsions*.

The deaths of 15 persons were due to organic diseases of the heart, and bronchitis caused 43 deaths.

Prematurity was the cause of death of 4 infants, and congenital debility caused 2 deaths.

There were 6 accidental deaths registered, including 3 by burns or scalds, 2 of which were of children under 5 years of age, and one aged 5 years. There was one death by suicide.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 3 infants under one year old), and the deaths of 2 persons aged 65 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 7 were under one month old) and 55 were aged 65 years and upwards, including 39 persons aged 70 and upwards; among the latter were 21 aged 75 years and upwards of whom 2 (females) were stated to have been each aged 90 years.

One hundred of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, and 27 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·6 per 1,000; the rate in the City was 29·5 (North City Districts, 27·8; South, 31·2) and in the Suburbs, 17·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·7 (2·3 in the North City Districts, and 3·1 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·0 per 1,000; and include 2 from measles, one from whooping cough, one from pulmonary tuberculosis, one from lobar pneumonia, 3 from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·6 per 1,000. Enteric fever and measles each caused one death, pulmonary tuberculosis caused 4 deaths, broncho-pneumonia 2 deaths, and bronchitis 5 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·1 per 1,000. Included in the total are 6 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 27·8 per 1,000. One death was caused by diphtheria, one by diarrhœa of a child under 2 years of age, pulmonary tuberculosis caused 2 deaths, broncho-pneumonia one death, *pneumonia* (type not distinguished) one death, and bronchitis 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·4; and Finglas and Glasnevin, part of, 13·5. One of the 3 deaths for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·3 per 1,000, and include one from measles, one from *enteritis* of a child under 2 years of age, 2 from tuberculous disease, one from broncho-pneumonia, 5 from bronchitis, and 2 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·5 per 1,000. Whooping-cough caused one death, *pneumonia* (type not distinguished) one death, and bronchitis 4 deaths.

No. 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 34·8 per 1,000. Included in the total are one from scarlet fever, 2 from each of whooping-cough and diphtheria, 6 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), 5 from bronchitis, one accidental and one suicidal death.

No. 4 *South City District* (Grand Canal Street).—The deaths (29) are equivalent to an annual rate of 42·0 per 1,000, and include one from disseminated tuberculosis, 2 from broncho-pneumonia, 7 from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000, and include one from *enteritis* of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 14·0; Blackrock, 17·1; and Kingstown, 24·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, and one from diarrhœa for Kingstown. Included in the 12 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis. Among the 8 deaths from all causes for Pembroke are one from pulmonary tuberculosis, 2 from broncho-pneumonia, and one from bronchitis. Of the 3 deaths from all causes for Blackrock one is from each of broncho-pneumonia and bronchitis; and among the 8 deaths from all causes for Kingstown is one from influenza and one from *pneumonia* (type not distinguished) and one from bronchitis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 10th February, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 20,	.	—	—	25	.	.	7	.	.	7	9	.	—	—	.	—	10	—	58
	Jan. 27,	.	—	—	8	.	.	7	.	2	5	10	.	—	—	.	—	12	—	44
	Feb. 3,	.	—	—	16	.	.	8	.	1	7	9	.	—	—	.	—	15	—	56
	Feb. 10,	.	—	—	15	2	.	9	.	1	4	10	.	—	—	.	—	7	—	48
Rathmines and Rathgar Urban District.	Jan. 20,	.	—	—	3	.	.	2	.	.	1	.	.	—	—	—	—	—	—	6
	Jan. 27,	.	—	—	4	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
	Feb. 3,	.	—	—	3	.	.	1	.	.	.	.	1	—	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Jan. 20,	.	1	.	4	.	.	3	.	.	1	.	.	.	.	—	—	.	—	9
	Jan. 27,	.	.	4	3	.	.	.	.	.	.	.	.	.	.	—	—	.	—	7
	Feb. 3,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	—	—	.	—	4
	Feb. 10,	.	.	.	.	.	.	4	.	.	.	.	.	2	.	—	—	.	—	6
Blackrock Urban District.	Jan. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Jan. 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	—	3
	Jan. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
City of Belfast.	Jan. 20,	.	—	—	20	.	.	1	1	1	.	7	.	—	—	—	—	12	—	42
	Jan. 27,	.	—	—	12	.	.	10	.	2	3	8	.	—	—	—	—	12	—	47
	Feb. 3,	.	—	—	6	.	.	6	.	1	5	3	.	—	—	—	—	7	—	28
	Feb. 10,	.	—	—	11	.	.	5	1	.	.	3	.	—	—	—	—	9	—	29

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th February, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Forty-four cases of measles were admitted to hospital during the week, 12 were discharged, there were 7 deaths, and 118 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 38, 46, and 93, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 20 were discharged, and 134* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 151, 128, and 135, respectively.

Three cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

Sixteen cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 77, 70, and 66, respectively, were 71 at the close of last week.

Two cases of enteric fever were admitted to hospital during the week, one was discharged, there was one death, and 50 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 46, and 50.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 were discharged, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND

The mortality last week in 94 large English towns (including London, in which the rate was 20·3) was equal to an average annual death-rate of 21.6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 22·8 per 1,000, the rate for Glasgow being 26·6, and for Edinburgh 22·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th February. From this Report it appears that of a total of 58 cases notified, 33 were phthisis, 11 scarlet fever, 10 diphtheria, 3 erysipelas, and one enteric fever. Among the 376 cases of infectious diseases in hospital at the close of the week were 118 cases of scarlet fever, 105 of measles, 60 of phthisis, 43 of diphtheria, 21 of whooping-cough, 10 of erysipelas, 7 of enteric fever, and 4 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 10th February, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 10th February, 1912. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Numbers Registered. Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 10th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th January, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(37)	(38)	(39)	(40)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	23·7	31·0	2·1	526	688	130	161	3	...	...	5	2	25	6	...	69	19	22	104	134	5	1	13	18	185	34	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	27·8	26·6	2·3	217	207	27	52	1	...	...	4	1	5	3	...	24	2	9	20	43	3	1	6	4	88	12	e54·0	27·0	41·1	0·47	e43·0	17·0	30·6	0·05	e47·0	28·0	36·3	0·26
CITY OF DUBLIN,	311,601	39·4	29·5	29·5	2·7	176	176	25	38	1	...	...	4	1	4	3	...	21	2	9	15	36	3	...	6	4	83	10	f51·0 g52·5	28·3 28·4	41·1 41·2	1·17 0·79	f41·1 g42·0	23·8 20·0	33·3 32·4	0·12 0·06	f47·2 g46·8	33·0 29·8	39·3 37·4	0·22 0·28
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	24·1	16·1	1·3	18	12	...	5	...	...	...	...	...	1	...	...	2	...	...	1	4	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	26·3	14·0	.	15	8	1	2	...	...	...	...	...	...	...	.	1	...	...	2	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	11·4	17·1	.	2	3	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	18·2	21·2	3·0	6	8	...	5	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	3	1	51	27	40·8	1·77	43	25	34·5	0·00	50	34	40·1	0·16
Urban Districts. BELFAST ...	391,051	26·6	24·1	41·7	2·7	181	313	84	54	1	...	...	...	...	15	3	...	23	7	5	73	67	1	...	7	12	48	5	49·0	21·2	36·5	1·03	43·0	30·5	36·4	0·04	45·0	28·5	37·2	0·00
CORK, ...	76,632	33·8	13·6	23·8	2·0	20	35	5	6	...	...	...	1	...	1	...	...	5	4	2	2	1	1	...	...	2	12	...	49	25	42·3	1·33	45	25	36·6	0·09	50	33	41·9	0·40
LONDONDERRY...	40,912	18·9	26·8	20·4	.	21	16	...	4	...	...	...	...	...	...	...	...	4	1	...	...	1	...	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	16·3	17·7	1·4	12	13	1	4	1	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	5	5	52	22·8	41	0·42	41·8	25·8	31·2	0·00	44·7	26·6	36·5	0·00
WATERFORD, ...	27,430	19·1	19·0	20·9	.	10	11	2	6	...	...	...	...	...	...	...	...	...	...	1	2	2	...	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	31·5	43·3	3·9	8	11	...	8	...	...	...	...	1	...	...	...	...	1	...	2	1	...	...	...	...	5	1	53	21	40	0·41	40	17	32	0·00	50	29	37	0·00
DUNDALK, ...	13,128	9·5	19·9	27·8	4·0	5	7	4	1	...	...	...	...	...	1	...	...	...	...	...	2	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	29·4	33·6	.	7	8	1	4	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	17·4	13·1	.	4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01
LURGAN, ...	12,135	14·3	30·1	38·7	4·3	7	9	2	2	...	...	...	...	...	1	...	...	2	...	...	1	...	.	...	...	...	1	...	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01
LISBURN, ...	12,172	10·7	25·7	25·7	.	6	6	1	2	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	...	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01
WEXFORD, ...	11,455	23·8	27·3	22·8	.	6	5	...	1	...	...	...	...	...	...	...	...	3	1	...	...	1	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	9·2	22·9	.	2	5	2	3	...	...	...	...	...	...	...	...	1	...	...	...	...	.	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	14·0	23·4	.	3	5	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	53·0	16·0	37·0	0·65	44·0	15·0	30·1	0·08	48·0	22·0	34·8	0·00
KILKENNY, ...	10,513	11·4	24·8	39·7	5·0	5	8	1	1	...	...	...	...	...	1	...	...	...	...	1	...	3	...	...	...	...	1	1	51	15	39·7	1·13	43	13	29·8	0·02	49	30	38·0	0·06
CLONMEL, ...	10,277	7·9	25·4	30·4	.	5	6	...	...	...	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	17·8	31·1	.	4	7	...	3	...	...	...	...	...	...	...	...	1	1	.	...	3	...	...	...	...	...	...	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01
TRALEE, ...	9,867	16·6	.	15·9	.	.	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	.	34·3	.	.	6	...	2	...	...	...	...	...	...	...	...	2	...	2	...	1	...	...	...	...	...	...	50	29	39·7	0·90	44	27	35·8	0·00	45	31	38·8	0·00
QUEENSTOWN, ...	7,909	14·4	.	6·6	.	.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	49	25	42·3	1·33	45	25	36·6	0·09	50	33	41·9	0·40
ARMAGH, ...	7,588	22·2	20·6	20·6	6·9	3	3	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10	46·0	26·3	34·4	0·01

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under 1 year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th of February, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	5	.
Diphtheria,	.	.	.	1	.	.	.	.	.	2	.	.	.	.		.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	4	6	2	.	1	.	1	.	6	.	.	2	1	.	.	24	2
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Cancer,	2	1	1	1	.	.	.	1	.	.	2	1	.	.	.		9	3
Diseases of Nervous System,	2	3	.	3	1	.	.	3	.	4	4	1	1	.	.	.	22	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
" Circulatory System,	2	3	2	.	1	.	1	1	.	1	6	.	2	1	.	3	23	1
" Respiratory System. { Pneumonia,	1	2	4	2	.	.	.	1	1	2	2	.	1	2	1	1	20	1
" Respiratory System. { Others,	3	5	3	3	.	.	.	6	4	5	7	.	4	1	1	1	43	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
" Digestive System. { Others,	1	.	1	.	.	1	.	.	1	2	.	.	.	.	.	.	6	.
" Genito-urinary System,	1	.	1	2	.	.	.	1	.	1	.	.	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	1	3	.	1	1	2	2	.	4	.	1	1	.	1	18	1
Violent Deaths,	1	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	6	1
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	5	.
Deaths from All Causes	19	22	19	18	2	3	2	21	9	29	29	3	12	8	3	8	207	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·0	28·6	32·1	27·8	19·3	13·4	13·5	26·3	21·5	34·8	42·0	17·2	16·1	14·0	17·1	24·2	26·6	.
	27·8							31·2					17·0					
	29·5																	
Ages at Death. { Under 1 year,	3	2	2	3	.	.	1	3	.	3	7	1	.	1	1	.	27	1
1 and under 2 years,	1	2	.	2	.	.	.	2	2	.	2	.	.	.	.	.	11	.
2 " 5 "	.	1	1	.	.	.	.	2	.	3	.	.	1	.	.	1	9	1
5 " 15 "	3	.	.	.	.	.	.	.	.	2	2	1	1	2	.	1	12	.
15 " 25 "	1	3	1	.	.	.	.	1	.	1	.	.	.	.	.	.	7	.
25 " 45 "	4	5	10	3	1	2	.	2	2	4	2	.	2	.	.	1	38	2
45 " 65 "	3	5	2	4	1	.	1	6	2	10	10	1	3	3	.	.	51	5
65 and upwards,	4	4	3	6	.	1	.	5	3	6	6	.	5	2	2	5	52	3
Number of Uncertified Deaths,	.	3	.	1	.	.	.	.	1	1	4	.	.	1	.	1	12	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	3	5	5	.	2	.	7	1	8	6	.	1	.	.	3	45	7
Workhouse Hospitals,	4	4	6	4	.	.	1	5	3	6	9	.	.	1	.	.	43	5

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 6th Week of the 10 years 1902–1911.	In the Week ending Saturday, 10th February, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	35·7°	49·1°	38·3°	44·4°	37·4°	34·0°	44·7°	38·6°	43·7°	37·0°	40·3°	41·1°										
ALL CAUSES.	181	193	207	194	151	225	182	203	217	220	197·3	219	7	21	11	10	12	7	40	56	34	21
Enteric Fever, ...	2	1	2	2	.	2	2	4	.	2	1·7	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	.	.	.	4	1	1	.	2	1·0	4	.	2	1	1	.	.	.	.	.	.
Scarlet Fever, ...	.	3	1	2	.	1	.	1	1	4	1·3	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	2	3	6	.	.	6	1	5	4	3	3·0	5	.	1	1	3	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	.	.	.	1	2	2	·7	3	.	1	1	1	.	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	7	1	.	4	13	2	3	4	3·9	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	1	.	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	1	1	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	.	1	1	1	.	2	3	1	1·2	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	31	28	19	32	18	25	14	21	19	27	23·4	26	.	1	1	.	3	3	13	5	.	.
Tuberculous Meningitis, ...	.	6	8	1	7	4	2	2	3	1	3·4	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	2	3	2	1	1	2	1	2	3	1·8	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	6	7	7	8	7	10	6	7	5	.	6·5	.	.	.	.	.	.	.	.	.	.	.
Scrofula.										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	.	2	2	5	.	2	1	3	.	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	6	11	10	14	9	4	9	10	11	9·0	12	.	.	.	.	.	.	5	6	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	1	.	.	1	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	.	.	1	.	.	2	·4	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	1	.	2	1	.	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	.	2	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		6	.	.	.	.	.	.	2	3	1	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		3	.	.	.	.	.	.	1	1	.	1
Epilepsy, ...										1		2	.	.	.	.	1	.	.	1	.	.
Convulsions (non-puerperal),										6		7	1	5	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	35	46	49	35	50	40	33	54	3	42·3	3	.	.	.	.	.	.	1	1	.	1
Pericarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...										1		3	.	.	.	.	2	.	1	.	.	.
Organic Diseases of the Heart,										20		15	.	.	.	.	.	.	4	5	4	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		5	.	.	.	.	.	.	.	3	.	2
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	29	26	34	22	25	38	25	43	46	39	32·7	43	.	2	2	1	.	.	2	15	14	7
Broncho-pneumonia, ...	5	2	5	10	4	6	5	16	10	11	14·8	14	.	3	1	.	1	.	2	4	2	1
Lobar-pneumonia, ...		.	4	.	.	2	.	.	1	2		1	.	.	.	.	.	1	.	.	.	.
Pneumonia (type not distinguished)		7	12	7	2	8	8	8	6	7		6	.	.	1	1	1	.	1	2	.	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy	2	6	1	3	1	5	3	3	9	2	3·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

SIXTH WEEK ending Saturday, 10th February, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										6th Week of the 10 years 1902–1911.	In the Week ending Saturday, 10th February, 1912.										
													Deaths of Persons of the Ages of									
	Feb. 8, 1902.	Feb. 14, 1903.	Feb. 13, 1904.	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.	Averages in Week of the 10 years 1902–1911.	Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 35·7	° 49·1	° 38·3	° 44·4	° 37·4	° 34·0	° 44·7	° 38·6	° 43·7	° 37·0	° 40·3	° 41·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	1	.	.	.	.	.	.	2	.
Diarrhœa and *Enteritis* of Children under 2 years.	1	4	2	3	.	2	.	2	6	2	2·2	3	1	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		1	.	.	.	1	.	.	.	.	.	.
Enteritis 2 years and upwards	.	3	1	1	1	1	.	.	3	3	1·3	2	.	.	.	.	.	.	.	.	1	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	.	2	.	1	1	2	2	.	2	1·8	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...		3	.	.	1	.	3	.	.	.		1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	.	.	1	.	.	.	1	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	9	4	3	4	6	8	3	6	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										2		2	.	.	.	.	.	.	1	1	.	.
Chronic Bright's Disease, ...										5		5	.	.	.	.	.	.	1	2	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	8	2	7	4	14	6	5	4	.	6·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	2	1	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	3	2	2	1	1	.	.	2	.	.	1·1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	1	2	2	2	4	2	6	1	1	2·4	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	2	1	1	.	.	.	.	.	.	.	.
Old Age, ...	9	6	6	4	5	7	9	4	4	8	6·2	8	.	.	.	.	.	.	.	1	3	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	2	1	1	2	1	1	.	2	1·2	3	.	.	.	2	1	.	.	.	.	.
Drowning, ...	1	.	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	2	2	2	2	1	1	3	.	1	1·4	3	.	.	.	.	.	1	.	1	.	1
Total Deaths from Accident,	5	2	5	6	3	3	5	4	2	4	3·9	6	.	.	.	2	1	1	.	1	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	.	1	2	1	.	.	.	.	·6	1	.	.	.	.	.	.	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	5	.	1	.	.	.	1	.	2	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered.	233	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217
Average Births in corresponding week of previous 10 years, ...	217	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213
DEATHS registered, ...	199	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219
Annual Death-rate per 1,000, ...	25·7	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1
Average Deaths in corresponding week of previous 10 years, ...	154	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197
Ages, Under 5 years, ...	94	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49
5—15 " ...	5	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12
15—25 " ...	7	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7
25—45 " ...	31	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40
45—65 " ...	37	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56
65—75 " ...	11	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34
75 and upwards, ...	14	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21
Deaths from :—																										
Enteric Fever, ...	2	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4
Scarlet Fever, ...	.	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1
Whooping-cough, ...	3	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5
Diphtheria, ...	1	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3
Influenza, ...	.	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	19	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26
Tuberculous Disease, Other Forms,	9	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2
Cancer, ...	7	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12
Diseases of Circulatory System,	13	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24
Diseases of Respiratory System, Pneumonia,	3	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21
Diseases of Respiratory System, Others, ...	13	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44
Diarrhœa and *Enteritis*, under 2 years, ...	49	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3
Diarrhœa, 2 years and upwards,	7	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1
Violent Deaths, ...	8	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7
Number of Uncertified Deaths,	7	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12
Mean Temperature of the Air (Phœnix Park)	61·2	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1
Average Mean Temperature in corresponding week of previous 10 years, ...	57·5	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3
Rainfall in inches, ...	·010	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th February, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH FEBRUARY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Convulsions.	Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	219	49	12	7	40	56	34	21	1	.	.	4	1	5	3	.	26	2	12	7	21	44	3	1	7	82	12
	CLASSES. **Deaths in Families of the—**																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	1	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	3	1	1	6	8	3	9	1	.	.	.	.	.	.	.	4	.	2	1	4	6	.	.	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	23·6	50	9	2	2	14	15	5	3	.	.	.	.	.	2	1	.	9	.	4	2	4	6	.	.	1	21	5
IV.	GENERAL SERVICE CLASS, ...	154,279	28·7	85	34	7	3	11	15	11	4	.	.	.	4	1	3	2	.	7	1	5	4	9	13	2	1	5	28	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	48	2	2	1	9	18	12	4	.	.	.	.	.	.	.	.	6	1	1	.	3	18	1	.	.	18	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	.	.	1	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	16·6	7	.	.	1	1	3	.	2	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	.	.	4	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	1	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	1	.	.	3	2	4	.	.	.	.	.	.	.	.	1	.	2	.	2	3	.	.	.	3	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	1	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	2	1	.	1	4	1	.	.	.	.	.	.	1	.	.	2	.	1	.	2	1	.	.	.	2	.
	10. Clothing Trades, ...	23,260	15·7	7	2	.	1	1	3	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1	.	.	.	3	.
	11. Food Supply Trades	9,242	22·6	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	2	.	1	8	5	1	1	.	.	.	.	.	.	.	.	3	.	1	1	2	1	.	.	1	9	4
	13. Petty Shopkeepers	7,894	39·6	6	1	.	.	2	1	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	3	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	1	.	.	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.
	15. Domestic Servants, ...	36,603	12·8	9	5	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	7	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	4	.	.	2	2	.	1	.	.	.	.	.	.	1	.	1	.	.	1	2	1	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	37·1	64	24	7	3	9	12	8	1	.	.	.	4	1	3	.	.	6	1	5	3	6	11	1	1	4	18	5
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	48	2	2	1	9	18	12	4	.	.	.	.	.	.	.	.	6	1	1	.	3	18	1	.	.	18	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Dec. 23,	27·9	8·7	16	.	.	.	1	.	4	.	.	1	1	.	1	1	.	.	.	1
		„ 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
		Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
		„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
		„ 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
		„ 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
		Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
		„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Dec. 23,	28·7	2·6	22	.	.	.	1	1	.	.	.	4	.	1	4	3	.	.	2	.
		„ 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
		Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
		„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
		„ 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
		„ 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
		Feb 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
		„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Dec. 23,	17·0	1·7	10	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.
		„ 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
		Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
		„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
		„ 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
		„ 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
		Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
		„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Dec. 23,	18·7	3·1	12	.	.	.	.	1	.	1	.	2	.	1	.	2	.	.	.	.
		„ 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
		Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
		„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
		„ 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
		„ 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
		Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
		„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Dec. 23,	16·4	5·0	13	.	.	.	2	.	.	2	.	3	.	.	1	1	.	.	.	1
		„ 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
		Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
		„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
		„ 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
		„ 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
		Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
		„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Dec. 23,	19·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		„ 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
		Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
		„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
		„ 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
		„ 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
		Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
		„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Dec. 23,	25·4	3·6	21	.	.	.	.	.	.	2	.	1	1	1	3	3	1	.	.	2
		„ 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
		Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
		„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
		„ 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
		„ 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
		Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
		„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Dec. 23,	20·4	.	14	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	2	.
		„ 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
		Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
		„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
		„ 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
		„ 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
		Feb. 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
		„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	2	1	2	.	.	.	.
	„ 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
Pop. in 1912 (Est.) 38,889.	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
Pembroke Urban District.	Dec. 23,	16·0	.	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	„ 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
Pop. in 1912 (Est.) 29,693.	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
Kingstown Urban District.	Dec. 23,	27·2	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Pop. in 1911 17,227.	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
Belfast.	Dec. 23,	18·1	1·6	134	.	.	.	.	1	8	2	.	15	8	4	9	14	1	.	.	.
	„ 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
Pop. in 1912 (Est.) 391,051.	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
Cork.	Dec. 23,	22·5	1·4	33	.	.	.	1	.	.	1	.	4	.	1	1	6	.	.	.	4
	„ 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
Pop. in 1911 76,632.	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
Londonderry.	Dec. 23,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	2
	„ 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
Pop. in 1912 (Est.) 40,912.	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
Limerick.	Dec. 23,	13·6	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
Pop. in 1911 38,403.	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
Waterford.	Dec. 23,	5·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
Pop. in 1911 27,430.	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th February, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	10			18	1	7	1	2	2	5	.	.	.	.	.	1	.	.	3	.	.	3	4	.	.	1	2	3	.
Do. 2 do.		16			49	11	10	4	5	10	9	.	.	.	.	.	4	.	.	3	.	.	6	17	.	.	2	2	11	.
Do. 3 do.		20			38	11	11	4	1	3	8	.	.	.	.	.	.	.	.	3	.	2	17	5	.	.	2	2	4	2
Do 4 do.		14			22	8	2	3	4	3	2	.	.	.	.	.	1	.	.	2	1	1	4	5	.	.	.	.	4	.
Do. 5 do.		8			16	4	2	.	3	4	3	1	.	.	.	.	1	.	.	1	.	.	3	3	.	.	1	1	6	.
Do. 6 do.		15			14	3	2	3	3	2	1	.	.	.	.	.	.	2	.	.	.	.	.	3	.	.	.	1	.	.
Do. 7 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.		.			6	1	.	2	.	1	2	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	.	.
Do. 9 do.		11			22	8	3	1	1	3	6	.	.	.	.	.	2	.	.	1	.	.	6	6	.	.	.	.	5	1
Do. 10 do.		14			26	6	8	3	4	4	1	.	.	.	.	.	3	.	.	2	1	1	9	6	.	.	.	.	6	1
Do. 11 do.		16			26	7	2	2	5	4	6	.	.	.	.	.	.	.	.	4	2	.	6	4	.	.	1	2	3	.
Do. 12 do.		28			28	12	2	4	2	5	3	.	.	.	.	.	.	.	.	.	3	.	4	6	1	.	.	2	3	1
Do. 13 do.		18			11	2	3	1	.	3	2	.	.	.	.	.	2	.	.	1	.	.	2	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			36	10	9	2	4	5	6	.	.	.	.	.	1	1	.	1	.	1	12	6	.	.	.	.	3	.
Total,	—	181			313	84	62	30	34	49	54	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	12	48	5
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	1			6	1	.	1	1	2	1	.	.	.	1	.	1	.	.	1	.	.	.	1	.	.	.	.	3	.
Do. 2 do.		5			5	1	.	1	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.
Do. 3 do.		1			4	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2	.
Do. 4 do.		1			6	2	1	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.
Do. 5 do.		1			3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		6			7	.	.	3	2	.	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	4	.
Do. 7 do.		5			4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Total,	—	20	23·8	2·0	35	5	2	7	6	8	6	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	2	12	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911-2—WEEK ENDING																									
	Aug. 19.	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6
BIRTHS registered, ...	215	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181
DEATHS registered, ...	139	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313
Annual Death rate per 1,000 of estimated population, ...	18·8	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7
AGES, Under 1 year, ...	44	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84
1—5 years, ...	11	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62
5—25 ,, ...	15	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30
25—45 ,, ...	17	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34
45—65 ,, ...	28	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49
65 and upwards, ...	24	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54
Deaths from :—																										
Enteric Fever, ...	1	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.
Whooping-cough, ...	.	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15
Diphtheria, ...	1	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	6	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23
Tuberculous Disease. Other Forms,	7	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7
Cancer, ...	4	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5
Diseases of Respiratory System, Pneumonia,	9	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73
Diseases of Respiratory System, Others, ...	6	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67
Diarrhœa, and *Enteritis*, under 2 years, ...	27	28	43	57	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1
Diarrhœa, 2 years and upwards,	3	5	6	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.
Violent Deaths, ...	6	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7
Number of Uncertified Deaths, ...	1	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Feb. 10,	2,287	1,763	20·3	1	.	23	1	32	8	15*a*
Edinburgh, ...	321,200	„ 10,	117	139	22·6	2	.	.	.	.	.	.
Glasgow, ...	785,600	„ 10,	418	400	26·6	1	.	49	.	7	5	3
Calcutta, ...	890,493	Jan. 6,	.	521	30·4	88*	1	.	.	1	.	92‡
Bombay, ...	977,822	„ 6,	432	780	41·5	78*	4	2	.	.	.	126‡
Madras, ...	509,346	Dec. 16,	403	625	63·8	118*	5	1	?	?	?	211‡
Cairo, ...	693,806	„ 16,	622	414	31·1	3	.	.	.	.	13†	54*a*
Paris, ...	2,846,986	Jan. 13,	929	888	16·8	4	.	8	2	3	6†	19*a*
Brussels, ...	705,295	„ 20,	238	189	13·9	.	.	3	.	.	1†	12
Antwerp, ...	320,640	„ 20,	126	80	13·0	.	.	.	4	.	1	8*a*
Amsterdam, ...	580,962	„ 20,	245	149	12·4	.	.	4	1	3	1	1
Copenhagen, ...	465,000	„ 20,	225	118	13·2	.	.	.	.	2	2	2
Stockholm, ...	343,832	„ 20,	158	81	12·3	.	.	2	.	1	.	1
Christiania, ...	244,038	„ 27,	76	81	17·3	.	.	3	1	.	.	1
St. Petersburg, ...	1,599,139	„ 6,	611	616	20·1	17	2	19	13	1	6	36
Moscow, ...	1,493,600	„ 6,	.	692	24·2	3	1	27	16	4	22†	60
Berlin, ...	2,082,891	„ 6,	817	602	15·1	.	.	3	8	4	19†	23
Hamburg, ...	931,035	„ 20,	.	258	14·1	1	.	3	3	2	8†	14*a*
Breslau, ...	523,079	„ 20,	.	182	18·1	1	.	.	.	:	2	9
Munich, ...	610,000	„ 27,	.	168	14·4	.	.	3	.	.	.	4
Vienna (with suburbs),	2,064,583	„ 20,	716	677	17·1	.	.	7	5	4	5†	29*a*
Buda-Pesth, ...	911,891	„ 20,	450	316	18·0	1	.	1	7	1	7†	6*a*
Prague and Faubourgs,	508,310	„ 6,	150	152	15·6	1	.	9	2	.	.	9*a*
Trieste, ...	233,599	„ 20,	137	101	22·5	.	.	2	.	.	.	4
Rome, ...	551,749	Oct. 21,	247	178	16·8	8	.	.	.	.	1	28
		„ 28,	221	138	13·0	.	.	.	.	.	.	13
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Dec. 30,	2,587	1,441	15·1	9	1	7	8	.	36†	39*a*
Philadelphia, ...	1,580,250	„ 16,	.	520	17·2	7	.	3	3	2	8	13
		„ 23,	.	465	15·3	3	.	.	1	.	13	15
Boston ...	720,031	Jan. 20,	.	268	19·4	1	.	1	.	1	4	5

* Deaths from "fever," including 19 deaths from enteric fever, and 6 from plague in Calcutta, 2 from enteric fever, and 6 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 23 deaths from cholera in Calcutta, 27 in Bombay, and 64 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending February 10th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	1	.	.	.	.	.	4
" " 1, West, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	1	.	.	.	1	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	.	1	2	.	3	.	.	2	5	.	.	4	17
" " 2, ...	.	3	.	.	2	.	.	.	1	.	.	1	7
" " 3, ...	.	4	.	.	1	.	.	.	.	.	.	1	6
" " 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
New Kilmainham, ...	.	1	.	.	.	.	.	.	1	.	.	.	2
Total, ...	.	15	2	.	9	.	1	4	10	.	.	7	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th February, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th February.			
	Jan. 20.	Jan. 27.	Feb. 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	38	46	93	44	12	7	118
Scarlet Fever, ...	151	128	135	19	20	.	134*
Typhus, ...	.	.	.	3	.	.	3
Diphtheria, ...	77	70	66	16	9	2	71
Enteric Fever, ...	45	46	50	2	1	1	50
Pneumonia, ...	14	13	20	7	5	.	22

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 10th February, 1912:—

"Extremely unsettled weather prevailed during the greater part of this week. At the beginning severe cold held sway except in Italy and the Peninsula—in Sweden, at Haparanda the thermometer ranged on Sunday from—38° F—to 22° F., the minimum reading being 70° below freezing point. Even at many places in the British Isles on that day the thermometer failed to rise to 32°—the maximum being no higher than 25° at Holyhead, 26° at Wick and Nottingham, 27° at Liverpool, 28° at Leith, Dover, Oxford and in London, 29° at Yarmouth, 30° at Shields and Bath, and 31° in Dublin. In the last named City the sky was densely clouded throughout the day and a strong E.S.E. wind blew off the sea. A very similar condition existed on February 8, 1895, when the highest temperature in Dublin was only 30·7°. On Sunday morning a large and deep atmospheric depression was centred on the Atlantic in about Lat. 47° N., Long. 20° W., with the barometer at 28·75 inches or less. This system spread gradually northwards and eastwards, causing strong S.E. winds and a thaw in Ireland on Monday. But intense frost still held in Great Britain on the morning of that day—especially in Scotland—at Nairn the minimum had been 4°, and the thermometer read 10° at 7 a.m. In the course of the next four days depression after depression skirted the western shores of Ireland and Scotland, spreading northeastwards across the Norwegian Sea as a deep trough of low pressure and carrying comparative warmth to the furthest north of Scandinavia. All this time fierce N. gales and bitter cold were felt in Iceland, which had enjoyed tolerably mild weather while the Continent of Europe was icebound in the closing weeks of January. After a succession of gloomy wet days Saturday was fair, bright and dry, and in Dublin the barometer rose substantially above 29 inches after 96 hours' depression below that point. In this City the mean atmospheric pressure for the week was only 29·060 inches, the mercury falling from 29·615 inches at 9 a.m. of Sunday (wind, E. by S.) to 28·714 inches at 4 p.m. of Thursday (wind, S.E.). The mean temperature was 41·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·9°. On Sunday the screened thermometers fell to 28·3°, on Thursday they rose to 51·0°. S.E. winds prevailed. Rain fell on 5 days to the amount of 1·167 inches, of which ·557 inch was measured on Wednesday. At Coolagad, Greystones, Co. Wicklow, the rainfall this week was 3·19 inches on 5 days, 1·69 inches being measured on Wednesday and ·68 inch on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·088 inches. The highest reading (29·986) was on Sunday at 9 a.m., wind E.S.E., the lowest (28·814) on Thursday at 9 a.m., wind E.S.E.

The mean temperature for the week was 41·1°, being 0·8° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Friday, on which day the thermometer registered 54·0°, and was lowest on Sunday, the mercury having fallen to 27·0°. The mean of the Dry Bulb for the week was 40·7° and of the Wet Bulb, 39·5°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·468 inch.

At Greenwich the mean temperature for the week was 39·5°, the maximum 53·0°, and the minimum 20·2°; at Glasgow the maximum was 53·3°, the minimum 11·5°, and the mean 35·6°; and at Edinburgh the maximum was 49·1°, the minimum 16·8°, and the mean 34·9°. The rainfall at Greenwich measured 0·52 in.; at Glasgow, 0·57 in.: and at Edinburgh, 0·09 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 4,	29·531	31·0	27·0	29·0	28·4	27·8	·91	·0	0·3	·000	E.S.E.	E.S.E.
Monday, „ 5,	29·099	37·0	29·0	33·0	32·4	31·9	·92	·1	0·5	·038	—	—
Tuesday, „ 6,	29·005	46·0	33·0	39·5	41·9	40·9	·92	·0	0·6	·010	E.S.E.	E.S.E.
Wednesday, „ 7,	28·986	52·0	37·0	44·5	46·4	44·4	·87	·2	0·1	·190	E.S.E.	E.S.E.
Thursday, „ 8,	28·814	52·0	45·0	48·5	47·0	45·8	·92	·3	0·0	·180	E.S.E.	E.S.E.
Friday, „ 9,	28·859	54·0	46·0	50·0	47·6	46·3	·94	·5	2·5	·050	S.E.	S.S.W.
Saturday, „ 10,	29·323	52·0	37·0	44·5	41·5	39·2	·84	·5	7·3	·000	E.S.E.	S.S.W.
Mean, ...	29·088	46·1	36·1	41·1	40·7	39·5	·90	·2	Total 11·3	Total ·468	Prevailing Wind. E.S.E.	

Sunday—A dull day; night cloudy. *Monday*—Day overcast; night cloudy. *Tuesday*—Day overcast; night clear. *Wednesday*—Day overcast; night overcast. *Thursday*—Day overcast; night cloudy. *Friday*—Day cloudy, fine; night overcast. *Saturday*—A beautiful day; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 10th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 4,	28·5	35·8	42·8	33·0	26·0	29·5	0·3	—
Monday, „ 5,	32·8	35·6	42·4	37·7	29·2	33·5	0·2	·030
Tuesday, „ 6,	41·2	35·7	42·1	45·4	33·1	39·3	—	·051
Wednesday, „ 7,	43·6	36·0	42·0	52·8	39·0	45·9	—	·461
Thursday, „ 8,	45·2	39·0	41·9	53·3	43·4	48·4	—	·310
Friday, „ 9,	48·6	41·0	41·9	51·2	45·6	48·4	0·6	·120
Saturday, „ 10,	44·0	41·9	40·0	51·5	40·3	45·9	5·1	—
Weekly Mean, .	40·6	37·9	41·9	46·4	36·7	41·6	Total 6·2	Total ·972

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31938. Wt. P. 392-106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 17TH FEBRUARY, 1912. [No. 7

General Register Office, Charlemont House, Dublin, 19th February, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Jan. 27	Feb. 3	Feb. 10	Feb. 17	Average Rate for 4 weeks.	Towns, &c.	Week ending Jan. 27	Feb. 3	Feb. 10	Feb. 17	Average Rate for 4 weeks.
22 Town Districts, ...	**22·3**	**24·6**	**31·0**	**26·6**	**26·1**	Limerick	16·3	25·8	17·7	21·7	20·4
						Lisburn	8·6	12·9	25·7	25·7	18·2
Armagh	13·7	20·6	20·6	41·2	24·0	Londonderry	15·3	12·7	20·4	16·6	16·3
Ballymena	9·2	32·1	22·9	13·8	19·5	Lurgan	12·9	21·5	38·7	25·8	24·7
Belfast	27·5	31·1	41·7	33·1	33·3	Newry	8·7	34·9	13·1	30·5	21·8
Clonmel	10·1	35·5	30·4	15·2	22·8	Newtownards	17 2	34·3	34·3	34·3	30·0
Cork	26·5	19·7	23·8	26·5	24·1	Portadown	17·8	13·3	31·1	8·9	17·8
Drogheda	12·6	21·0	33·6	16·8	21·0	Queenstown	13·2	6·6	6·6	6·6	8·3
Dublin Reg. Area ...	23·5	22·4	26·6	23·9	24·1	Sligo	14·0	4·7	23·4	14·0	14·0
Dundalk	15·9	7·9	27·8	35·7	21·8	Tralee	5·3	15·9	15·9	5·3	10·6
Galway	7·9	27·5	43·3	7·9	21·7	Waterford	13·3	15·2	20·9	30·4	20·0
Kilkenny	·	19·8	39·7	29·8	22·3	Wexford	4·6	27·3	22·8	31·9	21·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·9 in Armagh, the 6 deaths from all causes for that district including one from whooping-cough. Among the 248 deaths from all causes for Belfast are 2 from enteric fever, 17 from whooping-cough, and one from *enteritis* of a child under 2 years of age. Included among the 39 deaths from all causes for Cork are 4 from measles and 2 from whooping-cough. Of the 16 deaths from all causes for Limerick one is from scarlet fever. Among the 16 deaths from all causes for Waterford are 2 from diarrhœa or *enteritis* of children under 2 years of age. One of the 2 deaths recorded for Galway is from scarlet fever, and of the 6 deaths from all causes for Kilkenny one is from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 239—122 boys and 117 girls—and the deaths to 197—100 males and 97 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·9 per 1,000 of the population. During the seven weeks ending with Saturday last the death-rate averaged 23·7, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 197, represent an annual rate of 25·3 per 1,000 ; the annual rate for the past seven weeks was 25·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The 197 deaths registered include 3 from measles, one from each of whooping-cough and diphtheria, 4 from influenza, and 4 from diarrhœa or *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from measles were 3, 2, and 4 ; deaths from whooping-cough were 4, one, and 5 ; deaths from diphtheria were one, 2, and 3 ; deaths from influenza were 2 , 2, and one ; and deaths from diarrhœa or *enteritis* of children under 2 years of age were one, 2, and 3.

There were 27 deaths from tuberculous disease, comprising 22 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of vertebral column and one from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 37, 31, and 28 deaths respectively.

Broncho-pneumonia caused 15 deaths, lobar pneumonia one death, and *pneumonia* (type not distinguished) 13 deaths.

Convulsions caused the deaths of 7 children, all of whom were under 2 years of age.

There were 12 deaths from organic diseases of the heart, and bronchitis caused 36 deaths.

The deaths of 5 infants were ascribed to premature birth, 3 to congenital malformations, and 2 to congenital debility.

There were 7 accidental deaths registered, including 2 (of children under 5 years of age) from scalds, one by a railway accident, and one by being run over by a horse and float.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one month old, and the deaths of 2 persons aged 65 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 15 were under one month old) and 51 were aged 65 years and upwards, including 35 persons aged 70 and upwards ; among the latter were 23 aged 75 years and upwards, of whom 2 (a male and a female) were stated to have been aged 91 and 92 years respectively.

Ninety-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 19 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·9 per 1,000 ; the rate in the City was 25·9 (North City Districts, 27·1 ; South, 24·7) and in the Suburbs, 17·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·3 (1·0 in the North City Districts, and 1·7 in the South), and for the Suburbs, 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·7 per 1,000, and include one from measles, one from influenza, one from disseminated tuberculosis, 2 from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), 5 from bronchitis, and one by a railway accident.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·9 per 1,000. Of the total, 2 were from influenza, 3 from pulmonary tuberculosis, 4 from broncho-pneumonia, and 4 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·7 per 1,000, and include one death of a child under 2 years of age from diarrhœa, one from tuberculous meningitis, one from *pneumonia* (type not distinguished), 5 from bronchitis, and one from accidental scalds.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 23·2 per 1,000. Included in the total are one from diphtheria, 4 from pulmonary tuberculosis, one from lobar pneumonia, one from *pneumonia* (type not distinguished), 3 from bronchitis. and one from accidental scalds.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 22·3 ; and Finglas and Glasnevin, part of, 6·7. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one was from *pneumonia* (type not distinguished) and one from bronchitis ; and of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from *pneumonia* (type not distinguished), and one accidental death.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·3 per 1,000, and include one from measles, 2 from pulmonary tuberculosis, one from broncho-pneumonia, 7 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·1 per 1,000. Included in the total are one from influenza, 3 from pulmonary tuberculosis, and one from *pneumonia* (type not distinguished).

No. 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 31·2 per 1,000. Measles and whooping-cough each caused one death, pulmonary tuberculosis caused 5 deaths, broncho-pneumonia 4 deaths, *pneumonia* (type not distinguished) one death, and bronchitis 7 deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·3 per 1,000, and include one death of a child under 2 years of age from *enteritis*, one from pulmonary tuberculosis, one from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), one from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000, and include one death of a child under 2 years of age from *enteritis* and one from tuberculous disease of mesentery.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·7 ; Pembroke, 15·8 ; Blackrock, 5·7 ; and Kingstown, 30·3. The only death from any of the principal epidemic diseases tabulated for these districts was one of a child under 2 years of age from diarrhœa for Rathmines and Rathgar. Of the 11 deaths from all causes for Rathmines and Rathgar one was from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one from bronchitis. Included in the 9 deaths from all causes for Pembroke are 3 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis. Among the 10 deaths from all causes for Kingstown are 2 from tuberculous disease, one from broncho-pneumonia, and 2 from *pneumonia* (type not distinguished).

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 17th February, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Jan. 27,	.	—	—	8	.	.	7	.	2	5	10	.	—	—	.	—	12	—	44
	Feb. 3,	.	—	—	16	.	.	8	.	1	7	9	.	—	—	.	—	15	—	56
	Feb. 10,	.	—	—	15	2	.	9	.	1	4	10	.	—	—	.	—	7	—	48
	Feb. 17,	.	—	—	12	1	.	6	.	2	2	9	.	—	—	.	—	11	—	43
Rathmines and Rathgar Urban District.	Jan. 27,	.	—	—	4	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
	Feb. 3,	.	—	—	3	.	.	1	.	.	.	.	1	—	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 17,	.	—	—	18	.	.	1	.	.	.	1	.	—	—	—	—	—	—	20*a*
Pembroke Urban District.	Jan. 27,	.	.	4	3	.	.	.	.	.	.	.	.	.	.	—	—	.	—	7
	Feb. 3,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	—	—	.	—	4
	Feb. 10,	.	.	.	.	.	.	4	.	.	.	.	.	2	.	—	—	.	—	6
	Feb. 17,	.	1	.	2	.	.	3	.	.	.	.	.	.	.	—	—	.	—	6
Blackrock Urban District.	Jan. 27,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Jan. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Feb. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
City of Belfast.	Jan. 27,	.	—	—	12	.	.	10	.	2	3	8	.	—	—	—	—	12	—	47
	Feb. 3,	.	—	—	6	.	.	6	.	1	5	3	.	—	—	—	—	7	—	28
	Feb. 10,	.	—	—	11	.	.	5	1	.	.	3	.	—	—	—	—	9	—	29
	Feb. 17,	.	—	—	7	.	.	1	.	1	1	3	.	—	—	—	—	10	—	23

(*a*) Not including one case of measles.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th February, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Sixteen cases of measles were admitted to hospital during the week, 50 were discharged, there were 9 deaths, and 75 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 46, 93, and 118 respectively.

Twenty-five cases of scarlet fever were admitted to hospital, 29 were discharged, and 130* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 128, 135, and 134, respectively.

Three cases of typhus remained under treatment in hospital at the close of the week.

Twelve cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 70, 66, and 71, respectively, were 66 at the close of last week.

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 46 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 46, 50, and 50.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 5 were discharged, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 18·0) was equal to an average annual death-rate of 18.6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 22·1 per 1,000, the rate for Glasgow being 25·7, and for Edinburgh 22·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th February. From this Report it appears that of a total of 57 cases notified, 25 were phthisis, 12 scarlet fever, 12 diphtheria, 7 erysipelas, and one enteric fever. Among the 383 cases of infectious diseases in hospital at the close of the week were 118 cases of measles, 112 of scarlet fever, 56 of phthisis, 47 of diphtheria, 20 of whooping-cough, 10 of erysipelas, 8 of enteric fever, and 3 of chicken-pox.

*See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 17th February, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 17th February, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 17th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ..	1,157,014	20·3	30·6	26·6	1·9	679	590	127	141	2	...	...	8	2	21	1	...	52	20	13	92	120	8	...	14	15	181	20	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	30·7	23·9	1·2	239	186	34	48	...	...	...	3	...	1	1	...	22	5	4	29	38	4	...	6	3	80	8	e57·0	24·0	42·9	0·20	e54·0	27·0	41·1	0·47	e43·0	17·0	30·6	0·05
City of Dublin,	311,601	39·4	33·8	25·9	1·3	202	155	27	38	...	...	...	3	...	1	1	...	18	3	3	23	36	3	...	6	3	69	7	f55·2 g56·8	32·0 24·0	44·9 43·3	0·19 0·16	f51·0 g52·5	28·3 28·4	41·1 41·2	1·17 0·79	f41·1 g42·0	23·8 20·0	33·3 32·4	0·12 0·06
Urban Districts. Rathmines and Rathgar.	38,889	22·7	16·1	14·7	1·3	12	11	3	2	...	...	...	...	...	...	...	...	1	...	...	2	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,693	18·7	24·6	15·8	.	14	9	1	4	...	...	...	...	...	...	...	...	2	1	1	1	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	5·7	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	21·2	30·3	.	7	10	3	3	...	...	...	...	...	...	...	...	1	1	...	3	...	...	...	...	...	4	1	53	33	43·9	0·41	51	27	40·8	1·77	43	25	34·5	0·00
Urban Districts. Belfast ...	391,051	26·6	30·5	33·1	2·7	229	248	69	44	2	...	...	...	...	17	...	...	20	9	1	54	55	1	...	6	11	58	2	52·8	31·0	42·9	0·41	49·0	21·2	36·5	1·03	43·0	30·5	36·4	0·04
Cork, ...	76,032	33·8	42·9	26·5	4·1	63	39	6	11	...	...	...	4	...	2	...	...	3	2	1	2	9	...	...	1	...	9	1	51	39	45·8	0·83	49	25	42·3	1·33	45	25	36·6	0·09
Londonderry ...	40,912	18·9	33·1	16·6	.	26	13	3	3	...	...	...	...	...	...	...	...	1	...	...	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	20·4	21·7	1·4	15	16	...	7	...	...	...	...	1	...	...	...	2	...	3	...	3	...	...	...	...	6	3	54·6	32·4	41·5	0·27	52	22·8	41	0·42	41·8	25·8	31·2	0·00
Waterford, ...	27,430	19·1	24·7	30·4	3·8	13	16	3	4	...	...	...	...	...	...	...	...	...	...	2	1	1	2	...	...	...	5	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	23·6	7·9	3·9	6	2	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	2	...	55	34	44	0·45	53	21	40	0·41	40	17	32	0·00
Dundalk, ...	13,128	9·5	23·8	35·7	.	6	9	2	3	...	...	...	...	...	...	...	...	1	1	...	3	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	37·8	16·8	.	9	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	4·4	30·5	.	1	7	2	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	2	...	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10
Lurgan, ...	12,135	14·3	43·0	25·8	.	10	6	4	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	1	...	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10
Lisburn, ...	12,172	10·7	4·3	25·7	.	1	6	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10
Wexford, ...	11,455	23·8	27·3	31·9	.	6	7	1	5	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	96·3	13·8	4·6	21	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	14·0	14·0	.	3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56·0	29·0	42·0	0·40	53·0	16·0	37·0	0·65	44·0	15·0	30·1	0·08
Kilkenny, ...	10,513	11·4	24·8	29·8	5·0	5	6	...	2	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	56	28	43·8	0·35	51	15	39·7	1·13	43	13	29·8	0·02
Clonmel, ...	10,277	7·9	15·2	15·2	.	3	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	48·9	8·9	.	11	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10
Tralee, ...	9,867	16·6	26·4	5·3	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	11·4	34·3	.	2	6	...	3	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	1	50	37	43·2	0·23	50	29	39·7	0·90	44	27	35·8	0·00
Queenstown, ...	7,909	14·4	13·2	6·6	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51	39	45·8	0·83	49	25	42·3	1·33	45	25	36·6	0·09
Armagh. ...	7,588	22·2	20·6	41·2	6·9	3	6	...	2	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	3	1	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63	42·8	20·7	32·2	0·10

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including 2 under 1 year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of February, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, — Pulmonary Tuberculosis,	.	3	.	4	.	.	.	2	3	5	1	.	1	2	.	1	22	.
Tuberculous Disease, — Other Forms,	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.
Cancer,	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	4	1
Diseases of Nervous System,	1	1	2	.	.	1	.	3	2	1	2	.	3	1	.	5	22	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	1	.	.	.	.	3	.	2	1	.	1	1	.	.	12	1
" Respiratory System. — Pneumonia,	4	4	1	2	1	1	.	1	1	5	3	.	2	1	.	3	29	.
" Respiratory System. — Others,	7	5	5	3	1	.	.	7	.	7	1	.	1	1	.	.	38	1
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	.	1	.	.	.	.	.	.	.	1	1	1	.	.	.	4	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	1	.	2	1	.	.	.	1	.	1	1	1	.	1	.	.	9	.
" Genito-urinary System,	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	4	3
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	2	2	.	1	1	1	.	2	3	.	1	.	.	.	18	4
Violent Deaths,	1	.	1	1	.	1	.	1	.	.	1	.	.	.	.	.	6	1
Ill-defined, &c. Causes,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	3	.
Deaths from All Causes	20	23	17	15	2	5	1	21	8	26	14	3	11	9	1	10	186	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·7	29·9	28·7	23·2	19·3	22·3	6·7	26·3	19·1	31·2	20·3	17·2	14·7	15·8	5·7	30·3	23·9	.
	27·1							24·7					17·0					
	25·9																	
Ages at Death. — Under 1 year,	1	7	6	3	.	.	1	3	.	3	2	1	3	1	.	3	34	2
1 and under 2 years,	2	1	.	1	.	1	.	1	.	.	.	1	.	.	.	.	7	.
2 " 5 "	.	1	2	1	.	.	.	2	1	4	.	.	.	.	.	.	11	.
5 " 15 "	2	1	1	2	.	.	.	1	.	.	1	.	.	.	.	.	8	1
15 " 25 "	.	.	.	1	1	.	.	1	1	2	1	.	1	.	.	2	10	.
25 " 45 "	1	4	.	1	.	.	.	2	.	4	1	.	.	.	.	1	14	2
45 " 65 "	8	5	2	4	.	1	.	5	4	10	5	.	5	4	.	1	54	3
65 and upwards,	6	4	6	2	1	3	.	6	2	3	4	1	2	4	1	3	48	3
Number of Uncertified Deaths,	1	1	2	1	.	.	.	2	.	.	.	.	.	.	.	1	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	4	6	.	1	.	4	2	7	6	.	5	.	.	.	42	9
Workhouse Hospitals,	3	4	6	4	.	1	.	6	1	5	2	.	.	2	.	4	38	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 7th Week of the 10 years 1902–1911.	In the Week ending Saturday, 17th February, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 29·9	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 46·4	° 41·0	° 42·9										
ALL CAUSES.	200	161	223	175	149	239	194	211	211	208	197·1	197	15	21	7	11	9	10	16	57	28	23
Enteric Fever, ...	2	1	3	3	.	.	.	1	.	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	6	1	2	.	3	1	4	.	2	2·2	3	.	.	1	2	.	.	.	.	.	.
Scarlet Fever, ...	2	5	.	.	.	.	.	1	2	6	1·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	3	9	1	.	4	1	2	1	6	3·0	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	3	1	1	.	1	1	2	.	3	1·2	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	1	.	.	1	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	5	5	3	2	9	13	.	2	5	4·7	4	.	.	.	.	.	.	.	2	1	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	.	1	1	.	3	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	2	.	.	1	.	1	2	·8	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	21	27	28	23	27	29	28	19	22	25·1	22	.	1	1	.	1	7	7	5	.	.
Tuberculous Meningitis, ...	1	3	.	2	2	2	2	6	2	4	2·4	1	.	.	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	3	2	2	1	4	1	6	1	2·2	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	.	.	.	.	1	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	5	3	4	8	6	7	9	8	6	.	5·9	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	1	3	1	1	2	1	1	.	1·0	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	6	4	5	6	6	6	7	11	8	4	6·3	5	.	.	.	.	.	.	.	4	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	4	.	1	.	.	1	.	1	·9	2	.	.	.	.	.	.	.	2	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	5	.	.	.	.	.	.	.	4	1	.
Alcoholism, ...	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		2	.	.	.	.	1	.	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										11		9	.	.	.	.	.	.	1	2	2	4
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										5		2	.	.	.	.	.	.	.	1	1	.
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		7	2	4	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	40	48	47	36	58	39	43	52	6	44·7	2	.	.	.	.	.	.	.	1	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										14		12	.	.	.	.	.	.	.	7	2	3
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	33	14	38	18	25	36	23	33	37	43	30·0	36	.	2	1	1	.	.	2	12	13	5
Broncho-pneumonia, ...		1	7	4	5	8	8	7	15	6		15	2	5	1	3	.	.	.	3	1	.
Lobar-pneumonia, ...	13	.	1	.	2	4	1	.	1	.	13·8	1	.	1	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)		7	8	7	4	7	4	5	4	9		13	1	.	.	1	.	3	1	5	1	1
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy.	2	3	5	3	1	4	6	9	4	1	3·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	.	2	.	.

SEVENTH WEEK ending Saturday, 17th February, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										7th Week of the 10 years 1902–1911.	In the Week ending Saturday, 17th February, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 15, 1902.	Feb. 21, 1903.	Feb. 20, 1904.	Feb. 18, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Averages in Week of the 10 years 1902–1911.	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 29·9	° 46·9	° 37·7	° 45·5	° 36·4	° 40·4	° 44·7	° 39·5	° 42·3	° 46·4	° 41·0	° 42·9										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	4	.	1	.	.	.	.	1	1	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	3	1	7	2	2	3	5	3	6	3	3·6	4	1	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	.	1
Cirrhosis of Liver, ...	2	.	.	.		.	2		2	2	2·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		6	1	3	1	.	.	.	.	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	.	1	.	.	1	.	.	·3	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Digestive System.	4	3	4	3	1	9	4	7	2	1	3·8	2	.	.	.	.	1	.	.	.	.	1
Acute Nephritis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										3		5	.	.	.	.	.	.	1	3	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	7	4	5	8	8	4	4	9	.	5·9	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	1	.	2	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	1	.	.	.	.	.	.	.	.
Premature Birth, ...	7	1	5	2	1	6	6	4	4	1	3·7	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	2	2	.	.	.	.	.	.	.	.	.
Old Age, ...	11	3	10	6	5	9	6	7	6	4	6·7	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	.	1	.	.	4	1	3	2	1	1·5	2	.	.	.	2	.	.	.	.	.	.
Drowning, ...	2	2	.	.	.	1	1	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	2	.	.	.	2	.	4	1	1·1	3	.	.	.	.	.	.	.	1	2	.
Total Deaths from Accident,	7	3	3	.	.	5	4	5	6	2	3·5	7	.	.	.	3	.	.	1	1	2	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	4	—	3	.	.	.	.	.	.	.	.	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Aug. 26.	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered.	218	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239
Average Births in corresponding week of previous 10 years, ...	216	207	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211
DEATHS registered, ...	162	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197
Annual Death-rate per 1,000, ...	20·9	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3
Average Deaths in corresponding week of previous 10 years, ...	162	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197
Ages, Under 5 years, ...	80	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54
5—15 „ ...	8	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9
15—25 „ ...	7	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10
25—45 „ ...	19	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16
45—65 „ ...	28	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57
65—75 „ ...	9	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28
75 and upwards, ...	11	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23
Deaths from :—																										
Enteric Fever, ...	1	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.
Typhus, ...	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3
Scarlet Fever, ...	1	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.
Whooping-cough, ...	6	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1
Diphtheria, ...	5	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1
Influenza, ...	.	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	15	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22
Tuberculous Disease, Other Forms,	4	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5
Cancer, ...	6	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5
Diseases of Circulatory System,	8	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12
Diseases of Respiratory System, Pneumonia,	6	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29
Diseases of Respiratory System, Others, ...	7	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39
Diarrhœa and *Enteritis*, under 2 years, ...	38	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4
Diarrhœa, 2 years and upwards,	10	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.
Violent Deaths, ...	5	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7
Number of Uncertified Deaths,	7	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8
Mean Temperature of the Air (Phœnix Park)	59·7	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9
Average Mean Temperature in corresponding week of previous 10 years, ...	56·5	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0
Rainfall in inches, ...	·338	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th February, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH FEBRUARY, 1912.																													
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	197	54	9	10	16	57	28	23	.	.	.	3	.	1	1	.	22	5	5	7	29	39	4	.	7	74	8
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	22·7	38	8	.	3	4	10	7	6	.	.	.	1	.	.	.	.	5	1	3	.	5	2	.	.	1	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	11·8	25	3	2	1	.	14	4	1	.	.	.	.	.	.	.	.	2	.	2	1	2	6	.	.	1	11	.
IV.	GENERAL SERVICE CLASS, ...	154,279	30·4	90	39	5	4	8	22	6	6	.	.	.	2	.	.	1	.	10	2	.	5	19	16	4	.	5	26	8
V.	INMATES OF WORKHOUSES, ...	6,024	—	40	4	2	2	4	10	10	8	.	.	.	.	.	1	.	.	5	2	.	1	3	15	.	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	27·4	16	4	.	2	2	3	4	1	.	.	.	.	.	.	.	.	3	.	2	.	4	1	.	.	1	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	30·9	16	2	.	1	1	5	3	4	.	.	.	1	.	.	.	.	1	.	1	.	.	1	.	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	.	1	1	.	7	2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	3	.	.	.	5	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	3	1	.	.	4	2	1	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	1	4	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	23·3	6	1	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.
	15. Domestic Servants, ...	36,603	5·7	4	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	3	.	.	1	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	40·6	70	32	5	4	7	16	4	2	.	.	.	2	.	.	1	.	10	2	.	4	15	13	3	.	3	17	7
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	40	4	2	2	4	10	10	8	.	.	.	.	.	1	.	.	5	2	.	1	3	15	.	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS'-DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Dec. 30,	17·5	3·5	10	.	.	.	1	.	1	.	.	1	1	.	1	1	.	.	.	.
	Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
	„ 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
	„ 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
	„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Dec. 30,	10·5	1·3	8	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	.
	Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
	„ 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb. 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
	„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Dec. 30,	27·2	.	16	.	.	.	.	.	.	.	.	4	1	.	.	4	.	.	.	.
	Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
	„ 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
	„ 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
	„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Dec. 30,	20·2	3·1	13	1	.	.	.	.	.	1	.	3	2	.	1	.	.	.	1	.
	Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
	„ 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
	„ 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
	„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Dec. 30,	26·4	3·8	21	.	.	.	.	.	1	1	.	2	.	1	2	2	1	.	1	.
	Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
	„ 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
	„ 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
	„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Dec. 30,	33·6	.	14	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	1	1
	Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
	„ 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Dec. 30,	24·2	1·2	20	.	.	.	1	.	.	.	.	5	.	.	3	.	.	.	.	1
	Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
	„ 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
	„ 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
	„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Dec. 30,	18·9	1·5	13	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	2
	Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
	„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	„ 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
	„ 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
	„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1911-2. Week ending	Annual Rate of Mortality per 1,000. Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Dec. 30,	17·7	2·7	13	.	.	.	1	.	1	.	.	1	.	1	1	1	.	.	.	.
	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
Pop. in 1912 (Est.) 38,889.	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
Pembroke Urban District.	Dec. 30,	8·9	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
Pop. in 1912 (Est.) 29,693.	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
Kingstown Urban District.	Dec. 30,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Pop. in 1911 17,227.	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
Belfast.	Dec. 30,	16·9	1·8	125	.	.	.	.	5	3	2	.	10	6	2	8	13	3	.	.	2
	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
Pop. in 1912 (Est.) 391,051.	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
Cork.	Dec. 30,	21·1	.	31	.	.	.	.	.	.	.	.	5	1	1	2	5	.	.	.	3
	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
Pop. in 1911 76,632.	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
Londonderry.	Dec. 30,	14·1	.	11	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	.
	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
Pop. in 1912 (Est.) 40,912.	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
Limerick.	Dec. 30,	20·4	.	15	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	6
	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
Pop. in 1911 38,403.	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
Waterford	Dec. 30,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
Pop. in 1911 27,430.	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th February, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	6			10	5	2	.	.	1	2	.	.	.	.	.	2	.	.	.	.	.	2	3	.	.	.	1	1	.
Do. 2 do.		29			35	10	4	4	5	4	8	.	.	.	.	.	.	.	.	5	.	.	7	9	.	.	.	2	3	.
Do. 3 do.		30			38	8	7	6	6	7	4	2	.	.	.	.	1	.	.	3	1	.	7	10	.	.	1	2	9	1
Do 4 do.		28			28	7	7	.	4	4	6	.	.	.	.	.	3	.	.	1	1	.	9	4	.	.	.	.	11	.
Do. 5 do.		7			20	7	5	1	1	5	1	.	.	.	.	.	4	.	.	1	3	1	5	3	.	.	1	1	5	.
Do. 6 do.		20			15	5	1	.	3	3	3	.	.	.	.	.	.	.	.	.	.	.	4	4	.	.	1	1	1	.
Do. 7 do.		2			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 8 do.		.			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 9 do.		13			17	3	6	.	2	3	3	.	.	.	.	.	4	.	.	1	.	.	2	3	.	.	.	.	3	.
Do. 10 do.		15			11	4	.	4	1	2	.	.	.	.	.	.	.	.	.	2	.	.	3	1	1	.	1	1	4	.
Do. 11 do.		22			18	4	2	1	3	4	4	.	.	.	.	.	2	.	.	1	1	.	4	5	.	.	.	.	6	1
Do. 12 do.		30			19	2	2	4	4	2	5	.	.	.	.	.	.	.	.	2	3	.	3	7	.	.	1	1	7	.
Do. 13 do.		9			10	2	1	.	.	5	2	.	.	.	.	.	1	.	.	1	.	.	3	1	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		18			24	10	.	2	3	3	6	.	.	.	.	.	.	.	.	3	.	.	5	3	.	.	.	1	7	.
Total,	—	229			248	69	38	22	32	43	44	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	11	58	2
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	10			4	1	.	1	.	1	1	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 2 do.		7			9	2	4	1	.	2	.	.	.	.	2	.	1	.	.	1	.	.	.	1	.	.	.	.	.	1
Do. 3 do.		12			3	.	3	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
Do. 4 do.		6			6	1	1	1	.	1	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Do. 5 do.		4			3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 6 do.		11			6	2	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
Do. 7 do.		13			8	.	1	.	1	3	3	.	.	.	.	.	.	.	.	.	.	1	.	4	.	.	1	.	4	.
Total,	—	63	26·5	4·1	39	6	9	3	1	9	11	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	.	9	1

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Aug. 26.	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.	Feb. 17.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7
BIRTHS registered, ...	220	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229
DEATHS registered, ...	132	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248
Annual Death rate per 1,000 of estimated population, ...	17·8	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1
AGES; Under 1 year, ...	36	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69
1—5 years, ...	8	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38
5—25 „ ...	18	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22
25—45 „ ...	19	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32
45—65 „ ...	31	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43
65 and upwards, ...	20	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44
Deaths from :—																										
Enteric Fever, ...	2	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.
Whooping-cough, ...	1	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17
Diphtheria, ...	.	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20
Tuberculous Disease. Other Forms,	5	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9
Cancer, ...	1	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1
Diseases of Respiratory System, Pneumonia,	3	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54
Diseases of Respiratory System, Others, ...	5	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55
Diarrhœa, and *Enteritis*, under 2 years, ...	28	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1
Diarrhœa, 2 years and upwards,	5	3	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.
Violent Deaths, ...	4	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6
Number of Uncertified Deaths, ...	2	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Feb. 17,	2,359	1,564	18·0	3	.	11	2	20	6	16*a*
Edinburgh, ...	321,200	„ 17,	128	139	22·6	.	.	4	.	1	.	4
Glasgow, ...	785,600	„ 17,	432	387	25·7	2	.	42	1	3	3	4
Calcutta, ...	890,493	Jan. 13,	.	529	30·8	116*	.	.	.	3	.	93‡
Bombay, ...	977,822	„ 13,	452	805	42·8	90*	11	8	.	.	.	141‡
Madras, ...	509,346	Dec. 23,	385	545	42·5	117*	2	1	?	?	?	117‡
Cairo, ...	693,806	„ 23,	661	414	31·1	2	1	.	.	.	10†	49*a*
Paris, ...	2,846,986	Jan. 20,	962	961	18·2	10	1	14	3	7	5†	12*a*
Brussels, ...	705,295	„ 27,	262	238	17·5	2	.	10	1	.	.	15
Antwerp, ...	320,640	„ 27,	120	86	14·0	.	.	.	.	.	.	1*a*
Amsterdam, ...	580,962	„ 27,	254	153	13·7	.	.	2	.	6	1	1*a*
Copenhagen, ...	465,000	„ 27,	226	144	16·1	.	.	1	.	2	.	2
Stockholm, ...	343,832	„ 27,	138	102	15·4	.	.	2	2	2	2	1
Christiania, ...	244,038	Feb. 3,	111	57	12·2	1	.	.	.	.	2	3
St. Petersburg, ...	1,599,139	Jan. 13,	748	699	22·8	8	2	27	13	7	7	48
Moscow, ...	1,493,600	„ 13,	.	806	28·1	3	2	37	16	6	20†	63
Berlin, ...	2,081,214	„ 13,	873	685	17·2	1	.	5	6	3	14†	17
Hamburg, ...	953,079	„ 27,	.	322	17·6	1	.	2	3	3	11†	20*a*
Breslau, ...	523,079	„ 27,	..	224	22·3	.	.	.	1	3	2	16
Munich, ...	610,000	Feb. 3,	.	182	15·6	.	.	3	.	.	2†	6
Vienna (with suburbs),	2,064,583	Jan. 27,	687	714	18·0	1	.	10	3	4	2†	22*a*
Buda-Pesth, ...	911,891	„ 27,	484	365	20·8	.	.	7	8	3	7†	12*a*
Prague and Faubourgs,	508,310	„ 13,	174	187	19·2	.	.	20	2	.	2†	5*a*
Trieste, ...	233,599	„ 27,	176	117	26·1	.	.	3	.	2	.	1*a*
Rome, ...	551,749	Nov. 4,	241	150	14·2	2	.	.	.	.	1	12
		„ 11,	285	208	19·7	9	.	.	.	1	2	17
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,580,250	Dec. 30,	.	541	17·8	6	.	1	4	1	16†	16
		Jan. 6,	.	536	17·4	11	.	.	2	.	13	6
Boston	720,031	„ 27,	.	233	16·9	1	.	1	.	1	8	3

* Deaths from "fever," including 8 deaths from enteric fever, and 12 from plague in Calcutta, 3 from enteric fever, and 7 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 28 deaths from cholera in Calcutta, 44 in Bombay, and 59 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending February 17th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	1	3
„ „ 1, West, ...	.	1	.	.	.	.	.	.	1	.	.	1	3
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 3, ...	.	.	.	.	1	.	1	.	5	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1, ...	.	2	.	.	2	.	.	.	2	.	.	7	13
„ „ 2, ...	.	.	1	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	6	.	.	1	.	1	.	.	.	.	2	10
„ „ 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
Total, ...	.	12	1	.	6	.	2	2	9	.	.	11	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th February, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th February.			
	Jan. 27.	Feb. 3.	Feb. 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	46	93	118	16	50	9	75
Scarlet Fever, ...	128	135	134	25	29	.	130*
Typhus, ...	.	.	3	.	.	.	3
Diphtheria, ...	70	66	71	12	15	2	66
Enteric Fever, ...	46	50	50	2	6	.	46
Pneumonia, ...	13	20	22	13	5	.	30

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 17th February, 1912:—

"During the early days of this week, the British Isles were under the influence of an atmospheric depression, which was centred near the Scilly Islands on Sunday morning with the barometer down to 28·79 inches at St. Mary's. Fresh easterly winds and clouded skies prevailed in Ireland; but, notwithstanding, temperature ruled rather above than below the average. The disturbance scarcely moved during the ensuing 24 hours, but it lessened considerably in intensity, for at 7 a.m. of Monday the barometer read 29·16 inches at St. Mary's. A 'secondary' depression, developing at this time over the south of England, caused abundant rainfalls in that region, but the weather continued dry on the shores of St. George's Channel. The main depression subsequently moved in an east-north-easterly direction to Belgium, which country its centre reached on Wednesday morning. Its northerly wind caused a great dip in temperature in Leinster in the course of Tuesday night, the thermometer falling in the City of Dublin to 32° in the screen and 29° on the ground. Already on Wednesday morning gradients for S. and S.W. winds had become established in Ireland, and the remainder of the week witnessed the passage north-eastwards across the British Isles of a series of atmospheric depressions of no great energy. This state of things brought mild, cloudy, changeable weather—of an equatorial or oceanic type—to these islands as well as to Iceland and Norway. In Sweden, on the other hand, sharp frosts were experienced up to Saturday. In Dublin the mean height of the barometer was 29·753 inches, the range of atmospheric pressure being from 29·205 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·961 inches at 9 a.m. of Wednesday (wind, E.S.E.). The mean temperature was 44·9°, the mean reading of the dry bulb thermometer at 9 a.m. and 9 p.m. being 44·3°. On Wednesday the screened thermometers fell to 32·0°, next day they rose to 55·2°. Southerly winds were in the ascendant. Rain fell on 2 days, but to the amount of only ·192 inch, of which ·184 inch was measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·769 inches. The highest reading (29·973) was on Thursday at 9 p.m., air calm, the lowest (29·216) on Sunday at 9 a.m., wind N.E.

The mean temperature for the week was 42·9°, being 1·9° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Thursday, on which day the thermometer registered 57·0°, and was lowest on Wednesday, the mercury having fallen to 24·0°. The mean of the Dry Bulb for the week was 42·2° and of the Wet Bulb, 41·8°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·200 inch.

At Greenwich the mean temperature for the week was 45·5°, the maximum 58·0°, and the minimum 38·1°; at Glasgow the maximum was 51·1°, the minimum 29·1°, and the mean 40·7°; and at Edinburgh the maximum was 52·5°, the minimum 33·6°, and the mean 40·5°. The rainfall at Greenwich measured 0·44 in.; at Glasgow, 0·46 in.: and at Edinburgh, 0·34 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 11,	29·300	45·0	44·0	44·5	42·7	41·0	·87	·0	0·0	·000	N.E.	N.N.E.
Monday, „ 12,	29·615	46·0	41·0	43·5	42·9	41·4	·89	·6	0·0	·000	N.N.E.	N.
Tuesday, „ 13,	29·870	46·0	34·0	40·0	37·1	46·3	·93	·2	0·9	·000	N.W.	Calm.
Wednesday, „ 14,	29·965	49·0	24·0	36·5	36·4	33·1	·88	·5	2·8	·000	Calm.	E.S.E.
Thursday, „ 15,	29·880	57·0	36·0	46·5	43·7	41·8	·87	·6	3·3	·000	S.	Calm.
Friday, „ 16,	29·845	54·0	33·0	43·5	48·8	46·4	·84	·6	0·0	·000	S.S.E.	S.S.W.
Saturday, „ 17,	29·905	52·0	40·0	46·0	44·1	42·3	·88	·2	0·7	·200	S.S.W.	Calm.
Mean, ...	29·769	49·9	36·0	42·9	42·2	41·8	·88	·4	Total 7·7	Total ·200	—	

Sunday—Day overcast; night overcast. *Monday*—A dull day; night overcast. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day overcast; night cloudy. *Saturday*—A dull day; night overcast, rain from 4.0 a.m to 9.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rain fall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 17th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 11,	42·4	41·2	42·2	47·0	40·3	43·7	—	—
Monday, „ 12,	44·5	41·5	42·5	46·9	41·2	44·1	—	—
Tuesday, „ 13,	38·3	41·7	42·7	45·0	31·6	38·3	0·2	—
Wednesday, „ 14,	42·0	40·6	42·9	49·1	29·0	39·1	3·9	—
Thursday, „ 15,	49·5	41·2	43·1	57·0	42·1	49·6	2·9	—
Friday, „ 16,	47·2	42·0	43·1	55·0	39·5	47·3	—	—
Saturday, „ 17,	47·9	43·0	43·3	53·1	43·0	48·1	—	·180
Weekly Mean,	44·5	41·6	42·8	50·4	38·1	44·3	Total 7·0	Total ·180

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31933. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 24TH FEBRUARY, 1912. [No. 8

General Register Office, Charlemont House,
Dublin, 26th February, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 3	Week ending Feb. 10	Week ending Feb. 17	Week ending Feb. 24	Average Rate for 4 weeks.
22 Town Districts, ...	**24·6**	**31·0**	**26·6**	**24·6**	**26·7**
Armagh	20·6	20·6	41·2	6·9	22·3
Ballymena	32·1	22·9	13·8	9·2	19·5
Belfast	31·1	41·7	33·1	26·9	33·2
Clonmel	35·5	30·4	15·2	20·3	25·4
Cork	19·7	23·8	26·5	24·5	23·6
Drogheda	21·0	33·6	16·8	25·2	24·2
Dublin Reg. Area ...	22·4	26·6	23·9	23·3	24·1
Dundalk	7·9	27·8	35·7	27·8	24·8
Galway	27·5	43·3	7·9	43·3	30·5
Kilkenny	19·8	39·7	29·8	29·8	29·8
Limerick	25·8	17·7	21·7	23·1	22·1
Lisburn	12·9	25·7	25·7	25·7	22·5
Londonderry	12·7	20·4	16·6	12·7	15·6
Lurgan	21·5	38·7	25·8	12·9	24·7
Newry	34·9	13·1	30·5	30·5	27·2
Newtownards	34·3	34·3	34·3	34·3	34·3
Portadown	13·3	31·1	8·9	13·3	16·7
Queenstown	6·6	6·6	6·6	19·8	9·9
Sligo	4·7	23·4	14·0	14·0	14·0
Tralee	15·9	15·9	5·3	15·9	13·3
Waterford	15·2	20·9	30·4	38·0	26·1
Wexford	27·3	22·8	31·9	31·9	28·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·1 in Clonmel, the 4 deaths from all causes for that district including one from measles. Among the 202 deaths from all causes for Belfast are 9 deaths from whooping-cough and one from diarrhœa or *enteritis* of a child under 2 years of age. One of the 11 deaths from all causes for Galway was from diphtheria, and of the 7 deaths from all causes for Dundalk one was from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—96 boys and 90 girls—and the deaths to 194—102 males and 92 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·3 per 1,000 of the population. During the eight weeks ending with Saturday last the death-rate averaged 23·6, and was 1·8 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 194, represent an annual rate of 24·9 per 1,000 ; the annual rate for the past eight weeks was 25·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

The 194 deaths registered include one from each of enteric fever and diphtheria, 2 from each of measles and scarlet fever, 4 from whooping-cough, 2 from influenza, and 2 deaths from diarrhœa of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were one, one, and 0 ; deaths from measles were 2, 4, and 3 ; deaths from scarlet fever were 2, one, and 0 ; deaths from whooping-cough were one, 5, and one ; deaths from diphtheria were 2, 3, and one ; deaths from influenza were 2, one, and 4 ; and deaths from diarrhœa or *enteritis* of children under 2 years of age were 2, 3, and 4.

Deaths from tuberculous disease, which were 31, 28, and 27 in the 3 weeks preceding, were 26 in the week under notice, comprising 20 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from tuberculosis of the vertebral column, one from tuberculosis of the hip, and 2 from disseminated tuberculosis.

Broncho-pneumonia caused 10 deaths, lobar pneumonia 4 deaths, and *pneumonia* (type not distinguished) 7 deaths.

The deaths of 11 children, all of whom were under 2 years of age, were ascribed to *convulsions.*

Organic diseases of the heart caused 15 deaths, and bronchitis 33 deaths.

The deaths of 4 infants were due to premature birth, and congenital debility caused 3 deaths.

There were 3 accidental deaths, including one from burns of a child aged six months, and one by being knocked down by a horse and vehicle.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 5 children under 5 years of age, including 4 infants under one year old.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 11 were under one month old) and 49 were aged 65 years and upwards, including 34 persons aged 70 and upwards ; among the latter were 18 aged 75 years and upwards, of whom one (a female) was stated to have been aged 92 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 3 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·3 per 1,000 ; the rate in the City was 24·1 (North City Districts, 20·9 ; South, 27·4) and in the Suburbs, 20·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·5 (2·6 in the North City Districts, and 0·3 in the South), and for the Suburbs, 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·6 per 1,000, and include one from each of measles and whooping-cough, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·1 per 1,000. Measles and influenza each caused one death, tuberculous disease caused 5 deaths, broncho-pneumonia 3 deaths, and bronchitis 2 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·1 per 1,000. Of the total one was from lobar pneumonia and 4 were from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·5 per 1,000, and include one from scarlet fever, one from diarrhœa of a child under 2 years of age, and one from *pneumonia* (type not distinguished).

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 22·3 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 27·0. Included in the 5 deaths from all causes for Coolock and Drumcondra, part of, were one from each of scarlet fever and diphtheria, and one from diarrhœa of a child under 2 years of age ; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, one was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (26) represent an annual rate of 32·6 per 1,000, and include one from influenza, one from pulmonary tuberculosis, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), 6 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·5 per 1,000. Tuberculous disease of the vertebral column caused one death, broncho-pneumonia one death, and bronchitis one death.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·8 per 1,000. Whooping-cough caused one death, tuberculous disease caused 5 deaths, *pneumonia* (type not distinguished) one death, and bronchitis 5 deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (24) are equivalent to an annual rate of 34·7 per 1,000, and include 4 from tuberculous disease, one from broncho-pneumonia, one from lobar pneumonia, 4 from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000, and were caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·4 ; Pembroke, 22·8 ; Blackrock, 17·1 ; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever for Pembroke, and one from whooping-cough for each of Blackrock and Kingstown. Among the 13 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis. Included in the 13 deaths from all causes for Pembroke are one from disseminated tuberculosis, one from broncho-pneumonia, 3 from *pneumonia* (type not distinguished), and one from accidental burns ; and among the 9 deaths from all causes for Kingstown are one from *pneumonia* (type not distinguished), and 4 from bronchitis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 24th February, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Other Notifiable Diseases.	Total.
City of Dublin.	Feb. 3,	.	—	—	16	.	.	8	.	1	7	9	.	—	—	.	—	15	—	56
	Feb. 10,	.	—	—	15	2	.	9	.	1	4	10	.	—	—	.	—	7	—	48
	Feb. 17,	.	—	—	12	1	.	6	.	2	2	9	.	—	—	.	—	11	—	43
	Feb. 24,	.	—	—	9	.	.	10	.	1	2	5	.	—	—	.	—	7	—	34
Rathmines and Rathgar Urban District.	Feb. 3,	.	—	—	3	.	.	1	.	.	.	.	1	—	—	—	—	—	—	5
	Feb. 10,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 17,	.	—	—	18	.	.	1	.	.	.	1	.	—	—	—	—	—	—	20*a*
	Feb. 24,	.	—	—	5	.	.	2	.	.	1	.	.	—	—	—	—	—	—	8*b*
Pembroke Urban District.	Feb. 3,	.	.	.	4	.	.	.	.	.	.	.	.	.	.	—	—	.	—	4
	Feb. 10,	.	.	.	.	.	.	4	.	.	.	.	.	2	.	—	—	.	—	6
	Feb. 17,	.	1	.	2	.	.	3	.	.	.	.	.	.	.	—	—	.	—	6
	Feb. 24,	.	3	.	5	.	.	2	.	.	.	.	.	.	.	—	—	.	—	10
Blackrock Urban District.	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Feb. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Feb. 10,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Feb. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Feb. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
City of Belfast.	Feb. 3,	.	—	—	6	.	.	6	.	1	5	3	.	—	—	—	—	7	—	28
	Feb. 10,	.	—	—	11	.	.	5	1	.	.	3	.	—	—	—	—	9	—	29
	Feb. 17,	.	—	—	7	.	.	1	.	1	1	3	.	—	—	—	—	10	—	23
	Feb. 24,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	16	—	34

(*a*) Not including one case of measles. (*b*) Not including one case of chicken-pox.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th February, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-two cases of measles were admitted to hospital during the week, 24 were discharged, there was one death, and 82 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 93, 118, and 75 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 22 were discharged, there were 3 deaths, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 135, 134, and 130, respectively.

Three cases of typhus remained under treatment in hospital at the close of the week.

Nine cases of diphtheria were admitted to hospital during the week, and 17 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 71, and 66, respectively, were 58 at the close of last week.

Nine cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 47 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 50, 50, and 46.

In addition to the above-named diseases, 18 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 36 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 15·4) was equal to an average annual death-rate of 16.8 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 18·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th February. From this Report it appears that of a total of 55 cases notified, 33 were phthisis, 11 scarlet fever, 6 diphtheria, 4 erysipelas, and one enteric fever. Among the 378 cases of infectious diseases in hospital at the close of the week were 125 cases of measles, 101 of scarlet fever, 61 of phthisis, 40 of diphtheria, 22 of whooping-cough, 9 of erysipelas, 9 of enteric fever, and 4 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 24th February, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 24th February, 1912. Air Temperature. Absolute Highest.	Week ending 24th February, 1912. Air Temperature. Absolute Lowest.	Week ending 24th February, 1912. Air Temperature. Mean.	Week ending 24th February, 1912. Rainfall in Inches.	Week ending 17th February, 1912. Air Temperature. Absolute Highest.	Week ending 17th February, 1912. Air Temperature. Absolute Lowest.	Week ending 17th February, 1912. Air Temperature. Mean.	Week ending 17th February, 1912. Rainfall in Inches.	Week ending 10th February, 1912. Air Temperature. Absolute Highest.	Week ending 10th February, 1912. Air Temperature. Absolute Lowest.	Week ending 10th February, 1912. Air Temperature. Mean.	Week ending 10th February, 1912. Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	25·5	24·6	1·2	566	545	120	142	1	...	...	3	2	14	2	...	48	15	25	74	115	5	...	5	15	129	29	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	23·9	23·3	1·5	186	182	41	46	1	...	...	2	2	4	1	...	16	6	10	19	36	2	...	3	4	49	8	e57·0	25·0	42·9	0·68	e57·0	24·0	42·9	0·20	e54·0	27·0	41·1	0·47
CITY OF DUBLIN,	311,601	39·4	26·4	24·1	1·5	158	144	32	33	...	...	...	2	2	2	1	...	14	5	7	13	30	2	...	2	4	43	6	f57·8 g57·6	35·0 27·4	45·8 43·3	0·96 0·90	f55·2 g56·8	32·0 24·0	44·9 43·3	0·19 0·16	f51·0 g52·5	28·3 28·4	41·1 41·2	1·17 0·79
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	16·1	17·4	.	12	13	4	6	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	21·1	22·8	1·8	12	13	2	4	1	...	...	...	...	...	...	...	...	1	...	4	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	11·4	17·1	5·7	2	3	1	...	...	...	...	...	...	1	...	...	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	6·1	27·2	3·0	2	9	2	3	...	...	...	...	...	1	...	...	...	...	2	1	4	...	...	...	...	3	...	59	33	45·2	0·84	53	33	43·9	0·41	51	27	40·8	1·77
Urban Districts. BELFAST ...	391,051	26·6	27·5	26·9	1·3	206	202	56	40	...	...	...	...	...	9	...	...	16	3	6	42	52	1	...	2	8	45	2	56·0	29·0	43·5	1·04	52·8	31·0	42·9	0·41	49·0	21·2	36·5	1·03
CORK, ...	76,632	33·8	17·7	24·5	.	26	36	4	12	...	...	...	...	...	...	...	...	5	2	2	1	4	...	...	...	...	12	3	52	36	45·7	1·26	51	39	45·8	0·83	49	25	42·3	1·33
LONDONDERRY ...	40,912	18·9	39·5	12·7	.	31	10	...	2	...	...	...	...	...	...	...	...	...	...	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	23·1	23·1	.	17	17	4	5	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	1	5	3	58·5	28·1	44·4	1·40	54·6	32·4	44·5	0·27	52	22·8	41	0·42
WATERFORD, ...	27,430	19·1	22·8	38·0	1·9	12	20	3	6	...	...	...	...	...	...	...	...	4	1	...	2	1	1	...	...	...	6	3	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	19·7	43·3	3·9	5	11	1	6	...	...	...	...	...	...	1	...	...	1	...	..	1	...	...	...	...	5	4	55	35	44	1·11	55	34	44	0·45	53	21	40	0·41
DUNDALK, ...	13,128	9·5	31·8	27·8	4·0	8	7	2	3	...	...	...	...	...	1	...	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	33·6	25·2	.	8	6	1	2	...	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	13·1	30·5	.	3	7	1	3	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	1	...	...	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63
LURGAN, ...	12,135	14·3	21·5	12·9	.	5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63
LISBURN, ...	12,172	10·7	34·3	25·7	4·3	8	6	2	3	...	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	...	...	...	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63
WEXFORD, ...	11,455	23·8	45·5	31·9	.	10	7	1	1	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	.	9·2	.	.	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	28·0	14·0	.	6	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	1	55·0	28·0	41·5	2·28	56·0	29·0	42·0	0·40	53·0	16·0	37·0	0·65
KILKENNY, ...	10,513	11·4	24·8	29·8	.	5	6	2	3	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	...	2	...	55	31	43·7	1·16	56	28	43·8	0·35	51	15	39·7	1·13
CLONMEL, ...	10,277	7·9	25·4	20·3	5·1	5	4	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	17·8	13·3	.	4	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63
TRALEE, ...	9,867	16·6	26·4	15·9	.	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	22·9	34·3	.	4	6	...	6	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	...	1	51	32	43·4	1·32	50	37	43·2	0·23	50	29	39·7	0·90
QUEENSTOWN, ...	7,909	14·4	39·6	19·8	.	6	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	36	45·7	1·26	51	39	45·8	0·83	49	25	42·3	1·33
ARMAGH, ...	7,588	22·2	41·2	6·9	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24	49·2	22·0	38·6	0·63

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 3 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of February, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	4	.
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	.	.	.	.	1	1	.	4	3	.	2	.	.	.	16	4
Tuberculous Disease. { Other Forms,	.	2	.	.	.	.	.	.	1	1	1	.	.	1	.	.	6	.
Cancer,	.	.	1	3	.	.	.	.	2	.	1	.	.	.	1	2	10	1
Diseases of Nervous System,	.	3	4	2	.	.	1	6	1	.	2	.	3	1	.	.	23	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Circulatory System,	1	1	3	.	.	.	.	3	3	1	1	.	2	1	.	.	16	2
" Respiratory System. { Pneumonia,	1	3	1	1	.	.	.	3	1	1	2	.	1	4	.	1	19	2
" Respiratory System. { Others,	1	3	4	.	.	1	1	6	1	6	5	2	2	.	.	4	36	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	.	.	1	1	.	.	.	.	.	1	1	1	1	7	1
" Genito-urinary System,	1	.	1	.	.	.	.	2	.	1	4	.	.	2	.	.	11	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	4	2	.	.	.	1	.	2	3	.	1	1	.	.	15	.
Violent Deaths,	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	3	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	5	.
Deaths from All Causes	9	17	19	10	.	5	4	26	9	19	24	2	13	13	3	9	182	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·6	22·1	32·1	15·5	.	22·3	27·0	32·6	21·5	22·8	34·7	11·4	17·4	22·8	17·1	27·2	23·3	.
	20·9							27·4					20·9					
	24·1																	
Ages at Death. { Under 1 year,	2	3	6	4	.	1	.	5	.	5	6	.	4	2	1	2	41	.
1 and under 2 years,	2	2	.	.	.	1	1	.	1	1	.	1	.	.	.	.	9	.
2 " 5 "	.	.	1	.	.	1	.	3	1	1	1	.	.	1	.	.	9	.
5 " 15 "	.	1	1	1	.	1	.	1	.	.	4	.	.	1	1	.	11	2
15 " 25 "	.	3	.	.	.	.	1	2	.	1	.	.	.	.	.	.	7	2
25 " 45 "	2	3	2	1	.	.	.	4	2	2	2	.	.	1	1	1	21	2
45 " 65 "	1	3	4	2	.	.	.	7	3	5	2	1	3	4	.	3	38	3
65 and upwards,	2	2	5	2	.	1	2	4	2	4	9	.	6	4	.	3	46	3
Number of Uncertified Deaths,	.	2	.	.	.	.	.	2	1	1	.	.	2	.	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	1	2	.	2	.	2	1	3	8	.	1	1	.	3	29	11
Workhouse Hospitals,	1	.	1	.	.	.	1	7	4	3	2	.	1	.	.	.	20	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1902–1911.	In the Week ending Saturday, 24th February, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 40·5	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 39·2	° 43·4	° 40·5	° 42·9										
ALL CAUSES.	248	195	206	194	185	209	202	197	228	195	205·9	194	11	30	9	9	13	9	23	41	31	18
Enteric Fever, ...	3	1	2	.	1	2	1	3	1	2	1·6	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	2	3	.	.	.	1	.	3	1·3	2	.	.	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	3	1	.	1	.	.	.	1	2	·8	2	.	.	.	.	2	.	.	.	.	.
Whooping-cough, ...	2	5	11	1	1	3	3	7	.	7	4·0	4	.	3	.	1	.	.	.	.	.	.
Diphtheria, ...	1	1	.	.	1	1	.	.	2	2	·8	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	1	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	8	2	4	1	4	10	4	2	7	4·6	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	2	.	1	1	.	2	1	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	25	20	35	29	18	22	19	23	18	23·6	20	.	.	1	.	2	5	7	5	.	.
Tuberculous Meningitis, ...	1	3	1	8	5	8	5	3	4	3	4·1	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	3	4	.	.	1	5	2	1	3	2·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		2	.	.	.	.	.	1	.	1	.	.
Tuberculosis of Joints, ...										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,	3	5	9	6	7	7	9	3	8	.	5·8	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	1	.	.	.	.	.	1	.	.
Venereal Diseases, ...	.	1	.	3	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	11	8	11	5	13	7	7	8	14	6	9·0	11	.	.	.	.	.	.	4	5	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	.	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	1	.	.	1	2	2	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	1	.	2	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		3	.	1	1	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										3		5	.	.	.	.	.	.	1	.	3	1
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										4		2	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...										2		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										4		11	2	7	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	48	49	43	41	39	41	55	48	44	2	44·6	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	.	.	2	.	.	.
Organic Diseases of the Heart,										18		15	.	.	.	.	.	.	1	3	8	3
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	56	25	31	22	27	38	24	32	38	27	32·0	33	2	5	1	3	1	.	2	8	8	3
Broncho-pneumonia,		1	9	7	10	8	7	5	15	13		10	2	3	1	2	.	.	2	.	.	.
Lobar-pneumonia, ...	22	.	2	1	.	2	2	.	2	3	16·6	4	.	.	.	1	.	.	.	2	1	.
Pneumonia (type not distinguished)		4	8	6	3	13	6	7	5	5		7	.	3	.	1	.	.	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	3	4	3	4	3	2	3	3	1	3·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										.		3	.	.	.	.	.	.	.	1	2	.

EIGHTH WEEK ending Saturday, 24th February, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 8th Week of the 10 years 1902–1911.	In the Week ending Saturday, 24th February, 1912.										
													Deaths of Persons of the Ages of									
	Feb. 22, 1902.	Feb. 28, 1903.	Feb. 27, 1904.	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·5	° 40·9	° 42·6	° 36·3	° 36·3	° 39·0	° 45·5	° 41·2	° 39·2	° 43·4	° 40·5	° 42·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	1	.	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	8	.	5	4	5	1	9	7	3	4·6	2	1	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	4	—	2	.	.	.	.	.	.	.	1	.	1
Cirrhosis of Liver, ...	2	.	3	2	.	.	2	1	1	1	1·7	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	1	1	1	.	.	1	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	2	.	.	2	.	.	·4	2	.	.	.	.	2	.	.	.	.	.
Other Diseases of Digestive System.	8	5	2	7	1	9	4	4	7	1	4·8	2	.	.	.	1	.	.	.	1	.	.
Acute Nephritis, ...	13	6	5	5	9	6	7	6	12	4	7·9	2	.	1	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										5		5	.	.	.	.	.	.	.	4	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		4	.	.	.	.	.	.	1	2	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	3	2	.	4	4	4	3	3	3·0	4	2	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	8	3	9	8	6	4	3	3	12	6	6·2	7	.	.	.	.	.	.	.	.	1	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	2	2	1	2	1	1	1	5	2	2·0	1	.	1	.	.	.	.	.	.	.	.
Drowning, ...	.	1	.	.	.	1	2	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	2	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	4	2	1	2	1	1	2	1	1	1·1	2	.	.	.	.	1	1	.	.	.	.
Total Deaths from Accident,	7	7	4	2	4	6	4	3	6	5	4·8	3	.	1	.	.	1	1	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	.	.	1	.	.	1	.	.	·3	1	.	.	.	.	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	5	.	1	.	.	.	.	.	2	.	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Sept. 2.	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered.	198	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186
Average Births in corresponding week of previous 10 years, ...	207	235	207	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209
DEATHS registered, ...	210	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194
Annual Death-rate per 1,000, ...	27·1	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9
Average Deaths in corresponding week of previous 10 years, ...	153	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206
Ages, Under 5 years, ...	94	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59
5—15 " ...	5	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13
15—25 " ...	12	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9
25—45 " ...	23	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23
45—65 " ...	38	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41
65—75 " ...	21	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31
75 and upwards, ...	17	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18
Deaths from:—																										
Enteric Fever, ...	2	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1
Typhus, ...	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2
Scarlet Fever, ...	.	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2
Whooping-cough, ...	7	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4
Diphtheria, ...	1	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1
Influenza, ...	1	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	22	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20
Tuberculous Disease, Other Forms,	10	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6
Cancer, ...	10	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11
Diseases of Circulatory System,	13	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18
Diseases of Respiratory System, Pneumonia,	12	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21
Diseases of Respiratory System, Others, ...	5	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37
Diarrhœa and *Enteritis*, under 2 years, ...	52	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2
Diarrhœa, 2 years and upwards,	7	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
Violent Deaths, ...	3	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3
Number of Uncertified Deaths,	7	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8
Mean Temperature of the Air (Phœnix Park)	59·1	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9
Average Mean Temperature in corresponding week of previous 10 years, ...	56·3	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5
Rainfall in inches, ...	·405	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680
Mean Humidity of the Air, complete Saturation 1·0, ...	·78	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th February, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH FEBRUARY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	194	59	13	9	23	41	31	18	1	.	.	2	2	4	1	.	20	6	11	11	21	37	2	.	3	73	8
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	.	.	.	.	1	4	4	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	6	.
II.	MIDDLE CLASS, ...	87,188	19·7	33	5	2	2	3	10	5	6	1	.	.	.	.	.	1	.	6	.	3	.	3	3	1	.	.	15	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	24	4	.	2	10	4	7	.	.	.	.	2	1	.	.	3	1	2	5	6	13	.	.	1	17	3
IV.	GENERAL SERVICE CLASS, ...	154,279	27·0	80	29	7	6	12	14	11	1	.	.	.	2	.	3	.	.	6	3	5	6	11	12	1	.	2	29	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	21	1	.	1	6	6	7	.	.	.	.	.	.	.	.	.	5	2	.	.	1	7	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	.	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	.	.	.	4	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	7·1	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	36·7	19	1	2	2	2	4	4	4	1	.	.	.	.	.	1	.	4	.	3	.	1	2	.	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	47·5	9	1	2	.	.	3	1	2	.	.	.	.	1	.	.	.	.	.	1	1	.	1	.	.	.	5	1
	9. Building and Furnishing Trades, ...	29,801	21·0	12	6	.	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	.	1	3	4	.	.	1	1	1
	10. Clothing Trades, ...	23,260	11·2	5	3	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	2	.
	11. Food Supply Trades	9,242	16·9	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	8	1	.	.	4	.	4	.	.	.	.	1	.	.	.	1	.	1	2	2	2	.	.	.	8	1
	13. Petty Shopkeepers	7,894	33·0	5	3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.
	15. Domestic Servants, ...	36,603	5·7	4	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	3	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	40·0	69	25	7	6	11	12	7	1	.	.	.	1	.	2	.	.	5	3	4	6	10	8	1	.	2	27	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	21	1	.	1	6	6	7	.	.	.	.	.	.	.	.	.	5	2	.	.	1	7	.	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Jan. 6,	29·5	8·7	17	.	.	.	3	.	1	.	.	2	1	1	1	2	1	.	.	1
	„ 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
	„ 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
	„ 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
	„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	„ 24.	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Jan. 6,	23·4	1·3	18	.	.	.	.	.	.	.	.	4	1	1	2	5	1	.	.	1
	„ 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	„ 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
	„ 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb. 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
	„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	„ 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Jan. 6,	20·3	.	12	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
	„ 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
	„ 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
	„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Jan. 6,	35·6	4·6	23	.	.	.	1	1	.	.	.	3	.	3	2	4	1	.	.	.
	„ 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
	„ 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
	„ 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
	„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Jan. 6,	31·3	3·8	25	.	.	.	.	2	.	1	.	2	.	.	4	5	.	.	1	.
	„ 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
	„ 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
	„ 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
	„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Jan. 6,	16·7	4·8	7	.	.	.	2	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
	„ 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Jan. 6,	24·0	.	20	.	.	.	.	.	.	.	.	2	1	1	2	4	.	.	1	2
	„ 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
	„ 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
	„ 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
	„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Jan. 6,	18·8	2·9	13	1	.	.	.	.	.	.	.	.	.	1	1	2	1	.	.	1
	„ 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	„ 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
	„ 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
	„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	„ 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Jan. 6,	20·1	4·0	15	1	.	.	.	.	.	1	.	2	1	.	1	1	1	.	.	.
	„ 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
	Feb. 3,	10·7	1·3	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Jan. 6,	21·1	1·8	12	.	.	.	.	.	.	1	.	1	1	1	1	1	.	.	.	.
	„ 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 17,227.	Jan. 6,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Jan. 6,	17·2	0·7	129	.	.	.	.	.	2	3	.	12	7	3	12	20	.	.	1	1
	„ 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
Cork. Pop. in 1911 76,632.	Jan. 6,	17·7	0·7	26	.	.	.	.	.	1	.	.	4	.	1	.	3	.	.	.	2
	„ 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
Londonderry. Pop. in 1912 (Est.) 40,912.	Jan. 6,	19·1	.	15	.	.	.	.	.	.	.	.	.	.	3	.	5	.	.	.	1
	„ 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	.	.
Limerick. Pop. in 1911 38,403.	Jan. 6,	9·5	1·4	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	2
	„ 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
Waterford Pop. in 1911 27,430.	Jan. 6,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	2	.	3	.	.	.	1
	„ 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th February, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	13	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	1	1	.	4	2	3	.	.	.	.	.	1	.	.	1	.	2	3	2	.	.	.	1	2	.
Do. 2 do.		32			16	5	1	.	5	2	3	.	.	.	.	.	.	.	.	1	.	1	3	3	.	.	.	2	5	1
Do. 3 do.		26			31	9	4	4	2	7	5	.	.	.	.	.	.	.	.	3	.	.	8	11	1	.	.	1	4	.
Do 4 do.		24			22	4	2	3	3	6	4	.	.	.	.	.	2	.	.	5	.	.	3	2	.	.	.	.	9	.
Do. 5 do.		9			6	3	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1	1	2	.
Do. 6 do.		10			16	4	.	2	3	3	4	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.	2	2	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			2	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.		10			16	4	5	3	2	.	2	.	.	.	.	.	2	.	.	2	1	.	6	.	.	.	.	.	2	.
Do. 10 do.		10			15	4	2	1	3	4	1	.	.	.	.	.	.	.	.	1	1	.	5	6	.	.	.	.	1	.
Do. 11 do.		21			16	6	.	2	3	4	1	.	.	.	.	.	1	.	.	1	.	2	1	5	.	.	.	.	6	1
Do. 12 do.		21			23	7	2	2	2	5	5	.	.	.	.	.	.	.	.	1	1	.	2	10	.	.	1	1	7	.
Do. 13 do.		11			11	2	1	1	.	2	5	.	.	.	.	.	2	.	.	.	.	.	1	4	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		17			16	6	.	1	2	3	4	.	.	.	.	.	.	.	.	.	.	1	6	2	.	.	.	.	5	.
Total,	—	206			202	56	19	19	30	38	40	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	8	45	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
Do. 2 do.		4			4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 3 do.		.			6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Do. 4 do.		10			7	2	.	1	1	1	2	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1	2
Do. 5 do.		.			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 6 do.		2			5	.	1	1	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 7 do.		5			7	1	1	1	1	1	2	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
Total,	—	26	24·5	.	36	4	2	5	5	8	12	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	.	12	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Sept. 2.	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8
BIRTHS registered, ...	197	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206
DEATHS registered, ...	138	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202
Annual Death rate per 1,000 of estimated population, ...	18·6	19·7	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9
AGES, Under 1 year, ...	52	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56
1—5 years, ...	6	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19
5—25 ,, ...	11	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19
25—45 ,, ...	24	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30
45—65 ,, ...	27	29	21	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38
65 and upwards, ...	18	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40
Deaths from :—																										
Enteric Fever, ...	1	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.
Whooping-cough, ...	.	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9
Diphtheria, ...	.	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16
Tuberculous Disease. Other Forms,	3	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3
Cancer, ...	7	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6
Diseases of Respiratory System, Pneumonia,	4	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42
Diseases of Respiratory System, Others, ...	1	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52
Diarrhœa, and *Enteritis*, under 2 years, ...	43	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1
Diarrhœa, 2 years and upwards,	3	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.
Violent Deaths, ...	5	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2
Number of Uncertified Deaths, ...	.	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Feb. 24,	2,143	1,334	15·4	3	.	12	1	20	8	8*a*
Edinburgh, ...	321,200	„ 24,	114	114	18·5	.	.	4	1	2	2	.
Glasgow, ...	785,600	„ 24,	417	325	21·6	2	.	41	1	4	10	4
Calcutta, ...	890,493	Jan. 20,	.	496	28·9	100*	.	.	.	4	1	117‡
Bombay, ...	977,822	„ 20,	506	713	37·9	71*	12	8	.	.	.	71‡
Madras, ...	509,346	Dec. 30,	369	576	58·8	117*	3	1	?	?	?	181‡
Cairo, ...	693,806	„ 31,	5751	527	39·6	4	1	.	.	.	7†	61*a*
Paris, ...	2,846,986	Jan. 27,	1,029	1,049	19·9	10	2	15	4	1	6†	15*a*
Brussels, ...	705,295	Feb. 3,	249	249	18·4	1	.	2	1	1	1	9
Antwerp, ...	320,640	„ 3,	139	72	11·7	1	.	..	1	1	.	8*a*
Amsterdam, ...	580,962	„ 3,	265	145	13·0	2	.	1	.	7	2	3*a*
Copenhagen, ...	465,000	„ 3,	223	123	13·8	.	.	2	2	3	.	1
Stockholm, ...	343,832	„ 3,	126	113	17·1	.	.	2	.	.	4	2
Christiania, ...	244,038	„ 10,	94	64	13·6	.	.	.	2	.	1	3
St. Petersburg, ...	1,599,139	Jan 20,	801	671	21·9	[illegible]	.	24	12	5	11	47
Moscow, ...	1,493,600	„ 20,	.	774	27·0	5	1	37	15	9	16†	58
Berlin, ...	2,083,439	„ 20,	894	614	15·4	.	.	6	10	6	19†	15
Hamburg, ...	953,079	Feb. 3,	420	284	15·5	.	.	2	2	.	9†	10*a*
Breslau, ...	523,079	„ 3,	.	223	22·1	.	.	.	1	.	4	8
Munich, ...	614,671	„ 10,	256	182	15·4	.	.	3	.	.	2†	5
Vienna (with suburbs),	2,064,583	„ 3,	873	729	17·7	.	.	5	5	6	7†	21*a*
Buda-Pesth, ...	911,891	„ 3,	418	364	20·8	2	.	13	10	2	4†	10*a*
Prague and Faubourgs,	508,310	Jan. 20,	216	195	17·3	.	.	12	1	2	1†	8*a*
Trieste, ...	233,599	Feb. 3,	126	118	26·5	2	.	5	.	2	.	.
Rome, ...	551,749	Nov. 18,	243	185	17·5	5	.	.	.	1	1	13
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,983,385	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,580,250	„ 13,	.	.	.	.	.	.	.	.	.	.
Boston	720,031	Feb. 3,	.	274	19·8	.	.	3	1	.	2	3

* Deaths from "fever," including 7 deaths from enteric fever, and 13 from plague in Calcutta; 3 from enteric fever, and 4 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 50 deaths from cholera in Calcutta, 16 in Bombay, and 46 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Figures relate to a period of 8 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending February 24th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
,, ,, 1, West, ...	.	3	.	.	.	.	1	.	2	.	.	1	7
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
,, ,, 3, ...	.	.	.	.	5	.	.	.	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	1	.	.	1	2	.	.	3	7
,, ,, 2, ...	.	.	.	.	.	.	.	.	.	.	.	3	3
,, ,, 3, ...	.	3	.	.	1	.	.	.	.	.	.	.	4
,, ,, 4, ...	.	2	.	.	.	.	.	1	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	.	.	10	.	1	2	5	.	.	7	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th February, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th February.			
	Feb. 3.	Feb. 10.	Feb. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	93	118	75	32	24	1	82
Scarlet Fever, ...	135	134	130	17	22	3	122*
Typhus, ...	.	3	3	.	.	.	3
Diphtheria, ...	66	71	66	9	17	.	58
Enteric Fever, ...	50	50	46	9	8	.	47
Pneumonia, ...	20	22	30	18	11	1	36

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 24th February, 1912:—

"The general distribution of atmospheric pressure resembled that of past weeks in the present winter. Areas of low pressure passed over the Atlantic from the Azores to the British Isles, while waves of high pressure surged westwards from the North of Russia to Scandinavia at intervals, and sometimes even as far as Iceland. Sunday and Monday were extremely gloomy, wet days in Ireland, and especially in the Dublin district. This was due to the fact that this country lay to the left of the northeasterly course of a deep atmospheric depression, the centre of which reached Cork on Monday morning, when the barometer read 29·00 inches at Roche's Point. In Dublin, the aggregate rainfall of the two days named was ·849 inch; at Birr Castle, it was 1·55 inches. The depression continued its northeasterly course, but with lessening energy, and finally filled up over Denmark on Wednesday. Its N.W. winds brought finer, brighter and colder weather to Ireland on Tuesday; but after a clear, sharp night, the wind shifted to S., with clouds and rain, on Wednesday, when the first of a new series of depressions appeared off the west of Ireland. S. and S.W. winds brought remarkable warmth for the time of year on Thursday, when the thermometer rose to 58° in Dublin and touched 60° at Birr Castle. Early on Friday morning a rapidly moving secondary depression caused a fresh to a strong gale over the northern half of Ireland—the storm being very violent in Dublin about 5 a.m. It was unaccompanied by rain and was followed by clear skies and a calm in which the thermometer fell in Dublin to 35° in the screen and 31° on the ground. On Saturday southerly winds and clouded skies returned with a falling barometer, but the weather held fine and dry to the close of the week. In Dublin the mean height of the barometer was 29·623 inches, the range being from 29·115 inches at 4 p.m. of Monday (wind, S.E.) to 29·874 inches at 9 a.m. of Saturday (wind, S.S.E.). The mean temperature was 45·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·8°. On Thursday the screened thermometers rose to 57·8°, on Saturday they fell to 35·0°. The dominant wind was S.S.E. Rain fell on 6 days to the amount of ·956 inch, of which ·590 inch was recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·624 inches. The highest reading (29·876) was on Saturday at 9 a.m., air calm, the lowest (29·199) on Monday at 9 a.m., wind S.E.

The mean temperature for the week was 42·9°, being 2·4° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Thursday, on which day the thermometer registered 57·0°, and was lowest on Saturday, the mercury having fallen to 25·0°. The mean of the Dry Bulb for the week was 43·1° and of the Wet Bulb, 42·1°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 0·680 inch.

At Greenwich the mean temperature for the week was 47·4°, the maximum 55·3°, and the minimum 32·1°; at Glasgow the maximum was 53·0°, the minimum 30·7°, and the mean 43·5°; and at Edinburgh the maximum was 52·5°, the minimum 34·0°, and the mean 43·8°. The rainfall at Greenwich measured 0·65 in.; at Glasgow, 0·79 in.: and at Edinburgh, 1·22 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 18,	29·610	45·0	39·0	42·0	44·4	43·9	·97	·0	0·0	·430	Calm.	E.N.E.
Monday, „ 19,	29·205	48·0	43·0	45·5	45·2	44·5	·96	·0	0·0	·165	S.E.	N.W.
Tuesday, „ 20,	29·690	49·0	30·0	39·5	36·0	35·5	·90	·2	5·8	·070	W.	Calm.
Wednesday, „ 21,	29·720	55·0	26·0	40·5	45·0	43·9	·92	·0	2·2	·000	E.S.E.	E.S.E.
Thursday, „ 22,	29·610	57·0	47·0	52·0	53·1	50·7	·85	·5	0·1	·005	S.E.	S.S.W.
Friday, „ 23,	29·755	54·0	33·0	43·5	39·8	38·3	·89	·5	8·6	·000	W.	Calm.
Saturday, „ 24,	29·775	50·0	25·0	37·5	38·5	37·8	·91	·5	1·5	·010	Calm.	E.S.E.
Mean, ...	29·624	51·1	34·7	42·9	43·1	42·1	·91	·2	Total 18·2	Total ·680	—	

Sunday—Day overcast, rain from 9.0 a.m to 4.0 p.m. and 6.0 p.m. to 9.0 p.m.; night overcast, rain from 9.0 p.m. to 1.40 a.m. and 4.30 a.m. to 7.0 a.m. *Monday*—Day overcast, drizzling at intervals from 9.30 a.m to 9.0 p.m.; night overcast, drizzling from 9.0 p.m. to 2.10 a.m. *Tuesday*—A fine day, light clouds; night clear to overcast, heavy rain from 5.0 a.m. to 6.50 a.m. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day overcast, heavy shower 2.0 p.m. to 2.30 p.m.; night cloudy. *Friday*—A beautiful bright day; night clear. *Saturday*—Day cloudy, fine; night cloudy, showers at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 24th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 18,	43·2	42·0	43·3	46·3	41·5	43·9	—	·556
Monday, „ 19,	46·0	43·2	43·6	47·9	43·6	45·8	—	·210
Tuesday, „ 20,	42·9	43·6	43·7	49·6	37·9	43·8	4·1	·070
Wednesday, „ 21,	42·7	42·2	43·8	51·5	31·8	41·7	2·0	·001
Thursday, „ 22,	52·0	43·7	43·9	58·9	46·0	52·5	1·7	·001
Friday, „ 23,	46·8	45·4	44·1	55·2	41·0	48·1	7·7	—
Saturday, „ 24,	38·3	43·8	44·3	50·5	31·0	40·8	1·0	·010
Weekly Mean, .	44·6	43·4	43·8	51·4	39·0	45·2	Total 16·5	Total ·848

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

31933. Wt. P. 392-106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS.

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLIX.] Week ending Saturday, 2nd March, 1912. [No. 9.

General Register Office, Charlemont House, Dublin, 4th March, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 10	Feb. 17	Feb. 24	Mar. 2	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 10	Feb. 17	Feb. 24	Mar. 2	Average Rate for 4 weeks.
22 Town Districts, ...	**31·0**	**26·6**	**24·6**	**22·1**	**26·1**	Limerick	17·7	21·7	23·1	16·3	19·7
						Lisburn	25·7	25·7	25·7	21·4	24·6
Armagh	20·6	41·2	6·9	6·9	18·9	Londonderry	20·4	16·6	12·7	12·7	15·6
Ballymena	22·9	13·8	9·2	22·9	17·2	Lurgan	38·7	25·8	12·9	25·8	25·8
Belfast	41·7	33·1	26·9	21·6	30·8	Newry	13·1	30·5	30·5	17·4	22·9
Clonmel	30·4	15·2	20·3	35·5	25·4	Newtownards	34·3	34·3	34·3	40·1	35·7
Cork	23·8	26·5	24·5	21·1	24·0	Portadown	31·1	8·9	13·3	4·4	14·4
Drogheda	33·6	16·8	25·2	16·8	23·1	Queenstown	6·6	6·6	19·8	39·6	18·2
Dublin Reg. Area ...	26·6	23·9	23·3	24·9	24·7	Sligo	23·4	14·0	14·0	4·7	14·0
Dundalk	27·8	35·7	27·8	27·8	29·8	Tralee	15·9	5·3	15·9	10·6	11·9
Galway	43·3	7·9	43·3	19·7	28·5	Waterford	20·9	30·4	38·0	19·0	27·1
Kilkenny	39·7	29·8	29·8	34·7	33·5	Wexford	22·8	31·9	31·9	13·7	25·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 10·1 in Clonmel, the 7 deaths from all causes for that district including 2 from diarrhœa and *enteritis* of children under 2 years of age. Among the 162 from all causes for Belfast are 11 from whooping-cough and 2 from diarrhœa and *enteritis* of children under 2 years of age. One of the 7 deaths from all causes for Dundalk is from whooping-cough, and one death from this disease is included in the 6 deaths from all causes for Lurgan.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 237—123 boys and 114 girls—and the deaths to 205—76 males and 129 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·9 per 1,000 of the population. During the nine weeks ending with Saturday last the death-rate averaged 23·8, and was 1·7 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 205, represent an annual rate of 26·3 per 1,000 ; the annual rate for the past nine weeks was 25·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·6 per 1,000 of the mean population for all deaths registered.

The total deaths, which amounted to 205, included one* death from typhus, 5 deaths from measles, 3 deaths from each of scarlet fever, whooping-cough, and diphtheria, 4 deaths from diarrhœa and *enteritis* of children under 2 years of age, and one death from influenza. In each of the 3 preceding weeks deaths from typhus were 0, 0, and 0 ; deaths from measles were 4, 3, and 2 ; deaths from scarlet fever were one, 0, and 2 ; deaths from whooping-cough were 5, one, and 4 ; deaths from diphtheria were 3, one, and one ; deaths from diarrhœal diseases were 3, 4, and 2 ; and deaths from influenza were one, 4, and 2.

There were 32 deaths from all forms of tuberculous disease, including 24 deaths from pulmonary tuberculosis, 4 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, and 2 from disseminated tuberculosis. Deaths from all forms of tuberculous disease in the 3 preceding weeks were 28, 27, and 26 respectively.

Of 19 deaths from pneumonia (all forms), 9 were from broncho-pneumonia, 2 were from lobar pneumonia, and 8 were from *pneumonia* (type not distinguished).

The deaths of 4 children were attributed to *convulsions*; of these one was under one month, one was between the ages of one month and one year, one was aged one year and under 2 years, and one was between the age of 2 years and 5 years.

Organic diseases of the heart caused 21 deaths, and bronchitis caused 34 deaths.

There were 6 deaths of infants from prematurity, 2 from congenital debility, and one from congenital defects.

Of 5 deaths from violence, 4 were assigned to accidental causes, and one to homicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one child under 5 years of age, and the deaths of 2 persons aged 65 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 13 were under one month old) and 54 were aged 65 years and upwards, including 36 persons aged 70 and upwards ; among the latter were 18 aged 75 and upwards, of whom one (a female) was stated to have been aged 99 years and 7 months.

Eighty-seven of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 16 took place in the North Dublin Union Workhouse 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·9 per 1,000 ; the rate in the City was 26·1 (North City Districts, 25·8 ; South, 26·4) and in the Suburbs, 20·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·2 (1·6 in the North City Districts, and 2·7 in the South), and for the Suburbs, 2·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·0 per 1,000. Whooping-cough and diphtheria each caused one death ; there were 5 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), 3 deaths from bronchitis, and one death from diarrhœa.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·5 per 1,000. Pulmonary tuberculosis caused 2 deaths, there were 5 deaths from bronchitis, and one infanticide.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 25·3 per 1,000, and include one death from pulmonary tuberculosis, one death from broncho-pneumonia, and 4 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (27) represent an annual rate of 41·8 per 1,000. The deaths include one from whooping-cough, one from diarrhœa, 3 from pulmonary tuberculosis, one from lobar pneumonia, one from *pneumonia* (type not distinguished), 4 from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 6·7. For each of Coolock and Drumcondra, part of, and Finglas and Glasnevin, part of, there was one death from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 27·5 per 1,000. Diphtheria caused 2 deaths, diarrhœa one death ; there were 4 deaths from tuberculous disease, one from broncho-pneumonia, 3 from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 31·0 per 1,000. There was one death from measles, one death from pulmonary tuberculosis, and one death from broncho-pneumonia; there were 3 deaths from *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 28·8 per 1,000. Measles caused 2 deaths, scarlet fever one death, and diarrhœa one death; there were 7 deaths from tuberculous disease and 3 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 20·3 per 1,000, and include one death from influenza, 2 deaths from tuberculous meningitis, one death from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 3 from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·9 per 1,000. Of the deaths one was from pulmonary tuberculosis and 2 were from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·1 ; Pembroke, 17·6 ; Blackrock, 22·9 ; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of measles and whooping-cough for Rathmines and Rathgar, 2 from scarlet fever for Pembroke, and one from measles for Kingstown. Included in the 15 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis. Among the 10 deaths from all causes for Pembroke are 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and one accidental death. Of the 4 deaths from all causes for Blackrock one is from pulmonary tuberculosis, and among the 9 deaths from all causes for Kingstown are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

* See note (*c*) Table II. † See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 2nd March, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Polio-myelitis.	Total.
City of Dublin.	Feb. 10,	.	—	—	15	2	.	9	.	1	4	10	.	—	—	.	—	7	—	48
	Feb. 17,	.	—	—	12	1	.	6	.	2	2	9	.	—	—	.	—	11	—	43
	Feb. 24,	.	—	—	9	.	.	10	.	1	2	5	.	—	—	.	—	7	—	34
	Mar. 2,	.	—	—	6	.	.	8	.	4	1	9	.	—	—	.	—	10	—	38
Rathmines and Rathgar Urban District.	Feb. 10,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Feb. 17,	.	—	—	18	.	.	1	.	.	.	1	.	—	—	—	—	—	—	20*a*
	Feb. 24,	.	—	—	5	.	.	2	.	.	1	.	.	—	—	—	—	—	—	8*b*
	Mar. 2,	.	—	—	4	.	.	5	.	.	.	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	Feb. 10,	.	.	.	.	.	.	4	.	.	.	.	.	2	.	—	—	.	—	6
	Feb. 17,	.	1	.	2	.	.	3	.	.	.	.	.	.	.	—	—	.	—	6
	Feb. 24,	.	3	.	5	.	.	2	.	.	.	.	.	.	.	—	—	.	—	10
	Mar. 2,	.	1	.	1	.	.	1	.	.	.	.	.	.	.	—	—	1	—	4
Blackrock Urban District.	Feb. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 2,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	.	—	—	—	3
Kingstown Urban District.	Feb. 10,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Feb. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Feb. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Mar. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
City of Belfast.	Feb. 10,	.	—	—	11	.	.	5	1	.	.	3	.	—	—	—	—	9	—	29
	Feb. 17,	.	—	—	7	.	.	1	.	1	1	3	.	—	—	—	—	10	—	23
	Feb. 24,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	16	—	34
	Mar. 2,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	.	—	10	.	23

(*a*) Not including one case of measles. (*b*) Not including one case of chicken-pox.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd March, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty cases of measles were admitted to hospital during the week, 39 were discharged, there was one death, and 62 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 118, 75, and 82 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 27 were discharged, there was one death, and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 134, 130, and 122, respectively.

One case of typhus was discharged from hospital during the week, and two cases remained under treatment at its close.

Nineteen cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 71, 66, and 58, respectively, were 60 at the close of last week.

Five cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 50, 46, and 47.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 32 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 14·2) was equal to an average annual death-rate of 15.4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 18·7 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 18·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd March. From this Report it appears that of a total of 76 cases notified, 39 were phthisis, 16 scarlet fever, 16 diphtheria, 3 erysipelas, one puerperal fever, and one enteric fever. Among the 399 cases of infectious diseases in hospital at the close of the week were 139 cases of measles, 101 of scarlet fever, 62 of phthisis, 43 of diphtheria, 22 of whooping-cough, 10 of enteric fever, 8 of erysipelas, 5 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 2nd March, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 2nd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	30·3	22·1	1·6	673	490	98	132	...	...	...	5	3	16	3	...	59	20	23	61	74	9	...	7	13	142	17	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	30·4	24·9	2·3	237	194	35	52	...	...	...	5	3	3	3	...	23	7	13	18	35	4	...	4	5	76	4	e57·0	35·0	49·4	0·32	e57·0	25·0	42·9	0·68	e57·0	24·0	42·9	0·20
CITY OF DUBLIN,	311,601	39·4	35·0	26·1	2·2	209	156	27	38	...	...	...	3	1	2	3	...	19	7	9	13	32	4	...	3	4	63	3	f57·1 g58·0	37·0 36·0	50·1 50·0	0·31 0·24	f57·8 g57·6	35·0 27·4	45·8 43·3	0·96 0·90	f55·2 g55·8	32·0 21·0	41·9 43·3	0·19 0·16
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	17·4	20·1	2·7	13	15	3	8	...	...	...	1	...	1	...	...	1	...	...	1	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,693	18·7	17·6	17·6	3·5	10	10	4	2	...	...	...	...	2	...	...	...	...	...	1	3	1	...	...	1	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	5·7	22·9	.	1	4	...	2	...	...	...	...	...	...	...	...	1	...	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	27·2	3·0	4	9	1	2	...	...	...	1	...	...	...	...	2	...	...	1	1	...	...	...	1	4	1	56	39	49·5	0·46	59	33	45·2	0·84	53	33	43·9	0·41
Urban Districts. BELFAST ...	391,051	26·6	30·5	21·6	1·7	229	162	38	28	...	...	...	...	...	11	...	...	24	8	2	25	17	2	...	1	6	33	3	56·0	36·0	46·8	0·49	56·0	29·0	43·5	1·04	52·8	31·0	42·9	0·41
CORK, ...	76,632	33·8	29·3	21·1	.	43	31	4	11	...	...	...	...	...	...	...	...	4	2	...	4	6	...	...	...	...	10	...	53	36	47·6	1·15	52	36	45·7	1·26	51	39	45·8	0·83
LONDONDERRY ...	40,912	18·9	17·8	12·7	.	14	10	4	2	...	...	...	...	...	...	...	...	...	1	...	3	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	68·3	16·3	.	50	12	2	1	...	...	...	...	...	...	...	...	2	...	1	1	3	...	...	...	...	3	3	56·0	29·8	47·0	0·60	58·5	28·1	41·4	1·40	54·6	32·4	44·5	0·27
WATERFORD, ...	27,430	19·1	24·7	19·0	.	13	10	3	2	...	...	...	...	...	...	...	...	1	1	...	1	2	...	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	7·9	19·7	.	2	5	1	4	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	1	...	54	34	47·4	0·86	55	35	44	1·11	55	34	44	0·45
DUNDALK, ...	13,128	9·5	27·8	27·8	4·0	7	7	2	3	...	...	...	...	...	1	...	...	...	...	...	3	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	58·8	16·8	.	14	4	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	30·5	17·4	4·4	7	4	1	2	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	2	...	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24
LURGAN, ...	12,135	14·3	25·8	25·8	4·3	6	6	2	1	...	...	...	...	...	1	...	...	...	...	...	1	2	...	...	...	...	1	1	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24
LISBURN, ...	12,172	10·7	34·3	21·4	.	8	5	2	2	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24
WEXFORD, ...	11,455	23·8	36·4	13·7	.	8	3	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	18·3	22·9	.	4	5	1	3	...	...	...	...	...	...	...	...	...	...	..	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	28·0	4·7	.	6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	58·0	28·0	47·0	1·05	55·0	28·0	41·5	2·28	56·0	29·0	42·0	0·40
KILKENNY, ...	10,513	11·4	5·0	34·7	.	1	7	...	4	...	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	2	1	58	34	48·5	0·75	55	31	43·7	1·16	56	28	43·8	0·35
CLONMEL, ...	10,277	7·9	45·7	35·5	10·1	9	7	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	13·3	4·4	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24
TRALEE, ...	9,867	16·6	21·1	10·6	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	17·2	40·1	.	3	7	...	4	...	...	...	...	...	...	...	...	3	...	...	...	1	...	...	...	...	...	...	56	34	47·1	0·39	51	32	43·4	1·32	50	37	43·2	0·23
QUEENSTOWN, ...	7,909	14·4	33·0	39·6	.	5	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	53	36	47·6	1·15	52	36	45·7	1·26	51	39	45·8	0·83
ARMAGH, ...	7,588	22·2	.	6·9	.	.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86	55·1	30·8	42·3	0·24

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including 3 under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area: of the 11 deaths one was from typhus. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of March, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	1	5	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	3	.
Whooping-cough,	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Diphtheria,	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	2	1	3	.	.	.	3	1	5	.	1	1	.	1	2	23	1
Tuberculous Disease. { Other Forms,	2	.	.	.	.	.	.	1	.	2	2	.	.	.	.	.	7	1
Cancer,	1	3	.	2	.	.	.	.	1	2	.	.	.	1	3	.	13	.
Diseases of Nervous System,	1	1	1	3	.	.	.	1	.	.	1	1	3	1	.	.	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	3	.	.	.	6	1	3	3	.	1	.	.	1	21	3
" Respiratory System. { Pneumonia,	3	.	1	2	.	.	.	1	4	.	2	.	1	3	.	1	18	1
" Respiratory System. { Others,	3	5	4	4	.	1	1	3	3	3	3	2	1	1	.	1	35	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	1	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	1	.	.	1	.	.	.	.	1	.	.	1	.	.	.	4	.
" Genito-urinary System,	1	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	5	4	.	.	.	1	.	2	1	.	5	1	.	2	23	3
Violent Deaths,	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	4	1
Ill-defined, &c. Causes,	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	5	.
Deaths from All Causes	19	15	15	27	1	1	1	22	13	24	14	4	15	10	4	9	194	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·0	19·5	25·3	41·8	9·7	4·5	6·7	27·5	31·0	28·8	20·3	22·9	20·1	17·6	22·9	27·2	24·9	.
	25·8							26·4					20·9					
	26·1																	
Ages at Death. Under 1 year,	5	2	4	7	.	.	.	3	1	4	1	.	3	4	.	1	35	3
1 and under 2 years,	1	1	.	1	.	.	.	1	2	3	2	.	1	.	.	1	13	.
2 " 5 "	3	1	.	.	.	.	.	4	1	2	2	.	.	.	.	.	13	.
5 " 15 "	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	4	1
15 " 25 "	1	.	.	1	.	.	.	1	1	1	.	1	1	.	.	.	7	1
25 " 45 "	3	1	1	5	1	.	.	5	2	5	1	.	.	.	1	3	28	4
45 " 65 "	4	4	5	4	.	.	1	1	6	4	6	.	2	2	1	2	42	.
65 and upwards,	2	6	5	7	.	1	.	7	.	5	2	3	8	2	2	2	52	2
Number of Uncertified Deaths,	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	2	.	8	1	.	.	5	3	4	6	.	3	5	.	3	44	11
Workhouse Hospitals,	4	1	8	3	.	.	.	5	3	2	3	1	1	.	.	1	32	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 9th Week of the 10 years 1902–1911.	In the Week ending Saturday, 2nd March, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·0	° 41·0	° 36·1	° 39·2	° 40·6	° 41·8	° 40·4	° 32·8	° 44·0	° 46·5	° 40·8	° 49·4										
ALL CAUSES.	218	211	201	232	183	228	166	216	208	180	204·3	205	13	25	13	13	5	8	32	42	36	18
Enteric Fever, ...	3	1	3	.	1	.	.	.	2	4	1·4	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	1	.	3	.	1	1	5	.	7	1·9	5	.	.	3	1	.	.	.	1	.	.
Scarlet Fever, ...	1	2	.	.	.	.	.	1	1	2	·7	3	.	.	.	1	2	.	.	.	.	.
Whooping-cough, ...	5	3	10	.	4	7	3	3	3	11	4·9	3	.	3	.	.	.	.	.	.	.	.
Diphtheria, ...	.	1	.	2	.	.	2	4	.	.	·9	3	.	.	.	3	.	.	.	.	.	.
Croup, ...	.	2	.	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	5	8	5	8	1	5	9	5	5	2	5·3	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	1	1	1	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	1	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	3	.	1	·4	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	33	35	27	36	32	30	24	35	28	20	30·0	24	.	.	.	1	1	4	13	4	1	.
Tuberculous Meningitis, ...	3	5	3	4	2	7	6	8	4	3	4·5	4	.	.	1	2	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	2	.	1	1	1	4	2	.	.	1·2	2	.	2	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	5	7	5	12	15	10	5	6	6	2	7·5	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	.	.	.	.	1	1	.	.	.
Venereal Diseases, ...	1	2	.	3	2	1	.	.	.	3	1·2	2	.	2	.	.	.	.	.	.	.	.
Cancer, ...	6	2	5	5	6	8	6	8	9	5	6·0	13	.	.	.	.	.	.	3	5	5	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	1	.	.	.	1	.	.	.	1	·3	2	.	.	.	.	.	.	.	.	1	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	3	.	.	.	.	.	.	.	3	.	.
Alcoholism, ...	.	1	.	.	.	1	2	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		5	.	.	.	.	.	.	.	.	4	1
Softening of Brain, ...										1		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										3		1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										6		4	1	1	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	33	52	44	66	40	42	33	39	49	2	43·3	1	.	.	.	.	.	1	.	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										10		21	.	.	.	.	.	.	2	10	5	4
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		2	.	.	.	.	.	.	2	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	54	33	30	30	24	40	16	34	36	28	32·5	34	.	6	4	2	.	.	.	10	10	2
Broncho-pneumonia, ...		2	6	15	5	3	8	12	11	8		9	2	2	1	.	.	.	.	3	1	.
Lobar-pneumonia, ...	18	.	.	.	.	3	.	1	2	2	15·2	2	.	1	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)		3	5	5	11	14	5	6	4	3		8	.	.	1	1	.	1	1	2	.	2
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	1	3	4	3	1	5	3	.	2·3	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

NINTH WEEK ending Saturday, 2nd March, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										9th Week of the 10 years 1902–1911.	In the Week ending Saturday, 2nd March, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 1, 1902.	Mar. 7, 1903.	Mar. 5, 1904.	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.	Averages in Week of the 10 years 1902–1911.	Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	46·0	41·0	36·1	39·2	40·6	41·8	40·4	32·8	44·0	46·5	40·8	49·4										
Diseases of the Pharynx, Tonsillitis.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	4	—	1	.	.	.	.	.	.	.	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	5	5	4	1	3	6	3	6	2	4·1	4	.	4	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	1	1	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	3	3	.	1	1	.	2	3	1	2·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		2	.	1	1	2	.	1	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	2	.	1	.	2	.	.	3	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	6	3	4	5	3	6	3	.	3·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	2	7	3	5	6	8	4	6	.	5·0	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										2		4	.	.	.	.	.	.	3	.	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	1	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	2	.	1	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	1	.	.	.	1	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	4	5	.	5	6	1	3	1	3·1	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	8	3	11	2	5	3	3	4	5	5	4·9	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	4	4	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	1	2	3	3	2	.	.	1	.	1·5	1	.	.	.	.	.	.	.	.	1	.
Drowning, ...	.	1	2	1	3	.	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	2	1	2	1	1	3	3	1	2·0	3	.	.	.	.	.	.	1	.	1	1
Total Deaths from Accident,	5	6	6	5	8	3	2	3	4	2	4·4	4	.	.	.	.	.	.	1	.	2	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	1	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	1	.	·2	1	.	.	1	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	5	—	5	.	.	.	.	.	.	.	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered.	212	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237
Average Births in corresponding week of previous 10 years, ...	235	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220
DEATHS registered, ...	219	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205
Annual Death-rate per 1,000, ...	28·3	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3
Average Deaths in corresponding week of previous 10 years, ...	156	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204
Ages, Under 5 years, ...	93	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64
5—15 " ...	8	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5
15—25 " ...	7	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8
25—45 " ...	26	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32
45—65 " ...	37	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42
65—75 " ...	28	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36
75 and upwards, ...	20	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18
Deaths from :—																										
Enteric Fever, ...	.	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.
Typhus, ...	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5
Scarlet Fever, ...	1	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3
Whooping-cough, ...	4	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3
Diphtheria, ...	2	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3
Influenza, ...	2	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24
Tuberculous Disease, Other Forms,	12	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8
Cancer, ...	10	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13
Diseases of Circulatory System,	15	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24
Diseases of Respiratory System, Pneumonia,	5	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19
Diseases of Respiratory System, Others, ...	14	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35
Diarrhœa and *Enteritis*, under 2 years, ...	45	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4
Diarrhœa, 2 years and upwards,	4	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.
Violent Deaths, ...	4	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5
Number of Uncertified Deaths,	5	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4
Mean Temperature of the Air (Phœnix Park)	57·5	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	41·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4
Average Mean Temperature in corresponding week of previous 10 years, ...	54·5	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8
Rainfall in inches, ...	·020	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680	·315
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	88	·91	·84

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd March, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND MARCH, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	205	64	5	8	32	42	36	18	.	1	.	5	3	3	3	.	24	8	13	4	19	35	4	.	5	78	4
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	26·9	9	.	.	.	1	2	4	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	8	.
II.	MIDDLE CLASS, ...	87,188	20·3	34	6	.	1	7	6	7	7	.	1	.	1	.	1	.	.	3	.	1	1	4	5	.	.	1	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·6	52	22	3	4	8	7	7	1	.	.	.	3	3	1	2	.	7	4	4	2	6	7	2	.	1	10	2
IV.	GENERAL SERVICE CLASS, ...	154,279	26·4	78	33	2	3	11	15	10	4	.	.	.	1	.	1	1	.	8	4	5	1	9	15	.	.	3	30	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	3	.	.	5	12	8	4	.	.	.	.	.	.	.	.	6	.	2	.	.	8	2	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	46·8	7	.	.	.	1	1	3	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	11·8	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	2	.	.	2	2	2	1	.	.	.	.	.	1	.	.	1	.	.	.	2	1	.	.	1	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	36·7	19	3	.	1	2	3	5	5	.	1	.	1	.	.	.	.	1	.	.	.	2	3	.	.	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	37·0	7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	8	1	.	2	2	.	.	.	.	.	1	.	.	1	.	1	2	.	.	2	3	.	.	.	3	.
	10. Clothing Trades, ...	23,260	17·9	8	4	.	1	1	1	.	1	.	.	.	1	1	1	.	.	2	1	.	.	.	.	.	.	.	2	.
	11. Food Supply Trades	9,242	11·3	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	30·9	18	7	2	1	1	3	4	.	.	.	.	1	2	.	1	.	1	1	1	2	3	3	2	.	.	1	1
	13. Petty Shopkeepers	7,894	26·4	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	1	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	17·1	12	1	.	.	4	3	3	1	.	.	.	.	.	.	.	.	1	.	2	.	1	2	.	.	.	6	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	29	2	3	6	9	4	2	.	.	.	1	.	1	1	.	6	4	2	.	6	12	.	.	3	19	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	32	3	.	.	5	12	8	4	.	.	.	.	.	.	.	.	6	.	2	.	.	8	2	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.)	Jan. 13,	20·8	3·5	12	.	.	.	.	.	1	.	.	.	2	.	1	1	.	1	.	.
	" 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
(*Office, Clarence-st. Nth.*)	" 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
Pop. in 1912 (Est.) 30,034.	" 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	" 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	" 24,	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
North City, No. 1 (W.)	Jan. 13,	24·7	.	19	.	.	.	.	.	.	.	.	2	.	1	3	3	.	.	.	.
	" 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
(*Office, Summer-hill.*)	" 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb. 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
Pop. in 1912 (Est.) 40,141.	" 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	" 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	" 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar. 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
North City, No. 2.	Jan. 13,	15·2	1·7	9	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	1
	" 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
(*Office, Lisburn-street.*)	" 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
Pop. in 1912 (Est.) 30,873.	" 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	" 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	" 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
North City, No. 3.	Jan. 13,	26·3	7·7	17	.	.	.	3	.	1	1	.	2	.	.	1	2	.	.	.	1
	" 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
(*Office, Benburb-street.*)	" 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
Pop. in 1912 (Est.) 33,701.	" 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	" 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	" 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
South City, No. 1.	Jan. 13,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	.	1	.	5	.	.	.	.
	" 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
(*Office, Sth. Earl-street.*)	" 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
Pop. in 1912. (Est.) 41,650.	" 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	" 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	" 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
South City, No. 2.	Jan. 13,	23·9	4·8	10	.	.	.	.	1	1	.	.	3	.	.	.	2	.	.	.	.
	" 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(*Office, Castle-street.*)	" 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
Pop. in 1912 (Est.) 21,846.	" 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	" 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	" 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
South City, No. 3.	Jan. 13,	31·2	.	26	.	.	.	.	.	.	.	.	2	1	3	2	5	.	.	1	1
	" 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
(*Office, Peter-street.*)	" 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
Pop. in 1912 (Est.) 43,408.	" 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	" 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	" 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
South City, No. 4.	Jan. 13,	13·0	.	9	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	" 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
(*Office, Grand Canal-st.*)	" 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb. 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
Pop. in 1912 (Est.) 36,031.	" 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	" 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	" 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Jan. 13,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	„ 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	„ 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Jan. 13,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	„ 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
Kingstown Urban District. Pop. in 1911 17,227.	Jan. 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	„ 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	Jan. 13,	19·5	0·9	146	.	1	.	.	.	6	.	.	9	5	8	14	20	.	.	3	1
	„ 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	„ 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
Cork. Pop. in 1911 76,632.	Jan. 13,	25·2	1·4	37	.	.	.	1	.	.	.	.	7	.	1	3	8	1	.	.	1
	„ 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	„ 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar. 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,912.	Jan. 13,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	1	.
	„ 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	„ 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar. 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
Limerick. Pop. in 1911 38,403.	Jan. 13,	14·9	2·7	11	1	.	.	.	.	.	.	.	1	.	.	2	1	.	1	.	3
	„ 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	„ 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar. 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
Waterford Pop. in 1911 27,430.	Jan. 13,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	.	1	1	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1

* See note (‡) at foot of first page

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd March, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	1	1	1	2	2	.	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.	.	.	4	.
Do. 2 do.		20			24	5	3	2	3	8	3	.	.	.	.	.	.	.	.	3	1	.	3	2	.	.	.	2	3	.
Do. 3 do.		24			22	6	4	1	5	4	2	.	.	.	.	.	2	.	.	7	.	.	3	4	.	.	.	.	3	.
Do 4 do.		26			9	5	.	.	.	2	2	.	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	1	2	1
Do. 5 do.		13			6	1	2	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	.	3	.
Do. 6 do.		16			13	3	2	1	2	1	4	.	.	.	.	.	1	.	.	3	1	.	2	2	.	.	.	1	2	.
Do. 7 do.		.			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.		7			3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 9 do.		18			15	4	1	4	2	3	1	.	.	.	.	.	.	.	.	2	.	.	5	2	.	.	.	.	2	1
Do. 10 do.		23			11	1	3	2	.	4	1	.	.	.	.	.	2	.	.	2	1	.	2	1	1	.	.	.	3	.
Do. 11 do.		28			11	2	3	2	2	1	1	.	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	1
Do. 12 do.		22			20	6	1	1	2	3	7	.	.	.	.	.	.	.	.	1	1	1	2	4	.	.	.	1	7	.
Do. 13 do.		14			8	2	2	1	1	.	2	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	.	1	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		12			12	1	2	1	3	1	4	.	.	.	.	.	2	.	.	2	1	.	1	.	.	.	.	.	3	.
Total,	—	229			162	38	25	16	23	32	28	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	6	33	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.
Do. 2 do.		7			2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 3 do.		11			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do.		4			4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 5 do.		6			3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		5			13	1	.	.	1	2	9	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.	5	.
Do. 7 do.		7			4	.	1	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	2	.
Total,	—	43	21·1	.	31	4	3	3	4	6	11	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.	10	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Sept. 9	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb 10.	Feb. 17.	Feb. 24.	Mar. 2.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9
BIRTHS registered, ...	215	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229
DEATHS registered, ...	146	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162
Annual Death rate per 1,000 of estimated population, ...	19·7	16·5	25·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6
AGES, Under 1 year, ...	49	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38
1—5 years, ...	16	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25
5—25 ,, ...	10	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16
25—45 ,, ...	21	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23
45—65 ,, ...	29	21	31	20	23	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32
65 and upwards, ...	21	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.
Whooping-cough, ...	1	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11
Diphtheria, ...	.	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24
Tuberculous Disease. Other Forms,	7	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8
Cancer, ...	4	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2
Diseases of Respiratory System, Pneumonia,	7	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25
Diseases of Respiratory System, Others, ...	9	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17
Diarrhœa, and *Enteritis*, under 2 years, ...	37	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2
Diarrhœa, 2 years and upwards,	7	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Violent Deaths, ...	3	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1
Number of Uncertified Deaths, ...	.	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Mar. 2,	2,270	1,228	14·2	2	.	14	2	26	15	19*a*
Edinburgh, ...	321,200	„ 2,	114	112	18·2	.	.	5	.	3	2	1
Glasgow, ...	785,600	„ 2,	458	318	21·1	.	.	27	2	4	4	.
Calcutta, ...	890,493	Jan. 27,	.	480	28·0	97*	1	.	.	6	1	92‡
Bombay, ...	979,445	„ 27,	458	687	36·5	91*	15	14	.	2	.	90‡
Madras, ...	509,346	„ 6,	367	618	63·1	113*	4	.	?	?	?	185‡
Cairo, ...	699,228	„ 7,	624	462	34·5	2	1	.	.	.	8†	49*a*
Paris, ...	2,847,229	Feb. 3,	936	1,102	20·9	6	.	16	2	8	8†	14*a*
Brussels, ...	705,295	„ 10,	245	257	18·9	2	.	4	1	1	1	15
Antwerp, ...	308,618	„ 10,	143	85	14·4	.	.	.	2	1	1†	5*a*
Amsterdam, ...	581,993	„ 10,	290	188	16·8	1	.	.	.	6	3†	1*a*
Copenhagen, ...	465,000	„ 10,	196	152	17·0	.	.	.	3	3	1†	6
Stockholm, ...	343,832	„ 10,	141	115	17·4	.	.	4	.	.	2†	8
Christiania, ...	244,038	„ 17,	97	81	17·3	.	.	1	.	.	1†	.
St. Petersburg, ...	1,641,600	Jan. 27,	798	741	23·5	11	3	23	16	10	6	33
Moscow, ...	1,493,600	„ 27,	.	713	24·9	4	1	16	13	3	18†	54
Berlin, ...	2,085,626	„ 27,	867	653	16·4	.	.	1	5	9	17†	19
Hamburg, ...	953,079	Feb. 10,	420	304	16·6	1	.	2	5	1	7†	19*a*
Breslau, ...	523,079	„ 10,	.	202	20·1	.	1	.	.	.	1	14
Munich, ...	610,000	„ 17,	.	173	14·8	2	.	2	.	2	2†	9
Vienna (with suburbs),	2,064,583	„ 10,	669	719	18·1	1	.	5	2	2	6†	31*a*
Buda-Pesth, ...	911,891	„ 10,	413	364	20·7	1	.	4	10	.	9†	15*a*
Prague and Faubourgs,	481,682	Jan. 27,	177	195	17·3	1	.	7	2	1	.	7*a*
Trieste, ...	233,599	Feb. 10,	177	116	25·9	1	.	2	.	3	1†	1*a*
Rome, ...	551,749	Nov. 25,	292	203	19·2	1	.	1	.	1	1	22
		Dec. 2,	252	172	16·3	1	.	.	.	1	3	9
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,766,883	Jan. 13,	2,676	1,455	14·7	6	.	11	12	6	27†	36
Philadelphia, ...	1,580,250	„ 13,	.	.	.	.	.	.	.	.	.	.
Boston ...	720,031	Feb. 10,	.	233	16·9	.	.	2	2	3	5	9

* Deaths from "fever," including 4 deaths from enteric fever, and 16 from plague in Calcutta; 4 from enteric fever, and 16 from plague in Bombay; and one from plague in Madras.

† Including deaths from croup.

‡ Including 49 deaths from cholera in Calcutta, 10 in Bombay, and 34 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending March 2nd, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	2	.	.	.	.	.	3
" " 1, West, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	2	.	.	.	.	2	1	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	2	2
South City No. 1, ...	.	.	.	.	3	.	.	.	7	.	.	6	16
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	1	3
" " 3, ...	.	1	.	.	2	.	.	.	1	.	.	.	4
" " 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	6	.	.	8	.	4	1	9	.	.	10	38

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd March, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd March.			
	Feb. 10.	Feb. 17.	Feb. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	118	75	82	20	39	1	62
Scarlet Fever, ...	134	130	122	24	27	1	118*
Typhus, ...	3	3	3	.	1	.	2
Diphtheria, ...	71	66	58	19	13	4	60
Enteric Fever, ...	50	46	47	5	7	.	45
Pneumonia, ...	22	30	36	4	7	1	32

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 2nd March, 1912:—

"In its main features the weather of this week resembled that of its immediate predecessors—being unsettled and changeable, showery and windy, and—above all—singularly mild. The prevailing direction of the wind was however, S.W. instead of S.E. or S.S.E. as in past weeks. Atmospheric depressions continued to pass in quick succession from the vicinity of the Azores along the western coasts of Ireland and Scotland to the Norwegian Sea and the Arctic Ocean. On the other hand, an area of comparatively high barometric pressure covered Spain, and later on Italy and the Mediterranean. Hence the strong S.W. winds of the period, and its mild though broken character. On Sunday a spell of fine weather was enjoyed in Ireland in the wake of a shallow secondary depression which moved eastwards across England in the course of the day. Monday was very mild—a shower fell at 10 p.m., and a southerly gale sprang up later in the night. Tuesday was mild, dry, and breezy. So also was Wednesday. In the course of the following night a large and deep depression caused a gale from S.W. and rain. In the centre of this disturbance the barometer fell below 28·9 inches on Thursday morning, the system remaining stationary off the south of Iceland until it was joined by another depression of nearly equal depth on Friday. This was in turn followed by a new cyclonic system on Saturday, the barometer falling steadily through the day to 29·049 inches at 9 p.m. (wind, S.W.), the lowest reading of the week in Dublin. The highest reading of the barometer in this City during the week was 29·906 inches at 9 p.m. of Tuesday (wind, S.W.). The corrected mean temperature was 50·1°, the mean reading of the dry bulb thermometer at 9 a.m. and 9 p.m. being 49·1°. The screened thermometers fell to 37·0° on Sunday and rose to 57·1° on Friday. Rain fell on 5 days to the amount of ·313 inch, of which ·143 inch was measured on Saturday. S.W. winds prevailed, blowing a gale on Tuesday and Thursday. Lunar halos were seen on the evenings of Sunday, Monday, Tuesday, and Thursday. There was a luna corona on Friday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·586 inches. The highest reading (29·910) was on Tuesday at 9 p.m., wind S.W., the lowest (29·055) on Saturday at 9 p.m., wind S.S.W.

The mean temperature for the week was 49·4°, being 8·6° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Monday and Friday, on which days the thermometer registered 57·0°, and was lowest on Sunday, the mercury having fallen to 35·0°. The mean of the Dry Bulb for the week was 48·5° and of the Wet Bulb, 46·3°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·315 inch.

At Greenwich the mean temperature for the week was 49·8°, the maximum 59·5°, and the minimum 35·2°; at Glasgow the maximum was 54·0°, the minimum 35·7°, and the mean 47·1°; and at Edinburgh the maximum was 53·8°, the minimum 34·3°, and the mean 45·9°. The rainfall at Greenwich measured 0·52 in.; at Glasgow, 0·78 in.: and at Edinburgh, 0·19 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, February 25,	29·835	52·0	35·0	43·5	42·8	41·2	·89	·5	5·7	·000	W.S.W.	S.S.W.
Monday, „ 26,	29·640	57·0	43·0	50·0	50·1	46·9	·78	·7	4·4	·040	S.S.W.	S.S.W.
Tuesday, „ 27,	29·910	56·0	44·0	50·0	50·2	49·5	·85	·7	4·3	·000	S.W.	S.W.
Wednesday, „ 28,	29·650	56·0	49·0	52·5	52·4	49·1	·80	·6	0·2	·085	S.S.W.	S.
Thursday, „ 29,	29·580	55·0	45·0	50·0	48·0	45·1	·80	·7	5·5	·040	S.W.	S.S.W.
Friday, March 1,	29·290	57·0	46·0	51·5	48·6	47·4	·91	·7	2·9	·035	S.E.	W.S.W.
Saturday, „ 2,	29·200	54·0	42·0	48·0	47·7	45·2	·83	·6	0·2	·115	S.S.W.	S.S.W.
Mean, ...	29·586	55·3	43·4	49·4	48·5	46·3	·84	·6	Total 23·2	Total ·315	Prevailing Wind. S.S.W.	

Sunday—A fine bright day, light clouds p.m.; night cloudy. *Monday*—Day cloudy, heavy shower 12.0 to 12.15 p.m.; night cloudy, drizzling at intervals a.m. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—A dull day; night cloudy, showers at intervals from 10.30 p.m. to 6.0 a.m. *Thursday*—A fine day, light clouds, showers 12.0 to 12 15 p.m. and 4.0 to 4.15 p m.; night cloudy. *Friday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy, rain from 9.15 to 10.15 p.m. *Saturday*—A dull day; night cloudy, showery from 9.0 p.m. to 6.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rain fall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 2nd, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, February 25,	40·4	43·5	44·6	52·0	36·0	44·0	6·0	—
Monday, „ 26,	52·8	43·9	44·6	58·0	42·5	50·3	4·5	·008
Tuesday, „ 27,	49·4	44·9	44·7	57·9	45·0	51·5	3·5	—
Wednesday, „ 28,	54·0	46·0	44·8	57·2	50·0	53·6	0·4	·078
Thursday, „ 29,	50·6	46·4	45·0	56·3	46·3	51·3	5·9	·001
Friday, March 1,	49·0	46·2	45·2	57·5	46·9	52·2	1·1	·040
Saturday, „ 2,	52·2	46·1	45·4	54·6	42·5	48·6	0·1	·131
Weekly Mean, .	49·8	45·3	44·9	56·2	44·2	50·2	Total 21·5	Total ·258

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32040. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 9TH MARCH, 1912. [No. 10.

General Register Office, Charlemont House, Dublin, 11th March, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 17	Feb. 24	Mar. 2	Mar. 9	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 17	Feb. 24	Mar. 2	Mar. 9	Average Rate for 4 weeks.
22 Town Districts, ...	**26·6**	**24·6**	**22·1**	**23·1**	**24·1**	Limerick	21·7	23·1	16·3	19·0	20·0
						Lisburn	25·7	25·7	21·4	17·1	22·5
Armagh	41·2	6·9	6·9	·	13·8	Londonderry	16·6	12·7	12·7	30·6	18·2
Ballymena	13·8	9·2	22·9	13·8	14·9	Lurgan	25·8	12·9	25·8	25·8	22·6
Belfast	33·1	26·9	21·6	20·3	25·5	Newry	30·5	30·5	17·4	13·1	22·9
Clonmel	15·2	20·3	35·5	15·2	21·6	Newtownards	34·3	34·3	40·1	11·4	30·0
Cork	26·5	24·5	21·1	24·5	24·1	Portadown	8·9	13·3	4·4	13·3	10·0
Drogheda	16·8	25·2	16·8	21·0	20·0	Queenstown	6·6	19·8	39·6	13·2	19·8
Dublin Reg. Area ...	23·9	23·3	24·9	26·9	24·7	Sligo	14·0	14·0	4·7	42·0	18·7
Dundalk	35·7	27·8	27·8	51·6	35·7	Tralee	5·3	15·9	10·6	10·6	10·6
Galway	7·9	43·3	19·7	15·7	21·7	Waterford	30·4	38·0	19·0	7·6	23·8
Kilkenny	29·8	29·8	34·7	39·7	33·5	Wexford	31·9	31·9	13·7	22·8	25·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·3 in Tralee, the 3 deaths from all causes for that district including one from diarrhœa or *enteritis* of a child under 2 years of age. Included in the 152 deaths from all causes for Belfast are 2 from enteric fever, one from scarlet fever, 11 from whooping-cough, 4 from diarrhœa or *enteritis* of children under 2 years of age, and one from *cerebro-spinal meningitis.* Among the 36 deaths from all causes for Cork are one from diphtheria and one from diarrhœa or *enteritis* of a child under 2 years of age. Of the 14 deaths from all causes for Limerick one is from each of enteric fever and whooping-cough, and one death from diphtheria is among the 4 deaths from all causes for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—104 boys and 106 girls—and the deaths to 218—106 males and 112 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·9 per 1,000 of the population. During the ten weeks ending with Saturday last the death-rate averaged 24·1, and was 1·4 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 218, represent an annual rate of 28·0 per 1,000 ; the annual rate for the past ten weeks was 25·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·6 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes there were 2 from enteric fever, 4 from measles, 2* from whooping-cough, 3 from diphtheria, 6 from diarrhœa and *enteritis* of children under 2 years, 2 deaths from influenza, and 2 deaths from cerebro-spinal fever. In each of the 3 weeks preceding deaths from enteric fever were 0, one, and 0; deaths from measles were 3, 2, and 5 ; deaths from whooping-cough were one, 4, and 3 ; deaths from diphtheria were one, one, and 3 ; deaths from diarrhœa and *enteritis* of children under 2 years were 4, 2, and 4; deaths from influenza were 4, 2, and one ; and deaths from cerebro-spinal fever were 0, 0, and 0.

There were 24 deaths from tuberculous disease, including 17 from pulmonary tuberculosis, 6 from tuberculous meningitis, and one death from disseminated tuberculosis. In the 3 weeks preceding deaths from all forms of tuberculous disease were 27, 26, and 32 respectively.

Fifteen deaths were attributed to broncho-pneumonia, one to lobar pneumonia, and 9 to *pneumonia* (type not distinguished).

The deaths of 6 infants were caused by *convulsions.*

Organic diseases of the heart accounted for the deaths of 21 persons and bronchitis for the deaths of 41 persons.

Prematurity caused the deaths of 7 infants, congenital debility caused 4 deaths, and congenital defects the death of one infant.

Of 3 deaths from accidental causes, 2 were from burns of children between the ages of 2 years and 5 years.

There were 2 deaths by suicide.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 10 children under 5 years of age (including 7 infants under one year old) and the deaths of 2 persons aged 65 years and upwards.

Seventy-eight of the persons whose deaths were registered during the week were under 5 years of age (49 being infants under one year, of whom 16 were under one month old) and 43 were aged 65 years and upwards, including 36 persons aged 70 and upwards ; among the latter were 19 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 97 years respectively.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 18 took place in the North Dublin Union Workhouse and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·9 per 1,000 ; the rate in the City was 28·4 (North City Districts, 29·1 ; South, 27·8) and in the Suburbs, 22·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·0 (2·9 in the North City Districts, and 1·0 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·5 per 1,000, and include one death from whooping-cough, 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 4 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·6 per 1,000. Enteric fever caused one death and diphtheria caused 2 deaths ; there were 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, 3 deaths from *pneumonia* (type not distinguished), 3 deaths from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·5 per 1,000. There was one death from enteric fever, 3 deaths from tuberculous disease, one death from broncho-pneumonia, 3 deaths from bronchitis, and one death of a child under 2 years of age from diarrhœa.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·3 per 1,000. Cerebro-spinal fever caused 2 deaths, diarrhœa of a child under 2 years of age one death, tuberculous disease caused 2 deaths ; there was one death from broncho-pneumonia, there were 2 deaths from bronchitis and one death by suicide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 31·3 ; and Finglas and Glasnevin, part of, 20·2. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *pneumonia* (type not distinguished). Included in the 7 deaths from all causes for Coolock and Drumcondra, part of, are 3 from pulmonary tuberculosis and one from bronchitis ; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 28·8 per 1,000. The deaths include one from influenza, one from diarrhœa of a child under 2 years of age, one from tuberculous meningitis, one from broncho-pneumonia, and 6 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 31·0 per 1,000. Of the deaths one was from diphtheria and 6 were from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (30) are equal to an annual rate of 36·0 per 1,000. Measles and influenza each caused one death ; there were 2 deaths from tuberculous meningitis, 6 deaths from broncho-pneumonia, one from lobar pneumonia, 10 deaths from bronchitis, and one death by suicide.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000 and include 3 deaths from broncho-pneumonia and 2 deaths from *pneumonia* (type not distinguished).

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·6 per 1,000. The deaths include one from tuberculous meningitis, one from bronchitis, and one death from accidental burning.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 21·5 ; Pembroke, 19·3 ; Blackrock, 17·1 ; and Kingstown, 30·3. The deaths from the principal epidemic diseases tabulated for these districts comprise 3 from measles for Kingstown and one from *enteritis* of a child under 2 years for Pembroke. Among the 16 deaths from all causes for Rathmines and Rathgar one is from tuberculous meningitis, 2 are from *pneumonia* (type not distinguished), one from bronchitis, and one accidental death. Included in the 11 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, 2 from bronchitis, and one from accidental burning. Of the 10 deaths from all causes for Kingstown one is from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

* See note (*c*) Table II. † See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 9th March, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 17,	.	—	—	12	1	.	6	.	2	2	9	.	—	—	.	—	11	—	43
	Feb. 24,	.	—	—	9	.	.	10	.	1	2	5	.	—	—	.	—	7	—	34
	Mar. 2,	.	—	—	6	.	.	8	.	4	1	9	.	—	—	.	—	10	—	38
	Mar. 9,	.	—	—	15	.	.	12	.	1	.	3	.	—	—	2	—	11	—	44
Rathmines and Rathgar Urban District.	Feb. 17,	.	—	—	18	.	.	1	.	.	.	1	.	—	—	—	—	—	—	20*a*
	Feb. 24,	.	—	—	5	.	.	2	.	.	1	.	.	—	—	—	—	—	—	8*b*
	Mar. 2,	.	—	—	4	.	.	5	.	.	.	.	.	—	—	—	—	—	—	9
	Mar. 9,	.	—	—	3	.	.	6	.	.	1	.	.	—	—	—	—	—	—	10
Pembroke Urban District.	Feb. 17,	.	1	.	2	.	.	3	.	.	.	.	.	.	.	—	—	.	—	6
	Feb. 24,	.	3	.	5	.	.	2	.	.	.	.	.	.	.	—	—	.	—	10
	Mar. 2,	.	1	.	1	.	.	1	.	.	.	.	.	.	.	—	—	1	—	4
	Mar. 9,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	.	—	3
Blackrock Urban District.	Feb. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 2,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	.	—	—	—	3
	Mar. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Feb. 17,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Feb. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Mar. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Mar. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Feb. 17,	.	—	—	7	.	.	1	.	1	1	3	.	—	—	—	—	10	—	23
	Feb. 24,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	16	—	34
	Mar. 2,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	.	—	10	.	23
	Mar. 9,	.	—	—	6	.	.	4	.	1	.	3	.	—	—	1*c*	—	12	1	28

(*a*) Not including one case of measles. (*b*) Not including one case of chicken-pox. (*c*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th March, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-two cases of measles were admitted to hospital during the week, 17 were discharged, there was one death, and 66 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 75, 82, and 62, respectively.

Twenty cases of scarlet fever were admitted to hospital, 25 were discharged, and 113* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 130, 122, and 118, respectively.

Two cases of typhus remained under treatment in hospital at the close of the week.

Twenty-one cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 58, and 60, respectively, were 66 at the close of last week.

Eight cases of enteric fever were admitted to hospital during the week, 2 were discharged, there were 3 deaths, and 48 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 46, 47, and 45.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 13·3) was equal to an average annual death-rate of 14.4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 21·0, and for Edinburgh 18·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th March. From this Report it appears that of a total of 66 cases notified, 32 were phthisis, 15 scarlet fever, 11 diphtheria, and 8 erysipelas. Among the 394 cases of infectious diseases in hospital at the close of the week were 129 cases of measles, 98 of scarlet fever, 62 of phthisis, 39 of diphtheria, 33 of whooping-cough, 13 of erysipelas, 7 of enteric fever, 7 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 9th March, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 9TH MARCH, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (d) Week ending 9th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th February, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	28·0	23·1	1·8	622	512	106	109	5	...	...	4	1	13	5	...	68	19	18	50	86	13	...	11	12	149	32	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	26·9	26·9	2·1	210	210	48	41	2	...	...	4	...	1	3	...	15	7	6	24	45	6	...	5	4	75	15	e53·0	32·0	44·2	0·69	e57·0	35·0	49·4	0·32	e57·0	25·0	42·9	0·68
CITY OF DUBLIN,	311,601	39·4	29·5	28·4	2·0	176	170	42	31	2	...	...	1	...	1	3	...	12	6	5	21	39	5	...	3	3	68	8	f51·6 g53·1	35·2 32·8	44·6 44·9	0·89 0·68	f57·1 g58·0	37·0 36·0	50·1 50·0	0·31 0·24	f57·8 g57·6	35·0 27·4	45·8 43·3	0·96 0·90
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	13·4	21·5	.	10	16	...	7	...	...	...	...	...	...	...	...	...	1	1	2	3	...	...	1	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	22·8	19·3	1·8	13	11	1	1	...	...	...	...	...	...	...	...	2	...	...	...	2	1	...	1	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	17·1	17·1	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	30·3	9·1	8	10	4	1	...	...	...	3	...	...	...	...	1	...	...	1	1	...	...	...	...	...	3	53	37	44·9	0·95	56	39	49·5	0·46	59	33	45·2	0·84
Urban Districts. BELFAST (h) ...	391,051	26·6	30·7	20·3	2·4	230	152	31	26	2	...	...	...	1	11	...	...	25	8	5	18	12	4	...	5	7	35	2	52·0	33·0	44·6	0·81	56·0	36·0	46·8	0·49	56·0	29·0	43·5	1·04
CORK, ...	76,632	33·8	23·1	24·5	1·4	34	36	6	9	...	...	...	...	...	...	1	...	12	1	2	1	8	1	...	...	...	13	2	51	38	45·1	1·85	53	36	47·6	1·15	52	36	45·7	1·26
LONDONDERRY ...	40,912	18·9	38·2	30·6	1·3	30	24	3	7	...	...	...	...	...	...	...	...	3	1	2	...	7	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	13·6	19·0	2·7	10	14	1	2	1	...	...	...	...	1	...	...	3	...	...	...	3	...	...	...	...	4	3	50·4	31·5	42·9	0·99	56·0	29·8	47·0	0·60	58·5	28·1	44·4	1·40
WATERFORD, ...	27,430	19·1	28·5	7·6	1·9	15	4	1	1	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	27·5	15·7	.	7	4	...	2	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...	1	1	1	1	54	32	45·4	0·60	54	34	47·4	0·86	55	35	44	1·11
DUNDALK, ...	13,128	9·5	31·8	51·6	.	8	13	2	4	...	...	...	...	...	...	...	...	2	1	...	4	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	46·2	21·0	.	11	5	3	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	43·6	13·1	.	10	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86
LURGAN, ...	12,135	14·3	12·9	25·8	.	3	6	1	1	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	...	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86
LISBURN, ...	12,172	10·7	21·4	17·1	.	5	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86
WEXFORD, ...	11,455	23·8	41·0	22·8	.	9	5	..	2	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,376	9·3	4·6	13·8	.	1	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	23·4	42·0	.	5	9	2	5	..	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	8	...	55	34	43	0·75	58·0	28·0	47·0	1·05	55·0	28·0	41·5	2·28
KILKENNY, ...	10,513	11·4	39·7	39·7	.	8	8	1	5	...	...	...	...	...	...	...	...	1	...	1	...	4	...	...	...	...	2	1	51	34	44·0	1·43	58	34	48·5	0·75	55	31	43·7	1·16
CLONMEL, ...	10,277	7·9	30·4	15·2	.	6	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	13·3	13·3	.	3	3	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86
TRALEE, ...	9,867	16·6	15·9	10·6	5·3	3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	11·4	.	6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	51	35	43·1	0·50	56	34	47·1	0·39	51	32	43·4	1·32
QUEENSTOWN, ...	7,909	14·4	39·6	13·2	.	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51	38	45·1	1·85	53	36	47·6	1·15	52	36	45·7	1·26
ARMAGH, ...	7,588	22·2	13·7	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29	56·0	30·0	42·5	1·86

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 8 deaths one was from whooping-cough. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of March, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	4	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Diphtheria,	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	2	2	1	.	3	.	.	.	.	.	.	.	2	.	1	15	2
Tuberculous Disease. { Other Forms,	.	.	1	1	.	.	.	1	.	2	.	1	1	.	.	.	7	.
Cancer,	.	1	.	1	.	1	.	.	.	.	2	.	1	.	.	.	6	3
Diseases of Nervous System,	1	2	2	2	.	.	1	1	2	2	.	.	3	.	.	.	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	1	2	.	.	.	5	3	2	1	1	2	4	1	.	26	.
" Respiratory System. { Pneumonia,	1	4	1	1	1	.	.	1	.	7	5	.	2	.	.	1	24	1
" Respiratory System. { Others,	4	3	4	3	.	1	1	6	6	10	.	1	3	2	.	1	45	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	2	1	1	.	.	.	1	.	.	.	.	.	1	.	.	6	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	1	2	2	.	1	.	2	.	1	.	1	.	.	.	1	11	.
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	6	1	1	1	1	3	1	2	1	.	.	.	2	2	26	1
Violent Deaths,	.	.	.	1	.	.	.	.	.	1	.	1	1	1	.	.	5	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	.	.	.	2	1	.	1	5	.
Deaths from All Causes	17	22	21	17	2	7	3	23	13	30	10	5	16	11	3	10	210	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·5	28·6	35·5	26·3	19·3	31·3	20·2	28·8	31·0	36·0	14·5	28·6	21·5	19·3	17·1	30·3	26·9	.
				29·1						27·8					22·0			
						28·4												
Ages at Death. { Under 1 year,	6	2	9	6	1	.	.	6	3	6	2	1	.	1	1	4	48	1
Ages at Death. { 1 and under 2 years,	1	2	1	.	.	.	.	1	1	4	.	.	1	1	.	3	15	.
Ages at Death. { 2 " 5 "	.	1	2	1	.	.	.	3	2	2	1	2	.	1	.	.	13	1
Ages at Death. { 5 " 15 "	1	2	.	2	.	.	.	2	.	2	.	1	.	2	.	.	12	.
Ages at Death. { 15 " 25 "	1	1	.	.	.	2	.	.	.	1	.	.	1	.	.	1	7	.
Ages at Death. { 25 " 45 "	2	4	5	.	.	2	.	3	1	5	3	.	3	2	.	.	30	3
Ages at Death. { 45 " 65 "	3	7	2	6	.	.	.	4	2	7	3	1	4	3	1	1	44	1
Ages at Death. { 65 and upwards,	3	3	2	2	1	3	3	6	4	3	1	.	7	1	1	1	41	2
Number of Uncertified Deaths,	.	2	1	.	.	.	.	1	.	3	.	1	2	1	1	3	15	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	7	1	2	1	3	.	5	3	5	1	1	1	2	1	.	36	7
Workhouse Hospitals,	1	4	7	4	1	.	.	5	3	7	3	1	1	2	.	.	39	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1902–1911.	In the Week ending Saturday, 9th March, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 8, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·1	° 41·6	° 44·2										
ALL CAUSES.	222	200	213	189	187	194	193	223	204	174	199·9	218	16	33	15	14	12	7	33	45	24	19
Enteric Fever, ...	2	3	3	1	.	.	2	3	.	3	1·7	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	1	.	1	.	1	.	5	.	7	2·1	4	.	3	1	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	6	.	1	7	2	5	2	4	2·9	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	3	2	.	.	2	1	3	2	1	2	1·6	3	.	.	.	2	1	.	.	.	.	.
Croup, ...	1	1	.	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	6	4	3	.	7	5	6	2	3·6	2	.	.	.	.	.	.	1	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	3	.	.	.	1	1	·6	1	.	.	.	.	.	.	.	.	.	1
Other Epidemic Diseases, ...	.	.	3	1	.	1	.	.	.	.	·5	1	.	.	.	.	.	.	.	.	1	.
Pyæmia and Septicæmia (non-puerperal).	1	2	.	.	.	1	2	1	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	38	32	30	25	30	21	24	20	26	17	26·3	17	.	1	1	.	1	4	7	3	.	.
Tuberculous Meningitis, ...	3	3	6	5	3	4	4	2	3	2	3·5	6	.	.	.	2	3	1	.	.	.	.
Abdominal Tuberculosis, ...	.	3	1	1	.	2	2	.	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	3	10	11	5	6	7	7	13	8	.	7·5	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										4		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	2	1	1	2	2	.	2	1	1·2	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	7	7	7	3	6	7	6	6	13	8	7·0	9	.	.	.	.	.	.	.	3	5	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	2	.	1	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	.	3	.	2	1	.	1	2	.	·9	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	1	.	.	.	1	.	.
Alcoholism, ...	.	.	.	3	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	4	1	.	.	.	·5	2	2	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										7		2	.	.	.	.	.	.	.	.	1	1
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.										3		4	.	.	.	.	.	.	.	2	1	1
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		6	1	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	47	55	41	40	43	49	57	37	6	44·3	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	2	.	.	.	.	.
Organic Diseases of the Heart,										11		21	.	.	.	.	3	.	1	11	5	1
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	43	21	28	34	24	29	28	32	34	24	29·7	41	1	6	7	3	1	.	1	9	5	8
Broncho-pneumonia, ...		3	10	8	8	4	5	12	16	10		15	3	3	4	2	.	.	2	.	1	.
Lobar-pneumonia, ...	18	.	.	2	.	1	.	.	2	3	16·1	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)		11	4	8	10	13	5	5	2	3		9	.	1	1	.	.	1	4	2	.	.
Pleurisy, ...										.		2	.	.	.	.	.	.	2	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	3	2	3	4	2	2	2	1	.	2·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		2	.	.	.	.	.	.	.	2	.	.

TENTH WEEK ending Saturday, 9th March, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 10th Week of the 10 years 1902–1911.	In the Week ending Saturday, 9th March, 1912.										
													Deaths of Persons of the Ages of									
	Mar. 3, 1902.	Mar. 14, 1903.	Mar. 12, 1904.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·3	° 41·8	° 38·0	° 42·4	° 46·3	° 43·1	° 37·3	° 38·2	° 43·6	° 41·1	° 41·6	° 44·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	1	1	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	1	4	3	4	2	3	5	10	.	3·9	6	3	2	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										3		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	2	.	1	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	1	1	1	2	1	.	.	.	.	1·9	2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Liver, ...		.	1	5	1	2	2	.	2	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	.	.	.	2	.	2	.	.	·5	2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Digestive System.	2	5	7	4	8	7	4	7	5	.	4·9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	3	4	4	4	8	3	5	8	5	1	5·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		2	.	.	.	.	.	.	.	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	2	1	.	1	1	.	.	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	.	.	1	.	.	2	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	2	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	1	5	4	5	6	3	3	9	4·2	7	4	3	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	16	4	3	5	6	5	4	6	5	7	6·1	7	.	.	.	.	.	.	.	.	3	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	4	.	.	.	1	2	.	1	3	1·2	2	.	.	.	2	.	.	.	.	.	.
Drowning, ...	.	2	.	.	.	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	3	2	.	.	2	1	1	1	1·3	1	.	.	.	.	.	.	.	.	.	1
Total Deaths from Accident,	3	9	3	3	.	2	9	2	2	4	3·7	3	.	.	.	2	.	.	.	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	1	.	.	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	.	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	1	1	.	.	.	·3	2	.	.	.	.	.	1	.	1	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	5	.	.	.	.	.	.	1	1	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered.	201	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210
Average Births in corresponding week of previous 10 years, ...	209	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224
DEATHS registered, ...	189	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218
Annual Death-rate per 1,000, ...	24·4	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0
Average Deaths in corresponding week of previous 10 years, ...	152	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200
Ages, Under 5 years, ...	82	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78
5—15 " ...	4	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12
15—25 " ...	7	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7
25—45 " ...	30	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33
45—65 " ...	35	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45
65—75 " ...	17	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24
75 and upwards, ...	14	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19
Deaths from :—																										
Enteric Fever, ...	2	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2
Typhus, ...	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4
Scarlet Fever, ...	1	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.
Whooping-cough, ...	3	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2
Diphtheria, ...	3	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3
Influenza, ...	.	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17
Tuberculous Disease, Other Forms,	7	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7
Cancer, ...	10	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9
Diseases of Circulatory System,	16	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26
Diseases of Respiratory System, Pneumonia	10	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25
Diseases of Respiratory System, Others, ...	12	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45
Diarrhœa and *Enteritis*, under 2 years, ...	46	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6
Diarrhœa, 2 years and upwards,	1	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
Violent Deaths, ...	2	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5
Number of Uncertified Deaths,	6	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15
Mean Temperature of the Air (Phœnix Park)	52·9	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2
Average Mean Temperature in corresponding week of previous 10 years, ...	52·8	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6
Rainfall in inches, ...	·320	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680	·315	·690
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th March, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 9th March, 1912. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	218	78	12	7	33	45	24	19	2	.	.	4	.	2	3	.	17	7	9	6	25	45	6	.	5	87	15
	CLASSES.																													
	Deaths in Families of the—																													
I	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	23·9	40	8	4	4	11	6	3	4	.	.	.	.	.	.	2	.	4	1	3	.	4	6	.	.	3	17	3
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	14	.	2	6	8	4	4	2	.	.	.	.	.	.	.	4	.	.	.	7	10	1	.	.	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	31·8	94	48	7	1	15	10	8	5	.	.	.	4	.	2	1	.	7	5	3	6	13	13	5	.	1	34	10
V.	INMATES OF WORKHOUSES, ...	6,024	—	40	8	1	.	1	19	8	3	.	.	.	.	.	.	.	.	2	1	2	.	1	13	.	.	1	20	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	.	1	1	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	30·8	13	3	1	1	4	3	.	1	.	.	.	.	.	.	2	.	1	.	1	.	1	1	.	.	1	6	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	3	1	2	3	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	5	.	.	.	4	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	2	1	.	3	1	3	1	.	.	.	.	.	.	.	.	1	.	2	.	3	.	.	.	1	4	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	2	.	1	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	17·9	8	2	.	.	2	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.	.	2	.
	11. Food Supply Trades	9,242	28·2	5	1	.	.	2	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	5	.	.	1	5	.	1	.	.	.	.	.	.	.	.	1	.	.	.	2	4	.	.	.	5	2
	13. Petty Shopkeepers	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	15. Domestic Servants, ...	36,603	17·1	12	4	.	1	2	2	3	.	.	.	.	.	.	.	.	.	1	.	2	1	2	1	.	.	.	5	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	3	3	.	3	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	1	.	.	.	4	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	39·5	68	40	3	.	9	7	4	5	.	.	.	4	.	2	1	.	5	3	.	5	9	10	5	.	1	23	8
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	40	8	1	.	1	19	8	3	.	.	.	.	.	.	.	.	2	1	2	.	1	13	.	.	1	20	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Jan. 20,	34·7	1·7	20	.	.	.	.	.	1	.	.	4	.	.	1	3	.	.	.	1
	„ 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
	„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	„ 24.	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Jan. 20,	29·9	2·6	23	1	.	.	.	.	.	.	.	3	2	.	4	2	1	.	1	2
	„ 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb. 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
	„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	„ 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar. 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Jan. 20,	25·3	3·4	15	1	.	.	.	.	1	.	.	.	.	1	2	5	.	.	.	.
	„ 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
	„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Jan. 20,	27·8	4·6	18	1	.	.	.	1	1	.	.	3	2	1	.	3	.	.	.	.
	„ 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
	„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Jan. 20,	35·1	2·5	28	.	.	.	1	.	1	.	.	6	1	.	1	3	.	.	1	2
	„ 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
	„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Jan. 20,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 27,	14·2	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Jan. 20,	26·4	3·6	22	.	.	.	.	.	.	2	.	2	1	.	2	2	1	.	.	2
	„ 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
	„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Jan. 20,	27·5	.	19	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	1	.
	„ 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb. 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
	„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	„ 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Jan. 20,	16·1	2·7	12	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	2	.
	,, 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	,, 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	,, 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
Pop. in 1912 (Est.) 38,889.	,, 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	,, 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
Pembroke Urban District.	Jan. 20,	12·3	1·8	7	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
	,, 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	,, 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	,, 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
Pop. in 1912 (Est.) 29,693.	,, 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	,, 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
Kingstown Urban District.	Jan. 20,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	,, 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	,, 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	,, 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
Pop. in 1911 17,227.	,, 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	,, 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
Belfast.	Jan. 20,	20·8	2·3	156	.	.	.	.	.	12	.	.	12	3	7	20	17	4	1	4	3
	,, 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
Pop. in 1912 (Est.) 391,051.	,, 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	,, 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	,, 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	,, 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
Cork.	Jan. 20,	19·7	.	29	.	.	.	.	.	.	.	.	7	.	3	.	3	.	.	.	3
	,, 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	,, 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
Pop. in 1911 76,632.	,, 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	,, 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	,, 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
Londonderry.	Jan. 20,	10·2	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	,, 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	,, 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
Pop. in 1912 (Est.) 40,912.	,, 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	,, 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar. 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	,, 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
Limerick.	Jan. 20,	25·8	.	19	.	.	.	.	.	.	.	.	2	.	1	.	7	.	.	1	2
	,, 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	,, 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
Pop. in 1911 38,403.	,, 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	,, 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar. 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	,, 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
Waterford	Jan. 20,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	,, 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	,, 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
Pop. in 1911 27,430.	,, 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	,, 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	,, 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th March, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	11	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		11	1	2	1	2	3	2	.	.	.	.	.	1	.	.	1	1	.	2	3	.	.	.	.	4	.
Do. 2 do.		30			31	6	1	5	9	2	8	.	.	.	.	.	.	.	.	8	2	2	4	.	.	.	.	1	4	1
Do. 3 do.		34			16	4	2	3	1	4	2	.	.	.	.	.	1	.	.	3	.	1	3	1	1	.	.	.	6	.
Do 4 do.		17			18	2	2	.	5	6	3	1	.	.	.	.	2	.	.	4	.	1	.	2	.	.	.	.	5	.
Do. 5 do.		17			10	3	2	1	2	2	.	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	2	2	1	1
Do. 6 do.		14			14	4	1	1	3	1	4	.	.	.	.	.	.	.	.	3	.	.	2	.	2	.	1	1	5	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5			3	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.		7			8	1	3	1	1	2	.	.	.	.	.	.	2	.	.	.	1	.	1	.	.	.	1	2	1	.
Do. 10 do.		23			5	1	.	.	1	1	2	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 11 do.		16			11	1	2	.	6	2	.	.	.	.	.	1	1	.	.	4	.	.	1	1	.	.	1	1	2	.
Do. 12 do.		30			10	5	.	.	2	2	1	.	.	.	.	.	.	.	.	1	1	1	1	2	1	.	.	.	4	.
Do. 13 do.		11			4	.	1	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			11	2	.	1	2	4	2	.	.	.	.	.	1	.	.	.	2	.	3	1	.	.	.	.	3	.
Total,	—	230			152†	31	17	14	35	29	26	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	7	35	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	1	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
Do. 2 do.		12			5	.	.	1	1	1	2	.	.	.	.	.	.	1	.	1	.	.	.	3	.	.	.	.	2	.
Do. 3 do.		1			3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
Do. 4 do.					4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	1	.
Do. 5 do.		3			6	2	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	1	1
Do. 6 do.		5			5	1	.	.	3	.	1	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	3	.
Do. 7 do.		8			8	3	1	1	1	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	2	1
Total,	—	34	24·5	1·4	36	6	3	4	8	6	9	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	.	13	2

* See note (‡) at foot of first page. † See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10
BIRTHS registered, ...	183	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230
DEATHS registered, ...	122	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152†
Annual Death rate per 1,000 of estimated population, ...	16·5	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3
AGES, Under 1 year, ...	43	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31
AGES, 1—5 years, ...	11	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17
AGES, 5—25 " ...	8	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14
AGES, 25—45 " ...	17	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35
AGES, 45—65 " ...	21	31	20	23	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29
AGES, 65 and upwards, ...	22	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	23	26
Deaths from :—																										
Enteric Fever, ...	.	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1
Whooping-cough, ...	2	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11
Diphtheria, ...	.	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25
Tuberculous Disease. Other Forms,	5	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8
Cancer, ...	6	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5
Diseases of Respiratory System, Pneumonia,	3	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18
Diseases of Respiratory System, Others, ...	6	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12
Diarrhœa, and *Enteritis*, under 2 years, ...	31	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4
Diarrhœa, 2 years and upwards,	4	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Violent Deaths, ...	2	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5
Number of Uncertified Deaths, ...	.	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2

† Including one death from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Mar. 9,	2,225	1,152	13·3	3	.	18	5	22	7	17*a*
Edinburgh, ...	321,200	„ 9,	127	113	18·4	.	.	6	.	2	.	.
Glasgow, ...	785,600	„ 9,	421	316	21·0	3	.	21	5	3	5	2
Calcutta, ...	890,493	Feb. 3,	.	523	30·5	99*	.	1	.	4	.	107‡
Bombay, ...	979,445	„ 3,	444	700	37·1	71*	27	5	.	.	.	91‡
Madras, ...	509,346	Jan. 13,	369	530	54·1	105*	6	2	?	?	?	140‡
Cairo, ...	699,228	„ 14,	645	493	36·8	1	.	.	.	.	11†	74*a*
Paris, ...	2,847,229	Feb. 10,	1,042	1,210	21·7	7	.	21	3	9	7†	18*a*
Brussels, ...	705,295	„ 17,	247	242	17·8	.	.	1	.	2	.	12
Antwerp, ...	308,618	„ 17,	127	73	12·3	.	.	1	.	.	.	3*a*
Amsterdam, ...	581,993	„ 17,	225	143	12·8	.	.	1	.	3	1†	3*a*
Copenhagen, ...	465,000	„ 17,	219	145	16·3	.	.	.	1	3	1†	1
Stockholm, ...	343,832	„ 17,	161	99	15·0	.	.	9	.	2	.	.
Christiania, ...	244,038	„ 24,	138	71	15·1	.	.	.	.	.	4†	2
St. Petersburg, ...	1,641,600	„ 3,	1,167	683	20·7	15	1	31	11	6	7	38
Moscow, ...	1,493,600	„ 3,	.	798	27·9	4	1	29	19	10	12†	59
Berlin, ...	2,088,479	„ 3,	839	668	16·7	1	.	5	5	8	25†	19
Hamburg, ...	953,079	„ 17,	408	263	14·3	.	.	2	3	2	12†	7*a*
Breslau, ...	527,525	„ 17,	.	250	24·7	.	.	.	.	.	.	4
Munich, ...	610,000	„ 24,	.	176	15·0	.	.	3	.	.	.	.
Vienna (with suburbs),	2,064,583	„ 17,	846	661	16·6	.	.	4	4	3	7†	38*a*
Buda-Pesth, ...	911,891	„ 17,	425	297	16·9	1	.	3	6	3	2†	5*a*
Prague and Faubourgs,	481,682	„ 3,	208	193	20·9	1	.	4	2	2	1†	7*a*
Trieste, ...	233,599	„ 17,	141	92	20·5	.	.	2	.	1	3†	.
Rome, ...	551,749	Dec. 9,	282	177	16·7	2	.	.	.	.	5	10
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	4,766,883	Jan. 20,	2,730	1,578	15·9	9	.	6	5	2	31†	56
Philadelphia, ...	1,606,105	„ 20,	.	599	19·4	12	.	2	2	1	16	9
Boston ...	720,031	Feb. 17,	.	258	18·7	.	.	9	4	1	1	2

* Deaths from "fever," including 5 deaths from enteric fever, and 23 from plague in Calcutta, and one from enteric fever, and 11 from plague in Bombay.

† Including deaths from croup.

‡ Including 61 deaths from cholera in Calcutta, one in Bombay, and 19 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending March 9th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	4	.	.	2	.	.	.	.	.	.	1	7
" " 1, West, ...	.	.	.	.	2	.	.	.	1	.	.	2	5
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	2	.	.	4	.	1	.	1	.	2	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	3	4
" " 3, ...	.	4	.	.	2	.	.	.	.	.	.	1	7
" " 4, ...	.	1	.	.	1	.	.	.	1	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	.	.	12	.	1	.	3	.	2	11	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th March, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th March.			
	Feb. 17.	Feb. 24.	Mar. 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	75	82	62	22	17	1	66
Scarlet Fever, ...	130	122	118	20	25	.	113*
Typhus, ...	3	3	2	.	.	.	2
Diphtheria, ...	66	58	60	21	12	3	66
Enteric Fever, ...	46	47	45	8	2	3	48
Pneumonia, ...	30	36	32	8	8	1	31

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 9th March, 1912:—

Changeable, cyclonic weather continued to prevail. Temperature was lower than in the previous week, and the wind had more "westing" in it than for several weeks past. Rain fell frequently and in considerable quantities, but there were numerous spells of very fine, bright and sunny weather. On Sunday an atmospheric depression, in which the barometer was as low as 28·85 inches at Castlebay (Barra Island) at 7 a.m., passed slowly along the west coast of Scotland to Shetland and the Faeroe. In Dublin, after heavy rain in the early morning, the day was fine till 4.30 p.m., when a smart shower fell. Early on Monday another deep depression spread in over Ireland from the Atlantic, bringing strong S.E to S.W. winds and rain. By 7 p.m. the barometer fell to 28·740 inches in Dublin. During the day a sharp, brief thunderstorm travelled quickly eastwards from Kerry to Kent. By Tuesday morning the centre of the disturbance passed on to the North Sea from Yorkshire and Lincolnshire. On that day hail-showers fell in many places and thunder was heard at Valentia. Wednesday and Thursday were fine in most parts of the United Kingdom, but a sheet of cirriform cloud spread over the sky on Thursday evening, heralding the approach of a new cyclonic system from the Atlantic. This disturbance was central over Galway and Mayo on Friday morning, when it caused squally S.E. winds and heavy rain on the east coast of Ireland and later in Great Britain also. The weather remained changeable, with showers at times, to the end of the week, the wind backing to S. with very little rise of temperature. In Dublin the mean height of the barometer was 29·414 inches, the range being from 28·740 inches at 7 p.m. of Monday (wind, W.) to 29·874 inches at 9 a.m. of Thursday (wind, W.S.W.). The barometer has not risen to 30 inches in Dublin since January 31. The corrected mean temperature was 44·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·2°. The screened thermometers rose to 51·6° on Monday and fell to 35·2° on Wednesday. W. and S. winds prevailed. Rain fell on 6 days to the amount of ·891 inch, of which ·281 inch was measured on Tuesday.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·434 inches. The highest reading (29·886) was on Thursday at 9 a.m., wind W.S.W., the lowest (28·807) on Monday at 9 p.m., air calm.

The mean temperature for the week was 44·2°, being 2·6° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Friday, on which day the thermometer registered 53·0°, and was lowest on Wednesday, the mercury having fallen to 32·0°. The mean of the Dry Bulb for the week was 41·3° and of the Wet Bulb, 39·7°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·690 inch.

At Greenwich the mean temperature for the week was 44·6°, the maximum 54·1°, and the minimum 34·0°; at Glasgow the maximum was 50·5°, the minimum 36·2°, and the mean 42·7°; and at Edinburgh the maximum was 49·4°, the minimum 35·4°, and the mean 42·3°. The rainfall at Greenwich measured 0·79 in.; at Glasgow, 0·76 in.; and at Edinburgh, 0·18 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 3,	29·385	52·0	39·0	45·5	42·3	40·6	·87	·7	3·1	·010	W.S.W.	W.S.W.
Monday, " 4,	28·965	52·0	39·0	45·5	42·4	41·7	·94	·8	0·8	·350	S.E.	Calm.
Tuesday, " 5,	29·290	52·0	38·0	45·0	40·4	39·5	·94	·6	2·7	·200	W.S.W.	W.S.W.
Wednesday, " 6,	29·655	50·0	32·0	41·0	37·3	36·0	·88	·7	7·8	·000	W.S.W.	W.
Thursday, " 7,	29·840	51·0	34·0	42·5	41·6	39·1	·81	·6	6·9	·025	W.S.W.	S.S.W.
Friday, " 8,	29·390	53·0	38·0	45·5	42·1	40·8	·90	·6	5·1	·050	S.E.	S.S.W.
Saturday, " 9,	29·510	51·0	38·0	44·5	42·8	40·3	·82	·4	5·5	·055	S.S.W.	S.E.
Mean, ...	29·434	51·6	36·9	44·2	41·3	39·7	·88	·6	Total 31·9	Total ·690	Prevailing Wind. W.S.W.	

Sunday—Day cloudy, bright at intervals, heavy showers at intervals from 2.15 to 4.15 p.m.; night cloudy. *Monday*—A dull day, rain at intervals from 10.0 a.m. to 2.0 p.m. and 5.50 to 7.40 p.m.; night overcast. *Tuesday*—Day bright a.m. overcast p.m., rain 3.0 to 4.20 p.m. and 4.45 to 6.0 p.m.; night cloudy. *Wednesday*—A fine bright day, light clouds; night clear. *Thursday*—Day cloudy, fine; night overcast, drizzling 2.15 to 2.45 a.m. *Friday*—Day cloudy, drizzling 9.0 to 10.0 a.m. and heavy shower 5.0 to 5.30 p.m.; night clear to cloudy, heavy shower 5.0 to 5.50 a.m. *Saturday*—Day cloudy, light showers at intervals; night cloudy, showers at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 9th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 3,	44·5	45·5	45·6	52·0	39·4	45·7	2·4	·075
Monday, " 4,	41·2	44·5	45·6	52·2	39·0	45·6	0·7	·270
Tuesday, " 5,	43·0	44·5	45·7	51·7	39·4	45·6	2·5	·212
Wednesday, " 6,	40·0	43·8	45·7	50·3	34·4	42·3	7·1	—
Thursday, " 7,	40·2	43·0	45·7	51·6	37·0	44·3	6·8	·150
Friday, " 8,	44·5	43·6	45·5	53·5	41·3	47·4	5·0	·112
Saturday, " 9,	46·9	44·0	45·5	51·0	38·0	44·5	5·1	·020
Weekly Mean, .	42·9	44·1	45·6	51·8	38·4	45·1	Total 29·6	Total ·839

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32040. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 16TH MARCH, 1912. [No. 11.

General Register Office, Charlemont House, Dublin, 19th March, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Feb. 24	Week ending Mar. 2	Week ending Mar. 9	Week ending Mar. 16	Average Rate for 4 weeks.	Towns, &c.	Week ending Feb. 24	Week ending Mar. 2	Week ending Mar. 9	Week ending Mar. 16	Average Rate for 4 weeks.
22 Town Districts, ...	**24·6**	**22·1**	**23·1**	**24·7**	**23·6**	Limerick	23·1	16·3	19·0	14·9	18·3
						Lisburn	25·7	21·4	17·1	8·6	18·2
Armagh	6·9	6·9	·	·	3·5	Londonderry	12·7	12·7	30·6	20·4	19·1
Ballymena	9·2	22·9	13·8	36·7	20·7	Lurgan	12·9	25·8	25·8	34·4	24·7
Belfast	26·9	21·6	20·3	19·6	22·1	Newry	30·5	17·4	13·1	21·8	20·7
Clonmel	20·3	35·5	15·2	30·4	25·3	Newtownards	34·3	40·1	11·4	28·6	28·6
Cork	24·5	21·1	24·5	27·9	24·5	Portadown	13·3	4·4	13·3	22·2	13·3
Drogheda	25·2	16·8	21·0	12·6	18·9	Queenstown	19·8	39·6	13·2	13·2	21·5
Dublin Reg. Area ...	23·3	24·9	26·9	31·8	26·7	Sligo	14·0	4·7	42·0	28·0	22·2
Dundalk	27·8	27·8	51·6	23·8	32·7	Tralee	15·9	10·6	10·6	15·9	13·3
Galway	43·3	19·7	15·7	15·7	23·6	Waterford	38·0	19·0	7·6	20·9	21·4
Kilkenny	29·8	34·7	39·7	44·6	37·2	Wexford	31·9	13·7	22·8	13·7	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in seventeen of the districts to 1·9 in Waterford, the 11 deaths from all causes for that district including one from whooping-cough. Of the 147 deaths from all causes for Belfast are one from scarlet fever, 4 from whooping-cough, and 3 from diarrhœa and *enteritis* of children under 2 years of age, and included in the 41 deaths from all causes for Cork is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 235—124 boys and 111 girls—and the deaths to 257—130 males and 127 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 31·8 per 1,000 of the population. During the eleven weeks ending with Saturday last the death-rate averaged 24·8, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 257, represent an annual rate of 33·0 per 1,000 ; the annual rate for the past eleven weeks was 26·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

Among the 257 deaths from all causes registered there were 2 from enteric fever, one from paratyphoid fever, 7 from measles, 10 from whooping-cough, 5 from diphtheria, 4 from influenza, and 4 from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks deaths from enteric fever were one, 0, and 2; deaths from measles were 2, 5, and 4 ; deaths from whooping-cough were 4, 3, and 2 ; deaths from diphtheria were one, 3, and 3 ; deaths from influenza were 2, one, and 2 ; and deaths from diarrhœa and *enteritis* of children were 2, 4, and 6.

Deaths from all forms of tuberculous disease amounted to 35, having been 26, 32, and 24 respectively in the 3 weeks preceding; the 35 deaths include 28 from pulmonary tuberculosis, 2 from each of tuberculous meningitis and abdominal tuberculosis, one from tuberculosis of the vertebral column, and 2 from disseminated tuberculosis.

Of 33 deaths from pneumonia (all forms), 21 were attributed to broncho-pneumonia, one to lobar pneumonia, and 11 to *pneumonia* (type not distinguished).

There were 7 deaths of infants from *convulsions*, 3 from premature birth, and 8 from congenital debility.

Twenty deaths were caused by organic diseases of the heart, and 42 deaths were caused by bronchitis.

Of 2 accidental deaths, one was by burning.

There were 2 deaths by suicide.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 9 children under 5 years of age (including 6 infants under one year old).

One hundred and seven of the persons whose deaths were registered during the week were under 5 years of age (60 being infants under one year, of whom 14 were under one month old) and 50 were aged 65 years and upwards, including 33 persons aged 70 and upwards ; among the latter were 20 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 91 years respectively.

Eighty-nine of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 18 took place in the North Dublin Union Workhouse, 19 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 31·8 per 1,000 ; the rate in the City was 31·1 (North City Districts, 32·4 ; South, 29·8) and in the Suburbs, 34·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 3·3 (2·6 in the North City Districts, and 4·1 in the South), and for the Suburbs, 4·9 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·3 per 1,000. Whooping-cough and influenza each caused 2 deaths, broncho-pneumonia and *pneumonia* (type not distinguished) each caused one death; there were 4 deaths from bronchitis and one death by burning.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·9 per 1,000, and include 2 deaths from whooping-cough, one death from diarrhœa of a child under 2 years of age, 2 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 3 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 38·8 per 1,000. Whooping-cough and influenza each caused one death ; there were 6 deaths from pulmonary tuberculosis, 4 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 4 deaths from other diseases of the respiratory system.

No. 3 *North City District* (Benburb-street).—The deaths (27) represent an annual rate of 41·8 per 1,000. The deaths include one from diphtheria, 4 from pulmonary tuberculosis, one from tuberculous meningitis, 3 from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), 4 from other diseases of the respiratory system, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 27·0. Of the 2 deaths for Coolock and Drumcondra, part of, one is from enteric fever and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (23) represent an annual rate of 28·8 per 1,000. Enteric fever and diphtheria each caused one death, there were 3 deaths from tuberculous disease, 2 from broncho-pneumonia, 5 from bronchitis, and one of a child under 2 years of age from diarrhœa.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 38·2 per 1,000, and include 2 deaths from whooping-cough, 4 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, 4 deaths from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (32) are equal to an annual rate of 38·4 per 1,000. Measles caused 3 deaths and diphtheria one death; there were 5 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, 2 deaths from *pneumonia* (type not distinguished), and 10 deaths from other diseases of the respiratory system.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·0 per 1,000. There was one death from whooping-cough, one death from broncho-pneumonia, and one death from bronchitis.

New Kilmainham District.—The deaths (7) are equal to an annual rate of 40·0 per 1,000. Of the deaths one was from whooping-cough and 3 were from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 36·2 ; Pembroke, 29·9 ; Blackrock, 22·9 ; and Kingstown, 42·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever, 2 from diphtheria, and one from gastro-enteritis of a child under 2 years for Rathmines and Rathgar, one from measles for Pembroke, and 3 from measles and one from whooping-cough for Kingstown. Among the 27 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, 2 from *pneumonia* (type not distinguished), 3 from bronchitis, and one by suicide. Included in the 17 deaths from all causes for Pembroke are one from each of *croup* and influenza, 4 from tuberculous disease, 3 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 2 from bronchitis. Of the 4 deaths from all causes for Blackrock one is from pulmonary tuberculosis and one from broncho-pneumonia, and among the 14 deaths from all causes for Kingstown are one from pulmonary tuberculosis, one from lobar pneumonia and one from bronchitis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 16th March, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Feb. 24,	.	—	—	9	.	.	10	.	1	2	5	.	—	—	.	—	7	—	34
	Mar. 2,	.	—	—	6	.	.	8	.	4	1	9	.	—	—	.	—	10	—	38
	Mar. 9,	.	—	—	15	.	.	12	.	1	.	3	.	—	—	2	—	11	—	44
	Mar. 16,	.	—	—	7	.	.	14	.	2	7	7	.	—	—	.	—	11	—	48
Rathmines and Rathgar Urban District.	Feb. 24,	.	—	—	5	.	.	2	.	.	1	.	.	—	—	—	—	—	—	8*a*
	Mar. 2,	.	—	—	4	.	.	5	.	.	.	.	.	—	—	—	—	—	—	9
	Mar. 9,	.	—	—	3	.	.	6	.	.	1	.	.	—	—	—	—	—	—	10
	Mar. 16,	.	—	—	5	.	.	3	.	.	.	.	.	—	—	—	—	—	—	8
Pembroke Urban District.	Feb. 24,	.	3	.	5	.	.	2	.	.	.	.	.	.	.	—	—	.	—	10
	Mar. 2,	.	1	.	1	.	.	1	.	.	.	.	.	.	.	—	—	1	—	4
	Mar. 9,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	.	—	3
	Mar. 16,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	1	—	4
Blackrock Urban District.	Feb. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 2,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	.	—	—	—	3
	Mar. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 16,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	.	—	—	—	5
Kingstown Urban District.	Feb. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	4	—	6
	Mar. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Mar. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
City of Belfast.	Feb. 24,	.	—	—	9	.	.	2	.	.	3	4	.	—	—	—	—	16	—	34
	Mar. 2,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	.	—	10	—	23
	Mar. 9,	.	—	—	6	.	.	4	.	1	.	3	.	—	—	1*b*	—	12	1	28
	Mar. 16,	.	—	—	11	.	.	4	.	.	2	4	.	—	—	—	—	7	.	28

(*a*) Not including one case of chicken-pox. (*b*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th March, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Forty-four cases of measles were admitted to hospital during the week, 34 were discharged, and 76 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 82, 62, and 66, respectively.

Twelve cases of scarlet fever were admitted to hospital, 17 were discharged, and 108* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 118, and 113, respectively.

Two cases of typhus were discharged from hospital during the week, and no case remained under treatment at its close.

Seventeen cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 58, 60, and 66, respectively, were 69 at the close of last week.

Six cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 45 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 47, 45, and 48.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 9 were discharged, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 14·6) was equal to an average annual death-rate of 12·8 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 13·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th March. From this Report it appears that of a total of 59 cases notified, 26 were phthisis, 20 scarlet fever, 7 diphtheria, and 6 erysipelas. Among the 405 cases of infectious diseases in hospital at the close of the week were 132 cases of measles, 102 of scarlet fever, 60 of phthisis, 40 of diphtheria, 35 of whooping-cough, 19 of erysipelas, 7 of chicken-pox, 4 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 16th March, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 16th March, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 16th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	28·5	24·7	1·8	633	549	118	122	3	...	...	7	1	16	5	...	74	19	29	61	87	8	...	9	10	151	21	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	30·1	31·8	3·7	235	248	60	50	3	...	...	7	...	10	5	...	26	7	7	32	45	4	...	3	3	80	10	e60·0	28·0	44·6	0·28	e53·0	32·0	44·2	0·69	e57·0	35·0	49·4	0·32
City of Dublin,	311,601	39·4	33·1	31·1	3·3	198	186	49	33	2	...	...	3	...	9	3	...	20	6	5	24	38	3	...	2	1	66	7	f59·1 g58·8	33·7 30·0	46·3 44·9	0·22 0·28	f51·6 g53·1	35·2 32·8	44·6 44·9	0·89 0·68	f57·1 g58·0	37·0 36·0	50·1 50·0	0·31 0·24
Urban Districts. Rathmines and Rathgar.	38,889	22·7	17·4	36·2	5·4	13	27	3	7	1	...	...	...	...	...	2	...	1	...	1	2	4	1	...	1	1	9	2	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	24·6	29·9	.	14	17	4	4	...	...	...	...	...	...	...	...	3	1	...	4	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	11·4	22·9	5·7	2	4	1	1	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	42·4	12·1	8	14	3	5	...	...	...	3	...	1	...	...	1	...	1	1	1	...	...	...	...	2	1	56	33	45·2	0·23	53	37	44·9	0·95	56	39	49·5	0·46
Urban Districts. Belfast ...	391,051	26·6	26·3	19·6	1·1	197	147	28	32	...	...	...	...	1	4	...	...	23	4	13	19	23	3	...	4	5	39	...	56·0	31·5	44·0	0·60	52·0	33·0	44·6	0·81	56·0	36·0	46·8	0·49
Cork, ...	76,632	33·8	32·0	27·9	0·7	47	41	5	9	...	...	...	...	...	1	...	...	6	4	4	3	5	...	...	...	...	15	3	54	37	45·5	0·48	51	38	45·1	1·85	53	36	47·6	1·15
Londonderry ...	40,912	18·9	26·8	20·4	1·3	21	16	6	3	...	...	...	...	...	...	...	...	2	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	28·5	14·9	.	21	11	3	1	...	...	...	...	...	...	...	...	4	...	...	..	2	...	...	...	1	4	.	65	34·4	45·6	0·50	50·4	31·5	42·9	0·99	56·0	29·8	47·0	0·60
Waterford, ...	27,430	19·1	24·7	20·9	1·9	13	11	2	2	...	...	...	...	...	1	...	...	1	1	1	...	...	...	...	1	...	5	1	...	..	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	31·5	15·7	.	8	4	...	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	2	...	56	34	47	0·59	54	32	45·4	0·60	54	34	47·4	0·86
Dundalk, ...	13,128	9·5	27·8	23·8	.	7	6	2	...	...	...	...	...	...	...	...	...	2	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	16·8	12·6	.	4	3	1	1	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	21·8	21·8	.	5	5	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29
Lurgan, ...	12,135	14·3	43·0	34·4	.	10	8	2	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29
Lisburn, ...	12,172	10·7	8·6	8·6	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29
Wexford, ...	11,455	23·8	18·2	13·7	.	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	13·8	36·7	.	3	8	2	4	...	...	...	...	...	...	...	...	3	...	...	...	1	...	...	1	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	23·4	28·0	.	5	6	...	3	..	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	55·0	32·0	43·0	0·84	55	34	43	0·75	58·0	28·0	47·0	1·05
Kilkenny, ...	10,513	11·4	49·6	44·6	.	10	9	...	4	...	...	...	...	...	...	...	...	...	...	1	...	3	...	...	...	...	2	1	62	32	44·8	0·67	51	34	44·0	1·43	58	34	48·5	0·75
Clonmel, ...	10,277	7·9	25·4	30·4	.	5	6	2	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	44·5	22·2	.	10	5	2	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29
Tralee, ...	9,867	16·6	63·4	15·9	.	12	3	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	28·6	28·6	.	5	5	1	1	...	...	...	...	...	...	...	...	3	...	1	1	...	...	...	...	...	...	...	56	34	43·7	0·44	51	35	43·1	0·50	56	34	47·1	0·39
Queenstown, ...	7,909	14·4	39·6	13·2	.	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	54	37	45·5	0·48	51	38	45·1	1·85	53	36	47·6	1·15
Armagh, ...	7,588	22·2	20·6	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52	55·3	35·3	46·9	0·29

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (†) at foot of first page. (c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observation by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of March, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	3	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	3	.	.	.	.	1	3	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	2	2	1	.	.	.	.	.	2	.	1	1	.	.	.	1	10	.
Diphtheria,	.	.	.	1	.	.	.	1	.	1	.	.	2	.		.	5	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Influenza,	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	1	6	4	.	1	.	1	4	3	.	.	1	3	1	1	26	2
Tuberculous Disease. { Other Forms,	.	1	.	1	.	.	.	2	.	2	.	.	.	1	.	.	7	.
Cancer,	.	1	1	.	.	.	1	.	.	1	.	1	1	.	.	1	7	.
Diseases of Nervous System,	2	6	1	4	1	.	1	2	2	.	1	.	2	.	.	2	24	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	.	1	.	.	2	4	1	1	1	1	5	1	.	2	23	1
" Respiratory System. { Pneumonia,	2	3	5	5	.	.	.	2	2	4	1	.	2	4	1	1	32	1
" Respiratory System. { Others,	4	3	4	4	.	.	.	5	4	10	1	3	4	2	.	1	45	2
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	1	1	.	.	.	1	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
" Digestive System. { Others,	.	.	.	2	1	.	.	2	.	2	1	1	3	1	.	.	13	
" Genito-urinary System,	1	.	.	1	.	.	.	.	.	.	.	.	2	1	.	1	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	1	3	2	.	.	.	1	.	3	2	.	1	1	1	1	19	1
Violent Deaths,	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	3	1
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	.	4	.
Deaths from All Causes	18	23	23	27	2	2	4	23	16	32	9	7	27	17	4	14	248	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	31·3	29·9	38·8	41·8	19·3	8·9	27·0	28·8	38·2	38·4	13·0	40·0	36·2	29·9	22·9	42·4	31·8	.
	32·4							29·8					34·1					
	31·1																	
Ages at Death. { Under 1 year,	6	9	7	7	.	.	.	3	6	5	5	1	3	4	1	3	60	.
1 and under 2 years,	3	2	2	1	.	.	.	4	1	7	.	.	2	2	.	2	26	.
2 " 5 "	.	.	.	5	.	.	.	2	1	6	.	2	2	1	.	1	20	1
5 " 15 "	.	2	1	.	.	.	.	3	.	.	1	.	2	.	.	.	9	.
15 " 25 "	.	.	2	1	.	1	.	1	.	1	.	.	1	.	2	1	10	4
25 " 45 "	3	2	4	2	.	1	.	2	3	2	1	.	1	2	.	.	23	1
45 " 65 "	3	4	4	7	1	.	1	5	3	4	1	2	9	4	.	2	50	3
65 and upwards,	3	4	3	4	1	.	3	3	2	7	1	2	7	4	1	5	50	.
Number of Uncertified Deaths,	2	.	.	1	.	.	.	.	.	3	1	.	2	.	.	1	10	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	4	3	.	.	1	6	3	7	1	3	6	1	.	2	42	9
Workhouse Hospitals,	1	4	8	5	.	.	.	8	3	3	1	.	3	1	1	.	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1902–1911.	In the Week ending Saturday, 16th March, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 44·9	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 38·0	° 42·2	° 44·6										
ALL CAUSES.	154	212	213	182	173	203	191	232	149	170	187·9	257	14	46	26	21	9	14	24	53	30	20
Enteric Fever, ...	1	2	1	1	3	1	1	3	1	1	1·5	3	.	.	.	.	1	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	1	4	4	.	5	.	5	.	7	3·0	7	.	1	3	2	.	1	.	.	.	.
Scarlet Fever, ...	3	.	.	1	.	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	13	.	2	5	.	4	1	4	3·1	10	.	5	4	1	.	.	.	.	.	.
Diphtheria, ...	.	3	1	1	2	1	2	1	1	.	1·2	5	.	.	2	2	1	.	.	.	.	.
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Influenza, ...	5	1	5	5	1	4	7	5	7	2	4·2	4	.	.	.	.	.	.	2	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	1	.	1	2	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	2	.	.	1	.	2	.	.	·6	2	.	.	.	1	.	.	.	1	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	20	26	27	23	28	29	35	15	28	24·8	28	.	1	2	2	.	6	9	7	1	.
Tuberculous Meningitis, ...	3	13	5	4	5	6	2	2	7	5	5·2	2	.	.	.	2	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	3	2	.	1	1	2	5	.	1	1·5	2	.	2	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of Joints, ...	3	11	4	8	6	7	3	4	3	1	5·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	1	.	.	1	.	.	.	.	.
Venereal Diseases, ...	1	2	2	3	1	5	.	1	.	1	1·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	7	5	6	6	8	11	11	5	6	6·9	7	.	.	.	.	.	.	.	4	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	1	1	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		3	.	.	1	1	.	.	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		6	.	.	.	.	.	.	1	3	1	1
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										2		7	6	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	49	39	48	49	34	41	39	37	3	40·9	6	.	.	.	.	.	.	.	5	1	.
Pericarditis, ...										.		1	.	.	.	.	.	1	.	.	.	.
Acute Endocarditis, ...										2		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										20		20	.	.	.	.	2	.	.	6	7	5
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										2		1	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	21	28	36	13	20	30	23	43	23	20	25·7	42	2	11	5	3	.	1	2	8	7	3
Broncho-pneumonia, ...	17	6	4	6	5	4	7	13	7	5	14·5	21	.	12	6	1	.	.	.	1	1	.
Lobar-pneumonia, ...		.	1	1	1	1	1	3	1	2		1	.	.	.	.	.	.	.	.	1	.
Pneumonia (type not distinguished)		11	8	2	4	6	8	10	4	7		11	.	1	2	3	1	1	2	1	.	.
Pleurisy, ...										.		3	.	.	.	.	.	1	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy	3	1	1	2	1	3	2	5	3	1	2·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										2		1	.	.	.	.	.	.	.	.	1	.

ELEVENTH WEEK ending Saturday, 16th March, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 11th Week of the 10 years 1902–1911.	In the Week ending Saturday, 16th March, 1912.										
													Deaths of Persons of the Ages of									
	Mar. 15, 1902.	Mar. 21, 1903.	Mar. 19, 1904.	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·9	° 45·3	° 42·6	° 43·5	° 43·3	° 43·8	° 41·0	° 39·6	° 39·8	° 38·0	° 42·2	° 44·6										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	.	.	2	.	.	.	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	1	1	1	4	4	5	2	4	4	3	3·2	4	.	4	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										3		3	.	.	.	.	1	.	.	1	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	2	.	1	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	3	1	1	2	1	.	1	.	.	.	1·8	3	.	.	.	.	.	.	2	1	.	.
Other Diseases of Liver, ...		.	5	.	1	.	1	2	.	.		2	.	.	.	.	.	.	.	1	.	1
Peritonitis (cause unknown),	2	1	.	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	9	4	6	7	6	7	1	2	.	4·5	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	7	4	5	6	8	7	5	7	4	.	5·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										5		6	.	.	.	.	.	1	.	2	3	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	1	1	.	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	9	3	5	6	3	1	8	2	4·1	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	8	3	5	.	.	.	.	.	.	.	.
Old Age, ...	4	8	6	10	3	3	4	8	2	10	5·8	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	1	.	.	1	1	.	1	·6	1	.	.	.	.	.	.	.	.	.	1
Drowning, ...	.	1	.	.	1	1	1	.	3	1	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	2	2	1	1	4	5	2	.	2	2·1	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	2	4	5	2	2	5	8	3	1	5	3·7	2	.	.	.	.	.	.	1	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	2	.	.
Suicide, ...	.	.	.	.	.	.	.	1	.	.	·1	2	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	.	—	4	.	.	1	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered.	182	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235
Average Births in corresponding week of previous 10 years, ...	212	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201
DEATHS registered, ...	183	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257
Annual Death-rate per 1,000, ...	23·6	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0
Average Deaths in corresponding week of previous 10 years, ...	167	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188
Ages, Under 5 years, ...	77	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107
5—15 „ ...	6	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9
15—25 „ ...	7	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14
25—45 „ ...	26	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24
45—65 „ ...	33	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53
65—75 „ ...	22	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30
75 and upwards, ...	12	16	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20
Deaths from :—																										
Enteric Fever, ...	3	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3
Typhus, ...	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7
Scarlet Fever, ...	3	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.
Whooping-cough, ...	3	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10
Diphtheria, ...	.	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5
Influenza, ...	.	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	12	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28
Tuberculous Disease, Other Forms,	2	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7
Cancer, ...	9	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7
Diseases of Circulatory System,	16	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24
Diseases of Respiratory System, Pneumonia,	4	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33
Diseases of Respiratory System, Others, ...	12	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47
Diarrhœa and *Enteritis*, under 2 years, ...	44	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4
Diarrhœa, 2 years and upwards,	3	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.
Violent Deaths, ...	7	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4
Number of Uncertified Deaths,	5	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10
Mean Temperature of the Air (Phœnix Park)	52·2	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6
Average Mean Temperature in corresponding week of previous 10 years, ...	53·2*	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2
Rainfall in inches, ...	·248	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680	·315	·690	·280
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th March, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH MARCH, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	257	107	9	14	24	53	30	20	3	.	.	7	.	10	5	.	28	7	7	7	33	47	4	.	4	95	10
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	.	.	1	.	2	2	3	1	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	19·1	32	11	1	2	5	6	5	2	1	.	.	.	.	2	1	.	3	1	2	1	2	3	.	.	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·6	52	21	2	1	4	16	6	2	.	.	.	2	.	2	1	.	3	.	2	2	7	9	2	.	1	21	3
IV.	GENERAL SERVICE CLASS, ...	154,279	42·9	127	66	4	9	11	21	10	6	1	.	.	4	.	5	3	.	18	1	1	4	24	28	.	.	3	35	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	38	9	2	1	4	8	7	7	.	.	.	.	.	1	.	.	3	5	1	.	.	7	2	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	2	2	1	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	1	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	2	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	18·9	8	3	.	.	2	2	1	.	.	.	.	.	.	1	.	.	2	1	.	1	.	.	.	.	.	3	1
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	4	.	2	3	2	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	9	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	2	1	.	.	2	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	42·2	8	3	1	.	1	3	.	.	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	6	.	.	.	2	1	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.	1	.	.	4	3
	10. Clothing Trades, ...	23,260	15·7	7	3	1	.	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	41·2	24	8	.	1	2	10	3	.	.	.	.	.	.	2	.	.	1	.	1	1	2	5	1	.	1	10	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	2	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	2	.
	15. Domestic Servants, ...	36,603	17·1	12	1	.	4	2	2	1	2	.	.	.	.	.	1	.	.	4	.	.	.	1	2	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	76·1	21	12	.	.	3	3	2	1	.	.	.	.	.	.	1	.	2	.	.	1	8	3	.	.	1	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	51·6	89	51	4	5	6	14	6	3	1	.	.	4	.	4	2	.	12	1	.	3	14	22	.	.	2	24	6
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	38	9	2	1	4	8	7	7	.	.	.	.	.	1	.	.	3	5	1	.	.	7	2	.	.	19	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1912 (Est.) 30,034.	Jan. 27,	22·6	3·5	13	.	.	.	1	.	1	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
	„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	„ 24.	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1912 (Est.) 40,141.	Jan. 27,	37·7	1·3	29	.	.	.	.	1	.	.	.	1	1	2	4	2	.	.	.	.
	Feb. 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
	„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	„ 24,	22·1	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1912 (Est.) 30,873.	Jan. 27,	43·9	1·7	26	.	.	.	.	.	1	.	.	3	2	1	5	2	.	.	.	1
	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
	„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1912 (Est.) 33,701.	Jan. 27,	30·9	1·5	20	.	.	.	1	.	.	.	.	1	.	2	2	1	.	.	.	2
	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
	„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1912. (Est.) 41,650.	Jan. 27,	17·5	1·3	14	.	.	.	.	1	.	.	.	4	.	.	1	2	.	.	.	.
	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
	„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1912 (Est.) 21,846.	Jan. 27,	14·3	.	6	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1912 (Est.) 43,408.	Jan. 27,	24·0	1·2	20	.	.	.	1	.	.	.	.	3	.	1	1	2	.	.	1	.
	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
	„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1912 (Est.) 36,031.	Jan. 27,	14·5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	2
	Feb 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
	„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	„ 24.	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1

* See note (‡) at foot of first page

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Jan. 27,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	1	2	4	.	.	.	1
	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
Pop. in 1912 (Est.) 38,889.	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
Pembroke Urban District.	Jan. 27,	19·3	.	11	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
Pop. in 1912 (Est.) 29,693.	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
Kingstown Urban District.	Jan. 27,	9·1	3·0	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
Pop. in 1911 17,227.	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
Belfast.	Jan. 27,	27·5	2·1	206	1	.	.	.	1	12	1	.	20	7	4	44	42	1	.	3	1
	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
Pop. in 1912 (Est.) 391,051.	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
Cork.	Jan. 27,	26·5	1·4	39	.	.	.	.	.	.	1	.	4	3	1	2	3	1	.	.	2
	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
Pop. in 1911 76,632.	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
Londonderry.	Jan. 27,	15·3	.	12	.	.	.	.	.	.	.	.	5	.	.	1	3	.	.	.	1
	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
Pop. in 1912 (Est.) 40,912.	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
Limerick.	Jan. 27,	16·3	.	12	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1
	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
Pop. in 1911 38,403.	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar. 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
Waterford	Jan. 27,	13·3	1·9	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	2	1
	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
Pop. in 1911 27,430.	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th March, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	.	2	1	2	2	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 2 do.		38			14	2	1	1	5	1	4	.	.	.	.	.	.	.	.	2	1	3	2	2	.	.	.	.	5	.
Do. 3 do.		28			14	5	2	2	2	2	1	.	.	.	.	.	1	.	.	1	.	.	3	2	.	.	1	1	4	.
Do 4 do.		23			13	4	3	1	1	3	1	.	.	.	.	1	.	.	.	2	.	1	1	.	2	.	.	.	7	.
Do. 5 do.		10			10	3	1	.	2	2	2	.	.	.	.	.	.	.	.	2	1	1	1	3	.	.	1	1	4	.
Do. 6 do.		12			14	.	2	1	1	2	8	.	.	.	.	.	.	.	.	1	.	2	2	2	.	.	.	.	3	.
Do. 7 do.		1			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.
Do. 9 do.		14			13	4	.	3	4	2	.	.	.	.	.	.	.	.	.	4	.	1	1	5	.	.	.	.	2	.
Do. 10 do.		9			4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 11 do.		13			13	2	1	2	2	3	3	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.	1	.
Do. 12 do.		23			20	2	.	4	2	7	5	.	.	.	.	.	.	.	.	1	2	2	2	5	.	.	.	1	3	.
Do. 13 do.		9			4	1	1	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			14	3	5	1	.	2	3	.	.	.	.	.	2	.	.	.	.	1	5	.	.	.	2	2	5	.
Total,	—	197			147	28	17	20	22	28	32	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	5	39	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	1	.	1	3	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	4	.
Do. 2 do.		2			6	.	2	1	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
Do. 3 do.		14			6	2	1	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Do. 4 do.		4			3	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 5 do.		5			4	1	1	.	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		8			4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
Do. 7 do.		10			13	1	3	.	1	6	2	.	.	.	.	.	.	.	.	1	1	3	3	.	.	.	.	.	4	2
Total,	—	47	27·9	0·7	41	5	8	5	3	11	9	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	.	15	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.
No. of weeks in Annual Series,	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11
BIRTHS registered, ...	184	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197
DEATHS registered, ...	150	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147
Annual Death rate per 1,000 of estimated population, ...	20·2	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6
AGES, Under 1 year, ...	53	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28
1—5 years, ...	19	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17
5—25 ,, ...	12	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20
25—45 ,, ...	15	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22
45—65 ,, ...	31	20	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28
65 and upwards, ...	20	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	23	26	32
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1
Whooping-cough, ...	2	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4
Diphtheria, ...	.	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	8	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23
Tuberculous Disease, Other Forms,	8	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4
Cancer, ...	8	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13
Diseases of Respiratory System, Pneumonia,	6	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19
Diseases of Respiratory System, Others, ...	9	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23
Diarrhœa, and *Enteritis*, under 2 years, ...	47	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3
Diarrhœa, 2 years and upwards,	1	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Violent Deaths, ...	1	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4
Number of Uncertified Deaths, ...	1	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Mar. 16,	2,321	1,106	12·8	1	.	23	2	23	15	18*a*
Edinburgh, ...	321,200	„ 16,	133	82	13·3	1	.	4	.	.	2	.
Glasgow, ...	785,600	„ 16,	427	258	17·1	1	.	24	2	1	3	3
Calcutta, ...	890,493	Feb. 10,	.	444	25·9	92*	1	2	.	2	.	107‡
Bombay, ...	979,445	„ 10,	436	699	37·1	83*	23	9	.	.	.	95‡
Madras, ...	518,660	Jan. 20,	353	530	53·1	116*	6	1	?	?	?	139‡
Cairo, ...	699,228	„ 21,	635	513	38·3	3	.	.	.	.	9†	50*a*
Paris, ...	2,847,229	Feb. 17,	1,011	1,143	20·5	7	.	31	3	3	5†	16*a*
Brussels, ...	705,295	„ 24,	285	216	15·9	2	.	4	2	1	2	3
Antwerp, ...	308,618	„ 24,	132	90	15·2	.	.	.	1	1	.	8*a*
Amsterdam, ...	581,993	„ 24,	264	152	13·6	.	.	1	.	2	.	1*a*
Copenhagen, ...	465,000	„ 24,	224	145	16·3	.	.	.	4	.	1†	2
Stockholm, ...	343,832	„ 24,	168	94	14·2	.	.	8	.	1	3	3*a*
Christiania, ...	244,038	Mar. 2,	106	76	16·2	.	.	4	.	.	.	1
St. Petersburg, ...	1,641,600	Feb. 10,	653	716	22·7	5	2	32	17	8	12	39
Moscow, ...	1,493,600	„ 10,	.	794	27·7	.	.	29	32	5	12†	58
Berlin, ...	2,087,911	„ 10,	855	711	17·8	.	.	4	6	3	28†	20
Hamburg, ...	953,079	„ 24,	408	291	15·9	.	.	2	5	3	8†	17*a*
Breslau, ...	527,525	„ 24,	.	248	24·5	.	.	.	.	3	2	11
Munich, ...	610,000	Mar. 3,	.	195	16·7	.	.	3	.	.	.	7
Vienna (with suburbs),	2,064,583	Feb. 24,	749	652	16·4	1	.	13	5	2	2†	30*a*
Buda-Pesth, ...	911,891	„ 24,	444	305	17·4	1	.	4	6	1	3†	6*a*
Prague and Faubourgs,	481,682	„ 10,	167	206	22·3	.	.	5	1	1	2†	7*a*
Trieste, ...	233,599	„ 24,	132	84	18·8	.	.	.	.	1	1†	4
Rome, ...	551,749	Dec. 16,	287	220	20·8	.	.	.	1	.	.	9
Venice, ...	184,325	Sept. 2,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Jan. 27,	2,645	1,564	15·8	10	1	10	8	3	26†	29
Philadelphia, ...	1,606,105	„ 27,	.	.	.	.	.	.	.	.	.	.
Boston ...	720,031	Feb. 24,	.	255	18·5	1	.	1	4	1	1	5

* Deaths from "fever," including one death from enteric fever, and 26 from plague in Calcutta, one from enteric fever, and 12 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 57 deaths from cholera in Calcutta, 3 in Bombay, and 14 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending March 16th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	.	.	.	.	.	.	1	1	.	.	2	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	3	.	.	1	.	2	.	2	.	.	2	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	2	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	6	.	.	3	4	.	.	2	15
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
" " 3, ...	.	2	.	.	4	.	.	2	.	.	.	1	9
" " 4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	14	.	2	7	7	.	.	11	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th March, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th March.			
	Feb. 24.	Mar. 2.	Mar. 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	82	62	66	44	34	.	76
Scarlet Fever, ...	122	118	113	12	17	.	108*
Typhus, ...	3	2	2	.	2	.	.
Diphtheria, ...	58	60	66	17	10	4	69
Enteric Fever, ...	47	45	48	6	8	1	45
Pneumonia, ...	36	32	31	11	9	.	33

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 16th March, 1912:—

"The prevailing characteristics of the winter now drawing to a close were still in evidence during this week. Areas of low atmospheric pressure passed northeastwards across Iceland and the Norwegian Sea, while secondary depressions crossed the British Isles from time to time in a more or less easterly direction. One of these latter systems was V.-shaped. It was first observed out at sea on Thursday morning, the SS. 'Montcalm' reporting by radio-telegraphy its presence in lat. 51° N., long. 15° W. at 4 a.m. of that day. The afternoon of the same day found it over St. George's Channel, and on Friday morning it stretched from the Irish Sea to Brittany. Its N.W. winds caused a sudden but temporary chill in Ireland on Friday. At 7 a.m. the thermometer stood below 40° at all Irish stations except Valentia, at which the reading was 42°. In Dublin cold rain, hail and sleet fell at 10 a.m., and there were hail-showers subsequently. When the clouds cleared off before 11 a.m. the Dublin Mountains appeared snow-covered almost to their very base. The afternoon was very fine and bright, but in the course of the following night Ireland came once more within the sphere of influence of a far-stretching Atlantic depression, the wind returning to S. with clouds, a brisk increase of temperature, and some warm rain. Friday's chill was rendered the more remarkable by an antecedent warm wave, temperature rising to 59° in Dublin on Wednesday and to 60° or 61° in some London districts. In Dublin the mean height of the barometer was 29·849 inches, the range of pressure being from 30·174 inches at 9 a.m. of Tuesday (wind, S.S.W.) to 29·328 inches at 9 p.m. of Saturday (wind, S.). On Monday morning the barometer rose in Dublin to 30 inches for the first time since January 31st. The corrected mean temperature was 46·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·7°. On Monday the screened thermometers fell to 33·7°, on Wednesday they rose to 59·1°. The prevailing wind was S.S.W. Rain fell on 6 days to the amount of ·223 inch, ·098 inch being measured on Thursday. Hail and sleet fell on Friday. There was dense fog on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·861 inches. The highest reading (30·195) was on Tuesday at 9 a.m., wind S.S.W., the lowest (29·329) on Saturday at 9 p.m., wind S.S.W.

The mean temperature for the week was 44·6°, being 2·4° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Wednesday, on which day the thermometer registered 60·0°, and was lowest on Monday, the mercury having fallen to 28·0°. The mean of the Dry Bulb for the week was 43·5° and of the Wet Bulb, 42·2°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·280 inch.

At Greenwich the mean temperature for the week was 45·1°, the maximum 60·6°, and the minimum 33·5°; at Glasgow the maximum was 60·5°, the minimum 34·0°, and the mean 43·8°; and at Edinburgh the maximum was 52·7°, the minimum 33·8°, and the mean 43·8°. The rainfall at Greenwich measured 0·19 in.; at Glasgow, 0·56 in.; and at Edinburgh, 0·16 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 10,	29·740	53·0	34·0	43·5	40·6	39·7	·93	·3	6·1	·000	E.S.E.	Calm.
Monday, „ 11,	30·105	55·0	28·0	41·5	37·7	37·3	·97	·1	8·3	·000	Calm.	Calm.
Tuesday, „ 12,	30·080	49·0	31·0	40·0	47·2	45·1	·85	·5	0·0	·100	S.S.W.	S.S.W.
Wednesday, „ 13,	29·975	60·0	48·0	54·0	49·9	48·7	·92	·4	3·1	·070	W.S.W.	S.S.W.
Thursday, „ 14,	29·825	56·0	43·0	49·5	46·3	45·1	·92	·6	4·6	·070	W.S.W.	S.S.W.
Friday, „ 15,	29·790	47·0	35·0	41·0	36·4	35·1	·88	·6	4·7	·025	W.	W.S.W.
Saturday, „ 16,	29·515	49·0	36·0	42·5	46·5	44·1	·83	·6	0·0	·015	S.S.W.	S.S.W.
Mean, ...	29·861	52·7	36·4	44·6	43·5	42·2	·90	·4	Total 26·8	Total ·280	Prevailing Wind. S.S.W.	

Sunday—A fine day, light clouds; night clear. *Monday*—A beautiful bright day, heavy fog from 6.0 p.m.—10.30 p.m.; night clear. *Tuesday*—Day overcast, drizzling rain 1.30 p.m. to 9.0 p.m.; night overcast, drizzling rain 9 0 p.m. to 11.35 p.m. *Wednesday*—Day cloudy, fine; night overcast, rain 4.0 a.m. to 6.15 a.m. *Thursday*—Day bright a m. overcast p.m., drizzling rain 4.20 to 5.15 and 6.15 to 7.0 p m.; night cloudy. *Friday*—Day cloudy, heavy showers 12 30 to 12.50 p.m. and 4.0 to 4.20 p m.; night clear. *Saturday*—Day overcast; night cloudy, drizzling rain 12.30 a.m. to 1.20 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 16th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 10,	47·1	43·6	45·5	52·7	39·1	45·9	7·3	—
Monday, „ 11,	37·0	43·7	45·4	54·2	32·2	43·2	6·7	—
Tuesday, „ 12,	47·0	43·8	45·4	50·9	31·7	41·3	—	·062
Wednesday, „ 13,	50·7	45·0	45·4	60·1	46·3	53·2	1·3	·011
Thursday, „ 14,	48·2	46·3	45·5	57·7	44·3	51·0	4·5	·081
Friday, „ 15,	38·7	46·3	?	48·0	36·3	42·2	4·7	·015
Saturday, „ 16,	46·1	44·6	?	50·0	37·0	43·5	—	·001
Weekly Mean, .	45·0	44·8	?	53·4	38·1	45·8	Total 24·5	Total ·170

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32040. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 23RD MARCH, 1912. [No. 12.

General Register Office, Charlemont House, Dublin, 25th March, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 2	Mar. 9	Mar. 16	Mar. 23	Average Rate for 4 weeks.
22 Town Districts, ...	**22·1**	**23·1**	**24·7**	**20·7**	**22·6**
Armagh	6·9	·	·	27·5	8·6
Ballymena	22·9	13·8	36·7	13·8	21·8
Belfast	21·6	20·3	19·6	18·8	20·1
Clonmel	35·5	15·2	30·4	30·4	27·9
Cork	21·1	24·5	27·9	22·5	24·0
Drogheda	16·8	21·0	12·6	12·6	15·8
Dublin Reg. Area ...	24·9	26·9	31·8	24·8	27·1
Dundalk	27·8	51·6	23·8	43·7	36·7
Galway	19·7	15·7	15·7	31·5	20·7
Kilkenny	34·7	39·7	44·6	9·9	32·2
Limerick	16·3	19·0	14·9	8·1	14·6
Lisburn	21·4	17·1	8·6	17·1	16·1
Londonderry	12·7	30·6	20·4	14·0	19·4
Lurgan	25·8	25·8	34·4	30·1	29·0
Newry	17·4	13·1	21·8	13·1	16·4
Newtownards	40·1	11·4	28·6	28·6	27·2
Portadown	4·4	13·3	22·2	22·2	15·5
Queenstown	39·6	13·2	13·2	13·2	19·8
Sligo	4·7	42·0	28·0	14·0	22·2
Tralee	10·6	10·6	15·9	15·9	13·3
Waterford	19·0	7·6	20·9	7·6	13·8
Wexford	13·7	22·8	13·7	13·7	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown, the 2 deaths from all causes for that district including one from diarrhœa or *enteritis* of a child under 2 years of age. Among the 141 deaths from all causes for Belfast are one from each of enteric fever and scarlet fever, 4 from whooping-cough, and one from diarrhœa or *enteritis* of a child under 2 years of age, and one of the 11 deaths from all causes for Dundalk is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—125 boys and 85 girls—and the deaths to 203—96 males and 107 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·8 per 1,000 of the population. During the twelve weeks ending with Saturday last the death-rate averaged 24·8, and was 0·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 203, represent an annual rate of 26·0 per 1,000 ; the annual rate for the past twelve weeks was 26·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

Included in the deaths there was one from enteric fever ; there were 6 from measles, 2 from scarlet fever, 3 from diphtheria, one death from influenza, and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks deaths from enteric fever were 0, 2, and 3 ; deaths from measles were 5, 4, and 7 ; deaths from scarlet fever were 3, 0, and 0 ; deaths from diphtheria were 3, 3, and 5; deaths from influenza were one, 2, and 4 ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 6, and 4.

There were 34 deaths from tuberculous disease, including 30 deaths from pulmonary tuberculosis, one death from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and 2 deaths from disseminated tuberculosis. Deaths from tuberculosis numbered 32, 24, and 35 in each of the 3 weeks preceding.

Of 22 deaths from pneumonia (all forms), 14 were caused by broncho-pneumonia, 2 by lobar pneumonia, and 6 by *pneumonia* (type not distinguished).

Five deaths of children were attributed to *convulsions* ; of these 3 were under one year, and 2 were between the ages of one year and 2 years. There were 2 deaths from meningitis.

Eight deaths of infants were referred to congenital debility, 4 to premature birth, and one to congenital heart disease.

Organic diseases of the heart accounted for the deaths of 20 persons, and bronchitis for 41 deaths.

There was one accidental death.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases comprise the deaths of 5 infants under one year old.

Seventy-six of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 6 were under one month old) and 45 were aged 65 years and upwards, including 31 persons aged 70 and upwards ; among the latter were 16 aged 75 years and upwards, of whom 4 (one male and 3 females) were stated to have been aged 92, 91, 91, and 96 years respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 11 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000 ; the rate in the City was 25·9 (North City Districts, 21·6 ; South, 30·5) and in the Suburbs, 20·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts, 0·3 and 3·1 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·8 per 1,000. Tuberculous disease caused 2 deaths, broncho-pneumonia 2 deaths, lobar-pneumonia one death, bronchitis 3 deaths, and there was one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 16·9 per 1,000. Included in the total are one death from broncho-pneumonia and 2 deaths from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·0 per 1,000, and include 5 deaths from pulmonary tuberculosis and 4 deaths from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 20·1 per 1,000. Among the deaths are one from enteric fever, 3 from pulmonary tuberculosis, 5 from broncho-pneumonia, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 17·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 27·0. One of the 4 deaths for the last-named district is from lobar pneumonia.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 35·1 per 1,000. Pulmonary tuberculosis caused 4 deaths, there was one death from each of measles and scarlet fever, there were 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 8 deaths from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·6 per 1,000. Measles and diphtheria each caused one death, there were 2 deaths from tuberculous disease, one from *pneumonia* (type not distinguished), and 5 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (30) are equal to an annual rate of 36·0 per 1,000. Measles, scarlet fever, and diphtheria each caused one death; there were 6 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, one death from *pneumonia* (type not distinguished), and 9 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·7 per 1,000, and included 3 deaths from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, 3 deaths from bronchitis, and one death from diarrhœa.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·9 per 1,000. Of the 4 deaths one was from disseminated tuberculosis, one from bronchitis, and one from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·4 ; Pembroke, 17·6 ; Blackrock, 34·3 ; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Rathmines and Rathgar, and 3 from measles for Kingstown. Included in the 13 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and 3 from bronchitis. Among the 10 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis, *pneumonia* (type not distinguished), and bronchitis ; and of the 6 deaths from all causes for Blackrock one is from influenza and one from pulmonary tuberculosis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 23rd March, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 2,	.	—	—	6	.	.	8	.	4	1	9	.	—	—	.	—	10	—	38
	Mar. 9,	.	—	—	15	.	.	12	.	1	.	3	.	—	—	2	—	11	—	44
	Mar. 16,	.	—	—	7	.	.	14	.	2	7	7	.	—	—	.	—	11	—	48
	Mar. 23,	.	—	—	9	1	.	9	.	.	7	7	.	—	—	.	—	7	—	40
Rathmines and Rathgar Urban District.	Mar. 2,	.	—	—	4	.	.	5	.	.	.	.	.	—	—	—	—	—	—	9
	Mar. 9,	.	—	—	3	.	.	6	.	.	1	.	.	—	—	—	—	—	—	10
	Mar. 16,	.	—	—	5	.	.	3	.	.	.	.	.	—	—	—	—	—	—	8
	Mar. 23,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 2,	.	1	.	1	.	.	1	.	.	.	.	.	.	.	—	—	1	—	4
	Mar. 9,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	.	—	3
	Mar. 16,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	1	—	4
	Mar. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	.
Blackrock Urban District.	Mar. 2,	.	—	—	.	.	.	2	.	.	.	1	.	—	—	.	—	—	—	3
	Mar. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 16,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	.	—	—	—	5
	Mar. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 2,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Mar. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Mar. 23,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	1	—	6
City of Belfast.	Mar. 2,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	.	—	10	—	23
	Mar. 9,	.	—	—	6	.	.	4	.	1	.	3	.	—	—	1*a*	—	12	1	28
	Mar. 16,	.	—	—	11	.	.	4	.	.	2	4	.	—	—	—	—	7	.	28
	Mar. 23,	.	—	—	9	.	.	3	.	2*b*	2	3	.	—	—	—	—	8	.	27

(*a*) Returned as cerebro-spinal meningitis. (*b*) Now suffering from typhus fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd March, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-four cases of measles were admitted to hospital during the week, 19 were discharged, and 91 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 62, 66, and 76, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 12 were discharged, there were 2 deaths, and 112* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 118, 113, and 108, respectively.

One case of typhus was admitted to hospital during the week, and remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital during the week, 22 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 60, 66, and 69, respectively, were 63 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 7 were discharged, there was one death, and 44 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 48, and 45.

In addition to the above-named diseases, 17 cases of pneumonia were admitted to hospital, 10 were discharged, there were 3 deaths, and 37 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 13·5) was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·4 per 1,000, the rate for Glasgow being 18·8, and for Edinburgh 18·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd March. From this Report it appears that of a total of 42 cases notified, 23 were phthisis, 14 scarlet fever, 3 diphtheria, and 2 erysipelas. Among the 425 cases of infectious diseases in hospital at the close of the week were 140 cases of measles, 101 of scarlet fever, 59 of phthisis, 44 of whooping-cough, 38 of diphtheria, 18 of erysipelas, 9 of chicken-pox, 4 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 23rd March, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 23rd March, 1912. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 23rd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	28·0	20·7	1·1	622	460	86	122	2	...	...	6	3	4	4	...	64	16	11	53	83	6	...	5	11	135	16	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total, (c) ...	406,536	29·5	26·9	24·8	1·8	210	193	47	44	1	...	...	6	2	...	3	...	29	3	3	21	41	2	...	1	2	63	5	e53·0	28·0	40·8	0·62	e60·0	28·0	44·6	0·28	e53·0	32·0	44·2	0·69
City of Dublin,	311,601	39·4	30·5	25·9	1·7	182	155	38	33	1	...	...	3	2	...	2	...	24	3	...	19	36	2	...	1	2	53	4	f52·7 g51·7	35·1 30·8	43·3 42·1	0·96 0·84	f59·1 g58·8	33·7 30·0	46·3 44·9	0·22 0·28	f51·6 g53·1	35·2 32·8	44·6 44·9	0·89 0·68
Urban Districts. Rathmines and Rathgar.	38,889	22·7	10·7	17·4	1·3	8	13	1	5	...	...	...	...	...	...	1	...	3	...	...	1	3	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	17·6	17·6	.	10	10	2	3	...	...	...	...	...	...	...	...	1	...	2	1	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	17·1	34·3	.	3	6	2	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	21·2	27·2	9·1	7	9	4	...	...	...	...	3	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	52	35	43·4	0·67	56	33	45·2	0·23	53	37	44·9	0·95
Urban Districts. Belfast ...	391,051	26·6	35·7	18·8	0·9	268	141	25	37	1	...	...	...	1	4	...	...	21	8	4	24	21	1	...	3	5	34	3	53·0	29·5	40·9	1·09	56·0	31·5	44·0	0·60	52·0	33·0	44·6	0·81
Cork, ...	76,632	33·8	19·7	22·5	.	29	33	2	9	...	...	...	...	...	...	...	...	4	2	...	2	3	...	...	...	2	14	1	54	35	44·2	0·93	54	37	45·5	0·48	51	38	45·1	1·85
Londonderry ...	40,912	18·9	12·7	14·0	.	10	11	1	4	...	...	...	...	...	...	...	...	1	...	1	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	10·9	8·1	.	8	6	1	1	...	...	...	...	...	...	...	...	1	...	...	..	3	...	...	...	...	2	...	60	31·3	43·9	1·00	65	34·4	45·6	0·50	50·4	31·5	42·9	0·99
Waterford, ...	27,430	19·1	19·0	7·6	.	10	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	19·7	31·5	3·9	5	8	2	2	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	3	2	53	31	43·5	0·34	56	34	47	0·59	54	32	45·4	0·60
Dundalk, ...	13,128	9·5	23·8	43·7	4·0	6	11	1	2	...	...	...	...	...	...	1	...	2	1	...	2	3	...	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	37·8	12·6	.	9	3	1	1	...	...	...	...	...	...	...	..	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	26·2	13·1	.	6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52
Lurgan, ...	12,135	14·3	25·8	30·1	.	6	7	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52
Lisburn, ...	12,172	10·7	38·6	17·1	.	9	4	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52
Wexford, ...	11,455	23·8	41·0	13·7	.	9	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	22·9	13·8	.	5	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	14·0	14·0	.	3	3	...	...	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	52·0	32·0	41·0	1·96	55·0	32·0	43·0	0·84	55	34	43	0·75
Kilkenny, ...	10,513	11·4	5·0	9·9	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	55	32	43·2	0·89	62	32	44·8	0·67	51	34	44·0	1·43
Clonmel, ...	10,277	7·9	10·1	30·4	5·1	2	6	...	2	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	31·1	22·2	.	7	5	1	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52
Tralee, ...	9,867	16·6	26·4	15·9	.	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	17·2	28·6	.	3	5	1	2	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	1	...	53	33	40·7	0·56	56	34	43·7	0·44	51	35	43·1	0·50
Queenstown, ...	7,909	14·4	52·7	13·2	6·6	8	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	54	35	44·2	0·93	54	37	45·5	0·48	51	38	45·1	1·85
Armagh, ...	7,588	22·2	20·6	27·5	.	3	4	..	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39	53·0	34·1	43·4	0·52

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one at 65 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of March, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3	6	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	1	1	.	.	1	.		.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.		.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	.	5	3	.	.	1	4	1	6	3	.	3	1	1	.	29	1
Tuberculous Disease. — Other Forms,	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3	1
Cancer,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	3	1
Diseases of Nervous System,	2	1	2	1	.	.	2	3	.	3	.	.	2	.	2	1	19	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	5	.	2	.	2	.	3	.	2	1	1	1	1	1	1	21	.
" Respiratory System. — Pneumonia,	3	1	.	5	.	.	1	3	1	3	2	.	1	1	.	.	21	1
" Respiratory System. — Others,	3	2	4	1	.	.	.	8	5	9	3	1	3	2	.	.	41	1
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	.	.	1	.	.	.	.	.	1	.	.	.	1	.	1	2	6	1
" Genito-urinary System,	.	.	1	.	.	.	.	1	1	1	.	.	.	1	.	.	5	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	2	.	.	.	.	3	.	2	5	.	1	1	.	.	19	1
Violent Deaths,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	1	.	1	.	.	2	.	.	.	.	.	.	.	1	.	1	6	.
Deaths from All Causes	16	13	16	13	.	4	4	28	12	30	15	4	13	10	6	9	193	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·8	16·9	27·0	20·1	.	17·9	27·0	35·1	28·6	36·0	21·7	22·9	17·4	17·6	34·3	27·2	24·8	.
	21·6							30·5					20·9					
	25·9																	
Ages at Death. — Under 1 year,	2	7	2	3	.	1	.	5	4	8	5	1	1	2	2	4	47	.
1 and under 2 years,	2	.	2	3	.	.	.	4	1	3	.	.	1	.	.	2	18	.
2 " 5 "	3	1	1	.	.	.	.	2	1	1	1	.	1	.	.	.	11	.
5 " 15 "	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	1
15 " 25 "	1	1	1	2	.	.	1	4	.	3	.	.	.	.	.	.	13	1
25 " 45 "	3	.	2	1	.	.	2	1	1	3	1	2	3	1	1	.	21	3
45 " 65 "	2	2	4	1	.	1	.	6	2	7	3	.	2	4	.	3	37	4
65 and upwards,	3	2	4	2	.	2	1	5	3	5	5	1	5	3	3	.	44	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	2	1	1	.	.	.	.	1	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	.	2	5	.	.	.	3	2	6	4	.	4	3	1	1	34	8
Workhouse Hospitals,	2	3	4	2	.	.	.	7	2	4	4	.	1	.	.	.	29	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1902–1911.	In the Week ending Saturday, 23rd March, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	44·4°	46·0°	43·6°	43·8°	40·3°	43·9°	37·7°	43·5°	43·4°	41·7°	42·8°	40·8°										
ALL CAUSES.	167	225	235	169	193	174	193	216	185	214	197·1	203	6	41	18	11	3	14	24	41	29	16
Enteric Fever, ...	1	3	.	1	.	.	1	1	1	2	1·0	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	5	4	.	3	1	6	1	3	2·6	6	.	3	2	1	.	.	.	.	.	.
Scarlet Fever, ...	1	4	.	.	.	.	1	.	.	1	·7	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	1	6	5	1	.	7	1	2	2	6	3·1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	2	2	.	1	1	.	1	1	1	1·0	3	.	.	2	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	2	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	4	4	1	4	8	4	6	1	3·5	1	.	1	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	.	1	.	.	1	1	.	·5	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	.	5	1	.	.	2	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	2	.	.	.	2	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	36	30	36	37	32	24	26	22	26	32	30·1	30	.	.	1	.	.	9	11	8	1	.
Tuberculous Meningitis, ...	4	10	4	1	5	5	6	3	4	6	4·8	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	1	1	2	1	.	1	2	2	1·1	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	6	9	4	3	4	7	6	3	4	3	5·3	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		2	.	1	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	.	2	2	1	2	.	.	1	1	1·0	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	4	6	10	8	11	6	8	9	6	10	7·8	4	.	.	.	.	.	.	.	2	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	2	.	.	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	2	.	1	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	2	2	1	.	1	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	.	.	.		·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	1	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										13		5	.	.	.	.	.	.	.	.	3	2
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		4	.	.	.	.	.	.	.	3	.	1
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		5	.	3	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	56	47	37	49	28	46	49	32	.	42·6	4	.	.	.	.	.	1	1	2	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										24		20	.	.	.	.	.	1	2	7	8	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	22	29	17	31	28	22	44	32	24	26·5	41	.	9	6	2	.	.	2	8	9	5
Broncho-pneumonia, ...		5	6	5	6	12	8	9	6	5		14	.	7	4	2	.	.	.	1	.	.
Lobar-pneumonia, ...	12	.	2	1	.	2	.	5	1	.	14·9	2	.	.	.	.	.	.	2	.	.	.
Pneumonia (type not distinguished)		8	2	4	7	8	9	11	7	8		6	.	1	.	1	.	2	1	1	.	.
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	5	4	1	2	2	1	4	.	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		1	.	.	.	.	.	.	.	1	.	.

TWELFTH WEEK ending Saturday, 23rd March, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 12th Week of the 10 years 1902–1911.	In the Week ending Saturday, 23rd March, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Mar. 22, 1902.	Mar. 28, 1903.	Mar. 26, 1904.	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 44·4	° 46·0	° 43·6	° 43·8	° 40·3	° 43·9	° 37·7	° 43·5	° 43·4	° 41·7	° 42·8	° 40·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	1	.	.	.	.	·1	3	.	2	.	.	.	.	.	1	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	1	.	.	1	.	.	.	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	2	4	2	1	6	4	3	5	3	8	3·9	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	5	.	.	2	1	.	1	.	1	.	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		2	1	1	2	.	2	1	3	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	3	1	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	6	10	5	7	5	5	4	11	.	5·4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	6	11	5	5	2	7	12	6	.	6·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										5		3	.	.	.	.	.	.	2	1	.	.
Urinary Calculi, ...										.		1	.	.	.	.	.	.	.	.	1	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	1	.	.	.	·2	2	.	.	.	.	.	1	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	1	1	.	2	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	2	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	3	5	6	4	2	4	2	1	3	3	3·3	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	8	1	7	.	.	.	.	.	.	.	.
Old Age, ...	.	6	11	4	3	2	8	2	5	7	4·8	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	4	1	1	1	1	.	.	.	1	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	2	1	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	5	3	.	1	3	.	2	.	1	1·9	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	8	7	6	2	4	4	.	2	1	4	3·8	1	.	.	.	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	.	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	6	.	1	.	.	.	.	.	1	3	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered.	265	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210
Average Births in corresponding week of previous 10 years, ...	247	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219
DEATHS registered, ...	161	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203
Annual Death-rate per 1,000, ...	20·8	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0
Average Deaths in corresponding week of previous 10 years, ...	160	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197
Ages, Under 5 years, ...	69	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76
5—15 „ ...	8	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3
15—25 „ ...	6	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14
25—45 „ ...	22	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24
45—65 „ ...	29	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41
65—75 „ ...	11	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29
75 and upwards, ...	16	11	11	14	9	22	18	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16
Deaths from:—																										
Enteric Fever, ...	6	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1
Typhus, ...	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6
Scarlet Fever, ...	1	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2
Whooping-cough, ...	1	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.
Diphtheria, ...	.	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3
Influenza, ...	.	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30
Tuberculous Disease, Other Forms,	5	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4
Cancer, ...	8	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4
Diseases of Circulatory System,	17	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21
Diseases of Respiratory System, Pneumonia,	4	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22
Diseases of Respiratory System, Others, ...	10	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42
Diarrhœa and *Enteritis*, under 2 years, ...	28	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2
Diarrhœa, 2 years and upwards,	1	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.
Violent Deaths, ...	7	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1
Number of Uncertified Deaths,	5	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5
Mean Temperature of the Air (Phœnix Park)	50·8	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8
Average Mean Temperature in corresponding week of previous 10 years, ...	53·7	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8
Rainfall in inches, ...	·680	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680	·315	·690	·280	·620
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd March, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD MARCH, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	203	76	3	14	24	41	29	16	1	.	.	6	2	.	3	.	30	4	4	5	22	42	2	.	1	81	5
	CLASSES. Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	1	.	.	.	1	4	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	20·9	35	9	.	2	7	6	8	3	.	.	.	1	.	.	.	.	7	.	2	.	1	5	1	.	.	18	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	14	.	3	6	8	3	3	.	.	.	1	1	.	.	.	7	1	.	.	7	5	.	.	.	15	.
IV.	GENERAL SERVICE CLASS, ...	154,279	31·4	93	47	2	8	9	17	6	4	1	.	.	4	1	.	3	.	10	2	1	5	14	22	1	.	1	28	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	5	1	1	2	9	8	5	.	.	.	.	.	.	.	.	5	1	.	.	.	9	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	1	.	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	40·6	6	2	.	.	2	1	1	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	21·3	9	5	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	7	2
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	2	.	1	3	2	2	.	.	.	.	1	.	.	.	.	3	.	.	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	1	2	2	4	1	.	.	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	.	.	3	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	4	.	.	.	.	1	.
	10. Clothing Trades, ...	23,260	11·2	5	3	.	.	1	.	1	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.	.	.	.	.
	11. Food Supply Trades	9,242	16·9	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	5	.	3	.	6	1	2	.	.	.	.	.	.	.	.	3	.	.	.	2	3	.	.	.	9	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	11·7	3	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.
	15. Domestic Servants, ...	36,603	12·8	9	1	.	1	2	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	36·2	10	4	.	2	2	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	3	2	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	41	2	5	4	13	5	1	1	.	.	4	1	.	2	.	8	2	.	5	8	19	1	.	.	20	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	31	5	1	1	2	9	8	5	.	.	.	.	.	.	.	.	5	1	.	.	.	9	.	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Feb. 3,	27·8	.	16	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2	.
	„ 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
	„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	„ 24,	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Feb 3,	29·9	2·6	23	.	.	.	.	1	.	1	.	3	.	.	2	9	.	.	.	2
	„ 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
	„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	„ 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Feb. 3,	33·8	3·4	20	.	.	.	.	.	1	.	.	3	1	.	2	4	1	.	.	1
	„ 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
	„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Feb. 3,	23·2	4·6	15	1	.	.	1	1	.	.	.	1	.	1	1	4	.	.	.	.
	„ 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
	„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Feb. 3,	32·6	3·8	26	.	.	.	1	.	.	1	1	5	.	1	2	6	.	.	2	.
	„ 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
	„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Feb. 3,	26·3	.	11	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	„ 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
	„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Feb. 3,	27·6	.	23	.	.	.	.	.	.	.	.	2	2	.	3	4	.	.	.	.
	„ 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
	„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	2	9	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Feb 3,	13·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.
	„ 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
	„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	„ 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 3,	10·7	1·3	8	.	.	.	.	.	.	.	.	2	.	.	1	1	.	1	1	.
	„ 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
Pop. in 1912 (Est.) 38,889.	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
Pembroke Urban District.	Feb. 3,	15·8	1·8	9	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
Pop. in 1912 (Est.) 29,693.	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
Kingstown Urban District.	Feb. 3,	18·2	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
Pop. in 1911 17,227.	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast.	Feb. 3,	31·1	2·5	233	.	.	.	.	1	14	1	.	21	7	5	46	45	3	.	4	1
	„ 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
Pop. in 1912 (Est.) 391,051.	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
Cork.	Feb. 3,	19·7	0·7	29	.	.	.	.	.	.	.	.	6	2	2	.	5	1	.	.	1
	„ 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
Pop. in 1911 76,632.	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
Londonderry.	Feb. 3,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
Pop. in 1912 (Est.) 40,912.	Mar. 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
Limerick.	Feb. 3,	25·8	.	19	.	.	.	.	.	.	.	.	3	1	1	.	4	.	.	.	2
	„ 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
Pop. in 1911 38,403.	Mar. 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
Waterford	Feb. 3,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	„ 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
Pop. in 1911 27,430.	Mar. 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd March, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	16	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	3	.	.	1	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	.	1
Do. 2 do.		29			22	2	2	9	1	2	6	1	.	.	.	.	.	.	.	4	1	1	4	4	.	.	.	.	3	.
Do. 3 do.		38			17	3	3	1	2	2	6	.	.	.	.	.	.	.	.	3	1	1	3	.	.	.	.	.	3	1
Do 4 do.		38			16	2	3	2	3	.	6	.	.	.	.	.	1	.	.	2	2	.	3	4	.	.	1	1	6	.
Do. 5 do.		12			13	1	4	1	1	2	4	.	.	.	.	.	.	.	.	.	3	.	3	2	.	.	.	1	3	.
Do. 6 do.		20			13	4	.	.	3	2	4	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	1	1	5	.
Do. 7 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		6			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 9 do.		9			7	1	2	.	3	1	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.	3	.
Do. 10 do.		18			10	2	3	.	1	2	2	.	.	.	.	1	.	.	.	1	.	1	1	1	1	.	.	.	2	1
Do. 11 do.		25			10	1	.	.	3	3	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	4	.
Do. 12 do.		31			6	2	2	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	.	2	.
Do. 13 do.		15			7	1	2	.	2	.	2	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			10	2	.	1	3	1	3	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	1	1	3	.
Total,	—	268			141	25	21	16	24	18	37	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	5	34	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	.	.	4	2	1	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	7	.
Do. 2 do.		7			6	.	.	2	2	2	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.
Do. 3 do.		6			5	1	2	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	1
Do. 4 do.		4			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		.			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
Do. 6 do.		3			6	.	.	.	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do. 7 do.		3			5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.
Total,	—	29	22·5	.	33	2	2	9	6	5	9	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	2	14	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.
No. of weeks in Annual Series,	39	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, ...	184	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268
DEATHS registered, ...	125	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141
Annual Death rate per 1,000 of estimated population, ...	16·9	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8
AGES, Under 1 year, ...	35	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25
1—5 years, ...	17	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21
5—25 ,, ...	7	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16
25—45 ,, ...	22	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24
45—65 ,, ...	20	23	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18
65 and upwards, ...	24	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37
Deaths from :—																										
Enteric Fever, ...	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1
Whooping-cough, ...	1	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4
Diphtheria, ...	1	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	8	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21
Tuberculous Disease. Other Forms,	5	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8
Cancer, ...	6	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4
Diseases of Respiratory System, Pneumonia,	8	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24
Diseases of Respiratory System, Others, ...	4	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21
Diarrhœa, and *Enteritis*, under 2 years, ...	24	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1
Diarrhœa, 2 years and upwards,	2	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	2	2	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3
Number of Uncertified Deaths, ...	1	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Mar. 23,	2,202	1,168	13·5	1	.	22	.	28	10	17*a*
Edinburgh, ...	321,200	„ 23,	160	111	18·0	.	.	9	.	1	1	2
Glasgow, ...	785,600	„ 23,	464	283	18·8	2	.	22	1	6	4	4
Calcutta, ...	890,493	Feb. 17,	.	477	27·8	113*	3	2	.	2	.	113‡
Bombay, ...	979,445	„ 17,	453	717	38·1	81*	28	7	.	.	.	83‡
Madras, ...	518,660	Jan. 27,	332	533	53·4	132*	4	3	?	?	?	151‡
Cairo, ...	699,228	„ 28,	591	452	33·7	1	.	.	.	.	9†	29*a*
Paris, ...	2,847,229	Feb. 24,	994	1,044	18·7	6	.	39	.	9	5†	14*a*
Brussels, ...	705,295	Mar. 2,	236	197	14·5	1	.	5	1	2	2	8
Antwerp, ...	308,618	„ 2,	132	76	12·8	.	.	1	.	.	1†	5*a*
Amsterdam, ...	581,993	„ 2,	267	136	12·2	1	.	1	.	3	1†	5*a*
Copenhagen, ...	465,000	„ 2,	228	142	15·9	1	.	1	1	4	.	.
Stockholm, ...	343,832	„ 2,	125	133	20·1	.	.	9	.	3	.	3*a*
Christiania, ...	244,038	„ 9,	171	74	15·8	.	.	4	.	.	2†	2
St. Petersburg, ...	1,641,600	Feb. 17,	1,355	599	19·0	9	.	15	13	4	10	35
Moscow, ...	1,493,600	„ 17,	.	775	27·1	.	.	24	12	3	16†	56
Berlin, ...	2,085,548	„ 17,	871	749	18·8	.	.	6	8	4	15†	16
Hamburg, ...	953,079	Mar. 2,	.	278	15·2	.	.	1	3	5	6†	16*a*
Breslau, ...	527,525	„ 2,	.	221	21·8	.	.	.	.	1	.	14
Munich, ...	610,000	„ 10,	.	170	14·5	.	.	1	.	1	3†	.
Vienna (with suburbs),	2,064,583	„ 2,	780	746	18·8	.	.	6	4	2	6†	34*a*
Buda-Pesth, ...	911,891	„ 2,	560	315	18·0	2	.	1	7	.	2†	13*a*
Prague and Faubourgs,	481,682	Feb. 17,	198	235	25·4	3	.	6	3	1	.	11*a*
Trieste, ...	233,599	Mar. 2,	162	111	24·8	2	.	2	.	2	.	1
Rome, ...	551,749	Dec 23,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 2,	77	66	18·7	.	.	.	.	3	1	9
		„ 9,	89	52	14·7	.	.	.	.	1	.	6
New York, ...	5,173,064	Feb. 3,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	„ 3,	.	494	15·9	5	.	1	3	.	8	11
Boston ...	720,031	Mar. 2,	.	272	19·7	1	.	1	.	1	2	1

* Deaths from "fever," including 4 deaths from enteric fever, and 45 from plague in Calcutta, and 19 from plague in Bombay.

† Including deaths from croup.

‡ Including 57 deaths from cholera in Calcutta, 3 in Bombay, and 13 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending March 23rd, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
„ „ 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2, ...	.	1	.	.	2	.	.	1	.	.	.	1	5
„ „ 3, ...	.	.	.	.	1	.	.	.	1	.	.	1	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	2	.	.	2	3	.	.	2	12
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	2	3
„ „ 3, ...	.	5	1	.	3	.	.	1	1	.	.	1	12
„ „ 4, ...	.	.	.	.	.	.	.	2	1	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	9	1	.	9	.	.	7	7	.	.	7	40

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd March, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd March.			
	Mar. 2.	Mar. 9.	Mar. 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	62	66	76	34	19	.	91
Scarlet Fever, ...	118	113	108	18	12	2	112*
Typhus, ...	2	2	.	1	.	.	1
Diphtheria, ...	60	66	69	18	22	2	63
Enteric Fever, ...	45	48	45	7	7	1	44
Pneumonia, ...	32	31	33	17	10	3	37

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 23rd March, 1912:—

"The dominant meteorological feature of this week was the low atmospheric pressure which existed over Northwestern Europe, and in particular over the British Isles. On the other hand, the barometer stood high and was steady on the Atlantic beyond the Azores and generally south of the parallel of 40 degrees N. latitude. At the same time also the barometer ruled high over Northern Russia. In this distribution of pressure were found all the conditions for disturbed weather in the region lying between the northeastern and southwestern anticyclones. And that was what actually happened. At 7 a.m. of Monday the barometer read 28·68 inches at St. Mary's in the Scilly Isles; at the same hour on Thursday a reading of 28·69 inches was reported from Valentia, Co. Kerry. Rain, hail, sleet or snow fell daily in nearly all parts of the United Kingdom, while thunder and lightning occurred on Tuesday at New Quay (Cornwall) and Spurn Head, and on Wednesday in the Scilly Isles and Jersey. On Thursday a sharp thunderstorm travelled from west to east across the south of England, and fresh to strong gales were felt on many parts of the English and Irish coasts. In and near Dublin spells of very fine, bright dry weather prevailed from time to time. During one of these fine spells the thin crescent of the New Moon and the planet Mercury were seen in the western sky in the dusk of Wednesday evening. Early next morning strong and squally S. winds prevailed and hail and rain fell abundantly. A fine afternoon followed, but the last two days of the week were for the most part dull and wet. In Dublin the mean height of the barometer was only 29·145 inches, pressure rising no higher than 29·665 inches at 9 p.m. of Friday (wind, W.N.W.) and falling as low as 28·769 inches at 4 p.m. of Thursday (wind, E.). The corrected mean temperature was 43·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·1°. On Monday the screened thermometers fell to 35·1°, on Thursday they rose to 52·7°. The winds were variable—W. the most prevalent. The rainfall was ·963 inch on 6 rain-days, ·438 inch being recorded on Wednesday. Hail fell on Sunday and Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·163 inches. The highest reading (29·681) was on Friday at 9 p.m., air calm, the lowest (28·795) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 40·8°, being 2·0° below the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Sunday and Thursday, on which days the thermometer registered 53·0°, and was lowest on Monday, the mercury having fallen to 28·0°. The mean of the Dry Bulb for the week was 40·2° and of the Wet Bulb, 38·2°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·620 inch.

At Greenwich the mean temperature for the week was 42·7°, the maximum 55·1°, and the minimum 31·3°; at Glasgow the maximum was 51·4°, the minimum 33·0°, and the mean 41·4°; and at Edinburgh the maximum was 49·6°, the minimum 31·9°, and the mean 40·4°. The rainfall at Greenwich measured 1·08 ins.; at Glasgow, 0·49 in.; and at Edinburgh, 0·45 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 17,	29·095	53·0	33·0	43·0	39·7	37·4	·82	·5	4·9	·000	Calm.	Calm.
Monday, „ 18,	28·925	50·0	28·0	39·0	39·0	37·1	·84	·7	6·4	·000	Calm.	Calm.
Tuesday, „ 19,	29·090	48·0	34·0	41·0	39·5	36·9	·80	·6	2·1	·020	W.S.W.	W.S.W.
Wednesday, „ 20,	29·300	48·0	32·0	40·0	37·7	34·9	·77	·6	8·0	·150	W.S.W.	Calm.
Thursday, „ 21,	28·865	53·0	35·0	44·0	41·9	39·3	·72	·3	5·8	·000	S.W.	Calm.
Friday, „ 22,	29·465	45·0	34·0	39·5	40·2	39·4	·94	·6	0·0	·140	W.	Calm.
Saturday, „ 23,	29·400	47·0	31·0	39·0	43·2	42·2	·93	·5	0·6	·310	E.	Calm.
Mean, ...	29·163	49·1	32·4	40·8	40·2	38·2	·83	·5	Total 27·8	Total ·620	—	

Sunday—A fine day, light clouds; night clear. *Monday*—A fine bright day, light clouds; night clear. *Tuesday*—Day cloudy, fine; night overcast, drizzling from 11.35 p.m. to 1.0 a.m. *Wednesday*—A fine bright day; night clear to overcast, drizzling and heavy rain 1.30 to 5.30 a.m. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day overcast, drizzling 9.15 to 10.15 a.m. and 3.30 to 4.30 p.m.; night cloudy, heavy shower 6.0 to 6.15 a.m. *Saturday*—A very dull day, drizzling rain 9.0 a.m. to 4.0 p.m.; night overcast, drizzling rain 9.0 p.m. to 12.0 m.n.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 23rd, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 17,	50·7	44·7	?	51·0	40·5	45·8	2·2	·037
Monday, „ 18,	41·6	43·9	?	49·9	35·5	42·7	5·7	—
Tuesday, „ 19,	42·2	43·9	?	48·5	36·9	42·7	3·7	·010
Wednesday, „ 20,	40·0	43·7	?	49·0	35·8	42·4	7·2	·400
Thursday, „ 21,	48·8	43·8	?	52·3	39·0	45·7	6·0	—
Friday, „ 22,	43·8	44·7	45·5	46·5	38·8	42·7	—	·148
Saturday, „ 23,	42·1	44·8	45·5	47·5	35·0	41·3	1·8	·265
Weekly Mean, .	44·2	44·2	?	49·2	37·4	43·3	Total 26·6	Total ·860

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32040. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 30TH MARCH, 1912. [No. 13.

General Register Office, Charlemont House, Dublin, 1st April, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 9	Week ending Mar. 16	Week ending Mar. 23	Week ending Mar. 30	Average Rate for 4 weeks.
22 Town Districts, ...	**23·1**	**24·7**	**20·7**	**23·5**	**23·0**
Armagh	.	.	27·5	13·7	10·3
Ballymena	13·8	36·7	13·8	22·9	21·8
Belfast	20·3	19·6	18·8	19·3	19·5
Clonmel	15·2	30·4	30·4	10·1	21·5
Cork	24·5	27·9	22·5	32·7	26·9
Drogheda	21·0	12·6	12·6	29·4	18·9
Dublin Reg. Area ...	26·9	31·8	24·8	28·6	28·0
Dundalk	51·6	23·8	43·7	7·9	31·7
Galway	15·7	15·7	31·5	19·7	20·7
Kilkenny	39·7	44·6	9·9	24·8	29·7
Limerick	19·0	14·9	8·1	21·7	15·9
Lisburn	17·1	8·6	17·1	21·4	16·1
Londonderry	30·6	20·4	14·0	24·2	22·3
Lurgan	25·8	34·4	30·1	21·5	27·9
Newry	13·1	21·8	13·1	17·4	16·4
Newtownards	11·4	28·6	28·6	5·7	18·6
Portadown	13·3	22·2	22·2	17·8	18·9
Queenstown	13·2	13·2	13·2	19·8	14·9
Sligo	42·0	28·0	14·0	18·7	25·7
Tralee	10·6	15·9	15·9	10·6	13·3
Waterford	7·6	20·9	7·6	20·9	14·3
Wexford	22·8	13·7	13·7	13·7	16·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·4 in Portadown, one of the 4 deaths from all causes for that district being from whooping-cough. Included in the 145 deaths from all causes for Belfast are 10 from whooping-cough and 2 from diarrhœa or *enteritis* of children under 2 years of age. Among the 48 deaths from all causes for Cork are one from whooping-cough and 2 from diarrhœa or *enteritis* of children under 2 years of age, and 2 of the 19 deaths from all causes for Londonderry are from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 227—114 boys and 113 girls—and the deaths to 236—116 males and 120 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·6 per 1,000 of the population. During the thirteen weeks ending with Saturday last the death-rate averaged 25·1, and was 0·3 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 236, represent an annual rate of 30·3 per 1,000 ; the annual rate for the past thirteen weeks was 26·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·5 per 1,000 of the mean population for all deaths registered.

There are included in the total deaths from all causes, one death from typhus, 7 deaths from measles, one death from scarlet fever, 2 deaths from whooping-cough, 6 from diphtheria, 2 from influenza, and one death from diarrhœa of an infant. In each of the 3 preceding weeks deaths from typhus were 0, 0, and 0 ; deaths from measles were 4, 7, and 6 ; deaths from scarlet fever were 0, 0, and 2 ; deaths from whooping-cough were 2, 10, and 0 ; deaths from diphtheria were 3, 5, and 3 ; deaths from influenza were 2, 4, and one ; and deaths from diarrhœa and *enteritis* of infants under 2 years were 6, 4, and 2.

Deaths from all forms of tuberculous disease, which in the preceding three weeks numbered 24, 35, and 34, were 29 in the week under notice ; the latter figure includes 15 deaths from pulmonary tuberculosis, 5 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, one death from tuberculosis of a joint, and 6 deaths from disseminated tuberculosis.

There were 7 deaths from *convulsions*, 2 being of infants under one month, 3 over a month and under a year, and 2 between the ages of one year and 2 years ; there were 2 deaths of infants from congenital malformations, one from prematurity, and 3 from congenital debility.

Of 36 deaths from pneumonia (all forms), 21 were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 12 to *pneumonia* (type not distinguished).

Nineteen deaths were from organic diseases of the heart and 41 were caused by bronchitis.

Four deaths were due to accidental violence, and there was one homicidal death.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 children under 5 years of age and the death of one person aged 74 years.

Seventy-eight of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 8 were under one month old) and 57 were aged 65 years and upwards, including 44 persons aged 70 and upwards ; among the latter were 25 aged 75 years and upwards, of whom one (a male) was stated to have been aged 96 years.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 5 took place in the North Dublin Union Workhouse, 24 in the South Dublin Union Workhouse, and 7 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·6 per 1,000 ; the rate in the City was 31·1 (North City Districts, 28·4 ; South, 33·9) and in the Suburbs, 20·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 2·3, and 2·7 in the South), and for the Suburbs, 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·8 per 1,000. There were 5 deaths from tuberculous disease, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 5 from other diseases of the respiratory system.

No. 1 *North City District, West* (Summer-hill).—The deaths (33) are equal to an annual rate of 42·9 per 1,000. Measles caused 2 deaths ; there were 2 deaths from tuberculous disease, 4 deaths from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 7 from other diseases of the respiratory system.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000, and include one death from influenza, 4 deaths from broncho pneumonia, one death from lobar-pneumonia, and 2 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·1 per 1,000. Whooping-cough, diphtheria, and diarrhœa each caused one death ; there were 3 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 31·3 ; and Finglas and Glasnevin, part of, 20·2. Of the 2 deaths for Clontarf and Howth, No. 1. part of, one is from diphtheria. Among the 7 deaths from all causes for Coolock and Drumcondra, part of. are one from measles, one from pulmonary tuberculosis, and 2 from *pneumonia* (type not distinguished).

No. 1 *South City District* (South Earl-street).—The deaths (25) represent an annual rate of 31·3 per 1,000. The deaths included one from measles, 3 from tuberculous disease, one from broncho-pneumonia, 3 from *pneumonia* (type not distinguished), 6 from bronchitis, and one death by a railway accident.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 26·3 per 1,000. There were 2 deaths from tuberculous disease and 4 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (32) are equal to an annual rate of 38·4 per 1,000, and include one from typhus, one from whooping-cough, 2 from diphtheria, one from influenza, 3 from tuberculous disease, 4 from broncho-pneumonia, one from *pneumonia* (type not distinguished), 5 from other diseases of the respiratory system, one from accident, and one by homicide.

No. 4 *South City District* (Grand Canal Street).—The deaths (22) are equivalent to an annual rate of 31·8 per 1,000. Measles and diphtheria each caused one death ; there were 2 deaths from pulmonary tuberculosis, 2 deaths from *pneumonia* (type not distinguished), and 7 from other diseases of the respiratory system.

New Kilmainham District.—The deaths (9) are equal to an annual rate of 51·5 per 1,000. Of the deaths one was from measles, 2 were from broncho-pneumonia, and 4 were from other diseases of the respiratory system.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8 ; Pembroke, 8·8 ; Blackrock, 28·6 ; and Kingstown, 39·3. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from diphtheria for Rathmines and Rathgar, and one from scarlet fever for Kingstown. Among the 14 deaths from all causes for Rathmines and Rathgar are 2 from bronchitis and one accidental death. Of the 5 deaths from all causes for Pembroke one is from abdominal tuberculosis, one from lobar pneumonia, and one by drowning. Included in the 5 deaths from all causes for Blackrock is one from bronchitis ; and among the 13 deaths from all causes for Kingstown are 2 from tuberculous disease, one from broncho-pneumonia, 2 from *pneumonia* (type not distinguished), and 2 from bronchitis.

* See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 30th March, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 9,	.	—	—	15	.	.	12	.	1	.	3	.	—	—	2	—	11	—	44
	Mar. 16,	.	—	—	7	.	.	14	.	2	7	7	.	—	—	.	—	11	—	48
	Mar. 23,	.	—	—	9	1	.	9	.	.	7	7	.	—	—	.	—	7	—	40
	Mar. 30,	.	—	—	7	.	.	21	.	.	4	10	1	—	—	.	—	15	—	58
Rathmines and Rathgar Urban District.	Mar. 9,	.	—	—	3	.	.	6	.	.	1	.	.	—	—	—	—	—	—	10
	Mar. 16,	.	—	—	5	.	.	3	.	.	.	.	.	—	—	—	—	—	—	8
	Mar. 23,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 30,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Mar. 9,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	.	—	3
	Mar. 16,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	1	—	4
	Mar. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.		—	—	.	—	.
	Mar. 30,	.	2	.	3	.	.	.	.	.	.	.	.	.	10	—	—	.	—	15
Blackrock Urban District.	Mar. 9,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Mar. 16,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	.	—	—	—	5
	Mar. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 9,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Mar. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Mar. 23,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	1	—	6
	Mar. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Mar. 9,	.	—	—	6	.	.	4	.	1	.	3	.	—	—	1*a*	—	12	1	28
	Mar. 16,	.	—	—	11	.	.	4	.	.	2	4	.	—	—	.	—	7	.	28
	Mar. 23,	.	—	—	9	.	.	3	.	2*b*	2	3	.	—	—	.	—	8	.	27
	Mar. 30,	.	—	—	13	.	.	5	.	1	.	2	.	—	—	.	—	9	—	30

(*a*) Returned as cerebro-spinal meningitis. (*b*) Now suffering from typhus fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th March, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirty-seven cases of measles were admitted to hospital during the week, 36 were discharged, there were 4 deaths, and 88 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 66, 76, and 91 respectively.

Eleven cases of scarlet fever were admitted to hospital, 18 were discharged, and 105* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 113, 108, and 112 respectively.

There was one death from typhus in hospital during the week, and no case remained under treatment at its close.

Eighteen cases of diphtheria were admitted to hospital during the week, 18 were discharged, and there were 5 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 69, and 63, respectively, were 58 at the close of last week.

Three cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 48, 45, and 44.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 12 were discharged, there were one death, and 35 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 94 large English towns (including London, in which the rate was 13·5) was equal to an average annual death-rate of 14·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th March. From this Report it appears that of a total of 53 cases notified, 19 were scarlet fever, 15 phthisis, 12 diphtheria, 6 erysipelas, and one enteric fever. Among the 461 cases of infectious diseases in hospital at the close of the week were 169 cases of measles, 103 of scarlet fever, 60 of phthisis, 51 of whooping-cough, 43 of diphtheria, 16 of erysipelas, 7 of chicken-pox, 5 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 30th March, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature and Rainfall** for the week, and for each of the two Weeks immediately preceding.

	TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 30th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
	TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	28·7	23·5	1·7	636	521	102	134	...	1	...	7	1	16	6	...	49	24	18	62	111	7	.	8	19	151	23	...	...	...	...	...	...	...	...	...	...	...	...
	DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	406,536	29·5	29·1	28·6	2·3	227	223	47	57	...	1	...	7	1	2	6	...	12	12	8	35	48	1	...	5	9	82	3	e60·0	36·0	48·3	0·35	e53·0	28·0	40·8	0·62	e60·0	28·0	44·6	0·28
	CITY OF DUBLIN,	311,601	39·4	33·3	31·1	2·5	199	186	43	42	...	1	...	6	...	2	5	...	11	10	8	31	43	1	...	3	7	66	...	f60·2 g59·4	38·8 37·2	49·4 48·9	0·26 0·28	f52·7 g51·7	35·1 30·8	43·3 42·1	0·96 0·84	f59·1 g58·8	33·7 30·0	46·3 44·9	0·22 0·28
Urban Districts.	RATHMINES AND RATHGAR.	38,889	22·7	18·8	18·8	2·7	14	14	3	6	...	...	...	1	...	...	1	...	...	...	...	...	2	...	...	1	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PEMBROKE ...	29,693	18·7	12·3	8·8	.	7	5	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BLACKROCK, ...	9,126	8·4	11·4	28·6	.	2	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	KINGSTOWN. ...	17,227	11·8	15·1	39·3	3·0	5	13	...	5	...	...	...	...	1	...	...	...	1	1	...	3	2	...	...	...	1	6	2	60	40	50·5	0·27	52	35	43·4	0·67	56	33	45·2	0·23
Urban Districts.	BELFAST ...	391,051	36·6	26·1	19·3	1·6	196	145	21	31	...	...	...	...	...	10	...	...	16	8	6	18	30	2	...	...	3	32	3	59·0	35·0	47·1	1·15	53·0	29·5	40·9	1·09	56·0	31·5	41·0	0·60
Urban Districts.	CORK, ...	76,632	33·8	39·5	32·7	2·0	58	48	14	9	...	...	...	...	...	1	...	...	8	2	1	1	7	2	...	2	5	17	3	56	39	48·0	0·52	54	35	44·2	0·93	54	37	45·5	0·48
Urban Districts.	LONDONDERRY...	40,912	18·9	21·7	24·2	2·5	17	19	2	7	...	...	...	...	...	2	...	...	1	...	...	1	4	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LIMERICK, ...	38,403	18·2	44·8	21·7	1·4	33	16	5	5	...	...	...	...	...	...	...	...	1	...	...	...	5	1	...	...	...	7	3	57·8	34·7	48	0·88	60	31·3	43·9	1·00	65	34·4	45·6	0·50
Urban Districts.	WATERFORD, ...	27,430	19·1	32·3	20·9	1·9	17	11	3	3	...	...	...	...	...	...	...	...	2	...	...	1	3	1	...	1	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	GALWAY. ...	13,249	2·5	13·3	19·7	.	11	5	1	2	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	2	2	53	40	44	1·76	53	31	43·5	0·34	56	34	47	0·59
Urban Districts.	DUNDALK, ...	13,128	9·5	35·7	7·9	.	9	2	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	DROGHEDA, ...	12,425	8·4	4·2	29·4	.	1	7	4	2	...	...	...	...	...	...	...	...	...	1	...	3	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWRY. ...	11,956	17·2	39·3	17·4	.	9	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39
Urban Districts.	LURGAN, ...	12,135	14·3	25·8	21·5	.	6	5	2	2	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	...	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39
Urban Districts.	LISBURN, ...	12,172	10·7	12·9	21·4	.	3	5	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39
Urban Districts.	WEXFORD. ...	11,455	23·8	27·3	13·7	.	6	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BALLYMENA ...	11,376	9·3	13·8	22·9	.	3	5	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	SLIGO. ...	11,163	3·8	23·4	18·7	.	5	1	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	1	57·0	35·0	46·0	1·76	52·0	32·0	41·0	1·96	55·0	32·0	43·0	0·84
Urban Districts.	KILKENNY, ...	10,513	11·4	5·0	24·8	.	1	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	58	36	48·5	0·39	55	32	43·2	0·89	62	32	44·8	0·67
Urban Districts.	CLONMEL, ...	10,277	7·9	20·3	10·1	.	4	2	...	2	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PORTADOWN. ...	11,727	15·3	26·7	17·8	1·1	6	4	1	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39
Urban Districts.	TRALEE. ...	9,867	16·6	74·0	10·6	.	14	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	.	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWTOWNARDS.	9,110	18·9	28·6	5·7	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	56	36	46·6	0·80	53	33	40·7	0·56	56	34	43·7	0·44
Urban Districts.	QUEENSTOWN, ...	7,909	14·4	13·2	19·8	.	2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	56	39	48·0	0·52	54	35	44·2	0·93	54	37	45·5	0·48
Urban Districts.	ARMAGH. ...	7,588	22·2	20·6	13·7	.	3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34	54·0	34·7	44·8	0·39

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of March, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	.	.	1	.	1	.	.	1	1	1	.	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Whooping-cough	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	1	1	.	.	.	.	2	1	.	1	.	.	.	6	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	1	.	2	.	1	.	1	1	.	2	.	.	.	.	1	12	3
Tuberculous Disease. { Other Forms,	2	1	.	1	.	.	.	2	1	3	.	.	.	1	.	1	12	2
Cancer,	.	1	.	.	.	.	1	.	.	3	3	.	.	.	.	.	8	1
Diseases of Nervous System,	1	3	.	.	.	.	.	3	2	2	4	.	1	1	2	3	22	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	6	2	.	1	.	.	1	1	5	.	1	3	.	1	.	22	1
" Respiratory System. { Pneumonia,	3	5	5	3	.	2	.	4	.	5	2	2	.	1	.	3	35	1
" Respiratory System. { Others,	5	7	2	1	.	1	1	6	4	5	7	4	2	.	1	2	48	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Digestive System. { Others,	.	3	1	.	.	1	1	.	.	1	1	.	.	.	1	1	10	1
" Genito-urinary System,	.	.	.	1	.	1	.	1	.	.	.	.	1	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	2	1	.	.	.	5	2	.	1	1	3	1	.	1	20	2
Violent Deaths,	.	.	.	.	.	.	.	1	.	2	.	.	1	1	.	.	5	.
Ill-defined, &c. Causes,	.	2	.	1	.	.	.	.	.	1	.	.	1	.	.	.	5	.
Deaths from All Causes	16	33	13	13	2	7	3	25	11	32	22	9	14	5	5	13	223	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27·8	42·9	22·0	20·1	19·3	31·3	20·2	31·3	26·3	38·4	31·8	51·5	18·8	8·8	28·6	39·3	28·6	.
	28·4							33·9					20·3					
	31·1																	
Ages at Death. { Under 1 year,	4	10	4	6	.	.	.	4	3	5	3	4	3	1	.	.	47	.
1 and under 2 years,	2	1	2	1	.	.	.	3	1	4	2	1	.	1	.	3	21	.
2 " 5 "	.	2	.	1	.	1	.	2	.	1	1	.	2	.	.	.	10	.
5 " 15 "	1	1	.	2	1	1	.	1	1	1	2	1	1	1	1	1	16	2
15 " 25 "	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	4	2
25 " 45 "	3	6	.	1	.	2	.	3	1	6	3	1	2	.	1	2	31	4
45 " 65 "	.	7	3	2	1	1	3	5	2	6	3	1	.	1	.	2	37	5
65 and upwards,	4	6	4	.	.	2	.	7	3	8	8	.	6	1	3	5	57	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	7	1	1	.	4	1	5	4	8	.	2	6	1	1	1	47	12
Workhouse Hospitals,	.	3	.	1	.	.	.	7	2	5	10	.	.	.	2	5	35	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1902–1911.	In the Week ending Saturday, 30th March, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Mar. 29, 1902.	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 39·7	° 42·7	° 43·2	° 48·3										
ALL CAUSES.	211	204	219	192	198	189	211	204	168	177	197·3	236	8	39	21	10	18	6	35	42	32	25
Enteric Fever, ...	2	2	2	1	3	.	.	.	4	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	2	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	4	4	.	4	.	9	.	2	2·4	7	.	.	2	1	4	.	.	.	.	.
Scarlet Fever, ...	2	2	1	1	.	.	.	.	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	2	2	11	.	2	4	3	6	1	5	3·6	2	.	.	1	1	.	.	.	.	.	.
Diphtheria, ...	.	6	.	1	3	1	1	4	.	1	1·7	6	.	1	1	2	2	.	.	.	.	.
Croup, ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	2	2	4	2	2	14	2	6	2	3·8	2	.	.	.	.	.	.	.	.	2	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	1	.	.	.	2	·4	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	37	27	27	45	25	27	27	29	14	16	27·4	15	.	1	1	.	1	2	9	1	.	.
Tuberculous Meningitis, ...	2	4	7	4	5	2	3	2	2	7	3·8	5	.	.	.	.	3	2	.	.	.	.
Abdominal Tuberculosis, ...	3	2	4	2	1	2	2	.	.	4	2·0	2	.	.	1	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		1	.	.	.	.	.	.	.	1	.	.
Tuberculosis of other Organs,	4	9	6	7	9	7	4	12	2	.	6·2	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		6	.	1	1	.	1	.	3	.	.	.
Venereal Diseases, ...	.	3	.	1	3	.	1	1	2	.	1·1	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	5	9	3	4	4	8	7	4	14	13	7·1	9	.	.	.	.	.	1	2	5	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	2	.	1	1	1	.	1	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	3	.	.	.	.	.	.	1	2	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	3	.	.	.	.	.	.	1	.	2	.
Alcoholism, ...	2	.	1	.	1	2	.	1	.	.	·7	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										4		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										6		9	.	.	.	.	.	.	1	.	8	.
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										5		7	2	3	2	.	.	.	.	.	.	.
Other Diseases of Nervous System.	49	43	38	37	47	29	46	44	37	3	41·4	5	.	.	1	1	1	.	2	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										18		19	.	.	.	.	.	.	3	8	5	3
Embolism and Thrombosis (including Cerebral)										1		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Circulatory System.										1		3	.	.	.	.	.	.	.	1	2	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Bronchitis, ...	37	26	31	22	25	27	35	23	22	21	26·9	41	1	13	3	2	.	.	.	8	5	9
Broncho-pneumonia, ...		3	9	4	2	13	9	8	6	11		21	1	10	7	2	1	.	.	.	.	.
Lobar-pneumonia, ...	14	1	3	1	3	5	1	2	1	1	15·4	3	.	1	.	.	.	.	1	.	.	1
Pneumonia (type not distinguished)		7	11	7	5	6	7	6	7	1		12	.	1	1	1	.	.	2	5	1	1
Pleurisy, ...										.		2	.	.	.	.	2	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	4	3	2	2	4	3	2	1	.	2·5	3	.	.	.	.	.	.	.	2	.	1
Other Diseases of Respiratory System.										3		1	.	.	.	.	.	.	1	.	.	.

THIRTEENTH WEEK ending Saturday, 30th March, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 13th Week of the 10 years 1902–1911.	In the Week ending Saturday, 30th March, 1912.										
													Deaths of Persons of the Ages of									
	Mar. 29, 1902.	Apr. 4, 1903.	Apr. 2, 1904.	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·5	° 45·1	° 42·1	° 44·8	° 39·4	° 47·2	° 43·9	° 43·8	° 39·7	° 42·7	° 43·2	° 48·3										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	2	.	.	.	.	1	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	1	5	2	6	4	4	2	8	.	2	3·5	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	1	.	1	.	.	.	2	.	1	1	1·8	2	.	.	.	.	.	.	.	1	1	.
Other Diseases of Liver, ...		2	3	2	1	1	1	.	2	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	3	.	.	.	1	.	.	.	.	.	·4	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	5	1	13	4	15	6	3	5	4	1	5·7	2	.	.	.	.	.	.	1	.	.	1
Acute Nephritis, ...	7	2	6	5	3	2	11	10	8	1	5·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										1		4	.	.	.	.	.	.	1	2	.	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	2	.	.	1	2	1	1	2	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	1	3	3	3	2	6	4	7	3	3·6	1	.	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	8	6	8	7	3	4	5	4	6	7	5·8	6	.	.	.	.	.	.	.	.	3	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	.	1	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	2	.	1	.	3	2	1	1	2	1·2	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	2	1	.	.	.	.	.	1	·5	1	.	.	.	.	.	.	.	1	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	4	1	1	4	1	.	.	4	2	1·8	3	.	.	.	.	.	.	1	1	.	1
Total Deaths from Accident,	1	7	4	3	5	5	3	3	5	5	4·1	4	.	.	.	.	.	.	1	2	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Vehicles and Horses, ...	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	7	—	5	.	1	.	.	1	.	.	.	.	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered.	204	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227
Average Births in corresponding week of previous 10 years, ...	197	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232
DEATHS registered, ...	179	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236
Annual Death-rate per 1,000, ...	23·1	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3
Average Deaths in corresponding week of previous 10 years, ...	156	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197
Ages, Under 5 years, ...	68	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78
5—15 „ ...	5	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18
15—25 „ ...	12	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6
25—45 „ ...	33	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35
45—65 „ ...	39	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42
65—75 „ ...	11	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32
75 and upwards, ...	11	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25
Deaths from :—																										
Enteric Fever, ...	2	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.
Typhus, ...	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7
Scarlet Fever, ...	1	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1
Whooping-cough, ...	.	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2
Diphtheria, ...	.	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6
Influenza, ...	1	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15
Tuberculous Disease, Other Forms,	12	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14
Cancer, ...	6	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9
Diseases of Circulatory System,	16	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23
Diseases of Respiratory System, Pneumonia,	14	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36
Diseases of Respiratory System, Others, ...	17	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48
Diarrhœa and *Enteritis*, under 2 years, ...	32	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1
Diarrhœa, 2 years and upwards,	1	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.
Violent Deaths, ...	2	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5
Number of Uncertified Deaths,	1	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3
Mean Temperature of the Air (Phœnix Park)	48·6	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3
Average Mean Temperature in corresponding week of previous 10 years, ...	52·4	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2
Rainfall in inches, ...	·208	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	·655	·260	·045	·468	·200	·680	·315	.6 0	·280	·620	·345
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	87	·87	·87	·85	·90	88	·91	·84	·88	·90	·83	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th March, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH MARCH, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Convulsions.	Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	236	78	18	6	35	42	32	25	.	1	.	7	1	2	6	.	15	14	9	7	36	48	1	.	5	34	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	.	2	3	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	6	2	1	6	5	4	5	.	.	.	.	.	.	2	.	3	2	1	.	1	5	.	.	1	14	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	25·5	54	16	3	2	10	11	8	4	.	.	.	3	.	1	1	.	2	3	2	1	10	9	.	.	4	18	.
IV.	GENERAL SERVICE CLASS, ...	154,279	37·2	110	52	10	2	15	15	8	8	.	1	.	4	1	1	3	.	8	7	3	6	19	23	.	.	.	34	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	4	3	1	4	9	9	6	.	.	.	.	.	.	.	.	2	2	3	.	5	9	1	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	24·9	4	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	1	2	.	.	.	2	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	20·6	12	5	.	.	2	2	2	1	.	.	.	.	.	.	.	.	2	.	1	.	1	4	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	.	1	2	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	28·0	16	5	1	.	5	2	1	2	.	.	.	.	.	.	1	.	.	.	2	.	4	3	.	.	2	4	.
	10. Clothing Trades, ...	23,260	13·5	6	.	.	1	1	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	37·8	22	7	1	.	3	6	3	2	.	.	.	2	.	1	.	.	1	1	.	1	3	3	.	.	2	8	.
	13. Petty Shopkeepers	7,894	26·4	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	54·4	14	7	.	.	1	3	.	3	.	.	.	.	.	.	1	.	.	.	.	1	3	2	.	.	.	7	.
	15. Domestic Servants, ...	36,603	18·5	13	2	1	.	5	3	2	.	.	1	.	.	.	.	.	.	.	2	2	1	1	.	.	.	.	6	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	43·5	12	5	.	.	4	2	1	.	.	.	.	1	.	.	.	.	1	1	.	.	4	1	.	.	.	4	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	38	9	2	5	7	5	5	.	.	.	3	1	1	2	.	7	4	1	4	11	20	.	.	.	17	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	36	4	3	1	4	9	9	6	.	.	.	.	.	.	.	.	2	2	3	.	5	9	1	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases,*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Feb 10,	33·0	5·2	19	.	.	.	2	.	1	.	.	1	.	2	1	3	.	.	1	.
		„ 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
		„ 24.	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
		Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
		„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
		„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
		„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
		„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Feb 10,	28·6	2·6	22	1	.	.	1	.	.	.	.	4	.	1	2	5	.	.	.	3
		„ 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
		„ 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
		Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
		„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
		„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
		„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
		„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Feb. 10,	32·1	.	19	.	.	.	.	.	.	.	.	6	.	1	4	3	.	.	.	.
		„ 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
		„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
		Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
		„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
		„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
		„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
		„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Feb. 10,	27·8	3·1	18	.	.	.	.	.	.	1	.	2	.	1	2	3	1	.	.	1
		„ 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
		„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
		Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
		„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
		„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
		„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
		„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Feb. 10,	26·3	2·5	21	.	.	.	1	.	.	.	.	1	1	1	1	6	1	.	2	.
		„ 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
		„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
		Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
		„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
		„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
		„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
		„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Feb. 10,	21·5	2·4	9	.	.	.	.	.	1	.	.	.	.	.	1	4	.	.	.	1
		„ 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
		„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
		Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
		„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
		„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
		„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
		„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Feb. 10,	34·8	6·0	29	.	.	.	.	1	2	2	.	6	.	.	2	5	.	.	2	1
		„ 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
		„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
		Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
		„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
		„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
		„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	8	9	.	.	.	1
		„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Feb. 10,	42·0	.	29	.	.	.	.	.	.	.	.	.	1	2	2	7	.	.	1	4
		„ 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
		„ 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
		Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
		„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
		„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
		„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
		„ 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 10,	16·1	1·3	12	.	.	.	.	.	1	.	.	2	.	.	1	4	.	.	.	.
	„ 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
Pop. in 1912 (Est.) 38,889.	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	„ 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
Pembroke Urban District.	Feb 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1
	„ 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
Pop. in 1912 (Est.) 29,693.	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	„ 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Kingstown Urban District.	Feb. 10,	24·2	3·0	8	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	1
	„ 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
Pop. in 1911 17,227.	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
Belfast.	Feb. 10,	41·7	2·7	313	1	.	.	.	.	15	3	.	23	7	5	73	67	1	.	7	5
	„ 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
Pop. in 1912 (Est.) 391,051.	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	„ 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
Cork.	Feb. 10,	23·8	2·0	35	.	.	.	1	.	1	.	.	5	4	2	2	1	1	.	.	.
	„ 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
Pop. in 1911 76,632.	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	„ 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
Londonderry.	Feb. 10,	20·4	.	16	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	1
	„ 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
Pop. in 1912 (Est.) 40,912.	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
Limerick.	Feb. 10,	17·7	1·4	13	1	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	5
	„ 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
Pop. in 1911 38,403.	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
Waterford	Feb. 10,	20·9	.	11	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
	„ 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
Pop. in 1911 27,430.	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th March, 1912. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	.
Do. 2 do.		17			19	4	2	2	2	5	4	.	.	.	.	.	3	.	.	3	.	.	2	3	.	.	.	1	1	.
Do. 3 do.		28			21	2	4	4	4	5	2	.	.	.	.	.	.	.	.	3	3	1	3	3	1	.	.	.	5	1
Do 4 do.		20			14	6	3	2	2	.	1	.	.	.	.	.	4	.	.	1	.	.	2	2	1	.	.	.	5	.
Do. 5 do.		11			10	.	.	1	2	3	4	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	4	.
Do. 6 do.		19			12	3	1	1	1	1	5	.	.	.	.	.	1	.	.	1	.	.	1	3	.	.	.	.	1	1
Do. 7 do.		3			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.		17			8	.	1	1	.	4	2	.	.	.	.	.	1	.	.	2	.	1	1	1	.	.	.	.	3	.
Do. 10 do.		13			9	1	2	.	2	3	1	.	.	.	.	.	1	.	.	2	.	.	.	1	.	.	.	1	1	.
Do. 11 do.		15			13	2	1	2	.	5	3	.	.	.	.	.	.	.	.	.	.	.	2	7	.	.	.	.	3	1
Do. 12 do.		23			15	1	2	2	4	2	4	.	.	.	.	.	.	.	.	.	3	1	.	6	.	.	.	1	3	.
Do. 13 do.		9			8	1	1	1	.	3	2	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			9	.	3	.	3	1	2	.	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	2	.
Total,	—	196			145	21	20	17	21	35	31	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3	32	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	10	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	1	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.
Do. 2 do.		7			3	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.
Do. 3 do.		6			8	1	.	.	3	3	1	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	2	1
Do. 4 do.		9			5	1	1	1	1	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	3	.
Do. 5 do.		5			5	2	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1	.
Do. 6 do.		7			9	4	1	1	.	3	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	2	.
Do. 7 do.		14			13	2	1	.	4	2	4	.	.	.	.	.	.	.	.	2	.	.	.	3	2	.	2	2	4	2
Total,	—	58	32·7	2·0	48	14	4	2	11	8	9	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	5	17	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Oct. 7.	Oct. 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.
No. of weeks in Annual Series,	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13
BIRTHS registered, ...	184	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196
DEATHS registered, ...	128	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	111	145
Annual Death rate per 1,000 of estimated population, ...	17·3	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3
AGES, Under 1 year, ...	26	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21
1—5 years, ...	16	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20
5—25 ,, ...	13	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17
25—45 ,, ...	22	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21
45—65 ,, ...	28	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35
65 and upwards, ...	23	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	23	26	32	37	31
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.
Whooping-cough, ...	1	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10
Diphtheria, ...	.	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	13	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16
Tuberculous Disease, Other Forms,	10	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8
Cancer, ...	6	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6
Diseases of Respiratory System, Pneumonia,	7	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18
Diseases of Respiratory System, Others, ...	10	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30
Diarrhœa, and *Enteritis*, under 2 years, ...	16	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2
Diarrhœa, 2 years and upwards,	2	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	2	3	3	6	1	3	2	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.
Number of Uncertified Deaths, ...	.	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from: Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Mar. 30,	2,356	1,172	13·5	1	.	16	1	33	8	19*a*
Edinburgh, ...	321,200	„ 30,	156	80	13·0	.	.	4	1	2	.	3
Glasgow, ...	785,600	„ 30,	377	277	18·4	.	.	27	3	4	2	7
Calcutta, ...	890,493	Feb. 24,	.	541	31·5	105*	.	1	.	6	.	141‡
Bombay, ...	979,445	„ 24,	430	787	41·8	103*	30	12	.	.	.	83‡
Madras, ...	518,660	„ 3,	339	459	46·0	89*	6	.	?	?	?	139‡
Cairo, ...	699,228	„ 4,	641	435	32·4	3	.	.	.	.	7†	39*a*
Paris, ...	2,847,229	Mar. 2,	1,016	1,044	18·7	9	1	49	6	7	6†	23*a*
Brussels, ...	705,295	„ 9,	266	165	12·2	2	.	3	.	1	2†	11
Antwerp, ...	308,618	„ 9,	96	79	13·4	1	.	1	.	.	.	9*a*
Amsterdam, ...	582,586	„ 9,	253	120	10·7	.	.	2	.	.	4†	3*a*
Copenhagen, ...	465,000	„ 9,	210	132	13·8	.	.	3	1	.	1†	3
Stockholm, ...	343,832	„ 9,	155	106	16·0	.	.	.	.	1	.	1
Christiania, ...	244,038	„ 16,	96	50	10·7	.	.	.	.	.	.	1
St. Petersburg, ...	1,641,600	Feb. 24,	1,336	742	23·6	12	3	35	17	8	11	44
Moscow, ...	1,493,600	„ 24,	.	773	27·0	4	.	16	20	8	15†	58
Berlin, ...	2,088,515	„ 24,	869	760	19·0	1	.	7	7	2	22†	30
Hamburg, ...	953,079	Mar. 9,	.	287	15·7	.	.	4	6	2	11†	12*a*
Breslau, ...	527,525	„ 9,	.	229	22·6	.	.	.	1	7	1	25
Munich, ...	610,000	„ 16,	.	161	13·8	.	.	1	.	2	1†	11
Vienna (with suburbs),	2,064,583	„ 9,	807	678	17·1	.	.	11	5	4	1†	32*a*
Buda-Pesth, ...	911,891	„ 9,	494	311	17·7	2	.	3	5	1	6†	9*a*
Prague and Faubourgs,	481,682	Feb. 24,	183	226	24·5	2	.	6	4	2	3†	12*a*
Trieste, ...	232,832	Mar. 9,	150	98	21·9	1	.	7	.	.	2†	2
Rome, ...	551,749	Dec. 23,	259	172	16·3	1	.	.	.	.	3	12
		„ 30,	252	213	20·1	3	1	.	.	.	1	7
Venice, ...	184,325	Sept. 16,	62	71	20·1	.	.	.	.	1	.	15
		„ 23,	79	56	15.8	.	.	.	.	2	1†	10
New York,... ...	5,173,064	Feb 10,	2,715	1,566	15·2	7	.	14	16	4	27	31
Philadelphia, ...	1,606,105	„ 10,	.	547	17·7	1	.	4	2	5	15†	14
Boston	720,031	Mar. 9,		298	21·6	.	.	5	2	1	3	7

* Deaths from "fever," including 4 deaths from enteric fever, and 48 from plague in Calcutta, 2 from enteric fever, and 38 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 86 deaths from cholera in Calcutta, one in Bombay, and 18 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending March 30th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	1	1	.	.	4
,, ,, 1, West, ...	.	2	.	.	2	.	.	1	.	.	.	1	6
,, ,, 2, ...	.	2	.	.	1	.	.	2	.	.	.	.	5
,, ,, 3, ...	.	1	.	.	5	.	.	.	3	.	.	1	10
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	4	.	.	.	4	.	.	4	13
,, ,, 2, ...	.	.	.	.	1	.	.	.	.	.	.	3	4
,, ,, 3, ...	.	.	.	.	5	.	.	.	1	.	.	2	8
,, ,, 4, ...	.	.	.	.	2	.	.	.	1	.	.	3	6
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
Total, ...	.	7	.	.	21	.	.	4	10	1	.	15	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th March, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th March.			
	Mar. 9.	Mar. 16.	Mar. 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	66	76	91	37	36	4	88
Scarlet Fever, ...	113	108	112	11	18	.	105*
Typhus, ...	2	.	1	.	.	1	.
Diphtheria, ...	66	69	63	18	18	5	58
Enteric Fever, ...	48	45	44	3	5	.	42
Pneumonia, ...	31	33	37	11	12	1	35

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 30th March, 1912:—

"Although much drier than during many past weeks, the weather of this thirteenth week of 1912 cannot be described as in any way settled. Atmospheric pressure was generally low over the Atlantic to the westward and northward of the British Isles. After Wednesday the baric gradient was steep owing to the presence of areas of low pressure in the Norwegian Sea and Baltic region whereas an anticyclone with the barometer up to 30·3 inches or upwards hovered over the Iberian Peninsula, the Bay of Biscay and France. During the earlier days of the week the wind was chiefly from S.W. and temperature consequently ruled high—on Monday the thermometer rose to 60° and upwards at many places in the eastern and central parts of Great Britain as well as in Dublin. Lowestoft and Margate reported a maximum of 63°. Tuesday also was generally warm, Greenwich reporting a maximum of 62°; Dublin, 59°. In the afternoon temperature gave way in Ireland as the wind veered for a time to W.N.W. with rain. Wednesday brought fresh westerly winds, clouds and showers. From this time onward the wind drew into W. and N.W., blowing very freshly at times, with clouds at times and very light showers. The atmosphere was, however, generally very dry, and brisk evaporation soon brought March dust into decided evidence. The strength of the wind was very great over the northern half of the British Isles on Thursday, when fresh to strong gales were reported from Lerwick, Stornoway, Malin Head, Wick, Spurn Head, and Aberdeen. At the last-named station a squall of 59 miles per hour had been felt about noon of Wednesday. With the coming of W. and N.W. winds much lower temperatures prevailed during the latter part of the week. In Dublin the mean height of the barometer was 29·962 inches, pressure ranging between 29·572 inches at 9 a.m. of Sunday (wind, W.N.W.) and 30·203 inches at 9 a.m. of Friday (wind, W.). The corrected mean temperature was 49·4°, the mean dry bulb reading being 48·6°. The screened thermometers rose to 60·2° on Monday and fell to 38·8° on Friday. S.W., W., and W.N.W. winds prevailed. The rainfall was ·260 inch on 3 rain-days, ·111 inch being recorded on Tuesday. A partial solar halo appeared on Saturday afternoon, and a lunar halo the same evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·973 inches. The highest reading (30·212) was on Thursday at 9 p.m., wind W.S.W., the lowest (29·607) on Sunday at 9 a.m., wind W.

The mean temperature for the week was 48·3°, being 5·1° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Monday, on which day the thermometer registered 60·0°, and was lowest on Friday, the mercury having fallen to 36·0°. The mean of the Dry Bulb for the week was 48·2° and of the Wet Bulb, 45·4°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·345 inch.

At Greenwich the mean temperature for the week was 51·0°, the maximum 61·9°, and the minimum 38·2°; at Glasgow the maximum was 55·5°, the minimum 30·6°, and the mean 44·4°; and at Edinburgh the maximum was 58·9°, the minimum 33·1°, and the mean 45·7°. The rainfall at Greenwich measured 0·05 in.; at Glasgow, 1·27 ins.; and at Edinburgh, 0·65 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 24,	29·650	57·0	44·0	50·5	50·6	47·2	·77	·6	1·3	·000	W.	W.S.W.
Monday, „ 25,	29·905	60·0	48·0	54·0	52·9	50·3	·89	·6	0·4	·000	S.S.W.	S.S.W.
Tuesday, „ 26,	29·975	59·0	44·0	51·5	50·6	47·1	·77	·6	4·1	·105	S.S.W.	S.W.
Wednesday, „ 27,	29·990	53·0	43·0	48·0	50·2	48·0	·85	·6	2·2	·110	W.S.W.	W.S.W.
Thursday, „ 28,	30·150	53·0	39·0	46·0	44·2	41·4	·79	·7	6·1	·000	W.	W.S.W.
Friday, „ 29,	30·145	50·0	36·0	43·0	44·3	41·2	·77	·6	5·8	·000	W.S.W.	W.S.W.
Saturday, „ 30,	29·995	53·0	37·0	45·0	44·9	42·4	·83	·5	6·3	·130	W.S.W.	W.S.W.
Mean, ...	29·973	55·0	41·6	48·3	48·2	45·4	·81	·6	Total 26·2	Total ·345	Prevailing Wind. W.S.W.	

Sunday—A dull day; night cloudy. *Monday*—A dull day; night cloudy. *Tuesday*—Day cloudy, drizzling 4.20–6.30 p.m.; night cloudy, drizzling 2.50–3.30 a.m. *Wednesday*—Day cloudy to overcast, drizzling 2.20–9.0 p.m.; night overcast, drizzling from 9.0–9.30 p.m. and 4.30–6.0 a.m. *Thursday*—A fine day, light clouds; night clear. *Friday*—A fine day, light clouds p.m.; night cloudy. *Saturday*—Day bright to overcast, drizzling from 4.30–8.30 p.m.; night overcast, drizzling 9.30–10.30 p.m. and 3.0–7.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 30th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 24,	48·0	45·0	45·5	57·0	44·0	50·5	2·0	·000
Monday, „ 25,	53·3	46·0	45·8	60·2	45·5	52·9	0·5	·000
Tuesday, „ 26,	55·1	47·6	45·6	59·7	45·1	52·4	5·5	·118
Wednesday, „ 27,	51·6	48·0	48·0	54·8	43·1	49·0	2·5	·050
Thursday, „ 28,	49·0	48·1	46·0	53·0	40·9	47·0	6·3	·000
Friday, „ 29,	45·9	47·0	46·5	52·2	37·5	44·9	6·5	—
Saturday, „ 30,	48·7	46·2	46·6	58·3	38·8	48·6	8·8	·110
Weekly Mean, .	49·9	46·8	46·3	56·5	42·1	49·3	Total 32·1	Total ·278

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32214. Wt. P. 292–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depôts in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLIX.] QUARTER ENDING SATURDAY, 30TH MARCH, 1912. [NO. 13A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1912, 406,536, there were registered during the thirteen weeks ended on Saturday, 30th March, 1912, 2,897 births—1,486 boys and 1,411 girls—being equal to an annual ratio of 1 in 35·1, or 28·5 in every 1,000 of the population.

The number of births registered in the city was 2,476, equivalent to an annual rate of 31·8 in every 1,000 of the population; and in the urban districts named above, 421, equal to an annual rate of 17·7 in every 1,000 of the population.

There were registered in London during the same period 29,020 births—being equal to an annual birth-rate of 25·7 in every 1,000 of the estimated population; in Glasgow there were registered 5,529, being equal to 28·2 per 1,000; and in Edinburgh, 1,655—a number affording an annual birth-rate of 20·6 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (148) of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,542, are equivalent to an annual rate of 25·0 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 25·3. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,690—1,276 males and 1,414 females—affording an annual ratio of 1 in 37·8 or 26·5 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1902–1911, in the Dublin Registration Area as then constituted, was 26·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,061, representing an annual mortality of 26·6 in every 1,000 of the population; and the number in the South City districts was 1,022, equivalent to a rate of 26·9 per 1,000. In the urban districts the number of deaths registered was 459, being equal to an annual death-rate of 19·3 in every 1,000.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective Districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 17,215—a number equal to an annual rate of mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 4,075, equal to 20·7 in every 1,000; and in Edinburgh, 1,429, affording an annual death-rate of 17·8 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 216, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·13.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1902–1911:—

Names of Diseases.	No. of Deaths in March Quarter, 1912.	Average No. of Deaths in March Quarters, 1902–1911.
Enteric Fever, ...	16	19
Typhus, ...	2	1
Small-pox, ...	–	–
Measles, ...	53	29
Scarlet Fever, ...	21	10
Whooping-cough, ...	42	43
Diphtheria, ...	38	16

Enteric Fever.—The deaths from enteric fever were 16 in number, the average for the corresponding quarter in the 10 years 1902-11 being 19; in the 3 preceding quarters, such deaths were 11, 27 and 22 respectively. Of the deaths, 10 belonged to the city districts of North Dublin, 2 to South Dublin city, 2 to the urban district of Rathmines and Rathgar, and one to the urban district of Pembroke. According to Table I there were 48 cases of enteric fever under treatment at the close of the previous quarter, 80 cases were admitted during the period under notice, 75 were discharged, 11 died, and 42 were under treatment on 30th March, 1912.

Typhus.—There were 2 deaths from typhus registered during the quarter. Five cases were under treatment at the close of the December quarter, 4 cases were admitted, 8 cases were discharged, one died, and there was no case under treatment in hospital at the close of the period under notice.

Small-Pox.—There was no mortality from small-pox reported, neither was there any case of small-pox notified to the sanitary authorities.

Measles.—It appears that the deaths from measles, 53 in number, exceed the number registered in the last quarter by 10, and the average by 24, and represent an annual rate of 0·52 per 1,000 of the population of the Dublin registration area estimated to the middle of the year. It is shown in Table II that of the total deaths from measles, 19 belonged to North Dublin city, 21 to South Dublin city, 2 to Rathmines and Rathgar, one to Blackrock, and 10 to Kingstown. The Hospital statistics show that there were only 19 cases under treatment at the close of the December quarter, that 379 cases were admitted during the March quarter, 278 were discharged, 32 died, and 88 were under treatment at the close.

Scarlet Fever.—Deaths from scarlet fever, which had been 14, 17, and 23 in each of the 3 preceding quarters, declined to 21 in the period under notice. This number, however, is more than double the average (10), and is equivalent to an annual death-rate of 0·21 per 1,000 from the disease. Of the total deaths, 8 appertained to North Dublin city, 8 to South Dublin city, one to Rathmines and Rathgar, 3 to Pembroke, and one to Kingstown. It appears from Table I that at the close of the December quarter there were 189 cases under treatment, 255 were admitted, 325 were discharged, 14 died, and 105 were under treatment (exclusive of 19 patients in Beneavin) at the end of March quarter.

* See note (*) p. 208*h*.

Whooping-cough.—Altogether there were 42 deaths from whooping-cough, a figure slightly under the average, 44, and equivalent to an annual rate of 0·41 per 1,000; the deaths in the 3 preceding quarters were 33, 40, and 33 respectively. Of the total deaths, 33 belonged to the city of Dublin, 7 to the suburbs, and 2 were deaths of persons admitted to institutions from places outside the area.

Diphtheria.—As in the case of mortality from scarlet fever, the deaths from diphtheria, 38 in number, are more than double the average, 16, and are equivalent to an annual rate of 0·37 per 1,000 from this disease; in the 3 preceding quarters deaths from diphtheria were 30, 20, and 27 respectively. The mortality from diphtheria was distributed as follows:—in North Dublin city, 13 deaths, in South Dublin city, 18 deaths, in Rathmines and Rathgar urban district, 5 deaths, and in Pembroke urban district, one death. The Hospital statistics show that there were 60 cases under treatment at the commencement of the period, 208 cases were admitted, 180 discharged, 30 died, and 58 patients were under treatment at the close of the March quarter.

Diarrhœal Diseases.—The deaths of children under 2 years of age classified under this heading numbered 39, and correspond to an annual rate of 0·38 per 1,000. Of the total, 19 belonged to the North city, 15 to the South city, 3 to Rathmines and Rathgar and 2 to Pembroke urban district.

Influenza.—When compared with the average, 47, the deaths from influenza, 22 in number, show a decline, but are above the numbers registered in the 3 preceding quarters, namely, 15, 9 and 13 respectively.

Cerebro-Spinal Fever.—Two deaths were registered.

Pneumonia.—In the aggregate, deaths from pneumonia numbered 282, comprising 166 deaths from broncho-pneumonia, 20 from lobar pneumonia, and 96 from *pneumonia* (type not distinguished). The rate corresponding to above total is 2·77 per 1,000.

Tuberculosis.—There were altogether 396 deaths from all forms of tuberculous disease; the total includes 308 deaths from pulmonary tuberculosis, 35 deaths from tuberculous meningitis, 14 from abdominal tuberculosis, 8 from tuberculosis of the vertebral column, 3 from tuberculosis of joints, 4 from tuberculosis of other organs, and 24 from disseminated tuberculosis. The total deaths represent an annual rate of 3·90 per 1,000. In the March quarter of 1911, the number of deaths from all forms of tuberculous disease was also 396.

In the districts of North Dublin city, the rate from this disease was 4·04 per 1,000; in the districts of South Dublin city it was 3·79 per 1,000; in the urban district of Rathmines and Rathgar it was 2·16 per 1,000; in the urban district of Pembroke it was 2·56 per 1,000; in Blackrock, 2·19 per 1,000; and in Kingstown, 2·55 per 1,000.

Cancer.—There were 112 deaths assigned to cancer; this number is represented by an annual rate of 1·10 per 1,000.

Diseases of the Brain and Nervous System.—The total deaths include the deaths of 74 children under 5 years of age from convulsions; of this figure 63 were deaths of infants under one year.

Diseases of the Circulatory System.—The deaths included under this title numbered 280.

Bronchitis.—The deaths of 446 persons were attributed to bronchitis; this number corresponds to annual rate of 4·39 per 1,000.

Congenital Malformation, Premature Birth, Congenital Debility.—There were 14 deaths from congenital malformations, 62 from premature birth, and 46 from congenital debility.

Accidental Violence.—The deaths, which amounted to 51, include 18 deaths from burns and scalds (of which 13 were of children under 5 years of age), and 5 deaths from drowning.

Homicide.—There were 2 homicidal deaths.

Suicide.—Six persons terminated their existence by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th March, 1912.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	48	80	75	11	42
Typhus, ...	5	4	8	1	–
Small-pox, ...	–	–	–	–	–
Measles, ...	19	379	278	32	88
Scarlet Fever, ...	189	255	325	14	105*
Diphtheria, ...	60	208	180	30	58
Pneumonia, ...	19	121	93	12	35

* Exclusive of 19 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

In 94 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 94 cases, 50 (or 53·2 per cent.) were deaths of children under 5 years of age; these 50 deaths form 6·0 per cent. of the total number of deaths of children of that age-period. Of the deaths of 142 infants under one month old registered, there were 16 (or 11·3 per cent.) regarding which the cause was uncertified.

From Table II., on page 208*f*, it will be seen that, excluding 148 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,542, equal to an annual rate of 25·0 per 1,000 of the estimated population, and that 211 of these deaths, representing an annual rate of 2·1 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 26·7 per 1,000, and for the urban districts 19·3 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·2, and in the urban districts 1·7, the rates for the several districts varying from 0·7 in Clontarf and Howth, No. 1, part of, to 3·9 in New Kilmainham, the 60 deaths from all causes for that district including one from measles, 2 from whooping-cough, one from diphtheria, and 5 from diarrhœal diseases.

OCCUPATIONS.—Table III., on page 208*g*, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 18·6 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 19·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 20·2; and in the "General Service Class" it was 30·1.

AGES.—Of the 2,690 persons whose deaths were registered in the Dublin Registration Area during the quarter, 829 were under 5 years of age, including 496 infants under one year of age, the latter representing a rate of 171·2 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 86·9 in every 1,000 children at that age (according to the Census of 1901); 135 were between the ages of 5 and 15, representing an annual rate of 8·0 per 1,000 persons at that age-period; 125 were between the ages of 15 and 25, equivalent to an annual rate of 6·0 per 1,000; the total number under 25 years being equal to an annual mortality of 23·0 per 1,000 of the population at that age-period (according to the Census of 1901); 382, or 13·3 per 1,000 persons, were between 25 and 45; 604, or 42·1 per 1,000, between 45 and 65; 378, or 144·9 per 1,000, between 65 and 75; and 237, or 237·7 per 1,000, were aged 75 and upwards, including 20 persons aged 90 and upwards.

† See note (*) p. 208*h*.

Public Institutions.—Of the 2,690 deaths recorded during the quarter, 1,102 or 41·0 per cent., occurred in public institutions, viz., 632 in the various hospitals, prisons, and lunatic asylums; 200 in the North Dublin Union Workhouse; 252 in the South Dublin Union Workhouse; and 18 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 42·3°. At Greenwich, for the quarter, it was 43·3°; at Glasgow, 40·5°; and at Edinburgh, 40·0°.

The rainfall at Dublin during the thirteen weeks measured 6·611 inches; at Greenwich, 7·28 inches; at Glasgow, 8·01 inches; and at Edinburgh, 4·47 inches.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th March, 1912,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 30TH MARCH, 1912.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1912.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM DISEASES IN COLS. 13-20, 26-7.	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	30,034	28·2	2·9	212	45	22	10	10	8	38	40	39	.	.	.	8	.	10	1	.	28	9	4	23	42	2	1	6	5
" 1, W.,	40,141	27·9	1·9	280	70	18	16	12	12	41	58	53	3	.	.	4	2	2	3	.	29	8	11	37	54	5	.	2	14
" 2,	30,873	29·2	1·3	225	48	13	13	11	6	39	46	49	2	.	.	.	.	4	1	.	28	9	6	28	44	3	.	1	7
" 3,	33,701	27·7	3·3	233	55	16	12	16	9	25	55	45	3	.	.	6	4	4	5	.	29	5	14	27	33	6	.	4	6
CLONTARF AND HOWTH, No. 1, part of.	5,403	14·1	0·7	19	1	.	.	1	2	4	7	4	.	.	.	.	.	.	1	.	1	1	.	2	2	.	.	.	.
COOLOCK AND DRUMCONDRA, part of,	11,671	17·1	1·7	50	6	2	2	3	5	9	7	16	1	.	.	1	1	.	1	.	8	1	2	4	6	1	.	1	1
FINGLAS AND GLASNEVIN, part of,	7,726	21·7	3·1	42	6	1	3	1	3	5	11	12	1	.	.	.	1	.	1	.	5	.	2	1	8	2	1	1	.
South City.																													
SOUTH CITY, No. 1,	41,650	29·1	2·2	303	50	25	28	17	16	35	64	68	1	.	.	6	4	1	6	1	32	8	3	24	68	4	.	10	9
" 2,	21,846	23·6	2·2	129	24	11	8	1	3	25	33	24	.	.	.	4	1	4	2	.	21	3	4	10	36	1	.	.	4
" 3,	43,408	30·7	2·6	333	58	29	28	9	18	43	85	63	.	1	.	9	3	5	8	.	40	15	12	37	72	2	.	8	14
" 4,	36,031	21·9	0·8	197	39	10	11	11	2	23	51	50	1	.	.	1	.	1	1	.	12	7	11	24	39	3	.	5	8
NEW KILMAINHAM,	9,117	26·3	3·9	60	15	5	6	5	3	6	11	9	.	.	.	1	.	2	1	.	3	3	3	7	16	5	.	2	4
Urban Districts.																													
RATHMINES AND RATHGAR,	38,889	18·3	1·7	178	24	6	9	6	6	22	39	66	2	.	.	2	1	3	5	.	18	3	4	14	27	3	1	7	8
PEMBROKE,	29,693	17·2	0·9	128	22	6	4	13	5	10	31	37	1	.	.	.	3	.	1	.	13	6	6	19	15	2	.	5	2
BLACKROCK,	9,126	20·6	0·9	47	8	.	.	2	4	7	4	22	.	.	.	1	.	1	.	.	5	.	4	4	5	.	.	1	2
KINGSTOWN,	17,227	24·6	3·5	106	17	12	2	3	4	11	20	37	.	.	.	10	1	3	.	.	9	2	5	13	13	.	1	.	10
Total City. North,	159,549	26·6	2·3	1,061	231	72	56	54	45	161	224	218	10	.	.	19	8	20	13	.	128	33	39	122	189	19	2	15	33
Total City. South,	152,052	26·9	2·1	1,022	186	80	81	43	42	132	244	214	2	1	.	21	8	13	18	1	108	36	33	102	231	15	.	25	39
Total City. North and South,	311,601	26·7	2·2	2,083	417	152	137	97	87	293	468	432	12	1	.	40	16	33	31	1	236	69	72	224	420	34	2	40	72
Total Urban Districts,	94,935	19·3	1·7	459	71	24	15	24	19	50	94	162	3	.	.	13	5	7	6	.	45	11	19	50	60	5	2	13	22
Total Registration Area,	406,536	25·0	2·1	2,542	488	176	152	121	106	343	562	594	15	1	.	53	21	40	37	1	281	80	91	274	480	39	4	53	94
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				148	8	.	5	14	19	39	42	21	1	1	.	.	.	2	1	.	27	8	21	8	7	.	.	6	.

* See note (*) on page 208*h*.

† See note (*) on page 208*i*.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 30th March, 1912;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 30TH MARCH, 1912.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	375,350	—	2,690	829	135	125	382	604	378	237	16	2	.	53	21	42	38	1	308	88	112	74	282	487	39	4	59	1,064	94
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	18·6	81	4	.	1	3	18	27	28	1	.	.	1	.	.	.	.	2	.	5	.	4	14	1	.	.	53	1
II.	MIDDLE CLASS, ...	87,188	19·3	420	79	18	30	66	101	62	64	5	1	.	4	2	3	9	1	55	10	29	5	32	51	3	1	10	199	11
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	20·2	557	169	33	27	82	138	74	34	4	.	.	10	10	12	10	.	64	19	21	17	64	93	7	1	12	213	24
IV.	GENERAL SERVICE CLASS, ...	154,279	30·1	1,162	520	68	54	157	205	105	53	6	1	.	37	8	22	19	.	121	38	40	51	161	200	19	2	34	403	58
V.	INMATES OF WORKHOUSES, ...	6,024	—	470	57	16	13	74	142	110	58	.	.	.	1	1	5	.	.	66	21	17	1	21	129	9	.	3	196	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	28·2	55	2	.	.	2	11	19	21	1	.	.	.	.	.	.	.	2	.	5	.	2	12	1	.	.	32	1
	2. Merchants and Manufacturers, Higher Class	1,277	3·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·0	25	1	.	1	1	7	8	7	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	21	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	23·3	45	8	2	2	6	9	6	12	1	.	.	.	.	.	1	.	9	1	2	1	1	5	.	.	1	23	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	15·6	86	21	5	3	15	23	9	10	1	.	.	.	.	1	6	.	11	3	2	3	8	6	1	.	2	42	3
	6. Clerks and Commercial Assistants, ...	30,432	17·5	133	36	3	11	28	29	19	7	2	.	.	2	1	2	.	1	17	3	5	1	13	20	1	.	4	61	3
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	23·1	156	14	8	14	17	40	28	35	1	1	.	2	1	.	2	.	18	3	20	.	10	20	1	1	3	73	5
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	22·7	56	17	6	4	9	10	6	4	.	.	.	1	1	.	2	.	8	2	5	1	6	6	.	.	2	22	2
	9. Building and Furnishing Trades.	29,801	19·1	142	52	8	6	20	38	14	4	.	.	.	4	3	2	4	.	15	9	5	3	27	23	1	1	3	42	7
	10. Clothing Trades, ...	23,260	14·6	85	20	5	5	12	22	13	8	1	.	.	2	2	4	2	.	11	3	3	1	1	19	1	.	1	34	2
	11. Food Supply Trades, ...	9,242	18·6	43	12	2	.	8	13	7	1	1	.	.	.	.	.	.	.	5	.	3	1	5	9	1	.	.	18	2
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	196	59	9	10	25	53	26	14	1	.	.	3	4	5	1	.	18	3	5	10	23	32	4	.	5	82	10
	13. Petty Shopkeepers, ...	7,894	17·7	35	9	3	2	8	2	8	3	1	.	.	.	.	1	1	.	7	2	.	1	2	4	.	.	1	15	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	19·1	64	21	5	.	8	17	5	8	.	.	.	.	.	.	4	.	2	1	5	1	11	8	2	.	2	28	1
	15. Domestic Servants, ...	36,603	14·8	135	29	2	13	29	26	20	16	1	1	.	.	1	1	1	.	15	4	9	3	11	14	1	.	1	72	5
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	30·6	110	47	3	5	23	19	10	3	.	.	.	2	1	2	2	.	10	5	2	4	29	16	.	.	4	33	4
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·0	853	423	58	36	97	143	70	26	5	.	.	35	6	19	12	.	94	28	24	43	110	162	16	2	27	270	48
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	470	57	16	13	74	142	110	58	.	.	.	1	1	5	.	.	66	21	17	1	21	129	9	.	3	196	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 23·3 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Tralee, 14·6; Armagh, 15·3; Queenstown, 15·7; Portadown, 16·7; Londonderry, 17·2; Sligo, 17·2; Drogheda, 17·7; Limerick, 18·0; Newry, 18·4; Waterford, 19·0; Wexford, 19·2; Ballymena, 19·3; Lisburn, 19·7; Clonmel, 21·0; Galway, 21·1; Lurgan, 21·4; Cork, 24·0; Belfast, 24·3; Newtownards, 24·6; Dublin Registration Area, 25·0; Dundalk, 25·3; and Kilkenny, 30·4.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·6 per 1,000 of the population, the rates varying from 0·0 in Drogheda, Wexford, Sligo and Newtownards to 2·1 in the Dublin Registration Area. Among the 2,380 deaths from all causes in Belfast are 7 from enteric fever, one from typhus, 5 from scarlet fever, 127 from whooping-cough, 8 from diphtheria, and 23 from diarrhœa and *enteritis* of children under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—There were 7 deaths for Belfast, and 3 for Limerick.

Typhus.—For Belfast one death was registered.

Small-pox.—No death from this disease was registered.

Measles.—In Cork 6 deaths and in each of Kilkenny and Clonmel 2 deaths were registered.

Scarlet Fever.—Of 9 deaths, 5 belong to Belfast, one to Limerick, 2 to Galway, and one to Portadown.

Whooping-cough.—For Belfast 127, in Cork six, in Londonderry 2, in Dundalk 4, and in each of Lurgan and Armagh 3 deaths from whooping-cough were registered; also one death in each of Limerick, Waterford, Kilkenny and Portadown was registered.

Diphtheria.—Eight deaths were registered for Belfast, 2 in each of Cork and Dundalk, and one in each of Waterford and Galway.

Diarrhœa and Enteritis of Children under 2 Years of Age.—Of the 50 deaths, 23 were for Belfast, 7 for Cork, and 5 for Waterford.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 2·6 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·8 per 1,000, for Belfast County Borough, 2·5 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin Registration Area), it was 2·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 30th March, 1912,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Registration—Quarter (13 weeks) ending Saturday, 30th March, 1912. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa, and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 22 Town Districts, ...	1,157,014	20·3	27·9	23·3	1·6	8,079	6,741	1,334	1,612	25	2	...	63	30	189	51	1	752	232	245	809	1,213	89	6	119	196	1,954	269
Dublin Registration Area:— Total	406,536	29·5	28·5	25·0	2·1	2,897	2,542†	488	594	15	1	...	53	21	40	37	1	281	80	91	274	480	39	4	53	57	954	94
City of Dublin, ...	311,601	39·4	31·8	26·7	2·2	2,476	2,083	417	432	12	1	...	40	16	33	31	1	236	69	72	224	420	34	2	40	46	825	72
Urban Districts. Rathmines and Rathgar, ...	38,889	22·7	15·7	18·3	1·7	153	178	24	66	2	...	...	2	1	3	5	...	18	3	4	14	27	3	1	7	5	56	8
Urban Districts. Pembroke, ...	29,693	18·7	20·9	17·2	0·9	155	128	22	37	1	...	...	...	3	...	1	...	13	6	6	19	15	2	...	5	4	35	2
Urban Districts. Blackrock, ...	9,126	8·4	14·5	20·6	0·9	33	47	8	22	...	...	...	1	...	1	...	...	5	...	4	4	5	...	...	1	...	8	2
Urban Districts. Kingstown, ...	17,227	11·8	18·6	24·6	3·5	80	106	17	37	...	...	...	10	1	3	...	...	9	2	5	13	13	...	1	...	2	30	10
Urban Districts. Belfast, ...	391,051	26·6	29·2	24·3	1·8	2,853	2,380†	570	442	7	1	...	...	5	127	8	...	242	84	69	409	421	23	1	43	97	505	27
Urban Districts. Cork, ...	76,632	33·8	25·3	24·0	1·1	484	459	67	125	...	...	...	6	...	6	2	...	75	24	20	21	65	7	...	3	14	161	22
Urban Districts. Londonderry, ...	40,912	18·9	25·5	17·2	0·4	261	176	26	50	...	...	...	...	...	2	...	...	22	4	7	11	36	2	...	2	2	21	5
Urban Districts. Limerick, ...	38,403	18·2	28·0	18·0	0·8	269	173	26	44	3	...	...	...	1	1	...	...	23	1	7	4	39	2	1	1	5	65	30
Urban Districts. Waterford, ...	27,430	19·1	24·6	19·0	1·0	169	130	22	37	...	...	...	...	...	1	1	...	15	4	8	10	21	5	...	4	3	54	14
Urban Districts. Galway, ...	13,249*	2·5	23·2	21·1	1·2	77	70	7	31	...	...	...	...	2	...	1	...	6	3	3	8	7	1	..	1	1	32	14
Urban Districts. Dundalk, ...	13,128	9·5	30·5	25·3	1·8	100	83	21	22	...	...	...	...	...	4	2	...	7	4	4	22	11	...	...	4	4	17	6
Urban Districts. Drogheda	12,425	8·4	28·3	17·7	...	88	55	11	23	...	...	...	...	...	...	...	...	2	1	3	8	7	...	...	...	...	15	6
Urban Districts. Newry, ...	11,956	17·2	25·8	18·4	0·3	77	55	6	20	...	...	...	...	...	...	...	...	4	2	4	4	11	1	...	2	3	11	2
Urban Districts. Lurgan, ...	12,135	14·3	29·7	21·4	1·3	90	65	21	14	...	...	...	...	...	3	...	...	7	...	2	7	12	1	...	...	...	10	3
Urban Districts. Lisburn, ...	12,172	10·7	23·0	19·7	0·3	70	60	9	22	...	...	...	...	...	...	...	...	6	1	5	7	6	1	...	...	1	13	1
Urban Districts. Wexford, ...	11,455	23·8	29·7	19·2	...	85	55	6	23	...	...	...	...	...	...	...	...	8	6	2	2	12	...	...	...	1	15	9
Urban Districts. Ballymena, ...	11,376	9·3	17·6	19·3	0·4	50	55	7	21	...	...	...	...	..	...	...	...	10	1	3	5	3	1	...	2	2	3	8
Urban Districts. Sligo, ...	11,163	3·8	23·3	17·2	...	65	48	6	18	...	...	...	...	...	...	...	...	3	4	1	1	4	...	...	1	2	13	7
Urban Districts. Kilkenny, ...	10,513	11·4	22·1	30·4	1·1	58	80	7	31	...	...	...	2	...	1	...	...	8	...	4	4	32	...	...	...	...	23	6
Urban Districts. Clonmel, ...	10,277	7·9	22·6	21·0	1·9	58	54	7	15	...	...	...	2	...	...	...	...	5	2	5	1	8	3	...	...	...	21	6
Urban Districts. Portadown, ...	11,727	15·3	30·4	16·7	0·7	89	49	9	17	...	...	...	...	1	1	...	...	7	4	1	1	10	...	...	2	2	...	1
Urban Districts. Tralee, ...	9,867	16·6	34·5	14·6	0·4	85	36	6	12	...	...	...	...	...	...	...	...	8	2	1	4	3	1	...	...	...	12	1
Urban Districts. Newtownards, ...	9,110	18·9	24·1	24·6	...	55	56	5	27	...	...	...	...	...	...	...	...	10	2	3	4	17	...	...	1	2	5	2
Urban Districts. Queenstown, ...	7,909	14·4	27·8	15·7	1·0	55	31	4	12	...	...	...	...	...	...	...	...	3	1	1	2	...	2	...	...	...	...	2
Urban Districts. Armagh, ...	7,588	22·2	23·2	15·3	1·6	44	29	3	12	...	...	...	...	...	3	...	...	...	2	1	...	8	...	...	...	...	4	3

* In the cases of the Districts comprising the Dublin Registration Area and for the City of Belfast, the Population given is that estimated to the middle of 1912; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901.

† Including 2 deaths from cerebro-spinal fever in Dublin and 3 from cerebro-spinal fever or *cerebro-spinal meningitis* in Belfast.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 30th March, 1912,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911 (unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	104	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		116	20	22	6	17	27	24	.	.	.	.	.	10	.	.	14	1	5	17	22	2	.	3	7	33	1
Do. 2 do.		363			302	66	39	36	48	55	58	1	1	.	.	.	11	2	.	36	5	11	42	65	.	.	2	14	57	4
Do. 3 do.		365			322	86	60	41	35	50	50	2	.	.	.	2	9	.	.	39	7	7	75	55	5	.	5	11	57	6
Do. 4 do.		321			213	57	28	15	31	39	43	1	.	.	.	1	15	.	.	21	6	9	32	30	4	.	4	6	81	1
Do. 5 do.		140			146	40	28	6	21	30	21	2	.	.	.	.	14	.	.	11	11	2	26	22	.	.	11	11	41	2
Do. 6 do.		192			179	33	12	18	31	33	52	.	.	.	.	.	2	4	.	22	4	4	23	22	2	.	3	8	27	1
Do. 7 do.		14			13	.	4	1	2	3	3	.	.	.	.	.	.	.	.	2	1	.	3	3	.	.	1	1	4	.
Do. 8 do.		37			31	10	3	5	4	4	5	.	.	.	.	.	1	.	.	6	1	1	4	6	1	.	.	.	2	.
Do. 9 do.		162			145	33	33	16	21	25	17	.	.	.	.	.	19	.	.	17	3	4	36	21	.	.	1	2	29	2
Do. 10 do.		213			164	44	33	15	16	35	21	.	.	.	.	1	13	.	.	18	4	5	35	30	4	.	2	6	26	4
Do. 11 do.		269			207	48	26	19	37	40	37	.	.	.	.	1	6	.	.	27	8	6	29	42	3	.	4	6	37	4
Do. 12 do.		352			252	66	38	34	26	43	45	.	.	.	.	.	3	.	.	9	25	6	27	69	2	1	4	14	59	2
Do. 13 do.		149			91	17	18	9	9	19	19	1	.	.	.	.	14	1	.	7	3	5	9	14	.	.	.	2	8	.
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		171			199	50	28	16	24	34	47	.	.	.	.	.	10	1	.	13	5	4	51	20	.	.	3	9	44	.
Total	—	2,853			2,380*	570	372	237	322	437	442	7	1	.	.	5	127	8	.	242	84	69	409	421	23	1	43	97	505	27
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	65	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		70	10	1	12	15	8	24	.	.	.	2	.	2	.	.	15	2	5	3	6	.	.	.	1	39	1
Do. 2 do.		84			62	12	12	8	6	17	7	.	.	.	2	.	2	1	.	6	4	1	1	16	1	.	.	3	6	4
Do. 3 do.		70			55	6	11	6	9	10	13	.	.	.	1	.	1	.	.	11	5	.	.	12	.	.	.	3	12	4
Do. 4 do.		53			46	9	7	4	8	9	9	.	.	.	.	.	.	.	.	13	3	1	1	6	.	.	.	.	14	4
Do. 5 do.		36			45	7	5	5	6	10	12	.	.	.	.	.	1	.	.	6	2	3	5	5	1	.	.	4	13	1
Do. 6 do.		69			83	11	4	9	10	18	31	.	.	.	.	.	.	1	.	13	5	3	4	9	.	.	.	.	35	.
Do. 7 do.		107			98	12	9	10	15	23	29	.	.	.	1	.	.	.	.	11	3	7	7	11	5	.	3	3	42	8
Total,	—	484	24·0	1·1	459	67	49	54	69	95	125	.	.	.	6	.	6	2	.	75	24	20	21	65	7	.	3	14	161	22

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
9th May, 1912.

* See note (†) on page 208i.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 32312. Wt. P. 392 —106/138. 375. 12. 1911. Sch. C. 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 6TH APRIL, 1912. [No. 14.

General Register Office, Charlemont House,
Dublin, 9th April, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 16	Week ending Mar. 23	Week ending Mar. 30	Week ending April 6	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 16	Week ending Mar. 23	Week ending Mar. 30	Week ending April 6	Average Rate for 4 weeks.
22 Town Districts, ...	**24·7**	**20·7**	**23·5**	**20·9**	**22·4**	Limerick	14·9	8·1	21·7	13·6	14·6
						Lisburn	8·6	17·1	21·4	21·4	17·1
Armagh	.	27·5	13·7	13·7	13·7	Londonderry	20·4	14·0	24·2	14·0	18·2
Ballymena	36·7	13·8	22·9	9·2	20·7	Lurgan	34·4	30·1	21·5	34·4	30·1
Belfast	19·6	18·8	19·3	19·3	19·3	Newry	21·8	13·1	17·4	21·8	18·5
Clonmel	30·4	30·4	10·1	10·1	20·3	Newtownards	28·6	28·6	5·7	22·9	21·5
Cork	27·9	22·5	32·7	24·5	26·9	Portadown	22·2	22·2	17·8	13·3	18·9
Drogheda	12·6	12·6	29·4	12·6	16·8	Queenstown	13·2	13·2	19·8	6·6	13·2
Dublin Reg. Area ...	31·8	24·8	28·6	25·0	27·5	Sligo	28·0	14·0	18·7	9·3	17·5
Dundalk	23·8	43·7	7·9	11·9	21·8	Tralee	15·9	15·9	10·6	.	10·6
Galway	15·7	31·5	19·7	15·7	20·7	Waterford	20·9	7·6	20·9	24·7	18·5
Kilkenny	44·6	9·9	24·8	9·9	22·3	Wexford	13·7	13·7	13·7	36·4	19·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·3 in Lurgan, the 8 deaths from all causes for that district including one from whooping-cough. Included in the 145 deaths from all causes for Belfast are one from each of typhus, scarlet fever, and diphtheria, 13 from whooping-cough, and 3 from diarrhœa or *enteritis* of children under 2 years of age. Among the 36 deaths from all causes for Cork is one from whooping-cough. Of the 10 deaths from all causes for Limerick one is from each of measles and diphtheria, and one death from the last-named disease is included in the 4 deaths from all causes for Galway.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 166—80 boys and 86 girls—and the deaths to 205—88 males and 117 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·0 per 1,000 of the population. During the fourteen weeks ending with Saturday last the death-rate averaged 25·1, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 205, represent an annual rate of 26·3 per 1,000 ; the annual rate for the past fourteen weeks was 26·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was also 26·5 per 1,000 of the mean population for all deaths registered.

The 205 deaths registered include 2 from enteric fever, 11* from measles, one from scarlet fever, 2 from whooping-cough, 4 from diphtheria, 4 from influenza, and 2 from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from enteric fever were 3, one, and 0 ; deaths from measles were 7, 6, and 7 ; deaths from scarlet fever were 0, 2, and one ; deaths from whooping-cough were 10, 0, and 2 ; deaths from diphtheria were 5, 3, and 6 ; deaths from influenza were 4, one, and 2 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 4, 2, and one.

Deaths from all forms of tuberculous disease numbered 34, comprising 25 from pulmonary tuberculosis, 3 from tuberculous meningitis, 3 from tuberculosis of the vertebral column, one from tuberculosis of a joint, and 2 from tuberculosis of other organs. In the three preceding weeks deaths from all forms of tuberculous disease numbered 35, 34, and 29.

Convulsions caused 2 deaths, both being those of infants under one year ; congenital malformations caused 2 deaths ; prematurity caused one death, and there were 4 deaths from congenital debility.

Broncho-pneumonia caused 24 deaths ; there were 2 deaths from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

There were 13 deaths from organic diseases of the heart and 31 deaths from bronchitis.

There were 4 accidental deaths, including one from burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 persons aged 65 years and upwards.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 7 were under one month old) and 41 were aged 65 years and upwards, including 33 persons aged 70 and upwards ; among the latter were 15 aged 75 years and upwards, of whom 3 (2 males and one female) were stated to have been aged 90 100, and 92 years respectively.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 15 took place in the North Dublin Union Workhouse and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·0 per 1,000 ; the rate in the City was 27·8 (North City Districts, 30·1 ; South, 25·4) and in the Suburbs, 15·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 2·6, and 3·8 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·6 per 1,000, and include one from each of scarlet fever and influenza, 3 from pulmonary tuberculosis, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (28) are equal to an annual rate of 36·4 per 1,000. The total includes 2 deaths from measles, one from *enteritis* of a child under 2 years, 6 from tuberculous disease, 5 from broncho-pneumonia, one from *pneumonia* (type not distinguished), 4 from bronchitis, and 2 accidental deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000. Included in the total are one from enteric fever, one from diphtheria, 2 from influenza, 2 from broncho-pneumonia, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (28) represent an annual rate of 43·3 per 1,000, and include one from each of enteric fever and measles, 5 from tuberculous disease, 4 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 5 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 17·9 ; and Finglas and Glasnevin, part of, 33·7. One of the 4 deaths from all causes for Coolock and Drumcondra, part of, was from pulmonary tuberculosis, and of the 5 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·5 per 1,000. Included in the total are one from each of measles and diphtheria, 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 6 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·6 per 1,000, and include one from *enteritis* of a child under 2 years, 2 from tuberculous disease, one from *pneumonia* (type not distinguished), 5 from bronchitis, and one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 34·8 per 1,000. Of the total 3 were from measles ; whooping-cough and diphtheria each caused one death ; there were 6 deaths from tuberculous disease, 6 from broncho-pneumonia, one from lobar pneumonia, and 5 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000, and include 2 from measles, one from whooping-cough, one from pulmonary tuberculosis, and one from broncho-pneumonia.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000, and were caused by tuberculous disease.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·7 ; Pembroke, 10·5 ; Blackrock, 11·4 ; and Kingstown, 30·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of measles and diphtheria for Rathmines and Rathgar. Among the 11 deaths from all causes for the latter district are 2 from pulmonary tuberculosis ; and of the 6 deaths recorded for Pembroke one is from each of pulmonary tuberculosis, broncho-pneumonia, and bronchitis. One of the 2 deaths from all causes for Blackrock was from tuberculous disease ; and included in the 10 deaths from all causes for Kingstown are one from influenza and 2 from broncho-pneumonia.

(*) See note (*c*), Table II. †See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th April, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 16,	.	—	—	7	.	.	14	.	2	7	7	.	—	—	.	—	11	—	48
	Mar. 23,	.	—	—	9	1	.	9	.	.	7	7	.	—	—	.	—	7	—	40
	Mar. 30,	.	—	—	7	.	.	21	.	.	4	10	1	—	—	.	—	15	—	58
	Apr. 6,	.	—	—	9	.	.	11	.	.	5	6	.	—	—	.	—	6	—	37
Rathmines and Rathgar Urban District.	Mar. 16,	.	—	—	5	.	.	3	.	.	.	.	.	—	—	—	—	—	—	8
	Mar. 23,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 30,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Mar. 16,	.	1	.	.	.	.	1	.	.	.	1	.	.	.	—	—	1	—	4
	Mar. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.		—	—	.	—	.
	Mar. 30,	.	2	.	3	.	.	.	.	.	.	.	.	.	10	—	—	.	—	15
	Apr. 6,	.	6	.	1	.	.	.	.	.	.	1	.	.	5	—	—	.	—	13
Blackrock Urban District.	Mar. 16,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	.	—	—	—	5
	Mar. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Mar. 23,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	1	—	6
	Mar. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Mar. 16,	.	—	—	11	.	.	4	.	.	2	4	.	—	—	.	—	7	.	28
	Mar. 23,	.	—	—	9	.	.	3	.	2*a*	2	3	.	—	—	.	—	8	.	27
	Mar. 30,	.	—	—	13	.	.	5	.	1	.	2	.	—	—	.	—	9	.	30
	Apr. 6,	.	—	—	4	.	.	7	.	.	.	7	.	—	—	.	—	12	.	30

(*a*) Now suffering from typhus fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th April, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seventeen cases of measles were admitted to hospital during the week, 32 were discharged, there were 3 deaths, and 70 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 76, 91, and 88 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 27 were discharged, there were 2 deaths, and 92* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 108, 112, and 105 respectively.

Eighteen cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 69, 63, and 58, respectively, were 61 at the close of last week.

Seven cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 45, 44, and 42.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 11 were discharged, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 13·1) was equal to an average annual death-rate of 14·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 16·9, and for Edinburgh 18·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th April. From this Report it appears that of a total of 45 cases notified, 24 were phthisis, 9 scarlet fever, 7 diphtheria, and 5 erysipelas. Among the 442 cases of infectious diseases in hospital at the close of the week were 159 cases of measles, 105 of scarlet fever, 60 of phthisis, 50 of whooping-cough, 42 of diphtheria, 12 of erysipelas, 5 of chicken-pox, and 4 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th April, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 6th April, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis of children under 2 years of age. Diarrhœa and	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 6th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	22·5	20·9	2·1	499	464	90	98	2	1	...	11	2	17	7	...	55	22	23	54	80	6	...	7	14	148	8	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total, (c.) ...	406,536	29·5	21·3	25·0	2·7	166	195	36	39	2	...	...	10	1	2	4	...	23	9	10	30	31	2	...	3	7	80	4	e63·0	29·0	48·4	0·12	e60·0	36·0	48·3	0·35	e53·0	28·0	40·8	0·62
City of Dublin.	311,601	39·4	23·1	27·8	3·2	138	166	34	28	2	...	...	9	1	2	3	...	20	8	8	27	30	2	...	3	7	70	2	f61·4 g59·8	34·9 30·6	49·8 48·6	0·21 0·21	f60·2 g59·4	38·8 37·2	49·4 48·9	0·26 0·28	f52·7 g51·7	35·1 30·8	43·3 42·1	0·96 0·84
Urban Districts. Rathmines and Rathgar.	38,889	22·7	13·4	14·7	2·7	10	11	1	4	..	...	...	1	...	...	1	...	2	...	...	...	...	...	...	.	..	6	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke. ...	29,693	18·7	14·0	10·5	.	8	6	1	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	11·4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	30·3	.	8	10	...	4	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	2	2	61	35	50·4	0·35	60	40	50·5	0·27	52	35	43·4	0·67
Urban Districts. Belfast ...	391,051	26·6	23·2	19·3	2·5	174	145	35	28	...	1	...	...	1	13	1	...	13	7	9	16	25	3	...	1	3	25	...	56·5	32·5	46·6	0·58	59·0	35·0	47·1	1·15	53·0	29·5	40·9	1·09
Cork, ...	76,632	33·8	21·1	24·5	0·7	31	36	8	5	...	...	...	...	...	1	...	...	5	2	3	4	8	...	...	...	...	18	1	60	37	48·4	0·33	56	39	48·0	0·52	54	35	44·2	0·93
Londonderry ...	40,912	18·9	21·7	14·0	.	17	11	4	3	...	...	...	...	...	...	...	...	1	1	...	1	4	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	12·2	13·6	2·7	9	10	...	5	...	...	...	1	...	...	1	...	1	...	...	...	3	...	...	...	...	3	1	58·4	31·4	47·5	0·16	57·8	34·7	48	0·88	60	31·3	43·9	1·00
Waterford, ...	27,430	19·1	17·1	24·7	1·9	9	13	1	1	...	...	...	...	...	...	...	...	1	...	...	...	4	1	...	1	2	7	...	...	..	...	...	...	...	...	...	...	..	...	...
Galway. ...	13,249	2·5	19·7	15·7	3·9	5	4	...	1	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	3	...	57	35	47	0·63	53	40	41	1·76	53	31	43·5	0·34
Dundalk, ...	13,128	9·5	23·8	11·9	.	6	·3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	25·2	12·6	.	6	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	48·0	21·8	.	11	5	1	2	...	...	...	..	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34
Lurgan, ...	12,135	14·3	43·0	34·4	4·3	10	8	2	1	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	2	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34
Lisburn, ...	12,172	10·7	25·7	21·4	.	6	5	1	1	...	...	...	...	...	...	...	...	2	...	..	...	..	...	...	...	...	2	...	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34
Wexford. ...	11,455	23·8	50·1	36·4	.	11	8	...	3	...	...	...	...	...	...	...	...	3	...	...	2	...	...	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	13·8	9·2	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	.	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	18·7	9·3	.	4	2	1	...	..	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	59·0	31·0	47·0	0·19	57·0	35·0	46·0	1·76	52·0	32·0	41·0	1·96
Kilkenny, ...	10,513	11·4	14·9	9·9	.	3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1		62	32	49·1	0·35	58	36	48·5	0·39	55	32	43·2	0·89
Clonmel, ...	10,277	7·9	15·2	10·1	.	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	26·7	13·3	.	6	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34
Tralee. ...	9,867	16·6	26·4	.	.	5	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	22·9	.	7	4	1	1	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	1	1	1	...	60	35	46·7	0·00	56	36	46·6	0·80	53	33	40·7	0·56
Queenstown, ...	7,909	14·4	26·4	6·6	.	4	1	...	1	...	...	...	..	...	...	...	...	..	...	...	..	...	..	...	...	...	...	...	60	37	48·4	0·33	56	39	48·0	0·52	54	35	44·2	0·93
Armagh. ...	7,588	22·2	20·6	13·7	.	3	2	.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86	51·9	32·0	41·3	1·34

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area: of the 10 deaths one was from measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of April, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	2	.	1	.	.	.	1	.	3	2	.	1	.	.	.	10	1
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Diphtheria,	.	.	1	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	5	.	3	.	1	.	2	1	3	1	1	2	1	.	.	23	2
Tuberculous Disease. { Other Forms,	.	1	.	2	.	.	.	.	1	3	.	1	.	.	1	.	9	.
Cancer,	.	1	1	.	.	.	1	2	1	.	2	.	.	.	1	1	10	1
Diseases of Nervous System,	1	1	.	2	1	1	.	1	.	.	.	.	1	1	.	.	9	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	1	2	.	1	1	.	.	4	.	.	1	.	.	1	14	2
" Respiratory System. { Pneumonia,	3	6	2	5	.	.	.	2	1	7	1	.	.	1	.	2	30	1
" Respiratory System. { Others,	2	4	1	5	.	.	2	6	5	5	.	.	.	1	.	.	31	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	1	5	.
" Genito-urinary System,	.	1	.	1	.	1	.	.	.	.	.	.	1	1	.	1	6	.
Puerperal Septicæmia, etc.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	.	1	5	.	.	1	3	.	2	5	.	2	.	.	2	23	.
Violent Deaths,	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	1	.	1	.	.	1	.	1	6	1
Deaths from All Causes	13	28	13	28	1	4	5	18	12	29	13	2	11	6	2	10	195	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·6	36·4	22·0	43·3	9·7	17·9	33·7	22·5	28·6	34·8	18·8	11·4	14·7	10·5	11·4	30·3	25·0	.
	30·1							25·4					15·9					
	27·8																	
Ages at Death. Under 1 year;	1	4	3	5	.	1	1	6	1	9	3	.	1	1	.	.	36	.
1 and under 2 years,	.	2	1	3	.	.	1	1	1	3	4	.	.	.	.	.	16	.
2 " 5 "	1	4	3	.	.	.	.	1	1	4	.	.	1	1	.	2	18	3
5 " 15 "	1	1	.	.	.	.	.	.	.	3	.	1	1	.	1	1	9	.
15 " 25 "	2	3	.	2	.	.	.	1	.	1	.	1	1	.	.	1	12	2
25 " 45 "	3	2	2	4	1	1	1	2	2	2	.	.	3	2	.	.	25	1
45 " 65 "	2	11	3	7	.	1	2	2	4	3	3	.	.	.	.	2	40	2
65 and upwards,	3	1	1	7	.	1	.	5	3	4	3	.	4	2	1	4	39	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	4	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	3	7	4	5	.	2	1	3	2	8	6	.	5	1	1	2	50	7
Workhouse Hospitals,	3	3	2	7	.	.	.	5	3	6	.	.	1	.	.	.	30	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1902–1911.	In the Week ending Saturday, 6th April, 1912.									
													Deaths of Persons of the Ages of								
													0—5.								
	Apr. 5, 1902.	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·5	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 39·4	° 43·7	° 48·4									
ALL CAUSES.	203	174	226	190	159	219	207	205	186	191	196·0	205	7	29	16	21	9	14	26	42	26	15
Enteric Fever, ...	1	4	3	1	.	.	1	2	1	3	1·6	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	4	.	1	3	1	3	.	1	2·0	11	.	3	4	4	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	1	.	.	1	.	.	1	·5	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	.	2	8	1	2	8	1	7	.	3	3·2	2	.	1	.	1	.	.	.	.	.	.
Diphtheria, ...	2	2	2	1	.	3	.	1	1	4	1·6	4	.	.	1	1	2	.	.	.	.	.
Croup, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	3	5	2	2	5	7	3	3	2	3·5	4	.	.	.	.	.	.	.	3	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	.	.	.	.	.	.	1	·3	1	.	.	.	.	.	.	.	.	.	1
Other Epidemic Diseases, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	.	.	1	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	19	34	31	23	29	30	24	21	29	26·7	25	.	1	.	2	.	8	8	5	1	.
Tuberculous Meningitis, ...	5	4	2	3	3	8	7	5	1	2	4·0	3	.	1	1	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	3	4	2	1	6	6	.	4	2·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.	8	6	9	11	10	13	5	7	9	.	8·2	3	.	.	.	.	2	.	1	.	.	.
Tuberculosis of Joints, ...										.		1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,										.		2	.	.	1	.	.	.	.	.	1	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										4		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	3	2	3	.	.	2	2	1	1·5	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	2	11	10	4	5	13	10	7	11	8·1	11	.	.	.	.	.	.	2	6	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Diabetes, ...	1	3	1	3	3	.	.	1	.	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	.	1	.	.	.	1	1	.	.
Alcoholism, ...	.	1	2	1	.	.	2	2	1	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	3	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										7		4	.	.	.	.	.	.	.	1	3	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	45	40	38	46	40	48	43	32	46	1	41·6	2	.	.	.	.	.	.	1	.	1	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										18		13	.	.	.	.	1	.	.	6	3	3
Embolism and Thrombosis (including Cerebral)										.		2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Circulatory System.										2		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	29	32	29	23	22	29	24	31	32	21	27·2	31	1	8	.	2	.	.	1	11	6	2
Broncho-pneumonia, ...	16	3	5	8	4	10	3	10	8	9	14·7	24	1	7	6	8	.	.	.	2	.	.
Lobar-pneumonia, ...		1	1	.	1	2	1	.	1	2		2	.	.	.	1	1	.	.	.	.	.
Pneumonia (type not distinguished)		5	10	3	3	5	11	10	8	7		5	.	.	.	.	.	2	2	.	1	.
Pleurisy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	5	2	2	1	4	1	2	6	.	2·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

FOURTEENTH WEEK ending Saturday, 6th April, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 14th Week of the 10 years 1902–1911.	In the Week ending Saturday, 6th April, 1912.										
													Deaths of Persons of the Ages of									
	Apr. 5, 1902.	Apr. 11, 1903.	Apr. 9, 1904.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.		Mean Temp.	Under 1 month.	0—5. 1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·5	° 48·0	° 45·9	° 44·2	° 42·9	° 42·1	° 44·7	° 44·5	° 41·7	° 39·4	° 43·7	° 48·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	1	.	1	.	.	.	.	1	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	5	2	4	2	3	6	3	7	6	4·4	2	1	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										3		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	4	.	1	.	1	1	1	1	1	2	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...		.	3	2	3	.	1	.	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	3	16	9	6	6	7	3	2	1	5·8	1	.	.	.	.	.	.	.	.	.	1
Acute Nephritis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										3		3	.	.	.	.	.	1	1	.	.	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	5	2	6	4	5	6	9	8	4	.	5·4	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		2	.	.	.	.	.	.	2	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	2	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	2	5	1	.	2	4	3	3	3	2·5	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	2	—	4	1	2	1	.	.	.	.	.	.	.
Old Age, ...	9	4	3	5	2	5	5	4	3	6	4·6	8	.	.	.	.	.	.	.	.	2	6
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	.	.	.	.	2	1	3	·8	1	.	.	.	.	.	1	.	.	.	.
Drowning, ...	.	1	.	.	1	1	.	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	1	2	.	2	.	1	2	1	1·3	3	.	.	.	.	1	.	.	2	.	.
Total Deaths from Accident,	3	3	2	2	1	3	1	4	5	6	3·0	4	.	.	.	.	1	1	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	3	.	.	.	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	7	.	.	.	1	.	.	1	3	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered.	217	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166
Average Births in corresponding week of previous 10 years, ...	185	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208
DEATHS registered, ...	183	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205
Annual Death-rate per 1,000, ...	23·6	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3
Average Deaths in corresponding week of previous 10 years, ...	153	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196
Ages, Under 5 years, ...	66	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73
5—15 " ...	7	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9
15—25 " ...	11	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14
25—45 " ...	33	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26
45—65 " ...	39	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42
65—75 " ...	16	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26
75 and upwards, ...	11	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15
Deaths from :—																										
Enteric Fever, ...	4	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2
Typhus, ...	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11
Scarlet Fever, ...	1	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1
Whooping-cough, ...	1	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2
Diphtheria, ...	4	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4
Influenza, ...	1	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	16	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25
Tuberculous Disease, Other Forms,	6	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9
Cancer, ...	12	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11
Diseases of Circulatory System.	14	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16
Diseases of Respiratory System, Pneumonia	9	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31
Diseases of Respiratory System, Others, ...	14	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32
Diarrhœa and *Enteritis*, under 2 years, ...	27	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2
Diarrhœa, 2 years and upwards,	2	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.
Violent Deaths, ...	5	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4
Number of Uncertified Deaths,	7	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4
Mean Temperature of the Air (Phœnix Park)	48·3	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4
Average Mean Temperature in corresponding week of previous 10 years, ...	50·4	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7
Rainfall in inches, ...	·325	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115
Mean Humidity of the Air, complete Saturation 1·0, ...	·89	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·88	·81	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th April, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH APRIL, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	205	73	9	14	26	42	26	15	2	.	.	11	1	2	4	.	25	9	11	2	31	32	2	.	4	69	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	16·1	27	4	1	4	6	5	4	3	.	.	.	.	.	.	.	.	5	1	1	.	4	.	.	.	.	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	21·7	46	15	3	4	9	11	2	2	1	.	.	1	.	.	1	.	7	2	2	.	8	11	.	.	1	12	.
IV.	GENERAL SERVICE CLASS, ...	154,279	32·8	97	47	4	6	8	14	10	8	1	.	.	10	1	2	3	.	9	3	5	2	15	10	1	.	3	32	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	7	1	.	3	12	9	1	.	.	.	.	.	.	.	.	4	3	3	.	4	10	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	14·2	6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	.	2	2	1	.	1	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	2	1	1	2	1	2	2	.	.	.	.	.	.	.	.	2	1	1	.	2	.	.	.	.	5	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	21·0	12	4	1	1	.	5	.	1	.	.	.	.	.	.	1	.	1	.	1	.	2	4	.	.	.	3	.
	10. Clothing Trades, ...	23,260	17·9	8	2	.	1	2	2	.	1	.	.	.	1	.	.	.	.	1	.	.	.	2	1	.	.	.	3	.
	11. Food Supply Trades	9,242	28·2	5	1	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	4	.	1	6	3	2	.	1	.	.	.	.	.	.	.	2	1	1	.	2	4	.	.	1	4	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	35·0	9	4	.	1	1	1	1	1	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	6	1
	15. Domestic Servants, ...	36,603	15·7	11	3	.	2	1	2	.	3	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	7	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	50·7	14	8	.	.	2	3	.	1	.	.	.	2	.	1	.	.	1	.	1	.	3	4	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·6	63	32	4	3	4	8	9	3	1	.	.	7	1	1	3	.	6	2	3	2	11	6	1	.	2	17	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	33	7	1	.	3	12	9	1	.	.	.	.	.	.	.	.	4	3	3	.	4	10	1	.	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of),

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children, under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1912 (Est.) 30,034.	Feb 17,	34·7	1·7	20	.	.	.	1	.	.	.	.	.	1	.	4	7	.	.	1	1
	„ 24.	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1912 (Est.) 40,141.	Feb 17,	29·9	.	23	.	.	.	.	.	.	.	.	3	.	.	4	5	.	.	.	1
	„ 24,	22·1	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
North City, No. 2. (Office, Lisburn-street.) Pop. in 1912 (Est.) 30,873.	Feb. 17,	28·7	1·7	17	.	.	.	.	.	.	.	.	.	1	.	1	5	1	.	1	2
	„ 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1912 (Est.) 33,701.	Feb. 17,	23·2	1·5	15	.	.	.	.	.	.	1	.	4	.	.	2	3	.	.	1	1
	„ 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1912. (Est.) 41,650.	Feb. 17,	26·3	1·3	21	.	.	.	1	.	.	.	.	2	.	.	1	7	.	.	1	2
	„ 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
South City, No. 2. (Office, Castle-street.) Pop. in 1912 (Est.) 21,846.	Feb. 17,	19·1	.	8	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	.	.
	„ 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
South City, No. 3. (Office, Peter-street.) Pop. in 1912 (Est.) 43,408.	Feb. 17,	31·2	2·4	26	.	.	.	1	.	1	.	.	5	.	1	5	7	.	.	.	.
	„ 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	1	.	3	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1912 (Est.) 36,031.	Feb. 17,	20·3	1·4	14	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	1	.
	„ 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Feb. 17,	14·7	1·3	11	.	.	.	.	.	.	.	.	1	.	.	2	1	1	.	.	.
	„ 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	„ 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Feb. 17,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.
	„ 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	„ 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Feb. 17,	30·3	.	10	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	1
	„ 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
Belfast. Pop. in 1912 (Est.) 391,051.	Feb. 17,	33·1	2·7	248	2	.	.	.	.	17	.	.	20	9	1	54	55	1	.	6	2
	„ 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	18	19	23	3	.	4	.
	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	„ 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
Cork. Pop. in 1911 76,632.	Feb. 17,	26·5	4·1	39	.	.	.	4	.	2	.	.	3	2	1	2	9	.	.	1	1
	„ 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	„ 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,912.	Feb. 17,	16·6	.	13	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar. 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
Limerick. Pop. in 1911 38,403.	Feb. 17,	21·7	1·4	16	.	.	.	.	1	.	.	.	2	.	3	.	3	.	.	.	3
	„ 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
Waterford Pop. in 1911 27,430.	Feb. 17,	30·4	3·8	16	.	.	.	.	.	.	.	.	.	.	2	1	1	2	.	.	2
	„ 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar. 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th April, 1912, Deaths in Public Institutions of Persons *admitted from without such City (including omitted)*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	11			8	.	4	.	.	4	.	.	.	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	4	.
Do. 2 do.		20			16	1	3	3	3	2	4	.	.	.	.	.	1	.	.	3	.	1	4	1	.	.	.	.	1	.
Do. 3 do.		17			23	6	2	1	3	3	8	.	1	.	.	.	7	.	.	3	2	3	1	.	.	.	.	1	.	.
Do 4 do.		20			10	1	2	2	2	3	.	.	.	.	.	.	1	.	.	2	.	.	1	3	.	.	.	.	5	.
Do. 5 do.		5			11	5	1	.	1	4	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	.	.	.	2	.
Do. 6 do.		14			10	2	1	2	1	2	2	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	1	1	1	.
Do. 7 do.		1			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 8 do.		2			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			8	2	.	1	.	5	.	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	.	.	.
Do. 10 do.		22			9	5	1	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	.	.	1	.
Do. 11 do.		16			17	3	2	3	1	3	5	.	.	.	.	1	2	.	.	1	1	2	.	3	.	.	.	.	5	.
Do. 12 do.		17			14	6	4	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	2	6	2	.	.	.	1	.
Do. 13 do.		8			4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		8			13	1	3	1	2	1	5	.	.	.	.	.	1	.	.	1	1	.	2	2	.	.	.	1	4	.
Total,	—	174			145	35	23	15	13	31	28	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	3	25	.
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	2			8	2	.	3	.	1	2	.	.	.	.	.	1	.	.	1	1	1	1	1	.	.	.	.	6	1
Do. 2 do.		3			6	.	.	1	1	3	1	.	.	.	.	.	.	.	.	1	1	.	.	3	.	.	.	.	.	.
Do. 3 do.		10			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
Do. 4 do.		5			5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	2	.
Do. 5 do.		1			2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 6 do.		4			6	2	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	3	.
Do. 7 do.		6			4	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.
Total,	—	31	24·5	0·7	36	8	1	6	6	10	5	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	.	18	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Oct. 14.	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.
No. of weeks in Annual Series,	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered, ...	198	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174
DEATHS registered, ...	118	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145
Annual Death rate per 1,000 of estimated population, ...	15·9	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3
AGES, Under 1 year, ...	21	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35
1—5 years, ...	17	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23
5—25 ,, ...	9	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15
25—45 ,, ...	18	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13
45—65 ,, ...	28	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31
65 and upwards, ...	25	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	23	26	32	37	31	28
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1
Whooping-cough, ...	2	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13
Diphtheria, ...	1	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	11	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13
Tuberculous Disease. Other Forms,	5	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7
Cancer, ...	6	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9
Diseases of Respiratory System, Pneumonia,	7	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16
Diseases of Respiratory System, Others, ...	7	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25
Diarrhœa, and *Enteritis*, under 2 years, ...	13	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	3	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1
Number of Uncertified Deaths, ...	4	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Apr. 6,	2,024	1,137	13·1	4	.	23	1	31	5	17*a*
Edinburgh, ...	321,200	„ 6,	124	113	18·4	.	.	4	.	1	.	.
Glasgow, ...	785,600	„ 6,	448	255	16·9	1	.	15	2	3	.	3
Calcutta, ...	890,493	Mar. 2,	.	524	30·5	118*	.	1	.	1	1	141‡
Bombay, ...	979,445	„ 2,	410	655	34·8	97*	24	9	.	1	.	77
Madras, ...	518,660	Feb. 10,	305	433	41·8	103*	6	.	?	?	?	100‡
Cairo, ...	699,228	„ 11,	557	443	33·0	2	.	.	1	.	2†	34*a*
Paris, ...	2,847,229	Mar. 9,	947	982	17·6	9	1	39	3	12	7†	15*a*
Brussels.	705,295	„ 16,	256	212	15·6	.	.	2	1	.	4†	9
Antwerp, ...	308,618	„ 16,	136	73	12·3	.	.	1	.	3	.	7*a*
Amsterdam, ...	582,586	„ 16,	279	129	11·6	.	.	1	.	3	.	.
Copenhagen, ...	465,000	„ 16,	228	139	15·6	.	.	1	1	3	3†	3
Stockholm, ...	343,832	„ 16,	146	105	15·9	.	.	7	.	3	.	2
Christiania, ...	244,038	„ 23,	105	89	19·0	.	.	.	1	6	2	5
St. Petersburg, ...	1,641,600	„ 2,	868	656	20·8	10	2	27	12	7	3	46
Moscow, ...	1,493,600	„ 2,	.	858	30·0	1	2	20	15	10	12†	88
Berlin, ...	2,091,179	„ 2,	789	710	17·8	2	.	4	7	8	19†	13
Hamburg, ...	953,079	„ 16,	.	273	14·9	.	.	2	2	3	8†	18*a*
Breslau, ...	527,525	„ 16,	.	236	23·3	.	.	.	1	.	1	19
Munich, ...	610,000	„ 23,	.	184	15·7	.	.	3	.	.	1†	11
Vienna (with suburbs),	2,064,583	„ 16,	840	707	17·8	1	.	6	5	3	3†	29*a*
Buda-Pesth, ...	911,891	„ 16,	461	365	20·8	1	.	.	2	.	5†	9*a*
Prague and Faubourgs,	481,682	„ 2,	178	220	23·8	3	.	2	1	.	.	10*a*
Trieste, ...	232,832	„ 16,	141	111	24·8	.	.	4	.	.	.	1
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Sept. 30,	78	51	14·4	.	.	.	1	.	.	7
New York, ...	5,173,064	Feb 17,	2,493	1,644	16·2	10	1	10	15	3	35†	32
Philadelphia, ...	1,606,105	„ 17,	.	602	19·5	2	.	3	.	3	14†	17
Boston	720,031	Mar. 16,	.	236	17·1	.	.	1	.	2	3	9

* Deaths from "fever," including 15 deaths from enteric fever and 69 from plague in Calcutta, and 4 from enteric fever and 27 from plague in Bombay.

† Including deaths from croup.

‡ Including 85 deaths from cholera in Calcutta, and 18 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 6th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	1	.	.	.	.	4
" " 1, West, ...	.	3	.	.	.	.	.	.	.	.	.	2	5
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	.	.	.	2	2	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	3	.	.	.	2	.	.	3	9
" " 2, ...	.	.	.	.	1	.	.	2	2	.	.	.	5
" " 3, ...	.	1	.	.	4	.	.	.	.	.	.	.	5
" " 4, ...	.	2	.	.	1		.	.	.	.	.	.	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	9	.	.	11	.	.	5	6	.	.	6	37

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th April, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th April.			
	Mar. 16.	Mar. 23.	Mar. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	76	91	88	17	32	3	70
Scarlet Fever, ...	108	112	105	16	27	2	92*
Typhus, ...	.	1	.	.		.	.
Diphtheria, ...	69	63	58	18	11	4	61
Enteric Fever, ...	45	44	42	7	6	1	42
Pneumonia, ...	33	37	35	7	11	.	31

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 6th April, 1912:—

"A cold spell at the beginning of this week was followed by temperatures which after Wednesday were distinctly high for the time of year—on each of the last three days the thermometer rose above 60°, and from early on Thursday morning it never fell below 50°. The mean temperature of the last three days was 55·6°—that of Monday had been 41·7°. This remarkable result was due to a sudden change in the distribution of atmospheric pressure which took place in the course of Monday. On Sunday morning a trough of low pressure, in which four distinct minima could be traced, stretched from Bodö in Norway (lat. 67°N.) to Cape St. Vincent in Spain. At 7 a.m. one of these baric minima lay off the N.E. of Scotland; another, off the N.W. of Ireland. The wind was S.W. over Ireland and England, but temperature was rather low. As the day advanced the Irish depression travelled southeastwards to the Bristol Channel, and the wind shifted to N.E in Ireland, with rain, sleet and hail at night. Monday morning found the Dublin Mountains covered with snow, and the thermometer as low as 30° in the screen at 7 a.m. at Birr Castle. A cold and strong N. wind passed over the whole of the United Kingdom, and a sharp touch of winter was experienced. But the cold snap did not last long, for a depression spread southeastwards from Iceland towards Ireland and Scotland in the course of Monday, while an anticyclone developed over the Bay of Biscay. Gradients for S.W. and W. winds thus became steep, and strong and squally winds from those points set in, continuing to blow with much force almost to the end of the week. On Wednesday and Thursday the barometer rose to 30·6 inches in the centre of the anticyclone, whereas it was about 1¼ inches lower off the north of Iceland. Haparanda reported a reading of 28·6 inches on Friday morning. After midday of Saturday the wind veered to W.N.W. and moderated. In Dublin the mean height of the barometer was 30·153 inches, pressure ranging from 29·405 inches at 3 p.m. of Sunday (wind, N.E.) to 30·442 inches at 9 a.m. of Wednesday (wind, W). The corrected mean temperature was 49·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·6°. The screened thermometers fell to 34·9° on Monday, and rose to 61·4° on Saturday. The prevailing wind was W.S.W. Rain, hail, and sleet fell on Sunday night and Monday morning to the amount of ·207 inch.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·164 inches. The highest reading (30·448) was on Wednesday at 9 a.m., wind W.S.W., the lowest (29·500) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 48·4°, being 4·7° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Saturday, on which day the thermometer registered 63·0°, and was lowest on Wednesday, the mercury having fallen to 29·0°. The mean of the Dry Bulb for the week was 47·1° and of the Wet Bulb, 44·8°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·115 inch.

At Greenwich the mean temperature for the week was 48·0°, the maximum 67·7°, and the minimum 32·5°; at Glasgow the maximum was 51·0°, the minimum 34·3°, and the mean 43·4°; and at Edinburgh the maximum was 55·8°, the minimum 32·8°, and the mean 45·6°. The rainfall at Greenwich measured 0·07 in.; at Glasgow, 1·08 ins.; and at Edinburgh, 0·27 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, March 31,	29·550	51·0	40·0	45·5	42·5	40·5	·85	·5	4·2	·115	S.W.	N.
Monday, April 1,	30·195	49·0	33·0	41·0	39·0	35·9	·77	·5	8·6	·000	N.N.W.	Calm.
Tuesday, „ 2,	30·355	57·0	34·0	45·5	41·9	40·7	·91	·4	3·0	·000	W.S.W.	Calm.
Wednesday, „ 3,	30·435	55·0	29·0	42·0	50·6	47·1	·77	·4	5·2	·000	W.S.W.	W.S.W.
Thursday, „ 4,	30·200	59·0	48·0	53·5	52·3	49·3	·83	·5	2·9	·000	W.S.W.	W.S.W.
Friday, „ 5,	30·155	59·0	51·0	55·0	52·3	50·7	·88	·5	0·9	·000	W.S.W.	W.S.W.
Saturday, „ 6,	30·255	63·0	50·0	56·5	51·4	49·2	·84	·5	3·9	·000	W.	W.
Mean, ...	30·164	56·1	40·7	48·4	47·1	44·8	·84	·5	Total 28·7	Total ·115	Prevailing Wind. W.S.W.	

Sunday—Day cloudy, heavy rain 5.15 to 6.40 p.m.; night overcast to clear, heavy rain 9.15 to 9.45 p.m. *Monday*—A beautiful bright day; night cloudy. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day bright a.m., overcast p.m; night overcast. *Thursday*—Day cloudy, fine; night overcast. *Friday*—A dull day; night overcast. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 6th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, March 31,	46·3	46·6	46·5	50·0	36·0	43·0	5·1	·202
Monday, April 1,	49·0	46·0	46·7	49·5	33·8	41·7	8·3	·000
Tuesday, „ 2,	49·1	45·7	46·7	57·6	39·0	48·3	2·9	·000
Wednesday, „ 3,	49·8	45·9	46·8	57·9	35·5	46·7	5·7	·000
Thursday, „ 4,	52·2	48·5	46·7	61·0	48·5	54·8	2·9	·000
Friday, „ 5,	52·8	49·0	46·8	60·0	51·0	55·5	2·3	·000
Saturday, „ 6,	52·2	49·6	47·0	61·7	50·0	55·8	3·8	—
Weekly Mean, .	50·2	47·3	46·7	56·8	42·0	49·4	Total 31·0	Total ·202

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32214. Wt. P. 392–106/138. 325. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 13TH APRIL, 1912. [No. 15.

General Register Office, Charlemont House, Dublin, 15th April, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 23	Mar. 30	April 6	April 13	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 23	Mar. 30	April 6	April 13	Average Rate for 4 weeks.
22 Town Districts, ...	**20·7**	**23·5**	**20·9**	**21·0**	**21·5**	Limerick	8·1	21·7	13·6	20·4	16·0
						Lisburn	17·1	21·4	21·4	12·9	18·2
Armagh	27·5	13·7	13·7	13·7	17·2	Londonderry	14·0	24·2	14·0	12·7	16·2
Ballymena	13·8	22·9	9·2	9·2	13·8	Lurgan	30·1	21·5	34·4	30·1	29·0
Belfast	18·8	19·3	19·3	19·6	19·3	Newry	13·1	17·4	21·8	30·5	20·7
Clonmel	30·4	10·1	10·1	25·4	19·0	Newtownards	28·6	5·7	22·9	22·9	20·0
Cork	22·5	32·7	24·5	20·4	25·0	Portadown	22·2	17·8	13·3	26·7	20·0
Drogheda	12·6	29·4	12·6	16·8	17·9	Queenstown	13·2	19·8	6·6	.	9·9
Dublin Reg. Area ...	24·8	28·6	25·0	25·4	25·9	Sligo	14·0	18·7	9·3	18·7	15·2
Dundalk	43·7	7·9	11·9	15·9	19·9	Tralee	15·9	10·6	.	15·9	10·6
Galway	31·5	19·7	15·7	11·8	19·7	Waterford	7·6	20·9	24·7	9·5	15·7
Kilkenny	9·9	24·8	9·9	19·8	16·1	Wexford	13·7	13·7	36·4	13·7	19·4

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·0 in Kilkenny, the 4 deaths from all causes for that district including one from scarlet fever. Included in the 147 deaths from all causes for Belfast are 9 from whooping-cough and 3 from diarrhœa or *enteritis* of children under 2 years of age. One of the 15 deaths from all causes for Limerick is from whooping-cough, and one death from scarlet fever is among the 6 deaths from all causes for Portadown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 251—138 boys and 113 girls—and the deaths to 216—124 males and 92 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·4 per 1,000 of the population. During the fifteen weeks ending with Saturday last the death-rate averaged 25·1, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 216, represent an annual rate of 27·7 per 1,000; the annual rate for the past fifteen weeks was 26·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The 216 deaths registered include 14 from measles, 2 from whooping-cough, one from diphtheria, 3 from influenza, and 6* from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from measles were 6, 7, and 11; deaths from whooping-cough were 0, 2, and 2; deaths from diphtheria were 3, 6, and 4; deaths from influenza were one, 2, and 4; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 2, one and 2.

Deaths from all forms of tuberculous disease numbered 35, comprising 25 from pulmonary tuberculosis, 3 from tuberculous meningitis, 3 from abdominal tuberculosis, one from tuberculosis of a joint, one from tuberculosis of other organs, and 2 from disseminated tuberculosis. In the three preceding weeks deaths from tuberculous disease numbered 34, 29, and 34 respectively.

There were 5 deaths from *convulsions*, 3 being of infants under one year; congenital malformation caused one death, prematurity caused 2 deaths, and there were 5 deaths from congenital debility.

Fifteen deaths were due to broncho-pneumonia, 3 to lobar pneumonia, and 9 to *pneumonia* (type not distinguished).

Organic diseases of the heart caused 16 deaths and there were 30 deaths from bronchitis.

There were no deaths from violence registered during the week.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 2 infants under one year old).

Eighty-six of the persons whose deaths were registered during the week were under 5 years of age (54 being infants under one year, of whom 13 were under one month old) and 41 were aged 65 years and upwards, including 29 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 23 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·4 per 1,000; the rate in the City was 26·6 (North City Districts, 28·4; South, 24·3) and in the Suburbs, 21·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·5 (in the North City Districts, 4·2 and 2·7 in the South), and for the Suburbs, 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 33·0 per 1,000, and include 4 from measles, 2 from pulmonary tuberculosis, 4 from broncho-pneumonia, and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 36·4 per 1,000. The total includes 2 from measles, 2 from diarrhœa or *enteritis* of children under 2 years, 3 from pulmonary tuberculosis, 3 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·0 per 1,000. Included in the total are 2 from diarrhœa or *enteritis* of children under 2 years, 4 from pulmonary tuberculosis, 2 from *pneumonia* (type not distinguished), and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 27·8 per 1,000, and include 2 from measles, one from influenza, 2 from tuberculous disease, 2 from broncho-pneumonia, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·4; and Finglas and Glasnevin, part of, 20·2. The one death for Clontarf and Howth, No. 1, part of, is from bronchitis. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from broncho-pneumonia, and one of the 3 deaths from all causes for Finglas and Glasnevin, part of, was also from broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 23·8 per 1,000, and include 3 from tuberculous disease, one from lobar pneumonia, and 5 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 28·6 per 1,000. Included in the total is one from *enteritis* of a child under 2 years of age; there were 3 deaths from tuberculous disease, one from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·4 per 1,000. The total includes 2 from measles, one from whooping-cough, 5 from tuberculous disease, one from broncho-pneumonia, one from lobar pneumonia, 2 from *pneumonia* (type not distinguished), and 4 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000, and include 3 from measles, one from disseminated tuberculosis, one from *pneumonia* (type not distinguished), and 2 from bronchitis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·7 per 1,000, and was from tuberculous phthisis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·5; Pembroke, 22·8; Blackrock, 5·7; and Kingstown, 27·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and one from diphtheria for Rathmines and Rathgar, and one from whooping-cough for Kingstown. Among the 16 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis and 2 from bronchitis. Included in the 13 deaths from all causes for Pembroke are one from influenza and 3 from tuberculous disease. The only death recorded for Blackrock was from influenza and among the 9 deaths from all causes for Kingstown are 2 from broncho-pneumonia and 2 from bronchitis

(*) See note (*c*), Table II. † See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th April, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 23,	.	—	—	9	1	.	9	.	.	7	7	.	—	—	.	—	7	—	40
	Mar. 30,	.	—	—	7	.	.	21	.	.	4	10	1	—	—	.	—	15	—	58
	Apr. 6,	.	—	—	9	.	.	11	.	.	5	6	.	—	—	.	—	6	—	37
	Apr. 13,	.	—	—	4	.	.	9	.	2	2	8	.	—	—	.	—	6	—	31
Rathmines and Rathgar Urban District.	Mar. 23,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 30,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 13,	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
Pembroke Urban District.	Mar. 23,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	.
	Mar. 30,	.	2	.	3	.	.	.	.	.	.	.	.	.	10	—	—	.	—	15
	Apr. 6,	.	6	.	1	.	.	.	.	.	.	1	.	.	5	—	—	.	—	13
	Apr. 13,	.	1	.	1	.	.	3	.	.	.	.	.	.	1	—	—	.	—	6
Blackrock Urban District.	Mar. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Mar. 23,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	1	—	6
	Mar. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 13,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
City of Belfast.	Mar. 23,	.	—	—	9	.	.	3	.	2*a*	2	3	.	—	—	.	—	8	.	27
	Mar. 30,	.	—	—	13	.	.	5	.	1	.	2	.	—	—	.	—	9	.	30
	Apr. 6,	.	—	—	4	.	.	7	.	.	.	7	.	—	—	.	—	12	.	30
	Apr. 13,	.	—	—	9	.	.	4	.	.	1	4	.	—	—	.	—	2	.	20

(*a*) Now suffering from typhus fever.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th April, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-two cases of measles were admitted to hospital during the week, 21 were discharged, there were 4 deaths, and 67 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 91, 88, and 70 respectively.

Fourteen cases of scarlet fever were admitted to hospital, 21 were discharged, and 85* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 112, 105, and 92 respectively.

Nineteen cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 63, 58, and 61, respectively, were 73 at the close of last week.

Four cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 44, 42, and 42.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 11 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 13·5) was equal to an average annual death-rate of 14·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 16·9, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th April. From this Report it appears that of a total of 42 cases notified, 22 were phthisis, 9 scarlet fever, 7 erysipelas, 3 diphtheria, and one enteric fever. Among the 441 cases of infectious diseases in hospital at the close of the week were 153 cases of measles, 104 of scarlet fever, 59 of phthisis, 58 of whooping-cough, 41 of diphtheria, 11 of erysipelas, 4 of chicken-pox, and 4 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th April, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Deaths. From all Causes.	From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 13th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th March, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ..	1,157,014	20·3	30·4	21·0	1·8	675	466	105	118	...	...	...	14	2	12	1	...	46	21	14	49	86	9	2	5	13	132	17	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total, (c) ...	406,536	29·5	32·2	25·4	3·1	251	198	53	39	...	...	...	14	...	2	1	...	21	9	7	24	31	5	2	...	5	62	7	e55·0	29·0	43·9	0·23	e63·0	29·0	48·4	0·12	e60·0	36·0	48·3	0·35
City of Dublin,	311,601	39·4	36·1	26·6	3·5	216	159	46	30	...	...	...	13	...	1	...	...	16	8	4	22	26	5	2	...	5	56	3	f56·4 g55·8	34·1 31·0	45·9 44·9	0·21 0·17	f61·4 g59·8	34·9 30·6	49·8 48·6	0·21 0·21	f60·2 g59·4	38·8 37·2	49·4 48·9	0·26 0·28
Urban Districts. Rathmines and Rathgar.	38,889	22·7	10·7	21·5	2·7	8	16	1	5	...	...	...	1	...	...	1	...	3	...	1	...	3	...	...	...	...	2	3	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	26·3	22·8	.	15	13	2	1	...	...	...	...	...	...	...	...	2	1	2	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	5·7	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	24·2	27·2	3·0	8	9	4	2	...	...	...	...	...	1	...	...	...	...	...	2	2	...	...	...	...	1	...	57·0	35·0	46·8	0·15	61	35	50·4	0·35	60	40	50·5	0·27
Urban Districts. Belfast ...	391,051	26·6	32·0	19·6	1·6	240	147	29	35	...	...	...	...	...	9	...	...	12	4	4	16	27	3	...	4	6	40	2	58·0	31·5	44·7	0·58	56·5	32·5	46·6	0·58	59·0	35·0	47·1	1·15
Cork, ...	76,632	33·8	17·7	20·4	.	26	30	5	13	...	...	...	...	...	...	...	...	4	2	1	1	7	...	...	1	1	12	1	56	38	47·4	0·09	60	37	48·4	0·33	56	39	48·0	0·52
Londonderry ...	40,912	18·9	35·7	12·7	1·3	28	10	5	2	...	...	...	...	...	...	...	...	2	1	...	1	2	1	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	31·2	20·4	1·4	23	15	3	2	...	...	...	...	...	1	...	...	1	1	...	3	5	...	...	...	...	5	...	64·2	32·8	47·4	0·14	58·4	31·4	47·5	0·16	57·8	34·7	48	0·88
Waterford, ...	27,430	19·1	34·2	9·5	.	18	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	23·6	11·8	.	6	3	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...	55	33	45	0·10	57	35	47	0·63	53	40	44	1·76
Dundalk, ...	13,128	9·5	35·7	15·9	.	9	4	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	25·2	16·8	.	6	4	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	21·8	30·5	.	5	7	...	3	...	...	...	...	...	...	...	...	2	1	1	...	1	...	...	...	...	3	...	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86
Lurgan, ...	12,135	14·3	8·6	30·1	.	2	7	...	3	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	2	...	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86
Lisburn, ...	12,172	10·7	30·0	12·9	..	7	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86
Wexford, ...	11,455	23·8	45·5	13·7	.	10	3	..	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,376	9·3	.	9·2	.	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	32·7	18·7	.	7	4	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	55·0	33·0	44·0	0·52	59·0	31·0	47·0	0·19	57·0	35·0	46·0	1·76
Kilkenny. ...	10,513	11·4	24·8	19·8	5·0	5	4	...	3	...	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	1	...	56	34	45·7	0·15	62	32	49·1	0·35	58	36	48·5	0·39
Clonmel, ...	10,277	7·9	15·2	25·4	.	3	5	1	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Portadown. ...	11,727	15·3	31·1	26·7	4·4	7	6	2	2	...	...	...	...	1	...	...	...	...	...	...	1	2	...	...	...	...	...	...	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86
Tralee. ...	9,867	16·6	37·0	15·9	.	7	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	45·8	22·9	.	8	4	1	2	...	...	...	...	...	...	...	...	1	..	...	...	2	...	...	...	...	...	1	57	34	44·0	0·34	60	35	46·7	0·00	56	36	46·6	0·80
Queenstown, ...	7,909	14·4	19·8	.	.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	38	47·4	0·09	60	37	48·4	0·33	56	39	48·0	0·52
Armagh, ...	7,588	22·2	27·5	13·7	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	1	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17	58·7	33·8	47·0	0·86

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 18 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 18 deaths one was from *enteritis* of a child under 2 years of age. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of April, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	4	2	.	2	.	.	.	.	.	2	3	.	1	.	.	.	14	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	3	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	4	1	.	.	.	1	2	2	.	1	3	2	.	.	21	4
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	2	1	3	1	.	.	1	.	.	9	1
Cancer,	.	2	.	.	.	.	.	.	.	1	1	.	1	2	.	.	7	1
Diseases of Nervous System,	4	7	.	.	.	.	.	3	1	.	1	.	.	1	.	2	19	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	2	1	.	.	.	2	1	3	2	.	2	1	.	.	18	2
" Respiratory System. { Pneumonia,	4	4	2	3	.	1	1	1	1	4	1	.	.	.	.	2	24	3
" Respiratory System. { Others,	3	3	2	3	1	.	.	5	3	4	2	.	3	.	.	2	31	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	5	1
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	.	.	.	.	1	.	1	1	1	.	.	.	.	.	.	5	2
" Genito-urinary System,	.	1	1	1	.	1	.	.	1	.	.	.	1	1	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	2	4	.	.	2	2	.	4	1	.	3	3	.	2	24	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	4	.
Deaths from All Causes	19	28	16	18	1	3	3	19	12	27	12	1	16	13	1	9	198	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.	33·0	36·4	27·0	27·8	9·7	13·4	20·2	23·8	28·6	32·4	17·4	5·7	21·5	22·8	5·7	27·2	25·4	.
	28·8							24·3					21·4					
	26·6																	
Ages at Death. { Under 1 year,	8	3	4	8	1	.	3	5	2	9	3	.	1	2	.	4	53	1
1 and under 2 years,	2	5	.	1	.	.	.	2	.	.	1	.	2	.	.	2	15	.
2 " 5 "	2	3	.	1	.	.	.	3	1	5	.	.	.	.	.	.	15	2
5 " 15 "	2	1	.	1	.	1	.	.	.	1	1	.	3	.	.	.	10	.
15 " 25 "	.	1	1	1	.	.	.	.	2	1	.	.	.	2	.	.	8	2
25 " 45 "	2	3	4	1	.	.	.	2	2	3	.	1	.	4	.	.	22	6
45 " 65 "	.	6	4	2	.	1	.	3	5	2	3	.	5	4	.	1	36	5
65 and upwards,	3	6	3	3	.	1	.	4	.	6	4	.	5	1	1	2	39	2
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	1	.	.	3	1	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	4	2	.	1	.	1	2	3	3	.	2	1	.	.	28	16
Workhouse Hospitals,	.	5	5	.	.	.	.	11	5	2	3	.	.	2	.	1	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th April, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 12, 1902.	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upward.
Mean Temperature.	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·7	° 43·0	° 43·9										
ALL CAUSES.	206	186	186	167	174	207	178	220	183	174	188·1	216	13	41	15	17	10	10	28	41	28	13
Enteric Fever, ...	2	3	.	1	1	1	.	1	1	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	4	4	1	7	4	6	.	7	3·6	14	.	5	3	5	1	.	.	.	.	.
Scarlet Fever, ...	.	3	.	1	.	.	1	1	.	4	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	11	3	3	7	1	11	2	6	4·7	2	.	.	1	1	.	.	.	.	.	.
Diphtheria, ...	1	.	1	1	.	2	.	2	.	3	1·0	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	4	2	.	5	5	4	5	.	2·8	3	.	1	.	.	.	1	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	.	1	.	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	1	2	.	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	3	1	.	.	.	.	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	32	19	21	27	21	24	22	22	21	23·6	25	.	.	.	.	2	6	12	5	.	.
Tuberculous Meningitis, ...	5	5	4	1	1	2	4	5	5	1	3·3	3	.	2	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	4	5	3	1	1	2	2	.	1	2·1	3	.	3	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	7	11	3	6	7	4	14	4	.	6·4	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	2	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	2	.	1	2	1	.	1	1	2	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	8	6	9	9	7	7	11	10	8	8·1	8	.	.	.	.	.	.	.	4	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	.	1	2	.	.	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	4	.	.	.	.	.	1	.	2	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	3	.	.	.	.	1	.	1	1	.	.
Alcoholism, ...	1	1	1	1	.	.	1	.	.	.	·5	2	.	.	.	.	.	.	1	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	1	1	1	.		·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										7		3	.	.	.	.	.	.	.	1	1	1
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		3	.	.	.	.	.	.	1	.	1	1
Epilepsy, ...										1		2	.	.	.	.	.	.	1	1	.	.
Convulsions (non-puerperal),										1		5	.	3	1	1	.	.	.	.	.	.
Other Diseases of Nervous System.	35	42	37	40	40	49	31	44	37	2	38·7	6	.	.	.	.	.	.	1	2	2	1
Pericarditis, ...										—		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										1		.	.	.	.	.	.	.	.	.	.	.
Embolism and Thrombosis (including Cerebral)										12		16	.	.	.	.	.	.	3	7	5	1
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	1	.	.
										1		3	.	.	.	.	.	.	.	1	1	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	27	17	23	15	28	31	29	30	39	22	26·1	30	.	8	3	3	1	.	2	4	8	1
Broncho-pneumonia, ...	3	2	3	1	6	10	7	9	7	12	6·0	15	1	7	3	1	2	1	.	.	.	.
Lobar pneumonia, ...	.	.	.	1	.	1	3	.	3	2	1·0	3	.	2	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	11	12	5	9	16	6	9	14	3	5	9·0	9	.	1	1	1	1	1	1	2	1	.
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	3	4	7	1	3	2	2	.	.	2·8	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.										2		.	.	.	.	.	.	.	.	.	.	.

FIFTEENTH WEEK ending Saturday, 13th April, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 15th Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th April, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 12, 1902.	Apr. 18, 1903.	Apr. 16, 1904.	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 38·4	° 37·3	° 47·3	° 43·1	° 44·2	° 42·7	° 41·6	° 48·6	° 43·0	° 43·7	° 43·0	° 43·9										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	6	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	5	2	2	3	2	2	4	4	4	5	3·4	6	1	4	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		2	.	.	.	1	.	.	.	.	.	1
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	6	2	1	.	2	1	1	2	.	.	2·4	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Liver, ...		1	1	.	1	1	3	.	1	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	1	.	1	.	.	.	1	2	2	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	1	2	8	3	5	6	2	6	.	4·2	2	1	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	6	6	9	8	2	8	5	5	3	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										3		6	.	.	.	.	.	.	1	3	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.		.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	.	1	.	.	.	1	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	1	7	5	3	5	3	4	4	2	3·5	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	5	1	4	.	.	.	.	.	.	.	.
Old Age, ...	7	1	6	5	6	4	3	4	7	4	4·7	4	.	.	.	.	.	.	.	.	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	4	4	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	.	2	.	1	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	4	3	2	1	1	3	2	1	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	8	5	4	2	3	2	5	3	3	1	3·6	.	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	2	.	.	.	1		.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	4	.	.	1	.	.	.	1	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered.	195	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251
Average Births in corresponding week of previous 10 years, ...	212	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209
DEATHS registered, ...	165	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216
Annual Death-rate per 1,000, ...	21·3	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7
Average Deaths in corresponding week of previous 10 years, ...	161	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188
Ages, Under 5 years, ...	50	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86
5—15 " ...	8	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10
15—25 " ...	11	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10
25—45 " ...	30	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28
45—65 " ...	35	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41
65—75 " ...	17	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28
75 and upwards, ...	14	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13
Deaths from :—																										
Enteric Fever, ...	4	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.
Typhus, ...	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14
Scarlet Fever, ...	4	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.
Whooping-cough, ...	1	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2
Diphtheria, ...	.	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1
Influenza, ...	1	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	28	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25
Tuberculous Disease, Other Forms,	4	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10
Cancer, ...	9	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8
Diseases of Circulatory System,	20	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20
Diseases of Respiratory System, Pneumonia,	8	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27
Diseases of Respiratory System, Others, ...	15	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32
Diarrhœa and *Enteritis*, under 2 years, ...	13	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6
Diarrhœa, 2 years and upwards,	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2
Violent Deaths, ...	4	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.
Number of Uncertified Deaths,	3	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7
Mean Temperature of the Air (Phœnix Park)	57·4	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9
Average Mean Temperature in corresponding week of previous 10 years, ...	48·7	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0
Rainfall in inches, ...	1·035	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th April, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH APRIL, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	216	86	10	10	28	41	28	13	.	.	.	14	.	2	1	.	25	10	8	5	27	32	6	2	.	84	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	1	.	5	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	29·3	49	12	3	3	6	15	3	7	.	.	.	1	.	.	.	.	8	3	3	1	5	1	1	.	.	26	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·4	39	11	3	3	6	7	7	2	.	.	.	.	.	1	1	.	5	.	1	1	7	8	.	1	.	14	1
IV.	GENERAL SERVICE CLASS, ...	154,279	28·7	85	52	4	3	9	8	8	1	.	.	.	13	.	1	.	.	8	1	1	3	13	17	3	.	.	25	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	11	.	1	6	11	5	2	.	.	.	.	.	.	.	.	4	6	1	.	1	6	2	1	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	21·3	9	2	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	29·1	17	8	1	2	2	4	.	.	.	.	.	1	.	.	.	.	5	2	.	.	3	.	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	38·6	20	1	1	1	4	8	.	5	.	.	.	.	.	.	.	.	3	.	2	.	1	1	.	.	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	31·7	6	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	3	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	2	1	1	1	1	.	2	.	.	.	.	.	.	1	.	1	.	.	.	1	2	.	1	.	2	.
	10. Clothing Trades, ...	23,260	29·1	13	2	.	1	2	3	5	.	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	.	8	1
	11. Food Supply Trades	9,242	16·9	3	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	2	2	.	1	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	2	2	.	.	.	3	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·4	5	3	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	8·5	6	3	.	2	.	1	.	.	.	.	.	1	.	.	.	.	2	.	.	.	1	.	1	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	5	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·3	66	41	4	1	8	5	6	1	.	.	.	11	.	1	.	.	5	.	1	2	10	14	2	.	.	20	4
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	36	11	.	1	6	11	5	2	.	.	.	.	.	.	.	.	4	6	1	.	1	6	2	1	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Feb 24,	15·6	3·5	9	.	.	.	1	.	1	.	.	2	.	.	1	1	.	.	.	.
	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Feb 24,	22·[illegible]	1·3	17	.	.	.	1	.	.	.	.	3	2	.	3	3	.	.	.	2
	Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.		1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Feb. 24,	32·1	.	19	.	.	.	.	.	.	.	.	.	.	1	1	4	.	.	.	.
	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Feb. 24,	15·5	3·1	10	.	.	.	.	1	.	.	.	.	.	3	1	.	1	.	.	.
	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Feb. 24,	32·6	.	26	.	.	.	.	.	.	.	.	1	.	.	3	6	.	.	1	2
	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Feb. 24,	21·5	.	9	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1
	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Feb. 24,	22·8	1·2	19	.	.	.	.	.	1	.	.	4	1	.	1	6	.	.	.	1
	Mar 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	3	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Feb. 24,	34·7	.	24	.	.	.	.	.	.	.	.	3	1	1	2	5	.	.	1	.
	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Feb. 24,	17·4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	2
	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
Pop. in 1912 (Est.) 38,889.	„ 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	„ 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
Pembroke Urban District.	Feb. 24,	22·8	1·8	13	1	.	.	.	.	.	.	.	.	1	.	4	.	.	.	1	.
	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
Pop. in 1912 (Est.) 29,693.	„ 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
Kingstown Urban District.	Feb. 24,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	2	1	4	.	.	.	.
	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.		1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1911 17,227.	„ 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.
Belfast.	Feb. 24,	26·9	1·3	202	.	.	.	.	.	9	.	.	16	3	6	42	52	1	.	2	2
	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
Pop. in 1912 (Est.) 391,051.	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	„ 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	„ 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
Cork.	Feb. 24,	24·5	.	36	.	.	.	.	.	.	.	.	5	2	2	1	4	.	.	.	3
	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
Pop. in 1911 76,632.	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	„ 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	„ 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
Londonderry.	Feb. 24,	12·7	.	10	.	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.
	Mar 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
Pop. in 1912 (Est.) 40,912,	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	„ 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
Limerick.	Feb. 24,	23·1	.	17	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	3
	Mar 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
Pop. in 1911 38,403.	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	„ 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
Waterford	Feb. 24,	38·0	1·9	20	.	.	.	.	.	.	.	.	4	1	.	2	1	1	.	.	3
	Mar 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
Pop. in 1911 27,430.	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th April, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1	.
Do. 2 do.		26			17	3	.	1	2	5	6	.	.	.	.	.	1	.	.	2	.	.	2	2	.	.	.	.	3	.
Do. 3 do.		36			22	2	4	3	3	3	7	.	.	.	.	.	1	.	.	3	.	1	5	1	.	.	.	2	5	1
Do 4 do.		25			15	4	3	1	1	2	4	.	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	5	.
Do. 5 do.		6			11	3	.	5	1	.	2	.	.	.	.	.	2	.	.	1	.	.	2	2	.	.	1	1	6	.
Do. 6 do.		19			7	2	.	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	1
Do. 7 do.		.			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			8	.	.	1	1	3	3	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	1	.
Do. 10 do.		29			12	2	1	3	3	1	2	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	1	3	.
Do. 11 do.		22			17	1	.	1	6	4	5	.	.	.	.	.	.	.	.	.	1	3	2	2	.	.	1	1	5	.
Do. 12 do.		30			17	7	4	2	1	2	1	.	.	.	.	.	5	.	.	.	.	.	1	3	1	.	.	.	4	.
Do. 13 do.		12			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		14			14	2	1	.	4	5	2	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	6	.
Total,	—	240			147	29	13	17	25	28	35	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	6	40	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 2 do.		5			4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	2	.
Do. 3 do.		2			9	3	2	.	.	1	3	.	.	.	.	.	.	.	.	1	1	.	.	5	.	.	.	.	2	.
Do. 4 do.		2			4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do. 5 do.		1			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		5			5	.	.	.	2	1	2	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	1
Do. 7 do.		7			3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Total,	—	26	20·4	.	30	5	2	1	6	3	13	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1	12	1

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Oct. 21.	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.
No. of weeks in Annual Series,	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS registered, ...	194	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240
DEATHS registered, ...	126	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147
Annual Death rate per 1,000 of estimated population, ...	17·0	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6
AGES, Under 1 year, ...	24	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29
1—5 years, ...	6	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13
5—25 ,, ...	17	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17
25—45 ,, ...	20	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25
45—65 ,, ...	29	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28
65 and upwards, ...	30	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35
Deaths from :—																										
Enteric Fever, ...	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.
Whooping-cough, ...	1	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9
Diphtheria, ...	.	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12
Tuberculous Disease. Other Forms,	4	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4
Cancer, ...	5	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4
Diseases of Respiratory System, Pneumonia,	10	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16
Diseases of Respiratory System, Others, ...	13	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27
Diarrhœa, and *Enteritis*, under 2 years, ...	9	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3
Diarrhœa, 2 years and upwards,	.	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	3	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4
Number of Uncertified Deaths, ...	1	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Apr. 13,	2,177	1,172	13·5	1	.	24	2	33	12	12*a*
Edinburgh, ...	321,200	„ 13,	135	99	16·1	.	.	10	.	.	.	.
Glasgow, ...	785,600	„ 13,	478	254	16·9	1	.	15	1	3	3	3
Calcutta, ...	890,493	Mar. 9,	.	534	31·1	142*	.	2	.	2	.	134‡
Bombay, ...	979,445	„ 9,	419	743	39·4	88*	46	14	.	1	.	84
Madras, ...	518,660	Feb. 17,	263	401	40·2	107*	2	3	?	?	?	138‡
Cairo, ...	699,228	„ 18,	603	362	27·0	1	.	1	.	.	6†	36*a*
Paris, ...	2,847,229	Mar. 16,	950	1,044	18·7	5	1	59	9	9	4†	13*a*
Brussels, ...	721,715	„ 23,	262	175	12·6	.	.	2	1	4	.	8
Antwerp, ...	308,618	„ 23,	130	72	12·2	.	.	1	1	3	.	4*a*
Amsterdam, ...	582,586	„ 23,	228	129	11·6	1	.	4	.	3	2†	4
Copenhagen, ...	465,000	„ 23,	223	138	15·5	.	.	1	.	2	.	2*a*
Stockholm, ...	343,832	„ 23,	142	114	17·2	.	.	3	1	1	.	1
Christiania, ...	244,038	„ 30,	101	98	20·9	.	.	1	1	1	1	1
St. Petersburg, ...	1,599,139	„ 9,	827	625	20·4	4	2	13	15	8	8	47
Moscow, ...	1,493,600	„ 9,	.	735	25·7	2	1	17	19	9	7†	68
Berlin, ...	2,091,180	„ 9,	841	638	16·0	.	.	7	5	6	20†	23
Hamburg, ...	953,079	„ 23,	.	259	14·1	.	.	1	3	3	10†	12
Breslau, ...	528,383	„ 23,	.	187	18·5	.	.	.	.	4	.	22
Munich, ...	610,000	„ 30,	.	175	15·0	.	.	3	.	.	.	12
Vienna (with suburbs),	2,064,583	„ 23,	750	734	18·5	2	.	11	4	1	6†	28*a*
Buda-Pesth, ...	911,891	„ 23,	435	328	18·7	.	.	2	4	.	3†	7*a*
Prague and Faubourgs,	481,682	„ 9,	183	209	22·6	3	.	4	2	.	1†	17*a*
Trieste, ...	232,832	„ 23,	134	98	21·9	.	.	1	.	3	1†	1
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Oct 7,	83	61	17·3	.	.	.	.	.	.	7
New York, ...	5,173,064	Feb 23,	2,630	1,635	16·5	8	.	18	18	3	25†	30
Philadelphia, ...	1,606,105	„ 23,	.	.	.	.	.	.	.	.	.	.
Boston	720,081	Mar. 23,	.	241	17·5	1	.	4	1	3	.	6

* Deaths from "fever," including 3 deaths from enteric fever and 90 from plague in Calcutta, 36 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 92 deaths from cholera in Calcutta, and 27 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 13th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
,, ,, 1, West, ...	.	.	.	.	2	.	.	1	.	.	.	1	4
,, ,, 2, ...	.	2	.	.	2	.	.	.	1	.	.	.	5
,, ,, 3, ...	.	.	.	.	1	.	1	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	1	2
South City No. 1, ...	.	.	.	.	1	.	.	.	6	.	.	2	9
,, ,, 2, ...	.	.	.	.	.	.	1	.	.	.	.	1	2
,, ,, 3, ...	.	2	.	.	1	.	.	.	.	.	.	.	3
,, ,, 4.	.	.	.	.	1	.	.	.	.	.	.	.	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	4	.	.	9	.	2	2	8	.	.	6	31

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th April, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th April.			
	Mar. 23.	Mar. 30.	Apr. 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	91	88	70	22	21	4	67
Scarlet Fever, ...	112	105	92	14	21	.	85*
Typhus, ...	1	.	.	.	.	.	.
Diphtheria, ...	63	58	61	19	6	1	73
Enteric Fever, ...	44	42	42	4	4	.	42
Pneumonia, ...	37	35	31	15	11	2	33

* Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 13th April, 1912:—

"Much cooler weather prevailed during this week, the most striking feature of which was the occurrence of a violent gale from W. and N.W. on Easter Monday. The period opened with a large anticyclone stretching from the Azores across Ireland, England, France, and the North of Spain. The day proved fine and mild in the south of England, the thermometer rising to 66° at Torquay and 67° at Paignton. On the other hand, owing to the rapid development of a very energetic and deep atmospheric depression in the North during the afternoon of Sunday, and in the course of the following night, the weather broke in Scotland and Ireland. This disturbance was central over the Pentland Firth on Monday morning, the barometer at 7 a.m. reading 28·97 inches at Wick. In the course of the day the system moved eastward, becoming still deeper, and in the evening a barometer reading of 28·63 inches occurred at Skuddesnæs, in the S.W. of Norway. A severe gale from various quarters was felt over a wide area—even in Dublin a strong gale from W.N.W. blew for several hours, showers of rain and hail coming up on the wind in the afternoon. A "secondary" moving eastwards on Tuesday caused showery, broken cold weather. Polar winds now swept all over Northern and Western Europe, sharp night frosts being felt in the British Isles, and falls of snow and hail being reported from the Continent. In the course of Thursday night the thermometer fell to 27° in the screen at Oxford and to 29° at many other English stations. A large anticyclone covered the N.W. of Europe on Friday and Saturday. On the former day a shallow depression appeared over Ireland within the limits of the anticyclone, and this caused dull, rainy weather locally in this country. Saturday remained dull, but was otherwise fine. In Dublin the mean height of the barometer was 30·084 inches, the range of pressure being from 29·587 inches at 9 a.m. of Monday (wind, W.N.W., force 8) to 30·480 inches at 9 a.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 45·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·4°. N.W. winds prevailed. Rain fell on 4 days to the amount of ·210 inch, of ·090 inch was recorded on Tuesday. There was a partial solar halo on Tuesday at 9 a.m."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·066 inches. The highest reading (30·483) was on Saturday at 9 a.m., air calm, the lowest (29·618) on Monday at 9 a.m., wind W.S.W.

The mean temperature for the week was 43·9°, being 0·9° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Sunday, on which day the thermometer registered 55·0°, and was lowest on Friday, the mercury having fallen to 29·0°. The mean of the Dry Bulb for the week was 44·7° and of the Wet Bulb, 42·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·230 inch.

At Greenwich the mean temperature for the week was 45·6°, the maximum 64·2°, and the minimum 32·4°; at Glasgow the maximum was 50·0°, the minimum 31·5°, and the mean 40·6°; and at Edinburgh the maximum was 54·1°, the minimum 28·7°, and the mean 41·4°. The rainfall at Greenwich measured 0·02 in.; at Glasgow, 0·20 in.: and at Edinburgh, 0·20 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 7,	30·145	55·0	46·0	50·5	51·8	48·9	·87	·5	0·0	·060	W.S.W.	W.S.W.
Monday, " 8,	29·700	51·0	38·0	44·5	43·0	41·5	·88	·6	5·6	·000	W.S.W.	W.N.W.
Tuesday, " 9,	29·865	49·0	32·0	40·5	42·9	39·7	·77	·6	5·6	·110	W.	W.
Wednesday, " 10,	29·750	51·0	38·0	44·5	43·4	40·8	·82	·5	2·7	·000	W.N.W.	Calm.
Thursday, " 11,	30·090	50·0	30·0	40·0	38·6	36·5	·83	·3	9·3	·000	N.N.W.	Calm.
Friday, " 12,	30·435	49·0	29·0	39·0	45·0	43·1	·88	·5	0·3	·060	Calm.	Calm.
Saturday, " 13,	30·480	54·0	42·0	48·0	47·9	47·0	·94	·2	0·0	·000	Calm.	Calm.
Mean, ...	30·066	51·3	36·4	43·9	44·7	42·5	·86	·5	Total 23·5	Total ·230	—	

Sunday—Day overcast; night overcast, drizzling rain 9.30 to 10.20 p.m. and 7.0 to 8.45 a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day bright to overcast, heavy showers 3.45 to 4.0 p.m. and 5.0 to 5.20 p.m.; night overcast, rain 9.30 to 10.10 p.m., and showers at intervals a.m. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—A beautiful bright day; night clear to cloudy. *Friday*—Day overcast, drizzling rain 1.45 to 5.15 p.m.; night cloudy, drizzling rain at intervals. *Saturday*—Day overcast; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 13th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 7,	53·5	49·8	47·0	56·2	47·5	51·9	—	·004
Monday, " 8,	47·6	49·7	47·3	51·5	39·3	45·4	6·0	·000
Tuesday, " 9,	39·3	48·0	47·7	50·8	38·0	44·4	7·0	·070
Wednesday, " 10,	46·5	47·3	47·9	51·1	38·9	45·0	3·0	·000
Thursday, " 11,	45·0	47·0	47·7	50·9	35·0	43·0	7·8	·000
Friday, " 12,	45·9	46·8	48·7	49·5	36·5	43·0	0·3	·051
Saturday, " 13,	49·2	47·2	47·5	59·8	48·3	54·1	—	·000
Weekly Mean, .	46·7	48·0	47·7	52·8	40·5	46·7	Total 24·1	Total ·125

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32214. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 20TH APRIL, 1912. [No. 16.

General Register Office, Charlemont House, Dublin, 22nd April, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Mar. 30	April 6	April 13	April 20	Average Rate for 4 weeks.	Towns, &c.	Week ending Mar. 30	April 6	April 13	April 20	Average Rate for 4 weeks.
22 Town Districts, ...	**23·5**	**20·9**	**21·0**	**23·3**	**22·2**	Limerick	21·7	13·6	20·4	14·9	17·7
						Lisburn	21·4	21·4	12·9	12·9	17·2
Armagh	13·7	13·7	13·7	6·9	12·0	Londonderry	24·2	14·0	12·7	26·8	19·4
Ballymena	22·9	9·2	9·2	9·2	12·6	Lurgan	21·5	34·4	30·1	21·5	26·9
Belfast	19·3	19·3	19·6	22·9	20·3	Newry	17·4	21·8	30·5	26·2	24·0
Clonmel	10·1	10·1	25·4	20·3	16·5	Newtownards	5·7	22·9	22·9	17·2	17·2
Cork	32·7	24·5	20·4	23·8	25·3	Portadown	17·8	13·3	26·7	13·3	17·8
Drogheda	29·4	12·6	16·8	29·4	22·1	Queenstown	19·8	6·6	.	6·6	8·3
Dublin Reg. Area ...	28·6	25·0	25·4	26·7	26·4	Sligo	18·7	9·3	18·7	18·7	16·4
Dundalk	7·9	11·9	15·9	55·6	22·8	Tralee	10·6	.	15·9	5·3	8·0
Galway	19·7	15·7	11·8	.	11·8	Waterford	20·9	24·7	9·5	17·1	18·1
Kilkenny	24·8	9·9	19·8	19·8	18·6	Wexford	13·7	36·4	13·7	18·2	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 11·9 in Dundalk, the 14 deaths from all causes for that district including one from each of enteric fever and diphtheria and one from diarrhœa or *enteritis* of a child under 2 years of age. Among the 172 deaths from all causes for Belfast are 2 from scarlet fever, 4 from whooping-cough, one from diphtheria and 2 from diarrhœa or *enteritis* of children under 2 years of age. Among the 21 deaths from all causes for Londonderry are 2 from diarrhœa or *enteritis* of children under 2 years of age, and one of the 3 deaths from all causes for Portadown is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 247—121 boys and 126 girls—and the deaths to 217—111 males and 106 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·7 per 1,000 of the population. During the sixteen weeks ending with Saturday last the death-rate averaged 25·2, and was equal to the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 217, represent an annual rate of 27·8 per 1,000 ; the annual rate for the past sixteen weeks was 26·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·4 per 1,000 of the mean population for all deaths registered.

The 217 deaths registered include one from enteric fever, 13 from measles, 2 from scarlet fever, 2 from whooping-cough, 4 from diphtheria, 11 from influenza, and one from *enteritis* of a child under 2 years of age. In the 3 preceding weeks deaths from enteric fever were 0, 2, and 0; deaths from measles were 7, 11, and 14 ; deaths from scarlet fever were one, one, and 0; deaths from whooping-cough were 2, 2, and 2 ; deaths from diphtheria were 6, 4, and one ; deaths from influenza were 2, 4, and 3 ; and deaths from diarrhœa and *enteritis* of children under 2 years were one, 2, and 6, respectively.

Tuberculous disease, which in the three preceding weeks caused 29, 34, and 35 deaths respectively, in the week under notice caused 39 deaths, comprising 30 from pulmonary tuberculosis, 4 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from disseminated tuberculosis.

Convulsions caused 6 deaths, all being those of infants under one year ; congenital malformation caused one death, prematurity 2 deaths, and there were 3 deaths from congenital debility.

There were 17 deaths from broncho-pneumonia, 2 from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

Organic diseases of the heart caused 16 deaths and there were 21 deaths from bronchitis.

There were 2 deaths from accidental violence.

In 12 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old), and the death of one person aged 70 years.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 11 were under one month old) and 56 were aged 65 years and upwards, including 38 persons aged 70 and upwards ; among the latter were 19 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 98 and 90 years respectively.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 23 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000 ; the rate in the City was 29·1 (North City Districts, 31·7 ; South, 26·4) and in the Suburbs, 18·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·0 per 1,000 inhabitants, the rate for the City being 3·0 (in the North City Districts 3·6, and 2·4 in the South), and for the Suburbs, 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (27) are equal to an annual rate of 46·9 per 1,000, and include 5 deaths from measles, one from scarlet fever, 3 from influenza, 3 from pulmonary tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and one from *enteritis* of a child under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 23·4 per 1,000. Scarlet fever and influenza each caused one death; there were 4 deaths from tuberculosis, 3 from broncho-pneumonia, one from bronchitis and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 37·2 per 1,000. The deaths included one from measles, 2 from influenza, 5 from tuberculosis, 2 from broncho-pneumonia, one from lobar pneumonia, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (22) represent an annual rate of 34·0 per 1,000. Enteric fever and measles each caused one death; there were 5 deaths from tuberculosis, 4 from broncho-pneumonia, one from *pneumonia*, (type not distinguished), and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 13·4 ; and Finglas and Glasnevin, part of, 20·2. One of the 2 deaths from all causes for the first-named district was from lobar pneumonia. Among the 3 deaths from all causes for Coolock and Drumcondra, part of, is one from broncho-pneumonia; and included in the 3 deaths from all causes for Finglas and Glasnevin, part of, is one from each of broncho-pneumonia and *pneumonia* (type not distinguished).

No. 1 South City District (South Earl-street).—The deaths (31) represent an annual rate of 38·8 per 1,000, and include one death from influenza, 2 from tuberculosis, 4 from broncho-pneumonia, 4 from *pneumonia* (type not distinguished), and 3 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 16·7 per 1,000. There was one death from measles ; there were 3 deaths from tuberculosis, and one death from bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·8 per 1,000. The deaths included one from whooping-cough, 6 from tuberculosis, one from broncho-pneumonia, and 4 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. Measles caused 4 deaths ; there was one death from whooping-cough, one death from pulmonary tuberculosis, and 2 deaths from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000. Pulmonary tuberculosis was the cause of the 2 deaths registered.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·1 ; Pembroke, 5·3 ; Blackrock, 45·7 ; and Kingstown, 42·4. The deaths from the principal epidemic diseases tabulated for these districts include one from each of measles and diphtheria for Rathmines and Rathgar, 2 from diphtheria for Pembroke, and one from diphtheria for Kingstown. Included in the 9 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis. One of the 3 deaths from all causes for Pembroke is from bronchitis. Among the 8 deaths from all causes for Blackrock are one from influenza and 2 from pulmonary tuberculosis ; and included in the 14 deaths from all causes for Kingstown are 2 from influenza, 3 from pulmonary tuberculosis, and one from bronchitis.

(*) See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th April, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever	Varicella.	Whooping-cough.	Cerebro-spinal Fever	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Mar. 30,	.	—	—	7	.	.	21	.	.	4	10	1	—	—	.	—	15	—	58
	Apr. 6,	.	—	—	9	.	.	11	.		5	6	.	—	—	.	—	6	—	37
	Apr. 13,	.	—	—	4	.	.	9	.	2	2	8	.	—	—	.	—	6	—	31
	Apr. 20,	.	—	—	10	.	.	11	.	1	3	4	.	—	—	.	—	18	—	47
Rathmines and Rathgar Urban District.	Mar. 30,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 13,	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
	Apr. 20,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Mar. 30,	.	2	.	3	.	.	.	.	.	.	.	.	.	10	—	—	.	—	15
	Apr. 6,	.	6	.	1	.	.	.	.	.	.	1	.	.	5	—	—	.	—	13
	Apr. 13,	.	1	.	1	.	.	3	.	.	.	.	.	.	1	—	—	.	—	6
	Apr. 20,	.	7	1	1	.	.	2	.	.	.	1	.	.	.	—	—	.	—	12
Blackrock Urban District.	Mar. 30,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Mar. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 13,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Apr. 20,	.	—	—	8	.	.	3	.	.	.	.	.	—	—	—	—	3	—	14
City of Belfast.	Mar. 30,	.	—	—	13	.	.	5	.	1	.	2	.	—	—	.	—	9	.	30
	Apr. 6,	.	—	—	4	.	.	7	.	.	.	7	.	—	—	.	—	12	.	30
	Apr. 13,	.	—	—	9	.	.	4	.	.	1	4	.	—	—	.	—	2	.	20
	Apr. 20,	.	—	—	14	.	.	4	.	.	.	3	.	—	—	.	—	16	.	37

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th April, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-three cases of measles were admitted to hospital during the week, 21 were discharged, there were 3 deaths, and 66 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 88, 70, and 67 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 92* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 105, 92, and 85 respectively.

Twenty-two cases of diphtheria were admitted to hospital during the week, 24 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 58, 61, and 73, respectively, were 68 at the close of last week.

Four cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 38 cases remained under treatment in hospital at the close of the week, the respective number in hospital at the close of each of the three preceding weeks being 42.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 9 were discharged, there were 3 deaths, and 36 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·3) was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th April. From this Report it appears that of a total of 45 cases notified, 28 were phthisis, 8 scarlet fever, 6 diphtheria, 2 erysipelas, and one enteric fever. Among the 410 cases of infectious diseases in hospital at the close of the week were 139 cases of measles, 104 of scarlet fever, 57 of phthisis, 51 of whooping-cough, 40 of diphtheria, 9 of erysipelas, 5 of enteric fever, and 2 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th April, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis and Diarrhœa of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 20th April, 1912. Air Temperature. Absolute Highest.	Week ending 20th April, 1912. Air Temperature. Absolute Lowest.	Week ending 20th April, 1912. Air Temperature. Mean.	Week ending 20th April, 1912. Rainfall in Inches.	Week ending 13th April, 1912. Air Temperature. Absolute Highest.	Week ending 13th April, 1912. Air Temperature. Absolute Lowest.	Week ending 13th April, 1912. Air Temperature. Mean.	Week ending 13th April, 1912. Rainfall in Inches.	Week ending 6th April, 1912. Air Temperature. Absolute Highest.	Week ending 6th April, 1912. Air Temperature. Absolute Lowest.	Week ending 6th April, 1912. Air Temperature. Mean.	Week ending 6th April, 1912. Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	32·3	23·3	1·9	716	518	78	144	2	...	...	13	4	7	6	...	71	26	28	50	68	9	1	7	14	184	22	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	31·7	26·7	3·0	247	208	33	56	1	...	...	13	2	2	4	...	29	9	10	25	25	1	...	1	1	81	12	e63·0	28·0	48·1	0·09	e55·0	29·0	43·9	0·23	e63·0	29·0	48·4	0·12
CITY OF DUBLIN,	311,601	39·4	35·8	29·1	3·0	214	174	31	47	1	...	...	12	2	2	...	...	22	9	5	25	23	1	...	1	...	65	11	f62·2 g62·0	38·9 31·0	51·2 48·6	0·10 0·10	f56·4 g55·8	34·1 31·0	45·9 44·9	0·21 0·17	f61·4 g59·8	31·9 30·6	49·8 48·6	0·21 0·21
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	20·1	12·1	2·7	15	9	2	1	...	...	...	1	...	...	1	...	2	...	1	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	14·0	5·3	3·5	8	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	.	45·7	.	...	8	...	4	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	30·3	42·4	3·0	10	14	...	4	...	...	...	...	...	...	1	...	3	...	4	...	1	...	...	...	1	6	1	59	36	49·4	0·31	57·0	35·0	46·8	0·15	61	35	50·4	0·35
Urban Districts. BELFAST ...	391,051	26·6	38·8	22·9	1·3	291	172	28	43	...	...	...	...	2	4	1	...	25	7	8	18	26	2	1	4	8	60	3	63·0	33·0	50·7	0·00	58·0	31·5	41·7	0·58	56·5	32·5	46·6	0·58
CORK, ...	76,632	33·8	19·1	23·8	0·7	28	35	2	11	...	...	...	...	...	...	...	...	6	1	2	2	6	1	...	...	...	15	...	57	39	49·0	0·23	56	38	47·4	0·09	60	37	48·4	0·33
LONDONDERRY ...	40,912	18·9	21·7	26·8	2·5	17	21	3	6	...	...	...	...	...	...	...	...	6	1	1	...	2	2	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	14·9	14·9	.	11	11	2	2	...	...	...	...	...	...	...	...	1	1	2	1	2	...	...	...	...	2	...	64	34·6	48·4	0·64	64·2	32·8	47·4	0·14	58·4	31·4	47·5	0·16
WATERFORD, ...	27,430	19·1	22·8	17·1	.	12	9	...	6	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	55·1	.	.	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59	36	49·5	0·12	55	33	45	0·10	57	35	47	0·63
DUNDALK, ...	13,128	9·5	31·8	55·6	11·9	8	14	1	6	1	...	...	...	...	...	1	...	1	...	2	1	1	1	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	37·8	29·4	.	9	7	1	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	34·9	26·2	.	8	6	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	1	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17
LURGAN, ...	12,135	14·3	47·3	21·5	.	11	5	1	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	1	...	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17
LISBURN, ...	12,172	10·7	42·8	12·9	.	10	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17
WEXFORD, ...	11,455	23·8	27·3	18·2	.	6	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	13·8	9·2	.	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	23·4	18·7	.	5	4	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	61·0	38·0	50·0	0·79	55·0	33·0	44·0	0·52	59·0	31·0	47·0	0·19
KILKENNY, ...	10,513	11·4	9·9	19·8	.	2	4	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	2	63	34	49·1	0·37	56	34	45·7	0·15	62	32	49·1	0·35
CLONMEL, ...	10,277	7·9	35·5	20·3	5·1	7	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	44·5	13·3	4·4	10	3	1	1	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17
TRALEE, ...	9,867	16·6	26·4	5·3	5·3	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	40·1	17·2	.	7	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	1	...	61	37	49·1	0·00	57	34	44·0	0·34	60	35	46·7	0·00
QUEENSTOWN, ...	7,909	14·4	19·8	6·6	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	57	39	49·0	0·23	56	38	47·4	0·09	60	37	48·4	0·33
ARMAGH, ...	7,588	22·2	13·7	6·9	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36	55·9	31·0	47·2	0·17

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of April, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin. Registration Districts in												Urban Districts of					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	5	.	1	1	.	.	.	.	1	.	4	.	1	.	.	.	13	.
Scarlet Fever,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	3	1	2	.	.	.	.	1	.	.	.	.	.	.	1	2	10	1
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	3	3	2	.	.	.	1	2	5	1	2	2	.	2	3	29	1
Tuberculous Disease. — Other Forms,	.	1	2	3	.	.	.	1	1	1	.	.	.	.	.	.	9	.
Cancer,	.	.	1	2	.	.	.	.	.	2	.	.	1	.	.	4	10	1
Diseases of Nervous System,	2	2	.	3	.	1	1	3	.	2	2	.	2	.	2	.	20	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Circulatory System,	1	2	3	1	.	1	.	4	.	2	.	.	.	.	2	1	17	.
" Respiratory System. — Pneumonia,	1	3	3	5	1	1	2	8	.	1	.	.	.	.	.	.	25	.
" Respiratory System. — Others,	3	2	5	1	.	.	.	4	1	5	2	.	.	1	.	1	25	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	.	1	2	1	.	.	.	.	.	5	1
" Genito-urinary System,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	1	2	.	.	.	5	1	1	2	.	2	.	1	.	20	.
Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Ill-defined, &c. Causes,	3	.	.	1	1	.	.	2	.	.	.	.	.	.	.	2	9	.
Deaths from All Causes	27	18	22	22	2	3	3	31	7	24	13	2	9	3	8	14	208	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	46·9	23·4	37·2	34·0	19·3	13·4	20·2	38·8	16·7	28·8	18·8	11·4	12·1	5·3	45·7	42·4	26·7	.
	31·7							26·4					18·7					
	29·1																	
Ages at Death. — Under 1 year,	5	3	3	5	1	2	.	6	2	.	4	.	2	.	.	.	33	.
1 and under 2 years,	4	1	.	3	.	.	.	3	2	4	1	.	.	.	.	1	19	.
2 " 5 "	3	.	.	.	.	.	.	.	.	4	2	.	.	.	.	2	11	.
5 " 15 "	2	2	2	.	.	.	.	1	.	.	.	.	1	1	.	.	9	.
15 " 25 "	1	.	.	4	.	.	.	1	.	1	1	1	.	.	2	1	12	1
25 " 45 "	3	4	5	2	1	.	.	3	1	3	.	1	3	1	.	1	28	6
45 " 65 "	2	2	9	3	.	.	2	6	1	4	1	.	2	1	2	5	40	2
65 and upwards,	7	6	3	5	.	1	1	11	1	8	4	.	1	.	4	4	56	.
Number of Uncertified Deaths,	2	2	2	1	1	1	.	1	1	.	.	.	.	.	.	1	12	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	2	.	4	1	.	.	5	3	5	2	.	2	2	2	2	35	9
Workhouse Hospitals,	6	5	7	5	.	.	.	4	2	7	2	.	2	1	1	4	46	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th April, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 19, 1902.	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 50·5	° 45·4	° 48·1										
ALL CAUSES.	174	189	178	179	215	215	183	194	200	196	192·3	217	11	22	19	11	9	13	34	42	37	19
Enteric Fever, ...	.	1	.	.	2	.	.	1	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	3	4	3	10	3	3	.	11	4·0	13	.	5	5	3	.	.	.	.	.	.
Scarlet Fever, ...	2	2	.	.	.	.	2	.	.	1	·7	2	.	.	1	1	.	.	.	.	.	.
Whooping-cough, ...	1	1	5	4	.	7	3	6	5	.	3·2	2	.	.	2	.	.	.	.	.	.	.
Diphtheria, ...	1	2	1	1	.	.	.	.	2	4	1·1	4	.	.	.	1	2	.	1	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	.	3	3	5	5	9	2	3	3·5	11	.	.	.	.	1	.	1	6	2	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	1	1	1	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	1	2	.	.	.	2	·6	1	.	.	1	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	27	26	31	18	30	22	20	31	33	26·3	30	.	.	3	1	1	7	14	3	1	.
Tuberculous Meningitis, ...	4	6	3	3	5	5	6	1	5	2	4·0	4	.	1	.	1	.	2	.	.	.	.
Abdominal Tuberculosis, ...	3	1	.	.	4	4	.	1	2	2	1·7	2	.	.	1	.	.	.	.	1	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	8	8	8	8	2	7	10	7	11	.	7·3	.	.	.	.	.	.	.	.	.	.	.
Scrofula.										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										4		3	.	.	.	.	2	1	.	.	.	.
Venereal Diseases, ...	.	1	1	.	2	.	.	2	.	3	·9	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	6	9	7	4	13	10	9	10	11	7	8·6	11	.	.	.	.	.	.	2	5	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	1	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	9	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	2	.	.	.	.	.	1	.	.	·3	2	.	.	.	.	.	.	2	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	3	1	2	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										6		6	.	.	.	.	.	.	.	3	1	2
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										2		3	.	.	.	.	.	.	.	1	1	1
Epilepsy, ...										.		2	.	.	.	.	.	.	2	.	.	.
Convulsions (non-puerperal),										3		6	1	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	45	43	38	39	55	45	50	35	49	4	43·0	2	.	.	.	.	.	.	.	2	.	.
Pericarditis, ...										—												
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										.		.	.	.	.	.	.	.	.	.	.	.
Embolism and Thrombosis (including Cerebral)										12		16	.	.	.	.	1	.	1	5	6	3
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
										3		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	18	28	24	22	36	29	16	22	21	26	24·2	21	.	.	1	.	.	.	1	5	10	4
Broncho-pneumonia, ...	6	1	7	6	7	12	2	5	10	7	6·3	17	2	7	2	1	.	.	3	1	1	.
Lobar pneumonia, ...	.	.	1	1	3	3	2	3	.	2	1·5	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	4	4	12	3	16	8	12	16	10	7	9·2	6	1	.	1	.	1	1	1	1	.	.
Pleurisy, ...										.		2	.	.	.	.	.	.	.	.	1	1
Pulmonary Congestion, Pulmonary Apoplexy	5	5	3	.	7	2	.	3	1	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	.	1	.	1

SIXTEENTH WEEK ending Saturday, 20th April, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 16th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th April, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 19, 1902.	Apr. 25, 1903.	Apr. 23, 1904.	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 45·9	° 40·0	° 46·0	° 44·0	° 44·3	° 42·5	° 42·6	° 48·9	° 49·6	° 50·5	° 45·4	° 48·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	1	1	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	5	1	4	4	4	3	2	4	5	3	3·5	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	.	1	3	2	.	1	1	.	1	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	.	1	2	2	1	1	2	1	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	1	.	1	.	.	.	.	1	·3	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Digestive System.	4	6	6	8	5	6	2	5	3	.	4·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	5	5	8	3	2	7	9	3	5	5·9	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										3		3	.	.	.	.	.	1	.	1	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	.	.	1	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Premature Birth, ...	3	4	3	3	2	3	5	6	5	2	3·6	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	2	8	3	5	6	5	7	4	4	7	5·1	6	.	.	.	.	.	.	.	.	3	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	1	.	.	.	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	1	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	.	1	.	.	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	2	4	2	4	1	3	.	1	3	2·0	2	.	.	.	.	.	.	1	.	.	1
Total Deaths from Accident,	1	3	4	4	4	3	4	.	2	6	3·1	2	.	.	.	.	.	.	1	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	.	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	9	1	1	1	.	.	.	.	2	4	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered.	177	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247
Average Births in corresponding week of previous 10 years, ...	205	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220
DEATHS registered, ...	147	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217
Annual Death-rate per 1,000, ...	19·0	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8
Average Deaths in corresponding week of previous 10 years, ...	156	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192
Ages, Under 5 years, ...	55	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63
5—15 " ...	5	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9
15—25 " ...	10	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13
25—45 " ...	28	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34
45—65 " ...	32	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42
65—75 " ...	8	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37
75 and upwards, ...	9	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19
Deaths from :—																										
Enteric Fever, ...	1	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1
Typhus, ...	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13
Scarlet Fever, ...	1	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2
Whooping-cough, ...	5	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2
Diphtheria, ...	1	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4
Influenza, ...	.	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	18	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30
Tuberculous Disease, Other Forms,	6	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9
Cancer, ...	9	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11
Diseases of Circulatory System,	10	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17
Diseases of Respiratory System, Pneumonia,	8	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25
Diseases of Respiratory System, Others, ...	9	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25
Diarrhœa and *Enteritis*, under 2 years, ...	13	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1
Diarrhœa, 2 years and upwards,	.	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.
Violent Deaths, ...	7	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2
Number of Uncertified Deaths,	8	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12
Mean Temperature of the Air (Phœnix Park)	44·4	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1
Average Mean Temperature in corresponding week of previous 10 years, ...	46·6	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4
Rainfall in inches, ...	1·335	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th April, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH APRIL, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	217	63	9	13	34	42	37	19	1	.	.	13	2	2	4	.	30	9	11	6	25	25	1	.	2	86	12
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	.	3	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	7	.	4	6	5	2	6	.	.	.	1	.	.	1	.	5	.	1	2	6	3	.	.	1	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	11	2	5	5	7	7	1	.	.	.	3	.	.	1	.	6	1	2	1	5	3	.	.	.	16	4
IV.	GENERAL SERVICE CLASS, ...	154,279	32·8	97	42	6	4	17	14	11	3	.	.	.	8	2	2	2	.	13	5	3	3	13	9	1	.	1	35	7
V.	INMATES OF WORKHOUSES, ...	6,024	—	46	3	1	.	6	13	15	8	1	.	.	1	.	.	.	.	5	3	4	.	1	9	.	.	.	22	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	33·2	14	3	.	1	4	3	2	1	.	.	.	.	.	.	1	.	2	.	.	.	5	1	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	3	.	1	1	.	.	.	.	.	.	1	.	.	.	.	2	.	.	1	.	.	.	.	.	1	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	2	1	2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19·2	11	3	1	2	2	3	.	.	.	.	.	2	.	.	.	.	3	.	2	.	1	.	.	.	.	3	1
	10. Clothing Trades, ...	23,260	13·5	6	2	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	3	1
	11. Food Supply Trades	9,242	16·9	3	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	1	.	3	2	2	5	1	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	9	1
	13. Petty Shopkeepers	7,894	6.6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	46·6	12	5	1	1	1	1	1	2	.	.	.	2	.	.	.	.	1	1	.	.	.	2	1	.	1	4	.
	15. Domestic Servants, ...	36,603	12·8	9	1	.	1	3	3	1	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	.	2	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	2
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	33	5	2	11	10	9	1	.	.	.	6	2	2	1	.	7	3	3	3	13	6	.	.	.	25	5
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	46	3	1	.	6	13	15	8	1	.	.	1	.	.	.	.	5	3	4	.	1	9	.	.	.	22	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Mar. 2,	33·0	5·2	19	.	.	.	.	.	1	1	.	3	2	1	3	3	1	.	.	.
	„ 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Mar 2,	19·5	.	15	.	.	.	.	.	.	.	.	2	.	3	.	5	.	.	1	1
	„ 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Mar. 2,	25·3	.	15	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
	„ 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	18	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1·7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Mar. 2,	41·8	3·1	27	.	.	.	.	.	1	.	.	3	.	2	2	4	1	.	1	.
	„ 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Mar. 2,	27·5	3·8	22	.	.	.	.	.	.	2	.	3	1	.	1	3	1	.	1	.
	„ 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Mar. 2,	31·0	2·4	13	.	.	.	1	.	.	.	.	1	.	1	4	3	.	.	.	.
	„ 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Mar. 2,	28·8	4·8	24	.	.	.	2	1	.	.	.	5	2	2	.	3	1	.	.	.
	„ 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	2	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Mar. 2,	20·3	.	14	.	.	.	.	.	.	.	.	.	2	.	2	3	.	.	.	.
	„ 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Mar. 2,	20·1	2.7	15	.	.	.	1	.	1	.	.	1	.	.	1	1	.	.	.	.
	„ 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	„ 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	„ 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	„ 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Mar. 2,	17·6	3·5	10	.	.	.	.	2	.	.	.	.	.	1	3	1	.	.	1	.
	„ 9.	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	„ 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Mar. 2,	27·2	3·0	9	.	.	.	1	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.
	„ 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	4	.	1	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	Mar. 2,	21·6	1·7	162	.	.	.	.	.	11	.	.	24	8	2	25	17	2	.	1	3
	„ 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	„ 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	„ 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	„ 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
Cork. Pop. in 1911 76,632.	Mar 2,	21·1	.	31	.	.	.	.	.	.	.	.	4	2	.	4	6	.	.	.	.
	„ 9,	24·5	1·4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	„ 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	„ 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	„ 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,912.	Mar 2,	12·7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	1	.
	„ 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	„ 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	„ 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
Limerick. Pop. in 1911 38,403.	Mar 2,	16·3	.	12	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	3
	„ 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	„ 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	„ 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
Waterford. Pop. in 1911 27,430.	Mar. 2,	19·0	.	10	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	1
	„ 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th April, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	12	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		9	2	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	1	.
Do. 2 do.		26			23	4	1	4	4	7	3	.	.	.	.	.	.	.	.	4	1	.	1	5	.	.	.	1	3	.
Do. 3 do.		37			20	5	3	2	4	4	2	.	.	.	.	1	2	.	.	5	2	1	4	3	.	.	.	2	8	1
Do. 4 do.		38			20	4	.	1	4	3	8	.	.	.	.	.	.	.	.	4	.	1	3	3	.	1	.	.	8	.
Do. 5 do.		14			5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	3	.
Do. 6 do.		19			15	1	2	1	2	4	5	.	.	.	.	.	.	1	.	2	1	1	.	3	.	.	1	1	6	.
Do. 7 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 do.		5			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		18			13	1	.	1	3	5	3	.	.	.	.	.	.	.	.	5	1	1	.	.	.	.	1	1	5	1
Do. 10 do.		21			8	1	.	3	2	.	2	.	.	.	.	1	.	.	.	1	.	.	2	2	.	.	.	.	3	.
Do. 11 do.		34			11	2	.	4	.	4	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	1	4	.
Do. 12 do.		42			17	5	3	1	4	3	1	.	.	.	.	.	2	.	.	1	1	1	2	2	.	.	.	.	8	.
Do. 13 do.		11			9	1	1	.	1	1	5	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			20	2	4	.	4	3	7	.	.	.	.	.	.	.	.	1	.	1	4	1	1	.	.	.	11	.
Total,	—	291			172	28	15	18	30	38	43	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	8	60	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	.	.	1	1	1	3	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	4	.
Do. 2 do.		3			4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 3 do.		2			4	.	2	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 4 do.		5			5	.	1	.	3	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	3	.
Do. 5 do.		4			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		4			7	.	.	.	1	2	4	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	2	.
Do. 7 do.		4			7	2	.	1	2	1	1	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	4	.
Total,	—	28	23·8	0·7	35	2	3	4	7	8	11	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.	15	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Oct 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	April 20.
No. of weeks in Annual Series,	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
BIRTHS registered, ...	199	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291
DEATHS registered, ...	124	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172
Annual Death rate per 1,000 of estimated population, ...	16·7	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9
AGES, Under 1 year, ...	22	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28
1—5 years, ...	7	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15
5—25 „ ...	17	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18
25—45 „ ...	16	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30
45—65 „ ...	37	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38
65 and upwards, ...	25	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43
Deaths from :—																										
Enteric Fever, ...	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2
Whooping-cough, ...	3	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4
Diphtheria, ...	.	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25
Tuberculous Disease. Other Forms,	3	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7
Cancer, ...	3	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8
Diseases of Respiratory System, Pneumonia,	6	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18
Diseases of Respiratory System, Others, ...	17	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26
Diarrhœa, and *Enteritis*, under 2 years, ...	5	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2
Diarrhœa, 2 years and upwards,	1	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1
Violent Deaths, ...	6	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4
Number of Uncertified Deaths, ...	.	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Apr. 20,	2,308	1,239	14·3	.	.	30	4	35	9	9*a*
Edinburgh, ...	321,200	„ 20,	131	95	15·4	.	.	10	.	2	1	1
Glasgow, ...	785,600	„ 20,	513	263	17·5	.	.	11	2	5	3	.
Calcutta, ...	890,493	Mar. 16,	.	553	32·2	161*	1	2	.	2	1	125‡
Bombay, ...	979,445	„ 16,	428	851	45·2	153*	46	8	.	.	.	95
Madras, ...	518,660	Feb. 24,	343	371	37·2	74*	6	2	?	?	?	109‡
Cairo, ...	699,228	„ 26,	523	396	29·5	2	.	1	1	.	6†	37*a*
Paris, ...	2,847,229	Mar. 23,	960	988	17·7	3	.	48	6	8	8†	22*a*
Brussels, ...	721,715	„ 30,	219	175	12·9	1	.	2	1	.	3†	4
Antwerp, ...	308,618	„ 30,	124	83	14·0	.	.	4	1	.	1†	14*a*
Amsterdam, ...	582,586	„ 30,	245	140	12·5	1	.	.	.	.	2†	3*a*
Copenhagen, ...	465,000	„ 30,	252	145	16·3	.	.	2	.	1	.	2
Stockholm, ...	343,832	„ 30,	133	106	16·0	.	.	2	.	2	.	.
Christiania, ...	244,038	April 6,	104	118*b*	25·1	.	.	.	.	1	1	1
St. Petersburg, ...	1,641,600	Mar. 16,	1,009	642	20·4	9	2	15	15	4	5	65
Moscow, ...	1,493,600	„ 16,	.	715	25·0	2	2	17	12	7	14†	62
Berlin, ...	2,086,527	„ 16,	743	671	16·8	1	.	15	4	1	28†	16
Hamburg, ...	953,079	„ 30,	.	267	14·6	1	.	.	6	2	2†	13
Breslau, ...	528,383	„ 30,	.	191	18·8	.	.	.	.	1	.	17
Munich, ...	610,000	April 6,	.	186	15·9	.	.	.	.	.	.	7
Vienna (with suburbs),	2,064,583	Mar. 30,	801	712	17·9	1	.	3	4	4	7†	34*a*
Buda-Pesth, ...	910,548	„ 30,	439	343	19·6	.	.	8	5	3	1†	8*a*
Prague and Faubourgs,	481,682	„ 16,	215	224	24·2	1	.	9	5	1	2†	9*a*
Trieste, ...	232,832	„ 30,	137	103	23·1	.	.	.	1	.	1†	2
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Oct. 21,	66	98	27·7	1*	.	.	.	.	.	24
New York, ...	5,173,064	Feb. 30,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	„ 30,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Mar. 30,	.	287	20·8	.	.	.	.	.	4	9

* Deaths from "fever," including 7 deaths from enteric fever and 106 from plague in Calcutta, 4 deaths from enteric fever, and 65 from plague in Bombay, one from enteric fever in Madras, and one death from plague in Venice.

† Including deaths from croup.

‡ Including 79 deaths from cholera in Calcutta, and 19 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age

b Including one death from acute poliomyelitis, and 12 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 20th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	.	1	.	.	1	5
„ „ 1, West, ...	.	4	.	.	.	.	.	1	.	.	.	2	7
„ „ 2, ...	.	.	.	.	2	.	.	.	.	.	.	3	5
„ „ 3, ...	.	2	.	.	2	.	1	2	.	.	.	2	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	2	.	.	.	2	.	.	5	9
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	1	.	.	2	.	.	.	1	.	.	.	4
„ „ 4, ...	.	1	.	.	1	.	.	.	.	.	.	5	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	10	.	.	11	.	1	3	4	.	.	18	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th April, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th April.			
	Mar. 30.	Apr. 6.	Apr. 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	88	70	67	23	21	3	66
Scarlet Fever, ...	105	92	85	21	13	1	92*
Typhus, ...	.	.	.	.	.	.	.
Diphtheria, ...	58	61	73	22	24	3	68
Enteric Fever, ...	42	42	42	4	8	.	38
Pneumonia, ...	35	31	33	15	9	3	36

* Exclusive of 4 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 20th April, 1912:—

"A week of fine, springlike weather, with light variable winds for the most part, and much bright sunshine save at the beginning and close. Until Tuesday an anticyclone extended from the Azores to the British Isles. Between that day and Thursday the high pressure system was central over the south of Sweden and the Baltic. By the end of the week it had retreated to Finland. On and after Thursday a vast, although not a deep, depression was spread out over the North Atlantic from the Azores to Iceland. This system encroached upon the Irish coasts on Friday, when its southerly winds became fresh, and the sky assumed an unsettled appearance—a state of things which was even more pronounced on Saturday. Sunday was at first cloudy but fine and mild, with sunshine at noon. Monday also broke with a clouded sky, but a sheet of cirro-cumulus cleared off at 9 a.m., and a bright, warm day followed, the thermometer rising to 63° at Birr Castle and 62° in Dublin. Tuesday was a beautiful day, with temperature up to 62·2° in Dublin The early morning had been very sharp in England, Nottingham reporting a minimum of 28° in the screen. On Wednesday a central Eclipse of the sun was splendidly seen as a partial Eclipse, magnitude ranging from 72-hundreths in the Island of Lewis to 94-hundreths at Dover. In London and at many other places the bright sunshine record was interrupted at noon for about half an hour by the Eclipse. On Friday and Saturday clouded skies and brisk southerly winds were produced by the far-reaching Atlantic depression mentioned above. On the former day the thermometer rose to 70° at Greenwich. In Dublin the mean height of the barometer was 30·140 inches, the range of pressure being from 30·499 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·874 inches at 4 p.m. of Thursday (wind, S.). The corrected mean temperature was 51·2°, the mean dry bulb reading being 51·8°. On Tuesday the screened thermometers rose to 62·2°; on Thursday they fell to 38·9°. The main wind direction was S. The calendar week was rainless, but on the early morning of Sunday, April 21, rain fell to the amount of ·099 inch up to 9 a.m."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·146 inches. The highest reading (30·501) was on Sunday at 9 a.m., wind W.S.W., the lowest (29·923) on Thursday at 9 a.m., air calm.

The mean temperature for the week was 48·1°, being 2·7° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Monday, on which day the thermometer registered 63·0°, and was lowest on Thursday, the mercury having fallen to 28·0°. The mean of the Dry Bulb for the week was 49·8° and of the Wet Bulb, 46·9°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·090 inch.

At Greenwich the mean temperature for the week was 50·0°, the maximum 69·9°, and the minimum 33·1°; and at Edinburgh the maximum was 62·0°, the minimum 34·8°, and the mean 49·9°. There was no rainfall recorded at either Greenwich or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 14,	30·485	59·0	45·0	52·0	49·5	46·9	·83	·4	2·8	·000	W.S.W.	Calm.
Monday, „ 15,	30·375	63·0	42·0	52·5	51·2	49·0	·85	·1	5·5	·000	Calm.	Calm.
Tuesday, „ 16,	30·180	62·0	36·0	49·0	49·6	45·6	·80	·1	8·7	·000	S.W.	Calm.
Wednesday, „ 17,	30·050	54·0	30·0	42·0	43·8	41·3	·85	·2	11·7	·000	E.S.E.	Calm.
Thursday, „ 18,	29·925	57·0	28·0	42·5	47·1	44·2	·80	·4	5·1	·000	Calm.	Calm.
Friday, „ 19,	29·930	59·0	31·0	45·0	52·5	48·7	·77	·4	6·4	·000	S.S.E.	S.
Saturday, „ 20,	30·075	57·0	50·0	53·5	54·9	52·6	·87	·6	0·0	·090	S.	S.
Mean, ...	30·146	58·7	37·4	48·1	49·8	46·9	·82	·3	Total 40·2	Total ·090	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—A fine bright day; night clear. *Tuesday*—A beautiful bright day night clear. *Wednesday*—A beautiful bright day; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day bright a.m. cloudy p.m.; night clear to overcast. *Saturday*—Day overcast; night overcast, drizzling rain 1.20 a.m to 9.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 20th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 14,	50·1	48·4	47·6	59·9	47·0	53·5	2·9	·000
Monday, „ 15,	58·5	49·3	47·6	61·0	41·9	51·5	3·7	·000
Tuesday, „ 16,	59·7	50·0	47·6	63·2	40·5	51·9	5·9	·000
Wednesday, „ 17,	52·1	49·7	48·0	53·8	37·2	45·5	10·7	·000
Thursday, „ 18,	51·0	49·1	48·1	55·0	35·3	45·2	2·5	·000
Friday, „ 19,	54·0	48·8	48·2	57·5	36·9	47·2	7·6	·000
Saturday, „ 20,	55·8	49·4	48·2	57·9	37·9	47·9	0·0	·084
Weekly Mean, .	54·5	49·2	47·9	58·3	39·5	49·0	Total 33·3	Total ·084

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32214. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 27TH APRIL, 1912. [No. 17.

General Register Office, Charlemont House, Dublin, 29th April, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 6	Week ending April 13	Week ending April 20	Week ending April 27	Average Rate for 4 weeks.
22 Town Districts, ...	**20·9**	**21·0**	**23·3**	**20·3**	**21·4**
Armagh	13·7	13·7	6·9	6·9	10·3
Ballymena	9·2	9·2	9·2	13·8	10·4
Belfast	19·3	19·6	22·9	18·0	20·0
Clonmel	10·1	25·4	20·3	15·2	17·8
Cork	24·5	20·4	23·8	17·7	21·6
Drogheda	12·6	16·8	29·4	25·2	21·0
Dublin Reg. Area ...	25·0	25·4	26·7	23·6	25·2
Dundalk	11·9	15·9	55·6	27·8	27·8
Galway	15·7	11·8	.	23·6	12·8
Kilkenny	9·9	19·8	19·8	9·9	14·9
Limerick	13·6	20·4	14·9	17·7	16·7
Lisburn	21·4	12·9	12·9	21·4	17·2
Londonderry	14·0	12·7	26·8	25·5	19·8
Lurgan	34·4	30·1	21·5	30·1	29·0
Newry	21·8	30·5	26·2	26·2	26·2
Newtownards	22·9	22·9	17·2	11·4	18·6
Portadown	13·3	26·7	13·3	17·8	17·8
Queenstown	6·6	.	6·6	13·2	6·6
Sligo	9·3	18·7	18·7	14·0	15·2
Tralee	.	15·9	5·3	15·9	9·3
Waterford	24·7	9·5	17·1	13·3	16·2
Wexford	36·4	13·7	18·2	22·8	22·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in twelve of the districts to 6·6 in Queenstown, one of the 2 deaths from all causes for that district being of a child under 2 years from diarrhœa or *enteritis.* Among the 135 deaths from all causes for Belfast are 4 from whooping-cough, 2 from diphtheria and 2 from diarrhœa or *enteritis* of children under 2 years of age. One of the 26 deaths from all causes for Cork is from whooping-cough. Among the 13 deaths from all causes for Limerick is one from whooping-cough, and one death from this disease is also included in the 7 deaths from all causes for Dundalk. One of the 3 deaths from all causes for Clonmel is from measles, and the 4 deaths from all causes for Portadown include one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 247—134 boys and 113 girls—and the deaths to 192—98 males and 94 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·6 per 1,000 of the population. During the seventeen weeks ending with Saturday last the death-rate averaged 25·1, and was equal to the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 192, represent an annual rate of 24·6 per 1,000 ; the annual rate for the past seventeen weeks was 26·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·3 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes registered, were 3* from enteric fever, 16* from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 2 from influenza, and 7 from diarrhœa and *enteritis* of children under 2 years. In each of the 3 weeks preceding deaths from enteric fever were 2, 0, and one ; deaths from measles were 11, 14, and 13 ; deaths from scarlet fever were one, 0, and 2 ; deaths from whooping-cough were 2, 2, and 2 ; deaths from diphtheria were 4, one, and 4 ; deaths from influenza were 4, 3, and 11 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 2, 6, and one.

Deaths from all forms of tuberculosis, which in the three preceding weeks had been 34, 35, and 39, declined to 21 in the period under notice ; the latter figure includes 17 deaths from pulmonary tuberculosis, one death from each of tuberculous meningitis and abdominal tuberculosis, and 2 deaths from disseminated tuberculosis.

Of 19 deaths from pneumonia, 11 were attributed to broncho-pneumonia, and 8 to *pneumonia* (type not distinguished).

There was one death from cerebro-spinal meningitis of doubtful origin. The deaths of 5 infants were caused by *convulsions*, one died from congenital malformation, 5 from premature birth, and 3 from congenital debility.

Nineteen deaths were referred to organic diseases of the heart, and 23 deaths were caused by bronchitis.

The 6 accidental deaths include 2 deaths by burns or scalds of children between the ages of 2 years and 5 years, and 2 deaths by drowning. There was one suicidal death.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one year old.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 14 were under one month old) and 27 were aged 65 years and upwards, including 18 persons aged 70 and upwards ; among the latter were 9 aged 75 and upwards.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 16 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·6 per 1,000 ; the rate in the City was 25·9 (North City Districts, 21·6 ; South, 30·5) and in the Suburbs, 15·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·7 (in the North City Districts, 3·9 and 5·5 in the South), and for the Suburbs, 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·8 per 1,000, and include one death from enteric fever, 2 deaths from measles, one death from whooping-cough, one death from pulmonary tuberculosis, one death from *pneumonia* (type not distinguished), and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 23·4 per 1,000. There was one death from scarlet fever ; there was one death from pulmonary tuberculosis, one death from each of broncho-pneumonia and *pneumonia* (type not distinguished), 6 deaths from bronchitis, and one death from accidental scalds.

No. 2 *North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 23·6 per 1,000. Tuberculosis caused 2 deaths ; there was one death from *pneumonia*, (type not distinguished), 3 deaths from bronchitis, and one death of a child from diarrhœa or *enteritis*.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 24·8 per 1,000. Measles was the cause of 2 deaths, diphtheria of one death, pulmonary tuberculosis of 3 deaths, bronchitis of one death, and diarrhœa or *enteritis* of one death of a child under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 20·2. Of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was of a child under 2 years of age from diarrhœa.

No. 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 27·5 per 1,000. The deaths include one from measles, one from pulmonary tuberculosis, 3 from broncho-pneumonia, 6 from bronchitis, one from diarrhœa or *enteritis* of a child, one accidental death, and one death by suicide.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·6 per 1,000. Measles caused 2 deaths, pulmonary tuberculosis one death, broncho-pneumonia one death ; and there was one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 28·8 per 1,000, and include one death from enteric fever, 3 deaths from measles, one death from influenza, 4 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, 2 deaths from *pneumonia* (type not distinguished), and 2 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (24) are equivalent to an annual rate of 34·7 per 1,000. Measles caused 5 deaths ; there was one death from pulmonary tuberculosis, 2 deaths from broncho-pneumonia, 2 deaths from diarrhœa and *enteritis* of children under 2 years, and 2 accidental deaths.

New Kilmainham District.—The deaths (7) are equal to an annual rate of 40·0 per 1,000, and include one death from disseminate dtuberculosis, one death from *pneumonia* (type not distinguished), one death from bronchitis, one death from diarrhœa or *enteritis* of a child, and one death by drowning.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·8 ; Pembroke, 15·8 ; Blackrock, 22·9 ; and Kingstown, 6·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar. Among the 14 deaths from all causes for the latter district are one from broncho-pneumonia and 2 from bronchitis. Of the 9 deaths from all causes for Pembroke 3 are from pulmonary tuberculosis, one from *pneumonia* (type not distinguished), and one from bronchitis. Among the 4 deaths from all causes for Blackrock are one from influenza and one from broncho-pneumonia ; and of the 2 deaths for Kingstown one is from pulmonary tuberculosis.

(*) See note (*c*), Table II. (†) See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th April, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 6,	.	—	—	9	.	.	11	.		5	6	.	—	—	.	—	6	—	37
	Apr. 13,	.	—	—	4	.	.	9	.	2	2	8	.	—	—	.	—	6	—	31
	Apr. 20,	.	—	—	10	.	.	11	.	1	3	4	.	—	—	.	—	18	—	47
	Apr. 27,	.	—	—	15	.	.	16	.	.	9	10	.	—	—	.	—	12	—	62
Rathmines and Rathgar Urban District.	Apr. 6,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Apr. 13,	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
	Apr. 20,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 27,	.	—	—	7	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
Pembroke Urban District.	Apr. 6,	.	6	.	1	.	.	.	.	.	.	1	.	.	5	—	—	.	—	13
	Apr. 13,	.	1	.	1	.	.	3	.	.	.	.	.	.	1	—	—	.	—	6
	Apr. 20,	.	7	1	1	.	.	2	.	.	.	1	.	.	.	—	—	.	—	12
	Apr. 27,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	1
Blackrock Urban District.	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Apr. 13,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Apr. 20,	.	—	—	8	.	.	3	.	.	.	.	.	—	—	—	—	3	—	14
	Apr. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
City of Belfast.	Apr. 6,	.	—	—	4	.	.	7	.	.	.	7	.	—	—	.	—	12	.	30
	Apr. 13,	.	—	—	9	.	.	4	.	.	1	4	.	—	—	.	—	2	.	20
	Apr. 20,	.	—	—	14	.	.	4	.	.	.	3	.	—	—	.	—	16	.	37
	Apr. 27,	.	—	—	10	.	.	1	.	.	.	2	1	—	—	.	—	10	.	24

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th April, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 42, and 38.

Thirty cases of measles were admitted to hospital during the week, 15 were discharged, there were 11 deaths, and 70 cases remained under treatment at the close of the week. In the three preceding weeks such cases were 70, 67, and 66 respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 13 were discharged, there were 2 deaths, and 99* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 92, 85, and 92 respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 61, 73, and 68, respectively, were 69 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 34 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 13·3) was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 17·7, and for Edinburgh 16·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th April. From this Report it appears that of a total of 44 cases notified, 23 were phthisis, 8 scarlet fever, 7 diphtheria, and 6 erysipelas. Among the 366 cases of infectious diseases in hospital at the close of the week were 114 cases of measles, 97 of scarlet fever, 58 of phthisis, 42 of whooping-cough, 36 of diphtheria, 10 of erysipelas, 5 of enteric fever, and 3 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th April, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 27th April, 1912. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 27th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	31·2	20·3	2·0	692	450	87	103	2	...	...	16	1	10	3	...	39	30	19	41	63	12	1	11	12	158	14	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	31·7	23·6	3·7	247	184	37	27	2	...	...	15	1	2	1	...	15	4	8	18	25	7	1	7	6	80	4	e61·0	32·0	47·2	0·68	e63·0	28·0	48·1	0·09	e55·0	29·0	43·9	0·23
CITY OF DUBLIN,	311,601	39·4	36·3	25·9	4·7	217	155	36	20	2	...	...	15	1	1	1	...	11	4	6	15	21	7	1	7	6	74	3	f61·3 g61·2	42·0 34·8	50·6 48·5	0·87 0·77	f62·2 g62·0	38·9 31·0	51·2 48·6	0·10 0·10	f56·4 g55·8	34·1 31·0	45·9 44·9	0·21 0·17
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	17·4	18·8	1·3	13	14	...	4	...	...	...	...	...	1	...	...	...	...	...	1	2	...	...	..	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	15·8	15·8	.	9	9	...	2	...	...	...	...	...	...	...	...	3	...	...	1	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	17·1	22·9	.	3	4	1	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	15·1	6·1	.	5	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	61	40	49·6	0·91	59	36	49·4	0·31	57·0	35·0	46·8	0·15
Urban Districts. BELFAST ...	391,051	26·6	31·6	18·0	1·1	237	135	22	28	...	...	...	...	...	4	2	...	14	11	6	16	15	2	...	2	2	40	3	64·0	37·5	50·3	0·81	63·0	33·0	50·7	0·00	58·0	31·5	44·7	0·58
CORK, ...	76,632	33·8	27·2	17·7	0·7	40	26	8	7	...	...	...	...	...	1	...	...	3	6	...	...	4	...	...	...	2	11	...	61	42	50·4	0·05	57	39	49·0	0·23	56	38	47·4	0·09
LONDONDERRY ...	40,912	18·9	20·4	25·5	1·3	16	20	2	10	...	...	...	...	...	...	...	...	2	2	1	...	4	1	...	1	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	16·3	17·7	1·4	12	13	4	1	...	...	...	...	...	1	...	...	1	3	...	...	4	...	...	...	...	7	1	67·3	33·4	49·5	0·00	64	34·6	48·4	0·64	61·2	32·8	47·4	0·14
WATERFORD, ...	27,430	19·1	26·6	13·3	.	14	7	2	3	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	27·5	23·6	.	7	6	...	3	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	2	2	70	38	52	0·63	59	36	49·5	0·12	55	33	45	0·10
DUNDALK, ...	13,128	9·5	39·7	27·8	4·0	10	7	2	2	...	...	...	...	...	1	...	...	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	8·4	25·2	.	2	6	...	2	...	...	...	...	...	...	...	...	1	1	...	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	17·4	26·2	.	4	6	1	3	...	...	...	..	...	...	...	...	...	...	...	1	...	...	...	1	...	3	...	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36
LURGAN, ...	12,135	14·3	38·7	30·1	.	9	7	1	3	...	...	...	...	...	...	...	...	...	1	...	3	1	...	...	...	...	1	...	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36
LISBURN, ...	12,172	10·7	30·0	21·4	.	7	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36
WEXFORD, ...	11,455	23·8	36·4	22·8	.	8	5	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	124·5	13·8	/	26	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	14·0	14·0	.	3	3	1	1	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...	69·0	28·0	48·0	0·00	61·0	38·0	50·0	0·79	55·0	33·0	44·0	0·52
KILKENNY, ...	10,513	11·4	64·5	9·9	.	13	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	65	36	49·2	0·09	63	34	49·1	0·37	56	34	45·7	0·15
CLONMEL, ...	10,277	7·9	35·5	15·2	5·1	7	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	44·5	17·8	4·4	10	4	...	2	...	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	...	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36
TRALEE, ...	9,867	16·6	31·7	15·9	5·3	6	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	40·1	11·4	.	7	2	...	1	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	61	41	49·5	0·51	61	37	49·1	0·00	57	34	44·0	0·34
QUEENSTOWN, ...	7,909	14·4	19·8	13·2	6·6	3	2	2	..	...	...	...	..	...	...	...	...	.	...	...	...	1	1	...	...	...	...	...	61	42	50·4	0·05	57	39	49·0	0·23	56	38	47·4	0·09
ARMAGH, ...	7,588	22·2	27·5	6·9	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	1	...	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57	57·6	31·8	45·0	0·36

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons admitted to hospital from localities outside the Area: of the 8 deaths one is from each of enteric fever and measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of April, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	2	.	.	.	1	2	3	5	.	.	.	.	.	15	1
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	1	.	3	.	.	.	1	1	3	1	.	.	3	.	1	15	2
Tuberculous Disease. { Other Forms,	.	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	4	.
Cancer,	1	.	1	1	.	.	.	.	.	1	2	.	.	.	1	1	8	1
Diseases of Nervous System,	.	1	.	2	1	.	1	2	1	3	2	1	3	1	.	.	18	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	2	4	2	3	.	1	.	2	3	1	1	.	4	.	.	.	23	1
" Respiratory System. { Pneumonia,	1	2	1	.	.	.	.	3	1	4	2	1	1	1	1	.	18	1
" Respiratory System. { Others,	1	6	3	1	.	.	.	6	.	2	.	2	2	2	.	.	25	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	1	1	.	.	1	1	.	.	2	1	.	.	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. { Others,	.	.	.	.	1	.	1	1	.	1	.	.	.	1	.	.	5	.
" Genito-urinary System,	.	.	1	1	.	.	.	.	1	.	1	.	.	1	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	2	.	.	.	.	2	2	3	5	.	1	.	1	.	17	.
Violent Deaths,	.	1	.	.	.	.	.	2	1	.	2	1	.	.	.	.	7	.
Ill-defined, &c. Causes,	2	1	.	1	.	.	.	1	.	.	1	.	1	.	.	.	7	.
Deaths from All Causes	12	18	14	16	2	1	3	22	12	24	24	7	14	9	4	2	184	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·8	23·4	23·6	24·8	19·3	4·5	20·2	27·5	28·6	28·8	34·7	40·0	18·8	15·8	22·9	6·1	23·6	.
	21·6							30·5					15·9					
	25·9																	
Ages at Death. { Under 1 year,	3	1	4	3	.	.	1	7	4	6	5	2	.	.	1	.	37	.
1 and under 2 years,	.	2	.	2	.	.	.	3	2	1	2	.	2	.	.	.	14	.
2 " 5 "	1	1	.	.	1	.	.	2	.	2	5	1	1	.	1	.	15	.
5 " 15 "	1	3	2	1	.	.	.	2	.	3	2	1	1	1	.	.	17	1
15 " 25 "	2	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	7	1
25 " 45 "	1	2	3	4	.	.	.	1	1	3	4	.	3	1	.	.	23	3
45 " 65 "	3	4	4	3	.	1	2	4	4	4	3	2	3	4	1	2	44	3
65 and upwards,	1	5	1	3	1	.	.	3	1	2	3	.	4	2	1	.	27	.
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	1	1	.	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	3	5	1	.	.	3	1	10	13	2	2	3	1	.	48	7
Workhouse Hospitals,	3	6	4	2	.	.	.	7	3	3	4	.	.	.	.	.	32	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1902–1911.	In the Week ending Saturday, 27th April, 1912.										
													Deaths of Persons of the Ages of									
	Apr. 26, 1902.	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 50·5	° 46·3	° 47·2										
ALL CAUSES.	199	201	158	165	174	262	168	179	193	181	188·0	192	14	23	14	15	18	8	26	47	18	9
Enteric Fever, ...	4	2	1	1	1	1	.	.	2	.	1·2	3	.	.	.	.	1	.	2	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	2	2	1	10	3	2	.	5	2·8	16	.	4	4	5	3	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	.	.	1	1	.	.	·4	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	3	1	3	1	2	15	2	13	4	2	4·6	2	.	1	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	.	2	1	.	.	.	1	·5	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	6	2	2	1	1	5	3	3	3	.	2·6	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	3	1	.	.	1	1	.	.	1	.	·7	2	.	1	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	1	2	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	1	1	.	.	.	.	2	1	·8	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	23	19	21	22	34	27	27	25	22	24·0	17	.	.	.	.	2	2	7	6	.	.
Tuberculous Meningitis, ...	4	1	4	2	2	4	3	1	6	5	3·2	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	1	1	.	6	.	2	.	3	1·5	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	10	9	7	8	10	9	3	6	.	6·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	1	.	1	.	.	.	.	.	.
Venereal Diseases, ...	1	1	1	2	3	1	.	1	2	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	10	6	5	10	5	8	7	11	9	8·0	9	.	.	.	.	.	.	.	7	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	1	.	2	.	1	.	2	.	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Alcoholism, ...	.	.	.	1	.	.	.	2	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	2	2	.	.	·6	1	.	.	.	.	1	.	.	.	.	.
Simple Meningitis, ...										1		4	.	.	.	.	2	.	1	1	.	.
Cerebral Hæmorrhage, *Apoplexy*.										2		3	.	.	.	.	.	.	.	2	1	.
Softening of Brain, ...										.		2	.	.	.	.	.	.	.	1	1	.
Paralysis, without specified cause.										3		2	.	.	.	.	.	.	.	1	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										11		5	4	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	47	41	28	51	36	55	42	34	42	3	42·0	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	1	.	.	.	.	1
Organic Diseases of the Heart,										22		19	.	.	.	.	.	2	6	5	4	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	24	27	23	18	21	31	19	25	22	15	22·5	23	.	4	2	2	1	.	.	5	5	4
Broncho-pneumonia, ...	7	5	5	7	2	5	4	3	6	7	5·1	11	.	2	4	3	1	.	1	.	.	.
Lobar pneumonia, ...	.	2	.	.	3	1	1	2	3	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	6	8	12	7	12	6	4	9	8	10	8·2	8	.	.	.	.	.	1	1	6	.	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	3	4	.	2	2	3	3	3	.	2·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	1	.	.

SEVENTEENTH WEEK ending Saturday, 27th April, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 17th Week of the 10 years 1902–1911.	In the Week ending Saturday, 27th April, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Apr. 26, 1902.	May 2, 1903.	Apr. 30, 1904.	Apr. 29, 1905.	Apr. 28, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 49·8	° 47·1	° 48·9	° 46·8	° 41·9	° 49·8	° 39·0	° 45·6	° 43·6	° 50·5	° 46·3	° 47·2										
Diseases of the Pharynx, Tonsillitis.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	5	—	1	.	.	.	1	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	3	1	6	8	5	2	.	4	4	3·6	7	1	5	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		1	.	.	.	.	1	.	.	.	.	.
Enteritis 2 years and upwards										.		1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	3	3	.	.	1	1	2	4	.	2·4	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...	1	1	.	1	.	1	2	2	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	1	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	8	11	2	3	6	9	7	5	6	1	5·8	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	9	8	7	4	8	4	6	7	5	.	6·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										6		4	.	.	.	.	.	.	2	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	4	3	4	1	1	9	1	7	5	5	4·0	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	3	2	1	.	.	.	.	.	.	.	.
Old Age, ...	8	7	1	4	5	9	2	3	4	7	5·0	1	.	.	.	.	.	.	.	.	1	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	3	2	.	.	.	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	.	.	3	1	1	1	1	·8	2	.	.	.	2	.	.	.	.	.	.
Drowning, ...	.	1	.	.	.	1	.	1	2	1	·6	2	.	.	.	.	1	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	2	1	4	1	3	1	2	1	4	2·2	2	.	.	.	.	.	.	.	2	.	.
Total Deaths from Accident,	3	3	2	4	1	7	2	4	4	8	3·8	6	.	.	.	2	1	1	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	1	.	2	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	1	.	.	.
Suicide, ...	1	.	.	.	1	.	1	.	.	.	·3	1	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	6	—	7	.	.	1	.	1	.	.	2	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered.	193	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	217
Average Births in corresponding week of previous 10 years, ...	212	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207
DEATHS registered, ...	169	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192
Annual Death-rate per 1,000, ...	21·8	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6
Average Deaths in corresponding week of previous 10 years, ...	171	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188
Ages, Under 5 years, ...	47	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66
5—15 „ ...	4	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18
15—25 „ ...	6	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8
25—45 „ ...	24	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26
45—65 „ ...	38	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47
65—75 „ ...	28	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18
75 and upwards, ...	22	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9
Deaths from :—																										
Enteric Fever, ...	3	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16
Scarlet Fever, ...	2	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1
Whooping-cough, ...	1	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2
Diphtheria, ...	.	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1
Influenza, ...	1	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17
Tuberculous Disease, Other Forms,	5	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4
Cancer, ...	6	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9
Diseases of Circulatory System,	18	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24
Diseases of Respiratory System, Pneumonia,	6	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19
Diseases of Respiratory System, Others, ...	27	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25
Diarrhœa and *Enteritis*, under 2 years, ...	14	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7
Diarrhœa, 2 years and upwards,	2	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1
Violent Deaths, ...	3	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7
Number of Uncertified Deaths,	6	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4
Mean Temperature of the Air (Phœnix Park)	46·3	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2
Average Mean Temperature in corresponding week of previous 10 years, ...	46·3	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3
Rainfall in inches, ...	1·130	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th April, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH APRIL, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	192	63	18	8	26	47	18	9	3	.	.	16	1	2	1	.	17	4	9	5	19	25	7	1	7	75	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	3	4	1	5	11	3	4	2	.	.	.	.	.	.	.	3	1	2	.	4	2	.	.	1	16	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	24·1	51	18	3	4	7	13	3	3	.	.	.	3	.	.	.	.	2	.	2	1	8	5	4	.	1	25	.
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	75	41	10	2	6	11	3	2	.	.	.	13	1	2	1	.	4	3	3	4	5	10	3	1	4	21	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	4	1	1	8	10	9	.	1	.	.	.	.	.	.	.	7	.	2	.	1	8	.	.	1	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	23·7	10	1	1	.	1	4	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1	5	1
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	2	1	.	1	2	1	.	1	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	.	2	1	3	4	.	2	1	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	1	1	.
	9. Building and Furnishing Trades, ...	29,801	29·7	17	6	.	3	3	3	2	.	.	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.	11	.
	10. Clothing Trades, ...	23,260	6·7	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	11. Food Supply Trades	9,242	28·2	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	34·4	20	4	3	1	2	7	1	2	.	.	.	2	.	.	.	.	1	.	.	.	4	3	1	.	.	9	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	27·2	7	1	3	1	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	1	1	2	.
	15. Domestic Servants, ...	36,603	11·4	8	.	1	1	2	4	.	.	.	.	.	1	.	.	.	.	1	.	1	.	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	1	.	1	1	.	1	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·8	53	37	5	.	3	6	2	.	.	.	.	11	.	2	1	.	3	3	1	4	4	6	2	.	3	13	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	33	4	1	1	8	10	9	.	1	.	.	.	.	.	.	.	7	.	2	.	1	8	.	.	1	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Mar. 9,	29·5	1·7	17	.	.	.	.	.	1	.	.	4	.	.	1	4	.	.	.	.
	„ 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	18	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Mar 9,	28·6	6·5	22	1	.	.	.	.	.	2	.	2	.	1	4	3	2	.	.	2
	„ 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Mar. 9,	35·5	3·4	21	1	.	.	.	.	.	.	.	2	1	.	1	4	1	.	.	1
	„ 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1·7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Mar. 9,	26·3	1·5	17	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	.
	„ 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Mar. 9,	28·8	1·3	23	.	.	.	.	.	.	.	.	.	1	.	1	6	1	.	.	1
	„ 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Mar. 9,	31·0	2·4	13	.	.	.	.	.	.	1	.	.	.	.	.	6	.	.	.	.
	„ 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Mar. 9,	36·0	1·2	30	.	.	.	1	.	.	.	.	.	2	.	7	10	.	.	1	3
	„ 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	2	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Mar. 9,	14·5	.	10	.	.	.	.	.	.	.	.	.	.	2	5	.	.	.	.	.
	„ 16,	13·0	1·4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Mar. 9,	21·5	.	16	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	2
	„ 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	„ 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	„ 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	„ 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	„ 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	„ 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Mar. 9,	19·3	1·8	11	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	1	1
	„ 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	„ 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	„ 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	„ 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Mar. 9,	30·3	9·1	10	.	.	.	3	.	.	.	.	1	.	.	1	1	.	.	.	3
	„ 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	„ 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	„ 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.
	„ 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	4	.	1	.	.	.	1
	„ 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Mar. 9,	20·3	2·4	152	2	.	.	.	1	11	.	.	25	8	5	18	12	4	.	5	2
	„ 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
	„ 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	„ 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	„ 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	„ 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	„ 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
Cork. Pop. in 1911 76,632.	Mar 9,	24·5	1 4	36	.	.	.	.	.	.	1	.	12	1	2	1	8	1	.	.	2
	„ 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	„ 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	„ 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	„ 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	„ 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	„ 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,912.	Mar. 9,	30·6	1·3	24	.	.	.	.	.	.	.	.	3	1	2	.	7	1	.	.	.
	„ 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	„ 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	„ 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	„ 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	„ 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	„ 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
Limerick. Pop. in 1911 38,403.	Mar 9,	19·0	2·7	14	1	.	.	.	.	1	.	.	3	.	.	.	3	.	.	.	3
	„ 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	„ 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	„ 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	„ 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
Waterford. Pop. in 1911 27,430.	Mar. 9,	7·6	1·9	4	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	1
	„ 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	„ 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	„ 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th April, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	4			3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		30			25	6	1	7	2	8	1	.	.	.	.	.	.	.	.	3	1	1	2	.	1	.	1	1	4	1
Do. 3 do.		35			21	3	3	1	5	4	5	.	.	.	.	.	1	.	.	2	2	.	3	3	.	.	.	.	7	.
Do 4 do.		32			13	3	.	4	1	2	3	.	.	.	.	.	1	.	.	2	.	.	2	1	1	.	.	.	6	.
Do. 5 do.		12			8	1	.	.	1	5	1	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.	5	.
Do. 6 do.		16			10	2	1	1	3	.	3	.	.	.	.	.	2	1	.	.	.	.	5	1	.	.	.	.	2	.
Do. 7 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 9 do.		15			8	.	2	1	2	1	2	.	.	.	.	.	.	1	.	3	1	.	.	1	.	.	.	.	2	.
Do. 10 do.		20			6	1	1	1	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	1	2	1
Do. 11 do.		25			10	1	1	1	.	2	5	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	2	1
Do. 12 do.		25			8	2	.	3	1	2	.	.	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.	.
Do. 13 do.		8			7	1	.	1	1	1	3	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			14	1	1	1	4	4	3	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	6	.
Total,	—	237			135	22	11	21	21	32	28	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	2	40	3
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	5			4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 2 do.		8			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 3 do.		4			3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.
Do. 4 do.		6			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 do.		2			4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
Do. 6 do.		8			5	2	.	.	1	.	2	.	.	.	.	.	1	.	.	.	2	.	.	1	.	.	.	1	3	.
Do. 7 do.		7			6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Total,	—	40	17·7	0·7	26	8	.	2	5	4	7	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	2	11	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	April 20.	Apr 27.
No. of weeks in Annual Series,	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
BIRTHS registered, ...	206	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237
DEATHS registered, ...	112	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135
Annual Death rate per 1,000 of estimated population, ...	15·1	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0
AGES, Under 1 year, ...	20	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22
1—5 years, ...	11	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11
5—25 ,, ...	12	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21
25—45 ,, ...	18	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21
45—65 ,, ...	24	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32
65 and upwards, ...	27	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28
Deaths from :—																										
Enteric Fever, ...	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.
Whooping-cough, ...	.	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4
Diphtheria, ...	.	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14
Tuberculous Disease. Other Forms,	4	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11
Cancer, ...	5	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6
Diseases of Respiratory System, Pneumonia,	13	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16
Diseases of Respiratory System, Others, ...	17	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15
Diarrhœa, and *Enteritis*, under 2 years, ...	2	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Violent Deaths, ...	1	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2
Number of Uncertified Deaths, ...	2	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Apr. 27,	2,302	1,156	13·3	1	.	27	1	36	5	12*a*
Edinburgh, ...	321,200	„ 27,	162	102	16·6	.	.	10	.	3	.	1
Glasgow, ...	785,600	„ 27,	490	267	17·7	.	.	6	2	5	1	6
Calcutta, ...	890,493	Mar. 23,	.	581	33·9	186*	5	.	.	2	.	106‡
Bombay, ...	979,445	„ 23,	410	792	42·0	150*	47	10	.	.	.	77
Madras, ...	518,660	„ 2,	321	406	40·7	82*	3	2	?	?	?	113‡
Cairo, ...	699,228	„ 2,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	„ 30,	934	1,029	18·5	2	.	39	11	5	8†	12*a*
Brussels, ...	721,715	April 6,	209	164	12·1	.	.	2	.	1	2†	7
Antwerp, ...	308,618	„ 6,	105	66	11·1	.	.	3	.	.	.	12*a*
Amsterdam, ...	582,586	„ 6,	248	103	9·2	.	.	3	.	.	2†	1*a*
Copenhagen, ...	465,000	„ 6,	200	142	15·9	.	.	.	1	2	.	2
Stockholm, ...	343,832	„ 6,	137	114	17·1	.	.	4	.	2	2	3
Christiania, ...	244,038	„ 13,	84	101*b*	21·5	.	.	.	.	.	2	5
St. Petersburg, ...	1,641,600	Mar. 23,	819	692	22·0	4	3	18	10	10	2	59
Moscow, ...	1,493,600	„ 23,	.	766	26·7	2	3	15	18	9	11	78
Berlin, ...	2,087,258	„ 23,	813	613	15·4	1	.	5	7	8	12†	22
Hamburg, ...	953,079	April 6,	.	266	14·5	.	.	2	1	6	4†	13
Breslau, ...	528,383	„ 6,	.	172	17·0	.	.	1	.	2	.	11
Munich, ...	610,000	„ 13,	.	188	16·1	2	.	.	1	1	1†	12
Vienna (with suburbs),	2,081,335	„ 6,	707	683	17·1	1	.	6	4	1	1†	36*a*
Buda-Pesth, ...	910,548	„ 6,	398	393	22·4	2	.	2	3	2	2†	24*a*
Prague and Faubourgs,	481,682	Mar. 23,	183	245	26·5	3	.	11	.	.	.	13*a*
Trieste, ...	235,999	April 6,	149	105	23·2	.	.	2	.	.	2†	2*a*
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Oct. 28,	73	53	15·0	1	.	.	.	.	1	7
New York, ...	5,173,064	Feb. 30,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	„ 30,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	April 6,	.	236	17·1	.	.	2	1	4	2	4

* Deaths from "fever," including 8 deaths from enteric fever and 133 from plague in Calcutta, and 2 deaths from enteric fever, and 82 from plague in Bombay.

† Including deaths from croup.

‡ Including 57 deaths from cholera in Calcutta, and 7 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 6 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending April 27th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	.	.	.	.	.	.	.	.	3
„ „ 1, West, ...	.	2	.	.	.	.	.	4	.	.	.	.	6
„ „ 2, ...	.	.	.	.	.	.	.	2	1	.	.	.	3
„ „ 3, ...	.	1	.	.	5	.	.	1	2	.	.	2	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	1	.	.	.	2
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	2	.	.	.	.	.	.	5	.	.	4	11
„ „ 2, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
„ „ 3, ...	.	1	.	.	7	.	.	1	.	.	.	2	11
„ „ 4, ...	.	3	.	.	1	.	.	.	1	.	.	2	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
Total, ...	.	15	.	.	16	.	.	9	10	.	.	12	62

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th April, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th April.			
	April. 6.	Apr. 13.	Apr. 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	42	38	8	11	.	35
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	70	67	66	30	15	11	70
Scarlet Fever, ...	92	85	92	22	13	2	99*
Diphtheria, ...	61	73	68	12	10	1	69
Pneumonia, ...	31	33	36	7	8	1	34

* Exclusive of 4 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 27th April, 1912:—

"Atmospheric pressure ruled high in the British Isles during the greater part of the week, and the weather was generally fair with light N.E. or E. winds and a large diurnal range of temperature. On Sunday, however, a very shallow depression was found off the S.E. coast of Ireland between a Scandinavian anticyclone, in which the barometer stood at 30·75 inches at Haparanda on the Gulf of Bothnia, and another high pressure system out on the Atlantic, in which the barometer read 30·3 inches and upwards. The depression in question caused a light N. wind, gloom, and rain in Ireland and the west of Scotland, whereas brilliant weather was enjoyed in England, the thermometer rising to 70° at most of the London stations, Oxford and Bath, and touching 73° at Camden Square, London, N.W. In Dublin rain fell without intermission, to the large amount of ·873 inch, and the thermometer rose no higher than 49·3° in the daytime, a maximum of 55·1° having been reached on Saturday night, April 20. Traces of the same shallow depression were still found on Monday morning over the south of Ireland and St. George's Channel, but in the course of the day the clouds broke, and a spell of beautiful, springlike, bright weather set in which lasted to the end of the week. Thunder and lightning, however, occurred in the W. and N. of Ireland on Friday. Calm, cold, hazy or foggy nights were followed by unclouded sunshine and light to moderate N.E. or E. winds by day. Except on the east coasts of Great Britain and Ireland, high temperatures for the season were prevalent. At Birr Castle, King's County, a maximum of 68° on Tuesday was followed by a minimum of 36° during the ensuing night—this diurnal range of 32°, be it noted, taking place in the thermometer screen. The northern anticyclone drifted slowly westward from Northern Russia to Iceland through the week and temperature fell as a polar air-current spread over Northwestern Europe. In Dublin the mean height of the barometer was 30·253 inches, the range of pressure being from 30·487 inches at 9 a.m. of Tuesday (wind, E.) to 29·891 inches at 9 a.m. of Saturday (wind likewise, E.). The corrected mean temperature was 50·6°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 50·1°. The screened thermometers rose to 61·3° on Thursday, having fallen to 42·0° during the previous night. N.E. and E. or calms prevailed. Rain fell on Sunday to the amount of ·873 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·266 inches. The highest reading (30·494) was on Tuesday at 9 a.m., wind E., the lowest (29·894) on Saturday at 9 a.m., wind E.N.E.

The mean temperature for the week was 47·2°, being 0·9° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Thursday, on which day the thermometer registered 61·0°, and was also lowest on that day, the mercury having fallen to 32·0°. The mean of the Dry Bulb for the week was 47·3° and of the Wet Bulb, 45·7°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·680 inch.

At Greenwich the mean temperature for the week was 52·6°, the maximum 71·3°, and the minimum 37·2°; at Glasgow the maximum was 66·2°, the minimum 35·2°, and the mean 47·6°; and at Edinburgh the maximum was 66·5°, the minimum 37·2°, and the mean 49·8°. The rainfall at Glasgow measured 0·01 in. There was no rainfall recorded at either Greenwich or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 21,	30·325	55·0	44·0	49·5	45·2	45·0	·99	·6	0·0	·680	W.	N.N.W.
Monday, " 22,	30·410	58·0	43·0	50·5	46·0	45·7	·99	·0	0·4	·000	Calm.	Calm.
Tuesday, " 23,	30·485	60·0	37·0	48·5	49·5	47·1	·85	·4	12·6	·000	E.	Calm.
Wednesday, " 24,	30·450	59·0	34·0	46·5	46·4	44·4	·86	·4	12·3	·000	E.N.E.	Calm.
Thursday, " 25,	30·275	61·0	32·0	46·5	49·3	46·9	·85	·0	11·8	·000	Calm.	Calm.
Friday, " 26,	29·990	56·0	34·0	45·0	48·1	46·4	·88	·3	11·8	·000	Calm.	Calm.
Saturday, " 27,	29·925	53·0	35·0	44·0	46·6	44·7	·87	·5	11·0	·000	E.N.E.	E.N.E.
Mean, ...	30·266	57·4	37·0	47·2	47·3	45·7	·90	·3	Total 59·9	Total ·680	—	

Sunday—Day overcast, drizzling and heavy rain 9.0 a.m. to 9.0 p.m.; night overcast, drizzling and heavy rain from 9.0 p.m. to 6.0 a.m. and 8.0 a.m. to 8.30 a.m. *Monday*—A dull day; night cloudy. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A beautiful bright day; night clear. *Thursday*—A beautiful bright day; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—A beautiful bright day; night clear

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 27th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 21,	45·6	50·0	48·3	55·1	43·8	49·5	0·0	·835
Monday, " 22,	49·0	49·7	48·5	56·5	44·0	50·3	1·5	·000
Tuesday, " 23,	57·1	50·2	48·6	59·9	42·5	51·2	11·8	·000
Wednesday, " 24,	54·5	51·0	48·8	61·3	40·0	50·7	10·9	·000
Thursday, " 25,	57·0	51·0	48·9	60·2	41·0	50·6	11·0	·000
Friday, " 26,	54·1	51·8	49·0	60·0	47·0	53·5	9·8	·000
Saturday, " 27,	52·0	51·5	49·2	53·5	39·5	46·5	10·2	·000
Weekly Mean, .	52·8	50·7	48·8	58·1	42·5	50·3	Total 55·2	Total ·835

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32214. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 4TH MAY, 1912. [No. 18.

General Register Office, Charlemont House,
Dublin, 6th May, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 13	Week ending April 20	Week ending April 27	Week ending May 4	Average Rate for 4 weeks.	Towns, &c.	Week ending April 13	Week ending April 20	Week ending April 27	Week ending May 4	Average Rate for 4 weeks.
22 Town Districts, ...	**21·0**	**23·3**	**20·3**	**20·2**	**21·2**	Limerick	20·4	14·9	17·7	20·4	18·4
						Lisburn	12·9	12·9	21·4	8·6	14·0
Armagh	13·7	6·9	6·9	6·9	8·6	Londonderry	12·7	26·8	25·5	12·7	19·4
Ballymena	9·2	9·2	13·8	18·3	12·6	Lurgan	30·1	21·5	30·1	17·2	24·7
Belfast	19·6	22·9	18·0	17·9	19·6	Newry	30·5	26·2	26·2	4·4	21·8
Clonmel	25·4	20·3	15·2	10·1	17·8	Newtownards	22·9	17·2	11·4	34·3	21·4
Cork	20·4	23·8	17·7	21·1	20·8	Portadown	26·7	13·3	17·8	17·8	18·9
Drogheda	16·8	29·4	25·2	21·0	23·1	Queenstown	.	6·6	13·2	6·6	6·6
Dublin Reg. Area ...	25·4	26·7	23·6	25·9	25·4	Sligo	18·7	18·7	14·0	9·3	15·2
Dundalk	15·9	55·6	27·8	11·9	27·8	Tralee	15·9	5·3	15·9	21·1	14·6
Galway	11·8	.	23·6	3·9	9·8	Waterford	9·5	17·1	13·3	15·2	13·8
Kilkenny	19·8	19·8	9·9	14·9	16·1	Wexford	13·7	18·2	22·8	27·3	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 6·9 in Armagh, the one death for that district being from diarrhœa. Among the 134 deaths from all causes for Belfast are one from scarlet fever, 8 from whooping-cough, and 4 from diarrhœal diseases. Included in the 31 deaths from all causes for Cork are one from whooping-cough and one from diphtheria. One death from whooping-cough is included among the 15 deaths from all causes for Limerick, and one death from whooping-cough is also included in the 4 deaths from all causes for Portadown.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—101 boys and 105 girls—and the deaths to 208—103 males and 105 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·9 per 1,000 of the population. During the eighteen weeks ending with Saturday last the death-rate averaged 25·2, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 208, represent an annual rate of 26·7 per 1,000 ; the annual rate for the past eighteen weeks was 26·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·2 per 1,000 of the mean population for all deaths registered.

There were 15 deaths from measles, 4 deaths from each of scarlet fever,* whooping-cough, and diphtheria, 4 deaths from diarrhœa and *enteritis* of children under 2 years, and one death from influenza, included in the total number of deaths registered. In each of the 3 weeks preceding deaths from measles were 14, 13, and 16 ; deaths from scarlet fever were 0, 2, and one ; deaths from whooping-cough were 2, 2, and 2 ; deaths from diphtheria were one, 4, and one ; deaths from diarrhœa and *enteritis* of children under 2 years were 6, one, and 7 ; and deaths from influenza were 3, 11, and 2.

Deaths from all forms of tuberculosis, which had been 35, 39, and 21, in each of the three preceding weeks, rose to 38 in the week under notice ; the latter figure includes 26 deaths from pulmonary tuberculosis, 4 deaths from each of tuberculous meningitis and abdominal tuberculosis, one death from tubercular abscess, and 3 deaths from disseminated tuberculosis.

Of 24 deaths from pneumonia (all forms), 14 were attributed to broncho-pneumonia, 2 to lobar pneumonia, and 8 to *pneumonia* (type not distinguished).

There were five deaths from *convulsions*, 6 from prematurity, and 2 from congenital debility, all being of infants under one year of age.

Organic diseases of the heart accounted for 9 deaths, and bronchitis caused 24 deaths.

Four deaths attributed to accident or negligence include one death by oxalic acid poisoning, and one death by burning of a child aged 9 years.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 5 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Eighty of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 11 were under one month old) and 39 were aged 65 years and upwards, including 30 persons aged 70 and upwards ; among the latter were 13 aged 75 and upwards, of whom 4 (females) were stated to have been aged 90, 90, 92, and 95 years respectively.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 11 took place in the North Dublin Union Workhouse and 25 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000 ; the rate in the City was 28·3 (North City Districts, 26·8 ; South, 29·8) and in the Suburbs, 18·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·8 per 1,000 inhabitants, the rate for the City being 4·7 (in the North City Districts 5·2, and 4·1 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 31·3 per 1,000, and include 2 deaths from measles, one from scarlet fever, 2 from whooping-cough, 4 from tuberculous disease, one from lobar pneumonia, one from *pneumonia*, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·6 per 1,000. Measles, whooping-cough, and diphtheria each caused one death ; there were 3 deaths from pulmonary tuberculosis, one death from each of broncho-pneumonia and *pneumonia*, 3 deaths from bronchitis, one death from diarrhœa of an infant, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 35·5 per 1,000. Measles and scarlet fever each caused one death ; there were 3 deaths from tuberculous disease, 3 deaths from broncho-pneumonia, one death from *pneumonia*, and 3 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 24·8 per 1,000. Four deaths were from measles and one from scarlet fever ; there were 2 deaths from tuberculous disease and 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 20·2. The one death for Clontarf and Howth, No. 1, part of, was from tuberculous meningitis. Broncho-pneumonia was the cause of the one death registered for Coolock and Drumcondra, part of ; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis and one from accidental poisoning.

No. 1 *South City District* (South Earl-street).—The deaths (29) represent an annual rate of 36·3 per 1,000. The deaths included 2 from measles, one from whooping-cough, 4 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia*, and 5 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·5 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, 2 deaths from *pneumonia*, and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 33·6 per 1,000. There were 2 deaths from diphtheria, one death from measles, 5 from tuberculous disease, 3 from broncho-pneumonia, one from lobar pneumonia, one from bronchitis, and one from diarrhœa of an infant.

No. 4 *South City District* (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 27·5 per 1,000. Measles caused 2 deaths, tuberculosis 4 deaths, broncho-pneumonia 3 deaths, *pneumonia* one death, bronchitis one death, and diarrhœa one death of an infant.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000. One of the 2 deaths registered was caused by measles.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1 ; Pembroke, 26·3 ; Blackrock, 11·4 ; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa of a child under 2 years for Rathmines and Rathgar. Of the 12 deaths from all causes for Rathmines and Rathgar one was from influenza, one from pulmonary tuberculosis and one was from bronchitis. Among the 15 deaths from all causes for Pembroke are 3 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia*, one from bronchitis, and one from accidental burns. Of the 2 deaths for Blackrock one is from pulmonary tuberculosis and one from broncho-pneumonia ; and of the 4 deaths from all causes for Kingstown 2 are from pulmonary tuberculosis.

(*) See note (*c*), Table II. (†) See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 4th May, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 13,	.	—	—	4	.	.	9	.	2	2	8	.	—	—	.	—	6	—	31
	Apr. 20,	.	—	—	10	.	.	11	.	1	3	4	.	—	—	.	—	18	—	47
	Apr. 27,	.	—	—	15	.	.	16	.	.	9	10	.	—	—	.	—	12	—	62
	May 4,	.	—	—	17	.	.	17	.	1	1	3	.	—	—	.	—	8	—	47
Rathmines and Rathgar Urban District.	Apr. 13,	.	—	—	.	.	.	2	.	.	.	2	.	—	—	—	—	—	—	4
	Apr. 20,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 27,	.	—	—	7	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
	May 4,	.	—	—	3	.	.	4	.	.	.	1	.	—	—	—	—	—	—	8
Pembroke Urban District.	Apr. 13,	.	1	.	1	.	.	3	.	.	.	.	.	.	1	—	—	.	—	6
	Apr. 20,	.	7	1	1	.	.	2	.	.	.	1	.	.	.	—	—	.	—	12
	Apr. 27,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	1
	May 4,	.	3	.	1	.	.	4	.	.	.	.	.	.	.	—	—	4	—	12
Blackrock Urban District.	Apr. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Apr. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Apr. 13,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	2	—	6
	Apr. 20,	.	—	—	8	.	.	3	.	.	.	.	.	—	—	—	—	3	—	14
	Apr. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	May 4,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	.	—	5
City of Belfast.	Apr. 13,	.	—	—	9	.	.	4	.	.	1	4	.	—	—	.	—	2	.	20
	Apr. 20,	.	—	—	14	.	.	4	.	.	.	3	.	—	—	.	—	16	.	37
	Apr. 27,	.	—	—	10	.	.	1	.	.	.	2	1	—	—	.	—	10	.	24
	May 4,	.	—	—	9	.	.	2	.	.	.	2	.	—	—	1(*a*)	—	16	.	30

(*a*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th May, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 38, and 35.

Twenty-one cases of measles were admitted to hospital during the week, 19 were discharged, there were 6 deaths, and 66 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 67, 66, and 70 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 110* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 85, 92, and 99, respectively.

Twenty-one cases of diphtheria were admitted to hospital during the week, 18 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 73, 68, and 69, respectively, were 71 at the close of last week.

In addition to the above-named diseases, 17 cases of pneumonia were admitted to hospital, 14 were discharged, there were 2 deaths, and 35 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 13·7) was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·6 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th May. From this Report it appears that of a total of 65 cases notified, 25 were phthisis, 21 scarlet fever, 12 diphtheria, 5 erysipelas, one enteric fever, and one puerperal fever. Among the 354 cases of infectious diseases in hospital at the close of the week were 96 cases of scarlet fever, 89 of measles, 60 of phthisis, 42 of whooping-cough, 42 of diphtheria, 12 of erysipelas, 6 of enteric fever, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 4th May, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 4th May, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 4th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ..	1,157,014	20·3	29·8	20·2	2·2	662	449	74	100	...	...	...	15	4	15	5	...	55	25	17	43	59	8	2	5	13	143	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	26·4	25·9	3·8	206	202	39	39	...	...	...	15	3	4	4	...	25	11	7	24	27	4	...	3	5	76	7	e 62·0	27·0	47·9	0·48	e 61·0	32·0	47·2	0·68	e 63·0	28·0	48·1	0·09
City of Dublin,	311,601	39·4	30·1	28·3	4·7	180	169	33	29	...	...	...	15	3	4	3	...	19	10	5	21	21	3	...	2	5	66	6	f 63·2 g 61·8	36·8 30·0	51·0 49·0	0·29 0·41	f 61·3 g 61·2	42·0 34·8	50·6 48·5	0·87 0·77	f 62·2 g 62·0	38·9 31·0	51·2 48·6	0·10 0·10
Urban Districts. Rathmines and Rathgar.	38,889	22·7	10·7	16·1	2·7	8	12	2	4	...	...	...	...	...	...	1	...	1	...	...	...	3	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	14·0	26·3	.	8	15	4	4	...	...	...	...	...	...	...	...	2	1	2	2	1	...	...	1	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	11·4	.	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	18·2	12·1	.	6	4	...	1	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	2	...	61	35	50·8	0·17	61	40	49·6	0·91	59	36	49·4	0·31
Urban Districts. Belfast ...	391,051	26·6	32·0	17·9	1·7	240	134	20	25	...	...	...	...	1	8	...	...	16	8	6	15	20	3	1	...	3	35	2	61·0	35·0	49·0	0·41	64·0	37·5	50·3	0·81	63·0	33·0	50·7	0·00
Cork, ...	76,632	33·8	23·8	21·1	1·4	35	31	4	9	...	...	...	...	...	1	1	...	3	5	...	1	1	...	...	1	2	15	...	59	39	51·0	0·36	61	42	50·4	0·05	57	39	49·0	0·23
Londonderry...	40,912	18·9	33·1	12·7	.	26	10	1	4	...	...	...	...	...	...	...	...	2	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	61·1	20·4	1·4	45	15	2	3	...	...	...	...	...	1	...	...	3	...	1	1	2	...	...	...	...	6	2	63·7	32·5	51·6	0·01	67·3	33·4	49·5	0·00	64	34·6	48·4	0·61
Waterford, ...	27,430	19·1	28·5	15·2	.	15	8	1	3	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	19·7	3·9	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	65	36	50	0·25	70	38	52	0·63	59	36	49·5	0·12
Dundalk, ...	13,128	9·5	11·9	11·9	.	3	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	62·9	21·0	.	15	5	1	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	21·8	4·4	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57
Lurgan, ...	12,135	14·3	38·7	17·2	.	9	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	1	1	2	...	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57
Lisburn, ...	12,172	10·7	34·3	8·6	.	8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57
Wexford. ...	11,455	23·8	22·8	27·3	.	5	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,376	9·3	18·3	18·3	.	4	4	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	23·4	9·3	.	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	61·0	31·0	50·0	0·33	69·0	28·0	48·0	0·00	61·0	38·0	50·0	0·79
Kilkenny, ...	10,513	11·4	19·8	14·9	.	4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	64	31	53·4	0·11	65	36	49·2	0·09	63	31	49·1	0·37
Clonmel, ...	10,277	7·9	20·3	10·1	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	44·5	17·8	4·4	10	4	1	2	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57
Tralee. ...	9,867	16·6	10·6	21·1	.	2	4	.	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	34·3	5·7	7	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	61	38	47·7	0·30	61	41	49·5	0·51	61	37	49·1	0·00
Queenstown, ...	7,909	14·4	33·0	6·6	.	5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	59	39	51·0	0·36	61	42	50·4	0·05	57	39	49·0	0·23
Armagh. ...	7,588	22·2	27·5	6·9	6·9	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88	60·9	35·9	51·3	0·57

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons admitted to hospital from localities outside the Area; of the 6 deaths one was from scarlet fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 4th of May, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	1	1	4	.	.	.	2	1	1	2	1	.	.	.	.	15	.
Scarlet Fever,	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	3	1
Whooping-cough	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Diphtheria,	.	1	.	.	.	.	.	.	.	2	.	.	1	.	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	3	1	1	.	.	.	4	2	2	3	.	1	2	1	2	25	1
Tuberculous Disease. { Other Forms,	1	.	2	1	1	.	.	.	1	3	1	.	.	1	.	.	11	1
Cancer,	1	1	.	1	.	.	1	1	.	.	.	.	.	2	.	.	7	1
Diseases of Nervous System,	.	2	1	.	.	.	.	1	.	5	2	.	1	1	.	.	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	1	.	.	.	.	4	.	1	1	1	.	1	.	.	11	.
" Respiratory System. { Pneumonia,	2	2	4	.	.	1	.	2	2	4	4	.	.	2	1	.	24	.
" Respiratory System. { Others,	1	3	3	3	.	.	1	5	3	1	1	.	3	1	.	2	27	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	1	1	1	.	.	.	1	.	1	.	.	2	.	.	.	8	.
" Genito-urinary System,	2	.	1	.	.	.	.	1	.	3	.	.	1	.	.	.	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	1	1	.	1	.	.	.	4	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	3	2	.	.	.	5	.	2	1	.	.	3	.	.	19	.
Violent Deaths,	.	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	3	1
Ill-defined, &c. Causes,	.	2	2	2	.	.	.	1	.	1	1	.	.	1	.	.	10	.
Deaths from All Causes	18	22	21	16	1	1	3	29	9	28	19	2	12	15	2	4	202	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	31·3	28·6	35·5	24·8	9·7	4·5	20·2	36·3	21·5	33·6	27·5	11·4	16·1	26·3	11·4	12·1	25·9	.
	26·8							29·8					18·1					
	28·3																	
Ages at Death. { Under 1 year,	1	3	5	5	.	.	.	8	1	6	3	1	2	4	.	.	39	.
Ages at Death. { 1 and under 2 years,	2	4	2	4	.	.	.	3	3	4	2	.	.	.	.	.	24	.
Ages at Death. { 2 " 5 "	2	3	3	2	.	.	.	2	.	4	1	.	.	.	.	.	17	.
Ages at Death. { 5 " 15 "	3	.	1	.	1	.	.	1	.	2	1	.	.	1	.	1	11	1
Ages at Death. { 15 " 25 "	1	.	.	.	.	.	.	1	.	1	2	.	.	1	.	.	6	1
Ages at Death. { 25 " 45 "	4	3	1	.	.	.	.	4	4	1	4	1	1	3	1	2	29	1
Ages at Death. { 45 " 65 "	5	4	3	5	.	.	2	4	1	4	2	.	5	2	.	.	37	3
Ages at Death. { 65 and upwards,	.	5	6	.	.	1	1	6	.	6	4	.	4	4	1	1	39	.
Number of Uncertified Deaths,	.	1	.	2	.	.	.	.	.	3	.	.	.	1	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	4	4	6	.	.	.	6	.	5	2	.	3	5	.	2	42	4
Workhouse Hospitals,	1	4	4	2	.	.	.	7	5	6	5	.	.	.	.	.	34	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1902–1911.	In the Week ending Saturday, 4th May, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 49·6	° 47·0	° 47·9										
ALL CAUSES.	191	192	178	164	191	205	175	153	136	176	176·1	208	11	28	24	17	12	7	30	40	26	13
Enteric Fever, ...	1	3	2	3	1	.	1	.	1	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	4	3	.	3	1	2	.	8	2·4	15	.	2	10	3	.	.	.	.	.	.
Scarlet Fever, ...	.	2	.	.	.	.	.	.	.	1	·3	4	.	.	.	3	1	.	.	.	.	.
Whooping-cough, ...	3	4	11	1	1	10	3	4	1	3	4·1	4	.	2	1	.	1	.	.	.	.	.
Diphtheria, ...	2	1	.	.	.	.	2	.	.	2	·7	4	.	1	1	1	.	.	.	1	.	.
Croup, ...	1	2	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	3	1	2	2	2	2	3	1	3	2·1	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	1	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	2	.	.	.	3	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	27	22	25	36	39	16	23	14	21	24·8	26	.	1	.	.	2	4	16	3	.	.
Tuberculous Meningitis, ...	3	3	2	2	3	3	3	3	4	4	3·0	4	.	1	.	.	3	.	.	.	.	.
Abdominal Tuberculosis, ...	4	1	3	3	2	1	3	.	2	.	1·9	4	.	1	.	2	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.	3	6	7	6	10	10	8	3	5	.	6·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		3	.	1	.	.	.	.	1	1	.	.
Venereal Diseases, ...	2	1	1	2	2	2	4	.	.	.	1·4	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	7	6	4	8	6	3	6	8	6	6	6·0	8	.	.	.	.	.	.	2	3	2	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	.	1	.	.	.	2	.	2	.	·7	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	1	.	.	.	.	.
Alcoholism, ...	1	2	.	2	.	1	.	.	1	.	·7	2	.	.	.	.	.	.	1	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	49	48	45	35	33	41	35	30	33	2	37·8	1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										4		1	.	.	.	.	.	.	.	1	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		3	.	.	.	.	.	.	.	.	3	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		5	1	4	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.										1		3	.	.	.	1	.	1	.	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										16		9	.	.	.	.	.	.	2	2	3	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	14	16	15	16	33	16	22	13	17	31	19·3	24	.	3	4	3	.	.	1	10	2	1
Broncho-pneumonia, ...	2	2	8	4	11	5	10	9	3	6	6·0	14	1	4	3	1	.	1	.	1	3	.
Lobar pneumonia, ...	1	1	1	.	2	1	3	2	1	.	1·2	2	.	.	1	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	10	10	8	8	8	9	9	7	4	16	8·9	8	1	2	.	.	1	.	2	1	1	.
Pleurisy, ...	4	4	2	4	3	3	2	.	.	.	2·4	1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy										1		2	.	.	.	.	.	.	.	.	.	2
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	.	1	.

EIGHTEENTH WEEK ending Saturday, 4th May, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 18th Week of the 10 years 1902–1911.	In the Week ending Saturday, 4th May, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 3, 1902.	May 9, 1903.	May 7, 1904.	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·9	° 47·0	° 46·7	° 46·4	° 44·3	° 44·1	° 48·5	° 50·4	° 46·1	° 49·6	° 47·0	° 47·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	2	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	2	.	.	.	1	1	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	2	3	2	.	7	5	2	7	4	3·9	4	.	2	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										2		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	3	.	.	.	.	.	.	.	3	.	.
Cirrhosis of Liver, ...	.	1	.	2	4	2	1	1	2	.	3·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	3	3	2	1	2	1	1	2	4	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	1	2	.	1	.	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	5	3	4	5	4	6	8	1	1	4·6	2	.	.	.	1	.	.	.	1	.	.
Acute Nephritis, ...	4	6	7	3	8	8	6	7	5	.	5·7	1	.	.	.	.	.	1	.	.	.	.
Chronic Bright's Disease, ...										2		7	.	.	.	.	.	.	2	2	3	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	2	.	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	4	.	.	.	.	.	.	.	2	2	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	5	2	2	3	3	6	2	2	3·2	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	8	3	5	3	5	5	3	2	3	4	4·1	4	.	.	.	.	.	.	.	.	1	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	1	1	.	1	1	2	2	2	2	1·4	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	4	2	2	6	1	2	3	1	2·4	2	.	.	1	.	.	.	1	.	.	.
Total Deaths from Accident,	5	2	5	2	3	7	3	4	6	3	4·0	4	.	.	1	.	1	.	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	2	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	4	—	10	.	1	1	.	.	.	.	1	3	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered.	241	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206
Average Births in corresponding week of previous 10 years, ...	206	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265
DEATHS registered, ...	179	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208
Annual Death-rate per 1,000, ...	23·1	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7
Average Deaths in corresponding week of previous 10 years, ...	174	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176
Ages, Under 5 years, ...	61	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80
5—15 „ ...	8	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12
15—25 „ ...	7	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7
25—45 „ ...	25	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30
45—65 „ ...	39	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40
65—75 „ ...	26	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26
75 and upwards, ...	13	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13
Deaths from :—																										
Enteric Fever, ...	.	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15
Scarlet Fever, ...	3	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4
Whooping-cough, ...	.	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4
Diphtheria, ...	2	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4
Influenza, ...	.	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26
Tuberculous Disease, Other Forms,	5	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12
Cancer, ...	12	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8
Diseases of Circulatory System,	17	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11
Diseases of Respiratory System, Pneumonia,	14	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24
Diseases of Respiratory System, Others, ...	25	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28
Diarrhœa and *Enteritis*, under 2 years, ...	4	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.
Violent Deaths, ...	2	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4
Number of Uncertified Deaths,	7	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7
Mean Temperature of the Air (Phœnix Park)	40·2	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9
Average Mean Temperature in corresponding week of previous 10 years, ...	44·7	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0
Rainfall in inches, ...	1·015	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 4th May, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH MAY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	208	80	12	7	30	40	26	13	.	.	.	15	4	4	4	.	26	12	8	5	24	28	4	.	4	70	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	1	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	2	1
II.	MIDDLE CLASS, ...	87,188	19·7	33	6	2	1	3	9	7	5	.	.	.	1	.	.	.	.	3	1	2	.	6	3	.	.	2	15	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	22·7	48	20	4	2	9	6	6	1	.	.	.	3	1	3	1	.	7	5	2	1	5	3	.	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	154,279	29·1	86	50	6	2	9	13	2	4	.	.	.	11	3	1	3	.	8	4	3	4	10	13	4	.	2	20	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	36	3	.	1	9	12	9	2	.	.	.	.	.	.	.	.	8	2	1	.	3	6	.	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	1	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2	1
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	1	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	1
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	23·7	10	2	1	.	.	5	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	.	3	1	.	.	.	.	.	1	.	.	.	.	3	.	.	.	.	.	.	.	.	2	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	1	1	1	.	2	4	4	.	.	.	.	.	.	.	.	.	.	2	.	2	2	.	.	1	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	47·5	9	6	1	.	1	1	.	.	.	.	.	.	1	1	1	.	.	.	.	.	2	1	.	.	.	3	1
	9. Building and Furnishing Trades, ...	29,801	15·7	9	3	1	.	2	2	1	.	.	.	.	1	.	1	.	.	1	.	.	.	2	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	11·2	5	2	.	.	2	.	1	.	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	16·9	3	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	6	2	.	4	3	3	1	.	.	.	.	.	.	.	.	4	3	1	1	1	1	.	.	.	8	.
	13. Petty Shopkeepers	7,894	19·8	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	1
	15. Domestic Servants, ...	36,603	10·0	7	3	.	1	.	1	.	2	.	.	.	1	.	.	.	.	1	.	.	.	2	1	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	41·2	71	43	6	1	8	11	1	1	.	.	.	10	3	1	3	.	7	4	2	3	6	12	3	.	1	16	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	36	3	.	1	9	12	9	2	.	.	.	.	.	.	.	.	8	2	1	.	3	6	.	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000. Living: From All Causes	Annual Rate of Mortality per 1,000. Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Mar. 16,	31·3	3·5	18	.	.	.	.	.	2	.	.	.	.	.	2	4	.	.	1	2
	„ 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6 9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Mar 16,	29·9	3·9	23	.	.	.	.	.	2	.	.	1	1	1	3	3	1	.	.	.
	„ 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Mar. 16,	38·8	1·7	23	.	.	.	.	.	1	.	.	6	.	1	5	4	.	.	.	.
	„ 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1 7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Mar. 16,	41·8	1·5	27	.	.	.	.	.	.	1	.	4	1	.	5	4	.	.	1	1
	„ 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Mar. 16,	28·8	3·8	23	1	.	.	.	.	.	1	.	1	2	.	2	5	1	.	.	.
	„ 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Mar. 16,	38·2	7·2	16	.	.	.	.	.	2	.	.	4	.	.	2	4	1	.	.	.
	„ 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Mar. 16,	38·4	4·8	32	.	.	.	3	.	.	1	.	3	2	1	4	10	.	.	.	3
	„ 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	3	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Mar. 16,	13·0	1 4	9	.	.	.	.	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2 9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and Enteritis, of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Mar. 16,	36·2	5·4	27	1	.	.	.	.	.	2	.	1	.	1	2	4	1	.	1	2
	,, 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	,, 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	,, 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	,, 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	,, 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Mar. 16,	29·9	.	17	.	.	.	.	.	.	.	.	3	1	.	4	2	.	.	.	.
	,, 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	,, 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	,, 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	,, 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	,, 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
Kingstown Urban District. Pop. in 1911 17,227.	Mar. 16,	42·4	12·1	14	.	.	.	3	.	1	.	.	1	.	1	1	1	.	.	.	1
	,, 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	,, 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.
	,, 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	4	.	1	.	.	.	1
	,, 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Mar 16,	19·6	1·1	147	.	.	.	.	1	4	.	.	23	4	13	19	23	3	.	4	.
	,, 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	,, 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	,, 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	,, 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	,, 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
Cork. Pop. in 1911 76,632.	Mar 16,	27·9	0·7	41	.	.	.	.	.	1	.	.	6	4	4	3	5	.	.	.	3
	,, 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	,, 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	,, 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	,, 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	,, 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
Londonderry. Pop. in 1912 (Est.) 40,912.	Mar 16,	20·4	1·3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	.	.
	,, 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	,, 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	,, 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	,, 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	,, 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
Limerick. Pop. in 1911 38,403.	Mar. 16,	14·9	.	11	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
	,, 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	,, 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	,, 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	,, 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	,, 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
Waterford. Pop. in 1911 27,430.	Mar 16,	20·9	1·9	11	.	.	.	.	.	1	.	.	1	1	1	.	.	.	.	1	1
	,, 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	,, 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	,, 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	,, 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	,, 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th May, 1912. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		42			21	6	1	1	.	8	5	.	.	.	.	.	.	.	.	1	.	.	3	7	.	.	.	1	4	1
Do. 3 do.		39			17	.	.	5	5	5	2	.	.	.	.	.	.	.	.	3	3	2	.	2	.	.	.	1	4	.
Do 4 do.		25			16	2	1	2	3	3	5	.	.	.	.	.	1	.	.	3	.	1	1	4	.	.	.	.	4	.
Do. 5 do.		7			7	.	1	1	1	3	1	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	.	3	.
Do. 6 do.		11			12	2	3	1	.	3	3	.	.	.	.	1	2	.	.	1	.	.	2	2	.	.	.	.	2	.
Do. 7 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		9			6	1	1	1	.	.	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	1	.
Do. 10 do.		14			9	3	.	2	.	4	.	.	.	.	.	.	1	.	.	2	.	.	1	1	1	.	.	.	1	.
Do. 11 do.		22			8	.	1	.	2	4	1	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	1	3	.
Do. 12 do.		36			10	1	2	1	2	4	.	.	.	.	.	.	1	.	.	.	2	1	.	1	1	1	.	.	1	.
Do. 13 do.		13			6	1	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			19	3	3	.	4	6	3	.	.	.	.	.	2	.	.	2	1	.	4	2	1	.	.	.	8	.
Total,	—	240			134	20	13	15	18	43	25	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	3	35	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	2	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		7			4	1	1	1	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	4	.
Do. 3 do.		4			4	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1	.
Do. 4 do.		5			4	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1	2	.
Do. 5 do.		2			5	1	.	1	2	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	2	.
Do. 6 do.		7			7	1	.	.	1	3	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.
Do. 7 do.		3			3	.	1	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Total,	—	35	21·1	1·4	31	4	3	3	7	5	9	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	2	15	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	April 20.	Apr. 27.	May 4.
No. of weeks in Annual Series,	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	204	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240
DEATHS registered, ...	116	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134
Annual Death rate per 1,000 of estimated population, ...	15·7	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9
AGES, Under 1 year, ...	19	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20
1—5 years, ...	8	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13
5—25 „ ...	16	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15
25—45 „ ...	19	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18
45—65 „ ...	28	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43
65 and upwards, ...	26	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1
Whooping-cough, ...	2	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8
Diphtheria, ...	2	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16
Tuberculous Disease. Other Forms,	8	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8
Cancer, ...	3	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6
Diseases of Respiratory System, Pneumonia,	8	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15
Diseases of Respiratory System, Others, ...	15	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20
Diarrhœa, and *Enteritis*, under 2 years, ...	1	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Violent Deaths, ...	3	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.
Number of Uncertified Deaths, ...	.	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	May 4,	2,149	1,189	13·7	2	.	25	4	35	4	24*a*
Edinburgh, ...	321,200	„ 4,	127	94	15·3	.	.	9	.	3	1	2
Glasgow, ...	785,600	„ 4,	476	257	17·1	.	.	14	1	3	.	3
Calcutta, ...	890,493	Mar. 30,	.	598	34·9	193*	6	1	.	.	1	124‡
Bombay, ...	979,445	„ 30,	392	832	44·2	151*	75	8	.	.	2	72‡
Madras, ...	518,660	„ 9,	267	339	34·1	76*	8	1	?	?	?	85‡
Cairo, ...	699,228	„ 4*c*,	711	458	34·2	3	1	1	1	.	5	38
Paris, ...	2,847,229	April 6,	1,013	1,027	18·4	5	.	31	5	8	7†	14*a*
Brussels, ...	721,715	„ 13,	252	176	12·7	.	.	6	.	.	1†	13
Antwerp, ...	308,618	„ 13,	121	80	13·5	.	.	6	.	.	2†	12*a*
Amsterdam, ...	582,586	„ 13,	263	133	11·9	.	.	1	.	1	.	2*a*
Copenhagen, ...	465,000	„ 13,	232	151	16·9	.	.	3	1	3	1†	3
Stockholm, ...	343,832	„ 13,	125	116	17·4	.	.	4	1	.	.	.
Christiania, ...	244,038	„ 20,	115	82*b*	17·5	.	.	1	1	.	.	2
St. Petersburg, ...	1,611,600	Mar. 30,	788	688	21·9	6	2	13	14	6	7	58
Moscow, ...	1,493,600	„ 30,	.	814	28·4	2	1	8	15	12	10†	102
Berlin, ...	2,085,881	„ 30,	770	629	15·8	2	.	12	4	8	11†	25
Hamburg, ...	953,079	Apr. 13,	.	262	14·3	.	.	.	1	4	7†	10
Breslau, ...	528,383	„ 13,	.	206	20·3	.	.	.	2	.	1	13
Munich, ...	610,000	„ 20,	.	178	15·2	.	.	1	.	1	.	6
Vienna (with suburbs),	2,081,335	„ 13,	887	677	16·9	1	.	10	6	7	9†	21*a*
Buda-Pesth, ...	910,548	„ 13,	477	319	18·2	1	.	.	6	3	8†	15*a*
Prague and Faubourgs,	481,682	Mar. 30,	174	202	21·9	2	.	3	4	1	5†	12*a*
Trieste, ...	235,999	Apr. 13,	130	95	21·0	1	.	2	.	2	1†	.
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Nov. 4,	66	45	12·7	.	.	.	.	.	.	5
New York, ...	5,173,064	Mar. 2,	2,631	1,546	15·6	5	.	24	17	1	32	24
Philadelphia, ...	1,606,105	„ 2,	.	518	16·8	1	.	.	6	1	5	15
Boston, ...	720,031	Apr. 13,	.	342	17·5	1	.	4	1	4	3	5

* Deaths from "fever," including 10 deaths from enteric fever and 133 from plague in Calcutta, one death from enteric fever, and 107 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 89 deaths from cholera in Calcutta, 2 in Bombay, and 10 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 5 deaths from cerebro-spinal fever.

c Period of 8 days.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 4th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 1, West, ...	.	5	.	.	6	.	.	.	1	.	.	.	12
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	3	.	1	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	2	.	.	1	1	.	.	2	7
" " 2, ...	.	.	.	.	1	.	.	.	1	.	.	2	4
" " 3, ...	.	.	.	.	2	.	.	.	.	.	.	1	3
" " 4, ...	.	10	.	.	1	.	.	.	.	.	.	2	13
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	17	.	.	17	.	1	1	3	.	.	8	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th May, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th May.			
	Apr. 13.	Apr. 20.	Apr. 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	38	35	5	5	1	34
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	67	66	70	21	19	6	66
Scarlet Fever, ...	85	92	99	24	12	1	110*
Diphtheria, ...	73	68	69	21	18	1	71
Pneumonia, ...	33	36	34	17	14	2	35

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 4th May, 1912:—

"The closing days of April, which were the first three days of this week, were fair but cold, with light to moderate N.E. winds, bright sunshine by day, and calms, haze and low temperatures by night. Early on Tuesday morning the screened thermometer fell to 36·8° in Dublin, but to 30° at Bath and 27° at Nairn, in the north-east of Scotland. A sharp ground frost occurred over Great Britain: at Kew the exposed thermometer fell to 23°, and at Oxford to 20°. An anticyclone, with the barometer at or slightly above 30·3 inches extended southeastwards from Iceland to the British Isles, whereas a low pressure system covered the western half of the Mediterranean. This distribution of atmospheric pressure determined a polar air-current, and it in turn the dry, cold weather which prevailed. On Tuesday afternoon a change took place, as a large but shallow depression spread in over Ireland and Scotland from the Atlantic. In Dublin cirrus cloud began to stream across the sky from N.W. after 3 p.m., rain fell in the course of the following night, and Wednesday (May Day) proved chiefly dull though mild, a very heavy shower at 4 p.m. yielding a rainfall of ·042 inch. On this day a S.W. wind sent the thermometer in Dublin up to 63·2°—the maximum of the week. Thursday was windy, mild, and cloudy—a solar halo was seen at midday, and rain fell at night. On Friday morning a light easterly undercurrent made its appearance in Scotland and Ireland, reducing temperature and keeping the weather cloudy and somewhat showery. Saturday found a new large but shallow depression extending from the Azores across the Bay of Biscay to the south-western shores of the British Islands, whereas an anticyclonic system covered the greater part of Scotland. Cool showery weather accompanied this distribution of atmospheric pressure. In Dublin the mean height of the barometer was 30·096 inches, the range being from 30·338 inches at 9 a.m. of Tuesday (wind, E.N.E.) to 29·947 inches at 4 p.m. of Thursday (wind, W.S.W.). The corrected mean temperature was 51·0°,—so also was the mean dry bulb reading at 9 a.m. and 9 p.m. The screened thermometers fell to 36·8° on Tuesday and rose to 63·2° on Wednesday. North-easterly or easterly winds prevailed at the beginning and close, south-westerly winds on Wednesday and Thursday. The rainfall was ·294 inch on 5 days, including ·138 inch, measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·100 inches. The highest reading (30·334) was on Tuesday at 9 a.m., air calm, the lowest (29·968) on Friday at 9 p.m., air calm.

The mean temperature for the week was 47·9°, being 0·9° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Wednesday, on which day the thermometer registered 62·0°, and was lowest on Tuesday, the mercury having fallen to 27·0°. The mean of the Dry Bulb for the week was 48·4° and of the Wet Bulb, 46·0°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·475 inch.

At Greenwich the mean temperature for the week was 50·1°, the maximum 79·7°, and the minimum 36·1°; at Glasgow the minimum was 30·0°; and at Edinburgh the maximum was 60·0°, the minimum 35·9°, and the mean 46·4°. The rainfall at Greenwich measured 0·21 in.; at Glasgow 0·18 in.; and at Edinburgh 0·03 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, April 28,	30·100	51·0	35·0	43·0	41·6	39·7	·87	·4	11·6	·000	E.N.E.	Calm.
Monday, „ 29,	30·255	53·0	28·0	40·5	42·2	39·7	·84	·2	11·4	·000	Calm.	Calm.
Tuesday, „ 30,	30·280	54·0	27·0	40·5	50·5	46·4	·75	·3	8·4	·180	Calm.	Calm.
Wednesday, May 1,	30·105	62·0	48·0	55·0	52·3	49·7	·85	·6	3·8	·140	S.W.	W.S.W.
Thursday, „ 2,	29·985	59·0	51·0	55·0	53·7	51·2	·84	·5	0·4	·115	W.S.W.	W.S.W.
Friday, „ 3,	29·990	53·0	47·0	50·0	48·8	47·8	·93	·0	0·3	·015	Calm.	Calm.
Saturday, „ 4,	29·985	56·0	47·0	51·5	50·0	47·7	·85	·1	2·7	·025	E.	E.
Mean, ...	30·100	55·4	40·4	47·9	48·4	46·0	·85	·3	Total 38·6	Total ·475	—	

Sunday—A beautiful bright day; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—A fine day, light clouds; night overcast, drizzling and heavy rain 9.0 p.m. to 2.30 a.m. *Wednesday*—Day cloudy, showers at intervals, 11.30 a.m. to 4.0 p.m.; night cloudy. *Thursday*—Day overcast, showers at intervals, 6.30 to 9.0 p.m.; night overcast, drizzling rain 9.0 to 11.30 p.m. and 12.30 to 5.30 a m. *Friday*—Day overcast, drizzling rain 10.30 to 11.45 a.m.; night overcast, drizzling rain 5.0 to 6.30 a.m. *Saturday*—Day cloudy. showers at intervals from 9.30 to 11.30 a.m.; night overcast, showers at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 4th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, April 28,	50·8	51·0	49·8	52·0	40·5	46·3	11·3	—
Monday, „ 29,	48·6	49·4	50·7	53·3	37·1	45·2	10·2	—
Tuesday, „ 30,	52·0	50·4	49·5	56·4	36·0	46·2	9·2	·135
Wednesday, May 1,	56·4	51·8	49·7	63·5	48·8	56·2	3·6	·041
Thursday, „ 2,	56·9	53·1	49·8	61·0	52·0	56·5	0·1	·080
Friday, „ 3,	49·8	53·2	49·9	54·2	46·0	50·1	0·2	—
Saturday, „ 4,	50·2	53·0	50·1	54·2	47·0	50·6	0·9	·012
Weekly Mean, .	52·1	51·7	49·9	56·4	43·9	50·2	Total 35·5	Total ·268

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32333. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 11TH MAY, 1912. [No. 19.

General Register Office, Charlemont House,
Dublin, 13*th May,* 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 20	April 27	May 4	May 11	Average Rate for 4 weeks.
22 Town Districts, ...	**23·3**	**20·3**	**20·2**	**19·9**	**20·9**
Armagh	6·9	6·9	6·9	13·7	8·6
Ballymena	9·2	13·8	18·3	4·6	11·5
Belfast	22·9	18·0	17·9	15·3	18·5
Clonmel	20·3	15·2	10·1	.	11·4
Cork	23·8	17·7	21·1	21·1	20·9
Drogheda	29·4	25·2	21·0	42·0	29·4
Dublin Reg. Area ...	26·7	23·6	25·9	25·1	25·3
Dundalk	55·6	27·8	11·9	4·0	24·8
Galway	.	23·6	3·9	39·4	16·7
Kilkenny	19·8	9·9	14·9	19·8	16·1
Limerick	14·9	17·7	20·4	16·3	17·3
Lisburn	12·9	21·4	8·6	8·6	12·9
Londonderry	26·8	25·5	12·7	21·7	21·7
Lurgan	21·5	30·1	17·2	17·2	21·5
Newry	26·2	26·2	4·4	17·4	18·6
Newtownards	17·2	11·4	34·3	11·4	18·6
Portadown	13·3	17·8	17·8	17·8	16·7
Queenstown	6·6	13·2	6·6	19·8	11·6
Sligo	18·7	14·0	9·3	32·7	18·7
Tralee	5·3	15·9	21·1	15·9	14·6
Waterford	17·1	13·3	5·2	17·1	15·7
Wexford	18·2	22·8	27·3	22·8	22·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in seventeen of the districts to 8·9 in Portadown, the 4 deaths from all causes for that district including 2 from whooping-cough. Among the 115 deaths from all causes for Belfast are one from measles, 6 from whooping-cough, one from diphtheria, and 4 deaths from diarrhœa and *enteritis* of children under 2 years. Included in the 31 deaths from all causes for Cork is one from whooping-cough, and one of the 4 deaths from all causes for Lurgan is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—137 boys and 108 girls—and the deaths to 203—114 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·1 per 1,000 of the population. During the nineteen weeks ending with Saturday last the death-rate averaged 25·1, and was 0·2 above the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 203, represent an annual rate of 26·0 per 1,000 ; the annual rate for the past nineteen weeks was 26·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 26·0 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes registered were 14 from measles, 5 from scarlet fever, 3 from diphtheria, 4 from influenza, and 4 from diarrhœa and *enteritis* of children under 2 years. In each of the 3 preceding weeks deaths from measles were 13, 16, and 15 ; deaths from scarlet fever were 2, one, and 4 ; deaths from diphtheria were 4, one, and 4 ; deaths from influenza were 11, 2, and one ; and deaths from diarrhœa and *enteritis* of children under 2 years were one, 7, and 4.

Deaths from all forms of tuberculosis, which had been 39, 21, and 38, in each of the three weeks preceding, were 32 in the period under notice ; the latter figure includes 24 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, and 4 from disseminated tuberculosis.

There were 8 deaths from broncho-pneumonia, 4 from lobar pneumonia, and 10 from *pneumonia* (type not distinguished).

Four deaths were attributed to *convulsions* ; of these 3 were of infants under one year, and one between the ages of one year and two years, and 5 deaths of infants were attributed to prematurity.

Organic diseases of the heart caused 21 deaths, and bronchitis 27 deaths.

Of 7 deaths caused through accident or negligence one was by burning and one was by drowning.

There was one death by suicide.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one infant under one year of age, and the death of one person aged 71 years.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 10 were under one month old) and 40 were aged 65 years and upwards, including 29 persons aged 70 and upwards ; among the latter were 19 aged 75 and upwards.

Ninety of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 10 took place in the North Dublin Union Workhouse and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·1 per 1,000 ; the rate in the City was 25·8 (North City Districts, 21·9 ; South, 29·8) and in the Suburbs, 23·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 3·0 (3·6 in the North City Districts, and 2·4 in the South), and for the Suburbs, 4·4 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·1 per 1,000, and include 2 deaths from measles, one from influenza, 2 from tuberculous disease, one from *pneumonia*, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·0 per 1,000. Among the deaths there were 2 from tuberculous disease, one from scarlet fever, 3 from broncho-pneumonia, one from lobar pneumonia, 2 from diarrhœa and *enteritis* of children under 2 years, and one death by a steam-tram accident.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·3 per 1,000. Tuberculosis caused 4 deaths ; there was one death from lobar pneumonia, 3 deaths from bronchitis, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 27·8 per 1,000. Measles caused 5 deaths ; there was one death from scarlet fever, one death from influenza, 2 deaths from pulmonary tuberculosis, 2 deaths from bronchitis, and one death from each of broncho-pneumonia and *pneumonia*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 13·4 ; and Finglas and Glasnevin, part of, 6·7. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, 2 are from bronchitis, and the one death for Finglas and Glasnevin, part of, is from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·3 per 1,000. The deaths include one from diphtheria, 4 from tuberculous disease, one from *pneumonia*, and one from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (15) are equal to an annual rate of 35·8 per 1,000. Of the total, one death was from diphtheria, 3 were from tuberculous disease, 2 from broncho-pneumonia, one from *pneumonia*, and 3 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (36) are equal to an annual rate of 43·2 per 1,000, and include one death from measles, 8 from pulmonary tuberculosis, one from lobar pneumonia, 11 from bronchitis, and 3 deaths from accidental violence.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 21·7 per 1,000. Measles caused 3 deaths, pulmonary tuberculosis 2 deaths, *pneumonia* one death, bronchitis 2 deaths, diarrhœa of an infant one death, and accidental drowning one death.

New Kilmainham District.—There was no death registered for the district during the past week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 28·2 ; Pembroke, 10·5 ; Blackrock, 28·6 ; and Kingstown, 30·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles, 2 from scarlet fever, and one from diarrhœa of a child under 2 years of age for Rathmines and Rathgar ; one from measles and one from diphtheria for Pembroke ; one from scarlet fever for Blackrock and one from measles for Kingstown. Among the 21 deaths from all causes for Rathmines and Rathgar are one from disseminated tuberculosis, one from broncho-pneumonia, 3 from *pneumonia*, 3 from bronchitis, and one suicidal death. Of the 6 deaths from all causes for Pembroke, one is from influenza. Of the 5 deaths from all causes for Blackrock one is from each of influenza and pulmonary tuberculosis. Included in the 10 deaths from all causes for Kingstown are 2 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, and 2 from *pneumonia*.

(*) See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 11th May, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 20,	.	—	—	10	.	.	11	.	1	3	4	.	—	—	.	—	18	—	47
	Apr. 27,	.	—	—	15	.	.	16	.	.	9	10	.	—	—	.	—	12	—	62
	May 4,	.	—	—	17	.	.	17	.	1	1	3	.	—	—	.	—	8	—	47
	May 11,	.	—	—	17	.	.	6	.	.	4	10	.	—	—	.	—	12	—	49
Rathmines and Rathgar Urban District.	Apr. 20,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	Apr. 27,	.	—	—	7	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
	May 4,	.	—	—	3	.	.	4	.	.	.	1	.	—	—	—	—	—	—	8
	May 11,	.	—	—	8	.	.	2	.	.	.	.	.	—	—	—	—	—	—	10
Pembroke Urban District.	Apr. 20,	.	7	1	1	.	.	2	.	.	.	1	.	.	.	—	—	.	—	12
	Apr. 27,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	1
	May 4,	.	3	.	1	.	.	4	.	.	.	.	.	.	.	—	—	4	—	12
	May 11,	.	4	.	3	.	.	1	1	.	.	.	.	.	.	—	—	4	—	13
Blackrock Urban District.	Apr. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Apr. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Apr. 20,	.	—	—	8	.	.	3	.	.	.	.	.	—	—	—	—	3	—	14
	Apr. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	May 4,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	.	—	5
	May 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
City of Belfast.	Apr. 20,	.	—	—	14	.	.	4	.	.	.	3	.	—	—	.	—	16	.	37
	Apr. 27,	.	—	—	10	.	.	1	.	.	.	2	1	—	—	.	—	10	.	24
	May 4,	.	—	—	9	.	.	2	.	.	.	2	.	—	—	1(*a*)	—	16	.	30
	May 11,	.	—	—	15	.	.	2	.	.	.	3	.	—	—	.	—	14	.	34

(*a*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th May, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 33 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 38, 35, and 34.

Sixteen cases of measles were admitted to hospital during the week, 18 were discharged, there were 6 deaths, and 58 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 66, 70, and 66, respectively.

Twenty-seven cases of scarlet fever were admitted to hospital, 8 were discharged, there were 3 deaths, and 126* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 92, 99, and 110, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 68, 69, and 71, respectively, were 66 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 10 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·1) was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow being 16·7, and for Edinburgh 15·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th May. From this Report it appears that of a total of 36 cases notified, 17 were phthisis, 12 scarlet fever, 4 diphtheria, and 3 erysipelas. Among the 340 cases of infectious diseases in hospital at the close of the week were 93 cases of measles, 81 of scarlet fever, 59 of phthisis, 43 of whooping-cough, 39 of diphtheria, 11 of erysipelas, 6 of enteric fever, one of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 11th May, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 11th May, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 11th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th April, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	27·3	19·9	1·9	605	442	65	106	...	...	...	15	5	10	4	...	63	23	14	38	65	8	...	9	12	151	10	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	406,536	29·5	31·4	25·1	3·3	245	196	26	36	...	...	...	14	5	...	3	...	24	8	8	22	28	4	...	8	9	83	6	e68·2	39·4	56·1	0·18	e62·0	27·0	47·9	0·48	e61·0	32·0	47·2	0·68
CITY OF DUBLIN,	311,601	39·4	34·1	25·8	3·0	204	154	19	27	...	...	...	11	2	...	2	...	21	7	6	14	25	3	...	7	8	71	4	f68·9 g70·5	49·1 43·2	57·5 56·5	0·19 0·18	f63·2 g61·8	36·8 30·0	51·0 49·0	0·29 0·41	f61·3 g61·2	42·0 34·8	50·6 48·5	0·87 0·77
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	18·8	28·2	5·4	14	21	4	5	...	...	...	1	2	...	...	...	...	1	1	4	3	1	...	1	1	6	1	...	...	...	...	...	...	..	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	29·9	10·5	3·5	17	6	1	2	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	.	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	34·3	28·6	5·7	6	5	1	1	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	30·3	3·0	4	10	1	1	...	...	...	1	...	...	...	...	2	...	...	4	...	...	...	...	...	3	...	67	47	56·6	0·07	61	35	50·8	0·17	61	40	49·6	0·91
Urban Districts. BELFAST ...	391,051	26·6	25·7	15·3	1·6	193	115	22	22	...	..	...	1	...	6	1	...	19	8	1	6	11	4	...	...	2	31	...	65·0	40·0	51·7	0·30	61·0	35·0	49·0	0·41	64·0	37·5	50·3	0·81
CORK, ...	76,622	33·8	24·5	21·1	0·7	36	31	6	9	...	...	...	...	...	1	...	...	6	2	1	5	5	...	...	...	...	8	2	59	50	51·9	0·33	59	39	51·0	0·36	61	42	50·4	0·05
LONDONDERRY...	40,912	18·9	31·9	21·7	.	25	17	2	8	...	...	...	...	...	...	...	...	1	...	...	1	6	...	...	1	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	17·7	16·3	.	13	12	1	3	...	...	...	...	...	...	...	...	2	1	...	1	6	...	...	...	...	7	...	66·7	47·2	57·5	0·29	63·7	32·5	51·6	0·04	67·3	33·4	49·5	0·00
WATERFORD, ...	27,430	19·1	34·2	17·1	.	18	9	1	4	...	...	...	...	...	...	...	...	3	...	...	...	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	19·7	39·4	.	5	10	1	8	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	3	1	66	42	55·5	0·47	65	36	50	0·25	70	38	52	0·63
DUNDALK, ...	13,128	9·5	27·8	4·0	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	16·8	42·0	.	4	10	1	5	...	...	...	...	...	...	...	..	1	...	2	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	8·7	17·4	.	2	4	...	2	...	...	...	..	...	...	...	...	...	...	1	1	1	...	...	...	...	1	...	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88
LURGAN, ...	12,135	14·3	25·8	17·2	4·3	6	4	1	...	...	...	...	...	...	1	...	...	3	...	...	...	...	...	...	...	...	1	...	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88
LISBURN, ...	12,172	10·7	30·0	8·6	.	7	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88
WEXFORD, ...	11,455	23·8	31·9	22·8	.	7	5	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	18·3	4·6	.	4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	28·0	32·7	.	6	7	1	...	..	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	5	...	65·0	39·0	54·0	0·56	61·0	31·0	50·0	0·33	69·0	28·0	48·0	0·00
KILKENNY, ...	10,513	11·4	24·8	19·8	.	5	4	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	67	47	57·2	0·23	64	31	53·4	0·11	65	36	49·2	0·09
CLONMEL, ...	10,277	7·9	25·4	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	8·9	17·8	8·9	2	4	1	2	...	...	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88
TRALEE, ...	9,867	16·6	31·7	15·9	.	6	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	11·4	.	2	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	64	44	53·2	0·15	61	38	47·7	0·30	61	41	49·5	0·51
QUEENSTOWN, ...	7,909	14·4	19·8	19·8	.	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	59	50	54·9	0·33	59	39	51·0	0·36	61	42	50·4	0·05
ARMAGH, ...	7,588	22·2	27·5	13·7	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46	65·0	36·0	50·1	0·88

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one under one year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 11th of May, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	.	.	5	.	.	.	.	.	1	3	.	1	1	.	1	14	.
Scarlet Fever,	.	1	.	1	.	.	.	.	.	.	.	.	2	.	1	.	5	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	1	2	2	.	.	1	2	2	8	2	.	.	.	1	2	24	.
Tuberculous Disease. — Other Forms,	1	1	2	.	.	.	.	2	1	.	.	.	1	.	.	.	8	.
Cancer,	.	1	.	.	1	.	.	3	1	.	.	.	1	.	1	.	8	2
Diseases of Nervous System,	.	2	.	3	.	.	.	2	3	2	2	.	2	2	.	1	19	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	4	2	.	.	1	.	5	.	5	.	.	3	.	.	.	21	1
" Respiratory System. — Pneumonia,	1	4	1	2	.	.	.	1	3	1	1	.	4	.	.	4	22	.
" Respiratory System. — Others,	.	.	3	2	.	2	.	1	3	12	2	.	3	.	.	.	28	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	4	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	1	1	.	.	.	.	.	2	.	2	1	.	.	.	.	.	7	.
" Genito-urinary System,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	.	1	1	1	.	.	2	.	.	1	.	.	.	1	1	10	1
Violent Deaths,	1	1	1	.	.	.	.	.	.	3	1	.	1	.	.	.	8	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	.	1	1	.	1	1	.	1	7	.
Deaths from All Causes	11	20	12	18	2	3	1	21	15	36	15	.	21	6	5	10	196	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·1	26·0	20·3	27·8	19·3	13·4	6·7	26·3	35·8	43·2	21·7	.	28·2	10·5	28·6	30·3	25·1	.
	21·9							29·8					23·1					
	25·8																	
Ages at Death. — Under 1 year,	2	5	.	4	1	.	.	1	2	3	1	.	4	1	1	1	26	1
1 and under 2 years,	2	.	1	4	.	.	.	1	.	7	3	.	2	1	.	.	21	.
2 " 5 "	1	3	.	2	.	1	.	2	3	.	1	.	2	1	.	1	17	.
5 " 15 "	1	2	.	1	.	.	.	2	.	1	.	.	.	.	.	2	9	1
15 " 25 "	.	.	1	.	.	.	.	.	.	4	3	.	.	1	.	1	10	.
25 " 45 "	1	6	3	2	.	.	1	5	5	9	1	.	6	.	2	1	42	1
45 " 65 "	2	2	3	2	.	2	.	7	4	6	1	.	2	.	1	3	35	.
65 and upwards,	2	2	4	3	1	.	.	3	1	6	5	.	5	2	1	1	36	4
Number of Uncertified Deaths,	.	1	.	.	.	.	.	1	1	1	.	.	1	.	1	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	2	4	1	.	.	7	4	15	4	.	6	2	1	3	54	7
Workhouse Hospitals,	2	2	3	2	.	1	.	5	5	6	3	.	.	.	.	.	29	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.	Averages in 19th Week of the 10 years 1902–1911.	In the Week ending Saturday, 11th May, 1912. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·3	° 48·1	° 49·7	° 49·9	° 50·2	° 50·3	° 52·5	° 45·8	° 44·7	° 52·6	° 48·7	° 56·1										
ALL CAUSES.	173	175	173	181	165	195	199	153	180	170	176·4	203	10	17	21	17	10	10	43	35	21	19
Enteric Fever, ...	2	1	2	1	3	1	1	2	3	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	5	2	4	1	6	2	3	.	17	4·6	14	.	3	8	3	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	.	.	1	.	1	1	·5	5	.	.	2	2	.	.	1	.	.	.
Whooping-cough, ...	.	3	10	.	1	8	1	5	1	2	3·1	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	1	1	.	1	3	.	.	3	1·1	3	.	.	.	3	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	7	2	2	2	3	5	4	3	2	3·2	4	.	1	.	.	.	.	.	2	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	2	1	1	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	2	.	.	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	1	.	1	1	.	.	1	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	24	19	19	18	16	26	17	31	17	21·0	24	.	.	1	.	1	5	14	3	.	.
Tuberculous Meningitis, ...	3	.	3	4	1	2	2	1	.	1	1·7	4	.	1	1	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	3	1	.	2	.	1	3	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1												
Tuberculosis of other Organs,	4	4	7	8	9	7	9	2	6	.	6·0	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		.	.	.	.	.	.	.	.	.	.	.
										3		4	.	.	1	.	1	.	1	1	.	.
Venereal Diseases, ...	2	2	1	1	2	2	.	1	1	1	1·3	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	8	9	12	8	5	12	15	7	10	5	9·1	10	.	.	.	.	.	.	2	4	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	2	4	.	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	1	1	1	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		2	.	.	.	.	1	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										4		5	.	.	.	.	.	.	1	1	3	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										5		3	.	.	.	.	.	.	.	.	1	2
Epilepsy, ...										.		3	.	.	.	.	.	.	2	.	1	.
Convulsions (non-puerperal),										1		4	1	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	37	38	32	44	31	41	41	41	30	.	36·9	2	.	.	.	.	.	1	1	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		1	.	.	.	.	.	1	.	.	.	.
Organic Diseases of the Heart,										21		21	.	.	.	.	1	.	7	6	4	3
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	18	21	20	22	27	21	27	16	26	16	21·4	27	.	4	4	3	.	.	2	8	2	4
Broncho-pneumonia, ...	.	7	1	6	7	6	6	5	8	6	5·2	8	1	2	1	4	.	.	.	.	.	.
Lobar pneumonia, ...	.	2	1	1	1	3	.	1	1	4	1·4	4	.	.	.	.	.	.	.	3	1	.
Pneumonia (type not distinguished)	9	4	6	8	10	7	9	7	5	5	7·0	10	.	1	.	.	2	.	2	2	1	2
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	1	3	4	2	3	2	1	1	2·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

NINETEENTH WEEK ending Saturday, 11th May, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 19th Week of the 10 years 1902–1911.	In the Week ending Saturday, 11th May, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 10, 1902.	May 16, 1903.	May 14, 1904.	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	43·3	48·1	49·7	49·9	50·2	50·3	52·5	45·8	44·7	52·6	48·7	56·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	6	—	2	.	.	.	1	.	.	.	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	3	.	3	3	5	3	2	2	1	2·5	4	1	2	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver. ...	1	.	1	4	.	.	1	.	2	3	2·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	3	3	2	1	2	2	.	1	.		2	1	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	.	.	1	.	.	1	2	2	·6	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Digestive System.	3	7	5	6	5	4	5	4	6	1	4·6	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	5	7	5	6	9	10	7	11	4	1	7·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										5		3	.	.	.	.	.	.	1	1	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										1		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		1	.	.	.	.	.	.	.	1	.	.
Puerperal Septicæmia, &c., ...	.	1	2	.	1	.	.	.	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	.	.	.	1	.	1	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	1	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	9	4	5	2	2	4	4	5	3	7	4·5	5	5	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Old Age, ...	6	5	10	5	3	3	5	8	4	4	4·8	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	2	.	.	.	.	4	.	·7	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	2	.	.	1	.	1	1	1	1	.	·7	1	.	.	.	.	.	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	1	1	1	2	5	1	4	.	1·8	5	.	.	.	.	.	1	3	.	.	1
Total Deaths from Accident,	4	1	2	4	1	5	7	2	9	.	3·5	7	.	.	.	.	1	2	3	.	.	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	1	.	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	2	1	2	.	·5	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	.	—	7	1	.	.	.	.	.	.	.	4	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered.	183	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245
Average Births in corresponding week of previous 10 years, ...	197	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236
DEATHS registered, ...	186	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203
Annual Death-rate per 1,000, ...	24·0	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0
Average Deaths in corresponding week of previous 10 years, ...	177	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176
Ages, Under 5 years, ...	61	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65
5—15 " ...	7	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10
15—25 " ...	13	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10
25—45 " ...	33	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43
45—65 " ...	33	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35
65—75 " ...	21	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21
75 and upwards, ...	18	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19
Deaths from :—																										
Enteric Fever, ...	.	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14
Scarlet Fever, ...	2	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5
Whooping-cough, ...	4	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.
Diphtheria, ...	4	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3
Influenza, ...	1	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24
Tuberculous Disease, Other Forms,	10	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8
Cancer, ...	19	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10
Diseases of Circulatory System,	14	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22
Diseases of Respiratory System, Pneumonia	8	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22
Diseases of Respiratory System, Others, ...	24	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28
Diarrhœa and *Enteritis*, under 2 years, ...	5	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.
Violent Deaths, ...	5	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8
Number of Uncertified Deaths,	5	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6
Mean Temperature of the Air (Phœnix Park)	44·5	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1
Average Mean Temperature in corresponding week of previous 10 years, ...	42·0	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7
Rainfall in inches, ...	1·785	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·82	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th May, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH MAY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	203	65	10	10	43	35	21	19	.	.	.	14	5	.	3	.	24	8	10	4	22	28	4	.	8	73	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	2	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	3	.
II.	MIDDLE CLASS, ...	87,188	20·3	34	8	3	.	8	7	3	5	.	.	.	1	2	.	1	.	2	2	5	.	5	2	.	.	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	22·7	48	14	3	4	10	9	4	4	.	.	.	3	1	.	1	.	6	2	2	1	3	12	.	.	.	17	3
IV.	GENERAL SERVICE CLASS, ...	154,279	28·7	85	39	4	5	15	9	9	4	.	.	.	10	1	.	1	.	8	3	.	3	11	8	3	.	5	32	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	29	2	.	1	9	9	4	4	.	.	.	.	1	.	.	.	8	1	2	.	2	6	.	.	1	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	23·7	10	3	.	.	4	2	1	.	.	.	.	.	1	.	.	.	1	.	.	.	2	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	3	1	.	3	3	.	1	.	.	.	1	1	.	1	.	.	2	1	.	.	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	2	.	1	2	1	3	.	.	.	.	.	.	.	.	1	.	4	.	2	.	.	.	1	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	9. Building and Furnishing Trades, ...	29,801	28·0	16	9	2	.	3	1	.	1	.	.	.	3	1	.	1	.	2	1	1	1	1	3	.	.	.	2	.
	10. Clothing Trades, ...	23,260	11·2	5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	.	1	1
	11. Food Supply Trades	9,242	22·6	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	27·5	16	2	.	1	3	4	3	3	.	.	.	.	.	.	.	.	2	.	.	.	1	5	.	.	.	8	1
	13. Petty Shopkeepers	7,894	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	15. Domestic Servants, ...	36,603	11·4	8	4	.	2	2	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	.	1	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	.	1	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	1	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	39·5	68	32	4	3	12	8	7	2	.	.	.	9	1	.	.	.	6	2	.	3	10	6	2	.	4	25	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	29	2	.	1	9	9	4	4	.	.	.	.	1	.	.	.	8	1	2	.	2	6	.	.	1	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Dis. Eases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Mar. 23,	27·8	.	16	.	.	.	.	.	.	.	.	1	1	.	3	3	.	.	1	.
	„ 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Mar 23,	16·9	.	13	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Mar. 23,	27·0	.	16	.	.	.	.	.	.	.	.	5	.	.	.	4	.	.	.	.
	„ 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1·7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Mar. 23,	20·1	1·5	13	1	.	.	.	.	.	.	.	3	.	.	5	1	.	.	.	.
	„ 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Mar. 23,	35·1	2·5	28	.	.	.	1	1	.	.	.	4	.	.	3	8	.	.	.	2
	„ 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Mar. 23,	28·6	4·8	12	.	.	.	1	.	.	1	.	1	1	.	1	5	.	.	.	1
	„ 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Mar. 23,	36·0	3·6	30	.	.	.	1	1	.	1	.	6	.	.	3	9	.	.	.	1
	„ 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Mar. 23,	21·7	1·4	15	.	.	.	.	.	.	.	.	3	.	.	2	3	1	.	.	.
	„ 30,	31·8	2 9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Mar. 23,	17·4	1·3	13	.	.	.	.	.	.	1	.	3	.	.	1	3	.	.	.	.
	,, 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	,, 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	,, 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
Pop. in 1912 (Est.) 38,889.	,, 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	,, 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	1	1	4	3	1	.	1	1
Pembroke Urban District.	Mar. 23,	17·6	.	10	.	.	.	.	.	.	.	.	1	.	2	1	2	.	.	.	.
	,, 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	,, 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	,, 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
Pop. in 1912 (Est.) 29,693.	,, 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	,, 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	Mar. 23,	27·2	9·1	9	.	.	.	3	.	.	.	.	.	.	1	.	.	.	.	.	.
	,, 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	2
	,, 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	.	2	2	.	.	.	.
	,, 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	4	.	1	.	.	.	1
Pop. in 1911 17,227.	,, 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	,, 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
Belfast.	Mar. 23,	18·8	0·9	141	1	.	.	.	1	4	.	.	21	8	4	24	21	1	.	3	3
	,, 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	,, 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
Pop. in 1912 (Est.) 391,051.	,, 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	,, 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	,, 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
Cork.	Mar 23,	22·5	.	33	.	.	.	.	.	.	.	.	4	2	.	2	3	.	.	.	1
	,, 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	,, 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
Pop. in 1911 76,632.	,, 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	,, 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1 4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	,, 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
Londonderry.	Mar. 23,	14·0	.	11	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	.
	,, 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	,, 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
Pop. in 1912 (Est.) 40,912.	,, 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	,, 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	,, 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
Limerick.	Mar. 23,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	,, 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	,, 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
Pop. in 1911 38,403.	,, 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	,, 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	,, 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
Waterford.	Mar 23,	7·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	,, 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	,, 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Pop. in 1911 27,430.	,, 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	,, 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	,, 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th May, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		10	5	.	1	1	1	2	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.
Do. 2 do.		24			22	3	3	4	2	4	6	.	.	.	.	.	1	.	.	1	1	.	2	3	1	.	.	.	5	.
Do. 3 do.		31			19	2	6	2	5	2	2	.	.	.	.	.	1	.	.	7	.	.	1	.	.	.	.	.	6	.
Do 4 do.		24			13	4	2	2	2	1	2	.	.	.	.	.	4	.	.	1	.	1	.	1	.	.	.	.	5	.
Do. 5 do.		5			3	1	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		9			8	.	1	2	3	.	2	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	2	.
Do. 7 do.		2			1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 8 do.		.			2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 9 do.		16			6	.	1	2	1	.	2	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	1	.
Do. 10 do.		10			5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Do. 11 do.		17			7	1	.	3	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1	.
Do. 12 do.		25			10	2	2	1	2	1	2	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	.	3	.
Do. 13 do.		11			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			7	1	.	1	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	3	.
Total,	—	193			115	22	15	20	18	18	22	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	2	31	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	2	.	.	.	2	2	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	2	.
Do. 2 do.		4			4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 3 do.		8			2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 4 do.		4			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 5 do.		2			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		4			4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do.		7			12	4	3	.	2	.	3	.	.	.	.	.	1	.	.	1	2	.	4	2	.	.	.	.	1	2
Total,	—	36	21·1	0·7	31	6	4	1	4	7	9	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	.	8	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	April 20.	Apr 27.	May 4.	May 11.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
BIRTHS registered, ...	187	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193
DEATHS registered, ...	131	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115
Annual Death rate per 1,000 of estimated population, ...	17·7	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3
AGES, Under 1 year, ...	30	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22
AGES, 1—5 years, ...	16	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15
AGES, 5—25 „ ...	16	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20
AGES, 25—45 „ ...	14	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18
AGES, 45—65 „ ...	31	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18
AGES, 65 and upwards, ...	24	27	30	24	26	28	24	32	31	28	24	35	54	44	40	23	26	32	37	31	28	35	43	28	25	22
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever, ...	1	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.
Whooping-cough, ...	1	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6
Diphtheria, ...	4	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	17	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19
Tuberculous Disease. Other Forms,	7	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8
Cancer, ...	4	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1
Diseases of Respiratory System, Pneumonia,	10	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6
Diseases of Respiratory System, Others, ...	15	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11
Diarrhœa, and *Enteritis*, under 2 years, ...	6	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4
Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Violent Deaths, ...	3	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.
Number of Uncertified Deaths, ...	1	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	May 11,	2,173	1,226	14·1	4	.	24	3	29	11	21*a*
Edinburgh, ...	321,200	„ 11,	140	98	15·9	.	.	6	.	3	.	.
Glasgow, ...	785,600	„ 11,	457	252	16·7	.	.	4	3	3	2	5
Calcutta, ...	890,493	Apr. 6,	.	564	32·9	187*	2	1	.	4	1	103‡
Bombay, ...	979,445	„ 6,	366	893	47·4	184*	59	9	.	.	.	59‡
Madras, ...	518,660	Mar. 16,	304	336	33·7	69*	2	2	?	?	?	88‡
Cairo, ...	699,228	„ 11,	574	345	25·7	1	.	.	.	.	6	29
Paris, ...	2,847,229	Apr. 13,	909	1,034	18·6	3	.	43	5	7	9†	25*a*
Brussels, ...	745,380	„ 20,	252	195	13·6	2	.	1	.	.	4†	11
Antwerp, ...	308,618	„ 20,	133	89	15·0	.	.	11	2	1	.	5*a*
Amsterdam, ...	582,621	„ 20,	253	128	11·5	.	.	3	.	.	.	2*a*
Copenhagen, ...	465,000	„ 20,	221	162	18·2	.	.	4	3	6	2†	3
Stockholm, ...	346,599	„ 20,	148	141	21·2	.	.	5	1	2	2	5
Christiania, ...	244,038	„ 27,	105	81*b*	17·3	.	.	1	.	.	2	1
St. Petersburg, ...	1,641,600	„ 6,	565	705	22·4	9	2	22	16	8	10	72
Moscow, ...	1,493,600	„ 6,	.	730	25·5	3	.	21	8	17	15†	77
Berlin, ...	2,082,566	„ 6,	706	587	14·7	1	.	6	2	4	11†	17
Hamburg, ...	953,079	„ 20,	. . .	241	13·1	.	.	2	.	1	1†	5
Breslau, ...	527,909	„ 20,	.	179	17·7	.	.	.	.	.	.	15
Munich, ...	610,000	„ 27,	.	190	16·2	.	.	2	.	2	.	9
Vienna (with suburbs),	2,081,335	„ 20,	754	732	18·3	1	.	9	3	4	10†	44*a*
Buda-Pesth, ...	910,548	„ 20,	464	381	21·8	2	.	2	3	3	8†	11*a*
Prague and Faubourgs,	481,682	„ 6,	201	215	23·3	2	.	10	2	.	4†	5*a*
Trieste, ...	235,999	„ 20,	123	108	23·9	1	.	4	.	1	1†	3
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Nov. 11,	78	69	19·5	.	.	.	.	.	.	5
New York, ...	5,173,064	Mar. 9,	2,598	1,608	16·2	5	.	17	21	7	34	43
Philadelphia, ...	1,606,105	„ 23,	.	514	16·6	.	.	.	3	4	9	13
Boston, ...	720,031	Apr. 20,	.	259	18·7	.	.	4	1	1	.	7

* Deaths from "fever," including 6 deaths from enteric fever and 129 from plague in Calcutta, and 119 from plague in Bombay.

† Including deaths from croup.

‡ Including 73 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 11 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 11th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	2	3	.	.	2	8
" " 1, West, ...	.	2	.	.	.	.	.	1	1	.	.	.	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
" " 3, ...	.	4	.	.	2	.	.	.	.	.	.	1	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	.	.	.	4	.	.	4	9
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
" " 3, ...	.	5	.	.	1	.	.	.	.	.	.	1	7
" " 4, ...	.	3	.	.	1	.	.	.	2	.	.	1	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	.	.	6	.	.	4	10	.	.	12	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th May, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th May.			
	Apr. 20.	Apr. 27.	May 4.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	38	35	34	3	4	. .	33
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	66	70	66	16	18	6	58
Scarlet Fever, ...	92	99	110	27	8	3	126*
Diphtheria, ...	68	69	71	11	15	1	66
Pneumonia, ...	36	34	35	10	10	2	33

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 11th May, 1912:—

"A marked advance in temperature was the main feature in this week's weather. Only Sunday and Friday were cool days—the former day because of clouds and a rainfall in the evening; the latter day, because of the prevalence of a cool easterly ground current following a vapour fog in the morning. At the beginning and also at the close of the period the distribution of atmospheric pressure was cyclonic in the British Isles and over the adjacent Atlantic. As a result, southerly winds prevailed and showers fell at intervals, but no large rainfalls were reported. On Wednesday thunder was heard at Aberdeen and Deal and thunder and lightning occurred at Donaghadee. On that day, however, a well-marked anticyclone lay over France, thence extending over England and Ireland. This high pressure system occupied much the same situation on Thursday, and very fine weather was general except in parts of Scotland, which were within the sphere of influence of a barometric depression stretching across the Norwegian Sea from Iceland to Norway. In many parts of England the weather was quite summerlike on Wednesday and Thursday—on the former day the thermometer rose to 70° and upwards over the eastern and southern districts of that country, and to 74° at Greenwich and Clacton-on-Sea. On Thursday again 70° was reached or exceeded in the same districts and 76° was recorded at Greenwich and Camden Square, London, N.W. Owing to fog, however, temperature did not reach 60° at some stations on the English Channel on Thursday, and the maximum in Dublin on Friday was 58·5° compared with 67·6° on Wednesday and 68·9° on Saturday. In the course of Friday night a large depression arrived off the N.W. of Ireland, and its S.W. winds blowing strongly caused a sudden increase of temperature on Saturday forenoon. Towards evening the undercurrent became northwesterly and temperature fell. In Dublin the mean height of the barometer was 30·006 inches, the range being from 30·283 inches at 9 a.m. of Thursday (wind, W. by S.) and 29·673 inches at 9 a.m. of Saturday (wind, W.S.W.). The corrected mean temperature was 57·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·6°. The screened thermometers fell to 49·1° on Sunday and rose to 68·9° on Saturday. W.S.W. winds were the most prevalent. Rain fell on 6 days but only to the amount of ·189 inch, of which ·059 inch was measured on Sunday. Solar halos were seen on Wednesday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·014 inches. The highest reading (30·305) was on Thursday at 9 a.m., wind W., the lowest (29·686) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 56·1°, being 7·4° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Saturday, on which day the thermometer registered 68·2°, and was lowest on Friday, the mercury having fallen to 39·4°. The mean of the Dry Bulb for the week was 55·5° and of the Wet Bulb, 52·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·180 inch.

At Greenwich the mean temperature for the week was 59·7°, the maximum 82·6°, and the minimum 46·1°; at Glasgow the minimum was 40·0°; and at Edinburgh the maximum was 64·8°, the minimum 37·8°, and the mean 53·7°. The rainfall at Greenwich measured 0·06 in.; at Glasgow 0·73 in.; and at Edinburgh 0·59 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer. Maximum.	Thermometer. Minimum.	Thermometer. Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 5,	29·890	58·0	48·0	53·0	53·0	51·0	·86	·6	0·2	·060	E.S.E.	S.
Monday, " 6,	29·930	62·0	49·0	55·5	55·7	52·6	·81	·5	1·2	·025	S.S.W.	S.W.
Tuesday, " 7,	30·015	61·0	54·0	57·5	58·1	55·1	·82	·2	0·7	·060	S.	Calm.
Wednesday, " 8,	30·245	68·0	51·0	59·5	59·3	56·7	·85	·4	0·8	·020	S.S.W.	S.W.
Thursday, " 9,	30·280	68·0	49·0	58·5	53·9	51·4	·85	·0	8·6	·000	W.	Calm.
Friday, " 10,	29·995	58·0	39·0	48·5	52·2	50·6	·89	·4	0·7	·015	E.N.E.	E.N.E.
Saturday, " 11,	29·745	68·0	53·0	60·5	56·6	53·2	·81	·4	4·7	·000	S.W.	Calm.
Mean, ...	30·014	63·3	49·0	56·1	55·5	52·9	·84	·4	Total 16·9	Total ·180	Prevailing Wind, S.W.	

Sunday—Day overcast, showers at intervals a.m. and p.m.; night overcast. *Monday*—A dull day, shower 8.0 to 8.15 p.m.; night cloudy, shower 6.0 to 6.30 a.m. *Tuesday*—A dull day, drizzling rain 1.20 to 4.40 p.m.; night cloudy to overcast, drizzling rain 3.0 to 3.40 a.m. *Wednesday*—A dull day, drizzling rain 10.30 to 12.15 p.m.; night overcast. *Thursday*—A fine bright day; night clear. *Friday*—A dull day; night cloudy, heavy shower 5.0 to 5.30 a.m. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees in this table, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 11th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 5,	52·6	53·3	50·3	58·0	47·7	52·9	—	·051
Monday, " 6,	59·1	53·4	50·5	61·2	50·0	55·6	1·8	·020
Tuesday, " 7,	58·2	54·0	50·6	60·0	53·0	56·5	0·2	·045
Wednesday, " 8,	61·5	54·5	50·8	69·0	53·0	61·0	2·5	·035
Thursday, " 9,	60·2	55·8	51·0	65·3	53·1	59·2	7·1	—
Friday, " 10,	50·2	56·0	51·2	56·7	47·9	52·3	0·6	·002
Saturday, " 11,	61·5	56·0	51·5	70·6	53·0	61·8	4·8	—
Weekly Mean, .	57·6	54·7	50·8	63·0	51·1	57·0	Total 17·0	Total ·153

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32333. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 18TH MAY, 1912. [No. 20.

General Register Office, Charlemont House,
Dublin, 20th May, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending April 27	Week ending May 4	Week ending May 11	Week ending May 18	Average Rate for 4 weeks.	Towns, &c.	Week ending April 27	Week ending May 4	Week ending May 11	Week ending May 18	Average Rate for 4 weeks.
22 Town Districts, ...	**20·3**	**20·2**	**19·9**	**18·6**	**19·8**	Limerick	17·7	20·4	16·3	17·7	18·0
						Lisburn	21·4	8·6	8·6	17·1	13·9
Armagh	6·9	6·9	13·7	20·6	12·0	Londonderry	25·5	12·7	21·7	14·0	18·5
Ballymena	13·8	18·3	4·6	22·9	14·9	Lurgan	30·1	17·2	17·2	21·5	21·5
Belfast	18·0	17·9	15·3	18·4	17·4	Newry	26·2	4·4	17·4	21·8	17·5
Clonmel	15·2	10·1	.	5·1	7·6	Newtownards	11·4	34·3	11·4	22·9	20·0
Cork	17·7	21·1	21·1	22·5	20·6	Portadown	17·8	17·8	17·8	31·1	21·1
Drogheda	25·2	21·0	42·0	12·6	25·2	Queenstown	13·2	6·6	19·8	26·4	16·5
Dublin Reg. Area ...	23·6	25·9	25·1	18·2	23·2	Sligo	14·0	9·3	32·7	9·3	16·3
Dundalk	27·8	11·9	4·0	4·0	11·9	Tralee	15·9	21·1	15·9	37·0	22·5
Galway	23·6	3·9	39·4	19.7	21·6	Waterford	13·3	15·2	17·1	26·6	18·1
Kilkenny	9·9	14·9	19·8	5·0	12·4	Wexford	22·8	27·3	22·8	18·2	22·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in seventeen of the districts to 10·6 in Tralee, the 7 deaths from all causes for that district including 2 from diarrhœa and *enteritis* of children under 2 years. Among the 138 deaths from all causes for Belfast are one from scarlet fever, 4 from whooping-cough, 2 from diphtheria, and 3 from diarrhœa and *enteritis* of children under 2 years. The one death for Dundalk is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—113 boys and 110 girls—and the deaths to 149—64 males and 85 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·2 per 1,000 of the population. During the twenty weeks ending with Saturday last the death-rate averaged 24·8, and was 0·1 above the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 149, represent an annual rate of 19·1 per 1,000; the annual rate for the past twenty weeks was 26·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths from all causes there was one from enteric fever, 8 were from measles, 2 were from each of scarlet fever* whooping-cough, and diphtheria*, and one was from diarrhœa of an infant under one year of age. In the 3 preceding weeks deaths from enteric fever were 3, 0, and 0; deaths from measles were 16, 15, and 14; deaths from scarlet fever were one, 4, and 5; deaths from whooping-cough were 2, 4, and 0; deaths from diphtheria one, 4, and 3; and deaths from diarrhœa and *enteritis* of infants were 7, 4, and 4 respectively.

There were 26 deaths from all forms of tuberculous disease, which in the three weeks preceding had caused 21, 38, and 32 deaths respectively. The 26 deaths include 17 from pulmonary tuberculosis, one from tuberculous meningitis, 4 from abdominal tuberculosis, 3 from tuberculosis of the vertebral column, and one from disseminated tuberculosis.

Of 18 deaths attributable to pneumonia (all forms), 10 were from broncho-pneumonia, 2 from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

The deaths of one infant under one year, and one child between the ages of 2 years and 5 years, were caused by *convulsions*; there were 2 deaths from congenital malformations, 3 from premature birth, and 2 from congenital debility, all of infants.

Organic diseases of the heart caused 15 deaths, and bronchitis 10 deaths.

Of 3 deaths attributable to accident or negligence one was by burning and one was by suffocation in bed of an infant.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year of age, and the death of one person aged 67 years.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 7 were under one month old) and 36 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom one (a female) was stated to have been aged 93 years.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·2 per 1,000; the rate in the City was 19·9 (North City Districts, 20·6; South, 19·2) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·2 (3·3 in the North City Districts, and 1·0 in the South), and for the Suburbs, 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·8 per 1,000, and include 3 deaths from measles, one death from pulmonary tuberculosis, one death from broncho-pneumonia, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·0 per 1,000. Measles and whooping-cough each caused one death; there were 4 deaths from tuberculous disease, one death from lobar pneumonia, 2 deaths from *pneumonia*, one death from bronchitis, one death from diarrhœa of an infant, and one death by burning.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·6 per 1,000. The deaths include one from whooping-cough, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and one of an infant by suffocation in bed.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. Measles caused 2 deaths; there was one death from scarlet fever, 3 deaths from pulmonary tuberculosis, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 38·6 per 1,000 inhabitants; Coolock and Drumcondra, part of, 13·4; and Finglas and Glasnevin, part of, 6·7. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, 2 are from broncho-pneumonia and one from *pneumonia*.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·3 per 1,000, and include 2 deaths from tuberculosis, one death from each of broncho-pneumonia and *pneumonia*, and 2 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 23·9 per 1,000. Of the deaths 4 were due to tuberculosis, one to *pneumonia*, and 2 to bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000. There was one death from enteric fever; tuberculosis caused 3 deaths, broncho-pneumonia 2 deaths, and bronchitis one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000. The deaths include one from measles, 2 from pulmonary tuberculosis, one from lobar pneumonia, and 2 from bronchitis.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 28·6 per 1,000. Diphtheria caused one death, and there was one death from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 8·8; Blackrock, 11·4; and Kingstown, 12·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. Among the 12 deaths from all causes for the latter district one was from tuberculosis of the vertebral column, one was from *pneumonia*, and 2 were from bronchitis. Of the 5 deaths from all causes for Pembroke one was from broncho-pneumonia and one was from bronchitis. Of the 2 deaths for Blackrock one was from pulmonary tuberculosis and one was from bronchitis. Among the 4 deaths from all causes for Kingstown one was from lobar pneumonia and one from bronchitis.

(*) See note (*c*), Table II. (†) See note (‡), at foot of first page.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 18th May, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Apr. 27,	.	—	—	15	.	.	16	.	.	9	10	.	—	—	.	—	12	—	62
	May 4,	.	—	—	17	.	.	17	.	1	1	3	.	—	—	.	—	8	—	47
	May 11,	.	—	—	17	.	.	6	.	.	4	10	.	—	—	.	—	12	—	49
	May 18,	.	—	—	20	.	.	5	.	.	1	9	.	—	—	.	—	16	—	51
Rathmines and Rathgar Urban District.	Apr. 27,	.	—	—	7	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
	May 4,	.	—	—	3	.	.	4	.	.	.	1	.	—	—	—	—	—	—	8
	May 11,	.	—	—	8	.	.	2	.	.	.	.	.	—	—	—	—	—	—	10
	May 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Apr. 27,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	—	—	.	—	1
	May 4,	.	3	.	1	.	.	4	.	.	.	.	.	.	.	—	—	4	—	12
	May 11,	.	4	.	3	.	.	1	1	.	.	.	.	.	.	—	—	4	—	13
	May 18,	.	2	.	5	.	.	3	.	.	.	1	.	.	.	—	—	.	—	11
Blackrock Urban District.	Apr. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	May 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Apr. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	May 4,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	.	—	5
	May 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
	May 18,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	.	—	4
City of Belfast.	Apr. 27,	.	—	—	10	.	.	1	.	.	.	2	1	—	—	.	—	10	.	24
	May 4,	.	—	—	9	.	.	2	.	.	.	2	.	—	—	1(*a*)	—	16	.	30
	May 11,	.	—	—	15	.	.	2	.	.	.	3	.	—	—	.	—	14	.	34
	May 18,	.	—	—	10	.	.	6	.	.	1	2	1	—	—	.	—	16	.	36

(*a*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th May, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 35, 34, and 33.

Twenty-three cases of measles were admitted to hospital during the week, 20 were discharged, there was one death, and 60 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 70, 66 and 58, respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 9 were discharged, there were 2 deaths, and 136 cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 99, 110, and 126, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 15 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 69, 71, and 66, respectively, were 59 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 77 large English towns (including London, in which the rate was 11·8) was equal to an average annual death-rate of 12·7 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·8 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 15·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th May. From this Report it appears that of a total of 51 cases notified, 33 were phthisis, 9 scarlet fever, 5 erysipelas, 2 diphtheria, one puerperal fever, and one cerebro-spinal fever. Among the 331 cases of infectious diseases in hospital at the close of the week were 93 cases of measles, 80 of scarlet fever, 57 of phthisis, 38 of diphtheria, 37 of whooping-cough, 12 of erysipelas, 6 of enteric fever, one of chicken-pox, and one of puerperal fever.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 18th May, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 18th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 4th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	32·9	18·6	1·3	729	412	68	87	1	...	...	8	2	7	3	...	54	22	22	43	44	7	...	11	22	121	12	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	28·6	18·2	1·8	223	142	21	35	1	...	...	8	1	2	1	...	17	7	6	18	19	1	...	3	5	57	2	e 64·1	31·0	49·4	0·04	e 68·2	39·4	56·1	0·18	e 62·0	27·0	47·9	0·48
CITY OF DUBLIN,	311,601	39·4	30·6	19·9	2·2	183	119	19	25	1	...	...	7	1	2	1	...	16	6	5	15	14	1	...	3	4	49	2	f 64·0 g 64·8	38·9 33·0	51·5 49·7	0·09 0·13	f 68·9 g 70·5	49·1 43·2	57·5 56·5	0·19 0·18	f 63·2 g 61·8	36·8 30·0	51·0 49·0	0·29 0·41
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	24·1	16·1	1·3	18	12	1	4	...	...	...	1	...	...	...	...	...	1	1	1	2	...	...	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	15·8	8·8	.	9	5	1	4	...	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	45·7	11·4	.	8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	15·1	12·1	.	5	4	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...	62	39	50·3	0·08	67	47	56·6	0·07	61	36	50·8	0·17
Urban Districts. BELFAST ...	391,051	26·6	36·7	18·4	1·3	275	138	20	22	...	...	...	...	1	4	2	...	19	11	13	16	5	3	...	5	10	35	1	63·0	35·0	49·8	0·10	65·0	40·0	54·7	0·30	61·0	35·0	49·0	0·41
CORK, ...	76,632	33·8	51·7	22·5	.	76	33	8	9	...	...	...	...	...	...	...	...	4	1	1	3	5	...	...	1	3	13	1	60	42	50·8	0·06	59	50	51·9	0·33	59	39	51·0	0·36
LONDONDERRY...	40,912	18·9	31·9	14·0	.	25	11	4	1	...	...	...	...	...	...	...	...	3	...	...	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	16·3	17·7	.	12	13	1	2	...	...	...	...	...	...	...	...	3	...	...	...	3	...	...	...	...	6	2	62·2	35·0	50·0	0·12	66·7	47·2	57·5	0·29	63·7	32·5	51·6	0·01
WATERFORD, ...	27,430	19·1	34·2	26·6	1·9	18	14	2	3	...	...	...	...	...	...	...	...	3	...	...	1	2	1	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	15·7	19·7	.	4	5	...	3	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	1	3	63	35	50·6	0·06	66	42	55·5	0·47	65	36	50	0·25
DUNDALK, ...	13,128	9·5	31·8	4·0	4·0	8	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	25·2	12·6	.	6	3	...	2	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	34·9	21·8	.	8	5	2	1	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46
LURGAN, ...	12,135	14·3	8·6	21·5	.	2	5	1	...	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	...	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46
LISBURN, ...	12,172	10·7	47·1	17·1	.	11	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46
WEXFORD, ...	11,455	23·8	18·2	18·2	.	4	4	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	41·3	22·9	.	9	5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	.	9·3	.	2	2	...	1	..	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	61·0	33·0	48·0	0·66	65·0	39·0	54·0	0·56	61·0	31·0	50·0	0·33
KILKENNY, ...	10,513	11·4	34·7	5·0	.	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	63	36	49·8	0·09	67	47	57·2	0·23	64	31	53·4	0·11
CLONMEL, ...	10,277	7·9	20·3	5·1	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	48·9	31·1	.	11	7	2	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46
TRALEE, ...	9,867	16·6	58·1	37·0	10·6	11	7	2	2	...	...	...	...	...	...	...	...	1	...	...	..	1	2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	22·9	22·9	.	4	4	...	1	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...	...	...	61	39	49·0	0·11	64	44	53·2	0·15	61	38	47·7	0·30
QUEENSTOWN, ...	7,909	14·4	33·0	26·4	.	5	4	1	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	60	42	50·8	0·06	59	50	54·9	0·33	59	39	51·0	0·36
ARMAGH, ...	7,588	22·2	41·2	20·6	.	6	3	...	...	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	1	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35	59·0	34·5	48·2	0·46

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 74 years), admitted to hospital from localities outside the Area; of the 7 deaths one was from scarlet fever and one from diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 18th of May, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	3	1	.	2	.	.	.	.	.	.	1	.	1	.	.	.	8	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Whooping-cough	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	3	2	3	.	.	.	1	1	2	2	1	.	.	1	.	17	.
Tuberculous Disease. { Other Forms,	.	1	.	.	.	.	.	1	3	1	.	.	1	.	.	.	7	2
Cancer,	.	.	.	.	.	.	.	3	1	1	.	.	1	.	.	.	6	1
Diseases of Nervous System,	.	1	1	1	.	1	.	2	.	1	1	.	1	1	.	.	10	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	.	1	1	1	1	1	2	1	1	1	4	1	.	1	19	.
" Respiratory System. { Pneumonia,	1	3	2	.	3	.	.	2	1	2	1	.	1	1	.	1	18	.
" Respiratory System. { Others,	2	1	.	3	.	.	.	3	2	1	2	.	2	1	1	1	19	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. { Others,	2	.	1	.	.	.	.	1	.	1	.	.	.	.	.	1	6	1
" Genito-urinary System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	3	3	1	.	1	.	3	.	1	2	1	.	1	.	.	19	1
Violent Deaths,	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
Deaths from All Causes	12	20	11	12	4	3	1	17	10	14	10	5	12	5	2	4	142	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·8	26·0	18·6	18·6	38·6	13·4	6·7	21·3	23·9	16·8	14·5	28·6	16·1	8·8	11·4	12·1	18·2	.
	20·6							19·2					12·6					
	19·9																	
Ages at Death. { Under 1 year,	5	4	3	1	.	.	.	2	1	.	3	.	1	1	.	.	21	.
Ages at Death. { 1 and under 2 years,	1	3	2	2	.	.	.	3	1	2	2	.	.	.	.	.	16	1
Ages at Death. { 2 " 5 "	3	1	.	.	.	.	.	1	.	1	.	1	.	.	.	.	7	.
Ages at Death. { 5 " 15 "	.	1	2	1	1	.	.	1	1	2	.	1	.	.	.	.	10	2
Ages at Death. { 15 " 25 "	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	1	5	
Ages at Death. { 25 " 45 "	2	5	1	2	1	.	.	2	2	1	1	1	.	.	.	1	19	1
Ages at Death. { 45 " 65 "	.	4	1	3	1	1	.	3	1	3	2	1	7	.	1	1	29	2
Ages at Death. { 65 and upwards,	1	2	2	3	1	2	1	5	4	2	1	1	4	4	1	1	35	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	2	.	3	1	.	.	4	1	6	1	2	4	1	.	.	26	7
Workhouse Hospitals,	.	5	2	4	.	.	1	5	7	1	2	1	1	.	.	2	31	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1902–1911.	In the Week ending Saturday, 18th May, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·5	° 49·2	° 49·4										
ALL CAUSES.	186	173	173	149	169	208	155	176	131	129	164·9	149	7	14	17	7	12	5	20	31	17	19
Enteric Fever, ...	2	2	3	.	.	.	.	4	.	1	1·2	1	.	.	.	.	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	4	.	.	.	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	2	2	.	2	2	.	.	4	1·6	8	.	2	3	2	1	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	.	.	.	1	.	·4	2	.	.	.	.	2	.	.	.	.	.
Whooping-cough, ...	3	1	5	1	.	4	2	4	1	4	2·5	2	.	.	2	.	.	.	.	.	.	.
Diphtheria, ...	3	.	1	.	2	1	2	1	.	1	1·1	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	1	2	2	.	4	7	5	2	1	2·7	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	2	.	1	.	.	.	·3	1	.	.	1	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	2	.	.	1	1	·4	1	.	.	.	.	1	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	30	24	23	18	16	29	22	17	15	25	21·9	17	.	.	.	1	1	2	9	4	.	.
Tuberculous Meningitis, ...	3	6	4	4	4	5	4	3	1	3	3·7	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	2	1	1	.	3	1	.	.	1	1·1	4	.	.	2	.	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.										1		3	.	.	.	.	1	.	1	1	.	.
Tuberculosis of Joints, ...	9	2	3	5	12	12	3	8	8	.	6·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	1	1	3	2	2	.	1	1	1	1·2	2	.	2	.	.	.	.	.	.	.	.
Cancer, ...	4	6	11	6	15	11	6	6	3	6	7·4	7	.	.	1	.	.	.	.	2	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	3	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	.	.	.	2	.	.	.	1	3	·8	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	3	.	.	.	.	.	.	.	2	1	.
Alcoholism, ...	1	1	1	1	1	1	1	1	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	1	.	.		·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		2	.	1	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										3		5	.	.	.	.	.	.	.	3	1	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										1		2	1	.	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	42	39	38	41	42	46	40	41	29	.	37·4	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										6		15	.	.	.	.	.	.	1	5	5	4
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	20	19	14	13	16	21	21	15	14	16·9	16	.	1	3	.	.	.	.	3	3	6
Broncho-pneumonia, ...	6	3	9	3	2	7	4	5	5	7	5·1	10	.	3	3	.	2	.	1	1	.	.
Lobar pneumonia, ...	1	1	.	2	1	5	.	2	2	.	1·4	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	5	7	6	3	10	11	10	9	6	5	7·2	6	.	.	.	.	.	.	2	2	.	2
Pleurisy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	5	2	3	2	3	1	5	1	1	2·5	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	1	.

TWENTIETH WEEK ending Saturday, 18th May, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 20th Week of the 10 years 1902-1911.	In the Week ending Saturday, 18th May, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	May 17, 1902.	May 23, 1903.	May 21, 1904.	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 47·2	° 50·2	° 49·3	° 50·1	° 46·8	° 47·3	° 50·1	° 50·2	° 51·4	° 49·5	° 49·2	° 49·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	—	2	.	.	.	1	.	1	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	4	.	1	1	.	.	.	.	1	1	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	2	6	4	2	4	1	2	6	3	3·4	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	1	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	1	2	2	2	1	2	1	.	2·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	3	.	4	1	2	1	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	1	.	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	3	5	5	4	8	1	7	3	.	4·2	1	.	.	.	1	.	.	.	.	.	.
Acute Nephritis, ...	9	3	7	5	5	7	7	4	7	.	6·1	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		.	.	.	.	.	.	.	.	.	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										3		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	2	.	.	1	1	1	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	7	2	2	7	2	4	4	4	4	3·8	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	2	1	1	.	.	.	.	.	.	.	.
Old Age, ...	7	8	8	7	6	3	1	2	3	3	4·8	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	2	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	1	1	.	.	.	.	1	·4	1	.	.	.	.	.	.	.	1	.	.
Drowning, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	3	2	2	2	2	4	.	.	2·1	1	.	.	.	.	1	.	.	.	.	.
Total Deaths from Accident,	2	5	3	5	4	2	3	4	.	1	2·9	3	.	1	.	.	1	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	.	.	.	.	1	.	.	·2	1	.	.	.	.	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	.	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	.	1	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered.	181	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223
Average Births in corresponding week of previous 10 years, ...	183	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214
DEATHS registered, ...	165	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149
Annual Death-rate per 1,000, ...	21·3	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1
Average Deaths in corresponding week of previous 10 years, ...	180	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165
Ages, Under 5 years, ...	50	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45
5—15 " ...	4	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12
15—25 " ...	10	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5
25—45 " ...	31	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20
45—65 " ...	30	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31
65—75 " ...	25	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17
75 and upwards, ...	15	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19
Deaths from :—																										
Enteric Fever, ...	2	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8
Scarlet Fever, ...	2	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2
Whooping-cough, ...	3	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2
Diphtheria, ...	.	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2
Influenza, ...	.	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17
Tuberculous Disease, Other Forms,	11	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9
Cancer, ...	7	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7
Diseases of Circulatory System,	13	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19
Diseases of Respiratory System, Pneumonia,	17	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18
Diseases of Respiratory System, Others, ...	22	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19
Diarrhœa and *Enteritis*, under 2 years, ...	7	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.
Violent Deaths, ...	5	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3
Number of Uncertified Deaths,	8	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2
Mean Temperature of the Air (Phœnix Park)	39·1	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4
Average Mean Temperature in corresponding week of previous 10 years, ...	41·9	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2
Rainfall in inches, ...	·185	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·83	·87	·86	·84	·88	·92	87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th May, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 18th May, 1912. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	149	45	12	5	20	31	17	19	1	.	.	8	2	2	2	.	17	9	7	2	18	19	1	.	3	58	2
	CLASSES. **Deaths in Families of the—**																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	16·1	27	3	3	1	2	8	5	5	.	.	.	1	.	.	1	.	1	2	2	.	5	2	.	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	11	3	2	4	7	6	4	1	.	.	1	.	1	1	.	3	3	2	1	5	2	.	.	.	17	1
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	25	5	2	7	7	2	2	.	.	.	5	2	1	.	.	5	2	2	1	7	8	.	.	2	15	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	6	1	.	7	8	4	5	.	.	.	1	.	.	.	.	8	2	1	.	1	6	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	16·6	7	.	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	1	.	1	.	3	2	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	1	3	.	1	2	1	3	.	.	.	1	.	.	.	.	.	1	1	.	1	1	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	26·4	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	6	1	.	1	2	2	1	.	.	.	.	.	1	1	.	1	.	1	.	2	.	.	.	.	7	1
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	1	2	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	1	1	2	1	2	3	1	.	.	.	1	.	.	.	.	2	1	.	.	2	1	.	.	.	4	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	7·8	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	15. Domestic Servants, ...	36,603	7·1	5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	21·5	37	22	3	2	4	4	.	2	.	.	.	5	2	1	.	.	4	1	1	1	4	7	.	.	2	9	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	31	6	1	.	7	8	4	5	.	.	.	1	.	.	.	.	8	2	1	.	1	6	1	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Mar. 30,	27·8	.	16	.	.	.	.	.	.	.	.	3	2	.	3	5	.	.	.	.
	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	„ 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Mar. 30,	42·9	2·6	33	.	.	.	2	.	.	.	.	1	1	1	5	7	.	.	.	.
	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	„ 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1	.	3	1	1	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Mar. 30,	22·0	.	13	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.	.	.
	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1 7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	„ 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Mar. 30,	20·1	4·6	13	.	.	.	.	.	1	1	.	2	1	.	3	1	1	.	.	.
	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	„ 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Mar. 30,	31·3	1·3	25	.	.	.	1	.	.	.	.	1	2	.	4	6	.	.	1	.
	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	„ 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Mar. 30,	26·3	.	11	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.
	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	„ 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Mar. 30,	38·4	4·8	32	.	1	.	.	.	1	2	.	.	3	3	5	5	.	.	2	.
	Apr. 6,	34·8	6·0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	„ 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Mar. 30,	31·8	2·9	22	.	.	.	1	.	.	1	.	2	.	3	2	7	.	.	.	.
	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	„ 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Mar. 30,	18·8	2·7	14	.	.	.	1	.	.	1	.	.	.	.	.	2	.	.	1	1
	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	,, 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	,, 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	,, 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
Pop. in 1912 (Est.) 38,889.	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	,, 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	1	1	4	3	1	.	1	1
	,, 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
Pembroke Urban District.	Mar. 30,	8·8	.	5	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	,, 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	,, 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	,, 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
Pop. in 1912 (Est.) 29,693.	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	,, 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	,, 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Kingstown Urban District.	Mar. 30,	39·3	3·0	13	.	.	.	.	1	.	.	.	1	1	.	3	2	.	.	.	2
	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
	,, 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	,, 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	1
	,, 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.
Pop. in 1911 17,227.	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	,, 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	,, 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast.	Mar 30,	19·3	1·6	145	.	.	.	.	.	10	.	.	16	8	6	18	30	2	.	.	3
	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	,, 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	,, 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
Pop. in 1912 (Est.) 391,051.	,, 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	,, 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	,, 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
Cork.	Mar 30,	32·7	2·0	48	.	.	.	.	.	1	.	.	8	2	1	1	7	2	.	2	3
	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	,, 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	,, 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
Pop. in 1911 76,632.	,, 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	,, 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	,, 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
Londonderry.	Mar 30,	24·2	2·5	19	.	.	.	.	.	2	.	.	1	.	.	1	4	.	.	.	.
	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	,, 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	,, 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
Pop. in 1912 (Est.) 40,912.	,, 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	,, 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	,, 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
Limerick.	Mar. 30,	21·7	1·4	16	.	.	.	.	.	.	.	.	1	.	.	.	5	1	.	.	3
	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	,, 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	,, 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
Pop. in 1911 38,403.	,, 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	,, 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	,, 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
Waterford.	Mar 30,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	1	2
	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	,, 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	,, 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
Pop. in 1911 27,430.	,, 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	,, 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	,, 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th May, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in **1911.** (Unrevised)	No. of **BIRTHS.**	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	**DEATHS.** Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	2	1	.	1	2	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 2 do.		40			14	2	2	2	.	4	4	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	.	.	3	.
Do. 3 do.		39			22	2	3	2	4	9	2	.	.	.	.	.	.	1	.	2	3	2	3	1	.	.	2	2	6	.
Do 4 do.		28			11	4	1	1	2	2	1	.	.	.	.	.	1	1	.	.	.	1	1	.	.	.	1	1	5	1
Do. 5 do.		15			4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	1	2	.
Do. 6 do.		17			11	.	.	.	2	4	5	.	.	.	.	.	.	.	.	2	1	2	2	.	.	.	.	1	3	.
Do. 7 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		19			8	.	5	1	1	.	1	.	.	.	.	.	.	.	.	2	2	.	3	.	.	.	.	1	.	.
Do. 10 do.		30			13	2	.	2	2	5	2	.	.	.	.	.	1	.	.	2	.	1	2	.	.	.	.	1	3	.
Do. 11 do.		24			20	3	2	3	2	8	2	.	.	.	.	1	1	.	.	5	.	4	1	1	1	.	1	2	5	.
Do. 12 do.		28			9	1	3	1	2	1	1	.	.	.	.	.	.	.	.	1	2	.	.	1	2	.	.	.	2	.
Do. 13 do.		9			6	1	.	.	2	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			11	1	.	1	2	7	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	1	4	.
Total,	—	275			138	20	17	14	22	43	22	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	10	35	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	12	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		6	1	.	2	.	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Do. 2 do.		8			4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do. 3 do.		10			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do.		9			4	1	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	2	.
Do. 5 do.		6			5	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	2	.
Do. 6 do.		16			6	1	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.
Do. 7 do.		15			7	1	.	.	1	4	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	1	2	1	1
Total,	—	76	22·5	.	33	8	1	3	5	7	9	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	3	13	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.
No. of weeks in Annual Series,	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
BIRTHS registered, ...	195	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275
DEATHS registered, ...	128	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138
Annual Death rate per 1,000 of estimated population, ...	17·3	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4
AGES, Under 1 year, ...	28	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20
1—5 years, ...	15	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17
5—25 ,, ...	10	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14
25—45 ,, ...	17	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22
45—65 ,, ...	31	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43
65 and upwards, ...	27	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Scarlet Fever, ...	2	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1
Whooping-cough, ...	5	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4
Diphtheria, ...	.	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	8	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19
Tuberculous Disease. Other Forms,	11	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11
Cancer, ...	7	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13
Diseases of Respiratory System, Pneumonia,	9	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16
Diseases of Respiratory System, Others, ...	17	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5
Diarrhœa, and *Enteritis*, under 2 years, ...	6	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
Violent Deaths, ...	8	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5
Number of Uncertified Deaths, ...	.	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3		2	3	3	2	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	May 18,	2,117	1,019	11·8	4	.	28	4	37	9	20*a*
Edinburgh, ...	321,200	„ 18,	152	94	15·3	.	.	7	.	3	.	.
Glasgow, ...	785,600	„ 18,	437	264	17·5	2	.	7	.	6	2	5
Calcutta, ...	890,493	Apr. 13,	.	599	34·9	181*	4	4	.	2	2	135‡
Bombay, ...	979,445	„ 13,	372	895	47·5	199*	48	12	.	.	.	114‡
Madras, ...	518,660	Mar. 23,	305	331	33·2	66*	4	2	?	?	?	91‡
Cairo, ...	699,228	„ 18,	607	395	29·5	1	.	.	1	.	6	37
Paris, ...	2,847,229	Apr. 20,	934	1,047	18·8	4	.	51	8	10	7†	15*a*
Brussels, ...	745,380	„ 27,	223	192	13·4	2	.	3	.	1	.	10
Antwerp, ...	308,618	„ 27,	127	79	13·3	1	.	6	1	1	3†	4*a*
Amsterdam, ...	582,621	„ 27,	242	148	13·3	.	.	5	.	1	2†	1*a*
Copenhagen, ...	465,000	„ 27,	212	152	17·0	.	.	1	1	1	.	5
Stockholm, ...	346,599	„ 27,	145	100	15·0	.	.	9	.	1	.	.
Christiania, ...	244,038	May 4,	101	73*b*	15·6	.	.	1	.	.	3	1
St. Petersburg, ...	1,641,600	April 13,	1,270	794	25·2	7	.	23	10	8	9	69
Moscow, ...	1,493,600	„ 13,	.	867	30·3	1	.	11	12	11	12†	79
Berlin, ...	2,070,743	„ 13,	745	592	14·9	2	.	6	8	3	13†	30
Hamburg, ...	953,079	„ 27,	.	246	13·4	.	.	2	4	1	7†	16
Breslau, ...	527,909	„ 27,	.	216	21·3	.	.	.	.	2	.	30
Munich, ...	610,000	May 4,	.	163	13·9	.	.	1	.	.	.	13
Vienna (with suburbs),	2,081,335	April 27,	786	709	17·7	.	.	9	7	7	8†	35*a*
Buda-Pesth, ...	910,548	„ 27,	462	349	19·9	1	.	3	3	1	2†	11*a*
Prague and Faubourgs,	484,301	„ 13,	213	215	23·1	2	.	9	.	.	1†	5*a*
Trieste, ...	235,999	„ 27,	148	98	21·7	.	.	4	1	.	.	2
Rome, ...	551,749	Jan. 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Nov. 18,	62	54	15·3	.	.	.	.	.	.	2
New York, ...	5,173,064	Mar. 16,	2,775	1,602	16·2	5	.	14	22	4	30	48
Philadelphia, ...	1,606,105	„ 30,	.	487	15·8	4	.	.	1	3	8†	12
Boston, ...	720,031	Apr. 27,	.	232	16·8	1	.	.	.	2	2	9

* Deaths from "fever," including 11 deaths from enteric fever and 148 from plague in Calcutta, 3 from enteric fever and 143 from plague in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 98 deaths from cholera in Calcutta, 8 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 5 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending May 18th, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	6	.	.	.	.	.	.	.	.	.	2	8
" " 1, West, ...	.	3	.	.	.	.	.	.	.	.	.	2	5
" " 2, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 3, ...	.	3	.	.	1	.	.	.	2	.	.	3	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	.	.	.	.	4	.	.	2	10
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	1	.	.	1	.	.	1	.	.	.	4	7
" " 4, ...	.	2	.	.	2	.	.	.	.	.	.	2	6
New Kilmainham, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
Total, ...	.	20	.	.	5	.	.	1	9	.	.	16	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th May, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th May.			
	Apr. 27.	May 4.	May 11.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	35	34	33	4	6	1	30
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	70	66	58	23	20	1	60
Scarlet Fever, ...	99	110	126	21	9	2	136
Diphtheria, ...	69	71	66	11	15	3	59
Pneumonia, ...	34	35	33	12	11	1	33

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 18th May, 1912:—

"A relapse in temperature characterised this week, the mean temperature of which was 6·0° lower than that of its predecessor, 57·5°, or 6·4° above the average. On Sunday a rather deep depression had reached Scandinavia from the N.W. coasts of the British Isles, while a secondary disturbance had developed over Brittany and the English Channel. These conditions of atmospheric pressure determined a cold N. wind in Ireland, accompanied by bright, dry weather. In the south of England thunder showers prevailed. By Monday morning a high pressure system had moved in from the Atlantic, its centre lying over Ireland at 7 a.m. In the previous night the screened thermometers had fallen to 33° at Birr Castle and to 39° in Dublin and at Donaghadee. These low temperatures were in striking contrast to the summer-heat of the previous Saturday in the London district—78° at Westminster, 79° at South Kensington, 81° at Camden Square, and 83° at Greenwich. On Tuesday afternoon the S.W. wind of an Icelandic depression sent the thermometer up to 64° in Dublin; but on Wednesday a secondary system again formed over the English Channel and once more a cold N.W. wind blew over Ireland, so that at night the thermometer fell to 37° at Birr Castle and to 39° in Dublin. The British depression had been attended with a general rainfall in Great Britain, 1·63 inches being recorded at Wick and ·91 inch at Aberdeen on Thursday morning. On this day squalls and showers of cold rain and hail prevailed, and thunder and lightning occurred over a large part of England. The last two days of the week were chiefly fine and dry, but the amount of cloud was large. In Dublin the mean height of the barometer was 29·915 inches, pressure ranging between 30·188 inches at 9 a.m. of Monday (wind, W.N.W.) and 29·510 inches at 4 p.m. of Wednesday (wind also W.N.W.). The corrected mean temperature was 51·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 51·4°. On Monday the screened thermometers fell to 38·9°, on Tuesday they rose to 64·0°. The prevalent wind was W.N.W. Rain fell on 3 days to the amount of ·085 inch, of which ·039 inch was recorded on Thursday. Hail was reported on Thursday. A halo appeared on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·916 inches. The highest reading (30·188) was on Monday at 9 a.m., air calm, the lowest (29·558) on Wednesday at 9 p.m., wind W.

The mean temperature for the week was 49·4°, being 0·2° above the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Tuesday, on which day the thermometer registered 64·1°, and was lowest on Monday, the mercury having fallen to 31·0°. The mean of the Dry Bulb for the week was 49·8° and of the Wet Bulb, 46·4°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The rainfall during the week measured 0·035 inch.

At Greenwich the mean temperature for the week was 55·2°, the maximum 72·0°, and the minimum 43·2°; and at Edinburgh the maximum was 62·6°, the minimum 38·8°, and the mean 50·1°. The rainfall at Greenwich measured 0·69 in.; and at Edinburgh 0·44 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 12,	30·005	59·0	43·0	51·0	48·5	44·8	·75	·5	8·3	·000	E.N.E.	N.
Monday, „ 13,	30·160	56·0	31·0	43·5	44·0	41·5	·83	·0	12·7	·000	Calm.	Calm.
Tuesday, „ 14,	29·845	64·0	50·0	57·0	55·5	50·2	·69	·5	11·7	·000	Calm.	Calm.
Wednesday, „ 15,	29·595	58·0	36·0	47·0	48·3	46·1	·84	·5	6·3	·000	W.S.W.	W.
Thursday, „ 16,	29·825	57·0	35·0	46·0	47·5	44·1	·77	·6	7·7	·015	W.	W.
Friday, „ 17,	29·985	62·0	40·0	51·0	53·7	50·2	·78	·4	5·2	·020	W.S.W.	S.W.
Saturday, „ 18,	29·995	57·0	43·0	50·0	50·8	47·7	·80	·3	3·1	·000	W.	Calm.
Mean, ...	29·916	59·0	39·7	49·4	49·8	46·4	·78	·4	Total 55·0	Total ·035	—	

Sunday—A fine bright day, light clouds; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—A beautiful bright day; night clear. *Wednesday*—A fine day, light clouds at intervals; night cloudy. *Thursday*—A fine day, light clouds; night cloudy, showers at intervals. *Friday*—Day cloudy, fine; night cloudy, showers at intervals. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees in this table, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 18th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 12,	53·8	56·7	51·9	60·6	46·5	53·6	8·5	—
Monday, „ 13,	49·3	55·3	52·0	55·8	37·0	46·4	13·1	—
Tuesday, „ 14,	57·2	55·2	52·2	64·5	40·8	52·7	10·5	—
Wednesday, „ 15,	54·9	55·5	52·3	59·4	43·0	51·2	6·6	·001
Thursday, „ 16,	50·0	53·9	52·3	57·5	37·3	47·4	8·0	·045
Friday, „ 17,	56·7	53·5	52·3	63·8	42·5	53·2	7·0	·025
Saturday, „ 18,	54·0	54·7	52·4	58·8	45·3	52·1	3·6	—
Weekly Mean,	53·7	55·0	52·2	60·1	41·8	50·9	Total 57·3	Total ·071

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32333. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 25TH MAY, 1912. [No. 21.

General Register Office, Charlemont House,
Dublin, 28th May, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 4	Week ending May 11	Week ending May 18	Week ending May 25	Average Rate for 4 weeks.	Towns, &c.	Week ending May 4	Week ending May 11	Week ending May 18	Week ending May 25	Average Rate for 4 weeks.
22 Town Districts, ...	**20·2**	**19·9**	**18·6**	**16·9**	**18·9**	Limerick	20·4	16·3	17·7	16·3	17·7
						Lisburn	8·6	8·6	17·1	12·9	11·8
Armagh	6·9	13·7	20·6	13·7	13·7	Londonderry	12·7	21·7	14·0	15·3	15·9
Ballymena	18·3	4·6	22·9	22·9	17·2	Lurgan	17·2	17·2	21·5	12·9	17·2
Belfast	17·9	15·3	18·4	17·1	17·2	Newry	4·4	17·4	21·8	26·2	17·5
Clonmel	10·1	.	5·1	·	3·8	Newtownards	34·3	11·4	22·9	5·7	18·6
Cork	21·1	21·1	22·5	17·7	20·6	Portadown	17·8	17·8	31·1	8·9	18·9
Drogheda	21·0	42·0	12·6	25·2	25·2	Queenstown	6·6	19·8	26·4	13·2	16·5
Dublin Reg. Area ...	25·9	25·1	18·2	17·8	21·7	Sligo	9·3	32·7	9·3	23·4	18·7
Dundalk	11·9	4·0	4·0	11·9	8·0	Tralee	21·1	15·9	37·0	15·9	22·5
Galway	3·9	39·4	19.7	3·9	16·7	Waterford	15·2	17·1	26·6	19·0	19·5
Kilkenny	14·9	19·8	5·0	14·9	13·7	Wexford	27·3	22·8	18·2	13·7	20·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·6 in Ballymena, one of the 5 deaths from all causes for that district being from whooping-cough. Among the 128 deaths from all causes for Belfast are one from scarlet fever, 8 from whooping-cough, and 2 from diarrhœa and *enteritis* of children under 2 years of age. Two of the 12 deaths from all causes for Limerick are from whooping-cough, and included in the 6 deaths from all causes for Newry is one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—110 boys and 109 girls—and the deaths to 154—76 males and 78 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·8 per 1,000 of the population. During the twenty-one weeks ending with Saturday last the death-rate averaged 24·5, and was equal to the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 154, represent an annual rate of 19·8 per 1,000; the annual rate for the past twenty-one weeks was 25·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

The 154 deaths registered include 9 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 2 from influenza, and 4 from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks deaths from measles were 15, 14, and 8; deaths from scarlet fever were 4, 5, and 2; deaths from whooping-cough were 4, 0, and 2; deaths from diphtheria were 4, 3, and 2; deaths from influenza were one, 4, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 4, and one.

Tuberculous disease, which in the 3 preceding weeks caused 38, 32, and 26 deaths, in the week under notice caused 29 deaths, comprising 20 from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, one from tuberculosis of the vertebral column, 2 from tuberculosis of other organs, and one from disseminated tuberculosis.

There were 6 deaths from broncho-pneumonia, and *pneumonia* (type not distinguished) caused 6 deaths.

Convulsions caused 5 deaths, including 2 deaths of infants under one year of age, one aged one year and 7 months, and 2 between 2 years and 5 years of age; 3 deaths were due to congenital malformations, and 3 were ascribed to premature birth.

Organic diseases of the heart caused 11 deaths, and there were 12 deaths from bronchitis.

There were 2 accidental deaths, one of which was by drowning and the other by falling off a cab.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 5 children under 5 years of age (including 3 infants under one year old).

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old) and 29 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 8 aged 75 years and upwards, of whom one (a female) was stated to have been aged 94 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·8 per 1,000; the rate in the City was 19·9 (North City Districts, 22·2; South, 17·5) and in the Suburbs, 11·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·2 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 2·9 and 2·1 in the South), and for the Suburbs, 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·0 per 1,000, and include one from measles, one from whooping-cough, 2 from influenza, 2 from tuberculous disease, one from bronchitis, and one from accidental drowning.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to the annual rate of 23·4 per 1,000. Of the total 2 were from measles, one from whooping-cough, 3 from tuberculous disease, 2 from broncho pneumonia, one from bronchitis, and one from *enteritis* of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000, and include one from measles, one from broncho-pneumonia, one from *pneumonia*, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 21·7 per 1,000. Included in the total are one from measles, one from scarlet fever, 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from *pneumonia*, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 17·9; and Finglas and Glasnevin, part of, 20·2. One of the 4 deaths from all causes for Coolock and Drumcondra, part of, is from pulmonary tuberculosis and included in the 3 deaths from all causes for Finglas and Glasnevin, part of, is one from each of broncho-pneumonia and bronchitis.

No. 1 South City District (South Earl-street).—The deaths (15) represent an annual rate of 18·8 per 1,000, and include one from measles, 4 from tuberculous disease, one from *pneumonia* and one from bronchitis.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 19·1 per 1,000. Tuberculous disease caused 3 deaths and broncho-pneumonia one death.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·6 per 1,000. Included in the total are one from measles, 3 from pulmonary tuberculosis, 2 from *pneumonia*, 2 from bronchitis, and 2 from *enteritis* of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000, and include 2 from measles, one from *pneumonia*, and 3 from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000, and include one from tuberculous disease of bones and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·4; Pembroke, 12·3; Blackrock, 28·6; and Kingstown, 3·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa of a child under two years of age for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar is one from each of pulmonary tuberculosis and bronchitis. One of the 7 deaths from all causes for Pembroke is one from tuberculous enteritis, and included in the 5 deaths from all causes for Blackrock is one from pulmonary tuberculosis.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 25th May, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 4,	.	—	—	17	.	.	17	.	1	1	3	.	—	—	.	—	8	—	47
	May 11,	.	—	—	17	.	.	6	.	.	4	10	.	—	—	.	—	12	—	49
	May 18,	.	—	—	20	.	.	5	.	.	1	9	.	—	—	.	—	16	—	51
	May 25,	.	—	—	14	.	.	8	.	.	1	5	.	—	—	.	—	10	—	38
Rathmines and Rathgar Urban District.	May 4,	.	—	—	3	.	.	4	.	.	.	1	.	—	—	—	—	—	—	8
	May 11,	.	—	—	8	.	.	2	.	.	.	.	.	—	—	—	—	—	—	10
	May 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	May 25,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	May 4,	.	3	.	1	.	.	4	.	.	.	.	.	.	.	—	—	4	—	12
	May 11,	.	4	.	3	.	.	1	1	.	.	.	.	.	.	—	—	4	—	13
	May 18,	.	2	.	5	.	.	3	.	.	.	1	.	.	.	—	—	.	—	11
	May 25,	.	3	.	.	.	.	4	.	.	.	.	.	.	2	—	—	.	—	9
Blackrock Urban District.	May 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	May 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	May 4,	.	—	—	5	.	.	.	.	.	.	.	.	—	—	—	—	.	—	5
	May 11,	.	—	—	3	.	.	.	.		.	.	.	—	—	—	—	1	—	4
	May 18,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	.	—	4
	May 25.	.	—	—	1	.	.		.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	May 4,	.	—	—	9	.	.	2	.	.	.	2	.	—	—	1(*a*)	—	16	.	30
	May 11,	.	—	—	15	.	.	2	.	.	.	3	.	—	—	.	—	14	.	34
	May 18,	.	—	—	10	.	.	6	.	.	1	2	1	—	—	.	—	16	.	36
	May 25,	.	—	—	14	.	.	.	.	.	.	3	.	—	—	.	—	16	.	33

(*a*) Returned as cerebro-spinal meningitis.

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th May, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 34, 33, and 30.

Twenty-three cases of measles were admitted to hospital during the week, 18 were discharged, there were 3 deaths, and 62 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 66, 58 and 60, respectively.

Twenty cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death, and 144 cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 110, 126, and 136, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 17 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 71, 66, and 59, respectively, were 55 at the close of last week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, 15 were discharged, there were 2 deaths, and 32 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 12·3) was equal to an average annual death-rate of 13·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th May. From this Report it appears that of a total of 42 cases notified, 17 were phthisis, 14 scarlet fever, 7 diphtheria, and 4 erysipelas. Among the 321 cases of infectious diseases in hospital at the close of the week were 90 cases of measles, 82 of scarlet fever, 58 of phthisis, 38 of diphtheria, 30 of whooping-cough, 10 of erysipelas, 5 of enteric fever, one of chicken-pox, and one of puerperal fever.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 25th May, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 25th May, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis. (Tuberculous Disease.)	Other Forms. (Tuberculous Disease.)	Cancer.	Pneumonia. (Diseases of the Respiratory System.)	Other. (Diseases of the Respiratory System.)	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 25th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 11th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	29·1	16·9	1·5	646	375	50	78	...	...	...	9	2	14	1	...	56	19	13	32	42	7	1	7	10	121	12	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	28·1	17·8	2·2	219	139	21	25	.	...	...	9	1	2	1	...	17	6	4	12	15	4	...	2	3	54	5	e62·0	32·0	48·4	0·65	e64·1	31·0	49·4	0·04	e68·2	39·4	56·1	0·18
City of Dublin,	311,601	39·4	32·6	19·9	2·5	195	119	19	19	...	...	...	9	1	2	...	...	15	5	3	12	13	3	...	2	3	48	5	f59·2 g60·8	40·9 36·0	51·0 49·9	0·58 0·95	f64·0 g64·8	38·9 33·0	51·5 49·7	0·09 0·13	f68·9 g70·5	49·1 43·2	57·5 56·5	0·19 0·18
Urban Districts. Rathmines and Rathgar.	38,889	22·7	8·0	9·4	.	6	7	...	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	14·0	12·3	3·5	8	7	2	2	...	...	...	...	...	...	1	...	...	1	...	..	...	1	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	28·6	.	4	5	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	18·2	3·0	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	59	44	50·3	0·50	62	39	50·3	0·08	67	47	56·6	0·07
Urban Districts. Belfast ...	391,051	26·6	34·5	17·1	1·5	259	128	17	23	...	...	...	...	1	8	...	...	23	9	4	13	8	2	...	2	4	44	1	60·0	37·0	49·9	0·36	63·0	35·0	49·8	0·10	65·0	40·0	51·7	0·30
Cork, ...	76,632	33·8	19·1	17·7	.	28	26	3	4	...	...	...	...	...	...	...	...	8	1	1	1	5	...	...	1	1	9	3	60	43	51·8	0·86	60	42	50·8	0·06	59	50	54·9	0·33
Londonderry ...	40,912	18·9	22·9	15·3	.	18	12	2	4	...	...	...	...	...	...	...	...	1	1	3	...	1	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	23·1	16·3	2·7	17	12	2	1	...	...	...	...	...	2	...	...	1	...	...	...	5	...	...	...	...	2	...	66·9	34·4	50·0	0·63	62·2	35·0	50·0	0·12	66·7	47·2	57·5	0·29
Waterford, ...	27,430	19·1	30·4	19·0	1·9	16	10	1	...	...	...	...	...	...	...	...	...	3	...	...	...	2	...	1	1	1	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	7·9	3·9	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	64	40	52	0·45	63	35	50·6	0·06	66	42	55·5	0·47
Dundalk, ...	13,128	9·5	15·9	11·9	.	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	46·2	25·2	4·2	11	6	1	2	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	17·4	26·2	4·4	4	6	...	4	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35
Lurgan, ...	12,135	14·3	30·1	12·9	.	7	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35
Lisburn, ...	12,172	10·7	25·7	12·9	.	6	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35
Wexford, ...	11,455	23·8	31·9	13·7	.	7	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ...	11,376	9·3	4·6	22·9	4·6	1	5	1	1	...	...	...	...	...	1	...	...	1	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	37·4	23·4	.	8	5	2	1	..	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	1	62·0	29·0	48·0	0·16	61·0	33·0	48·0	0·66	65·0	39·0	54·0	0·56
Kilkenny, ...	10,513	11·4	14·9	14·9	.	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	65	36	49·8	0·72	63	36	49·8	0·09	67	47	57·2	0·23
Clonmel, ...	10,277	7·9	35·5	.	.	7	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	31·1	8·9	.	7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35
Tralee, ...	9,867	16·6	15·9	15·9	.	3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	5·7	.	7	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59	41	49·3	0·46	61	39	49·0	0·11	64	44	53·2	0·15
Queenstown, ...	7,909	14·4	52·7	13·2	.	8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	60	43	51·8	0·86	60	42	50·8	0·06	59	50	54·9	0·33
Armagh, ...	7,588	22·2	27·5	13·7	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09	66·0	43·0	55·3	0·35

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 15 deaths of persons (including 4 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 25th of May, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	1	1	.	.	.	1	.	1	2	.	.	.	.	.	9	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	2	.	3	.	1	.	3	2	3	.	.	1	.	1	.	17	3
Tuberculous Disease. { Other Forms,	1	1	.	.	.	.	.	1	1	.	.	1	.	1	.	.	6	3
Cancer,	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	4	1
Diseases of Nervous System,	2	4	1	1	.	1	.	3	2	1	2	.	2	.	.	.	19	3
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Circulatory System,	.	1	1	2	.	1	1	2	1	.	1	.	1	1	1	.	13	1
" Respiratory System. { Pneumonia,	.	2	2	2	.	.	1	1	1	2	1	.	.	.	.	.	12	.
" Respiratory System. { Others,	2	1	2	.	.	.	1	1	.	2	3	1	1	.	1	.	15	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Others,	.	.	.	1	.	.	.	2	.	1	1	.	1	1	.	.	7	2
" Genito-urinary System,	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	4	1	.	1	.	1	.	.	2	.	.	1	1	.	13	2
Violent Deaths,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.
Deaths from All Causes	15	18	13	14	1	4	3	15	8	13	13	2	7	7	5	1	139	15
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·0	23·4	22·0	21·7	9·7	17·9	20·2	18·8	19·1	15·6	18·8	11·4	9·4	12·3	28·6	3·0	17·8	.
	22·2							17·5					11·0					
	19·9																	
Ages at Death. { Under 1 year,	2	4	4	1	.	1	.	3	.	2	2	.	.	2	.	.	21	.
1 and under 2 years,	.	4	2	.	.	.	.	.	1	.	.	.	1	1	.	.	9	.
2 " 5 "	1	1	1	5	.	.	.	1	1	1	2	.	.	1	1	.	15	.
5 " 15 "	1	.	1	1	.	.	.	2	.	.	2	1	.	.	1	.	9	.
15 " 25 "	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	3
25 " 45 "	3	2	2	5	.	1	.	4	3	3	1	.	1	.	1	.	26	4
45 " 65 "	6	3	2	1	1	1	.	2	1	5	2	1	2	1	1	1	30	4
65 and upwards,	1	2	1	1	.	1	3	3	2	1	4	.	3	2	1	.	25	4
Number of Uncertified Deaths,	1	2	.	.	.	1	.	.	.	.	1	.	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	4	6	.	.	.	1	1	6	3	1	1	2	2	.	32	12
Workhouse Hospitals,	1	1	2	2	.	1	.	7	3	3	1	.	.	1	.	.	22	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1902–1911.	In the Week ending Saturday, 25th May, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 55·3	° 51·3	° 48·4										
ALL CAUSES.	149	170	163	143	173	203	176	175	160	158	167·0	154	8	13	9	15	9	7	30	34	21	8
Enteric Fever, ...	1	1	1	1	.	1	.	2	1	1	·9	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	.	1	.	6	1	.	.	6	1·6	9	.	1	3	5	.	.	.	.	.	.
Scarlet Fever, ...	2	2	2	.	.	.	1	.	.	2	·9	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	2	4	1	3	10	1	6	.	1	2·8	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	1	.	.	.	4	.	.	·5	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	2	.	.	1	2	2	.	2	1·0	2	.	.	.	.	.	.	2	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	1	1	.	2	1	.	1	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	2	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	1	1	.	1	1	1	.	·7	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	1	.	.	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	29	26	33	22	27	26	18	14	22	24·2	20	.	.	.	2	2	4	9	3	.	.
Tuberculous Meningitis, ...	2	5	6	1	.	4	6	5	3	5	3·7	2	.	.	.	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	5	5	1	2	2	1	1	3	3	2·3	3	.	1	.	.	.	.	2	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	2	4	8	6	5	11	5	7	5	.	5·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		2	.	.	.	.	1	.	.	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		1	.	.	.	.	.	1	.	.	.	.
Venereal Diseases, ...	.	.	1	3	1	.	1	.	1	1	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	7	13	6	5	8	11	14	11	10	11	9·6	5	.	.	.	.	.	.	1	3	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	2	3	1	.	2	1	1·0	2	.	.	.	.	.	.	.	1	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	1	.
Alcoholism, ...	.	.	.	1	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	2	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis. ...										.		2	1	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										7		5	.	.	.	.	.	.	1	1	3	.
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.										2		4	.	.	.	.	.	.	.	1	3	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										5		5	.	2	1	2	.	.	.	.	.	.
Other Diseases of Nervous System.	41	39	36	38	48	33	45	38	41	5	39·7	5	.	.	.	.	.	.	2	3	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										18		11	.	.	.	.	.	.	2	3	5	1
Embolism and Thrombosis (including Cerebral)										1		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										.		2	.	.	.	.	.	.	2	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	14	11	14	9	23	22	14	19	15	14	15·5	12	.	1	.	.	.	.	.	6	3	2
Broncho-pneumonia, .	3	2	4	4	3	8	1	7	3	3	3·8	6	.	.	3	2	.	.	.	.	1	.
Lobar pneumonia, ..	1	1	2	.	2	4	.	.	.	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	7	7	5	8	13	10	10	5	3	7·2	6	.	.	.	.	.	1	4	1	.	.
Pleurisy, ...										.		1	.	.	.	.	1	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	6	2	1	3	1	2	.	3	.	1·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	1	.	.	.

TWENTIETH WEEK ending Saturday, 25th May, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 21st Week of the 10 years 1902–1911.	In the Week ending Saturday, 25th May, 1912.										
													Deaths of Persons of the Ages of									
	May 24, 1902.	May 30, 1903.	May 28, 1904.	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 49·7	° 53·3	° 50·5	° 50·5	° 47·3	° 45·0	° 52·8	° 53·8	° 55·1	° 55·3	° 51·3	° 48·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	3	1	.	.	.	.	.	1	.	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	2	4	2	2	4	1	5	2	4	2	2·9	4	.	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		2	.	.	.	.	.	.	.	2	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	3	.	.	.	.	.	.	.	2	1	.
Cirrhosis of Liver, ...	2	1	1	.	.	1	3	.	3	2	2·3	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Liver, ...	3	2	.	.	.	1	.	.	3	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	.	1	2	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	6	6	3	9	2	10	5	7	2	5·3	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										4		3	.	.	.	.	1	.	1	1	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	4	5	1	6	8	6	7	6	.	5·7	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										3		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	1	1	1	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	.	.	.	1	.	.	.	.	.
Premature Birth, ...	2	3	5	7	2	6	2	6	8	4	4·5	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Old Age, ...	4	3	4	2	1	4	3	3	2	4	3·0	2	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	2	1	.	1	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	1	2	1	2	1	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	4	.	1	2	1	.	.	.	2	1·0	1	.	.	.	.	.	.	.	1	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	3	1	3	1	2	2	4	2	2	2·4	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	4	8	2	5	5	4	6	5	2	5	4·6	2	.	.	.	.	.	.	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	2	.	3	1	1	.	1	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	1	.	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	1	.	1	.	.	.	.	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered.	201	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219
Average Births in corresponding week of previous 10 years, ...	210	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210
DEATHS registered, ...	169	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154
Annual Death-rate per 1,000, ...	21·8	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8
Average Deaths in corresponding week of previous 10 years, ...	183	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167
Ages, Under 5 years, ...	49	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45
5—15 " ...	10	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9
15—25 " ...	12	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7
25—45 " ...	25	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30
45—65 " ...	37	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34
65—75 " ...	22	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21
75 and upwards, ...	14	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8
Deaths from :—																										
Enteric Fever, ...	1	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9
Scarlet Fever, ...	1	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1
Whooping-cough, ...	3	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2
Diphtheria, ...	3	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1
Influenza, ...	1	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20
Tuberculous Disease, Other Forms,	6	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9
Cancer, ...	6	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5
Diseases of Circulatory System,	15	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14
Diseases of Respiratory System, Pneumonia,	6	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12
Diseases of Respiratory System, Others, ...	28	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15
Diarrhœa and *Enteritis*, under 2 years, ...	6	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.
Violent Deaths, ...	6	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2
Number of Uncertified Deaths,	5	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5
Mean Temperature of the Air (Phœnix Park)	42·4	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4
Average Mean Temperature in corresponding week of previous 10 years, ...	42·1	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3
Rainfall in inches, ...	·430	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th May, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 25th May, 1912. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	154	45	9	7	30	34	21	8	.	.	.	9	1	2	1	.	20	9	5	5	12	15	4	.	2	69	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	1	1	3	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	5	.
II.	MIDDLE CLASS, ...	87,188	17·9	30	7	1	1	3	10	5	3	.	.	.	3	.	.	.	.	1	.	1	.	1	3	.	.	.	21	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	13·7	29	9	1	.	7	6	6	.	.	.	.	1	.	.	1	.	3	2	.	.	3	4	1	.	.	14	.
IV.	GENERAL SERVICE CLASS, ...	154,279	21·3	63	25	7	4	10	13	3	1	.	.	.	5	1	2	.	.	10	4	2	5	6	6	2	.	2	18	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	4	.	2	9	4	4	2	.	.	.	.	.	.	.	.	5	3	2	.	1	2	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	1	1	3	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	16·6	7	2	1	.	1	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	4	.	1	1	3	2	.	.	.	.	2	.	.	.	.	.	.	1	.	1	.	.	.	.	7	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	.	1	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	17·5	10	4	1	.	.	2	3	.	.	.	.	1	.	.	.	.	.	.	.	.	2	3	.	.	.	4	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	16·9	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	1	.	.	4	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	4	.
	13. Petty Shopkeepers	7,894	26·4	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	15·5	4	2	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	.	.	.
	15. Domestic Servants, ...	36,603	2·8	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	32·6	9	6	.	1	1	.	1	.	.	.	.	2	.	1	.	.	1	.	.	1	1	1	1	.	1	.	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·9	48	17	7	3	8	10	2	1	.	.	.	3	.	1	.	.	9	3	2	4	4	3	1	.	1	17	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	25	4	.	2	9	4	4	2	.	.	.	.	.	.	.	.	5	3	2	.	1	2	1	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Apr. 6,	22·6	1·7	13	.	.	.	.	1	.	.	.	3	.	.	3	2	.	.	.	.
	„ 13.	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	„ 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	„ 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Apr. 6,	36·4	3·9	28	.	.	.	2	.	.	.	.	5	1	1	6	4	1	.	2	.
	„ 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	„ 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1		3	1	1	.	1	1
	„ 25,	23·4	5·2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Apr. 6,	22·0	3·4	13	1	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.
	„ 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1 7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	„ 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	„ 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Apr. 6,	43·3	3·1	28	1	.	.	1	.	.	.	.	3	2	.	5	5	.	.	.	.
	„ 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	„ 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	„ 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Apr. 6,	22·5	2·5	18	.	.	.	1	.	.	1	.	2	.	2	2	6	.	.	.	1
	„ 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	„ 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	„ 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Apr. 6,	28·6	2·4	12	.	.	.	.	.	.	.	.	1	1	1	1	5	1	.	1	.
	„ 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	„ 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Apr. 6,	34·8	6 0	29	.	.	.	3	.	1	1	.	3	3	.	7	5	.	.	.	.
	„ 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	„ 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	„ 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Apr. 6,	18·8	4·3	13	.	.	.	2	.	1	.	.	1	.	2	1	.	.	.	.	1
	„ 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	„ 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Apr. 6,	14·7	2·7	11	.	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	.
	„ 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	„ 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	„ 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	„ 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	1	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Apr. 6,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	„ 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	„ 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	Apr. 6,	30·3	.	10	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	2
	„ 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	„ 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	1
	„ 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	Apr. 6,	19·3	2·5	145	.	1	.	.	1	13	1	.	13	7	9	16	25	3	.	1	.
	„ 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	„ 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	„ 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	„ 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
Cork. Pop. in 1911 76,632.	Apr. 6,	24·5	0·7	36	.	.	.	.	.	1	.	.	5	2	3	4	8	.	.	.	1
	„ 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	„ 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	„ 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	„ 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
Londonderry. Pop. in 1912 (Est.) 40,912.	Apr. 6,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	1	4	.	.	.	.
	„ 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	„ 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	„ 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3		12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
Limerick. Pop. in 1911 38,403.	Apr. 6,	13·6	2·7	10	.	.	.	1	.	.	1	.	1	.	.	.	3	.	.	.	1
	„ 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	„ 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	„ 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
Waterford. Pop. in 1911 27,430.	Apr. 6,	24·7	1·9	13	.	.	.	.	.	.	.	.	1	.	.	.	4	1	.	1	.
	„ 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th May, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	10	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.
Do. 2 do.		28			21	2	2	3	4	7	3	.	.	.	.	.	1	.	.	4	.	.	2	3	.	.	.	.	4	1
Do. 3 do.		28			15	4	4	2	.	3	2	.	.	.	.	.	2	.	.	.	1	2	5	1	.	.	.	.	3	.
Do 4 do.		42			17	2	3	3	4	1	4	.	.	.	.	1	1	.	.	4	1	.	.	.	1	.	.	.	12	.
Do. 5 do.		10			9	2	1	.	4	1	1	.	.	.	.	.	1	.	.	1	1	.	.	1	1	.	.	1	4	.
Do. 6 do.		27			9	2	4	.	2	1	.	.	.	.	.	.	2	.	.	.	2	1	1	.	.	.	.	.	3	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		3			2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		17			5	.	1	.	2	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
Do. 10 do.		22			12	1	1	3	2	1	4	.	.	.	.	.	.	.	.	4	.	1	1	.	.	.	1	1	4	.
Do. 11 do.		17			8	1	2	2	1	2	.	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 12 do.		30			13	1	.	.	3	6	3	.	.	.	.	.	.	.	.	.	3	.	2	1	.	.	.	1	2	.
Do. 13 do.		15			6	1	.	1	.	1	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			7	1	1	2	2	.	1	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.	5	.
Total,	—	259			128	17	20	17	24	27	23	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	4	44	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	1	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	4	.
Do. 2 do.		4			2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		7			3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Do. 4 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		4			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		3			5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	2	1
Do. 7 do.		7			8	.	.	3	.	3	2	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	1	1	2	1
Total,	—	28	17·7	.	26	3	3	7	2	7	4	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	1	9	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.
No. of weeks in Annual Series,	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	191	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259
DEATHS registered, ...	101	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128
Annual Death rate per 1,000 of estimated population, ...	13·6	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1
AGES, Under 1 year, ...	19	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17
1—5 years, ...	10	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20
5—25 „ ...	11	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17
25—45 „ ...	13	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24
45—65 „ ...	18	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27
65 and upwards, ...	30	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Scarlet Fever, ...	1	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1
Whooping-cough, ...	3	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8
Diphtheria, ...	1	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23
Tuberculous Disease. Other Forms,	3	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9
Cancer, ...	5	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4
Diseases of Respiratory System, Pneumonia,	4	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13
Diseases of Respiratory System, Others, ...	19	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8
Diarrhœa, and *Enteritis*, under 2 years, ...	2	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.
Violent Deaths, ...	1	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2
Number of Uncertified Deaths, ...	1	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	May 25,	2,192	1,065	12·3	2	.	39	4	33	9	24*a*
Edinburgh, ...	321,200	„ 25,	140	99	16·1	.	.	2	.	3	1	1
Glasgow, ...	785,600	„ 25,	418	257	17·1	2	.	5	1	5	3	3
Calcutta, ...	890,493	Apr. 20,	.	615	35·9	213*	6	2	.	4	.	117‡
Bombay, ...	979,445	„ 20,	396	918	48·7	205*	53	12	.	4	.	83‡
Madras, ...	518,660	Mar. 30,	356	352	39·2	71*	6	4	?	?	?	79‡
Cairo, ...	699,228	„ 25,	596	371	27·7	2	.	2	.	.	2	43
Paris, ...	2,847,229	Apr. 27,	884	1,049	18·9	6	.	39	7	8	6†	16*a*
Brussels, ...	745,380	May 4	247	229	16·0	.	.	2	.	1	.	13
Antwerp, ...	308,618	„ 4,	106	78	13·2	.	.	10	.	.	.	10*a*
Amsterdam, ...	582,621	„ 4,	248	120	10·7	.	.	4	.	2	1†	2*a*
Copenhagen, ...	465,000	„ 4,	230	137	15·4	.	.	.	1	1	4	3
Stockholm, ...	346,599	„ 4,	161	155	16·2	.	.	3	.	.	2	1
Christiania, ...	244,038	„ 11,	112	81*b*	17·3	.	.	.	.	.	1	3
St. Petersburg, ...	1,599,139	April 20,	994	807	26·3	9	2	25	12	11	12	62
Moscow, ...	1,617,157	„ 20,	.	886	28·6	4	1	10	13	9	4†	66
Berlin, ...	2,068,587	„ 20,	784	629	15·9	.	.	2	10	7	14†	21
Hamburg, ...	953,079	May 4,	.	275	15·0	2	.	.	6	4	4†	13
Breslau, ...	528,383	„ 4,	.	195	19·2	.	.	.	1	5	.	13
Munich, ...	610,000	„ 11,	.	206	17·6	.	.	2	.	3	.	9
Vienna (with suburbs),	2,081,335	„ 4,	755	637	15·9	1	.	20	5	2	5†	26*a*
Buda-Pesth, ...	910,548	„ 4,	480	378	21·6	.	.	1	3	2	4†	15*a*
Prague and Faubourgs,	484,301	April 20,	193	209	22·5	3	.	7	1	2	2†	5*a*
Trieste, ...	235,999	May 4,	101	97	21·4	.	.	2	.	.	.	1
Rome, ...	564,913	Jan. 13,	325	219	20·2	2	1	1	1	.	1	7
Venice, ...	184,325	Nov. 25,	79	50	14·1	.	.	1	.	.	1	3
		Dec. 2,	62	59	16·7	.	.	.	1	.	.	6
New York, ...	5,173,064	Mar. 23,	2,744	1,534	15·5	4	.	29	22	6	25†	30*a*
Philadelphia, ...	1,606,105	Apr. 6,	.	482	15·6	3	.	.	3	2	8†	15*a*
Boston, ...	720,031	May 4,	.	224	16·2	.	.	4	1	1	3	3

* Deaths from "fever," including 9 deaths from enteric fever and 174 from plague in Calcutta, 4 from enteric fever and 144 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 95 deaths from cholera in Calcutta, 3 in Bombay, and 5 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 7 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th May, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	.	.	.	.	.	.	.	1	.	.	3	4
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
" " 3, ...	.	.	.	.	2	.	.	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	2	.	.	.	2	.	.	2	6
" " 2, ...	.	1	.	.	.	.	.	.	1	.	.	2	4
" " 3, ...	.	5	.	.	1	.	.	.	.	.	.	.	6
" " 4, ...	.	5	.	.	2	.	.	.	.	.	.	1	8
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	14	.	.	8	.	.	1	5	.	.	10	38

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th May, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th May.			
	May 4.	May 11.	May 18.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	33	30	2	5	.	27
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	66	58	60	23	18	3	62
Scarlet Fever, ...	110	126	136	20	11	1	144
Diphtheria, ...	71	66	59	15	17	2	55
Pneumonia, ...	35	33	33	16	15	2	32

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 25th May, 1912:—

"Low temperatures for the time of year prevailed, and from Monday to Thursday at midday the weather was not only unseasonably cold but also extremely dull, with frequent rain or showers. The last two days of the week, although still somewhat cold, were brilliantly fine. Sunday broke fair and calm in Dublin, but the sky became cloudy at 9 a.m., and light S. and S.E. winds set in as a depression approached Ireland from the Atlantic. By Monday this system had spread eastwards as a trough of relatively low pressure to Western Germany, whereas an anticyclone had begun to develop between Iceland and Scotland. The result of these changes was gloomy wet weather with chilly E. and N.E. winds over the northern half of the British Isles, while light variable winds—chiefly from southerly points—passed over our southern districts. Shallow atmospheric depressions continued to form over the western half of Europe—with a general though gradual eastward movement—until Thursday afternoon, when a large anticyclonic system advanced eastwards from the Atlantic, first reaching Ireland and afterwards spreading in the same direction across Norway, Great Britain, France, and the Peninsula to Central Europe. Its northerly winds brought clearer skies, a drier atmosphere, and sharp nights to the vast region over which it passed. The week end was as brilliant as its earlier days had been gloomy. In Dublin the mean height of the barometer was 29·960 inches, the range of pressure being from 29·690 inches at 4 p.m. of Monday (wind, E.S.E.) to 30·400 inches at 9 a.m. of Saturday (wind, N.N.W.). The corrected mean temperature was 51·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·7°. The screened thermometers rose to 59·2° on Saturday, having fallen to 40·9° in the early morning hours of that same day. N.E. and N.W. winds prevailed. Rain fell on 5 days to the amount of ·584 inch. On Sunday the measurement was ·301 inch. At Lyons exceptionally heavy rains fell—2·64 inches on Wednesday, 2·32 inches on Thursday, and 3·31 inches on Friday—8·27 inches in 3 days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·970 inches. The highest reading (30·399) was on Saturday at 9 a.m., wind N.N.W., the lowest (29·717) on Wednesday at 9 a.m., wind N.E.

The mean temperature for the week was 48·4°, being 2·9 below the average for the corresponding period of the 10 years, 1902–1911. The temperature was highest on Saturday, on which day the thermometer registered 62·0°, and was also lowest on that day, the mercury having fallen to 32·0°. The mean of the Dry Bulb for the week was 48·5° and of the Wet Bulb, 46·6°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The rainfall during the week measured 0·650 inch.

At Greenwich the mean temperature for the week was 54·1°, the maximum 72·0°, and the minimum 38·6°; at Glasgow the maximum was 62·0°, the minimum 35·3° and the mean 48·9°; and at Edinburgh the maximum was 62·1°, the minimum 39·9°, and the mean 47·4°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·07 in.; and at Edinburgh 0·34 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 19,	29·960	59·0	44·0	51·5	53·3	52·2	·93	·3	1·3	·480	Calm.	Calm.
Monday, „ 20,	29·740	55·0	43·0	49·0	46·8	46·3	·96	·0	0·3	·140	Calm.	Calm.
Tuesday, „ 21,	29·735	52·0	42·0	47·0	49·4	48·5	·94	·5	0·0	·005	N.N.E.	N.E.
Wednesday, „ 22,	29·725	52·0	45·0	48·5	47·3	45·7	·89	·4	2·7	·025	N.E.	N.N.E.
Thursday, „ 23,	29·950	54·0	44·0	49·0	46·8	44·8	·86	·4	2·8	·000	N.	Calm.
Friday, „ 24,	30·305	59·0	35·0	47·0	47·9	44·1	·77	·3	9·1	·000	N.N.W.	Calm.
Saturday, „ 25,	30·375	62·0	32·0	47·0	48·3	44·3	·77	·1	14·5	·000	N.N.W.	Calm
Mean, ...	29·970	56·1	40·7	48·4	48·5	46·6	·87	·3	Total 30·7	Total ·650	—	

Sunday—A dull day, light rain 4.0 p.m. to 5.30 p.m.; night overcast *Monday*—Day overcast; night cloudy to overcast, heavy rain 7 to 9 a.m., drizzling and heavy rain 12.25 to 3 30 a.m. and 5.20 to 8.45 a.m. *Tuesday*—Day overcast, drizzling rain 9 to 10 a m. and 5.45 to 6 15 p.m; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy, drizzling at intervals, a.m. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—A fine, bright day; night clear. *Saturday*—A beautiful, bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees in this table, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 25th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 19,	56·6	54·8	52·3	53·9	47·5	50·7	1·3	·330
Monday, „ 20,	50·7	54·7	52·3	56·0	48·2	52·1	0·9	·222
Tuesday, „ 21,	50·0	53·9	52·5	52·9	46·4	49·7	—	·001
Wednesday, „ 22,	49·8	53·4	52·4	52·8	47·0	49·9	0·7	·130
Thursday, „ 23,	48·2	53·0	52·4	53·3	44·3	48·8	2·0	·001
Friday, „ 24,	54·8	52·4	52·3	58·1	42·5	50·3	9·0	—
Saturday, „ 25,	55·0	53·3	52·3	60·4	40·0	50·2	13·4	—
Weekly Mean, .	52·2	53·6	52·4	55·3	45·1	50·2	Total 27·3	Total ·684

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32333. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 1ST JUNE, 1912. [No. 22.

General Register Office, Charlemont House, Dublin, 3rd June, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 11	Week ending May 18	Week ending May 25	Week ending June 1	Average Rate for 4 weeks.	Towns, &c.	Week ending May 11	Week ending May 18	Week ending May 25	Week ending June 1	Average Rate for 4 weeks.
22 Town Districts, ...	**19·9**	**18·6**	**16·9**	**17·9**	**18·3**	Limerick	16·3	17·7	16·3	20·4	17·7
						Lisburn	8·6	17·1	12·9	17·1	13·9
Armagh	13·7	20·6	13·7	13·7	15·4	Londonderry	21·7	14·0	15·3	12·7	15·9
Ballymena	4·6	22·9	22·9	9·2	14·9	Lurgan	17·2	21·5	12·9	4·3	14·0
Belfast	15·3	18·4	17·1	14·9	16·4	Newry	17·4	21·8	26·2	21·8	21·8
Clonmel	.	5·1	·	5·1	2·6	Newtownards	11·4	22·9	5·7	45·8	21·4
Cork	21·1	22·5	17·7	21·1	20·6	Portadown	17·8	31·1	8·9	8·9	16·7
Drogheda	42·0	12·6	25·2	33·6	28·3	Queenstown	19·8	26·4	13·2	46·1	26·4
Dublin Reg. Area ...	25·1	18·2	17·8	19·1	20·0	Sligo	32·7	9·3	23·4	.	16·4
Dundalk	4·0	4·0	11·9	7·9	7·0	Tralee	15·9	37·0	15·9	15·9	21·2
Galway	39·4	19.7	3·9	23·6	21·6	Waterford	17·1	26·6	19·0	28·5	22·8
Kilkenny	19·8	5·0	14·9	39·7	19·8	Wexford	22·8	18·2	13·7	31·9	21·6

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·6 in Wexford, the 7 deaths from all causes for that district including one from diarrhœa or *enteritis* of a child under 2 years of age. Among the 112 deaths from all causes for Belfast are 4 from whooping-cough, one from diphtheria, and 2 from diarrhœal diseases. One of the 31 deaths from all causes for Cork is from scarlet fever. Included in the 15 deaths from all causes for Limerick is one from whooping-cough, and one death from diphtheria is among the 15 deaths from all causes for Waterford.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—98 boys and 105 girls—and the deaths to 153—75 males and 78 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·1 per 1,000 of the population. During the twenty-two weeks ending with Saturday last the death-rate averaged 24·2, and was 0·1 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 153, represent an annual rate of 19·6 per 1,000 ; the annual rate for the past twenty-two weeks was 25·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·4 per 1,000 of the mean population for all deaths registered.

The total includes 12 deaths from measles, one death from each of scarlet fever and whooping-cough, 3 deaths from diphtheria, 2 from influenza, and 3 from diarrhœa and *enteritis* of children under 2 years. In each of the 3 weeks preceding deaths from measles were 14, 8, and 9 ; deaths from scarlet fever were 5, 2, and one ; deaths from whooping-cough were 0, 2, and 2 ; deaths from diphtheria were 3, 2, and one ; deaths from influenza were 4, 0, and 2 ; and deaths from diarrhœa and *enteritis* of children under 2 were 4, one, and 4.

Tuberculosis, which in the preceding 3 weeks had caused the deaths of 32, 26, and 29 persons respectively, in the week under notice accounted for 31 deaths ; the latter figure includes 19 deaths from pulmonary tuberculosis, 8 deaths from tuberculous meningitis, one death from tuberculosis of the vertebral column, one death from tuberculous disease of a joint, and 2 deaths from disseminated tuberculosis.

There were 9 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* (type not distinguished).

Thirteen deaths from cancer were recorded.

The deaths of 7 infants were attributed to *convulsions*, and of 2 to congenital debility.

Organic diseases of the heart caused 13 deaths, and bronchitis 11 deaths.

One death, the only death from violence, was the result of an accident with a motor car.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old).

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old) and 22 were aged 65 years and upwards, including 15 persons aged 70 and upwards ; among the latter were 12 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 14 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000 ; the rate in the City was 19·6 (North City Districts, 19·9 ; South, 19·2) and in the Suburbs, 17·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·7 (2·3 in the North City Districts and 3·1 in the South), and for the Suburbs, 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·8 per 1,000, and include 2 deaths from measles, 3 deaths from tuberculous disease, one death from broncho-pneumonia, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 27·3 per 1,000. Measles caused 2 deaths ; there were 3 deaths from tuberculous disease, one death from broncho-pneumonia, one from diarrhœa, and 3 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·6 per 1,000. There were 3 deaths from tuberculous disease, 2 deaths from broncho-pneumonia, one from diarrhœa, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 21·7 per 1,000. Measles and influenza each caused one death ; there were 3 deaths from tuberculous meningitis, 2 from broncho-pneumonia, one from *pneumonia*, and one from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 6·7.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·5 per 1,000. Measles caused 2 deaths, whooping-cough one death, tuberculous disease 4 deaths, and broncho-pneumonia one death.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·1 per 1,000, and include one death from diphtheria, one death from pulmonary tuberculosis, and one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·2 per 1,000. Measles and influenza each caused one death; there were 5 deaths from tuberculous disease, and one death from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. Measles caused 3 deaths, there were 3 deaths from tuberculous disease, and one accidental death.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·7 per 1,000, and was from diphtheria.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 20·1 ; Pembroke, 10·5 ; Blackrock, 17·1 ; and Kingstown, 24·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of scarlet fever and diphtheria, and one from diarrhœa of a child under 2 years for Rathmines and Rathgar, and one from measles for Kingstown. Among the 15 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease, one from broncho-pneumonia, one from *pneumonia*, and one from bronchitis. Of the 6 deaths from all causes for Pembroke one is from pulmonary tuberculosis. The 3 deaths for Blackrock comprise one from each of broncho-pneumonia, *pneumonia*, and bronchitis ; and of the 8 deaths from all causes for Kingstown one is from bronchitis.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 1st June, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 11,	.	—	—	17	.	.	6	.	.	4	10	.	—	—	.	—	12	—	49
	May 18,	.	—	—	20	.	.	5	.	.	1	9	.	—	—	.	—	16	—	51
	May 25,	.	—	—	14	.	.	8	.	.	1	5	.	—	—	.	—	10	—	38
	June 1,	.	—	—	14	.	.	6	.	1	1	5	.	—	—	.	—	7	—	34
Rathmines and Rathgar Urban District.	May 11,	.	—	—	8	.	.	2	.	.	.	.	.	—	—	—	—	—	—	10
	May 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	May 25,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 1,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	May 11,	.	4	.	3	.	.	1	1	.	.	.	.	.	.	—	—	4	—	13
	May 18,	.	2	.	5	.	.	3	.	.	.	1	.	.	.	—	—	.	—	11
	May 25,	.	3	.	.	.	.	4	.	.	.	.	.	.	2	—	—	.	—	9
	June 1,	.	3	.	.	.	.	2	.	.	.	.	.	.	.	—	—	.	—	5
Blackrock Urban District.	May 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	May 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 11,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	1	—	4
	May 18,	.	—	—	3	.	.	.	.		.	1	.	—	—	—	—	.	—	4
	May 25.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	June 1,	.	—	—	3	.	.		.	.	.	.	.	—	—	—	—	2	—	5
City of Belfast.	May 11,	.	—	—	15	.	.	2	.	.	.	3	.	—	—	.	—	14	.	34
	May 18,	.	—	—	10	.	.	6	.	.	1	2	1	—	—	.	—	16	.	36
	May 25,	.	—	—	14	.	.	.	.	.	.	3	.	—	—	.	—	16	.	33
	June 1,	.	—	—	13	.	.	5	.	.	1	3	.	—	—	.	—	9	.	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st June, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

One case of enteric fever was admitted to hospital during the week, 6 were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 33, 30, and 27.

Twenty-five cases of measles were admitted to hospital during the week, 9 were discharged, there were 5 deaths, and 73 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 58, 60 and 62, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 151 cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 126, 136 and 144, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 66, 59 and 55, respectively, were 55 at the close of last week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 13 were discharged, and 33 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·6) was equal to an average annual death-rate of 12·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·0 per 1,000, the rate for Glasgow being 16·9, and for Edinburgh 14·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st June. From this Report it appears that of a total of 51 cases notified, 21 were phthisis, 17 scarlet fever, 7 erysipelas, 5 diphtheria, and one cerebro-spinal fever. Among the 326 cases of infectious diseases in hospital at the close of the week were 93 cases of scarlet fever, 87 of measles, 61 of phthisis, 32 of whooping-cough, 30 of diphtheria, 8 of erysipelas, 5 of enteric fever, one of chicken-pox, and one of puerperal fever.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 1st June, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 1st June, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 1st June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 18th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	27·6	17·9	1·4	612	398	58	81	...	...	...	12	2	6	5	...	56	26	21	25	46	5	1	1	7	133	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	406,536	29·5	26·0	19·1	2·6	203	149	21	22	...	...	...	12	1	1	3	...	18	11	11	12	12	3	...	1	2	65	9	e67	32	51·1	0·05	e62·0	32·0	48·4	0·65	e64·1	31·0	49·4	0·04
CITY OF DUBLIN,	311,601	39·4	29·5	19·6	2·7	176	117	15	17	...	...	...	11	...	1	2	...	15	10	8	8	9	2	...	1	1	55	7	f64·4 g67·1	42·1 36·0	53·9 52·5	0·08 0·17	f59·2 g60·8	40·9 36·0	51·0 49·9	0·58 0·95	f64·0 g64·8	38·9 33·0	51·5 49·7	0·09 0·13
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	17·4	20·1	4·0	13	15	1	3	...	...	...	...	1	...	1	...	2	1	1	2	1	1	...	...	1	8	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	8·8	10·5	.	5	6	2	1	...	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	5·7	17·1	.	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	24·2	24·2	3·0	8	8	3	1	...	...	...	1	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	64	42	53·9	0·10	59	44	50·3	0·50	62	39	50·3	0·08
Urban Districts. BELFAST ...	391,051	26·6	28·0	14·9	0·9	210	112	16	18	...	...	...	...	...	4	1	...	23	8	5	7	15	1	1	...	2	32	1	65	41	52·6	0·30	60·0	37·0	49·9	0·36	63·0	35·0	49·8	0·10
CORK, ...	76,632	33·8	25·9	21·1	0·7	38	31	3	7	...	...	...	...	1	...	...	...	5	1	2	...	3	...	...	...	...	12	...	64	44	53·1	0·39	60	43	51·8	0·86	60	42	50·8	0·06
LONDONDERRY...	40,912	18·9	30·6	12·7	.	24	10	2	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	46·2	20·4	1·4	34	15	2	3	...	...	...	...	...	1	...	...	3	...	...	...	5	...	...	...	1	5	1	66·9	33·8	52·0	0·09	66·9	34·4	50·0	0·63	62·2	35·0	50·0	0·12
WATERFORD, ...	27,430	19·1	24·7	28·5	1·9	13	15	1	4	...	...	...	...	...	...	1	...	1	2	1	1	2	...	...	...	2	5	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	11·8	23·6	.	3	6	...	4	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	2	...	70	40	54·3	0·07	64	40	52	0·45	63	35	50·6	0·06
DUNDALK, ...	13,128	9·5	31·8	7·9	.	8	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	42·0	33·6	.	10	8	2	3	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	43·6	21·8	.	10	5	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09
LURGAN, ...	12,135	14·3	8·6	4·3	.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09
LISBURN, ...	12,172	10·7	17·1	17·1	.	4	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09
WEXFORD, ...	11,455	23·8	41·0	31·9	4·6	9	7	1	4	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	41·3	9·2	.	9	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	14·0	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·0	33·0	51·0	0·54	62·0	29·0	48·0	0·16	61·0	33·0	48·0	0·66
KILKENNY, ...	10,513	11·4	19·8	39·7	.	4	8	1	2	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	5	...	68	38	54·5	0·26	65	36	49·8	0·72	63	36	49·8	0·09
CLONMEL, ...	10,277	7·9	20·3	5·1	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	26·7	8·9	.	6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09
TRALEE, ...	9,867	16·6	31·7	15·9	.	6	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	45·8	.	6	8	2	2	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	1	...	61	39	51·7	0·18	59	41	49·3	0·46	61	39	49·0	0·11
QUEENSTOWN, ...	7,909	14·4	19·8	46·1	.	3	7	1	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	64	44	53·1	0·39	60	43	51·8	0·86	60	42	50·8	0·06
ARMAGH, ...	7,588	22·2	20·6	13·7	.	3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25	62·9	32·9	48·8	0·09

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 1st of June, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	2	.	1	.	.	.	2	.	1	3	.	.	.	.	1	12	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Whooping-cough	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	2	2	.	.	.	.	3	1	3	2	.	2	1	.	.	18	1
Tuberculous Disease. { Other Forms,	1	1	1	3	.	.	.	1	.	2	1	.	1	.	.	.	11	1
Cancer,	.	.	1	1	.	.	.	3	1	2	.	.	1	1	.	1	11	2
Diseases of Nervous System,	2	2	1	2	.	.	.	.	2	4	1	.	.	1	.	1	16	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	1	.	1	1	.	4	2	.	1	.	1	.	.	.	14	.
" Respiratory System. { Pneumonia,	1	1	2	3	.	.	.	1	.	.	.	.	2	.	2	.	12	.
" Respiratory System. { Others,	1	3	1	1	.	.	.	.	1	1	1	.	1	.	1	1	12	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Digestive System. { Others,	1	.	.	1	.	.	1	.	.	1	.	.	.	.	.	2	6	.
" Genito-urinary System,	2	1	.	.	.	.	.	.	.	1	2	.	1	.	.	1	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	1	1	.	.	.	2	.	.	.	.	1	2	.	.	9	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	1	.	.	.	.	2	1	.	1	7	.
Deaths from All Causes	12	21	11	14	1	1	1	18	8	16	13	1	15	6	3	8	149	4
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20·8	27·3	18·6	21·7	9·7	4·5	6·7	22·5	19·1	19·2	18·8	5·7	20·1	10·5	17·1	24·2	19·1	.
	19·9							19·2					17·6					
	19·6																	
Ages at Death. { Under 1 year,	2	1	2	4	.	.	.	2	.	3	1	.	1	2	.	3	21	.
Ages at Death. { 1 and under 2 years,	1	1	2	2	.	.	.	1	.	1	.	1	.	.	1	.	10	.
Ages at Death. { 2 " 5 "	1	4	.	2	.	.	.	1	2	.	1	.	2	.	.	.	13	1
Ages at Death. { 5 " 15 "	.	.	.	.	.	.	.	1	.	2	3	.	2	.	.	.	8	.
Ages at Death. { 15 " 25 "	3	2	1	.	.	.	.	1	1	1	1	.	1	.	.	1	12	1
Ages at Death. { 25 " 45 "	1	4	1	1	.	.	.	4	.	3	3	.	2	2	1	.	22	.
Ages at Death. { 45 " 65 "	3	3	3	3	.	1	1	3	3	5	4	.	4	1	1	3	41	2
Ages at Death. { 65 and upwards,	1	6	2	2	1	.	.	2	2	1	.	.	3	1	.	1	22	.
Number of Uncertified Deaths,	.	1	.	.	.	.	.	2	.	3	1	.	.	1	.	1	9	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	4	3	3	.	.	.	5	2	4	5	1	5	1	1	.	35	4
Workhouse Hospitals,	4	4	3	3	.	.	.	4	3	2	3	1	3	.	.	.	30	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1902–1911.	In the Week ending Saturday, 1st June, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 56·2	° 53·9	° 51·1										
ALL CAUSES.	165	177	150	145	154	181	126	147	135	150	153·0	153	8	13	10	14	8	13	22	43	10	12
Enteric Fever, ...	1	3	2	.	.	1	.	3	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	5	3	2	4	2	2	.	3	2·5	12	.	3	2	5	2	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	.	.	1	2	2	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	1	9	3	3	8	.	4	2	4	3·5	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	1	.	.	.	2	.	.	1	·6	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	2	2	3	2	1	3	.	.	1·6	2	.	.	.	.	.	.	.	1	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	2	1	.	.	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	2	.	1	1	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	27	16	23	23	20	14	13	18	17	22	19·3	19	.	.	.	1	.	6	8	4	.	.
Tuberculous Meningitis, ...	3	4	1	1	3	3	5	1	2	4	2·7	8	.	2	2	.	2	1	1	.	.	.
Abdominal Tuberculosis, ...	.	.	1	.	1	4	4	2	3	4	1·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	4	4	4	7	4	4	5	7	10	.	5·0	1	.	.	.	.	1		.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	.	.	.	1	1	.	.	.	.
Venereal Diseases, ...	.	1	.	2	.	.	1	3	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	8	6	7	10	6	4	8	10	9	7·4	13	.	.	.	.	.	.	4	7	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	.	1	1	.	.	1	.	·4	1	.	.	.	.	.	1	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	2	.	.	.	.	.	.	.	1	.	1
Alcoholism, ...	1	.	.	.	1	.	4	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	1	3	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										4		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										2		3	.	.	.	.	.	.	.	3	.	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										5		5	.	.	.	.	.	.	.	4	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										.		7	4	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	40	42	33	29	32	45	26	32	28	3	33·4	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										12		13	.	.	.	.	.	1	2	8	1	1
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	14	21	14	9	13	22	12	12	11	14	14·2	11	1	.	1	1	.	.	.	4	2	2
Broncho-pneumonia, ...	2	7	1	5	3	9	7	7	2	1	4·4	9	.	1	4	2	.	1	1	.	.	.
Lobar pneumonia, ..	1	2	1	2	.	3	.	1	2	5	1·7	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	8	10	8	9	7	11	8	8	4	4	7·7	3	.	.	.	.	.	.	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	7	3	1	4	2	2	1	3	2	.	2·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	1	.	.

TWENTY-SECOND WEEK ending Saturday, 1st June, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 22nd Week of the 10 years 1902-1911.	In the Week ending Saturday, 1st June, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	May 31, 1902.	June 6, 1903.	June 4, 1904.	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·0	° 53·3	° 56·2	° 56·4	° 55·7	° 52·9	° 54·2	° 53·2	° 50·6	° 56·2	° 53·9	° 51·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	1	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	2	5	1	3	4	.	5	2	5	10	3·7	3	1	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards												2	.	.	.	1	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	3	.	.	1	.	.	.	.	.	2·1	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	2	2	3	1	2	2	1	1	1	2		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	.	1	1	1	.	1	.	.	·5	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	2	6	9	3	9	5	2	3	3	.	4·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										1		6	.	.	.	.	.	1	2	2	1	.
Urinary Calculi, ...										1		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	5	6	6	7	9	6	7	7	.	6·0	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	2	.	2	.	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	1	.	.	.	1	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	6	6	2	2	3	3	2	.	6	.	3·0	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	2	1	1	.	.	.	.	.	.	.	.
Old Age, ...	6	2	5	1	1	4	1	4	2	3	2·9	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	1	1	.	.	2	.	.	2	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	.	3	.	3	.	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	2	3	2	1	4	2	3	.	2·0	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	4	4	3	6	2	6	5	2	5	2	3·9	1	.	.	.	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	1	.	.	.	·2	1	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	1	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	7	.	.	.	.	.	.	1	.	2	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered.	168	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203
Average Births in corresponding week of previous 10 years, ...	184	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248
DEATHS registered, ...	157	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153
Annual Death-rate per 1,000, ...	20·3	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6
Average Deaths in corresponding week of previous 10 years, ...	182	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153
Ages, Under 5 years, ...	45	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45
5—15 " ...	3	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8
15—25 " ...	4	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13
25—45 " ...	20	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22
45—65 " ...	40	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43
65—75 " ...	24	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10
75 and upwards, ...	21	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12
Deaths from :—																										
Enteric Fever, ...	1	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12
Scarlet Fever, ...	1	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1
Whooping-cough, ...	3	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1
Diphtheria, ...	1	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3
Influenza, ...	2	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19
Tuberculous Disease, Other Forms,	5	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12
Cancer, ...	12	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13
Diseases of Circulatory System,	12	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14
Diseases of Respiratory System, Pneumonia,	13	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12
Diseases of Respiratory System, Others, ...	22	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12
Diarrhœa and *Enteritis*, under 2 years, ...	5	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.
Violent Deaths, ...	3	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1
Number of Uncertified Deaths,	4	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9
Mean Temperature of the Air (Phœnix Park)	39·1	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1
Average Mean Temperature in corresponding week of previous 10 years, ...	42·2	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9
Rainfall in inches, ...	·625	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st June, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST JUNE, 1912.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	153	45	8	13	22	43	10	12	.	.	.	12	1	1	3	.	19	12	13	7	12	12	3	.	1	57	9
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	4	.	.	5	11	3	3	.	.	.	1	1	.	.	.	1	2	5	.	1	1	.	.	1	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	13·7	29	10	3	4	4	6	1	1	.	.	.	2	.	.	.	.	6	6	3	1	2	1	.	.	.	8	.
IV.	GENERAL SERVICE CLASS, ...	154,279	22·0	65	28	5	5	8	13	2	4	.	.	.	9	.	.	3	.	6	4	4	6	8	5	2	.	.	18	9
V.	INMATES OF WORKHOUSES, ...	6,024	—	30	3	.	3	5	12	4	3	.	.	.	.	.	1	.	.	6	.	1	.	1	5	1	.	.	15	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	33·8	5	2	.	.	.	1	2	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	16·6	7	1	.	.	.	4	.	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	4	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	.	.	2	5	1	1	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.	1	.
	10. Clothing Trades, ...	23,260	20·2	9	3	1	3	.	2	.	.	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.	1	.
	11. Food Supply Trades	9,242	22·6	4	1	1	.	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	3	.	1	1	3	.	1	.	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	5	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c., ...	13,425	19·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	19·4	5	.	.	1	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·0	7	4	.	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	2	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·0	50	23	5	3	5	10	1	3	.	.	.	8	.	.	2	.	5	3	2	5	5	4	2	.	.	14	9
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	30	3	.	3	5	12	4	3	.	.	.	.	.	1	.	.	6	.	1	.	1	5	1	.	.	15	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Apr. 13,	33·0	6·9	19	.	.	.	4	.	.	.	.	2	.	.	4	3	.	.	.	.
	„ 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	„ 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	„ 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Apr. 13,	36·4	5·2	28	.	.	.	2	.	.	.	.	3	.	2	4	3	2	.	.	2
	„ 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	„ 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1	.	3	1	1	.	1	1
	„ 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Apr. 13,	27·0	5·1	16	.	.	.	.	.	.	.	.	4	.	.	2	2	2	1	.	.
	„ 20,	37·2	1 7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	„ 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	„ 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Apr. 13,	27·8	3·1	18	.	.	.	2	.	.	.	.	1	1	.	3	3	.	.	.	.
	„ 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	„ 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	„ 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Apr. 13,	23·8	1·3	19	.	.	.	.	.	.	.	.	1	2	.	1	5	.	1	.	.
	„ 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	„ 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	„ 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Apr. 13,	28·6	2·4	12	.	.	.	.	.	.	.	.	2	1	.	1	3	1	.	.	.
	„ 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	„ 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Apr. 13,	32·4	3·6	27	.	.	.	2	.	1	.	.	2	3	1	4	4	.	.	.	1
	„ 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	„ 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	„ 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19·2	1·2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Apr. 13,	17·4	4·3	12	.	.	.	3	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 20,	18·8	7·2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	„ 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Apr. 13,	21·5	2·7	16	.	.	.	1	.	.	1	.	3	.	1	.	3	.	.	.	3
	„ 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	„ 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	„ 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	1	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	1	1	2	1	1	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Apr. 13,	22·8	.	13	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	„ 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	„ 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 17,227.	Apr. 13,	27·2	3·0	9	.	.	.	.	.	1	.	.	.	.	1	2	2	.	.	.	.
	„ 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	1
	„ 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	Apr. 13,	19·6	1·6	147	.	.	.	.	.	9	.	.	12	4	4	16	27	3	.	4	2
	„ 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	„ 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	„ 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
Cork. Pop. in 1911 76,632.	Apr. 13,	20·4	.	30	.	.	.	.	.	.	.	.	4	2	1	1	7	.	.	1	1
	„ 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	„ 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	„ 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,912.	Apr. 13,	12·7	1·3	10	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.
	„ 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	„ 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	Apr. 13,	20·4	1·4	15	.	.	.	.	.	1	.	.	1	1	.	3	5	.	.	.	.
	„ 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	„ 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
Waterford. Pop. in 1911 27,430.	Apr. 13,	9·5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st June, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		18			8	.	1	1	1	3	2	.	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.	1	.
Do. 3 do.		35			25	5	4	2	4	6	4	.	.	.	.	.	.	.	.	3	2	1	3	3	.	.	.	1	3	.
Do 4 do.		31			11	3	1	1	2	3	1	.	.	.	.	.	1	.	.	1	.	1	1	2	1	.	.	.	7	.
Do. 5 do.		7			9	2	1	.	3	2	1	.	.	.	.	.	.	.	.	1	2	1	1	1	.	.	.	.	4	.
Do. 6 do.		9			10	1	1	2	2	1	3	.	.	.	.	.	1	.	.	5	1	.	1	.	.	.	.	.	5	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		17			11	.	.	4	2	3	2	.	.	.	.	.	.	.	.	5	.	.	.	3	.	.	.	.	4	.
Do. 10 do.		24			10	2	.	1	1	3	3	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	2	.
Do. 11 do.		24			6	1	2	1	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	1
Do. 12 do.		24			9	1	3	2	.	3	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	1	.	1	1	.
Do. 13 do.		8			5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		6			5	1	1	1	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.
Total,	—	210			112	16	15	18	18	27	18	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	2	32	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 2 do.		8			5	.	1	.	1	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		7			3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 4 do.		2			4	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 5 do.		1			4	.	.	1	2	.	1	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	2	.
Do. 6 do.		3			8	1	1	1	.	3	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	4	.
Do. 7 do.		11			4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Total,	—	38	21·1	0·7	31	3	4	2	5	10	7	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.	12	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.
No. of weeks in Annual Series,	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	195	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210
DEATHS registered, ...	119	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112
Annual Death rate per 1,000 of estimated population, ...	16·1	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9
AGES, Under 1 year, ...	22	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16
1—5 years, ...	9	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15
5—25 ,, ...	14	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18
25—45 ,, ...	21	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18
45—65 ,, ...	29	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27
65 and upwards, ...	24	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Scarlet Fever, ...	1	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.
Whooping-cough, ...	2	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4
Diphtheria, ...	2	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23
Tuberculous Disease. Other Forms,	2	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8
Cancer, ...	5	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5
Diseases of Respiratory System, Pneumonia,	10	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7
Diseases of Respiratory System, Others, ...	17	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15
Diarrhœa, and *Enteritis*, under 2 years, ...	2	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1
Violent Deaths, ...	3	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.
Number of Uncertified Deaths, ...	1	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	June 1,	1,901	1,002	11·6	4	.	33	3	18	7	11*a*
Edinburgh, ...	321,200	„ 1,	145	92	14·9	.	.	4	.	1	.	.
Glasgow, ...	785,600	„ 1,	409	254	16·9	2	.	6	3	5	7	1
Calcutta, ...	890,493	Apr. 27,	.	550	32·1	178*	2	.	.	2	4	124‡
Bombay, ...	979,445	„ 27,	382	1,022	54·3	259*	81	7	.	.	.	97‡
Madras, ...	518,660	„ 6,	284	311	31·2	103*	1	4	?	?	?	69‡
Cairo, ...	699,228	„ 1,	630	374	27·9	1	1	1	.	.	.	56
Paris, ...	2,847,229	May 4,	1,015	1,000	18·0	4	.	33	8	9	10†	19*a*
Brussels, ...	745,380	„ 11,	229	211	14·7	1	.	3	.	1	1	11
Antwerp, ...	308,618	„ 11,	130	65	11·0	.	.	2	.	.	1†	1*a*
Amsterdam, ...	582,871	„ 11,	262	132	11·2	.	.	4	.	1	.	4*a*
Copenhagen, ...	465,000	„ 11,	242	164	18·4	.	.	.	2	2	.	3
Stockholm, ...	346,599	„ 11,	136	110	16·5	.	.	5	1	1	.	2
Christiania, ...	244,038	„ 18,	103	60*b*	12·8	.	.	1	.	.	1	1
St. Petersburg, ...	1,599,139	April 27,	702	828	27·0	8	3	22	6	10	7	55
Moscow, ...	1,617,157	„ 27,	.	871	28·1	1	.	15	15	10	10†	71
Berlin, ...	2,074,871	„ 27,	798	617	15·5	3	.	10	5	7	12†	30
Hamburg, ...	953,079	May 11,	.	269	14·7	1	.	.	1	6	6†	10
Breslau, ...	528,383	„ 11,	.	184	18·2	.	.	.	.	2	.	12
Munich, ...	610,000	„ 18,	.	195	16·6	.	.	2	.	.	1†	12
Vienna (with suburbs),	2,081,335	„ 11,	806	722	18·0	2	.	23	12	4	2†	30*a*
Buda-Pesth, ...	910,548	„ 11,	522	353	17·3	5	.	2	6	.	1†	14*a*
Prague and Faubourgs,	484,301	April 27,	187	237	25·5	4	.	6	2	1	1†	6*a*
Trieste, ...	235,999	May 11,	121	112	24·7	1	.	4	.	.	.	.
Rome, ...	564,913	Jan. 20,	322	212	19·6	3	1	1	2	1	3	5
Venice, ...	184,325	Dec. 9,	55	58	16·4	1	.	.	.	.	.	7
		„ 16,	75	60	17·0	.	.	.	.	.	.	3
New York, ...	5,173,064	Mar. 30,	2,674	1,617	16·3	7	.	20	23	8	25†	24*a*
Philadelphia, ...	1,606,105	Apr. 13,	.	494	16·0	.	.	.	4	1	6†	13*a*
Boston, ...	720,031	May 11,	.	194	14·1	.	.	.	.	1	2	5

* Deaths from "fever," including 9 deaths from enteric fever and 119 from plague in Calcutta, 4 from enteric fever and 176 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 87 deaths from cholera in Calcutta, 6 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 6 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st June, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	3	.	.	.	.	.	.	.	.	.	2	5
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
" " 3, ...	.	2	.	.	.	.	1	.	1	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	2	.	.	.	3	.	.	2	7
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
" " 3, ...	.	1	.	.	2	.	.	1	1	.	.	.	5
" " 4, ...	.	4	.	.	1	.	.	.	.	.	.	1	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	14	.	.	6	.	1	1	5	.	.	7	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st June, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st June.			
	May 11.	May 18.	May 25.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	33	30	27	1	6	.	22
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	58	60	62	25	9	5	73
Scarlet Fever, ...	126	136	144	24	16	1	151
Diphtheria, ...	66	59	55	13	11	2	55
Pneumonia, ...	33	33	32	14	13	.	33

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 1st June, 1912:—

"This week was generally fine in the Dublin district, but on and after Thursday thunderstorms became prevalent in several places and were accompanied by widely varying amounts of rain—on Friday morning ·62 inch was measured at Blacksod Point, Co. Mayo, and ·49 inch at Kew Observatory, Richmond. The week opened with an anticyclone lying off the N.W. shores of the British Isles and central over the Hebrides—at 7 a.m. of Sunday the barometer read 30·34 inches at Castle Bay, Barra Island, and 30·33 inches at Stornoway. The day was beautiful—fair and bright after a sharp night during which the thermometer had fallen to 36° at Greenwich and Dover, 37° at Dungeness, 38° in London, and 42° in Dublin. Monday also was very fine and bright, but a depression central over the Skager Rack caused clouded skies and rain in some parts of Sweden and Denmark. The unsettled weather connected with the Scandinavian depression spread to the east coast of Great Britain on Tuesday, but the weather remained fair in Ireland. The barometer now fell generally so that by Thursday morning several shallow local disturbances had appeared over the United Kingdom, causing cloudy, showery weather and thunderstorms in several localities. In the course of Thursday the thermometer had risen to 77° in the shade at Greenwich and Camden Square, London, N.W. Saturday was fair and brilliant in the Dublin district, but thunderstorms occurred inland. In Dublin the mean height of the barometer was 29·926 inches, the range of pressure being from 30·269 inches at 9 a.m. of Sunday (wind, E.) to 29·632 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 53·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·8°. On Sunday the screened thermometers fell to 42·1°, on Tuesday they rose to 64·4°. The most prevalent wind was E.N.E. Rain fell on Thursday to the amount of ·028 inch and in the early morning hours of Sunday, June 2, to the amount of ·050 inch, giving a total rainfall for the week of ·078 inch on 2 days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·931 inches. The highest reading (30·265) was on Sunday at 9 a.m., air calm, the lowest (29·648) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 51·1°, being 2·8 below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 67°, and was lowest on Sunday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 53·0° and of the Wet Bulb, 50·1°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·045 inch.

At Greenwich the mean temperature for the week was 57·0°, the maximum 77·0°, and the minimum 36·1°; and at Edinburgh the maximum was 61·8°, the minimum 38·5°, and the mean 50·5°. The rainfall at Greenwich measured 0·17 in.; and at Edinburgh 0·10 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, May 26,	30·225	60	32	46·0	49·1	45·9	·81	·3	14·3	·000	Calm.	Calm.
Monday, „ 27,	30·100	65	34	49·5	54·7	50·9	·78	·3	8·2	·000	Calm.	Calm.
Tuesday, „ 28,	30·010	67	44	55·5	54·1	51·3	·83	·5	10·2	·000	W.	Calm.
Wednesday, „ 29,	29·905	62	47	54·5	52·5	49·0	·77	·4	3·3	·000	W.S.W.	Calm.
Thursday, „ 30,	29·820	58	40	49·0	52·6	49·9	·84	·5	2·0	·025	Calm.	Calm.
Friday, „ 31,	29·795	60	45	52·5	53·3	51·4	·87	·3	11·1	·000	E.N.E.	Calm.
Saturday, June 1,	29·665	61	41	51·0	54·8	52·4	·86	·3	11·9	·020	E.N.E.	Calm
Mean, ...	29·931	61·9	40·4	51·1	53·0	50·1	·82	·4	Total 61·0	Total ·045	—	

Sunday—A beautiful bright day; night clear. *Monday*—A fine bright day, light clouds; night cloudy. *Tuesday*—A beautiful bright day; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—A dull day; night cloudy, drizzling rain 12 midnight to 1 a.m. *Friday*—A beautiful bright day; night cloudy. *Saturday*—A beautiful, bright day; night overcast, drizzling rain at intervals, a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 1st, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, May 26,	56·5	54·4	52·2	57·2	41·1	49·2	13·4	—
Monday, „ 27,	58·4	55·2	52·3	61·2	42·3	51·8	10·0	—
Tuesday, „ 28,	58·3	56·1	52·4	65·8	48·8	57·3	8·3	—
Wednesday, „ 29,	56·9	56·9	52·6	62·8	50·0	56·4	3·5	—
Thursday, „ 30,	55·3	56·4	52·8	57·9	55·1	56·5	4·4	·032
Friday, „ 31,	56·5	56·8	53·0	59·7	49·8	54·8	11·8	—
Saturday, June 1,	56·8	57·4	53·2	60·9	44·2	52·6	12·5	·039
Weekly Mean, .	57·0	56·2	52·6	60·8	47·3	54·1	Total 63·9	Total ·071

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32512. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 8TH JUNE, 1912. [No. 23.

General Register Office, Charlemont House, Dublin, 10*th June,* 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 18	May 25	June 1	June 8	Average Rate for 4 weeks.	Towns, &c.	Week ending May 18	May 25	June 1	June 8	Average Rate for 4 weeks.
22 Town Districts, ...	**18·6**	**16·9**	**17·9**	**18·8**	**18·0**	Limerick	17·7	16·3	20·4	28·5	20·7
						Lisburn	17·1	12·9	17·1	34·3	20·3
Armagh	20·6	13·7	13·7	.	12·0	Londonderry	14·0	15·3	12·7	19·1	15·3
Ballymena	22·9	22·9	9·2	18·3	18·3	Lurgan	21·5	12·9	4·3	8·6	11·8
Belfast	18·4	17·1	14·9	16·1	16·6	Newry	21·8	26·2	21·8	17·4	21·8
Clonmel	5·1	.	5·1	30·4	10·2	Newtownards	22·9	5·7	45·8	.	18·6
Cork	22·5	17·7	21·1	22·5	20·9	Portadown	31·1	8·9	8·9	8·9	14·5
Drogheda	12·6	25·2	33·6	16·8	22·0	Queenstown	26·4	13·2	46·1	26·4	28·0
Dublin Reg. Area ...	18·2	17·8	19·1	20·5	18·9	Sligo	9·3	23·4	.	9·3	10·5
Dundalk	4·0	11·9	7·9	27·8	12·9	Tralee	37·0	15·9	15·9	5·3	18·5
Galway	19·7	3·9	23·6	19·7	16·7	Waterford	26·6	19·0	28·5	20·9	23·7
Kilkenny	5·0	14·9	39·7	.	14·9	Wexford	18·2	13·7	31·9	31·9	23·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 8·7 in Newry, the 4 deaths from all causes for that district including one from each of enteric fever and whooping-cough. Among the 121 deaths from all causes for Belfast are 6 from whooping-cough, and 2 from diarrhœa or *enteritis* of children under 2 years of age. One of the 2 deaths from all causes for Sligo is from scarlet fever, and among the 6 deaths from all causes for Clonmel is one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—117 boys and 119 girls—and the deaths to 170—87 males and 83 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·5 per 1,000 of the population. During the twenty-three weeks ending with Saturday last the death-rate averaged 24·1, and was equal to the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 170, represent an annual rate of 21·8 per 1,000 ; the annual rate for the past twenty-three weeks was 25·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·2 per 1,000 of the mean population for all deaths registered.

The total deaths registered include 14 from measles, 3 from scarlet fever, 2 from whooping-cough, and one from influenza. In the 3 preceding weeks deaths from measles were 8, 9, and 12 ; deaths from scarlet fever were 2, one, and one ; deaths from whooping-cough were 2, 2, and one ; and deaths from influenza were 0, 2, and 2.

Tuberculous disease caused 27 deaths, comprising 20 from pulmonary tuberculosis, 4 from tuberculous meningitis, one from abdominal tuberculosis, and 2 from disseminated tuberculosis. In the 3 preceeding weeks deaths from tuberculous disease numbered 26, 29, and 31 respectively.

Broncho-pneumonia caused 7 deaths, lobar pneumonia 4 deaths, and there were 7 deaths from *pneumonia* (type not distinguished).

Eight deaths from cancer were recorded.

The deaths of 4 infants were ascribed to *convulsions*, 4 to prematurity, and one to congenital debility.

Fourteen deaths were due to organic diseases of the heart, and 19 to bronchitis.

There were 5 accidental deaths, including one from burns, one by drowning, and 2 by vehicles, one of which was caused by a motor lorry.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one infant under one year old, and the deaths of 2 persons aged 65 years and upwards.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 10 were under one month old) and 31 were aged 65 years and upwards, including 23 persons aged 70 and upwards ; among the latter were 11 aged 75 and upwards, of whom one (a male) was stated to have been aged 90 years.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 11 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·5 per 1,000 ; the rate in the City was 22·6 ; (North City Districts, 24·2 ; South, 20·9) and in the Suburbs, 13·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 3·3, and 2·1 in the South), and for the Suburbs, 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·7 per 1,000, and include 4 from measles, one from whooping-cough, one from influenza, 2 from pulmonary tuberculosis, 2 from *pneumonia*, 2 from bronchitis, and one accidental death by a vehicle.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·7 per 1,000. Included in the total are 2 from scarlet fever, 3 from broncho-pneumonia, and 5 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 16·9 per 1,000. Of the total one was from measles, 3 from tuberculous disease, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 24·8 per 1,000, and include one from measles, one from broncho-pneumonia, 2 from lobar pneumonia, one from *pneumonia*, and 2 accidental deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 31·3 ; and Finglas and Glasnevin, part of, 6·7. The only death for the first-named district is from lobar pneumonia, and included in the 7 deaths from all causes for Coolock and Drumcondra, part of, is one from each of scarlet fever, pulmonary tuberculosis, and tuberculous meningitis.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·5 per 1,000, and include 2 from measles, 5 from tuberculous disease, 2 from bronchitis, and one accidentally caused by a motor lorry.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 23·9 per 1,000. Included in the total are 4 from tuberculous disease.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·8 per 1,000, and include 2 from measles, 5 from tuberculous disease, one from broncho-pneumonia, and 4 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 15·9 per 1,000. Measles caused 2 deaths, tuberculous disease 2 deaths, broncho-pneumonia one death, lobar pneumonia one death, *pneumonia* 2 deaths, and bronchitis 2 deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. Bronchitis caused one death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·4 ; Pembroke, 14·0 ; Blackrock, 11·4 ; and Kingstown, 15·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of measles and whooping-cough for Rathmines and Rathgar, and one from measles for Pembroke. Among the 10 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease and one from bronchitis. The 8 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis and one from each of broncho-pneumonia and *pneumonia* ; and among the 5 deaths from all causes from Kingstown is one death from *pneumonia*, and one accidental death.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 8th June, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 18,	.	—	—	20	.	.	5	.	.	1	9	.	—	—	.	—	16	—	51
	May 25,	.	—	—	14	.	.	8	.	.	1	5	.	—	—	.	—	10	—	38
	June 1,	.	—	—	14	.	.	6	.	1	1	5	.	—	—	.	—	7	—	34
	June 8,	.	—	—	23	.	.	7	.	.	.	6	.	—	—	.	—	17	—	53
Rathmines and Rathgar Urban District.	May 18,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	May 25,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 1,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	June 8,	.	—	—	6	.	.	2	.	.	1	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	May 18,	.	2	.	5	.	.	3	.	.	.	1	.	.	.	—	—	.	—	11
	May 25,	.	3	.	.	.	.	4	.	.	.	.	.	.	2	—	—	.	—	9
	June 1,	.	3	.	.	.	.	2	.	.	.	.	.	.	.	—	—	.	—	5
	June 8,	.	9	.	3	.	.	2	.	.	2	1	.	1	2	—	—	.	—	20
Blackrock Urban District.	May 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	May 18,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	.	—	4
	May 25.	.	—	—	1	.	.	.	.		.	.	.	—	—	—	—	.	—	1
	June 1,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	—	5
	June 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
City of Belfast.	May 18,	.	—	—	10	.	.	6	.	.	1	2	1	—	—	.	—	16	.	36
	May 25,	.	—	—	14	.	.	.	.	.	.	3	.	—	—	.	—	16	.	33
	June 1,	.	—	—	13	.	.	5	.	.	1	3	.	—	—	.	—	9	.	31
	June 8,	.	—	—	9	.	.	2	.	.	2	1	.	—	—	.	—	7	.	21

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th June, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 30, 27, and 22.

Thirty-three cases of measles were admitted to hospital during the week, 19 were discharged, there were 4 deaths, and 83 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 60, 62 and 73, respectively.

Thirty-six cases of scarlet fever were admitted to hospital, 29 were discharged, there were 2 deaths, and 156* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 136, 144, and 151, respectively.

Seven cases of diphtheria were admitted to hospital during the week and 15 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 59, 55 and 55, respectively, were 47 at the close of last week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 11 were discharged, there were 6 deaths, and 30 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·1) was equal to an average annual death-rate of 12·4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·5 per 1,000, the rate for Glasgow being 18·1, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th June. From this Report it appears that of a total of 50 cases notified, 29 were phthisis, 12 scarlet fever, 6 diphtheria, 2 erysipelas, and one puerperal fever. Among the 313 cases of infectious diseases in hospital at the close of the week were 90 cases of scarlet fever, 78 of measles, 58 of phthisis, 32 of whooping-cough, 31 of diphtheria, 9 of erysipelas, 3 of enteric fever, 3 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 8th June, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 8th June, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 8th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 25th May, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	31·7	18·8	1·4	703	417	63	92	1	...	...	15	4	9	...	...	56	20	30	36	48	3	...	8	13	135	11	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total, (c.) ...	406,536	29·5	30·3	20·5	2·4	236	160	24	29	..	...	...	14	3	2	...	...	20	7	7	18	23	...	...	5	4	63	5	e63	41	51·5	0·87	e67	32	51·1	0·05	e62·0	32·0	48·4	0·65
City of Dublin,	311,601	39·4	33·6	22·6	2·7	201	135	19	20	...	...	...	12	3	1	...	...	17	6	6	15	21	...	...	4	4	59	4	f62·4 g63·6	46·5 45·2	53·9 53·2	0·60 0·74	f64·4 g67·1	42·1 36·0	53·9 52·5	0·08 0·17	f59·2 g60·8	40·9 36·0	51·0 49·9	0·58 0·95
Urban Districts. Rathmines and Rathgar.	38,889	22·7	16·1	13·4	2·7	12	10	2	3	...	...	...	1	...	1	...	...	1	1	...	..	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	..	...
Pembroke, ...	29,693	18·7	28·1	14·0	1·8	16	8	2	2	...	...	...	1	...	...	...	...	2	...	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	11·4	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	9·1	15·1	.	3	5	1	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	61	47	54·1	0·46	64	42	53·9	0·10	59	44	50·3	0·50
Urban Districts. Belfast ...	391,051	26·6	39·2	16·1	1·1	294	121	21	24	...	...	...	...	...	6	...	...	16	7	12	10	10	2	...	2	4	38	...	63	45	53·0	0·79	65	41	52·6	0·30	60·0	37·0	49·9	0·36
Cork, ...	76,632	33·8	29·3	22·5	.	43	33	3	7	...	...	...	...	...	...	...	...	10	1	2	1	4	...	...	...	1	9	1	63	39	53·0	0·72	64	44	53·1	0·39	60	43	51·8	0·86
Londonderry...	40,912	18·9	25·5	19·1	.	20	15	4	6	...	...	...	...	...	...	...	...	2	1	3	...	2	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick. ...	38,403	18·2	9·5	28·5	.	7	21	3	2	...	...	...	...	...	...	...	...	5	...	...	1	4	...	...	...	1	8	2	66	35	53·8	0·75	66·9	33·8	52·0	0·09	66·9	31·4	50·0	0·63
Waterford, ...	27,430	19·1	32·3	20·9	1·9	17	11	1	4	...	...	...	...	...	...	...	...	...	3	1	1	...	1	...	1	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway. ...	13,249	2·5	19·7	19·7	.	5	5	...	3	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	..	...	...	67	38	54	0·40	70	40	54·3	0·07	64	40	52	0·45
Dundalk, ...	13,128	9·5	39·7	27·8	.	10	7	2	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	21·0	16·8	.	5	4	...	2	...	...	...	...	...	...	...	..	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Newry. ...	11,956	17·2	17·4	17·4	8·7	4	4	...	...	1	...	...	..	...	1	...	...	...	...	...	...	1	...	...	...	...	3	...	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25
Lurgan, ...	12,135	14·3	21·5	8·6	.	5	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25
Lisburn. ...	12,172	10·7	17·1	34·3	.	4	8	1	4	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	3	...	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25
Wexford. ...	11,455	23·8	45·5	31·9	.	10	7	...	3	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,376	9·3	27·5	18·3	.	6	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	14·0	9·3	4·7	3	2	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	65	41	53·0	0·48	65·0	33·0	51·0	0·54	62·0	29·0	48·0	0·16
Kilkenny, ...	10,513	11·4	29·8	.	.	6	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66	38	52·5	2·00	68	38	54·5	0·26	65	36	49·8	0·72
Clonmel, ...	10,277	7·9	20·3	30·4	5·1	4	6	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	17·8	8·9	.	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25
Tralee. ...	9,867	16·6	10·6	5·3	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	51·5	.	.	9	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61	48	51·8	0·81	61	39	51·7	0·18	59	41	49·3	0·46
Queenstown, ...	7,909	14·4	39·6	26·4	.	6	4	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	63	39	53·0	0·72	64	44	53·1	0·39	60	43	51·8	0·86
Armagh. ...	7,588	22·2	20·6	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61·8	41·5	52·0	0.62	66·0	35·1	52·6	0·33	59·8	35·0	49·0	0·25

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 8th of June, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	4	.	1	1	.	.	.	2	.	2	2	.	1	1	.	.	14	.
Scarlet Fever,	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Whooping-cough	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	.	2	.	.	1	.	4	3	4	1	.	1	2	.	.	20	.
Tuberculous Disease. { Other Forms,	.	.	1	.	.	1	.	1	1	1	1	.	1	.	.	.	7	.
Cancer,	.	3	.	1	.	1	.	.	1	.	.	.	.	.	1	.	7	1
Diseases of Nervous System,	1	1	1	3	.	.	.	2	.	1	.	.	3	.	.	1	13	4
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	2	2	2	.	1	1	2	1	2	1	1	.	1	.	1	18	.
" Respiratory System. { Pneumonia,	2	3	.	4	1	.	.	.	.	1	4	.	.	2	.	1	18	.
" Respiratory System. { Others,	3	5	2	.	.	1	.	2	1	4	2	1	1	.	1	.	23	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	1	3	.	.	.	1	.	1	.	.	.	.	.	.	6	3
" Genito-urinary System,	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	2	.	.	.	1	.	2	3	1	.	.	1	2	.	.	14	2
Violent Deaths,	1	.	.	2	.	.	.	1	.	.	.	.	.	.	.	1	5	.
Ill-defined, &c. Causes,	1	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
Deaths from All Causes	20	19	10	16	1	7	1	18	10	19	11	3	10	8	2	5	160	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34·7	24·7	16·9	24·8	9·7	31·3	6·7	22·5	23·9	22·8	15·9	17·2	13·4	14·0	11·4	15·1	20·5	.
	24·2							20·9					13·7					
	22·6																	
Ages at Death. Under 1 year,	3	2	2	2	.	.	.	4	2	1	3	.	2	2	.	1	24	1
1 and under 2 years,	2	4	1	2	.	.	.	.	1	2	.	.	.	1	.	.	13	1
2 " 5 "	3	2	.	.	.	2	.	2	.	3	1	.	1	.	.	1	15	1
5 " 15 "	1	.	1	2	.	.	.	.	.	.	1	.	.	1	.	.	6	1
15 " 25 "	.	.	.	1	.	.	.	3	.	2	1	.	2	1	.	.	10	1
25 " 45 "	4	1	3	3	1	1	.	4	2	2	2	.	1	1	1	.	26	.
45 " 65 "	4	7	2	4	.	1	1	4	3	6	2	2	1	.	.	.	37	3
65 and upwards,	3	3	1	2	.	3	.	1	2	3	1	1	3	2	1	3	29	2
Number of Uncertified Deaths,	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	6	3	7	.	.	.	7	.	6	3	.	2	.	1	.	40	8
Workhouse Hospitals,	1	3	1	3	.	2	.	2	2	4	4	.	.	1	.	.	23	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1902–1911.	In the Week ending Saturday, 8th June, 1912.										
													Deaths of Persons of the Ages of									
	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·5	° 52·9	° 53·1	° 50·8	° 56·1	° 52·7	° 54·4	° 50·1	° 57·8	° 55·6	° 53·7	° 51·5										
ALL CAUSES.	156	172	143	148	142	180	134	151	133	149	150·8	170	10	15	14	16	7	11	26	40	20	11
Enteric Fever, ...	.	2	1	.	.	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	.	1	3	.	6	3	1	1	4	2·2	14	.	5	4	4	1	.	.	.	.	.
Scarlet Fever, ...	1	1	1	.	.	.	1	1	.	2	·7	3	.	.	.	3	.	.	.	.	.	.
Whooping-cough, ...	2	5	1	2	1	4	3	4	1	1	2·4	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	.	1	2	.	.	4	·8	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	1	2	2	6	2	6	.	.	2·4	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	1	1	.	1	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	.	.	.	2	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	40	20	30	15	17	16	18	24	15	25	22·0	20	.	.	.	.	1	3	10	6	.	.
Tuberculous Meningitis, ...	1	6	2	3	4	6	3	5	4	4	3·8	4	.	.	1	2	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	4	7	2	2	2	3	1	1	3	2·6	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.	3	3	5	10	7	8	8	1	2	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.		.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		2	.	.	.	.	1	1	.	.	.	.
Venereal Diseases, ...	2	1	.	2	.	1	.	2	.	.	·8	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	7	6	9	14	6	10	10	5	6	12	8·5	8	.	.	.	.	.	.	1	5	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	1	1	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	1	1	.	.
Alcoholism, ...	.	1	1	.	1	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	29	42	29	34	51	48	26	31	36	5	35·5	1	.	.	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										4		4	.	.	.	.	.	.	.	2	2	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),										1		4	3	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.										4		6	.	.	1	.	1	1	3	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										11		14	.	.	.	.	.	.	3	7	3	1
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		3	.	.	.	1	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	17	13	14	12	9	16	13	9	16	13	13·2	19	.	2	2	.	.	.	.	5	7	3
Broncho-pneumonia, ...	4	3	1	3	3	7	4	2	3	4	3·4	7	1	1	2	1	2	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	.	.	3	.	1	2	1	·7	4	.	.	1	1	.	.	1	1	.	.
Pneumonia (type not distinguished)	3	11	12	3	3	8	5	6	5	3	5·9	7	.	.	1	2	.	1	2	1	.	.
Pleurisy, ...	1	3	2	1	1	2	2	1	1	.	1·7	1	.	.	.	.	.	.	.	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy										1		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.										2		1	.	.	.	.	.	.	.	.	.	1

TWENTY-THIRD WEEK ending Saturday, 8th June, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23rd Week of the 10 years 1902-1911.	In the Week ending Saturday, 8th June, 1912.										
													Deaths of Persons of the Ages of									
	June 7, 1902.	June 13, 1903.	June 11, 1904.	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	53·5°	52·9°	53·1°	50·8°	56·1°	52·7°	54·4°	50·1°	57·8°	55·6°	53·7°	51·5°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	2	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	3	.	1	.	.	.	.	.	2	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	1	1	1	1	1	1	3	2	7	1	1·9	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,												.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	3	.	.	.	1	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	.	.	2	3	2	1	1	.	1	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	2	1	1	.	2	1	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	3	.	2	.	1	.	1	2	3	1·3	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	4	3	3	8	3	3	1	2	4	.	3·1	2	.	.	.	.	.	.	.	2	.	.
Acute Nephritis, ...										.		1	.	.	.	.	.	.	1	.	.	
Chronic Bright's Disease, ...										3		3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	2	5	5	4	6	11	3	5	5	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	1	2	.	.	.	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	4	5	4	7	2	4	8	2	2	4·3	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	4	4	1	4	3	.	2	8	4	7	3·7	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	1	.	.	1	1	1	.	·7	1	.	.	.	.	.	.	1	.	.	.
Drowning, ...	.	1	.	1	1	3	1	.	.	1	·8	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	5	4	.	3	2	1	.	1	5	1	2·2	3	.	.	.	1	.	.	.	1	1	.
Total Deaths from Accident,	6	6	2	5	3	5	3	2	6	2	4·0	5	.	.	.	1	1	.	1	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	2	.	.	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	.	.	.	.	.	·1	2	.	.	.	1	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	4	.	1	1	.	.	.	.	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered.	266	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236
Average Births in corresponding week of previous 10 years, ...	201	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224
DEATHS registered, ...	180	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170
Annual Death-rate per 1,000, ...	23·2	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8
Average Deaths in corresponding week of previous 10 years, ...	175	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151
Ages, Under 5 years, ...	54	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55
5—15 " ...	10	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7
15—25 " ...	8	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11
25—45 " ...	31	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26
45—65 " ...	33	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40
65—75 " ...	24	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20
75 and upwards, ...	20	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11
Deaths from :—																										
Enteric Fever, ...	3	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14
Scarlet Fever, ...	1	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3
Whooping-cough, ...	3	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2
Diphtheria, ...	4	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.
Influenza, ...	1	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1
Dysentery, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	12	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20
Tuberculous Disease, Other Forms,	9	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7
Cancer, ...	7	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8
Diseases of Circulatory System,	22	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18
Diseases of Respiratory System, Pneumonia,	8	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18
Diseases of Respiratory System, Others, ...	33	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23
Diarrhœa and *Enteritis*, under 2 years, ...	3	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.
Diarrhœa, 2 years and upwards,	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
Violent Deaths, ...	4	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5
Number of Uncertified Deaths,	5	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5
Mean Temperature of the Air (Phœnix Park)	43·7	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5
Average Mean Temperature in corresponding week of previous 10 years, ...	41·3	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7
Rainfall in inches, ...	1·355	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th June, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JUNE, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	170	55	7	11	26	40	20	11	.	.	.	14	3	2	.	.	20	7	8	4	18	23	.	.	5	66	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	8	1	4	4	3	4	2	.	.	.	3	1	1	.	.	1	2	1	1	2	2	.	.	2	10	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	14	3	.	5	8	2	2	.	.	.	2	2	.	.	.	4	2	1	1	5	2	.	.	.	15	2
IV.	GENERAL SERVICE CLASS, ...	154,279	27·4	81	32	3	3	13	21	6	3	.	.	.	9	.	1	.	.	8	2	3	2	11	10	.	.	3	32	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	1	.	3	4	8	7	2	.	.	.	.	.	.	.	.	7	1	3	.	.	8	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	14·2	6	1	1	.	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	3	.	2	1	.	2	1	.	.	.	2	.	1	.	.	1	1	.	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	4	.	2	1	1	1	.	.	.	.	.	1	.	.	.	.	1	1	1	1	.	.	.	2	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	1	1
	9. Building and Furnishing Trades, ...	29,801	19.2	11	5	1	.	.	3	2	.	.	.	.	2	2	.	.	.	.	.	1	.	1	1	.	.	.	4	.
	10. Clothing Trades, ...	23,260	11·2	5	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	4	.
	11. Food Supply Trades	9,242	11·3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	4	1	.	2	2	.	2	.	.	.	.	.	.	.	.	3	.	.	.	2	1	.	.	.	5	1
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	5·7	4	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	3	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	38·9	67	29	3	3	7	16	6	3	.	.	.	9	.	1	.	.	4	2	3	2	9	9	.	.	3	25	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	25	1	.	3	4	8	7	2	.	.	.	.	.	.	.	.	7	1	3	.	.	8	.	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Apr. 20,	46·9	12·2	27	.	.	.	5	1	.	.	.	3	.	.	1	3	1	.	.	2
	„ 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	„ 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	„ 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	„ 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Apr. 20,	23·4	1·3	18	.	.	.	.	1	.	.	.	3	1	.	3	2	.	.	1	2
	„ 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	„ 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1		3	1	1	.	1	1
	„ 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	„ 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Apr. 20,	37·2	1·7	22	.	.	.	1	.	.	.	.	3	2	1	3	5	.	.	.	2
	„ 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	„ 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	„ 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Apr. 20,	34·0	3·1	22	1	.	.	1	.	.	.	.	2	3	2	5	1	.	.	.	1
	„ 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	„ 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	„ 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	„ 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Apr. 20,	38·8	.	31	.	.	.	.	.	.	.	.	1	1	.	8	4	.	.	.	1
	„ 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	„ 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	„ 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	„ 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Apr. 20,	16·7	2·4	7	.	.	.	1	.	.	.	.	2	1	.	.	1	.	.	.	1
	„ 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	„ 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	„ 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Apr. 20,	28·8	1·2	24	.	.	.	.	.	1	.	.	5	1	2	1	5	.	.	.	.
	„ 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	42·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	„ 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	„ 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19 2	1 2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	„ 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Apr. 20,	18·8	7 2	13	.	.	.	4	.	1	.	.	1	.	.	.	2	.	.	.	.
	„ 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	18	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	„ 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 25,	18·8	2 9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	„ 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.

* See note (‡) at foot of first page

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes.	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa, and *Enteritis* of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	Apr. 20,	12·1	2·7	9	.	.	.	1	.	.	1	.	2	.	1	.	.	.	.	.	.
	„ 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	„ 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	1	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	1	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	Apr. 20,	5·3	3·5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.
	„ 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	„ 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 17,227.	Apr. 20,	42·4	3·0	14	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	1
	„ 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Belfast. Pop. in 1912 (Est.) 391,051.	Apr. 20,	22·9	1·3	172	.	.	.	.	2	4	1	.	25	7	8	18	26	2	1	4	3
	„ 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	„ 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
Cork. Pop. in 1911 76,632.	Apr. 20,	23·8	0·7	35	.	.	.	.	.	.	.	.	6	1	2	2	6	1	.	.	.
	„ 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	„ 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,912.	Apr. 20,	26·8	2·5	21	.	.	.	.	.	.	.	.	6	1	1	.	2	2	.	.	.
	„ 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
Limerick. Pop. in 1911 38,403.	Apr. 20,	14·9	.	11	.	.	.	.	.	.	.	.	1	1	2	1	2	.	.	.	.
	„ 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	„ 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
Waterford. Pop. in 1911 27,430.	Apr. 20,	17·1	.	9	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th June, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Tubercular Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	9	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.	3	.
Do. 2 do.		39			16	3	.	1	3	5	4	.	.	.	.	.	1	.	.	2	1	1	.	.	.	.	1	1	2	.
Do. 3 do.		34			20	4	.	4	3	6	3	.	.	.	.	.	.	.	.	3	.	4	.	1	2	.	1	1	5	.
Do 4 do.		22			19	5	1	4	3	1	5	.	.	.	.	.	.	.	.	2	1	.	2	1	.	.	.	2	10	.
Do. 5 do.		24			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
Do. 6 do.		22			11	1	4	.	1	2	3	.	.	.	.	.	3	.	.	1	.	1	2	1	.	.	.	.	1	.
Do. 7 do.		3			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		6			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		18			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 10 do.		24			9	2	1	1	3	1	1	.	.	.	.	.	1	.	.	2	.	1	1	1	.	.	.	.	5	.
Do. 11 do.		21			5	1	2	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.	1	.
Do. 12 do.		31			10	2	.	1	2	1	4	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	.	2	.
Do. 13 do.		8			6	1	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		33			14	1	2	3	4	3	1	.	.	.	.	.	.	.	.	1	2	2	2	1	.	.	.	.	6	.
Total,	—	294			121	21	12	18	23	23	24	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	4	38	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	9	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do. 2 do.		12			7	.	.	1	3	3	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	2	.
Do. 3 do.		6			3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1
Do. 4 do.		.			3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		2			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		5			8	1	.	1	.	2	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	3	.
Do. 7 do.		9			6	.	.	.	3	2	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Total,	—	43	22·5	.	33	3	1	4	8	10	7	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1	9	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.
No. of weeks in Annual Series,	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, ...	191	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294
DEATHS registered, ...	152	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121
Annual Death rate per 1,000 of estimated population, ...	20·5	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1
AGES, Under 1 year, ...	22	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21
1—5 years, ...	22	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12
5—25 „ ...	20	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18
25—45 „ ...	24	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23
45—65 „ ...	38	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23
65 and upwards, ...	26	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Scarlet Fever, ...	2	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.
Whooping-cough, ...	3	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6
Diphtheria, ...	1	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16
Tuberculous Disease. Other Forms,	9	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7
Cancer, ...	6	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12
Diseases of Respiratory System, Pneumonia,	13	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10
Diseases of Respiratory System, Others, ...	19	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10
Diarrhœa, and *Enteritis*, under 2 years, ...	2	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.
Violent Deaths, ...	4	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2
Number of Uncertified Deaths, ...	3	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1911–2 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	June 8,	2,016	961	11·1	.	.	50	2	14	12	14*a*
Edinburgh, ...	321,200	„ 8,	141	99	16·1	.	.	4	1	2	.	.
Glasgow, ...	785,600	„ 8,	405	273	18·1	2	.	8	1	2	3	7
Calcutta, ...	890,493	May 4,	.	529	30·8	137*	3	2	.	2	2	122‡
Bombay, ...	979,445	„ 4,	384	811	43·1	158*	48	3	.	.	.	94‡
Madras, ...	518,660	„ 13,	325	320	32·1	57*	5	3	?	?	?	63
Cairo, ...	699,228	„ 8,	585	444	33·1	1	.	1	1	.	5	58
Paris, ...	2,847,229	„ 11,	907	986	17·7	5	.	40	5	4	3†	20*a*
Brussels, ...	745,380	„ 18,	236	205	14·3	1	.	6	1	.	3†	6
Antwerp, ...	308,618	„ 18,	131	63	10·6	.	.	3	.	1	.	6*a*
Amsterdam, ...	582,871	„ 18,	234	120	10·7	1	.	4	.	.	.	6*a*
Copenhagen, ...	465,000	„ 18,	225	148	16·6	.	.	1	.	4	.	6
Stockholm, ...	346,599	„ 18,	149	107	16·1	.	.	5	.	1	.	4
Christiania, ...	244,038	„ 25,	153	92*b*	19·6	.	.	1	.	.	.	1
St. Petersburg, ...	1,599,139	„ 4,	881	809	26·4	11	9	29	12	11	4	53
Moscow, ...	1,617,157	„ 4,	.	869	28·0	5	2	9	12	9	3†	55
Berlin, ...	2,078,658	„ 4,	761	585	14·7	2	.	8	8	5	9†	18
Hamburg, ...	953,079	„ 18,	.	284	15·5	.	.	2	4	.	8†	8
Breslau, ...	528,383	„ 18,	.	200	19·7	.	.	.	1	1	.	12
Munich, ...	610,000	„ 25,	.	175	15·0	.	.	4	1	.	.	7
Vienna (with suburbs),	2,081,335	„ 18,	859	669	16·7	3	.	19	8	3	6†	41*a*
Buda-Pesth, ...	910,548	„ 18,	452	330	18·8	1	.	5	5	1	1†	12*a*
Prague and Faubourgs,	484,301	„ 4,	185	221	23·8	2	.	5	.	.	1†	8*a*
Trieste, ...	235,999	„ 18,	120	88	19·4	.	.	1	.	1	.	1*a*
Rome, ...	564,913	Jan. 27,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Dec. 23,	71	59	16·7	.	.	.	.	.	2†	12
		„ 30,	73	61	17·3	.	.	.	.	.	2	2†
New York, ...	5,173,064	Apr. 6,	2,498	1,691	17·1	3	.	33	22	3	30†	43*a*
Philadelphia, ...	1,606,105	„ 20,	.	483	15·6	4	.	.	3	3	11†	10*a*
Boston, ...	720,031	May 18,	.	216	15·6	.	.	3	2	1	.	6

* Deaths from "fever," including 8 deaths from enteric fever and 94 from plague in Calcutta, and one from enteric fever and 105 from plague in Bombay.

† Including deaths from croup.

‡ Including 84 deaths from cholera in Calcutta, and 5 in Bombay.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 10 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th June, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	2	.	.	.	.	.	.	1	6
" " 1, West, ...	.	3	.	.	.	.	.	.	1	.	.	3	7
" " 2, ...	.	3	.	.	1	.	.	.	.	.	.	1	5
" " 3, ...	.	5	.	.	.	.	.	.	1	.	.	3	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	.	.	4	.	.	4	10
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	2	.	.	2	.	.	.	.	.	.	1	5
" " 4, ...	.	5	.	.	2	.	.	.	.	.	.	2	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	23	.	.	7	.	.	.	6	.	.	17	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th June, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th June.			
	May 18.	May 25.	June 1.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	27	22	6	6	.	22
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	60	62	73	33	19	4	83
Scarlet Fever, ...	136	144	151	36	29	2	156*
Diphtheria, ...	59	55	55	7	15	.	47
Pneumonia, ...	33	32	33	14	11	6	30

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 8th June, 1912:—

"This week was signalised by very changeable and unsettled weather. The British Isles and more particularly England were throughout under the influence of low pressure systems, whereas the barometer stood relatively high in the neighbourhood of the Azores, in the Icelandic region, and over Scandinavia. The high pressure near the Azores, in fact, represented an anticyclone which was of marked staying power, although of no great intensity—the barometer at Horta standing at about 30·3 inches on Sunday and Monday. The week opened with a day of steady rainfall in Dublin, and light to moderate northerly winds which were part of a cyclonic system central over the south of England and the English Channel, in which regions the barometer was slightly below 29·5 inches. At night the sky cleared in Ireland so that temperature fell to 35° at Birr Castle, King's Co., and to 47° even in Dublin. By Monday morning a new depression had reached the west coast of Ireland from the Atlantic. Twenty-four hours later this system was centred near the Scilly Islands, with the barometer down to 29·30 inches at St. Mary's and still falling. Temperature was very low in Scotland and Ireland the minimum of the previous night being 35° at Valentia, in Kerry, and 39° at Roche's Point, Cork Harbour. Heavy showers fell at intervals and storms of hail, thunder and lightning were reported from various parts of the United Kingdom, chiefly from England. On Wednesday the depression—then central off the Norfolk coast—began to fill up, but on Friday morning a shallow but extensive area of low pressure lying over the English Channel, Brittany and Normandy caused N.E. winds, and cold, unsettled weather in most English districts. In Ireland, on the contrary, fine although often cloudy weather prevailed. At the week end local showers fell in many places, the precipitation being greater in England than elsewhere. In Dublin, the mean height of the barometer was 29·650 inches, the range of pressure being from 29·372 inches at 9 a.m. of Tuesday (wind, W.) to 29·887 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 53·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·8°. The screened thermometers fell to 46·5° on Monday and rose to 62·4° on Friday. N.E. and W. winds prevailed. Rain fell on 4 rain-days to the amount of ·604 inch, ·259 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·664 inches. The highest reading (29·902) was on Saturday at 9 p.m., air calm, the lowest (29·378) on Tuesday at 9 a.m., wind W.S.W.

The mean temperature for the week was 51·5°, being 2·2 below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Thursday, on which day the thermometer registered 63°, and was lowest on Friday and Saturday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 52·4° and of the Wet Bulb, 50·5°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·865 inch.

At Greenwich the mean temperature for the week was 54·2°, the maximum 69·5°, and the minimum 41·5°; at Glasgow the maximum was 66·0°, the minimum 47·0°, and the mean 53·2°; and at Edinburgh the maximum was 60·9°, the minimum 45·2°, and the mean 49·3°. The rainfall at Greenwich measured 0·99 in.; at Glasgow 0·73 in.; and at Edinburgh 0·89 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 2,	29·570	53	44	48·5	50·8	49·9	·94	·4	0·0	·260	N.N.W.	Calm.
Monday, " 3,	29·450	59	45	52·0	51·1	48·4	·83	·4	6·2	·220	W.S.W.	S.E.
Tuesday, " 4,	29·415	51	46	48·5	48·3	47·4	·94	·4	0·0	·155	W.S.W.	Calm.
Wednesday, " 5,	29·630	59	49	54·0	54·3	52·0	·85	·4	4·2	·000	N.E.	N.N.E.
Thursday, " 6,	29·800	63	48	55·5	54·0	51·1	·83	·3	4·8	·000	W.N.W.	Calm.
Friday, " 7,	29·885	61	41	51·0	53·0	51·0	·87	·2	6·4	·000	Calm.	Calm.
Saturday, " 8,	29·895	61	41	51·0	55·4	53·6	·89	·2	2·0	·230	Calm.	Calm.
Mean, ...	29·664	58·1	44·9	51·5	52·4	50·5	·88	·3	Total 23·6	Total ·865	—	

Sunday—Day overcast, drizzling rain 9.0 a m. to 9.0 p.m.; night overcast, drizzling rain 9 0 p.m. to 3.0 a.m. *Monday*—Day cloudy, fine; night cloudy to overcast, showers at intervals from 2.0 a.m. to 4.0 a.m., and heavy rain 6.0 a.m. to 8.30 a.m. *Tuesday*—Day overcast, drizzling and heavy rain 9 30 a.m. to 4.30 p.m.; night overcast, drizzling rain 1.0 a.m. to 2.0 a.m. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—A dull day, rain at intervals from 5.0 p m to 9.0 p.m.; night cloudy, drizzling rain at intervals.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 8th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 2,	52·5	58·0	53·5	55·3	48·9	52·1	—	·226
Monday, " 3,	53·9	56·0	53·7	60·2	45·1	52·7	6·9	·138
Tuesday, " 4,	48 2	56·3	53·8	52·7	46·1	49·4	—	·185
Wednesday, " 5,	55·8	55·3	53·8	60·3	49·0	54·7	4·1	—
Thursday, " 6,	60·5	56·4	53·8	64·1	51·0	57·6	4·8	—
Friday, " 7,	58·2	57·0	53·8	60·6	47·3	54·0	9·1	—
Saturday, " 8,	58·9	58·1	53·9	60·5	48·4	54·4	1·1	·001
Weekly Mean,	55·4	56·7	53·8	59·1	48·0	53·6	Total 26·0	Total ·550

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32512. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 15TH JUNE, 1912. [No. 24.

General Register Office, Charlemont House
Dublin, 17th June, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending May 25	June 1	June 8	June 15	Average Rate for 4 weeks.
22 Town Districts, ...	**16·9**	**17·9**	**18·8**	**17·2**	**17·7**
Armagh	13·7	13·7	.	6·9	8·6
Ballymena	22·9	9·2	18·3	9·2	14·9
Belfast	17·1	14·9	16·1	14·4	15·6
Clonmel	·	5·1	30·4	10·1	11·4
Cork	17·7	21·1	22·5	13·6	18·7
Drogheda	25·2	33·6	16·8	4·2	19·9
Dublin Reg. Area ...	17·8	19·1	20·5	22·7	20·0
Dundalk	11·9	7·9	27·8	11·9	14·9
Galway	3·9	23·6	19·7	27·5	18·7
Kilkenny	14·9	39·7	·	24·8	19·8
Limerick	16·3	20·4	28·5	12·2	19·3
Lisburn	12·9	17·1	34·3	8·6	18·2
Londonderry	15·3	12·7	19·1	14·0	15·3
Lurgan	12·9	4·3	8·6	12·9	9·7
Newry	26·2	21·8	17·4	17·4	20·7
Newtownards	5·7	45·8	.	17·2	17·2
Portadown	8·9	8·9	8·9	8·9	8·9
Queenstown	13·2	46·1	26·4	.	21·4
Sligo	23·4	.	9·3	28·0	15·2
Tralee	15·9	15·9	5·3	5·3	10·6
Waterford	19·0	28·5	20·9	19·0	21·8
Wexford	13·7	3 ·9	31·9	22·8	25·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 7·9 in Galway, the 7 deaths from all causes for that district including one from each of scarlet fever and diphtheria. Among the 108 deaths from all causes for Belfast are 2 from enteric fever, one from whooping cough, and one from diarrhœa or *enteritis* of a child under 2 years of age. One of the 20 deaths from all causes for Cork is from diphtheria. Included in the 9 deaths from all causes for Limerick is one from whooping-cough, and one of the 4 deaths from all causes for Newry is also from whooping-cough. The 5 deaths from all causes for Kilkenny include one from scarlet fever, and the 2 deaths for Portadown one from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—86 boys an 98 girls—and the deaths to 190—102 males and 88 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·7 per 1,000 of the population During the twenty-four weeks ending with Saturday last the death-rate averaged 24·0, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 190, represent an annual rate of 24·4 per 1,000 ; the annual rate for the past twenty-four weeks was 25·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·0 per 1,000 of the mean population for all deaths registered.

Included in the total there were 2 deaths from enteric fever, 17 deaths from measles, one death from whooping-cough, 3 deaths from diphtheria, one death from mumps, and 3 deaths from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks deaths from enteric fever were 0, 0, and 0 ; deaths from measles were 9, 12, and 14 ; deaths from whooping-cough were 2, one, and 2 ; deaths from diphtheria were 1, 3, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 4, 3, and 0.

The deaths from all forms of tuberculosis numbered 27 and include 19 deaths from pulmonary tuberculosis, one death from each of tuberculous meningitis, abdominal tuberculosis and tuberculosis of the vertebral column, 3 deaths from tuberculosis of joints, and 2 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from tuberculosis were 29, 31, and 27.

There were 12 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (type not distinguished).

Fourteen deaths from cancer were recorded.

Convulsions was the registered cause of 2 deaths, one of an infant under one month and one between the ages of one year and 2 years. There were 5 deaths of infants from congenital malformations, 2 from premature birth, and 3 from congenital debility.

Eighteen deaths resulted from organic diseases of the heart, and 12 from bronchitis.

Of 4 accidental deaths 2 were by burns, one being of a child between the ages of one year and 2 years, and one of an adult over 65 years of age.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 2 persons aged 65 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 7 were under one month old) and 32 were aged 65 years and upwards, including 23 persons aged 70 and upwards ; among the latter were 13 aged 75 and upwards, of whom one (a male) was stated to have been aged 92 years.

One hundred and three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 18 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 5 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·7 per 1,000 ; the rate in the City was 23·8 (North City Districts, 24·8 ; South, 22·6) and in the Suburbs, 19·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 3·8 (3·3 in the North City Districts, and 4·5 in the South), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·6 per 1,000, and include one death from enteric fever, 2 from measles, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·6 per 1,000. Measles caused 2 deaths, pulmonary tuberculosis 3 deaths, broncho-pneumonia 4 deaths, *pneumonia* 2 deaths, bronchitis 2 deaths, and diarrhœa of an infant one death.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·1 per 1,000. The deaths include one from measles, 2 from tuberculosis, 3 from broncho-pneumonia, 3 from *pneumonia*, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 27·8 per 1,000. Measles, whooping-cough, and diphtheria each caused one death ; there were 2 deaths from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 0·0 ; and Finglas and Glasnevin, part of, 13·5.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 25·0 per 1,000. Measles caused 4 deaths ; there was one death from pulmonary tuberculosis, one death from *pneumonia*, 5 deaths from other diseases of the respiratory system, one death from diarrhœa of an infant, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 21·5 per 1,000, and include one death from measles, 2 deaths from tuberculosis, one death from broncho-pneumonia, and one death from *pneumonia*.

No. 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 21·6 per 1,000. There was one death from measles ; there were 4 deaths from tuberculous disease, 2 deaths from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. Measles caused 5 deaths, pulmonary tuberculosis 2 deaths, bronchitis one death, and there was one accidental death.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 34·3 per 1,000. Of the deaths one was caused by laryngitis, and one was of an infant from diarrhœa.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·4 ; Pembroke, 12·3 ; Blackrock, 11·4 ; and Kingstown, 39·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever for Rathmines and Rathgar, and one from diphtheria for each of Pembroke and Blackrock. Among the 13 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis and one from broncho-pneumonia. Of the 7 deaths from all causes for Pembroke one is from disseminated tuberculosis. Included in the 13 deaths from all causes for Kingstown are one from pulmonary tuberculosis, one from broncho-pneumonia and one from *pneumonia*.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 15th June, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	May 25,	.	—	—	14	.	.	8	.	.	1	5	.	—	—	.	—	10	—	38
	June 1,	.	—	—	14	.	.	6	.	1	1	5	.	—	—	.	—	7	—	34
	June 8,	.	—	—	23	.	.	7	.	.	.	6	.	—	—	.	—	17	—	53
	June 15,	.	—	—	16	.	.	7	.	2	2	4	.	—	—	.	—	8	—	39
Rathmines and Rathgar Urban District.	May 25,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	June 1,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	June 8,	.	—	—	6	.	.	2	.	.	1	.	.	—	—	—	—	—	—	9
	June 15,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	May 25,	.	3	.	.	.	.	4	.	.	.	.		.	2	—	—	.	—	9
	June 1,	.	3	.	.	.	.	2	.	.	.	.	.	.	.	—	—	.	—	5
	June 8,	.	9	.	3	.	.	2	.	.	2	1	.	1	2	—	—	.	—	20
	June 15,	.	7	4	2	.	.	1	.	.	.	.	.	2	2	—	—	.	—	18
Blackrock Urban District.	May 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	June 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 15,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	May 25.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	June 1,	.	—	—	3	.	.	.	.		.	.	.	—	—	—	—	2	—	5
	June 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	June 15,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	.	—	5
City of Belfast.	May 25,	.	—	—	14	.	.	.	.	.	.	3	.	—	—	.	—	16	.	33
	June 1,	.	—	—	13	.	.	5	.	.	1	3	.	—	—	.	—	9	.	31
	June 8,	.	—	—	9	.	.	2	.	.	2	1	.	—	—	.	—	7	.	21
	June 15,	.	—	—	16	.	.	.	.	.	4	.	.	—	—	.	—	6	.	26

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th June, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 27, 22, and 22.

Thirty cases of measles were admitted to hospital during the week, 22 were discharged, there were 4 deaths, and 87 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 62, 73 and 83, respectively.

Thirty-one cases of scarlet fever were admitted to hospital, 30 were discharged, and 157* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 144, 151, and 156, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 55, and 47, respectively, were 47 at the close of last week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 9 were discharged, there were 4 deaths, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·7) was equal to an average annual death-rate of 11·9 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14.8 per 1,000, the rate for Glasgow being 15·0, and for Edinburgh 14·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th June. From this Report it appears that of a total of 47 cases notified, 25 were phthisis, 17 scarlet fever, 3 erysipelas, and 2 diphtheria. Among the 315 cases of infectious diseases in hospital at the close of the week were 101 cases of scarlet fever, 71 of measles, 57 of phthisis, 36 of whooping-cough, 29 of diphtheria, 7 of erysipelas, 3 of enteric fever, and 3 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 15th June, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 15TH JUNE, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (d) Week ending 15th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 1st June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	24·6	17·2	1·7	545	382	56	78	4	...	...	17	2	5	5	...	50	24	25	33	42	4	...	7	7	141	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	406,536	29·5	23·6	22·7	3·3	184	177	22	30	2	...	...	17	...	1	3	...	17	6	13	20	17	3	...	4	2	90	6	e68	38	52·9	1·00	e63	41	51·5	0·87	e67	32	51·1	0·05
CITY OF DUBLIN,	311,601	39·4	26·1	23·8	3·8	156	142	20	22	1	...	...	17	...	1	1	...	13	5	9	17	17	3	...	4	2	79	5	f68·9 g68·9	47·1 42·0	56·2 54·5	0·45 0·47	f62·4 g63·6	46·5 45·2	53·9 53·2	0·60 0·74	f64·4 g67·1	42·1 36·0	53·9 52·5	0·08 0·17
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	16·1	17·4	1·3	12	13	1	2	1	...	...	...	...	...	...	...	3	...	2	1	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	19·3	12·3	1·8	11	7	...	2	...	...	...	...	...	...	1	...	...	1	1	..	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	5·7	11·4	5·7	1	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	39·3	.	4	13	1	3	...	...	...	...	...	...	...	...	1	...	1	2	...	...	...	...	...	6	1	68	45	56·4	0·27	61	47	54·1	0·46	64	42	53·9	0·10
Urban Districts. BELFAST ...	391,051	26·6	26·8	14·4	0·5	201	108	16	23	2	...	...	...	...	1	...	...	18	11	9	8	13	1	...	2	4	20	1	66	41	55·1	2·36	63	45	53·0	0·79	65	41	52·6	0·30
CORK, ...	76,632	33·8	37·4	13·6	0·7	55	20	2	4	...	...	...	...	...	...	1	...	4	...	1	1	4	...	...	...	...	7	2	64	48	55·7	0·33	63	39	53·0	0·72	64	44	53·1	0·39
LONDONDERRY ...	40,912	18·9	26·8	14·0	.	21	11	2	3	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	9·5	12·2	1·4	7	9	...	2	...	...	...	...	...	1	...	...	2	1	1	1	2	...	...	...	...	4	1	65·2	40·2	54·4	1·32	66	35	53·8	0·75	66·9	33·8	52·0	0·09
WATERFORD, ...	27,430	19·1	32·3	19·0	.	17	10	3	4	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	19·7	27·5	7·9	5	7	2	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	..	3	2	67	45	57	0·99	67	38	54	0·40	70	40	54·3	0·07
DUNDALK, ...	13,128	9·5	23·8	11·9	.	6	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	21·0	4·2	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	17·4	17·4	4·4	4	4	2	1	...	...	...	..	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33
LURGAN, ...	12,135	14·3	12·9	12·9	.	3	3	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33
LISBURN, ...	12,172	10·7	17·1	8·6	.	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33
WEXFORD, ...	11,455	23·8	31·9	22·8	.	7	5	1	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	18·3	9·2	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	9·3	28·0	.	2	6	...	2	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	5	...	66	39	53·0	1·06	65	41	53·0	0·48	65·0	33·0	51·0	0·54
KILKENNY, ...	10,513	11·4	9·9	24·8	5·0	2	5	1	1	...	...	...	...	1	...	...	...	2	...	...	...	1	...	...	...	...	3	...	68	40	54·8	0·91	66	38	52·5	2·00	68	38	54·5	0·26
CLONMEL, ...	10,277	7·9	10·1	10·1	.	2	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	8·9	8·9	4·4	2	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62	66·0	35·1	52·6	0·33
TRALEE, ...	9,867	16·6	10·6	5·3	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	17·2	.	2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	64	46	55·0	1·05	61	48	51·8	0·81	61	39	51·7	0·18
QUEENSTOWN, ...	7,909	14·4	33·0	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64	48	55·7	0·33	63	39	53·0	0·72	64	44	53·1	0·39
ARMAGH, ...	7,588	22·2	34·4	6·9	.	5	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0.62	66·0	35·1	52·6	0·33

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 15th of June, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	2	1	1	.	.	.	4	1	1	5	.	.	.	.	.	17	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	3	1	1	.	.	.	1	1	2	2	.	3	.	.	1	17	2
Tuberculous Disease. { Other Forms,	.	.	1	1	.	.	.	.	1	2	.	.	.	1	.	.	6	2
Cancer,	.	2	2	.	1	.	.	2	1	.	.	1	2	1	.	1	13	1
Diseases of Nervous System,	1	.	1	3	.	.	.	1	.	.	1	.	.	.	1	3	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	2	2	1	.	.	1	3	1	1	1	4	1	.	2	21	1
" Respiratory System. { Pneumonia,	1	6	6	1	.	.	.	1	2	.	.	.	1	.	.	2	20	.
" Respiratory System. { Others,	1	2	2	2	.	.	1	5	.	2	1	1	.	.	.	.	17	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Others,	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	3	2
" Genito-urinary System,	1	.	.	1	.	.	.	1	.	3	.	1	.	1	.	1	9	2
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	4	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes,	1	1	.	1	.	.	1	1	.	5	2	1	1	1	.	1	16	1
Violent Deaths,	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	.	3	.	.	.	.	.	.	.	.	.	.	1	1	.	1	6	.
Deaths from All Causes	13	22	19	18	2	.	2	20	9	18	13	6	13	7	2	13	177	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·6	28·6	32·1	27·8	19·3	.	13·5	25·0	21·5	21·6	18·8	34·	17·4	12·3	11·4	39·3	22·7	.
	24·8							22·6					19·2					
	23·8																	
Ages at Death. { Under 1 year,	1	4	2	1	.	.	1	3	1	4	1	2	1	.	.	1	22	.
1 and under 2 years,	3	3	3	3	.	.	.	2	.	1	3	.	.	.	.	1	19	.
2 " 5 "	3	2	.	3	.	.	.	1	2	.	2	1	1	.	1	.	16	.
5 " 15 "	2	.	2	2	.	.	.	.	.	2	.	.	.	.	.	.	8	1
15 " 25 "	.	1	1	1	.	.	.	1	.	2	.	.	1	1	.	1	9	3
25 " 45 "	2	1	4	5	.	.	1	2	3	1	3	.	2	2	.	2	23	6
45 " 65 "	1	7	5	2	2	.	.	7	3	3	.	2	6	2	.	5	45	1
65 and upwards,	1	4	2	1	.	.	.	4	.	5	4	1	2	2	1	3	30	2
Number of Uncertified Deaths,	1	2	.	.	.	.	.	.	.	2	.	.	.	.	.	1	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	7	7	6	6	.	.	.	7	2	4	4	1	3	2	.	1	50	12
Workhouse Hospitals,	.	4	8	5	.	.	.	7	2	6	.	3	.	.	.	5	40	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1902–1911.	In the Week ending Saturday, 15th June, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 52·6	° 53·8	° 52·9										
ALL CAUSES.	155	151	169	132	126	191	150	128	140	159	150·1	190	7	15	19	16	9	12	34	46	19	13
Enteric Fever, ...	1	.	1	.	1	.	.	1	2	.	·6	2	.	.	.	.	.	.	1	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	3	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	1	2	.	.	3	3	3	1	2	1·9	17	.	4	8	5	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	3	6	3	2	2	8	2	3	2	3	3·4	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	1	1	.	1	.	.	.	.	.	1	·4	3	.	.	.	1	1	.	.	1	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	2	1	1	3	.	.	1	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	1	.	.	.	.	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	1	.	1	.	.	1	1	.	1	·6	1	.	.	.	1	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	1	.	.	1	.	1	·4	1	.	.	.	1	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	16	26	26	17	27	16	19	22	23	21·8	19	.	.	1	.	3	2	8	4	1	.
Tuberculous Meningitis, ...	2	3	3	2	2	5	4	3	7	2	3·3	1	.	.	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	.	2	1	.	1	.	.	1	1	·6	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	4	7	7	1	10	5	7	3	7	1	5·5	3	.	.	.	.	1	2	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		2	.	.	.	.	1	1	.	.	.	.
Venereal Diseases, ...	.	1	.	3	.	1	1	1	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	8	7	8	10	8	5	7	10	7·7	14	.	.	.	.	.	.	2	9	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	1	.	1	1	1	.	·5	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	1	1	.	.
Alcoholism, ...	1	2	.	.	2	1	1	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	5	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										4		4	.	.	.	.	.	.	.	1	1	2
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		2	1	.	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	35	20	49	30	31	45	41	26	39	1	35·0	5	.	.	.	.	.	1	2	2	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	.	.	1	1	.	.
Organic Diseases of the Heart,										18		18	.	.	.	.	.	1	5	7	3	2
Embolism and Thrombosis (including Cerebral)										2		1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Bronchitis, ...	8	21	14	15	10	19	17	8	9	16	13·7	12	.	1	1	.	.	.	2	4	1	3
Broncho-pneumonia, ...	1	7	2	4	2	9	3	6	.	6	4·0	12	.	3	4	4	.	.	.	.	.	1
Lobar pneumonia, ...	.	3	.	.	.	.	1	1	4	3	1·2	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	5	4	11	9	4	6	4	6	3	.	5·2	8	.	.	.	.	.	.	4	4	.	.
Pleurisy, ...										.		3	.	.	.	1	.	.	1	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	1	1	1	2	1	2	2	.	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	1	.	.	.	.

TWENTY-FOURTH WEEK ending Saturday, 15th June, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 24th Week of the 10 years 1902–1911.	In the Week ending Saturday, 15th June, 1912.										
													Deaths of Persons of the Ages of									
	June 14, 1902.	June 20, 1903.	June 18, 1904.	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·5	° 49·1	° 56·3	° 55·6	° 55·0	° 54·6	° 53·6	° 55·9	° 56·4	° 52·6	° 53·8	° 52·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	.	.	3	5	3	2	6	4	4	3·1	3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		2	.	.	.	.	1	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	.	3	.	3	.	.	2	2	1	1·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	.	.	1	1	.	.	1	1	1		2	.	.	.	.	.	.	1	1	.	.
Peritonitis (cause unknown),	.	2	2	3	.	1	.	1	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	9	4	3	5	6	3	4	1	2	4·2	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										1		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										6		7	.	.	.	.	.	.	2	2	2	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	6	6	4	6	10	6	10	1	.	6·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Genito-urinary System.										2		2	.	.	.	.	.	.	.	1	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	1	.	·2	2	.	.	.	.	.	2	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	4	.	.	1	1	.	.	.	2	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	5	3	2	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	3	3	.	4	6	1	3	5	3·1	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	8	3	3	2	3	5	1	4	4	3	3·6	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	4	.	.	.	.	.	.	.	1	3	·8	2	.	.	1	.	.	.	.	.	1	.
Drowning, ...	2	1	1	1	.	1	2	.	3	1	1·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	1	.	1	2	.	1	.	2	1	1·2	2	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	10	2	1	2	2	1	3	.	6	5	3·2	4	.	.	1	.	.	.	1	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	8	—	6	.	.	1	.	.	.	.	1	3	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Dec. 23.	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered.	177	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184
Average Births in corresponding week of previous 10 years, ...	173	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210
DEATHS registered, ...	168	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190
Annual Death-rate per 1,000, ...	21·7	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4
Average Deaths in corresponding week of previous 10 years, ...	183	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150
Ages, Under 5 years, ...	43	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57
5—15 „ ...	6	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9
15—25 „ ...	5	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12
25—45 „ ...	39	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34
45—65 „ ...	37	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46
65—75 „ ...	20	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19
75 and upwards, ...	18	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13
Deaths from :—																										
Enteric Fever, ...	.	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17
Scarlet Fever, ...	3	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.
Whooping-cough, ...	5	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1
Diphtheria, ...	5	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3
Influenza, ...	1	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19
Tuberculous Disease, Other Forms,	5	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8
Cancer, ...	11	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14
Diseases of Circulatory System,	16	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22
Diseases of Respiratory System, Pneumonia,	16	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20
Diseases of Respiratory System, Others, ...	21	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17
Diarrhœa and *Enteritis*, under 2 years, ...	2	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3
Diarrhœa, 2 years and upwards,	.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
Violent Deaths, ...	5	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4
Number of Uncertified Deaths,	4	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6
Mean Temperature of the Air (Phœnix Park)	44·7	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9
Average Mean Temperature in corresponding week of previous 10 years, ...	41·5	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8
Rainfall in inches, ...	·595	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th June, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 15th June, 1912. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	190	57	9	12	34	46	19	13	2	.	.	17	.	1	3	.	19	8	14	2	20	17	3	.	4	80	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	2	.	3	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	2	2	1	7	10	5	1	1	.	.	1	.	.	.	.	2	2	2	.	1	.	.	.	.	19	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·9	40	15	1	4	9	8	2	1	.	.	.	4	.	.	.	.	7	1	2	1	2	2	2	.	2	17	2
IV.	GENERAL SERVICE CLASS, ...	154,279	25·7	76	37	4	7	10	9	3	6	1	.	.	12	.	1	2	.	7	3	3	1	13	6	.	.	2	25	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	41	3	2	.	8	17	9	2	.	.	.	.	.	.	.	.	3	2	6	.	3	9	1	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	18·9	8	.	.	.	3	4	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	.	1	.	.	3	2	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	25·1	13	1	1	1	4	3	2	1	.	.	.	1	.	.	.	.	1	1	1	.	1	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	19.2	11	7	1	.	1	1	1	.	.	.	.	1	.	.	.	.	2	.	.	1	1	.	1	.	.	5	2
	10. Clothing Trades, ...	23,260	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	9,242	28·2	5	3	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	2	.	2	6	5	1	1	.	.	.	1	.	.	.	.	5	.	2	.	.	.	.	.	.	9	
	13. Petty Shopkeepers	7,894	26·4	4	1	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	31·1	8	5	1	.	.	1	1	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.	.	.	1	1	1
	15. Domestic Servants, ...	36,603	7·1	5	1	.	1	1	.	1	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	33·7	58	28	3	5	8	8	1	5	.	.	.	10	.	.	1	.	6	1	3	1	10	6	.	.	1	19	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	41	3	2	.	8	17	9	2	.	.	.	.	.	.	.	.	3	2	6	.	3	9	1	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	Apr. 27,	20·8	6·9	12	1	.	.	2	.	1	.	.	1	.	1	1	1	.	.	.	.
	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	,, 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	,, 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	,, 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	,, 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	,, 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	Apr. 27,	23·4	1·3	18	.	.	.	.	1	.	.	.	1	.	.	2	6	.	.	1	1
	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	,, 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	,, 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1	.	3	1	1	.	1	1
	,, 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	,, 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	,, 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	Apr. 27,	23·6	3·4	14	.	.	.	.	.	.	.	.	.	2	1	1	3	1	1	.	.
	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	,, 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	,, 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	,, 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	,, 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	,, 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	Apr. 27,	24·8	6·2	16	.	.	.	2	.	.	1	.	3	.	1	.	1	1	.	.	.
	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	,, 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	,, 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	,, 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	,, 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	,, 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	Apr. 27,	27·5	2·5	22	.	.	.	1	.	.	.	.	1	.	.	3	6	1	.	2	.
	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	,, 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	,, 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	,, 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	,, 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	,, 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	Apr. 27,	28·6	4·8	12	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.	1	1
	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	,, 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	,, 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	,, 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	,, 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	,, 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	Apr. 27,	28·8	4·8	24	1	.	.	3	.	.	.	.	3	1	1	4	2	.	.	.	1
	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	,, 11,	42·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	,, 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	,, 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19·2	1·2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	,, 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	,, 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	Apr. 27,	34·7	10·1	24	.	.	.	5	.	.	.	.	1	.	2	2	.	2	.	2	.
	May 4,	27·5	4·3	19	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	,, 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	,, 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	,, 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	,, 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	,, 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Apr. 27,	18·8	1·3	14	.	.	.	.	.	1	.	.	.	.	.	1	2	.	.	.	1
	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	„ 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	.	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Pop. in 1912 (Est.) 38,889.	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
Pembroke Urban District.	Apr. 27,	15·8	.	9	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	„ 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
Pop. in 1912 (Est.) 29,693.	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
Kingstown Urban District.	Apr. 27,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	4	.	.	.	.	.	.
	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1911 17,227.	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	13	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
Belfast.	Apr. 27,	18·0	1·1	135	.	.	.	.	.	4	2	.	14	11	6	16	15	2	.	2	3
	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	„ 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
Pop. in 1912 (Est.) 391,051.	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
Cork.	Apr. 27,	17·7	0·7	26	.	.	.	.	.	1	.	.	3	6	.	.	4	.	.	.	.
	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	„ 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
Pop. in 1911 76,632.	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
Londonderry.	Apr. 27,	25·5	1·3	20	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	1	1
	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
Pop. in 1912 (Est.) 40,912.	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
Limerick.	Apr. 27,	17·7	1·4	13	.	.	.	.	.	1	.	.	1	3	.	.	4	.	.	.	1
	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	„ 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
Pop. in 1911 38,403.	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
Waterford.	Apr. 27,	13·3	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
Pop. in 1911 27,430.	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th June, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	11	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		8	1	1	1	4	1	.	1	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	2	.
Do. 2 do.		29			12	1	2	1	1	3	4	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	1	1	3	1
Do. 3 do.		21			20	5	1	3	.	6	5	.	.	.	.	.	.	.	.	1	1	3	1	4	1	.	1	2	1	.
Do 4 do.		24			10	2	.	3	2	1	2	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.	4	.
Do. 5 do.		5			6	.	1	2	1	1	1	.	.	.	.	.	.	.	.	1	3	.	1	1	.	.	.	.	.	.
Do. 6 do.		7			5	1	1	.	2	.	1	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.		15			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 10 do.		28			10	2	.	1	2	2	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 11 do.		25			13	1	1	3	2	4	2	.	.	.	.	.	.	.	.	2	1	2	1	.	.	.	.	.	2	.
Do. 12 do.		21			7	2	1	.	2	2	.	.	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.	1	.	.
Do. 13 do.		8			6	.	1	1	.	1	3	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		5			8	1	.	2	2	1	2	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.
Total,	—	201			108	16	11	18	18	22	23	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	4	20	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	6	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		8			3	.	1	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		6			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 4 do.		7			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 5 do.		7			2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do. 6 do.		8			3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do. 7 do.		13			5	.	.	2	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	4	.
Total,	—	55	13·6	0·7	20	2	2	4	4	4	4	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	.	7	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.
No. of weeks in Annual Series,	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...	170	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201
DEATHS registered, ...	134	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108
Annual Death rate per 1,000 of estimated population, ...	18·1	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4
AGES, Under 1 year, ...	18	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16
1—5 years, ...	18	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11
5—25 ,, ...	7	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18
25—45 ,, ...	32	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18
45—65 ,, ...	31	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22
65 and upwards, ...	28	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	1	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.
Whooping-cough, ...	8	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1
Diphtheria, ...	2	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	15	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18
Tuberculous Disease. Other Forms,	8	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11
Cancer, ...	4	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9
Diseases of Respiratory System, Pneumonia,	9	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8
Diseases of Respiratory System, Others, ...	14	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13
Diarrhœa, and *Enteritis*, under 2 years, ...	1	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1
Diarrhœa, 2 years and upwards,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.
Violent Deaths, ...	1	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2
Number of Uncertified Deaths, ...	.	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	June 15,	2,297	1,013	11·7	2	.	46	3	28	6	15*a*
Edinburgh, ...	321,200	„ 15,	141	88	14·3	.	.	2	.	2	.	1
Glasgow, ...	785,600	„ 15,	392	226	15·0	.	.	2	.	4	2	6
Calcutta, ...	896,067	May 11,	.	499	28·9	142*	5	1	.	2	.	92‡
Bombay, ...	979,445	„ 11,	378	797*c*	42·3	4	36	7	.	.	.	60‡
Madras, ...	518,660	Apr. 20,	352	334	33·5	69*	4	3	?	?	?	81‡
Cairo, ...	699,228	„ 15,	560	412	30·7	3	1	3	.	.	3	70
Paris, ...	2,847,229	May 18,	880	1,002	18·0	4	.	31	6	11	8†	21*a*
Brussels, ...	745,380	„ 25,	239	211	14·7	1	.	7	2	.	4†	9
Antwerp, ...	308,618	„ 25,	99	68	11·5	.	.	5	.	1	.	4*a*
Amsterdam, ...	582,871	„ 25,	249	123	11·0	.	.	5	.	1	1†	1*a*
Copenhagen, ...	465,000	„ 25,	215	116	13·0	.	.	2	1	2	.	2
Stockholm, ...	346,599	„ 25,	125	83	12·5	.	.	1	.	1	.	3*a*
Christiania, ...	244,038	June 1,	108	66*b*	14·1	.	.	2	.	.	.	1
St. Petersburg, ...	1,641,600	May 11,	744	796	25·3	5	4	24	9	6	9	64
Moscow, ...	1,617,157	„ 11,	.	822	26·5	3	.	15	8	4	12†	62
Berlin, ...	2,077,197	„ 11,	723	545	13·7	.	.	3	2	5	7†	29
Hamburg, ...	953,079	„ 25,	.	248	13·5	.	.	.	1	2	8†	11
Breslau, ...	528,383	„ 25,	.	188	18·6	1	.	.	.	2	.	19
Munich, ...	610,000	June 1,	.	184	15·7	.	.	2	1	1	1†	11
Vienna (with suburbs),	2,081,335	May 25,	675	627	15·7	1	.	15	2	2	7†	32*a*
Buda-Pesth, ...	910,548	„ 25,	440	345	19·7	.	.	4	3	3	3†	13*a*
Prague and Faubourgs,	484,301	„ 11,	198	224	24·1	.	.	2	2	2	1†	6*a*
Trieste, ...	235,999	„ 25,	113	86	19·0	1	.	8	.	.	.	6*a*
Rome, ...	564,913	Feb. 3,	340	194	17·9	1	1	1	.	1	.	5
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Apr. 13,	2,445	1,600	16·1	6	.	40	24	5	27†	44*a*
Philadelphia, ...	1,606,105	„ 27,	.	475	15·4	3	.	1	4	4	9†	12*a*
Boston, ...	720,031	May 25,	.	197	14·3	1	.	1	.	2	1	8

* Deaths from "fever," including 8 deaths from enteric fever and 77 from plague in Calcutta, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 44 deaths from cholera in Calcutta, 8 in Bombay and 4 in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 7 deaths from cerebro-spinal fever. *c* Including 90 deaths from plague in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th June, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ...	.	1	.	.	1	.	1	.	1	.	.	.	4
„ „ 2, ...	.	1	.	.	1	.	.	1	.	.	.	2	5
„ „ 3, ...	.	3	.	.	2	.	.	1	1	.	.	.	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	1	.	1	.	.	2	7
„ „ 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
„ „ 3, ...	.	4	.	.	.	.	.	.	.	.	.	1	5
„ „ 4, ...	.	3	.	.	1	.	.	.	.	.	.	2	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
Total, ...	.	16	.	.	7	.	2	2	4	.	.	8	39

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th June, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th June.			
	May 25.	June 1.	June 8.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	22	22	2	2	1	21
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	62	73	83	30	22	4	87
Scarlet Fever, ...	144	151	156	31	30	.	157*
Diphtheria, ...	55	55	47	11	10	1	47
Pneumonia, ...	32	33	30	14	9	4	31

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 15th June, 1912:—

"Throughout this week areas of relatively high atmospheric pressure were found in the Icelandic region to the northward and near the Azores to the southward. Over the intervening districts of land and ocean barometric depressions of no great depth formed and dispersed from time to time, so keeping the weather in a changeable, showery state. And, as usually happens at this time of year, thunder and lightning often accompanied the showers, while hail-storms also were reported from many places. On the east coast of Ireland, and especially near Dublin, a spell of beautiful weather lasted from midday on Sunday to Wednesday evening. At 10.10 a.m. of Sunday a heavy shower fell in Dublin yielding ·027 inch in the rain gauge at Fitzwilliam Square; but the downpour was much heavier in the western districts of the City and in the Phœnix Park, where thunder occurred. The sky cleared along the coast at noon, but heavy rain clouds were seen to pass slowly northwards all day inland. Very similar conditions were observed on Monday and Tuesday, on which days easterly sea breezes in the daytime seemed to fend off the clouds which formed overland. With a shift of wind to S.W. and W. on Wednesday afternoon the shower-belt spread to the east coast of Ireland. At times during the last three days of the week the wind blew very freshly. At 3 p.m. of Friday a drenching but partial shower fell from a massive pile of cumulus cloud, giving a rainfall of ·039 inch in a few minutes at Fitzwilliam Square. In Dublin the mean height of the barometer was 29·826 inches, the range of pressure being from 29·686 inches at 9 p.m. of Monday (wind, E.S.E.) to 29·893 inches at 9 a.m. of Friday (wind, S.W.)—only ·207 inch. The corrected mean temperature was 56·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. On Tuesday the screened thermometers fell to 47·1°, on Wednesday they rose to 68·9°. The wind was at first easterly, from Wednesday afternoon, westerly. Rain fell on 5 days to the amount of ·454 inch, of which ·124 inch was measured on Wednesday and ·146 inch in the early morning hours of Sunday, June 16th."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·837 inches. The highest reading (29·905) was on Wednesday at 9 a.m., air calm, the lowest (29·702) on Monday at 9 p.m., wind E.

The mean temperature for the week was 52·9°, being 0·9° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Wednesday, on which day the thermometer registered 68°, and was also lowest on that day, the mercury having fallen to 37·8° The mean of the Dry Bulb for the week was 55·1° and of the Wet Bulb, 51·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 0·995 inch.

At Greenwich the mean temperature for the week was 58·1°, the maximum 71·0°, and the minimum 44·5°; at Glasgow the maximum was 66·0°, the minimum 48·0°, and the mean 55·3°; and at Edinburgh the maximum was 59·9°, the minimum 46·7°, and the mean 51·8°. The rainfall at Greenwich measured 0·39 in.; at Glasgow 1·14 ins.; and at Edinburgh 1·45 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 9,	29·875	62	44	53·0	54·4	52·4	·87	·2	7·5	·360	Calm.	Calm.
Monday, „ 10,	29·740	60	44	52·0	55·5	52·5	·83	·1	6·8	·000	E.	E.
Tuesday, „ 11,	29·810	62	38	50·0	53·3	50·9	·85	·1	8·7	·000	E.	Calm.
Wednesday, „ 12,	29·885	68	38	53·0	57·7	54·6	·82	·5	8·8	·150	Calm.	Calm.
Thursday, „ 13,	29·870	60	47	53·5	53·4	51·6	·88	·4	7·0	·190	W.	W.S.W.
Friday, „ 14,	29·875	62	46	54·0	55·9	51·4	·73	·5	7·7	·175	W.S.W.	W.
Saturday, „ 15,	29·805	63	47	55·0	55·5	50·1	·68	·5	8·2	·120	W.S.W.	W.S.W.
Mean, ...	29·837	62·4	43·4	52·9	55·1	51·9	·81	·3	Total 54·7	Total ·995	—	

Sunday—Day cloudy, heavy rain 9.10 to 9.30 a.m and 9.40 to 12.10 p.m.; night cloudy. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—A fine day, light clouds; night cloudy. *Wednesday*—A fine day, light clouds, heavy rain 6.55 to 7.15 p.m. and 8.0 to 8.50 p.m.; night cloudy. *Thursday*—Day cloudy, heavy showers at intervals from 12.0 p.m. to 8.0 p.m.; night cloudy. *Friday*—Day cloudy, heavy rain 2.15 to 3.0 p.m.; night clear. *Saturday*—A fine day, light clouds; night cloudy, heavy showers a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 15th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 9,	59·2	57·9	53·9	63·7	42·2	53·0	9·0	·036
Monday, „ 10,	58·0	58·2	54 2	60·0	49 2	54·6	8·0	—
Tuesday, „ 11,	59·0	59·0	54·4	62 0	45·2	53 6	12·4	—
Wednesday, „ 12,	60·5	59·7	54·5	69·9	46·9	58·4	9·9	·085
Thursday, „ 13,	56·5	59·5	54·7	61·4	48·5	55·0	8·2	·111
Friday, „ 14,	60·7	59·0	55·0	63·9	48·1	56 0	7·8	·060
Saturday, „ 15,	59·3	58·0	55·1	64·4	48·5	56·5	8·8	·144
Weekly Mean,	59·0	58·8	54 5	63·6	46·9	55·3	Total 64·1	Total ·436

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32512. Wt. P. 892-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 22ND JUNE, 1912. [No. 25.

General Register Office, Charlemont House,
Dublin, 24th June, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 1	Week ending June 8	Week ending June 15	Week ending June 22	Average Rate for 4 weeks.	Towns, &c.	Week ending June 1	Week ending June 8	Week ending June 15	Week ending June 22	Average Rate for 4 weeks.
22 Town Districts, ...	**17·9**	**18·8**	**17·2**	**15·7**	**17·4**	Limerick	20·4	28·5	12·2	5·4	16·6
						Lisburn	17·1	34·3	8·6	17·1	19·3
Armagh	13·7	.	6·9	.	5·2	Londonderry	12·7	19·1	14·0	8·9	13·7
Ballymena	9·2	18·3	9·2	18·3	13·8	Lurgan	4·3	8·6	12·9	17·2	10·8
Belfast	14·9	16·1	14·4	16·7	15·5	Newry	21·8	17·4	17·4	34·9	22·9
Clonmel	5·1	30·4	10·1	20·3	16·5	Newtownards	45·8	.	17·2	34·3	24·3
Cork	21·1	22·5	13·6	16·3	18·4	Portadown	8·9	8·9	8·9	26·7	13·4
Drogheda	33·6	16·8	4·2	16·8	17·8	Queenstown	46·1	26·4	.	.	18·1
Dublin Reg. Area ...	19·1	20·5	22·7	15·3	19·4	Sligo	.	9·3	28·0	14·0	12·8
Dundalk	7·9	27·8	11·9	11·9	14·9	Tralee	15·9	5·3	5·3	26·4	13·2
Galway	23·6	19·7	27·5	15·7	21·6	Waterford	28·5	20·9	19·0	15·2	20·9
Kilkenny	39·7	.	24·8	9·9	18·6	Wexford	31·9	31·9	22·8	18·2	26·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 8·7 in Newry, the 8 deaths from all causes for that district including 2 from whooping-cough. Among the 125 deaths from all causes for Belfast are one from scarlet fever, 2 from whooping-cough, and 6 from diarrhœa or *enteritis* of children under 2 years of age. One of the 4 deaths from all causes for Limerick is from whooping cough, and one of the 4 deaths for Galway is from scarlet fever. Included in the 5 deaths from all causes for Tralee is one from diphtheria, and one of the 6 deaths from all causes for Portadown is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—103 boys and 112 girls—and the deaths to 131—70 males and 61 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the twenty-five weeks ending with Saturday last the death-rate averaged 23·7, and was 0·1 above the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœa diseases

The total deaths registered, numbering 131, represent an annual rate of 16·8 per 1,000 ; the annual rate for the past twenty-five weeks was 25·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·8 per 1,000 of the mean population for all deaths registered.

The total includes one death from enteric fever, 11 from measles, one from whooping-cough, 2 from diphtheria, and 3 from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks deaths from enteric fever were 0, 0, and 2 ; deaths from measles were 12, 14, and 17 ; deaths from whooping-cough were one, 2, and one ; deaths from diphtheria were 3, 0, and 3 ; and deaths from diarrhœa and *enteritis* of children were 3, 0, and 3.

Tuberculosis caused the deaths of 23 persons, namely :—from pulmonary tuberculosis, 20 deaths, from abdominal tuberculosis one death, and from disseminated tuberculosis 2 deaths. In the 3 preceding weeks deaths from tuberculous disease were 31, 27, and 27 respectively.

Of 12 deaths from pneumonia, 3 were ascribed to broncho-pneumonia, one to lobar pneumonia, and 8 to *pneumonia* (type not distinguished).

Six deaths were caused by cancer.

There were 2 deaths from *convulsions*, and one from a congenital malformation, all three of infants under one year of age.

Organic diseases of the heart accounted for 8 deaths, and bronchitis for 10 deaths.

Of 3 cases of accidental death one was by burning, and one was by suffocation in bed of an infant.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness.

Thirty-one of the persons whose deaths were registered during the week were under 5 years of age (14 being infants under one year, of whom 3 were under one month old) and 30 were aged 65 years and upwards, including 22 persons aged 70 and upwards, of whom 2 (females) were stated to have been aged 91 and 95 years respectively.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 12 took place in the North Dublin Union Workhouse, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·3 per 1,000 ; the rate in the City was 16·6 (North City Districts, 16·3 ; South, 16·8) and in the Suburbs, 11·0.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 3·0 (2·6 in the North City Districts, and 3·4 in the South), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·1 per 1,000, and include one death from pulmonary tuberculosis, one death from broncho-pneumonia, and 3 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 16·9 per 1,000. There was one death from measles ; pulmonary tuberculosis caused 4 deaths, broncho-pneumonia and lobar pneumonia each one death, diarrhœa and *enteritis* under 2 years 2 deaths, and one death was due to accidental causes.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·2 per 1,000. As in the preceding district ; one death from measles and 4 deaths from pulmonary tuberculosis were registered. There was one death from *pneumonia.*

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·5 per 1,000. Measles caused 2 deaths ; there was one death from diphtheria, one death from pulmonary tuberculosis, 3 deaths from *pneumonia*, and one death from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 27·0. The one death for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis. Of the 2 deaths for Coolock and Drumcondra, part of, one was from enteric fever and one from pulmonary tuberculosis ; and of the 4 deaths for Finglas and Glasnevin, part of, one was from bronchitis and there was one accidental death.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 13·8 per 1,000, and include one death from diphtheria, 2 deaths from pulmonary tuberculosis, and one death from *pneumonia.*

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 19·1 per 1,000. Measles and whooping-cough each caused one death ; there was one death from disseminated tuberculosis, one death from broncho-pneumonia, and one death from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·0 per 1,000. The deaths include one from measles, 3 from tuberculous disease, one from *pneumonia*, one from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. Measles caused 5 deaths, pulmonary tuberculosis one death, *pneumonia* one death, bronchitis one death, and infantile diarrhœa one death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000. Of 2 deaths one was from pulmonary tuberculosis and one was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 12·1 ; Pembroke, 12·3 ; Blackrock, 5·7 ; and Kingstown, 9·1. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 9 deaths from all causes for Rathmines and Rathgar one was from tuberculous peritonitis and one was from *pneumonia* ; and one of the 7 deaths from all causes for Pembroke was from bronchitis.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 22nd June, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 1,	.	—	—	14	.	.	6	.	1	1	5	.	—	—	.	—	7	—	34
	June 8,	.	—	—	23	.	.	7	.	.	.	6	.	—	—	.	—	17	—	53
	June 15,	.	—	—	16	.	.	7	.	2	2	4	.	—	—	.	—	8	—	39
	June 22,	.	—	—	17	.	.	9	.	.	6	5	.	—	—	.	—	8	—	45
Rathmines and Rathgar Urban District.	June 1,	.	—	—	1	.	.	4	.	.	.	.	.	—	—	—	—	—	—	5
	June 8,	.	—	—	6	.	.	2	.	.	1	.	.	—	—	—	—	—	—	9
	June 15,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	June 22,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 1,	.	3	.	.	.	.	2	.	.	.	.	.	.	.	—	—	.	—	5
	June 8,	.	9	.	3	.	.	2	.	.	2	1	.	1	2	—	—	.	—	20
	June 15,	.	7	4	2	.	.	1	.	.	.	.	.	2	2	—	—	.	—	18
	June 22,	.	16	1	.	.	.	.	.	.	.	.	.	.	2	—	—	.	—	19
Blackrock Urban District.	June 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 15,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	June 22,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
Kingstown Urban District.	June 1,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	—	5
	June 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	June 15,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	.	—	5
	June 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	.	—	2
City of Belfast.	June 1,	.	—	—	13	.	.	5	.	.	1	3	.	—	—	.	—	9	.	31
	June 8,	.	—	—	9	.	.	2	.	.	2	1	.	—	—	.	—	7	.	21
	June 15,	.	—	—	16	.	.	.	.	.	4	.	.	—	—	.	—	6	.	26
	June 22,	.	—	—	12	.	.	1	.	1	.	2	.	—	—	.	—	7	.	23

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd June, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 16 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 22, and 21.

Thirty-nine cases of measles were admitted to hospital during the week, 25 were discharged, there were 3 deaths, and 98 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 73, 83 and 87, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 32 were discharged, and 149* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 151, 156, and 157, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 55, 47, and 47, respectively, were 44 at the close of last week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, 11 were discharged, there were 4 deaths, and 31 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 10·6) was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow being 14·2, and for Edinburgh 15·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd June. From this Report it appears that of a total of 48 cases notified, 30 were phthisis, 13 scarlet fever, 3 erysipelas, and 2 diphtheria. Among the 305 cases of infectious diseases in hospital at the close of the week were 94 cases of scarlet fever, 73 of measles, 58 of phthisis, 38 of whooping-cough, 21 of diphtheria, 9 of erysipelas, 5 of chicken-pox, and 4 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 22nd June, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 22nd June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 15th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 8th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	25·8	15·7	1·5	572	348	49	78	1	...	...	11	2	7	3	...	47	23	15	35	35	9	...	6	10	101	10	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	406,536	29·5	27·6	15·3	2·3	215	119	14	30	1	...	...	11	..	1	2	...	18	3	5	12	13	3	...	3	4	47	2	e66	41	56·9	0·69	e68	38	52·9	1·00	e63	41	51·5	0·87
CITY OF DUBLIN,	311,601	39·4	31·3	16·6	3·0	187	99	14	18	1	...	...	11	...	1	2	...	18	2	2	11	12	3	...	3	4	41	2	f66·5 g66·1	48·0 43·8	58·5 58·1	0·66 0·75	f68·9 g68·9	47·1 42·0	56·2 54·5	0·45 0·47	f62·4 g63·6	46·5 45·2	53·9 53·2	0·60 0·74
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	13·4	12·1	.	10	9	...	7	...	...	...	..	...	...	...	...	...	1	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	..	...	...	...	...	...
PEMBROKE ...	29,693	18·7	24·6	12·3	.	14	7	...	2	...	...	...	...	...	...	...	...	...	...	3	..	1	...	...	..	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	.	5·7	.	.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	9·1	.	4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	...	66	46	57·5	0·55	68	45	56·4	0·27	61	47	54·1	0·46
Urban Districts. BELFAST (h) ...	391,051	26·6	27·7	16·7	1·2	208	125	20	20	...	..	...	...	1	2	...	...	13	12	5	16	13	6	..	1	3	35	4	66	40	59·7	2·21	66	41	55·1	2·36	63	45	53·0	0·79
CORK, ...	76,632	33·8	24·5	16·3	.	36	24	3	9	...	...	...	...	...	...	...	...	4	...	2	2	3	...	...	...	1	4	...	63	49	56·0	1·36	64	48	55·7	0·33	63	39	53·0	0·72
LONDONDERRY...	40,912	18·9	26·8	8·9	.	21	7	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	19·0	5·4	1·4	14	4	1	1	...	...	...	...	...	1	...	...	1	...	..	1	...	...	...	...	...	1	...	67	48·1	57·4	2·12	65·2	40·2	51·4	1·32	66	35	53·8	0·75
WATERFORD, ...	27,430	19·1	26·6	15·2	.	14	8	...	2	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...	..	...	...	...	...
GALWAY. ...	13,249	2·5	3·9	15·7	3·9	1	4	...	3	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	..	...	...	64	44	57	1·89	67	45	57	0·99	67	38	54	0·40
DUNDALK, ...	13,128	9·5	27·8	11·9	.	7	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	25·2	16·8	.	6	4	1	2	...	...	...	...	...	...	...	..	...	1	...	...	..	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	21·8	34·9	8·7	5	8	3	1	...	...	...	..	...	2	...	...	...	...	...	2	2	...	...	1	1	1	1	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62
LURGAN, ...	12,135	14·3	12·9	17·2	.	3	4	1	...	...	...	...	...	..	...	...	...	1	...	1	...	...	...	...	1	1	...	...	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62
LISBURN. ...	12,172	10·7	34·3	17·1	.	8	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62
WEXFORD. ...	11,455	23·8	18·2	18·2	.	4	4	...	...	...	...	...	...	...	...	...	...	...	1	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	13·8	18·3	.	3	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	28·0	14·0	.	6	3	...	...	..	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	68	39	56·0	1·98	66	39	53·0	1·06	65	41	53·0	0·48
KILKENNY, ...	10,513	11·4	.	9·9	.	.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	65	48	57·0	0·95	68	40	54·8	0·91	66	38	52·5	2·00
CLONMEL, ...	10,277	7·9	5·1	20·3	.	1	4	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	13·3	26·7	4·4	3	6	3	2	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62
TRALEE, ...	9,867	16·6	37·0	26·4	5·3	7	5	...	2	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	34·3	.	6	6	1	...	...	...	...	...	...	...	...	...	3	...	...	...	1	...	...	...	...	...	...	66	42	54·6	1·52	64	46	55·0	1·05	61	48	51·8	0·81
QUEENSTOWN, ...	7,909	14·4	.	.	.	.	.	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	..	63	49	56·0	1·36	64	48	55·7	0·33	63	39	53·0	0·72
ARMAGH. ...	7,588	22·2	27·5	,	.	4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39	61·8	41·5	52·0	0·62

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin. (h) See note (†) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 22nd of June, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	2	.	.	.	.	1	1	5	.	.	.	.	.	11	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	4	4	1	1	1	.	2	.	2	1	1	.	.	.	.	18	2
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.
Cancer,	.	.	.	1	.	.	.	.	.	1	.	.	.	3	.	.	5	1
Diseases of Nervous System,	2	.	1	.	.	.	1	3	2	2	1	.	2	.	.	1	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	.	1	.	.	.	1	.	1	.	.	2	2	.	1	10	1
" Respiratory System. { Pneumonia,	1	2	1	3	.	.	.	1	1	1	1	.	1	.	.	.	12	.
" Respiratory System. { Others,	3	.	.	1	.	.	1	.	2	2	2	1	.	1	.	.	13	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	5	5
" Genito-urinary System,	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	1	.	.	.	.	2	.	1	1	.	.	1	1	.	8	1
Violent Deaths,	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	1	.	.	.	.	2	.	.	.	5	.
Deaths from All Causes	11	13	9	10	1	2	4	11	8	15	13	2	9	7	1	3	119	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	19·1	16·9	15·2	15·5	9·7	8·9	27·0	13·8	19·1	18·9	18·8	11·4	12·1	12·3	5·7	9·1	15·3	.
	16·3							16·8					11·0					
	16·6																	
Ages at Death. Under 1 year,	1	5	2	.	.	.	.	2	1	1	2	.	.	.	.	.	14	.
1 and under 2 years,	.	.	1	2	.	.	.	1	3	1	3	.	.	.	.	.	11	.
2 " 5 "	2	1	.	.	.	.	.	.	1	1	1	.	.	.	.	.	6	.
5 " 15 "	1	.	.	1	.	1	.	.	.	1	.	.	1	.	.	.	5	1
15 " 25 "	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	3	1
25 " 45 "	1	2	5	4	1	.	3	3	1	2	3	2	1	.	.	1	29	2
45 " 65 "	1	3	1	1	.	.	.	3	.	6	1	.	.	5	.	.	21	8
65 and upwards.	5	1	.	1	.	.	1	2	2	3	3	.	7	2	1	2	30	.
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	1	3	4	.	1	1	2	1	3	4	.	2	3	.	1	27	11
Workhouse Hospitals,	2	3	3	3	.	.	.	2	2	4	.	1	.	.	.	.	20	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1902–1911.	In the Week ending Saturday, 22nd June, 1912.									
													Deaths of Persons of the Ages of								
												Mean Temp.	0—5.								
	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·5	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 56·2	° 55·6	° 56·9									
ALL CAUSES.	139	170	149	138	149	171	126	155	130	127	145·4	131	3	11	11	6	6	4	31	29	16	14
Enteric Fever, ...	1	2	.	1	.	.	.	.	.	1	·5	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.		.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	4	1	2	.	9	5	.	.	8	3·4	11	.	3	6	1	1	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	2	.	.	2	5	3	5	1	2	2·0	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	1	2	3	1	1	1	2	.	.	4	1·5	2	.	.	1	.	.	1	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	.	1	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	15	23	21	29	29	15	31	24	7	22·0	20	.	.	1	.	1	2	14	2	.	.
Tuberculous Meningitis, ...	3	1	7	3	6	6	7	4	4	6	4·7	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	3	5	.	1	2	.	.	2	1	3	1·7	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	6	4	.	3	8	7	8	5	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	.	1	1	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	2	.	.	.	2	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	6	10	8	6	10	3	4	10	7	6·9	6	.	.	.	.	.	.	1	5	.	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	1	2	.	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	.	1	.	2	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	4	.	.	.	.	1	.	1	2	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	.	1	1	.
Alcoholism, ...	1	3	.	1	.	.	.	.	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	1	.	.	2	2	1	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										4		9	.	.	.	.	.	.	2	3	3	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										3		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										.		2	2	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	49	40	36	33	34	23	30	28	2	32·8	5	.	.	.	.	.	.	2	1	.	2
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										10		8	.	.	.	.	1	.	1	3	1	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		3	.	.	.	.	.	.	.	.	1	2
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Bronchitis, ...	4	16	13	12	17	13	10	11	13	9	11·8	10	.	1	1	.	.	.	1	.	5	2
Broncho-pneumonia, ...	.	4	6	1	3	8	.	4	1	5	3·2	3	1	1	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	2	1	.	3	.	.	4	.	1·1	1	.	1	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	7	5	3	10	4	9	6	5	3	5·6	8	.	.	.	.	.	.	4	3	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	3	2	1	.	3	2	1	2	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	.	.	1	1

TWENTY-FIFTH WEEK ending Saturday, 22nd June, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 25th Week of the 10 years 1902–1911.	In the Week ending Saturday, 22nd June, 1912.										
													Deaths of Persons of the Ages of									
	June 21, 1902.	June 27, 1903.	June 25, 1904.	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·5	° 55·0	° 55·4	° 60·4	° 60·1	° 52·7	° 51·4	° 52·7	° 58·1	° 56·2	° 55·6	° 56·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	5	.	.	1	1	.	.	1	2	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	1	3	1	4	3	6	7	6	3	4	3·9	3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	.	1	4	1	1	2	.	1	2	1·7	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	3	.	1	.	.	.	.	.	.	1		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	1	.	1	.	.	.	.	2	1	·6	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Digestive System.	9	4	3	13	9	2	8	4	3	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										2		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										2		2	.	.	.	.	.	.	.	.	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	2	6	2	5	7	4	7	1	.	4·2	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	8	5	1	3	4	3	4	5	5	5	4·3	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Old Age, ...	8	3	2	.	2	3	2	1	2	5	2·8	2	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	.	1	.	.	.	.	2	·3	1	.	.	.	.	.	.	1	.	.	.
Drowning, ...	1	.	.	1	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	3	3	3	.	2	2	1	.	1·6	1	.	.	.	1	.	.	.	.	.	.
Total Deaths from Accident,	3	.	3	4	4	1	2	2	1	3	2·3	3	.	1	.	1	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	2	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	5	.	.	.	.	.	.	.	2	.	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1911-2—WEEK ENDING																									
	Dec. 30.	Jan. 6.	Jan 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered,	212	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215
Average Births in corresponding week of previous 10 years, ...	174	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224
DEATHS registered, ...	160	191	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131
Annual Death-rate per 1,000, ...	20·7	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8
Average Deaths in corresponding week of previous 10 years, ...	178	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145
Ages, Under 5 years, ...	45	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31
5—15 " ...	8	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6
15—25 " ...	8	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4
25—45 " ...	27	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31
45—65 " ...	37	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29
65—75 " ...	16	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16
75 and upwards, ...	19	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14
Deaths from :—																										
Enteric Fever, ...	1	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11
Scarlet Fever, ...	1	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.
Whooping-cough, ...	4	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1
Diphtheria, ...	3	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2
Influenza, ...	3	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	23	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20
Tuberculous Disease, Other Forms,	7	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3
Cancer, ...	5	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6
Diseases of Circulatory System,	13	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11
Diseases of Respiratory System, Pneumonia,	13	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12
Diseases of Respiratory System, Others, ...	17	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13
Diarrhœa and *Enteritis*, under 2 years, ...	3	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3
Diarrhœa, 2 years and upwards.	.	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.
Violent Deaths, ...	7	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3
Number of Uncertified Deaths,	4	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2
Mean Temperature of the Air (Phœnix Park)	43·8	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9
Average Mean Temperature in corresponding week of previous 10 years, ...	41·1	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6
Rainfall in inches, ...	·560	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd June, 1912: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JUNE, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	131	31	6	4	31	29	16	14	1	.	.	11	.	1	2	.	20	3	6	2	12	13	3	.	3	54	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	.	.	.	.	2	2	4	.	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	12·0	20	3	1	2	5	4	3	2	1	.	.	.	.	.	2	.	3	.	1	1	1	.	1	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	5	2	.	9	7	4	6	.	.	.	2	.	.	.	.	3	2	1	.	2	4	.	.	1	18	.
IV.	GENERAL SERVICE CLASS, ...	154,279	16·6	49	21	2	1	9	11	3	2	.	.	.	9	.	1	.	.	4	.	1	1	6	4	2	.	2	19	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	21	2	1	1	8	5	4	.	.	.	.	.	.	.	.	.	10	1	1	.	2	4	.	.	.	3	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	7·1	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	3	.	2	2	.	.	1	1	.	.	.	.	.	2	.	1	.	.	1	1	.	1	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	1	.	1	3	2	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14.0	8	2	1	.	1	2	1	1	.	.	.	1	.	.	.	.	1	2	.	.	.	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	13·5	6	1	.	.	3	.	.	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	1	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	1	.	.	4	2	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	9	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	19·8	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	15. Domestic Servants, ...	36,603	19·4	5	.	.	.	1	3	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	7·1	5	2	.	.	3	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	20·9	36	18	2	1	5	7	2	1	.	.	.	7	.	1	.	.	3	.	.	1	4	3	2	.	2	13	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	21	2	1	1	8	5	4	.	.	.	.	.	.	.	.	.	10	1	1	.	2	4	.	.	.	3	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	May 4,	31·3	8·7	18	.	.	.	2	1	2	.	.	3	1	1	2	1	.	.	.	.
	„ 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	„ 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	„ 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	„ 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	„ 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	May 4,	28·6	5·2	22	.	.	.	1	.	1	1	.	3	.	1	2	3	1	.	1	1
	„ 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	„ 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1	.	3	1	1	.	1	1
	„ 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	„ 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	„ 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
	„ 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	May 4,	35·5	3·4	21	.	.	.	1	1	.	.	.	1	2	.	4	3	.	.	.	.
	„ 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	„ 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	„ 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	„ 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
	„ 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	May 4,	24·8	7·7	16	.	.	.	4	1	.	.	.	1	1	1	.	3	.	.	.	2
	„ 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	„ 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	„ 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	„ 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	„ 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
	„ 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	May 4,	36·3	3·8	29	.	.	.	2	.	1	.	.	4	.	1	2	5	.	.	.	.
	„ 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	„ 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	„ 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	„ 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	„ 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
	„ 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	May 4,	21·5	2·4	9	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	„ 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	„ 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	„ 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
	„ 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	May 4,	33·6	4·8	28	.	.	.	1	.	.	2	.	2	3	.	4	1	1	.	.	3
	„ 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	„ 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	„ 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19 2	1·2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	„ 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	„ 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
	„ 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	May 4,	27·5	4·3	18	.	.	.	2	.	.	.	.	3	1	.	4	1	1	.	.	.
	„ 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	„ 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	„ 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	„ 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
	„ 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From all Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	May 4,	16·1	2·7	12	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	.	.
	„ 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	.	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	May 4,	26·3	.	15	.	.	.	.	.	.	.	.	2	1	2	2	1	.	.	1	1
	„ 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	May 4,	12·1	.	4	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	„ 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	13	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	May 4,	17·9	1·7	134	.	.	.	.	1	8	.	.	16	8	6	15	20	3	1	.	2
	„ 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
Cork. Pop. in 1911 76,632.	May 4,	21·1	1·4	31	.	.	.	.	.	1	1	.	3	5	.	1	1	.	.	1	.
	„ 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,912.	May 4,	12·7	.	10	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.
	„ 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	May 4,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	1	1	2	.	.	.	2
	„ 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
Waterford. Pop. in 1911 27,430.	May 4,	15·2	.	8	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1
	„ 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd June, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.
Do. 2 do.		30			16	2	.	3	2	6	3	.	.	.	.	.	1	.	.	1	1	2	2	1	1	.	.	.	3	1
Do. 3 do.		24			17	2	.	2	2	6	5	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.	5	.
Do 4 do.		32			14	1	3	3	2	2	3	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	1	1	6	.
Do. 5 do.		9			13	4	1	.	.	5	3	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	.	4	2
Do. 6 do.		14			7	2	.	3	1	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	1	.	.	.	3	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Do. 9 do.		13			10	2	3	2	1	1	1	.	.	.	.	.	.	.	.	.	1	.	3	.	2	.	.	.	2	1
Do. 10 do.		15			8	4	.	2	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	1	.
Do. 11 do.		17			7	1	1	1	2	1	1	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.	1	.
Do. 12 do.		21			8	.	2	2	1	3	.	.	.	.	.	1	.	.	.	.	2	.	1	2	.	.	.	.	2	.
Do. 13 do.		14			5	1	1	2	.	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		11			14	1	4	3	2	2	2	.	.	.	.	.	1	.	.	2	2	.	1	3	.	.	.	1	5	.
Total,	—	208			125†	20	16	24	15	30	20	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	3	35	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	10	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		12			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		1			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 5 do.		2			3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 6 do.		1			5	.	.	.	4	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	1	.	.
Do. 7 do.		9			11	2	.	1	2	1	5	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.	2	.
Total,	—	36	16·3	.	24	3	.	1	8	3	9	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	1	4	.

* See note (‡) at foot of first page. † See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1911–2—WEEK ENDING																									
	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.
No. of weeks in Annual Series,	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
BIRTHS registered, ...	190	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208
DEATHS registered, ...	125	129	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125†
Annual Death rate per 1,000 of estimated population, ...	16·9	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7
AGES, Under 1 year, ...	24	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20
1—5 years, ...	17	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16
5—25 ,, ...	8	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24
25—45 ,, ...	19	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15
45—65 ,, ...	33	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30
65 and upwards, ...	24	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	5	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1
Whooping-cough, ...	3	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2
Diphtheria, ...	2	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	10	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13
Tuberculous Disease. Other Forms,	6	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12
Cancer, ...	2	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5
Diseases of Respiratory System, Pneumonia,	8	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16
Diseases of Respiratory System, Others, ...	13	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13
Diarrhœa, and *Enteritis*, under 2 years, ...	3	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.
Violent Deaths, ...	3	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1
Number of Uncertified Deaths, ...	2	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4

† Including one death from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	June 22,	2,157	916	10·6	2	.	39	6	19	7	11*a*
Edinburgh, ...	321,200	„ 22,	128	97	15·8	.	.	1	2	3	.	.
Glasgow, ...	785,600	„ 22,	379	214	14·2	.	.	3	.	2	.	8
Calcutta, ...	896,067	May 18,	.	419	24·3	95*	2	.	.	1	.	73‡
Bombay, ...	979,445	„ 18,	383	872	46·3	147*	36	6	.	1	.	157‡
Madras, ...	518,660	Apr. 27,	298	304	30·5	73*	2	4	?	?	?	67‡
Cairo, ...	699,228	„ 22,	593	433	32·3	4	.	3	.	.	4	58
Paris, ...	2,847,229	May 25,	912	960	17·2	3	1	23	7	5	2†	25*a*
Brussels, ...	745,380	June 1,	242	198	13·8	.	.	5	3	.	1†	5
Antwerp, ...	308,618	„ 1,	112	65	11·0	.	.	9	.	2	2†	10*a*
Amsterdam, ...	582,871	„ 1,	239	130	11·6	1	.	5	.	1	.	5*a*
Copenhagen, ...	465,000	„ 1,	222	107	12·0	.	.	.	.	1	.	1*a*
Stockholm, ...	346,599	„ 1,	122	117	17·6	.	.	2	.	2	.	.
Christiania, ...	244,038	„ 8,	96	70*b*	14·9	.	.	3	.	.	.	2
St. Petersburg, ...	1,641,600	May 18,	936	890	28·3	8	1	47	9	6	10	61
Moscow, ...	1,617,157	„ 18,	.	792	25·5	1	.	16	11	5	13†	59
Berlin, ...	2,076,859	„ 18,	771	604	15·2	1	.	9	4	3	14†	30
Hamburg, ...	953,079	June 1,	.	257	14·0	.	.	1	5	2	6†	9
Breslau, ...	528,383	„ 1,	.	175	17·3	.	.	.	.	1	.	14
Munich, ...	610,000	„ 8,	.	172	14·7	.	.	2	.	.	1†	7
Vienna (with suburbs),	2,081,335	„ 1,	706	639	16·0	.	.	15	5	1	7†	24*a*
Buda-Pesth, ...	910,548	„ 1,	425	287	16·4	2	.	1	5	3	.	15*a*
Prague and Faubourgs,	484,301	May 18,	178	204	22·0	.	1	8	2	.	2†	5*a*
Trieste, ...	235,999	June 1,	111	82	18·1	.	.	3	.	2	.	.
Rome, ...	564,913	Feb. 10,	314	194	17·9	3	1	1	.	.	1	7
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Apr. 20,	2,519	1,562	15·8	2	.	24	28	5	38†	38*a*
Philadelphia, ...	1,606,105	May 4,	.	467	15·1	1	.	2	2	3	8†	15*a*
Boston, ...	720,031	June 1,	.	209	15·1	.	.	4	1	.	2	5

* Deaths from "fever," including 6 deaths from enteric fever and 53 from plague in Calcutta, 3 from enteric fever and 80 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 45 deaths from cholera in Calcutta, 61 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 6 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd June, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	.	.	.	.	.	3
„ „ 1, West, ...	.	1	.	.	.	.	.	.	1	.	.	2	4
„ „ 2, ...	.	4	.	.	.	.	.	1	.	.	.	1	6
„ „ 3, ...	.	4	.	.	4	.	.	2	.	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	3	.	.	.	4	.	.	4	11
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
„ „ 4, ...	.	3	.	.	1	.	.	1	.	.	.	1	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	.	.	9	.	.	6	5	.	.	8	45

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd June, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd June.			
	June 1.	June 8.	June 15.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	22	21	4	9	.	16
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	73	83	87	39	25	3	98
Scarlet Fever, ...	151	156	157	24	32	.	149*
Diphtheria, ...	55	47	47	9	10	2	44
Pneumonia, ...	33	30	31	15	11	4	31

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 22nd June, 1912:—

"Weather of the south-westerly type—warm, but unsettled, cloudy, breezy, and showery—prevailed in Ireland throughout this week. In the south and east of England fine, summerlike conditions were enjoyed after Tuesday, except that thunderstorms occurred locally in those districts on Wednesday, the resulting rainfall amounting to ·59 inch at Spurn Head, where hail fell in the storm. The day last-named was very warm in the London District: the thermometer rose to 84° at Greenwich, 83° at Hampstead and Camden Square, 80° at South Kensington, and 79° at Westminster (St. James's Park). On the other hand the earlier days of the week were distinctly cold in Scotland—in the course of Sunday night the thermometer fell to 38° in the screen at Wick and Nairn. The highest temperature at the former station in the first 48 hours of the week was only 52°. This cold spell was connected with the N. wind of an atmospheric depression centred near Stockholm on Sunday morning, when the barometer stood as low as 28·97 inches in that city. The broken weather in Ireland was connected with the arrival from the Atlantic of a series of atmospheric depressions off the western shores of this country at a time when an area of high pressure stretched from the Ocean between the Azores and Madeira to Spain, France, and Germany. This distribution of barometric pressure in summer leads to hot weather on the Continent and in southern England, but clouds and rain in Ireland, Scotland, and the North of England. In Dublin the mean height of the barometer during the week was 29·838 inches, the range of pressure being from 30·005 inches at 9 p.m. of Sunday (wind, W.N.W.) to 29·670 inches at 9 p.m. of Saturday (wind, S.S.E.). The corrected mean temperature was 58·5°, a figure which also represented the mean dry bulb reading at 9 a.m. and 9 p.m. On Sunday the screened thermometers fell to 48·0°; on Tuesday they rose to 66·5°. The prevalent wind was S.W. Rain fell daily to the amount in all of ·655 inch, ·213 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·846 inches. The highest reading (30·003) was on Thursday at 9 p.m., wind W.S.W., the lowest (29·690) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 56·9°, being 1·3° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 66°, and was lowest on Monday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 57·5° and of the Wet Bulb, 54·6°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·690 inch.

At Greenwich the mean temperature for the week was 61·7°, the maximum 84·3°, and the minimum 48·2°; at Glasgow the maximum was 67·9°, the minimum 41·0°, and the mean 55·5°; and at Edinburgh the maximum was 63·2°, the minimum 42·2°, and the mean 54·1°. The rainfall at Greenwich measured 0·65 in.; at Glasgow 1·25 ins.; and at Edinburgh 0·50 in

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 16,	29·890	62	46	54·0	52·5	48·2	·74	·3	9·1	·020	W.	Calm.
Monday, „ 17,	29·895	62	41	51·5	57·5	54·9	·84	·4	0·0	·205	Calm.	W.S.W.
Tuesday, „ 18,	29·845	66	58	62·0	61·9	59·1	·87	·4	0·0	·105	S.W.	S.S.W.
Wednesday, „ 19,	29·780	65	54	59·5	56·3	54·1	·85	·5	2·3	·110	S.W.	W.S.W.
Thursday, „ 20,	29·955	64	50	57·0	56·9	53·6	·81	·4	5·1	·120	W.S.W.	W.S.W.
Friday, „ 21,	29·835	60	50	55·0	59·5	55·6	·77	·5	0·1	·070	S.S.W.	S.S.W.
Saturday, „ 22,	29·720	63	56	59·5	57·7	56·4	·92	·5	0·5	·060	S.E.	Calm.
Mean, ...	29·846	63·1	50·7	56·9	57·5	54·6	·83	·4	Total 17·1	Total ·690	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, heavy showers 12.25 to 12.40 p.m.; night cloudy, drizzling rain 5 to 5.30 a.m. *Monday*—Day overcast, drizzling and heavy rain 1.15 to 4.15 p.m. and 6.50 to 7.25 p.m.; night overcast, drizzling 12 mn. to 12.45 a.m. and 6.30 to 7.0 a.m. *Tuesday*—Day overcast, drizzling 12.30 p.m. to 4.0 p.m. and 6.15 to 7.15 p.m.; night cloudy. *Wednesday*—Day cloudy, showers at intervals, a.m. and p.m.; night cloudy, heavy rain 9.10 to 9.40 p.m. *Thursday*—Day cloudy, showers at intervals, a.m. and p.m.; night cloudy. *Friday*—Day overcast, showers at intervals a.m. and p.m.; night cloudy, showers at intervals. *Saturday*—A dull day, drizzling rain at intervals a.m. and p.m.; night overcast to clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 22nd, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 16,	58·0	58·0	55·1	63·7	47·3	55·5	9·9	·013
Monday, „ 17,	55·1	57·6	55·0	63·0	47·6	55·3	—	·181
Tuesday, „ 18,	64·7	58·4	55·1	67·1	58·7	62·9	0·1	·010
Wednesday, „ 19,	62·6	59·1	55·1	66·5	55·8	61·2	2·3	·096
Thursday, „ 20,	58·7	58·7	55·1	64·8	51·0	57·9	6·2	·162
Friday, „ 21,	61·0	59·1	55·2	63·2	54·4	58·8	—	·051
Saturday, „ 22,	59·5	58·8	55·3	62·7	56·8	59·8	1·3	·062
Weekly Mean, .	59·9	58·5	55·1	64·4	53·1	58·8	Total 19·8	Total ·605

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street

32512. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 29TH JUNE, 1912. [No. 26.

General Register Office, Charlemont House, Dublin, 1st July, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 8	Week ending June 15	Week ending June 22	Week ending June 29	Average Rate for 4 weeks.
22 Town Districts, ...	**18·8**	**17·2**	**15·7**	**16·0**	**16·9**
Armagh	·	6·9		13·7	5·2
Ballymena	18·3	9·2	18·3	4·6	12·6
Belfast	16·1	14·4	16·7	12·8	15·0
Clonmel	30·4	10·1	20·3	30·4	22·8
Cork	22·5	13·6	16·3	27·2	19·9
Drogheda	16·8	4·2	16·8	12·6	12·6
Dublin Reg. Area ...	20·5	22·7	15·3	15·9	18·6
Dundalk	27·8	11·9	11·9	15·9	16·9
Galway	19·7	27·5	15·7	43·3	26·5
Kilkenny	·	24·8	9·9	19·8	13·6
Limerick	28·5	12·2	5·4	20·4	16·6
Lisburn	34·3	8·6	17·1	12·9	18·2
Londonderry	19·1	14·0	8·9	25·5	16·9
Lurgan	8·6	12·9	17·2	·	9·7
Newry	17·4	17·4	34·9	30·5	25·1
Newtownards	·	17·2	34·3	17·2	17·2
Portadown	8·9	8·9	26·7	·	11·1
Queenstown	26·4	·	·	6·6	8·3
Sligo	9·3	28·0	14·0	4·7	14·0
Tralee	5·3	5·3	26·4	10·6	11·9
Waterford	20·9	19·0	15·2	13·3	17·1
Wexford	31·9	22·8	18·2	18·2	22·8

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in sixteen of the districts to 13·1 in Newry, the 7 deaths from all causes for that district including 3 from whooping-cough. Among the 96 deaths from all causes for Belfast are one from measles, 3 from whooping-cough, and one from diarrhœa. Four of the 15 deaths from all causes for Limerick are from whooping-cough. One of the 7 deaths from all causes for Waterford is from typhus, and among the 11 deaths from all causes for Galway are one from scarlet fever and 2 from diarrhœa or *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 198—111 boys and 87 girls—and the deaths to 129—63 males and 66 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·9 per 1,000 of the population. During the twenty-six weeks ending with Saturday last the death-rate averaged 23·4, and was equal to the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 129, represent an annual rate of 16·5 per 1,000 ; the annual rate for the past twenty-six weeks was 24·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·5 per 1,000 of the mean population for all deaths registered.

The total deaths include 4 from measles, one death from scarlet fever, one death from diphtheria, and 5 deaths from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 preceding weeks deaths from measles were 14, 17, and 11 ; deaths from scarlet fever were 3, 0, and 0 ; deaths from diphtheria were 0, 3, and 2 ; and deaths from diarrhœa and *enteritis* of children were 0, 3, and 3

Of 22 deaths from all forms of tuberculous disease, 16 were caused by pulmonary tuberculosis, one by tuberculous meningitis, 3 by abdominal tuberculosis, and 2 by disseminated tuberculosis. In the 3 preceding weeks the deaths from all forms of tuberculosis numbered 27, 27, and 23 respectively.

There were 4 deaths from cancer.

Broncho-pneumonia caused 6 deaths, lobar pneumonia 2 deaths, and the deaths of 4 persons were attributed to *pneumonia* (type not distinguished).

There were 2 deaths of infants from *convulsions*, 2 from congenital malformation, 6 from premature birth, and 5 from congenital debility.

Ten deaths were from organic diseases of the heart, and 14 were from bronchitis.

Of 5 accidental deaths, one was by immersion in the River Liffey, and 3 were by vehicles and horses ; one of the latter deaths was by a motor car accident.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one year old and the death of one person aged 80 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 9 were under one month old) and 19 were aged 65 years and upwards, including 14 persons aged 70 and upwards ; among the latter were 6 aged 75 and upwards, of whom one (a female) was stated to have been aged 96 years.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·9 per 1,000 ; the rate in the City was 16·2 (North City Districts, 15·0 ; South, 17·5) and in the Suburbs, 14·8.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (2·0 in the North City Districts, and 1·7 in the South), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).– The deaths (10) are equal to an annual rate of 17·4 per 1,000. Tuberculosis caused 4 deaths and bronchitis 2 deaths.

No. 1 *North City District, West* (Summer-hill).—The deaths (10) are equal to an annual rate of 13·0 per 1,000, and include one death from measles, 2 deaths from pulmonary tuberculosis, 2 from broncho-pneumonia, and 2 from *pneumonia*.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·5 per 1,000. There were 2 deaths from bronchitis, one death from diarrhœa of a child under 2 years of age, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·1 per 1,000. The deaths include one from measles, 3 from tuberculous disease, 2 from broncho-pneumonia, and one from diarrhœa.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 13·4 ; and Finglas and Glasnevin, part of, 6·7. The only death for the first-named district was from pulmonary tuberculosis, and the 3 deaths from all causes for Coolock and Drumcondra, part of, include 2 from diarrhœa or *enteritis* of children under 2 years of age.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·3 per 1,000. Pulmonary tuberculosis caused 3 deaths, and bronchitis caused 3 deaths.

No. 2 *South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 9·5 per 1,000. Pulmonary tuberculosis and broncho-pneumonia each caused one death, and there was one accidental death.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·0 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, 3 deaths from bronchitis, and one death from diarrhœa.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000. Measles and scarlet fever each caused one death ; there were 2 deaths from pulmonary tuberculosis, one death from *pneumonia*, one death from bronchitis, one death from diarrhœa of a child under 2 years, and 2 accidental deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000. The 3 deaths were caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 20·1 ; Pembroke, 10·5 ; Blackrock, 11·4 ; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhœa of a child under 2 years of age for Pembroke, and one from diphtheria for Kingstown. The 15 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease and one from lobar pneumonia. One of the 6 deaths from all causes for Pembroke is from broncho-pneumonia. Included in the 2 deaths from all causes for Blackrock is one from pulmonary tuberculosis ; and one death from *pneumonia* is among the 4 deaths from all causes for Kingstown.

(*) See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 29th June, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 8,	.	—	—	23	.	.	7	.	.	.	6	.	—	—	.	—	17	—	53
	June 15,	.	—	—	16	.	.	7	.	2	2	4	.	—	—	.	—	8	—	39
	June 22,	.	—	—	17	.	.	9	.	.	6	5	.	—	—	.	—	8	—	45
	June 29,	.	—	—	12	.	.	4	.	2	6	8	.	—	—	.	—	10	—	42
Rathmines and Rathgar Urban District.	June 8,	.	—	—	6	.	.	2	.	.	1	.	.	—	—	—	—	—	—	9
	June 15,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	June 22,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	June 29,	.	—	—	6	.	.	1	.	.	.	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	June 8,	.	9	.	3	.	.	2	.	.	2	1	.	1	2	—	—	.	—	20
	June 15,	.	7	4	2	.	.	1	.	.	.	.	.	2	2	—	—	.	—	18
	June 22,	.	16	1	.	.	.	.	.	.	.	.	.	.	2	—	—	.	—	19
	June 29,		11	.	2	.	.	.	.	.	.	.	.	.	10	—	—	.	—	23
Blackrock Urban District.	June 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June 15,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	June 22,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	June 8,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	1	—	2
	June 15,	.	—	—	4	.	.	.	.		.	1	.	—	—	—	—	.	—	5
	June 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	.	—	2
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	June 8,	.	—	—	9	.	.	2	.	.	2	1	.	—	—	.	—	7	.	21
	June 15,	.	—	—	16	.	.	.	.	.	4	.	.	—	—	.	—	6	.	26
	June 22,	.	—	—	12	.	.	1	.	1	.	2	.	—	—	.	—	7	.	23
	June 29,	.	—	—	15	.	.	4	.	.	1	5	.	—	—	.	—	9	.	34

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th June, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 21, and 16.

Twenty-nine cases of measles were admitted to hospital during the week, 29 were discharged, there was one death, and 97 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 83, 87 and 98, respectively.

Nineteen cases of scarlet fever were admitted to hospital, 24 were discharged, there was one death and 143* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 156, 157, and 149, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 47, and 44, respectively, were 45 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 17 were discharged, there were 2 deaths, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 10·8), was equal to an average annual death-rate of 11·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 13·4, and for Edinburgh 14·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th June. From this Report it appears that of a total of 47 cases notified, 22 were phthisis, 16 scarlet fever, 6 diphtheria, 2 erysipelas, and one enteric fever. Among the 310 cases of infectious diseases in hospital at the close of the week were 99 cases of scarlet fever, 63 of measles, 59 of phthisis, 42 of whooping-cough, 25 of diphtheria, 10 of erysipelas, 5 of enteric fever, and 4 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 29th June, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. POPULATION. Total. (a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 29TH JUNE, 1912. Annual Rate per 1,000 Persons Represented by BIRTHS.	DEATHS. From all Causes.	From certain Epidemic Diseases. (b)	NUMBERS REGISTERED. BIRTHS. Total Number.	DEATHS. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY. (d) WEEK ENDING 29TH JUNE, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 22ND JUNE, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	WEEK ENDING 15TH JUNE, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,157,014	20·3	26·8	16·0	1·3	594	354	53	75	...	1	...	5	2	10	1	...	50	20	15	23	40	7	3	8	18	106	21	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	406,536	29·5	25·4	15·9	1·7	198	124	21	19	...	...	...	4	1	...	1	...	16	6	4	11	15	5	2	4	6	48	4	e 67·0	41·0	56·9	0·80	e 66	41	56·9	0·69	e 68	38	52·9	1·00
CITY OF DUBLIN,	311,601	39·4	28·4	16·2	1·8	170	97	18	15	...	...	...	4	1	...	...	...	14	5	3	8	15	4	2	4	6	41	2	f 67·1 g 66·9	49·0 46·0	58·1 57·7	0·80 0·89	f 66·5 g 66·1	48·0 43·8	58·5 58·1	0·66 0·75	f 68·9 g 68·9	47·1 42·0	56·2 54·5	0·45 0·47
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	16·1	20·1	.	12	15	1	4	...	...	...	..	...	...	...	...	1	1	...	1	...	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	10·5	10·5	1·8	6	6	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	2	...	..	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	5·7	11·4	.	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	27·2	12·1	3·0	9	4	2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	..	...	1	1	67	48	57·3	0·98	66	46	57·5	0·55	68	45	56·4	0·27
Urban Districts. BELFAST ...	391,051	26·6	24·7	12·8	0·7	185	96	14	19	...	...	...	1	...	3	...	...	13	7	5	7	9	...	1	1	4	26	1	65·2	50·0	58·0	1·86	66	40	59·7	2·21	66	41	55·1	2·36
CORK, ...	76,632	33·8	34·7	27·2		51	40	3	12	...	...	...	...	...	...	...	...	7	2	3	...	3	...	...	1	3	14	3	65	50	56·1	1·89	63	49	56·0	1·36	61	48	55·7	0·33
LONDONDERRY...	40,912	18·9	26·8	25·5	.	21	20	4	7	...	...	...	...	...	...	...	...	2	2	1	1	4	...	...	1	3	1	1	...	...	...	...	...	...	...	..	...	...	...	...
LIMERICK. ...	38,403	18·2	50·2	20·4	5·4	37	15	4	2	...	...	...	...	...	4	...	...	3	...	...	1	1	...	...	...	1	3	5	63·6	45·2	56·0	0·85	67	48·1	57·4	2·12	65·2	40·2	54·4	1·32
WATERFORD, ...	27,430	19·1	24·7	13·3	1·9	13	7	1	1	...	1	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	1	...	..	...	...	...	...	...	...	...	...	...	..
GALWAY. ...	13,249	2·5	73·8	43·3	11·8	19	11	3	5	...	...	...	...	1	...	...	...	1	...	...	1	3	2	...	1	..	3	3	66	50	57·4	1·11	64	44	57	1·89	67	45	57	0·99
DUNDALK, ...	13,128	9·5	31·8	15·9	.	8	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	16·8	12·6	.	4	3	...	2	...	...	...	...	...	...	...	..	...	1	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,956	17·2	30·5	30·5	13·1	7	7	1	...	...	...	...	..	...	3	...	...	1	...	...	...	2	...	...	...	...	2	...	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39
LURGAN, ...	12,135	14·3	12·9	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39
LISBURN. ...	12,172	10·7	21·4	12·9	.	5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39
WEXFORD. ...	11,455	23·8	31·9	18·2	.	7	4	...	1	...	...	...	...	...	...	...	...	1	1	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	13·8	4·6	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	14·0	4·7	.	3	1	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65	37	54·0	1·94	68	39	56·0	1·98	66	39	53·0	1·06
KILKENNY, ...	10,513	11·4	5·0	19·8	.	1	4	...	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	3	...	65	47	55·1	2·16	65	48	57·0	0·95	68	40	54·8	0·91
CLONMEL, ...	10,277	7·9	20·3	30·4	.	4	6	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	40·0	.	.	9	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39
TRALEE. ...	9,867	16·6	21·1	10·6	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	17·2	17·2	.	3	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	64	48	55·2	1·32	66	42	54·6	1·52	64	46	55·0	1·05
QUEENSTOWN, ...	7,909	14·4	39·6	6·6	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	65	50	56·1	1·89	63	49	56·0	1·36	64	48	55·7	0·33
ARMAGH, ...	7,588	22·2	20·6	13·7	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31	66·7	44·9	55·5	1·39

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912; in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 29th of June, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	.	1	1	.	.	3	1	2	2	.	1	.	1	.	16	.
Tuberculous Disease. — Other Forms,	2	.	.	2	.	.	.	.	.	1	.	.	1	.	.	.	6	.
Cancer,	.	.	.	1	.	.	.	1	1	.	.	.	.	1	.	.	4	.
Diseases of Nervous System,	.	.	2	.	.	.	.	1	.	2	1	.	2	3	1	1	13	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Circulatory System,	1	1	1	1	.	1	1	3	.	.	1	.	.	.	.	.	10	.
" Respiratory System. — Pneumonia,	.	4	.	2	.	.	.	.	1	.	1	.	1	1	.	1	11	1
" Respiratory System. — Others,	2	1	2	.	.	.	.	3	.	3	1	3	.	.	.	.	15	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	.	1	.	.	2	.	.	.	.	1	.	.	1	.	.	5	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Digestive System. — *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	.	.	.	.	.	.	.	1	.	.	5	.	.	.	6	2
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	1	4	.	.	.	3	.	4	1	.	2	.	.	1	19	1
Violent Deaths,	.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	.	4	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from All Causes	10	10	8	13	1	3	1	17	4	15	12	3	15	6	2	4	124	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·4	13·0	13·5	20·1	9·7	13·4	6·7	21·3	9·5	18·0	17·4	17·2	20·1	10·5	11·4	12·1	15·9	.
	15·0							17·5					14·8					
	16·2																	
Ages at Death. — Under 1 year,	2	1	1	4	.	2	.	2	.	5	1	.	1	.	.	2	21	1
1 and under 2 years,	1	.	1	3	.	.	.	.	.	2	.	.	1	1	.	.	9	.
2 " 5 "	.	3	.	.	.	.	.	1	.	2	2	.	1	.	.	.	9	1
5 " 15 "	.	1	2	2	.	.	.	2	1	1	.	.	.	.	.	1	10	1
15 " 25 "	2	.	.	.	1	.	.	2	.	1	1	.	2	.	1	.	10	.
25 " 45 "	.	2	1	3	.	.	.	2	2	.	3	.	3	.	.	1	17	.
45 " 65 "	4	2	2	.	.	1	1	4	.	3	2	1	3	5	1	.	29	2
65 and upwards.	1	1	1	1	.	.	.	4	1	1	3	2	4	.	.	.	19	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	3	.	.	1	2	1	2	6	.	4	2	.	1	30	5
Workhouse Hospitals,	2	.	3	2	.	1	.	5	2	2	1	.	.	.	.	.	18	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1902–1911.	In the Week ending Saturday, 29th June, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	June 28, 1902.	July 4, 1903.	July 2 1904.	July 1, 1905.	June 30, 1906	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 55·5	° 56·5	° 56·9										
ALL CAUSES.	149	127	126	116	125	152	133	150	127	155	136·0	129	9	13	9	10	11	10	17	31	13	6
Enteric Fever, ...	4	.	.	1	2	.	1	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	3	2	2	.	1	4	2	.	7	2·4	4	.	.	1	3	.	.	.	.	.	.
Scarlet Fever, ...	2	.	2	.	.	.	.	1	1	.	·6	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	.	1	1	1	8	.	4	3	2	2·0	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	1	1	.	.	2	1	1	2	·8	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	1	3	2	1	4	2	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	1	.	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	1	.	1	.	.	1	.	·4	1	.	.	.	.	.	.	1	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	1	.	.	1	.	1	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	17	14	16	21	25	22	15	23	21	18·9	16	.	.	1	.	1	6	6	2	.	.
Tuberculous Meningitis, ...	5	4	2	3	4	5	.	3	5	3	3·4	1	.	.	.	.	.	.	1	.	.	.
Abdominal Tuberculosis, ...	.	2	.	2	1	.	1	2	5	1	1·4	3	.	.	1	.	1	.	.	1	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	7	3	10	3	4	6	3	6	4	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	.	2	.	.	.	.	.	.	.
Venereal Diseases, ...	.	.	.	1	.	1	1	1	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	3	9	2	5	12	4	9	7	10	8	6·9	4	.	.	.	.	.	.	1	2	.	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	1	.	.	1	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	1	.	.	.	.
Alcoholism, ...	..	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	2	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		5	.	.	.	.	.	.	.	3	2	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										.		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		2	.	.	.	.	1	.	.	1	.	.
Convulsions (non-puerperal),										8		2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	34	41	33	32	24	39	35	34	33	2	34·5	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										18		10	.	.	.	.	1	1	.	4	3	1
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	12	13	5	3	7	11	12	7	16	9·8	14	.	2	.	.	1	.	.	6	4	1
Broncho-pneumonia, ...	3	5	4	2	1	4	6	6	.	2	3·3	6	.	.	2	1	2	.	.	1	.	.
Lobar pneumonia, ...	2	.	.	1	.	3	1	.	1	2	1·0	2	.	.	.	.	.	.	1	1	.	.
Pneumonia (type not distinguished)	6	4	3	9	3	5	1	3	2	5	4·1	4	.	.	.	1	.	.	2	1	.	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	.	2	2	2	.	2	.	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

* For six days only.

TWENTY-SIXTH WEEK ending Saturday, 29th June, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 26th Week of the 10 years 1902-1911.	In the Week ending Saturday, 29th June, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	June 28, 1902.	July 4, 1903.	July 2, 1904.	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 60·6	° 59·2	° 54·8	° 60·1	° 56·6	° 51·8	° 55·9 *	° 55·6	° 54·7	° 55·5	° 56·5	° 56·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	2	.	.	.	.	.	.	.	1	1	.
Diarrhœa and *Enteritis* of Children under 2 years.	.	2	3	2	5	4	5	9	3	3	3·6	5	.	3	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		2	.	.	.	1	.	.	1	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Cirrhosis of Liver. ...	2	.	2	1	.	.	1	.	.	1	1·2	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	.	.	.	3	1	.	1	.	.		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	1	1	.	.	.	.	2	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	.	4	7	6	6	3	8	3	.	4·2	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	3	2	8	1	12	8	1	7	8	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										1		3	.	.	.	.	.	.	.	1	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	.	.	1	1	·3	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	1	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	2	1	1	.	.	.	.	.	.	.	.
Premature Birth, ...	8	2	6	2	1	4	5	6	1	10	4·5	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	5	.	5	.	.	.	.	.	.	.	.
Old Age, ...	7	4	1	6	4	2	5	3	3	5	4·0	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	3	2	.	.	.	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	3	1	.	1	.	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	.	.	1	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	1	.	.	.	1	.	2	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	1	1	1	4	1	.	2	1	1·4	4	.	.	.	.	1	.	.	2	1	.
Total Deaths from Accident,	4	2	4	2	3	5	3	2	2	2	2·9	5	.	.	.	.	1	.	1	2	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	2	.	.	1	.	·3	3	.	.	.	.	1	.	.	1	1	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.

*For six days only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered.	213	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198
Average Births in corresponding week of previous 10 years, ...	230	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245
DEATHS registered, ...	191	179	212	195	184	219	197	191	205	218	257	203	236	205	216	217	192	208	203	149	154	158	170	190	131	129
Annual Death-rate per 1,000, ...	24·5	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·[illegible]	19·1	19·8	19·6	21·8	24·4	16·8	16·5
Average Deaths in corresponding week of previous 10 years, ...	198	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136
Ages, Under 5 years, ...	57	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41
5—15 " ...	16	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11
15—25 " ...	9	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10
25—45 " ...	23	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17
45—65 " ...	46	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31
65—75 " ...	21	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13
75 and upwards, ...	19	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6
Deaths from :—																										
Enteric Fever, ...	2	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4
Scarlet Fever, ...	3	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1
Whooping-cough, ...	1	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.
Diphtheria, ...	4	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1
Influenza, ...	.	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.
Dysentery, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	23	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16
Tuberculous Disease, Other Forms,	10	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6
Cancer, ...	10	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4
Diseases of Circulatory System,	18	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10
Diseases of Respiratory System, Pneumonia,	15	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12
Diseases of Respiratory System, Others, ...	31	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15
Diarrhœa and *Enteritis*, under 2 years, ...	5	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5
Diarrhœa, 2 years and upwards,	..	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2
Violent Deaths, ...	3	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5
Number of Uncertified Deaths,	6	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4
Mean Temperature of the Air (Phœnix Park)	44·1	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9
Average Mean Temperature in corresponding week of previous 10 years, ...	41·6	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5
Rainfall in inches, ...	1·575	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800
Mean Humidity of the Air, complete Saturation 1·0, ...	·92	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th June, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JUNE, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	129	41	11	10	17	31	13	6	.	.	.	4	1	.	1	.	16	6	4	2	12	15	5	2	5	56	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	1	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	2	2	3	1	7	2	1	.	.	.	.	.	.	.	.	4	.	.	.	1	.	.	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	11·8	25	7	.	3	7	7	1	.	.	.	.	2	.	.	.	.	5	1	.	.	2	4	1	1	2	7	.
IV.	GENERAL SERVICE CLASS, ...	154,279	22·0	65	28	7	2	5	13	7	3	.	.	.	2	1	.	.	.	4	4	2	2	9	8	2	1	2	28	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	18	4	1	2	4	3	3	1	.	.	.	.	.	.	.	.	3	1	2	.	.	3	2	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	1	.	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	.	.	3	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	2	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14.0	8	3	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	1	.	1	2	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	13·7	8	2	.	1	2	3	.	.	.	.	.	1	.	.	.	.	2	1	.	.	.	.	.	1	1	2	.
	13. Petty Shopkeepers	7,894	19.8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	19·4	5	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.
	15. Domestic Servants, ...	36,603	10·0	7	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	2	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	23	7	1	4	6	6	2	.	.	.	2	1	.	.	.	4	3	2	1	8	5	2	1	2	18	3
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	18	4	1	2	4	3	3	1	.	.	.	.	.	.	.	.	3	1	2	.	.	3	2	.	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	May 11,	19·1	3·5	11	.	.	.	2	.	.	.	.	1	1	.	1	.	.	.	1	.
	,, 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	,, 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	,, 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	,, 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
	,, 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	,, 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	May 11,	26·0	3·9	20	.	.	.	.	1	.	.	.	1	1	1	4	.	2	.	1	1
	,, 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1	.	3	1	1	.	1	1
	,, 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	,, 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	,, 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
	,, 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
	,, 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	May 11,	20·3	.	12	.	.	.	.	.	.	.	.	2	2	.	1	3	.	.	1	.
	,, 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	,, 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	,, 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	,, 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
	,, 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
	,, 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	May 11,	27·8	9·3	18	.	.	.	5	1	.	.	.	2	.	.	2	2	.	.	.	.
	,, 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	,, 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	,, 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	,, 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
	,, 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
	,, 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	May 11,	26·3	1·3	21	.	.	.	.	.	.	1	.	2	2	3	1	1	.	.	.	1
	,, 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	,, 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	,, 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	,, 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
	,, 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
	,, 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	May 11,	35·8	2·4	15	.	.	.	.	.	.	1	.	2	1	1	3	3	.	.	.	1
	,, 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	,, 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	,, 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	,, 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
	,, 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
	,, 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	May 11,	43·2	1·2	36	.	.	.	1	.	.	.	.	8	.	.	1	12	.	.	3	1
	,, 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	,, 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19 2	1 2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	,, 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	,, 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
	,, 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
	,, 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	May 11,	21·7	5·8	15	.	.	.	3	.	.	.	.	2	.	.	1	2	1	.	1	.
	,, 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	,, 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	,, 8,	15·9	2 9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	,, 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
	,, 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
	,, 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	May 11,	28·2	5·4	21	.	.	.	1	2	.	.	.	.	.	1	4	3	1	.	1	1
	„ 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	May 11,	10·5	3·5	6	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
	„ 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	May 11,	30·3	3·0	10	.	.	.	1	.	.	.	.	2	.	.	4	.	.	.	.	.
	„ 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	13	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	May 11,	15·3	1·6	115	.	.	.	1	.	6	1	.	19	8	1	6	11	4	.	.	.
	„ 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
Cork. Pop. in 1911 76,632.	May 11,	21·1	0·7	31	.	.	.	.	.	1	.	.	6	2	1	5	5	.	.	.	2
	„ 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
Londonderry. Pop. in 1912 (Est.) 40,912.	May 11,	21·7	.	17	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	.
	„ 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
Limerick. Pop. in 1911 38,403.	May 11,	16·3	.	12	.	.	.	.	.	.	.	.	2	1	.	1	6	.	.	.	.
	„ 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
Waterford. Pop. in 1911 27,430.	May 11,	17·1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.	.
	„ 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1·9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th June, 1912. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in **1911.** (Unrevised)	No. of **BIRTHS.**	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	7	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		21			10	1	.	1	.	2	6	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Do. 3 do.		20			14	.	1	2	3	3	5	.	.	.	.	.	.	.	.	2	1	.	3	1	.	1	.	.	3	.
Do 4 do.		21			10	2	.	1	1	4	2	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	1	1	6	.
Do. 5 do.		6			5	1	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.
Do. 6 do.		12			7	1	.	.	.	4	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.		3			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 8 do.		4			2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		11			4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Do. 10 do.		14			10	1	1	2	5	1	.	.	.	.	1	.	1	.	.	4	1	1	.	.	.	.	.	.	2	.
Do. 11 do.		16			4	1	1	.	1	.	1	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.
Do. 12 do.		25			13	3	5	2	1	1	1	.	.	.	.	.	2	.	.	1	1	.	2	3	.	.	.	1	4	.
Do. 13 do.		12			5	1	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		13			8	.	2	1	2	3	.	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	1	3	.
Total,	—	185			96	14	11	9	15	28	19	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	4	26	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	7	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		7	.	.	2	2	1	2	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	3	.
Do. 2 do.		9			7	.	1	2	2	1	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1
Do. 3 do.		9			5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	1
Do. 4 do.		6			5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	1	3	.
Do. 5 do.		4			3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Do. 6 do.		8			5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1	1
Do. 7 do.		8			8	1	1	.	4	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
Total,	—	51	27·2	.	40	3	2	5	12	6	12	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3	14	3

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.
No. of weeks in Annual Series,	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
BIRTHS registered, ...	210	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185
DEATHS registered, ...	129	146	156	206	233	313	248	202	162	152	147	111	145	145	147	172	135	134	115	138	128	112	121	108	125	96
Annual Death rate per 1,000 of estimated population, ...	17·2	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8
AGES, Under 1 year, ...	23	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14
1—5 years, ...	20	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11
5—25 ,, ...	11	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9
25—45 ,, ...	18	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15
45—65 ,, ...	25	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28
65 and upwards, ...	32	31	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Scarlet Fever, ...	.	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.
Whooping-cough, ...	2	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3
Diphtheria, ...	3	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13
Tuberculous Disease. Other Forms,	7	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7
Cancer, ...	3	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5
Diseases of Respiratory System. Pneumonia,	12	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7
Diseases of Respiratory System. Others, ...	20	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9
Diarrhœa, and *Enteritis*, under 2 years, ...	.	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.	.	1
Violent Deaths, ...	1	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1
Number of Uncertified Deaths, ...	1	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	June 29,	2,041	933	10·8	1	.	44	5	6	4	17*a*
Edinburgh, ...	321,200	„ 29,	120	91	14·8	.	.	.	.	1	.	1
Glasgow, ...	785,600	„ 29,	455	202	13·4	1	.	2	2	1	3	3
Calcutta, ...	896,067	May 25,	.	379	21·9	71*	1	4	.	.	.	61‡
Bombay, ...	979,445	„ 25,	373	761	40·4	130*	41	3	.	.	.	95‡
Madras, ...	518,660	„ 4,	332	315	31·6	68*	3	4	?	?	?	81‡
Cairo, ...	699,228	Apr. 29,	560	435	32·4	3	.	.	.	.	4	93
Paris, ...	2,847,229	June 1,	876	899	16·1	7	.	24	9	6	6†	18*a*
Brussels, ...	745,380	„ 8,	196	171	11·9	1	.	4	3	.	1†	4
Antwerp, ...	308,618	„ 8,	94	78	13·2	2	.	5	.	.	.	13*a*
Amsterdam, ...	582,674	„ 8,	226	146	13·1	2	.	10	.	1	.	5*a*
Copenhagen, ...	465,000	„ 8,	241	121	13·6	.	.	.	.	2	3†	.
Stockholm, ...	346,599	„ 8,	154	108	16·2	.	.	4	1	.	1	3
Christiania, ...	244,038	„ 15,	88	69*b*	14·7	.	.	2	.	.	1	3
St. Petersburg, ...	1,599,139	May 25,	686	771	25·1	14	6	45	10	6	4	62
Moscow, ...	1,617,157	„ 25,	.	733	23·6	6	2	15	12	3	7†	59
Berlin, ...	2,078,970	„ 25,	788	596	15·0	.	.	4	5	3	6†	30
Hamburg, ...	953,079	June 8,	.	264	14·4	.	.	4	3	1	6†	12*a*
Breslau, ...	528,383	„ 8,	.	197	19·4	.	.	.	.	1	2	13
Munich, ...	610,000	„ 15,	.	174	14·9	.	.	.	.	3	4†	9
Vienna (with suburbs),	2,081,335	„ 8,	797	614	15·3	1	.	11	5	2	8†	35*a*
Buda-Pesth, ...	910,548	„ 8,	424	312	17·8	.	.	2	3	2	.	17*a*
Prague and Faubourgs,	484,301	May 25,	147	212	22·8	2	.	1	1	1	.	15*a*
Trieste, ...	235,999	June 8,	110	78	17·2	.	.	8	.	.	.	2*a*
Rome, ...	564,913	Feb. 17,	327	190	17·5	1	1	1	1	2	1	6
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Apr. 27,	2,640	1,529	15·4	9	.	31	30	3	23†	38*a*
Philadelphia, ...	1,606,105	May 11,	.	476	15·4	1	.	4	5	2	11†	17*a*
Boston, ...	720,031	June 8,	.	208	15·1	.	.	1	.	.	2	11

* Deaths from "fever," including 8 deaths from enteric fever and 36 from plague in Calcutta, and 2 from enteric fever and 71 from plague in Bombay.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, 30 in Bombay, and one in Madras.

a Deaths from diarrhœa and from enteritis of children under two years of age.

b Including 4 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th June, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
„ „ 2, ...	.	1	.	.	1	.	.	.	1	.	.	.	3
„ „ 3, ...	.	2	.	.	.	.	.	1	2	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	2	1	.	.	.	3
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	2	.	.	.	.	.	.	.	.	.	.	2
South City No. 1, ...	.	4	.	.	1	.	2	.	3	.	.	5	15
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
„ „ 3, ...	.	1	.	.	2	.	.	.	.	.	.	1	4
„ „ 4, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total, ...	.	12	.	.	4	.	2	6	8	.	.	10	42

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th June, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th June.			
	June 8.	June 15.	June 22.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	21	16	6	3	.	19
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	83	87	98	29	29	1	97
Scarlet Fever, ...	156	157	149	19	24	1	143*
Diphtheria, ...	47	47	44	11	9	1	45
Pneumonia, ...	30	31	31	5	17	2	17

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 29th June, 1912:—

"Extremely broken weather prevailed in Ireland during the greater part of this week. Fresh to strong S. and S.W. winds, clouded skies, and frequent heavy showers made it hard to realise that it was midsummer. In Great Britain also conditions were changeable and unsettled, but fine intervals were observed, especially in the south-eastern counties of England. The uncertain weather was connected with the presence over Ireland and the neighbouring portion of the North Atlantic Ocean of areas of low barometric pressure, whereas there was an anticyclonic distribution of atmospheric pressure over the Atlantic from the Azores to the Iberian Peninsula. In the Baltic region also the barometer usually stood high—well above 30 inches. Sunday was fine in Dublin, but very heavy showers fell overland and on the coast to the southward of the City; a well-marked depression lay on the Atlantic west of Ireland, with the barometer below 29·5 inches. By Monday morning this disturbance had moved northwards, but it was quickly followed by another depression in which the barometer dropped below 29·4 inches in Mayo and Donegal on Tuesday morning. This depression soon began to fill up, but by Thursday morning a new cyclonic system reached the coast of Mayo, causing a very wet day even in Dublin. In the course of Friday also there were heavy showers, but with a movement of the depression northeastwards the weather improved in Ireland. In Dublin the mean height of the barometer was 29·743 inches, the range of pressure being from 29·452 inches at 4 p.m. of Tuesday (wind, S.W.) to 30·031 inches at 9 p.m. of Wednesday (wind, W.). The corrected mean temperature was 58·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·1°. On Sunday the screened thermometers rose to 67·1°; on Saturday they fell to 45·0° The prevalent winds were S.W. and W. Rain fell on 5 days to the amount of ·802 inch, of which ·228 inch was measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·753 inches. The highest reading (30·037) was on Wednesday at 9 p.m., air calm, the lowest (29·522) on Tuesday at 9 a.m., wind S.S.W.

The mean temperature for the week was 56·9°, being 0·4° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Sunday, on which day the thermometer registered 67°, and was lowest on Saturday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 56·6° and of the Wet Bulb, 53·9°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·800 inch.

At Greenwich the mean temperature for the week was 60·2°, the maximum 75·6°, and the minimum 50·9°; at Glasgow the maximum was 68·4°, the minimum 46·0°, and the mean 58·5°; and at Edinburgh the maximum was 66·6°, the minimum 48·0°, and the mean 57·2°. The rainfall at Greenwich measured 0·30 in.; at Glasgow 1·07 ins.; and at Edinburgh 0·98 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 23,	29·685	67	50	58·5	57·8	53·7	·76	·5	7·1	·000	S.W.	Calm.
Monday, „ 24,	29·810	66	52	59·0	57·7	54·9	·84	·6	7·3	·130	S.W.	Calm.
Tuesday, „ 25,	29·540	65	50	57·5	55·5	54·0	·92	·5	6·1	·180	S.S.W.	Calm.
Wednesday, „ 26,	29·945	65	49	57·0	59·2	56·0	·81	·4	4·5	·140	W.	Calm.
Thursday, „ 27,	29·800	61	52	56·5	56·3	54·9	·91	·4	0·2	·330	S.	S.S.W.
Friday, „ 28,	29·700	63	49	56·0	54·2	51·4	·83	·3	1·8	·020	Calm.	Calm.
Saturday, „ 29,	29·790	66	41	53·5	55·8	52·5	·80	·3	4·7	·000	W.N.W.	Calm.
Mean, ...	29·753	64·7	49·0	56·9	56·6	53·9	·84	·4	Total 31·7	Total ·800	—	

Sunday—A fine day, light clouds at intervals; night cloudy. *Monday*—Day cloudy, heavy rain 9.15 to 9.30 a.m.; night cloudy, drizzling rain at intervals a.m. *Tuesday*—Day cloudy, drizzling and heavy rain 11.30 to 2.30 and 6.30 to 7.30 p.m.; night cloudy. *Wednesday*—Day cloudy, drizzling rain at intervals, a.m. and p.m.; night cloudy. *Thursday*—Day overcast, heavy rain 9.0 a.m. to 11.30 a.m., and drizzling and heavy rain 1.15 to 4.0 p.m.; night cloudy. *Friday*—A dull day, light showers at intervals a.m.; night clear. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 29th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 23,	63·0	58·2	55·5	67·2	55·8	61·5	8 6	—
Monday, „ 24,	61·0	58·8	55 5	67·2	53·0	60·1	9·0	·112
Tuesday, „ 25,	60 0	59·7	55·5	64 0	52·3	58 2	6·3	·220
Wednesday, „ 26,	59·7	59·0	55·8	66·3	51·1	58·7	6·5	·133
Thursday, „ 27,	57·0	59 0	55·8	61·6	52·6	57·1	—	·205
Friday, „ 28,	57·7	57·9	55·9	63 3	51·4	57 4	0·9	·072
Saturday, „ 29,	60·0	57·9	55·9	66·1	48·7	57·4	5·5	—
Weekly Mean,	59·8	58·6	55 7	65·1	52·1	58·6	Total 36·8	Total ·742

DUBLIN: Printed for His Majesty's Stationery Office
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32719. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

Sole Wholesale Agent for places outside the United Kingdom of Great Britain and Ireland,
T. FISHER UNWIN, 1, ADELPHI TERRACE, LONDON, W.C.
(Depôts in New York, Toronto, Melbourne, Wellington, Cape Town, Calcutta, Tokio, and Leipzig.)

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET. *Price* 1½*d.*

VOL. XLIX.] QUARTER ENDING SATURDAY, 29TH JUNE, 1912. [NO. 26A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin registration area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,759 statute acres, and the population, estimated to the middle of 1912, 406,536, there were registered during the thirteen weeks ended on Saturday, 29th June, 1912, 2,840 births—1,449 boys and 1,391 girls—being equal to an annual ratio of 1 in 35·8, or 27·9 in every 1,000 of the population.

The number of births registered in the city was 2,437, equivalent to an annual rate of 31·3 in every 1,000 of the population; and in the urban districts named above, 403, equal to an annual rate of 17·0 in every 1,000 of the population.

There were registered in London during the same period 27,854 births—being equal to an annual birth-rate of 24·7 in every 1,000 of the estimated population; in Glasgow there were registered 5,757, being equal to 29·3 per 1,000; and in Edinburgh, 1,786—a number affording an annual birth-rate of 22·2 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (124) of persons admitted into public institutions from localities outside the Dublin registration area, the deaths for the area, numbering 2,193, are equivalent to an annual rate of 21·6 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·4. The total number of deaths registered in the Dublin registration area during the quarter was 2,317—1,175 males and 1,142 females—affording an annual ratio of 1 in 43·9 or 22·8 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1902–1911, in the Dublin registration area as then constituted, was 22·5 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 930, representing an annual mortality of 23·3 in every 1,000 of the population; and the number in the south city districts was 875; equivalent to a rate of 23·0 per 1,000. In the urban districts the number of deaths registered was 388, being equal to an annual death-rate of 16·3 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 14,016—a number equal to an annual rate of mortality of 12·4 in every 1,000 of the inhabitants; in Glasgow the number was 3,238, equal to 16·5 in every 1,000; and in Edinburgh, 1,261, affording an annual death-rate of 15·7 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 287, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·82.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1902–1911:—

Names of Diseases.	No. of Deaths in June Quarter, 1912.	Average No. of Deaths in June Quarters, 1902–1911.
Enteric Fever, ...	10	13
Typhus, ...	–	1
Small-pox, ...	–	3
Measles, ...	158	35
Scarlet Fever, ...	21	7
Whooping-cough, ...	21	42
Diphtheria, ...	29	12

Enteric Fever.—The 10 deaths from enteric fever are below the average by 3. Of the total, 6 belonged to the city districts of north Dublin, 2 to the registrar's district of south city no. 3, one to Rathmines and Rathgar urban district, and one was the death of a person admitted from without the registration area. According to table I there were 42 cases of enteric fever in hospital at the close of the preceding quarter, 56 cases were admitted, 75 were discharged, there were 4 deaths, and 19 patients remained in hospital at the close of the quarterly period.

Typhus.—There was no death from typhus recorded.

Small-Pox.—As in the quarter preceding, there was no report received in this office regarding the incidence of small-pox in the Dublin registration area for the period under notice.

Measles.—The epidemic of measles caused 158 deaths, as compared with an average of 35 deaths in the corresponding period of the 10 years 1902-1911. The deaths correspond to an annual rate of 1·55 per 1,000 of the estimated population of the Dublin registration area. Of the total deaths, 71 appertained to the city districts of north Dublin, 75 to the city districts of south Dublin, 6 to Rathmines and Rathgar urban district, 2 to Pembroke urban district, 2 to Kingstown urban district, and 2 were deaths of persons admitted to hospital from places outside the area. It may be gathered from table I that of 419 patients who were under treatment in hospital, 331 were admitted during the quarter, 268 were discharged, 54 died, and 97 were under treatment at its close.

Scarlet Fever.—There were 21 deaths, equal to an annual rate of 0·21, from scarlet fever registered during the quarter, the average being 7. Of 15 deaths in the city of Dublin, 14 belonged to the north city districts; there were 3 deaths appertaining to Rathmines and Rathgar urban district, and one to Blackrock urban district. Altogether 404 cases of scarlet fever were under hospital treatment during the period, of which number only 16 died, or about 4 per cent.—the total number under treatment at the close of the quarter does not include 19 patients who were convalescing at "Beneavin."

Whooping-cough.—The mortality from whooping-cough, equivalent to an annual rate of 0·21 per 1,000, shows a decline when compared with the average, the respective

* See note (*) p. 416h.

figures being 21 and 42. Of the 21 deaths, 10 belonged to the city districts of north Dublin, 8 to the city districts of south Dublin, 2 to Rathmines and Rathgar urban district, and one to Kingstown urban district.

Diphtheria.—As with measles and scarlet fever, the mortality from diphtheria shows an increase, when compared with the average for the corresponding quarter of the preceding 10 years, the deaths in the quarter under notice numbering 29, corresponding to an annual rate of 0·29 per 1,000, and the average being 12. Of the 29 deaths, 15 appertained to the city of Dublin, 13 to the urban districts, namely :—to Rathmines and Rathgar 5 deaths, to Pembroke 5 deaths, to Blackrock one death, to Kingstown 2 deaths, and one death was that of a person admitted from outside the area. In table I it appears that at the close of the March quarter, there were 58 cases of diphtheria under treatment, 180 were admitted during the quarter under notice, 171 were discharged, there were 22 deaths, and 45 patients were under treatment at its close.

Diarrhœa and Enteritis (of children under 2 years).—The total (43) includes 37 deaths belonging to the city of Dublin, 3 belonging to Rathmines and Rathgar urban district, 2 to Pembroke urban district, and one death not appertaining to the Dublin registration area. The 43 deaths correspond to an annual rate of 0·42 per 1,000.

Influenza.—The deaths of 30 persons were attributed to influenza, the average for the corresponding quarter of the preceding 10 years being 28.

Cerebro-Spinal Fever.—One death was registered.

Pneumonia.—Under the general heading of pneumonia, there were classified 142 deaths from broncho-pneumonia, 22 from lobar pneumonia, and 88 from *pneumonia* (type not distinguished). Altogether these deaths numbered 252, and correspond to an annual rate of 2·48 per 1,000, the average number of deaths for the corresponding quarter of the 10 years, 1902-1911, being 170.

Tuberculosis.—Altogether the deaths of 384 persons were caused by tuberculosis,; this number is equivalent to an annual rate of 3·78 per 1,000 of the population of the Dublin registration area estimated to the middle of the year. Of the total deaths, 278 were caused by pulmonary tuberculosis, 36 by tuberculous meningitis, 23 by abdominal tuberculosis, 9 by tuberculosis of the vertebral column, 6 by tuberculosis of joints, 6 by tuberculosis of other organs, and 26 by disseminated tuberculosis.

The following rates correspond to the deaths from tuberculosis in the various divisions of the Dublin registration area :—in north Dublin city 3·59 per 1,000, in south Dublin city 4·18 per 1,000, in Rathmines and Rathgar urban district 2·26 per 1,000, in Pembroke urban district 2·02 per 1,000, in Blackrock 3·51 per 1,000, and in Kingstown 2·09 per 1,000.

Cancer.—To cancer (either carcinoma, sarcoma, or cancer) or malignant disease (undefined) the deaths of 114 persons were attributed.

Diseases of Brain and Nervous System.—There were 207 deaths assigned to the titles in the above heading ; this figure includes the deaths of 43 infants under one year of age from *convulsions*.

Diseases of the Circulatory System.—The total, 218, includes 183 deaths from organic diseases of the heart.

Bronchitis.—Bronchitis was the registered cause of death of 250 persons.

Premature Birth, etc.—The deaths of 18 infants were caused by congenital malformations, of 39 by premature birth, and of 30 by congenital debility.

Accidental Violence.—Of 46 deaths from accident or negligence, 10 were by burns and scalds (of these 3 were of children under 5 years of age), 6 were by drowning and 2 were by suffocation in bed.

Homicide.—There was no record of homicidal death.

Suicide.—Two such deaths were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th June, 1912.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	42	56	75	4	19
Typhus, ...	–	–	–	–	–
Small-pox, ...	–	–	–	–	–
Measles, ...	88	331	268	54	97
Scarlet Fever, ...	105	299	245	16	143*
Diphtheria, ...	58	180	171	22	45
Pneumonia, ...	35	161	150	29	17

* Exclusive of 19 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 73 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 73 cases, 41 (or 56·2 per cent.) were deaths of children under 5 years of age; these 41 deaths form 5·5 per cent. of the total number of deaths of children of that age-period. Of the deaths of 118 infants under one month old registered, there were 19 (or 16·1 per cent.) regarding which the cause was uncertified.

From table II., on page 416*f*, it will be seen that, excluding 124 deaths of persons admitted into public institutions from localities outside the Dublin registration area, the number of deaths registered during the quarter was 2,193, equal to an annual rate of 21·6 per 1,000 of the estimated population, and that 280 of these deaths, representing an annual rate of 2·8 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 23·2 per 1,000, and for the urban districts 16·3 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 3·1, and in the urban districts 1·5, the rates for the several districts varying from 0·0 in Clontarf and Howth, no. 1, part of, to 5·2 in south city, no. 4, the 181 deaths from all causes for that district including 38 from measles, one from scarlet fever, 2 from whooping-cough, and 6 from diarrhœa and *enteritis* of children under 2 years of age.

OCCUPATIONS.—Table III., on page 416*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 14·5 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 17·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·0; and in the "General Service Class" it was 25·3.

AGES.—Of the 2,317 persons whose deaths were registered in the Dublin registration area during the quarter, 752 were under 5 years of age, including 372 infants under one year of age, the latter representing a rate of 131·0 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 78·8 in every 1,000 children at that age (according to the Census of 1901); 130 were between the ages of 5 and 15, representing an annual rate of 7·7 per 1,000 persons at that age-period; 124 were between the ages of 15 and 25, equivalent to an annual rate of 6·0 per 1,000; the total number under 25 years being equal to an annual mortality of 21·3 per 1,000 of the population at that age-period (according to the Census of 1901); 367, or 12·8 per 1,000 persons, were between 25 and 45; 501, or 34·9 per 1,000, between 45 and 65; 272, or 104·3 per 1,000, between 65 and 75; and 171, or 171·5 per 1,000, were aged 75 and upwards, including 17 persons aged 90 and upwards.

† See note (*) p. 416*h*.

Public Institutions.—Of the 2,317 deaths recorded during the quarter, 1,010 or 43·6 per cent., occurred in public institutions, viz., 606 in the various hospitals, prisons, and lunatic asylums; 171 in the North Dublin Union Workhouse; 220 in the South Dublin Union Workhouse; and 13 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

Weather.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 50·7°. At Greenwich, for the quarter, it was 54·3°; and at Edinburgh, 49·8.°

The rainfall at Dublin during the thirteen weeks measured 5·850 inches; at Greenwich, 3·74 inches; and at Edinburgh, 5·79 inches.

[Table

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 29th June, 1912,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 29TH JUNE, 1912.

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1912.†	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS. FROM ALL CAUSES	FROM DISEASES IN COLS. 13 20, 26-7.	TOTAL DEATHS.	DEATHS. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	CAUSED BY Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	30,034	25·7	5·1	193	36	18	23	15	12	27	33	29	2	.	.	27	3	5	.	.	24	6	2	18	24	1	.	3	6
" 1, W.,	40,141	25·6	3·5	257	40	29	28	11	10	37	58	44	.	.	.	14	5	3	1	.	32	6	11	42	31	12	.	8	16
" 2,	30,873	23·2	2·2	179	35	16	7	13	4	35	42	27	1	.	.	6	1	1	1	.	21	11	7	26	26	5	2	3	3
" 3,	33,701	25·5	4·3	215	43	31	15	12	10	36	36	32	2	.	.	24	4	1	3	.	21	13	8	30	22	1	1	4	3
CLONTARF AND HOWTH, No. 1, part of.	5,403	14·8	.	20	3	.	1	2	1	5	4	4	.	.	.	.	.	.	.	.	2	1	3	5	1	.	.	.	1
COOLOCK AND DRUMCONDRA, part of,	11,671	12·0	1·4	35	6	.	3	2	1	3	10	10	1	.	.	.	1	.	.	.	4	1	1	3	3	2	.	.	2
FINGLAS AND GLASNEVIN, part of,	7,726	16·0	0·5	31	6	1	.	.	.	6	11	7	.	.	.	.	.	.	.	.	1	.	2	4	6	1	.	2	.
South City.																													
SOUTH CITY, No. 1,	41,650	24·6	2·0	256	51	20	17	12	10	38	55	53	.	.	.	13	.	2	3	.	28	9	15	23	41	2	1	4	5
" 2,	21,846	22·7	2·0	124	17	14	11	2	3	28	30	19	.	.	.	6	.	1	2	.	19	12	7	14	21	2	.	3	3
" 3,	43,408	25·6	2·7	278	49	28	27	18	21	33	54	48	2	.	.	17	.	3	3	.	41	19	8	27	44	3	1	5	13
" 4,	36,031	20·1	5·2	181	32	21	18	10	10	25	26	39	.	.	.	38	1	2	.	.	18	4	5	17	19	6	.	7	3
NEW KILMAINHAM,	9,117	15·8	2·2	36	5	1	3	4	3	6	9	5	.	.	.	1	.	.	2	.	6	3	1	1	9	2	.	2	1
Urban Districts.																													
RATHMINES AND RATHGAR,	38,889	16·9	2·1	164	16	8	9	9	7	26	40	49	1	.	.	6	3	2	5	.	16	6	7	11	16	3	.	1	6
PEMBROKE,	29,693	13·2	1·2	98	15	4	3	4	7	16	25	24	.	.	.	2	.	.	5	.	11	4	10	8	7	2	.	1	4
BLACKROCK,	9,126	17·1	0·9	39	2	1	3	2	3	6	8	14	.	.	.	.	1	.	1	.	7	1	4	4	4	.	.	.	1
KINGSTOWN,	17,227	20·2	1·2	87	12	4	6	5	6	9	23	22	.	.	.	2	.	1	2	.	9	.	9	13	7	.	.	1	6
Total City, **North,**	159,549	23·3	3·3	930	169	95	77	55	38	149	194	153	6	.	.	71	14	10	5	.	105	38	34	128	113	22	3	20	31
Total City, **South,**	152,052	23·0	3·0	875	154	84	76	46	47	130	174	164	2	.	.	75	1	8	10	.	112	47	36	82	134	15	2	21	25
Total City, **North and South,**	311,601	23·2	3·1	1,805	323	179	153	101	85	279	368	317	8	.	.	146	15	18	15	.	217	85	70	210	247	37	5	41	56
Total Urban Districts,	94,935	16·3	1·5	388	45	17	21	20	23	57	96	109	1	.	.	10	4	3	13	.	43	11	30	36	34	5	.	3	17
Total Registration Area,	406,536	21·6	2·8	2,193	368	196	174	121	108	336	464	426	9	.	.	156	19	21	28	.	260	96	100	246	281	42	5	44	73
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				124	4	2	8	9	16	31	37	17	1	.	.	2	2	.	1	.	18	10	14	6	3	1	.	4	.

* See note (*) on page 416h.

† See note (*) on page 416i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 29th June, 1912;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 29TH JUNE, 1912. Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	375,350	—	2,317	752	130	124	367	501	272	171	10	.	.	158	21	21	29	.	278	106	114	51	252	284	43	5	48	897	73
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	14·5	63	3	1	3	3	14	17	22	.	.	.	.	.	.	2	.	3	.	7	.	6	8	1	.	1	35	1
II.	MIDDLE CLASS, ...	87,188	17·4	379	69	23	25	61	105	49	47	4	.	.	13	4	1	5	.	39	16	26	5	42	19	2	.	10	193	8
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	18·0	497	160	31	35	91	102	51	27	2	.	.	27	4	5	7	.	64	27	20	9	57	61	8	2	7	197	14
IV.	GENERAL SERVICE CLASS, ...	154,279	25·3	974	467	67	46	126	156	69	43	2	.	.	116	12	14	15	.	94	38	32	37	127	114	23	2	28	320	50
V.	INMATES OF WORKHOUSES, ...	6,024	—	404	53	8	15	86	124	86	32	2	.	.	2	1	1	.	.	78	25	29	.	20	82	9	1	2	152	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	22·6	44	3	1	3		10	13	11	.	.	.	.	.	.	1	.	2	.	3	.	4		1	.	1	26	1
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	9·1	19	.	.	.	.	4	4	11	.	.	.	.	.	.	1	.	1	.	4	.	2	2	.	.	.	9	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	17·1	33	10	1	1	1	4	10	6	.	.	.	.	1	.	.	.	1	3	2	1	4	2	.	.	.	19	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·5	102	15	5	1	20	39	14	8	1	.	.	3	1	.	1	.	6	1	4	1	14	7	.	.	4	59	2
	6. Clerks and Commercial Assistants, ...	30,432	13·8	105	32	4	14	19	23	9	4	2	.	.	8	1	1	4	.	22	8	2	2	10	3	2	.	.	40	4
	7. Miscellaneous- including all Householders in Second Class Localities, not included in above, ...	27,028	20·6	139	12	13	9	21	39	16	29	1	.	.	2	1	.	.	.	10	4	18	1	14	7	.	.	6	75	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	22·7	56	30	5	3	8	8	1	1	.	.	.	2	1	1	1	.	7	4	.	3	6	10	2	.	1	18	2
	9. Building and Furnishing Trades, ...	29,801	18·7	139	56	12	8	18	26	13	6	.	.	.	11	3	2	4	.	15	5	7	2	17	19	2	1	1	50	4
	10. Clothing Trades, ...	23,260	11·9	69	19	1	6	15	14	10	4	1	.	.	4	.	.	.	.	9	4	5	2	7	9	1	.	.	27	3
	11. Food Supply Trades, ...	9,242	18·6	43	19	4	1	10	8	1	.	.	.	.	4	.	2	1	.	3	4	1	1	8	2	1	.	1	15	2
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	169	33	9	12	38	39	23	15	1	.	.	6	.	.	1	.	26	8	6	1	17	19	1	1	3	79	3
	13. Petty Shopkeepers, ...	7,894	10·6	21	3	.	5	2	7	3	1	.	.	.	.	.	.	.	.	4	2	1	.	2	2	1	.	1	8	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	19·7	66	26	5	3	5	11	8	8	.	.	.	6	2	.	2	.	3	2	1	2	7	8	2	1	4	26	4
	15. Domestic Servants, ...	36,603	9·0	82	17	1	12	19	21	4	8	1	.	.	3	.	1	2	.	13	7	3	.	9	5	2	.	1	35	2
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	89	46	3	3	15	15	5	2	.	.	.	9	.	2	.	.	9	2	5	3	13	14	2	.	2	28	5
	17. Hawkers, Porters, Labourers, &c., ...	89,861	32·8	737	378	58	28	87	109	52	25	1	.	.	98	10	11	11	.	69	27	23	32	98	87	17	1	21	231	39
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	404	53	8	15	86	124	86	32	2	.	.	2	1	1	.	.	78	25	29	.	20	82	9	1	2	152	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-one of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18·9 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Armagh, 10·0; Ballymena, 13·0; Queenstown, 13·2; Clonmel, 14·0; Tralee, 14·6; Sligo, 14·7; Portadown, 15·3; Lisburn, 15·8; Kilkenny, 16·0; Dundalk, 16·8; Londonderry, 17·1; Belfast, 17·1; Limerick, 17·2; Lurgan, 17·5; Waterford, 18·4; Galway, 19·0; Newtownards, 20·2; Drogheda, 20·6; Cork, 20·7; Dublin registration area, 21·6; Wexford, 22·7; and Newry, 22·8.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in Lisburn to 3·0 in Newry, the 68 deaths from all causes for that district including one from enteric fever, and 8 from whooping-cough. Included in the 1,676 deaths from all causes for Belfast are 2 from enteric fever, one from typhus, 2 from measles, 7 from scarlet fever, 72 from whooping-cough, 8 from diphtheria, 36 from diarrhœal diseases, and one from *cerebro-spinal meningitis.*

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—There were 2 deaths for Belfast, and one for each of Dundalk and Newry.

Typhus.—In each of Belfast and Waterford there was one death.

Small-pox.—There was no mortality from this disease reported.

Measles.—Two deaths were registered for Belfast, 2 in Clonmel and one in Limerick.

Scarlet Fever.—There were 7 deaths in Belfast, 3 in Galway, 2 in Kilkenny, and one in each of Cork, Sligo, and Portadown.

Whooping-cough.—Of 108 deaths, 72 appertained to Belfast, 12 to Limerick, 8 to Newry, 7 to Portadown, 4 to Cork, 2 to each of Dundalk and Lurgan, and one to Ballymena.

Diphtheria.—In Belfast 8 deaths, and in each of Cork and Galway 2 deaths were registered; in each of Limerick, Waterford, Dundalk, and Tralee, one death from diphtheria was registered.

Diarrhœa and Enteritis.—Of 52 deaths of children under 2 years of age, 32 appertained to Belfast, 4 to Londonderry, 4 to Tralee, and 3 to Waterford.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 2·4 per 1,000 of the estimated population; for the Dublin registration area it was 2·6 per 1,000, for Belfast county borough, 2·3 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin registration area), it was 2·4 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 29th June, 1912,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
	Registration—Quarter (13 weeks) ending Saturday, 29th June, 1912. Numbers Registered.																											
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
Total of 22 Town Districts, ...	1,157,014	20·3	28·5	18·9	1·7	8,250	5,475	896	1,238	13	2	...	161	34	129	44	...	698	301	256	502	718	94	11	92	165	1,774	185
Dublin Registration Area:— Total	406,536	29·5	27·9	21·6	2·8	2,840	2,193†	368	426	9	...	...	156	19	21	28	...	260	96	100	246	281	42	5	44	59	886	73
City of Dublin, ...	311,601	39·4	31·3	23·2	3·1	2,437	1,805	323	317	8	...	...	146	15	18	15	...	217	85	70	210	247	37	5	41	55	774	56
Urban Districts. Rathmines and Rathgar, ...	38,889	22·7	15·5	16·9	2·1	151	164	16	49	1	...	...	6	3	2	5	...	16	6	7	11	16	3	...	1	3	48	6
Pembroke, ...	29,693	18·7	18·1	13·2	1·2	134	98	15	24	...	...	...	2	...	...	5	...	11	4	10	8	7	2	...	1	...	30	4
Blackrock, ...	9,126	8·4	16·7	17·1	0·9	38	39	2	14	...	...	...	...	1	...	1	...	7	1	4	4	4	...	...	...	...	10	1
Kingstown, ...	17,227	11·8	18·6	20·2	1·2	80	87	12	22	...	...	...	2	...	1	2	...	9	...	9	13	7	..	...	1	1	24	6
Urban Districts. Belfast, ...	391,051	26·6	30·8	17·1	1·3	3,007	1,676†	280	330	2	1	...	2	7	72	8	...	224	110	87	164	197	32	4	24	55	461	19
Cork, ...	76,632	33·8	27·3	20·7	0·4	523	396	58	106	...	...	...	...	1	4	2	...	69	24	19	21	58	1	...	5	14	147	14
Londonderry, ...	40,912	18·9	27·3	17·1	0·4	279	175	35	56	...	...	...	...	...	...	...	...	27	10	10	6	32	4	...	4	9	18	4
Limerick, ...	38,403	18·2	25·1	17·2	1·5	241	165	25	29	...	...	...	1	...	12	1	...	27	7	4	10	42	...	...	...	3	59	15
Waterford, ...	27,430	19·1	28·3	18·4	0·9	194	126	15	36	...	1	...	...	...	...	1	...	19	8	3	3	19	3	1	4	11	47	8
Galway, ...	13,249	2·5	24·5	19·0	2·1	81	63	6	35	...	...	...	...	3	...	2	...	4	3	1	2	13	2	...	1	...	20	11
Dundalk, ...	13,128	9·5	28·6	16·8	1·5	94	55	10	19	1	...	...	...	...	2	1	...	8	...	3	6	4	1	...	...	2	13	1
Drogheda, ...	12,425	8·4	28·7	20·6	0·3	89	64	8	26	...	...	...	...	...	...	...	...	3	7	5	7	4	1	...	...	1	10	5
Newry, ...	11,956	17·2	25·8	22·8	3·0	77	68	11	20	1	...	...	...	...	8	...	...	5	2	2	11	11	...	...	2	1	16	2
Lurgan, ...	12,135	14·3	23·7	17·5	0·7	72	53	10	10	...	...	...	...	...	2	...	...	10	6	2	6	6	...	...	2	2	10	2
Lisburn, ...	12,172	10·7	28·6	15·8	...	87	48	7	21	...	...	...	...	...	...	...	...	7	...	2	1	4	...	...	...	1	11	...
Wexford, ...	11,455	23·8	33·2	22·7	0·3	95	65	6	25	...	...	...	...	...	...	...	...	5	7	1	5	5	1	...	1	1	14	8
Ballymena, ...	11,376	9·3	26·4	13·0	0·4	75	37	5	12	...	...	...	...	..	1	...	...	3	1	4	3	4	...	...	2	3	4	2
Sligo, ...	11,163	3·8	19·7	14·7	0·4	55	41	6	8	...	...	...	...	1	...	...	...	3	8	2	...	3	...	...	...	...	15	4
Kilkenny, ...	10,513	11·4	20·9	16·0	0·8	55	42	4	13	...	...	...	...	2	...	...	...	8	1	2	3	8	...	...	...	...	16	3
Clonmel, ...	10,277	7·9	21·4	14·0	1·2	55	36	8	9	...	...	..	2	...	...	...	...	1	3	1	1	3	1	...	1	1	12	6
Portadown, ...	11,727	15·3	29·7	15·3	2·7	87	45	12	16	...	...	...	...	1	7	...	...	3	2	3	2	7	...	...	1	1	...	...
Tralee, ...	9,867	16·6	26·8	14·6	2·0	66	36	6	12	...	...	...	...	...	...	1	...	3	3	3	...	1	4	...	...	...	7	...
Newtownards, ...	9,110	18·9	32·9	20·2	0·4	75	46	8	14	...	...	...	...	...	...	...	...	8	1	1	1	10	1	...	1	1	5	2
Queenstown, ...	7,909	14·4	27·3	13·2	0·5	54	26	7	7	...	...	...	...	...	...	...	...	1	1	1	4	4	1	...	...	...	...	1
Armagh, ...	7,588	22·2	25·8	10·0	0·5	49	19	1	8	...	...	...	...	...	...	...	...	...	1	...	...	2	...	1	...	...	3	5

* In the cases of the districts comprising the Dublin registration area and for the cities of Belfast and Londonderry, the population given is that estimated to the middle of 1912; in the cases of the urban districts containing a population of over 10,000 in 1901, the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901.

† Including one death from *cerebro-spinal meningitis* in Dublin and one in Belfast.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 29th June, 1912,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911 (unrevised).	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	108	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		66	13	10	7	10	17	9	1	.	.	1	.	.	1	.	11	1	4	6	8	.	.	1	5	19	.
Do. 2 do.		373			221	34	16	32	24	64	51	.	.	.	.	.	8	.	.	22	8	8	22	28	3	.	3	5	38	5
Do. 3 do.		396			255	40	31	31	41	60	52	.	1	.	.	1	14	1	.	38	17	20	30	22	4	1	4	12	56	2
Do. 4 do.		364			179	37	17	28	29	28	40	.	.	.	.	1	10	1	.	24	3	7	15	21	4	1	3	5	83	1
Do. 5 do.		125			94	21	7	10	16	26	14	.	.	.	.	.	4	.	.	8	13	4	12	15	1	.	2	4	40	2
Do. 6 do.		196			122	17	18	12	21	23	31	.	.	.	.	1	11	2	.	18	6	6	16	12	1	.	3	4	32	1
Do. 7 do.		17			8	3	1	1	1	.	2	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	.	1	2
Do. 8 do.		29			18	2	2	4	1	4	5	.	.	.	.	.	1	.	.	5	.	.	2	3	.	.	.	.	4	.
Do. 9 do.		194			91	6	13	16	13	25	18	.	.	.	.	.	.	1	.	24	8	3	8	13	2	.	1	3	19	2
Do. 10 do.		273			121	27	6	21	22	23	22	.	.	.	1	1	4	.	.	22	4	7	11	11	5	.	3	4	30	1
Do. 11 do.		280			133	17	15	22	21	35	23	.	.	.	.	2	5	.	.	20	12	14	8	7	1	.	3	5	33	2
Do. 12 do.		355			145	33	29	17	21	29	16	.	.	.	.	1	10	1	.	6	21	4	10	30	8	2	.	4	30	.
Do. 13 do.		137			68	13	5	7	8	15	20	.	.	.	.	.	.	.	.	9	5	5	7	9	1	.	.	.	10	1
Do. 14 do.		.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		160			154	16	22	16	32	41	27	1	.	.	.	.	5	.	.	15	12	5	17	17	2	.	1	4	66	.
Total,	—	3,007			1,676*	280	192	224	260	390	330	2	1	.	2	7	72	8	.	224	110	87	164	197	32	4	24	55	461	19
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	77	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		61	8	2	10	8	11	22	.	.	.	.	.	1	.	.	12	3	6	1	7	.	.	.	.	31	1
Do. 2 do.		80			53	5	6	6	10	16	10	.	.	.	.	1	1	1	.	10	4	1	1	6	.	.	1	1	13	1
Do. 3 do.		87			45	11	7	2	7	7	11	.	.	.	.	.	.	.	.	5	1	1	2	16	.	.	.	1	9	4
Do. 4 do.		54			40	5	4	4	12	7	8	.	.	.	.	.	.	1	.	6	4	2	2	8	1	.	1	3	18	.
Do. 5 do.		38			39	5	.	6	9	7	12	.	.	.	.	.	.	.	.	8	3	3	2	5	.	.	.	1	18	1
Do. 6 do		76			74	11	2	6	15	18	22	.	.	.	.	.	1	.	.	12	4	4	5	7	.	.	1	4	32	3
Do. 7 do		111			84	13	5	9	18	18	21	.	.	.	.	.	1	.	.	16	5	2	8	9	.	.	2	4	26	4
Total,	—	523	20·7	0·4	396	58	26	43	79	84	106	.	.	.	.	1	4	2	.	69	24	19	21	58	1	.	5	14	147	14

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
27th July, 1912.

* See note (†) on page 416*i*.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 32838. Wt. P. 1.—10/139. 375. 12. 1912. Sch. C. 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, Ltd., 116 Grafton Street, Dublin; or
WYMAN & SONS, Ltd., Fetter Lane, E.C.; or
OLIVER & BOYD, Tweeddale Court, Edinburgh.

Printed by ALEX. THOM & Co., Limited, Abbey Street, Dublin. *Price* 1½*d.*

Vol. XLIX.] Week ending Saturday, 6th July, 1912. [No. 27.

General Register Office, Charlemont House, Dublin, 8th July, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 13·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 15	June 22	June 29	July 6	Average Rate for 4 weeks.	Towns, &c.	Week ending June 15	June 22	June 29	July 6	Average Rate for 4 weeks.
22 Town Districts, ...	**17·2**	**15·7**	**16·0**	**13·8**	**15·7**	Limerick	12·2	5·4	20·4	12·2	12·6
						Lisburn	8·6	17·1	12·9	12·9	12·9
Armagh	6·9	.	13·7	27·5	12·0	Londonderry	14·0	8·9	25·5	10·2	14·7
Ballymena	9·2	18·3	4·6	13·8	11·5	Lurgan	12·9	17·2	.	8·6	9·7
Belfast	14·4	16·7	12·8	12·1	14·0	Newry	17·4	34·9	30·5	21·8	26·1
Clonmel	10·1	20·3	30·4	10·1	17·7	Newtownards	17·2	34·3	17·2	5.7	18·6
Cork	13·6	16·3	27·2	12·2	17·3	Portadown	8·9	26·7	.	13·3	12·2
Drogheda	4·2	16·8	12·6	21·0	13·7	Queenstown	.	.	6·6	13·2	5·0
Dublin Reg. Area ...	22·7	15·3	15·9	16·0	17·5	Sligo	28·0	14·0	4·7	14·0	15·2
Dundalk	11·9	11·9	15·9	23·8	15·9	Tralee	5·3	26·4	10·6	15·9	14·6
Galway	27·5	15·7	43·3	3·9	22·6	Waterford	19·0	15·2	13·3	11·4	14·7
Kilkenny	24·8	9·9	19·8	24·8	19·8	Wexford	22·8	18·2	18·2	4·6	15·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in eighteen of the districts to 13·1 in Newry, the 5 deaths from all causes for that district including 3 from whooping-cough. Among the 91 deaths from all causes for Belfast are 2 from measles, 4 from whooping-cough and one from diarrhœa or *enteritis* of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 215—115 boys and 100 girls—and the deaths to 137—69 males and 68 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·0 per 1,000 of the population. During the twenty-seven weeks ending with Saturday last the death-rate averaged 23·1, and was 0·1 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 137, represent an annual rate of 17·6 per 1,000 ; the annual rate for the past twenty-seven weeks was 24·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·3 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths registered there were 7 from measles, 3 from scarlet fever, one death from each of whooping-cough, diphtheria, and influenza, and four deaths from diarrhœa and *enteritis* of children under 2 years of age.

In each of the 3 weeks preceding deaths from measles were 17, 11, and 4 ; deaths from scarlet fever were 0, 0, and one ; deaths from whooping-cough were one, one, and 0 ; deaths from diphtheria were 3, 2, and one ; deaths from influenza were 0, 0, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 3, 3, and 5.

There were 20 deaths from all forms of tuberculous disease, including 14 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, 2 deaths from abdominal tuberculosis, one death from tuberculous abscesses, and 2 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from tuberculosis (all forms) numbered 27, 23, and 22.

Pneumonia caused the deaths of 10 persons, of this figure 8 deaths were attributed to broncho-pneumonia and one death to each of lobar pneumonia, and *pneumonia* (type not distinguished).

Ten deaths from cancer were recorded.

Of 7 deaths ascribed to *convulsions*, 3 were of infants under one month old, 3 were between the ages of one month and one year, and one was between the ages of one year and 2 years.

Organic diseases of the heart accounted for 8 deaths, and 9 deaths were caused by bronchitis.

Three deaths of infants were due to prematurity, and 7 to congenital debility.

There was one death attributed to accidental violence, namely, that of a woman by an accidental fall.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old), and the death of one person aged 77 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 10 were under one month old) and 18 were aged 65 years and upwards, including 13 persons aged 70 and upwards ; among the latter were 9 aged 75 and upwards, of whom two (females) were stated to have been aged 90 and 93 years respectively.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 16 took place in the North Dublin Union Workhouse, 13 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·0 per 1,000 ; the rate in the City was 17·1 (North City Districts, 18·0 ; South, 16·1) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·5 (3·9 in the North City Districts, and 1·0 in the South), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·2 per 1,000 and include one death from scarlet fever, one death from broncho-pneumonia, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 28·6 per 1,000. Measles, scarlet fever, whooping-cough, and diphtheria each caused one death ; there were 4 deaths from tuberculous disease, and 3 deaths from broncho-pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·2 per 1,000. Measles and scarlet fever each caused one death ; there were 2 deaths from tuberculous disease, and one death from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·1 per 1,000. There were 3 deaths from measles, and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 4·5 ; and Finglas and Glasnevin, part of, 6·7. The only death for the last-named district was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 18·8 per 1,000, and include one death from measles, one death from pulmonary tuberculosis, 4 deaths from bronchitis, and one death from diarrhœa of a child under 2 years of age.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 28·6 per 1,000. There was one death from influenza, there were 4 deaths from tuberculous disease, and one death from *pneumonia.*

No. 3 *South City District* (Peter-street).—The deaths (9) are equal to an annual rate of 10·8 per 1,000. The deaths included 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 15·9 per 1,000. Pulmonary tuberculosis caused 3 deaths ; there was one death from broncho-pneumonia, one death from diarrhœa of a child, and one death from an accidental fall.

New Kilmainham District.—There were no deaths recorded for this district last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 12·1 ; Pembroke, 15·8 ; Blackrock, 5·7 ; and Kingstown, 12·1. The only death from any of the principal epidemic diseases tabulated for these districts was from measles for Rathmines and Rathgar. Among the 9 deaths from all causes for Rathmines and Rathgar is one from each of pulmonary tuberculosis, lobar pneumonia, and bronchitis. One death from each of abdominal tuberculosis and broncho-pneumonia is included in the 9 deaths from all causes for Pembroke. The only death for Blackrock is from broncho-pneumonia, and one of the 4 deaths from all causes for Kingstown is from abdominal tuberculosis.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 6th July, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 15,	.	—	—	16	.	.	7	.	2	2	4	.	—	—	.	—	8	—	39
	June 22,	.	—	—	17	.	.	9	.	.	6	5	.	—	—	.	—	8	—	45
	June 29,	.	—	—	12	.	.	4	.	2	6	8	.	—	—	.	—	10	—	42
	July 6,	.	—	—	14	.	.	4	.	.	3	4	.	—	—	.	—	14	—	39
Rathmines and Rathgar Urban District.	June 15,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	June 22,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	June 29,	.	—	—	6	.	.	1	.	.	.	.	.	—	—	—	—	—	—	7
	July 6,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	June 15,	.	7	4	2	.	.	1	.	.	.	.	.	2	2	—	—	.	—	18
	June 22,	.	16	1	.	.	.	.	.	.	.	.	.	.	2	—	—	.	—	19
	June 29,	.	11	.	2	.	.	.	.	.	.	.	.	.	10	—	—	.	—	23
	July 6,	.	18	1	1	.	.	1	.	.	.	1	.	.	4	—	—	.	—	26
Blackrock Urban District.	June 15,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	June 22,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 6,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	June 15,	.	—	—	4	.	.	.	.	.	.	1	.	—	—	—	—	.	—	5
	June 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	.	—	2
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	June 15,	.	—	—	16	.	.	.	.	.	4	.	.	—	—	.	—	6	.	26
	June 22,	.	—	—	12	.	.	1	.	1	.	2	.	—	—	.	—	7	.	23
	June 29,	.	—	—	15	.	.	4	.	.	1	5	.	—	—	.	—	9	.	34
	July 6,	.	—	—	12	.	.	3	.	.	2	4	.	—	—	.	—	12	.	33

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th July, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, one was discharged, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 16, and 19.

Thirty-two cases of measles were admitted to hospital during the week, 30 were discharged, there were 2 deaths, and 97 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 87, 98 and 97, respectively.

Twenty-eight cases of scarlet fever were admitted to hospital, 32 were discharged, there were 3 deaths and 136* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 157, 149, and 143, respectively.

Ten cases of diphtheria were admitted to hospital during the week and 7 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 44, and 45, respectively, were 48 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 13 were discharged and 8 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 10·3), was equal to an average annual death-rate of 10·8 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14·6 per 1,000, the rate for Glasgow being 14·2, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th July. From this Report it appears that of a total of 59 cases notified, 28 were phthisis, 21 scarlet fever, 5 diphtheria, 4 erysipelas, and one cerebro-spinal fever. Among the 293 cases of infectious diseases in hospital at the close of the week were 107 cases of scarlet fever, 59 of phthisis, 54 of measles, 28 of whooping-cough, 21 of diphtheria, 11 of erysipelas, 9 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 6th July, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 6th July, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 6th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 22nd June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,157,014	20·3	27·2	13·8	1·2	603	306	67	58	...	...	...	9	3	8	1	...	33	14	18	20	27	6	...	6	10	92	13	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:—Total. (c.) ...	406,536	29·5	27·6	16·0	2·1	215	125	29	16	...	...	...	7	3	1	1	...	13	6	8	10	11	4	...	1	3	54	4	e65·0	41·0	54·6	0·32	e67·0	41·0	56·9	0·80	e66	41	56·9	0·69
City of Dublin,	311,601	39·4	30·3	17·1	2·5	181	102	25	10	...	...	...	6	3	1	1	...	12	4	4	7	9	4	...	1	3	47	4	f66·0	50·9	57·6	0·24	f67·1	49·0	58·1	0·80	f66·5	48·0	58·5	0·66
																													g66·5	46·2	56·6	0·35	g66·9	46·0	57·7	0·89	g66·1	43·8	58·1	0·75
Urban Districts. Rathmines and Rathgar.	38,889	22·7	20·1	12·1	1·3	15	9	2	2	...	...	...	1	...	...	...	...	1	...	1	1	2	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	22·8	15·8	.	13	9	1	3	...	...	...	...	...	...	...	...	...	1	3	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	5·7	5·7	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	15·1	12·1	.	5	4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	67	51	57·3	0·35	67	48	57·3	0·98	66	46	57·5	0·55
Belfast ...	391,051	26·6	28·1	12·1	0·9	211	91	23	16	...	...	...	2	...	4	...	...	9	5	4	4	5	1	...	4	7	15	4	67	46	50·0	0·32	65·2	50·0	58·0	1·86	66	40	59·7	2·21
Cork, ...	76,632	33·8	22·5	12·2	.	33	18	3	4	...	...	...	...	...	...	...	...	2	1	...	2	2	...	...	...	...	12	2	65	50	57·4	0·05	65	50	56·1	1·89	63	49	56·0	1·36
Londonderry ...	40,912	18·9	37·0	10·2	.	29	8	1	1	...	...	...	...	...	...	...	...	1	1	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	32,403	18·2	23·1	12·2	.	17	9	2	2	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	3	1	70·8	47·5	58·0	0·14	63·6	45·2	56·0	0·85	67	48·1	57·4	2·12
Waterford, ...	27,430	19·1	17·1	11·4	.	9	6	...	2	...	...	...	...	...	...	...	...	1	...	2	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	7·9	3·9	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	72	48	58	0·10	66	50	57·4	1·11	64	44	57	1·89
Dundalk, ...	13,128	9·5	31·8	23·8	.	8	6	1	2	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	33·6	21·0	.	8	5	...	1	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	34·9	21·8	13·1	8	5	3	1	...	...	...	...	...	3	...	...	...	...	...	...	1	...	...	...	...	...	...	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31
Lurgan, ...	12,135	14·3	4·3	8·6	.	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31
Lisburn, ...	12,172	10·7	17·1	12·9	.	4	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31
Wexford. ...	11,455	23·8	22·8	4·6	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,376	9·3	22·9	13·8	.	5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	46·7	14·0	.	10	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	69	42	55·0	0·40	65	37	51·0	1·94	68	39	56·0	1·98
Kilkenny, ...	10,513	11·4	34·7	24·8	.	7	5	1	3	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	...	70	48	60·1	0·33	65	47	55·1	2·16	65	48	57·0	0·95
Clonmel, ...	10,277	7·9	15·2	10·1	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	40·0	13.3	.	9	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31
Tralee, ...	9,867	16·6	47·6	15·9	5·3	9	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	28·6	5·7	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64	49	55·6	0·07	64	48	55·2	1·32	66	42	54·6	1·52
Queenstown, ...	7,909	14·4	13·2	13·2	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	65	50	57·4	0·05	65	50	56·1	1·89	63	49	56·0	1·36
Armagh, ...	7,588	22·2	20·6	27·5	.	3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22	69·0	43·0	56·6	1·31

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 6th of July, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	1	3	.	.	.	1	.	.	.	.	1	.	.	.	7	.
Scarlet Fever,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Whooping-cough	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	3	1	.	.	.	.	1	3	1	3	.	1	.	.	.	13	1
Tuberculous Disease. { Other Forms,	.	1	1	.	.	.	.	.	1	1	.	.	.	1	.	1	6	.
Cancer,	1	1	.	1	.	.	.	1	.	.	.	.	1	3	.	.	8	2
Diseases of Nervous System,	.	4	2	1	1	.	.	2	1	1	.	.	.	2	.	.	14	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	1	1	.	1	.	1	2	1	2	.	.	.	.	.	10	.
" Respiratory System. { Pneumonia,	1	3	.	.	.	.	.	.	1	1	1	.	1	1	1	.	10	.
" Respiratory System. { Others,	1	.	1	.	.	.	1	4	1	1	.	.	2	.	.	.	11	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Digestive System. { Others,	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	5	2
" Genito-urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	2	.	.	.	4	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	2	2	.	3	1	.	.	2	2	1	2	.	1	1	.	1	18	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	1	.	.	.	.	.	1	.	.	4	.
Deaths from All Causes	7	22	9	13	2	1	1	15	12	9	11	.	9	9	1	4	125	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·2	28·6	15·2	20·1	19·3	4·5	6·7	18·8	28·6	19·8	15·9	.	12·1	15·8	5·7	12·1	16·0	.
	18·0							16·1					12·6					
	17·1																	
Ages at Death. { Under 1 year,	2	4	3	4	.	.	.	4	2	3	3	.	2	1	.	1	29	1
1 and under 2 years,	1	3	.	2	.	.	.	2	1	.	.	.	.	1	.	.	10	1
2 " 5 "	1	2	2	1	.	.	.	.	.	2	1	.	.	1	.	.	10	.
5 " 15 "	.	4	.	.	.	.	.	.	.	.	2	.	1	.	.	1	8	.
15 " 25 "	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
25 " 45 "	2	3	.	1	.	.	.	4	1	1	3	.	1	.	.	1	17	2
45 " 65 "	.	2	4	2	2	1	.	4	6	2	2	.	3	3	.	1	32	6
65 and upwards,	1	3	.	2	.	.	1	1	2	.	.	.	2	3	1	.	16	2
Number of Uncertified Deaths,	1	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	2	.	1	.	.	4	2	2	1	.	3	2	.	.	24	11
Workhouse Hospitals,	1	5	3	6	.	.	.	4	5	1	3	.	.	.	.	2	30	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1902–1911.	In the Week ending Saturday, 6th July, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 59·6	° 57·6	° 54·6										
ALL CAUSES.	149	138	138	140	130	146	140	122	143	120	136·6	137	10	20	11	10	8	3	19	38	9	9
Enteric Fever, ...	2	.	.	2	.	1	.	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	.	2	1	.	6	7	.	1	4	2·7	7	.	2	4	1	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	3	2	.	.	1	·8	3	.	.	.	2	1	.	.	.	.	.
Whooping-cough, ...	.	1	3	.	4	9	2	.	.	.	1·9	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	.	1	.	2	2	2	·7	1	.	.	1	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	1	1	.	1	.	.	.	1	·5	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	.	1	1	.	.	4	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	2	.	1	1	1	2	2	.	·9	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	1	.	2	.	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	26	28	23	26	21	17	19	11	7	19·6	14	.	.	.	.	1	.	8	4	1	.
Tuberculous Meningitis, ...	4	1	3	1	3	1	5	3	4	3	2·8	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	4	1	1	1	.	.	1	.	.	2	1·0	2	.	.	.	1	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	3	5	5	8	7	7	7	3	.	5·1	1	.	.	1	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	.	.	1	.	.	.	1	.	.
Venereal Diseases, ...	.	1	.	2	.	.	2	3	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	2	7	8	8	7	5	12	3	8	12	7·2	10	.	.	.	.	.	.	3	5	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	.	.	1	.	1	.	.	1	.	.
Alcoholism, ...	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	2	.	.	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	1	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		3	.	.	.	.	.	.	.	1	2	.
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		7	3	3	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	31	36	32	25	32	30	28	37	5	31·6	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...										.		1	.	.	.	1	.	.	.	.	.	.
Acute Endocarditis, ...										4		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										11		8	.	.	.	.	1	1	.	6	.	.
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	11	6	10	11	17	15	7	11	8	5	10·1	9	.	.	1	.	.	.	.	5	2	1
Broncho-pneumonia, ...	3	6	.	1	3	5	4	3	5	3	3·3	8	1	1	1	1	1	.	1	.	.	2
Lobar pneumonia, ...	1	1	.	.	.	2	2	1	.	1	·8	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	14	8	5	8	1	3	6	7	3	5	6·0	1	.	.	.	.	.	.	.	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	4	1	2	3	1	1	1	3	1	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		3	.	.	.	.	1	.	.	2	.	.

TWENTY-SEVENTH WEEK ending Saturday, 6th July, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 27th Week of the 10 years 1902–1911.	In the Week ending Saturday, 6th July, 1912.										
													Deaths of Persons of the Ages of									
	July 5, 1902.	July 11, 1903.	July 9, 1904.	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 58·9	° 60·4	° 57·2	° 59·1	° 55·8	° 51·6	° 60·8	° 56·7	° 55·5	° 59·6	° 57·6	° 54·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	1	7	6	1	1	3	4	7	4	3·7	4	.	4	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		1	.	.	.	1	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	2	2	.	.	1	2	.	.	1·4	4	.	.	1	.	.	.	1	2	.	.
Other Diseases of Liver, ...	1	1	1	2	1	.	.	.	1	.		1	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	.	1	.	.	.	1	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	2	2	4	3	3	9	6	3	.	3·3	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	2	8	2	7	5	5	7	5	8	.	5·0	1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...										1		2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		3	.	.	.	.	.	.	.	1	1	1
Puerperal Septicæmia, &c., ...	.	1	.	2	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	3	.	.	.	1	.	1	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	2	4	1	5	2	2	2	12	9	4·2	3	2	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	7	1	6	.	.	.	.	.	.	.	.
Old Age, ...	12	2	2	1	3	1	.	1	2	1	2·5	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	.	.	3	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	2	2	.	.	1	1	.	1	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	5	2	1	.	3	1	3	1	7	5	2·8	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	7	5	1	.	4	3	7	2	9	5	4·3	1	.	.	.	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	3	.	.	.	.	.	.	.	2	1	·6	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	1	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	4	.	.	.	.	.	.	1	.	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING:																									
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered.	265	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215
Average Births in corresponding week of previous 10 years, ...	214	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209
DEATHS registered, ...	179	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137
Annual Death-rate per 1,000, ...	23·0	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6
Average Deaths in corresponding week of previous 10 years, ...	194	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137
Ages, Under 5 years, ...	55	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51
5—15 " ...	10	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8
15—25 " ...	8	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3
25—45 " ...	23	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19
45—65 " ...	41	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38
65—75 " ...	25	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9
75 and upwards, ...	17	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9
Deaths from :—																										
Enteric Fever, ...	1	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7
Scarlet Fever, ...	2	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3
Whooping-cough, ...	3	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1
Diphtheria, ...	3	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1
Influenza, ...	1	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1
Dysentery, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	19	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14
Tuberculous Disease, Other Forms,	6	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6
Cancer, ...	12	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10
Diseases of Circulatory System,	25	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10
Diseases of Respiratory System, Pneumonia	12	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10
Diseases of Respiratory System, Others, ...	27	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12
Diarrhœa and *Enteritis*, under 2 years, ...	1	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4
Diarrhœa, 2 years and upwards,	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.
Violent Deaths, ...	4	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1
Number of Uncertified Deaths,	3	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4
Mean Temperature of the Air (Phœnix Park)	41·8	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6
Average Mean Temperature in corresponding week of previous 10 years, ...	40·2	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6
Rainfall in inches, ...	·478	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th July, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 6th July, 1912. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	137	51	8	3	19	38	9	9	.	.	.	7	3	1	1	.	14	6	10	7	10	12	4	.	1	61	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	5	1	1	3	12	2	4	.	.	.	.	.	.	.	.	.	.	3	.	3	4	.	.	.	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	11·8	25	11	1	.	2	8	1	2	.	.	.	2	1	1	.	.	3	.	2	2	2	2	.	.	1	9	2
IV.	GENERAL SERVICE CLASS, ...	154,279	16·6	49	25	5	.	5	9	2	3	.	.	.	3	2	.	1	.	1	2	1	5	4	3	.	.	.	27	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	9	1	2	9	8	2	.	.	.	.	2	.	.	.	.	10	4	2	.	1	3	4	.	.	5	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	21·3	9	1	.	.	.	6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	1	1	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	21.0	12	7	.	.	1	4	.	.	.	.	.	1	1	.	.	.	1	.	1	1	1	1	.	.	.	5	1
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	3	.	.	1	1	.	2	.	.	.	1	.	1	.	.	.	.	1	1	1	.	.	.	.	2	1
	13. Petty Shopkeepers	7,894	13.2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	1·4	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	3	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·6	39	21	5	.	4	6	2	1	.	.	.	2	2	.	1	.	1	1	.	4	4	3	.	.	.	21	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	31	9	1	2	9	8	2	.	.	.	.	2	.	.	.	.	10	4	2	.	1	3	4	.	.	5	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	May 18,	20·8	5·2	12	.	.	.	3	.	.	.	.	1	.	.	1	2	.	.	.	.
	„ 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	„ 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	„ 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	May 18,	26·0	3.9	20	.	.	.	1	.	1	.	.	3	1		3	1	1	.	1	1
	„ 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
	June 1,	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	„ 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	„ 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
	„ 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
	„ 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	May 18,	18·6	1·7	11	.	.	.	.	.	1	.	.	2	.	.	2	.	.	.	1	.
	„ 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	„ 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
	„ 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
	„ 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	May 18,	18·6	4·6	12	.	.	.	2	1	.	.	.	3	.	.	.	3	.	.	.	.
	„ 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	„ 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	„ 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
	„ 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
	„ 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	May 18,	21·3	.	17	.	.	.	.	.	.	.	.	1	1	3	2	3	.	.	.	.
	„ 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	„ 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	„ 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
	„ 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
	„ 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	May 18,	23·9	.	10	.	.	.	.	.	.	.	.	1	3	1	1	2	.	.	.	.
	„ 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	„ 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	„ 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
	„ 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
	„ 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	May 18,	16·8	1·2	14	1	.	.	.	.	.	.	.	2	1	1	2	1	.	.	.	1
	„ 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
	June 1,	19 2	1 2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	„ 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	„ 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
	„ 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
	July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	May 18,	14·5	1·4	10	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	.
	„ 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	„ 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	„ 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
	„ 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
	„ 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

Districts.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	May 18,	16·1	1·3	12	.	.	.	1	.	.	.	.	.	1	1	1	2	.	.	.	.
	„ 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	May 18,	8·8	.	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	May 18,	12·1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	13	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 25,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	May 18,	18·4	1·3	138	.	.	.	.	1	4	2	.	19	11	13	16	5	3	.	5	1
	„ 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
Cork. Pop. in 1911 76,632.	May 18,	22·5	.	33	.	.	.	.	.	.	.	.	4	1	1	3	5	.	.	1	1
	„ 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
Londonderry. Pop. in 1912 (Est.) 40,912.	May 18,	14·0	.	11	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1
	„ 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
Limerick. Pop. in 1911 38,403.	May 18,	17·7	.	13	.	.	.	.	.	.	.	.	3	.	.	.	3	.	.	.	2
	„ 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
Waterford. Pop. in 1911 27,430.	May 18,	26·6	1·9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	1	.
	„ 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1.9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.

* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th July, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	8	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	1	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Do. 2 do.		29			8	1	.	1	2	1	3	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	1	1
Do. 3 do.		39			10	3	.	1	2	2	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1	1	.
Do 4 do.		20			16	5	3	.	2	4	2	.	.	.	.	.	1	.	.	2	1	.	.	1	.	.	2	2	6	.
Do. 5 do.		9			6	1	.	1	1	1	2	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	1	1
Do. 6 do.		16			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		1			1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		13			3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	1	.
Do. 10 do.		14			7	4	1	.	2	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
Do. 11 do.		16			6	1	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 12 do.		15			13	2	5	1	2	1	2	.	.	.	.	.	3	.	.	.	2	.	.	2	.	.	.	1	2	.
Do. 13 do.		13			3	.	1	.	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do. 14 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			10	4	.	.	.	5	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	.
Total,	—	211			91	23	10	6	16	20	16	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	7	15	4
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	5	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do. 2 do.		5			1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.		3			5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3	.
Do. 5 do.		3			3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1
Do. 6 do.		6			3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 7 do.		7			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total,	—	33	12·2	.	18	3	2	3	4	2	4	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	.	12	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	215	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211
DEATHS registered, ...	146	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91
Annual Death rate per 1,000 of estimated population, ...	19·5	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1
AGES, Under 1 year, ...	32	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23
1—5 years, ...	16	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10
5—25 „ ...	12	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6
25—45 „ ...	20	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16
45—65 „ ...	35	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20
65 and upwards, ...	31	28	24	35	54	44	40	23	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2
Scarlet Fever, ...	.	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.
Whooping-cough, ...	6	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4
Diphtheria, ...	.	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9
Tuberculous Disease. Other Forms,	5	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5
Cancer, ...	8	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4
Diseases of Respiratory System, Pneumonia,	14	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4
Diseases of Respiratory System, Others, ...	20	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5
Diarrhœa, and *Enteritis*, under 2 years, ...	.	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1
Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.
Violent Deaths, ...	3	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4
Number of Uncertified Deaths, ...	1	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	July 6,	2,095	891	10·3	5	.	34	3	18	6	20*a*
Edinburgh, ...	321,200	„ 6,	108	85	13·8	.	.	2	.	6	.	1
Glasgow, ...	785,600	„ 6,	422	214	14·2	1	.	2	2	3	5	3
Calcutta, ...	896,067	June 1,	.	410	23·7	103*	3	.	.	.	.	68‡
Bombay, ...	979,445	„ 1,	364	721	38·3	97*	32	4	.	1	.	103‡
Madras, ...	518,660	May 11,	326	314	31·5	53*	2	2	?	?	?	79
Cairo, ...	699,228	„ 6,	578	483	36·0	.	1	6	.	.	5	105
Paris, ...	2,847,229	June 8,	812	907	16·3	6	1	21	4	10	5†	19*a*
Brussels, ...	745,380	„ 15,	253	198	13·8	1	.	8	.	.	.	9
Antwerp, ...	308,618	„ 15,	115	79	13·3	.	.	2	.	4	2†	8*a*
Amsterdam, ...	582,674	„ 15,	248	95	8·5	.	.	4	.	1	.	1*a*
Copenhagen, ...	465,000	„ 15,	221	128	14·4	.	.	1	1	4	.	.
Stockholm, ...	346,599	„ 15,	163	90	13·5	.	.	2	1	1	1	3
Christiania, ...	247,488	„ 22,	99	51*b*	10·7	.	.	3	.	.	2	2
St. Petersburg, ...	1,599,139	„ 1,	837	881	28·7	11	.	63	11	8	3	52
Moscow, ...	1,617,157	„ 1,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,079,444	„ 1,	757	551	13·9	1	.	5	5	7	9†	27
Hamburg, ...	953,079	„ 15,	.	234	12·8	2	.	2	1	2	6†	13
Breslau, ...	530,232	„ 15,	.	215	21·1	.	.	.	.	.	1	16
Munich, ...	610,000	„ 22,	.	176	15·0	.	.	3	.	1	1†	8
Vienna (with suburbs),	2,081,335	„ 15,	651	611	15·3	.	.	10	4	.	5†	35*a*
Buda-Pesth, ...	910,548	„ 15,	486	399	19·4	1	.	2	4	1	2†	16*a*
Prague and Faubourgs,	484,301	„ 1,	152	222	23·9	1	.	4	1	1	3†	10*a*
Trieste, ...	235,999	„ 15,	125	80	17·7	1	.	6	.	.	1†	.
Rome, ...	564,913	Feb. 24,	306	200	18·5	3	.	4	2	2	2	3
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	May 4,	2,319	1,542	15·6	2	.	25	20	8	28†	40*a*
Philadelphia, ...	1,606,105	„ 18,	.	435	14·1	3	.	1	4	5	7	12*a*
Boston, ...	720,031	June 15,	.	184	13·3	1	.	1	.	.	2	6

* Deaths from "fever," including 7 deaths from enteric fever and 30 from plague in Calcutta, and 4 from enteric fever and 40 from plague in Bombay.

† Including deaths from croup.

‡ Including 47 deaths from cholera in Calcutta, and 23 in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including 3 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th July, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
„ „ 1, West, ...	.	2	.	.	1	.	.	.	.	.	.	2	5
„ „ 2, ...	.	2	.	.	.	.	.	.	1	.	.	3	6
„ „ 3, ...	.	2	.	.	1	.	.	1	.	.	.	4	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	7	.	.	.	.	.	1	3	.	.	4	15
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
„ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	14	.	.	4	.	.	3	4	.	.	14	39

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th July, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th July.			
	June 15.	June 22.	June 29.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	16	19	3	1	.	21
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	87	98	97	32	30	2	97
Scarlet Fever, ...	157	149	143	28	32	3	136*
Diphtheria, ...	47	44	45	10	7	.	48
Pneumonia, ...	31	31	17	4	13	.	8

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 6th July, 1912:—

"Opening with the same unsettled conditions and broken showery weather which had continued through so many weeks, this period proved generally fine, dry and seasonable. This favourable change, so happily opportune in relation to the festival celebration of the Bicentenary of the School of Physic in Ireland, Trinity College, Dublin, was brought about by the extension over the British Isles of a vast anticyclone which rested upon the Atlantic, with its central area near the Azores. The atmospheric depressions of the previous week simultaneously moved away to the eastward and in great measure filled up. The result of these changes in the distribution of barometric pressure was the setting in of cool northerly (N.W. to N.E.) winds, which were accompanied at first by much cloud, but afterwards by sunshine (especially in the afternoons) and "east-wind" haze. The last-named condition was very marked on Saturday evening when it produced a "red sun." Although very fine in Ireland after Monday, no very high temperatures were recorded—on Friday the maximum in the shade at Birr Castle was 72°, but in Dublin owing to a wind off the sea the thermometer did not rise above 65·2° on that day. On Saturday the maximum was 66·0°. In Dublin the mean height of the barometer was 30·093 inches, the range of atmospheric pressure being from 29·835 inches at 9 a.m. of Sunday (wind, N.W.) to 30·315 inches at 9 p.m. of Thursday (wind, N.E.). The corrected mean temperature was 57·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·2°. The screened thermometers rose to 66·0° on Saturday, having fallen to 5·09° on Thursday. Rain fell on the first two days of the week to the amount of ·237 inch, of which ·207 inch was the result of very heavy showers on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·076 inches. The highest reading (30·299) was on Friday at 9 a.m., air calm, the lowest (29·844) on Sunday at 9 a.m., wind N.W.

The mean temperature for the week was 54·6°, being 3·0° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday and Saturday, on which days the thermometer registered 65°, and was lowest on Thursday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 54·8° and of the Wet Bulb, 52·3°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·320 inch.

At Greenwich the mean temperature for the week was 58·7°, the maximum 74·0°, and the minimum 51·1°; at Glasgow the maximum was 72·4°, the minimum 48·0°, and the mean 58·3°; and at Edinburgh the maximum was 63·2°, the minimum 48·4°, and the mean 54·9°. The rainfall at Greenwich measured 0·36 in.; at Glasgow 0·05 in.; and at Edinburgh 0·23 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, June 30,	29·875	63	46	54·5	55·9	53·4	·86	·3	1·3	·000	N.W.	W.N.W.
Monday, July 1,	29·970	63	52	57·5	56·1	52·8	·81	·5	1·7	·025	W.N.W.	N.N.W.
Tuesday, „ 2,	30·025	59	51	55·0	55·0	50·9	·76	·5	1·7	·295	N.W.	N.
Wednesday, „ 3,	30·120	60	50	55·0	53·1	51·0	·87	·4	4·5	·000	Calm.	N.E.
Thursday, „ 4,	30·270	64	41	52·5	53·6	51·9	·93	·4	7·6	·000	N.E.	Calm.
Friday, „ 5,	30·245	65	42	53·5	53·9	52·3	·91	·3	5·0	·000	Calm.	Calm.
Saturday, „ 6,	30·030	65	43	54·0	55·9	53·6	·80	·4	8·2	·000	Calm.	Calm.
Mean, ...	30·076	62·7	46·4	54·6	54·8	52·3	·85	·4	Total 30·0	Total ·320	—	

Sunday—Day cloudy, fine, showers at intervals a.m. and p.m.; night cloudy. *Monday*—A dull day, heavy showers at intervals, a.m. and p.m.; night cloudy. *Tuesday*—A dull day, cloudy; night cloudy. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day fine, cloudy; night clear. *Friday*—Day fine, light clouds; night clear, cloudy. *Saturday*—Day fine light clouds; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 6th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m.* Max.	Air Temperature in Shade, read at 9 p.m.* Min.	Air Temperature in Shade, read at 9 p.m.* Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, June 30,	59·1	58·9	55·8	64	53	58·5	2·5	·032
Monday, July 1,	58·8	59·0	55 8	64	52	58	2·0	·192
Tuesday, „ 2,	58 6	58·8	55·8	60	51	55·5	2·1	—
Wednesday, „ 3,	56·5	58·0	55·9	62	50	56	5·1	—
Thursday, „ 4,	57·6	58 0	55·9	63	49	56	7·5	—
Friday, „ 5,	59·0	59·0	55·9	65	52	58·5	5·2	—
Saturday, „ 6,	62·5	59·8	56·0	65	52	58·5	9 7	—
Weekly Mean, .	58·9	58·8	55 9	63	51	57	Total 34·1	Total ·224

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32719. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 13TH JULY, 1912. [No. 28.

General Register Office, Charlemont House, Dublin, 15th July, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 22	June 29	July 6	July 13	Average Rate for 4 weeks.	Towns, &c.	Week ending June 22	June 29	July 6	July 13	Average Rate for 4 weeks.
22 Town Districts, ...	**15·7**	**16·0**	**13·8**	**15·7**	**15·3**	Limerick	5·4	20·4	12·2	19·0	14·3
						Lisburn	17·1	12·9	12·9	30·0	18·2
Armagh	.	13·7	27·5	·	10·3	Londonderry	8·9	25·5	10·2	12·7	14·3
Ballymena	18·3	4·6	13·8	13·8	12·6	Lurgan	17·2	·	8·6	21·5	11·8
Belfast	16·7	12·8	12·1	15·9	14·4	Newry	34·9	30·5	21·8	26·2	28·3
Clonmel	20·3	30·4	10·1	10·1	17·7	Newtownards	34·3	17·2	5·7	11·4	17·1
Cork	16·3	27·2	12·2	14·3	17·5	Portadown	26·7	·	13·3	4·4	11·1
Drogheda	16·8	12·6	21·0	·	12·6	Queenstown	·	6·6	13·2	13.2	8·3
Dublin Reg. Area ...	15·3	15·9	16·0	16·0	15·8	Sligo	14·0	4·7	14·0	9·3	10·5
Dundalk	11·9	15·9	23·8	7·9	14·9	Tralee	26·4	10·6	15·9	5·3	14·6
Galway	15·7	43·3	3·9	15·7	19·6	Waterford	15·2	13·3	11·4	26·6	16·6
Kilkenny	9·9	19·8	24·8	34·7	22·3	Wexford	18·2	18·2	4·6	9·1	12·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·9 in Galway, the 4 deaths from all causes for that district including one from diphtheria and one from diarrhœa. Included in the 119 deaths from all causes for Belfast are one from enteric fever, 2 from measles, and 3 from diarrhœal diseases. One of the 14 deaths from all causes for Limerick is from whooping-cough, and one of the 6 deaths from all causes for Newry is also from this disease. Among the 3 deaths from all causes for Ballymena is one from whooping-cough, and the 7 deaths from all causes for Kilkenny include one from typhus.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—112 boys and 82 girls—and the deaths to 130—73 males and 57 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·0 per 1,000 of the population. During the twenty-eight weeks ending with Saturday last the death-rate averaged 22·8, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 130, represent an annual rate of 16·7 per 1,000 ; the annual rate for the past twenty-eight weeks was 24·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·1 per 1,000 of the mean population for all deaths registered.

There were 7 deaths from measles, one death from influenza, and 7 deaths from diarrhœa and *enteritis* of children under 2 years of age included in the total deaths registered.

In each of the 3 preceding weeks deaths from measles were 11, 4, and 7 ; deaths from influenza were 0, 0, and one ; and deaths from diarrhœa and *enteritis* of children under 2 years were 3, 5, and 4.

Deaths from all forms of tuberculosis, which in the 3 preceding weeks had numbered 23, 22, and 20 deaths respectively, were 22 in the period under notice ; the latter figure includes 13 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, 5 deaths from abdominal tuberculosis, and 3 deaths from disseminated tuberculosis.

Of 12 deaths from pneumonia (all forms), 5 were attributed to broncho-pneumonia, 4 to lobar pneumonia, and 3 to *pneumonia* (type not distinguished).

Nine deaths were caused by cancer.

Convulsions was the cause of the deaths of 3 infants under one year, and of one child between the ages of 2 years and 5 years.

Organic diseases of the heart accounted for 12 deaths, and bronchitis for 9 deaths.

There were 4 deaths from congenital debility, 3 from premature birth, and one from a congenital malformation (all of infants).

Of 3 deaths from accident or negligence one was by drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one infant under one year old, and the death of one person aged 75 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 9 were under one month old) and 20 were aged 65 years and upwards, including 14 persons aged 70 and upwards ; among the latter were 8 aged 75 and upwards.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 10 took place in the North Dublin Union Workhouse, and 6 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·0 per 1,000 ; the rate in the City was 18·1 (North City Districts, 20·3 ; South, 15·8) and in the Suburbs, 9·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (3·3 in the North City Districts, and 0·7 in the South), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·6 per 1,000, and include one from measles, 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·0 per 1,000. Of the deaths 2 were caused by measles, 3 by tuberculosis, 2 by broncho-pneumonia, 2 by lobar pneumonia, 2 by bronchitis, and 3 by diarrhœa and *enteritis* of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 15·2 per 1,000. Measles and influenza each caused one death, and there were 2 deaths from diarrhœa and *enteritis* of infants under 2 years of age.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 26·3 per 1,000. The deaths included one from measles, 3 from tuberculosis, and one from broncho-pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 8·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of 6·7. The 2 deaths for Coolock and Drumcondra, part of, were from tuberculous disease.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·5 per 1,000. Tuberculous disease caused 4 deaths ; there was one death from bronchitis, also one death from diarrhœa or *enteritis* of a child under 2 years of age, and one death by drowning.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 11·9 per 1,000. Of the deaths one was caused by pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·4 per 1,000. There were 3 deaths from tuberculous disease, one death from lobar pneumonia, and 2 deaths from *pneumonia.*

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 15·9 per 1,000 and include one death from measles, 3 deaths from tuberculosis, one death from each of lobar pneumonia and *pneumonia*, and 3 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 22·9 per 1000. Of the deaths one was caused by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·0 ; Pembroke, 8·8 ; Blackrock, 0·0 ; and Kingstown, 18·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and one from diarrhœa of a child under 2 years of age for Pembroke. One of the 5 deaths from all causes for Pembroke was from bronchitis.

(*) See Columns 10-17 and 23-24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 13th July, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 22,	.	—	—	17	.	.	9	.	.	6	5	.	—	—	.	—	8	—	45
	June 29,	.	—	—	12	.	.	4	.	2	6	8	.	—	—	.	—	10	—	42
	July 6,	.	—	—	14	.	.	4	.	.	3	4	.	—	—	.	—	14	—	39
	July 13,	.	—	—	13	.	.	3	.	.	2	4	.	—	—	.	—	12	—	34
Rathmines and Rathgar Urban District.	June 22,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	June 29,	.	—	—	6	.	.	1	.	.	.	.	.	—	—	—	—	—	—	7
	July 6,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	July 13,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	June 22,	.	16	1	.	.	.	.	.	.	.	.	.	.	2	—	—	.	—	19
	June 29,	.	11	.	2	.	.	.	.	.	.	.	.	.	10	—	—	.	—	23
	July 6,	.	18	1	1	.	.	1	.	.	.	1	.	.	4	—	—	.	—	26
	July 13,	.	11	.	6	.	.	.	.	.	.	.	.	.	9	—	—	.	—	26
Blackrock Urban District.	June 22,	.	—	—	6	.	.	.	.	.	.	.	.	—	—	.	—	—	—	6
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 6,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	July 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	June 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	.	—	2
	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	June 22,	.	—	—	12	.	.	1	.	1	.	2	.	—	—	.	—	7	.	23
	June 29,	.	—	—	15	.	.	4	.	.	1	5	.	—	—	.	—	9	.	34
	July 6,	.	—	—	12	.	.	3	.	.	2	4	.	—	—	.	—	12	.	33
	July 13,	.	—	—	7	.	.	4	1	.	1	2	.	—	—	.	—	7	.	22

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th July, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, and 23 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 16, 19, and 21.

Thirty-five cases of measles were admitted to hospital during the week, 27 were discharged, there were 5 deaths, and 100 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 98, 97 and 97, respectively.

Thirty-three cases of scarlet fever were admitted to hospital, 22 were discharged, and 147* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 149, 143 and 136, respectively.

Five cases of diphtheria were admitted to hospital during the week and 14 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 44, 45, and 48, respectively, were 39 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths and 11 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·3), was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·4 per 1,000, the rate for Glasgow being 12·3, and for Edinburgh 16·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th July. From this Report it appears that of a total of 58 cases notified, 25 were phthisis, 19 scarlet fever, 8 diphtheria, and 6 erysipelas. Among the 303 cases of infectious diseases in hospital at the close of the week were 112 cases of scarlet fever, 60 of phthisis, 46 of measles, 29 of whooping-cough, 28 of diphtheria, 13 of erysipelas, 8 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 13th July, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 13th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 29th June, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	24·2	15·7	1·2	538	349	60	71	1	1	...	9	...	3	1	...	41	21	21	24	31	9	2	2	9	106	13	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA :— TOTAL, (c.) ...	406,536	29·5	24·9	16·0	1·8	194	125	30	19	...	...	...	7	...	...	...	...	13	9	9	12	10	7	...	1	2	48	6	e67	40	56·6	0·49	e65	41	54·6	0·32	e67	41	56·9	0·80
CITY OF DUBLIN,	311,601	39·4	28·3	18·1	2·0	169	108	24	13	...	...	...	6	...	...	...	...	13	9	5	12	9	6	...	1	2	46	6	f68·3 / g67·9	49·8 / 44·0	58·4 / 57·5	0·48 / 0·47	f66·0 / g66·5	50·9 / 46·2	57·6 / 56·6	0·24 / 0·35	f67·1 / g66·9	49·0 / 46·0	58·1 / 57·7	0·80 / 0·89
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	21·5	8·0	.	16	6	2	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	5·3	8·8	3·5	3	5	3	1	...	...	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	11·4	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	18·2	.	4	6	1	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	66	49	57·9	0·58	67	51	57·3	0·35	67	48	57·3	0·98
Urban Districts. BELFAST ...	391,051	26·6	23·1	15·9	0·8	173	119	18	21	1	...	...	2	...	...	...	...	17	7	9	10	16	2	1	...	3	21	...	66	45	60·1	1·11	67	46	50·0	0·32	65·2	50·0	58·0	1·86
CORK, ...	76,632	33·8	26·5	14·3	.	39	21	3	7	...	...	...	...	...	...	...	...	3	1	2	...	1	...	...	...	...	10	2	66	48	55·8	0·63	65	50	57·4	0·05	65	50	56·1	1·89
LONDONDERRY ...	40,912	18·9	19·1	12·7	.	15	10	...	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	10·9	19·0	1·4	8	14	5	3	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	4	3	66·3	46·5	57·0	0·33	70·8	47·5	58·0	0·14	63·6	45·2	56·0	0·85
WATERFORD, ...	27,430	19·1	34·2	26·6	.	18	14	...	3	...	...	...	...	...	...	...	...	2	2	...	...	1	...	...	...	2	9	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	43·3	15·7	7·9	11	4	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	3	...	68	44	56	0·60	72	48	58	0·10	66	50	57·4	1·11
DUNDALK, ...	13,128	9·5	71·5	7·9	.	18	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	8·4	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	34·9	26·2	4·4	8	6	...	3	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	4	1	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22
LURGAN, ...	12,135	14·3	30·1	21·5	.	7	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22
LISBURN, ...	12,172	10·7	30·0	30·0	.	7	7	...	4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22
WEXFORD, ...	11,455	23·8	18·2	9·1	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	13·8	13·8	4·6	3	3	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	4·7	9·3	.	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	64	41	53·0	1·03	69	42	55·0	0·40	65	37	54·0	1·94
KILKENNY, ...	10,513	11·4	19·8	34·7	5·0	4	7	...	3	...	1	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	4	...	65	43	56·0	1·26	70	48	60·1	0·33	65	47	55·1	2·16
CLONMEL, ...	10,277	7·9	20·3	10·1	.	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	22·2	4·4	.	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22
TRALEE, ...	9,867	16·6	37·0	5·3	.	7	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	22·9	11·4	.	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	65	48	56·1	1·08	64	49	55·6	0·07	64	48	55·2	1·32
QUEENSTOWN, ...	7,909	14·4	13·2	13·2	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66	48	55·8	0·63	65	50	57·4	0·05	65	50	56·1	1·89
ARMAGH, ...	7,588	22·2	27·5	.	.	4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29	66·6	46·1	57·3	1·22

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons (including one at 71 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 13th of July, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	2	1	1	.	.	.	.	.	.	1	.	.	1	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	.	2	.	1	.	2	1	1	2	1	.	.	.	.	13	.
Tuberculous Disease. { Other Forms,	.	2	.	1	.	1	.	2	.	2	1	.	.	.	.	.	9	.
Cancer,	2	.	.	3	.	.	.	.	.	.	.	.	2	.	.	2	9	.
Diseases of Nervous System,	1	2	.	1	.	.	.	1	1	3	.	.	.	.	.	1	10	1
" Organs of Special Sense,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	1	.	3	.	.	1	3	2	1	.	3	1	.	.	.	15	.
" Respiratory System. { Pneumonia,	2	4	.	1	.	.	.	.	.	3	2	.	.	.	.	.	12	.
" Respiratory System. { Others,	2	2	1	.	.	.	.	1	.	.	3	.	.	1	.	.	10	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	3	2	.	.	.	.	1	.	.	.	.	.	1	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	2
" Genito-urinary System,	1	.	1	1	.	.	.	1	.	.	.	.	.	1	.	1	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	3	.	.	.	.	.	.	1	2	.	1	1	.	2	13	.
Violent Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	2
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	1	1	.	.	2	.	.	.	6	.
Deaths from All Causes	13	20	9	17	.	2	1	14	5	12	11	4	6	5	.	6	125	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·6	26·0	15·2	26·3	.	8·9	6·7	17·5	11·9	14·4	15·9	22·9	8·0	8·8	.	18·2	16·0	.
	20·3							15·8					9·3					
	18·1																	
Ages at Death. { Under 1 year,	3	6	4	3	.	.	.	1	.	4	3	.	2	3	.	1	30	.
1 and under 2 years,	1	2	1	.	.	.	.	1	.	1	1	.	.	.	.	.	7	.
2 " 5 "	2	4	2	.	.	.	.	3	1	.	1	.	.	.	.	1	14	.
5 " 15 "	.	.	.	1	.	.	.	2	2	.	2	.	.	.	.	1	8	.
15 " 25 "	.	2	.	1	.	2	.	1	.	3	.	.	.	.	.	.	9	.
25 " 45 "	2	2	1	7	.	.	.	4	1	1	2	1	1	.	.	.	22	2
45 " 65 "	3	2	1	3	.	.	.	1	1	2	.	1	.	1	.	1	16	2
65 and upwards,	2	2	.	2	.	.	1	1	.	1	2	2	3	1	.	2	19	1
Number of Uncertified Deaths,	.	.	.	3	.	1	.	.	.	2	.	.	.	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	2	4	.	1	.	5	2	7	4	.	2	.	.	.	32	5
Workhouse Hospitals,	1	5	3	1	.	.	.	3	.	.	3	.	.	.	.	.	16	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 28th Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th July, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 60·9	° 58·6	° 56·6										
ALL CAUSES.	129	124	146	145	140	161	156	136	118	172	142·7	130	9	21	7	14	8	9	24	18	12	8
Enteric Fever, ...	4	.	2	.	1	.	2	2	1	3	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	.	10	1	1	2	3	2	.	7	3·2	7	.	2	.	5	.	.	.	.	.	.
Scarlet Fever, ...	.	3	.	.	.	.	.	.	1	3	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	2	1	3	2	6	7	3	.	1	1	2·6	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	1	.	.	.	1	3	1	3	1·1	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	1	.	1	1	.	1	.	1	·5	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	1	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	1	.	1	1	.	·5	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	14	26	21	12	21	18	22	14	19	20	18·7	13	.	.	1	.	2	4	6	.	.	.
Tuberculous Meningitis, ...	1	1	2	2	1	2	1	3	4	4	2·1	1	.	.	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	3	5	1	.	1	.	.	1	.	.	1·1	5	.	2	.	2	.	1	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	2	6	3	9	5	6	4	5	4	.	5·2	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										6		3	.	1	1	1	.	.	.	.	.	.
Venereal Diseases, ...	1	1	2	1	1	3	2	1	.	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	6	3	5	8	4	10	9	9	5	4	6·3	9	.	.	.	.	.	.	1	3	3	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	2	1	.	.	2	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	2	.	.	1	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	1	1	.	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		3	.	.	.	1	1	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		1	.	.	.	.	.	.	.	1	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										5		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										1		4	.	3	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	26	29	30	30	38	43	38	41	22	3	33·6	3	.	.	.	.	.	1	1	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										20		12	.	.	.	.	.	.	3	3	4	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	13	7	17	6	9	14	9	8	15	10	10·8	9	.	2	.	1	.	.	1	1	3	1
Broncho-pneumonia, ...	3	1	2	3	2	8	7	1	3	7	3·7	5	.	4	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	3	1	.	.	1	1	.	·6	4	.	.	1	.	.	1	1	1	.	.
Pneumonia (type not distinguished)	3	2	6	4	6	6	3	5	3	3	4·1	3	.	.	1	.	1	1	.	.	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	4	1	2	1	2	.	2	3	1	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	1	.	.	.

TWENTY-EIGHTH WEEK ending Saturday, 13th July, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 23th Week of the 10 years 1902–1911.	In the Week ending Saturday, 13th July, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	July 12, 1902.	July 18, 1903.	July 16, 1904.	July 15, 1905.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 58·2	° 56·9	° 58·8	° 64·6	° 57·5	° 54·0	° 58·9	° 59·5	° 57·1	° 60·9	° 58·6	° 56·6										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	1	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	5	3	2	17	3	7	12	9	5	5	7·0	7	.	5	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		1	.	.	.	.	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	.	2	1	2	1	3	.	1	2	2·2	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	2	1	2	1	2	.	1	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	1	.	2	2	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	3	1	6	2	3	7	5	4	.	3·4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	3	7	6	9	1	6	5	6	2	6·0	3	.	.	1	1	.	.	1	.	.	.
Chronic Bright's Disease, ...										3		3	.	.	.	.	.	.	1	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										4		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	1	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	3	7	4	5	2	4	5	3	3·8	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	4	2	1	.	1	.	.	.	.	.	.
Old Age, ...	4	3	3	.	2	2	4	3	2	5	2·8	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	.	.	.	1	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	.	2	.	.	.	1	1	2	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	1	2	.	1	1	2	.	2	1·1	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	2	2	1	2	1	1	1	2	1·3	2	.	.	.	.	.	.	.	1	1	.
Total Deaths from Accident,	3	2	3	6	1	3	2	4	2	7	3·3	3	.	.	.	.	1	.	.	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Vehicles and Horses, ...	.	.	1	.	1	.	.	.	.	2	·4	1	.	.	.	.	.	.	.	.	1	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	1	1	.	1	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	6	1	1	.	.	1	.	1	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered.	198	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194
Average Births in corresponding week of previous 10 years, ...	212	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204
DEATHS registered, ...	212	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130
Annual Death-rate per 1,000, ...	27·2	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7
Average Deaths in corresponding week of previous 10 years, ...	193	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143
Ages, Under 5 years, ...	56	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51
5—15 " ...	10	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8
15—25 " ...	11	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9
25—45 " ...	36	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24
45—65 " ...	53	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18
65—75 " ...	31	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12
75 and upwards, ...	15	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8
Deaths from :—																										
Enteric Fever, ...	4	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7
Scarlet Fever, ...	3	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.
Whooping-cough, ...	6	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.
Diphtheria, ...	3	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.
Influenza, ...	.	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1
Dysentery, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	27	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13
Tuberculous Disease, Other Forms,	8	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9
Cancer, ...	5	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9
Diseases of Circulatory System,	25	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15
Diseases of Respiratory System, Pneumonia,	13	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12
Diseases of Respiratory System, Others, ...	27	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10
Diarrhœa and *Enteritis*, under 2 years, ...	4	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7
Diarrhœa, 2 years and upwards,	1	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.
Violent Deaths, ...	6	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3
Number of Uncertified Deaths,	10	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6
Mean Temperature of the Air (Phœnix Park)	42·7	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6
Average Mean Temperature in corresponding week of previous 10 years, ...	40·2	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6
Rainfall in inches, ...	655	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th July, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JULY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	130	51	8	9	24	18	12	8	.	.	.	7	.	.	.	.	13	9	9	4	12	10	7	.	3	56	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	9·6	16	4	.	2	3	3	1	3	.	.	.	.	.	.	.	.	.	1	3	.	2	.	.	.	1	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	11	3	3	5	7	3	3	.	.	.	1	.	.	.	.	6	.	3	2	2	1	2	.	1	17	4
IV.	GENERAL SERVICE CLASS, ...	154,279	20·6	61	28	5	4	14	4	6	.	.	.	.	6	.	.	.	.	7	5	1	2	7	5	2	.	1	25	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	16	8	.	.	2	2	2	2	.	.	.	.	.	.	.	.	.	3	2	.	.	4	3	.	.	4	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	4·7	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	22.7	13	5	1	1	3	1	1	1	.	.	.	1	.	.	.	.	3	.	2	1	.	.	2	.	.	4	2
	10. Clothing Trades, ...	23,260	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	2	2	2	.	4	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	6	.
	13. Petty Shopkeepers	7,894	33.0	5	1	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	2
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	15. Domestic Servants, ...	36,603	8·5	6	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	43·5	12	4	1	.	5	.	2	.	.	.	.	1	.	.	.	.	3	.	1	.	1	.	.	.	1	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	23·8	41	22	4	3	6	3	3	.	.	.	.	5	.	.	.	.	2	5	.	2	6	5	1	.	.	15	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	16	8	.	.	2	2	2	2	.	.	.	.	.	.	.	.	.	3	2	.	.	4	3	.	.	4	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	May 25,	26·0	3·5	15	.	.	.	1	.	1	.	.	1	1	.	.	2	.	.	1	1
		June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
		„ 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
		„ 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
		„ 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
		„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
		July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
		„ 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	May 25,	23·4	5.2	18	.	.	.	2	.	1	.	.	2	1	1	2	1	1	.	.	2
		June 1	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
		„ 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
		„ 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
		„ 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
		„ 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
		July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
		„ 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	May 25,	22·0	1·7	13	.	.	.	1	.	.	.	.	.	.	1	2	2	.	.	.	.
		June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
		„ 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
		„ 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
		„ 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
		„ 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
		July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.		1
		„ 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	May 25,	21·7	3·1	14	.	.	.	1	1	.	.	.	3	.	.	2	.	.	.	1	.
		June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
		„ 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
		„ 15,	27·8	4·6	18	.	.	.	1		1	1	.	1	1	.	1	2	.	.	1	.
		„ 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
		„ 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
		July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
		„ 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	May 25,	18·8	1·3	15	.	.	.	1	.	.	.	.	3	1	.	1	1	.	.	.	.
		June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
		„ 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
		„ 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
		„ 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
		„ 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
		July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
		„ 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	May 25,	19·1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
		June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
		„ 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
		„ 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
		„ 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
		„ 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
		July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
		„ 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	May 25,	15·6	3·6	13	.	.	.	1	.	.	.	.	3	.	.	2	2	2	.	.	.
		June 1,	19 2	1·2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
		„ 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
		„ 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
		„ 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
		„ 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
		July 6,	10 8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		„ 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	May 25,	18·8	2·9	13	.	.	.	2	.	.	.	.	.	.	.	1	3	.	.	.	1
		June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
		„ 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
		„ 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
		„ 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
		„ 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
		July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
		„ 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	May 25,	9·4	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	May 25,	12·3	3·5	7	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.
	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	May 25,	3·0	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	3	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	May 25,	17·1	1·5	128	.	.	.	.	1	8	.	.	23	9	4	13	8	2	.	2	1
	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
Cork. Pop. in 1911 76,632.	May 25,	17·7	.	26	.	.	.	.	.	.	.	.	8	1	1	1	5	.	.	1	3
	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
Londonderry. Pop. in 1912 (Est.) 40,912.	May 25,	15·3	.	12	.	.	.	.	.	.	.	.	1	1	3	.	1	.	.	1	.
	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	May 25,	16·3	2·7	12	.	.	.	.	.	2	.	.	1	.	.	.	5	.	.	.	.
	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
Waterford. Pop. in 1911 27,430.	May 25,	19·0	1·9	10	.	.	.	.	.	.	.	.	3	.	.	.	2	.	1	1	1
	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1·9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th July, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	7			8	2	.	1	1	3	1	1	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	3	.
Do. 2 do.		22			16	4	1	3	2	3	3	.	.	.	.	.	.	.	.	1	1	1	2	2	.	.	.	.	2	.
Do. 3 do.		26			11	4	.	2	.	4	1	.	.	.	1	.	.	.	.	1	1	2	1	.	1	.	.	.	1	.
Do. 4 do.		23			10	3	2	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	2	.
Do. 5 do.		10			5	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.
Do. 6 do.		12			12	1	1	2	1	5	2	.	.	.	.	.	.	.	.	3	.	1	2	1	1	.	.	1	2	.
Do. 7 do.		1			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.		4			10	1	1	3	3	2	.	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	.	2	.
Do. 10 do.		14			8	.	1	2	2	2	1	.	.	.	1	.	.	.	.	4	.	1	1	.	.	1	.	.	2	.
Do. 11 do.		20			8	.	.	2	2	4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 12 do.		19			14	2	3	2	1	2	4	.	.	.	.	.	.	.	.	1	1	1	.	5	.	.	.	1	1	.
Do. 13 do.		4			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			10	.	.	1	3	3	3	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	3	.
Total,	—	173			119	18	9	20	16	35	21	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	3	21	.
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	4	14·3	.	3	.	1	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do. 2 do.		6			2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 3 do.		9			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do. 4 do.		2			5	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 5 do.		4			3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Do. 6 do.		6			2	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do. 7 do.		8			4	.	.	.	1	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Total,	—	39			21	3	3	1	4	3	7	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	.	10	2

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.
No. of weeks in Annual Series,	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
BIRTHS registered, ...	231	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173
DEATHS registered, ...	156	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119
Annual Death rate per 1,000 of estimated population, ...	20·8	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9
AGES, Under 1 year, ...	35	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18
1—5 years, ...	26	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9
5—25 ,, ...	15	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20
25—45 ,, ...	21	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16
45—65 ,, ...	31	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35
65 and upwards, ...	28	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21
Deaths from :—																										
Enteric Fever, ...	.	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2
Scarlet Fever, ...	.	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.
Whooping-cough, ...	12	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.
Diphtheria, ...	.	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17
Tuberculous Disease. Other Forms,	3	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7
Cancer, ...	7	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9
Diseases of Respiratory System, Pneumonia,	20	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10
Diseases of Respiratory System, Others, ...	17	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16
Diarrhœa, and *Enteritis*, under 2 years, ...	4	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1
Violent Deaths, ...	4	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.
Number of Uncertified Deaths, ...	3	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	July 13,	2,070	980	11·3	2	.	32	4	20	8	17*a*
Edinburgh, ...	321,200	„ 13,	146	99	16·1	.	.	.	.	.	1	.
Glasgow, ...	785,600	„ 13,	442	185	12·3	1	.	1	1	2	1	2
Calcutta, ...	896,067	June 8,	.	401	23·2	79*	2	3	.	.	1	57‡
Bombay, ...	979,445	„ 8,	349	663	35·2	76*	23	1	.	.	.	77‡
Madras, ...	518,660	May 18,	293	373	37·4	80*	5	3	?	?	?	94
Cairo, ...	699,228	„ 13,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	June 15,	906	869	15·6	6	.	26	8	6	5†	24*a*
Brussels, ...	745,380	„ 22,	229	124	8·7	.	.	2	.	3	1	6
Antwerp, ...	308,618	„ 22,	138	71	12·0	.	.	2	.	.	2†	8*a*
Amsterdam, ...	582,674	„ 22,	262	106	9·5	.	.	6	1	1	1	1*a*
Copenhagen, ...	465,000	„ 22,	185	111	12·4	.	.	1	3	3	.	5
Stockholm, ...	346,599	„ 22,	130	69	10·4	.	.	2	.	1	.	6
Christiania, ...	247,488	„ 29,	107	61	12·8	.	.	3	.	.	2	3
St. Petersburg, ...	1,599,139	„ 8,	861	741	24·2	6	3	51	11	5	5	66
Moscow, ...	1,617,157	„ 1,	.	711	22·9	3	.	22	10	9	6	51
Berlin, ...	2,079,496	„ 8,	826	564	14·2	.	.	11	6	12	12†	25
Hamburg, ...	953,079	„ 22,	.	220	12·0	.	.	1	2	2	6†	10
Breslau, ...	530,232	„ 22,	.	178	17·5	.	.	.	.	2	.	14
Munich, ...	610,000	„ 29,	.	184	15·7	.	.	2	.	.	1†	11
Vienna (with suburbs),	2,081,335	„ 22,	758	634	15·8	.	.	12	10	.	5†	34*a*
Buda-Pesth, ...	910,548	„ 22,	436	280	16·0	1	.	3	3	2	1†	22*a*
Prague and Faubourgs,	484,301	„ 8,	217	189	20·3	.	.	5	.	.	1†	8*a*
Trieste, ...	235,999	„ 22,	128	99	21·9	.	.	6	.	.	.	4
Rome, ...	564,913	Mar. 2,	296	184	17·0	2	.	2	.	3	3	9
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	May 11,	2,204	1,461	14·7	4	.	29	20	10	24†	34*a*
Philadelphia, ...	1,606,105	„ 25,	.	450	14·6	3	.	1	.	4	9	15*a*
Boston, ...	720,031	June 22,	.	194	14·1	6	.	3	1	.	3	12

* Deaths from "fever," including 3 deaths from enteric fever and 31 from plague in Calcutta, 2 from enteric fever and 26 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 36 deaths from cholera in Calcutta, and 21 in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th July, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
" " 1, West, ...	.	1	.	.	.	.	.	.	2	.	.	.	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3, ...	.	6	.	.	.	.	.	.	.	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	1	.	.	1	2	.	.	6	13
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 4, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	13	.	.	3	.	.	2	4	.	.	12	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th July, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th July.			
	June 22.	June 29.	July 6.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	16	19	21	2	.	.	23
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	98	97	97	35	27	5	100
Scarlet Fever, ...	149	143	136	33	22	.	147*
Diphtheria, ...	44	45	48	5	14	.	39
Pneumonia, ...	31	17	8	7	2	2	11

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ended 13th July, 1912:—

"The weather broke in Ireland during the course of Sunday, when a V-shaped secondary depression arrived from the Atlantic over this country, while a large primary spread eastwards across Iceland. In connection with the former system rain fell in most parts of the British Isles, and a thunderstorm occurred in London. Monday proved chiefly fine in Dublin, but in the evening a sheet of filmy cirrus cloud overspread the sky, proving a harbinger of unsettled, dull and rainy weather, in Ireland, which lasted until Friday night. In England—at least in the southern districts—much finer and more summerlike conditions asserted themselves from time to time, and on Thursday and Friday the heat was intense, especially in London and its neighbourhood. On Thursday the thermometer rose to 78° at South Kensington, 80° at Camden Square, and 81° at Greenwich; on Friday the corresponding figures were 88°, 91°, and 90°. Very different was the Dublin record, for the maximum on Thursday was only 63·1° and on Friday, 60·4°. These contrasts of weather are not unusual in summer, when an area of low pressure lies upon the Atlantic, while an anticyclone exists over Central Europe. This actually occurred on Thursday, at 7 a.m. of which day the barometer ranged from 28·79 inches at Reykjavik in Iceland to 30·14 inches at Berlin. The resulting southerly wind blew dry and hot from the Continent over England, but moist and cool from the Ocean over Ireland. As another V-shaped depression travelled eastwards from Ireland to Great Britain on Friday, the wind veered to N.W. in the former Island, whereas thunderstorms broke out over England. Saturday was very fine, a ridge of high barometric pressure spreading eastwards over Ireland. In Dublin the mean height of the barometer was 29·929 inches, pressure ranging between 29·704 inches at 4 p.m. of Wednesday (wind, S.W.) and 30·170 inches at 9 p.m. of Saturday (wind, N.E.). The corrected mean temperature was 58·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·8°. On Wednesday the screened thermometers rose to 68·3°, having fallen to 49·8° on Tuesday. The dominant winds were S. and W. Rain fell on 5 days, the amount being ·481 inch, of which ·249 inch was measured on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·991 inches. The highest reading (31·149) was on Saturday at 9 p.m., air calm, the lowest (29·719) on Wednesday at 9 a.m., wind S.

The mean temperature for the week was 56·6°, being 2·0° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday and Wednesday, on which days the thermometer registered 67°, and was lowest on Tuesday, the mercury having fallen to 40°. The mean of the Dry Bulb for the week was 57·2° and of the Wet Bulb, 54·0°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·490 inch.

At Greenwich the mean temperature for the week was 67·0°, the maximum 90·0°, and the minimum 49·6°; at Glasgow the maximum was 72·0°, the minimum 48·0°, and the mean 59·2°; and at Edinburgh the maximum was 74·6°, the minimum 49·7°, and the mean 59·0°. The rainfall at Greenwich measured 0·20 in.; at Glasgow 0·83 in.; and at Edinburgh 0·31 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 7,	29·915	65	44	54·5	58·3	55·8	·86	·5	1·3	·060	W.S.W.	S.S.W.
Monday, " 8,	29·990	63	50	56·5	53·9	49·6	·75	·3	7·8	·005	W.S.W.	Calm.
Tuesday, " 9,	29·965	67	40	53·5	57·7	52·9	·75	·4	7·4	·000	S.S.W.	E.S.E.
Wednesday, " 10,	29·750	67	54	60·5	59·0	56·5	·86	·3	0·0	·030	S.	Calm.
Thursday, " 11,	29·845	64	48	56·0	57·6	54·0	·81	·4	5·8	·315	Calm.	Calm.
Friday, " 12,	29·834	61	54	57·5	56·6	55·7	·95	·5	0·0	·080	Calm	W.
Saturday, " 13,	30·635	65	50	57·5	57·0	53·6	·81	·3	7·2	·000	N.W.	Calm.
Mean, ...	29·991	64·6	48·6	56·6	57·2	54·0	·83	·4	Total 29·5	Total ·490	—	

Sunday—Day overcast, showers at intervals p.m.; night cloudy, showers from m.n. to 3.20 a.m. *Monday*—A bright day, light clouds, heavy shower 12 noon to 12.20 p.m.; night clear. *Tuesday*—A dull day; night cloudy. *Wednesday*—A dull day, heavy shower 5.25 p.m. to 5.40 p.m., drizzling 6.0 p.m. to 6.35 p.m.; night cloudy. *Thursday*—A bright morning, heavy and light showers p.m.; night cloudy, showers a.m. *Friday*—Day overcast, rain from 7.10 a.m. to 11.20 a.m., light showers p.m.; night cloudy. *Saturday*—A bright day, light clouds; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 13th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 7,	62·8	60·7	56·1	67	48·5	57·7	3·2	·064
Monday, " 8,	59	61	56·4	64·6	50·2	57·4	10	·003
Tuesday, " 9,	61	60·2	56·8	65·5	48	56 7	6·7	—
Wednesday, " 10,	64	60	56·5	69	53·8	61·4	0·84	·015
Thursday, " 11,	61	60·1	56·8	62·8	52·1	57·5	4·86	·244
Friday, " 12,	61·2	60·2	56·7	61·1	54·4	57 7	—	·078
Saturday, " 13,	58·2	59·7	57	65·4	51	58·2	7·9	—
Weekly Mean,	61·0	60·3	56·6	65·1	51·1	58·1	Total 33·5	Total ·404

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32719. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 20TH JULY, 1912. [No. 29.

General Register Office, Charlemont House, Dublin, 22nd July, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending June 29	Week ending July 6	Week ending July 13	Week ending July 20	Average Rate for 4 weeks.
22 Town Districts, ...	**16·0**	**13·8**	**15·7**	**14·5**	**15·0**
Armagh	13·7	27·5	·	13·7	13·7
Ballymena	4·6	13·8	13·8	18·3	12·6
Belfast	12·8	12·1	15·9	14·5	13·8
Clonmel	30·4	10·1	10·1	10·1	15·2
Cork	27·2	12·2	14·3	10·2	16·0
Drogheda	12·6	21·0	·	12·6	11·6
Dublin Reg. Area ...	15·9	16·0	16·0	15·4	15·8
Dundalk	15·9	23·8	7·9	7·9	13·9
Galway	43·3	3·9	15·7	19·7	20·6
Kilkenny	19·8	24·8	34·7	14·9	23·5
Limerick	20·4	12·2	19·0	19·0	17·6
Lisburn	12·9	12·9	30·0	8·6	16·1
Londonderry	25·5	10·2	12·7	15·3	15·9
Lurgan	·	8·6	21·5	12·9	10·8
Newry	30·5	21·8	26·2	13·1	22·9
Newtownards	17·2	5.7	11·4	5·7	10·0
Portadown	·	13·3	4·4	·	4·4
Queenstown	6·6	13·2	13.2	13·2	11·6
Sligo	4·7	14·0	9·3	14·0	10·5
Tralee	10·6	15·9	5·3	21·1	13·2
Waterford	13·3	11·4	26·6	15·2	16·6
Wexford	18·2	4·6	9·1	18·2	12·5

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 8·7 in Newry, 2 of the 3 deaths from all causes for that district being from whooping-cough. Included in the 109 deaths from all causes for Belfast are 3 from measles, 2 from whooping-cough, and 5 from diarrhœal diseases. Four of the 14 deaths from all causes for Limerick are from diarrhœal diseases, and one death from whooping-cough is among the 4 deaths from all causes for Ballymena.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—107 boys and 101 girls—and the deaths to 131—69 males and 62 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·4 per 1,000 of the population. During the twenty-nine weeks ending with Saturday last the death-rate averaged 22·6, and was 0·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 131, represent an annual rate of 16·8 per 1,000 ; the annual rate for the past twenty-nine weeks was 23·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·0 per 1,000 of the mean population for all deaths registered.

Among the deaths registered during the week there were 8* from measles, 3* from diphtheria, and 7 from diarrhœa and *enteritis* of children under 2 years of age.

In the preceding 3 weeks deaths from measles were respectively 4, 7, and 7 ; deaths from diphtheria were one, one, and 0 ; and deaths from diarrhœa and *enteritis* under 2 years were 5, 4, and 7.

Deaths from all forms of tuberculosis numbered 28 ; in the 3 preceding weeks such deaths were 22, 20, and 22, respectively. The 28 deaths included 21 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculous stomatitis, and one from disseminated tuberculosis.

There was one death from broncho-pneumonia, and there were 3 deaths from lobar pneumonia.

Eleven deaths were assigned to cancer.

There were 3 deaths from meningitis. Of 2 deaths from *convulsions*, one was of an infant under one year, and one was between the ages of one year and 2 years.

Organic diseases of the heart caused the deaths of 9 persons, and bronchitis accounted for 9 deaths.

Congenital malformations caused 3 deaths, premature birth 4 deaths, and congenital debility 4 deaths, all being of infants under one year of age.

There was one death by accidental violence, and one death by suicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one infant under one year old, and the deaths of 2 persons aged 65 years and upwards.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 8 were under one month old) and 25 were aged 65 years and upwards, including 18 persons aged 70 and upwards ; among the latter were 11 aged 75 and upwards, of whom one (a male) was stated to have been aged 91 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 10 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·4 per 1,000 ; the rate in the City was 17·2 (North City Districts, 17·0 ; South, 17·5) and in the Suburbs, 9·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 2·3, and in the South 3·1), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include one death from diphtheria, 3 deaths from tuberculosis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·1 per 1,000. There was one death from measles ; 5 deaths were from tuberculosis, and there was one death from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·3 per 1,000. Measles caused 3 deaths ; there were 2 deaths from pulmonary tuberculosis, and one suicidal death.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·5 per 1,000. Of the total, 3 deaths were caused by tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 13·5.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 18·8 per 1,000. Measles and diphtheria each caused one death ; there were 5 deaths from pulmonary tuberculosis, 2 deaths from lobar pneumonia, 2 deaths from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·3 per 1,000, and include 2 deaths from tuberculosis and one death from broncho-pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000. There were 2 deaths from tuberculosis, one death from lobar pneumonia, 2 deaths from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 23·2 per 1,000. Measles caused 2 deaths, there were 4 deaths from tuberculosis, one from bronchitis, and one from diarrhœa of a child under 2 years.

New Kilmainham District.—There were no deaths recorded for this district last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 8·0 ; Pembroke, 7·0 ; Blackrock, 28·6 ; and Kingstown, 6·1. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Included in the 6 deaths from all causes for the first-named district are 2 from bronchitis One of the 5 deaths from all causes for Blackrock is from pulmonary tuberculosis ; and one of the 2 deaths for Kingstown is also from pulmonary tuberculosis.

* See Note (*c*) Table II.
(†) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 20th July, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	June 29,	.	—	—	12	.	.	4	.	2	6	8	.	—	—	.	—	10	—	42
	July 6,	.	—	—	14	.	.	4	.	.	3	4	.	—	—	.	—	14	—	39
	July 13,	.	—	—	13	.	.	3	.	.	2	4	.	—	—	.	—	12	—	34
	July 20,	.	—	—	13	.	.	10	.	.	4	6	.	—	—	.	—	2	—	35
Rathmines and Rathgar Urban District.	June 29,	.	—	—	6	.	.	1	.	.	.	.	.	—	—	—	—	—	—	7
	July 6,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	July 13,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	July 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	June 29,	.	11	.	2	.	.	.	.	.	.	.	.	.	10	—	—	.	—	23
	July 6,	.	18	1	1	.	.	1	.	.	.	1	.	.	4	—	—	.	—	26
	July 13,	.	11	.	6	.	.	.	.	.	.	.	.	—	9	—	—	.	—	26
	July 20,	.	12	.	2	.	.	.	.	.	.	.	.	—	13	—	—	.	—	27
Blackrock Urban District.	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	July 6,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	July 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	July 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
Kingstown Urban District.	June 29,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	July 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	July 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
City of Belfast.	June 29,	.	—	—	15	.	.	4	.	.	1	5	.	—	—	.	—	9	.	34
	July 6,	.	—	—	12	.	.	3	.	.	2	4	.	—	—	.	—	12	.	33
	July 13,	.	—	—	7	.	.	4	1	.	1	2	.	—	—	.	—	7	.	22
	July 20,	.	—	—	11	.	.	7	.	.	.	5	1	—	—	.	—	6	.	30

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th July, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 19, 21, and 23.

Twenty-one cases of measles were admitted to hospital during the week, 23 were discharged, there were 3 deaths, and 95 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 97, 97 and 100, respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 22 were discharged, and 147* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 143, 136 and 147, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 48, and 39, respectively, were 42 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 3 were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 12·2), was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 12·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th July. From this Report it appears that of a total of 46 cases notified, 21 were phthisis, 12 scarlet fever, 9 erysipelas, 3 diphtheria, and one puerperal fever. Among the 281 cases of infectious diseases in hospital at the close of the week were 104 cases of scarlet fever, 62 of phthisis, 33 of measles, 30 of whooping-cough, 27 of diphtheria, 12 of erysipelas, 6 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 20th July, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Registration—Week ending Saturday, 20th July, 1912.[1] Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 20th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 6th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	26·3	14·5	1·5	584	321	56	72	...	...	...	10	...	5	2	...	47	20	24	10	27	15	2	5	11	112	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	406,536	29·5	26·7	15·4	2·1	208	120	23	23	...	...	...	7	...	...	2	...	21	7	10	4	9	7	...	1	2	55	5	e 74	42	58·0	0·00	e 67	40	56·6	0·49	e 65	41	54·6	0·32
CITY OF DUBLIN,	311,601	39·4	31·1	17·2	2·7	186	103	21	17	...	...	...	7	...	...	2	...	19	7	9	4	7	7	...	1	2	48	2	f 73·1 g 74·7	46·9 43·0	59·9 59·3	0·00 0·00	f 68·3 g 67·9	49·8 44·0	58·4 57·5	0·48 0·47	f 66·0 g 66·5	50·9 46·2	57·6 56·6	0·24 0·35
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	9·4	8·0	.	7	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	3	2	..	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,693	18·7	8·8	7·0	.	5	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	28·6	28·6	.	5	5	...	3	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	15·1	6·1	.	5	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	69	47	58·8	0·00	66	49	57·9	0·58	67	51	57·3	0·35
Urban Districts. BELFAST ...	391,051	26·6	28·9	14·5	1·3	217	109	23	23	...	...	...	3	...	2	...	...	14	9	10	3	8	4	1	1	3	34	2	72	45	58·7	0·00	66	45	60·1	1·11	67	46	50·0	0·32
CORK, ...	76,632	33·8	26·5	10·2	.	39	15	...	5	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	3	4	8	...	76	50	62·3	0·52	66	48	55·8	0·63	65	50	57·4	0·05
LONDONDERRY...	40,912	18·9	17·8	15·3	.	14	12	1	2	...	...	...	...	...	...	...	...	3	...	1	...	3	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	8·1	19·0	5·4	6	14	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	3	1	...	...	7	...	73·0	39·0	57·9	0·00	66·3	46·5	57·0	0·33	70·8	47·5	58·0	0·14
WATERFORD, ...	27,430	19·1	24·7	15·2	1·9	13	8	2	1	...	...	...	...	...	...	...	...	...	1	...	1	2	1	...	...	1	3	1	...	..	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	31·5	19·7	.	8	5	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	1	73	45	61	0·00	68	44	56	0·60	72	48	58	0·10
DUNDALK, ...	13,128	9·5	31·8	7·9	.	8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	37·8	12·6	.	9	3	...	...	...	...	...	...	...	...	...	..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	21·8	13·1	8·7	5	3	1	1	...	...	...	..	...	2	...	...	...	...	...	1	...	...	...	...	...	...	1	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29
LURGAN, ...	12,135	14·3	17·2	12·9	.	4	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29
LISBURN. ...	12,172	10·7	17·1	8·6	.	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29
WEXFORD. ...	11,455	23·8	31·9	18·2	.	7	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	9·2	18·3	4·6	2	4	...	2	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	23·4	14·0	.	5	3	...	3	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	73	39	56·0	0·23	64	41	53·0	1·03	69	42	55·0	0·40
KILKENNY, ...	10,513	11·4	24·8	14·9	.	5	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	76	44	60·5	0·11	65	43	56·0	1·26	70	48	60·1	0·33
CLONMEL, ...	10,277	7·9	30·4	10·1	.	6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	26·7	.	.	6	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29
TRALEE. ...	9,867	16·6	21·1	21·1	.	4	4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	28·6	5·7	.	5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	63	49	56·1	0·00	65	48	56·1	1·08	64	49	55·6	0·07
QUEENSTOWN, ...	7,909	14·4	33·0	13·2	.	5	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	76	50	62·3	0·52	66	48	55·8	0·63	65	50	57·4	0·05
ARMAGH. ...	7,588	22·2	27·5	13·7	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77	69·1	42·8	55·9	0·29

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old, and two at 65 years or upwards) admitted to hospital from localities outside the Area: of the 11 deaths one was from each of measles and diphtheria. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 20th of July, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	3	.	.	.	.	1	.	.	2	.	.	.	.	.	7	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	4	2	2	.	.	.	5	1	1	2	.	.	.	1	1	21	.
Tuberculous Disease. { Other Forms,	1	1	.	1	.	.	.	.	1	1	2	.	.	.	.	.	7	.
Cancer,	.	2	1	2	.	.	1	.	.	1	2	.	.	.	1	.	10	1
Diseases of Nervous System,	1	1	.	2	1	.	1	1	.	1	1	.	.	1	.	1	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	1	.	1	.	.	.	1	1	.	1	.	2	.	10	.
" Respiratory System. { Pneumonia,	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	4	.
" Respiratory System. { Others,	.	1	.	.	.	.	.	2	.	3	1	.	2	.	.	.	9	1
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	2	.	.	.	.	.	.	2	.	2	1	.	.	.	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	2	.	.	.	.	.	.	.	2	.	1	1	1	.	8	2
" Genito-urinary System,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	5	2	2	.	1	.	1	2	2	1	.	.	2	.	.	18	3
Violent Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	4	.
Deaths from All Causes	8	17	12	10	1	2	2	15	6	14	16	.	6	4	5	2	120	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	22·1	20·3	15·5	9·7	8·9	13·5	18·8	14·3	16·8	23·2	.	8·0	7·0	28·6	6·1	15·4	.
	17·0							17·5					9·3					
	17·2																	
Ages at Death. Under 1 year,	2	5	4	3	.	.	.	2	1	3	1	.	.	2	.	.	23	1
1 and under 2 years,	2	1	2	.	.	.	.	2	1	.	2	.	.	.	.	1	11	.
2 " 5 "	.	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	2
5 " 15 "	1	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	4	.
15 " 25 "	1	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	5	1
25 " 45 "	1	6	4	1	.	.	.	3	.	3	4	.	.	.	1	1	24	2
45 " 65 "	1	.	2	5	.	1	2	3	.	4	2	.	3	2	1	.	26	3
65 and upwards,	.	4	.	.	.	1	.	2	3	2	5	.	3	.	3	.	23	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.	1	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	4	2	.	.	.	3	1	3	4	.	3	1	3	.	30	9
Workhouse Hospitals,	3	4	1	2	.	.	.	4	2	4	5	.	.	.	.	.	25	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th July, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 62·9	° 59·7	° 58·0										
ALL CAUSES.	155	131	131	153	156	168	144	115	144	162	145·9	131	8	16	11	6	4	6	26	29	14	11
Enteric Fever, ...	3	1	2	2	1	.	1	2	2	2	1·6	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	1	5	.	2	.	3	.	1	3	2·3	8	.	1	5	2	.	.	.	.	.	.
Scarlet Fever, ...	.	1	.	.	.	.	.	.	3	.	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	3	3	1	3	4	1	2	1	4	2·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	.	.	1	.	.	1	.	2	·5	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	.	.	.	.	.	1	2	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	3	1	.	1	1	.	1	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	25	17	14	14	23	21	21	23	11	17	18·6	21	.	1	1	.	.	3	14	2	.	.
Tuberculous Meningitis, ...	.	3	3	4	3	4	6	3	2	4	3·2	3	.	.	.	.	1	1	1	.	.	.
Abdominal Tuberculosis, ...	3	1	3	3	2	2	.	.	.	4	1·8	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	3	7	4	8	6	6	5	3	1	1	4·5	1	.	.	.	1	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	.	1	1	2	2	.	2	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	8	2	6	14	5	10	4	11	10	7·5	11	.	.	.	1	.	.	2	5	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	.	1	.	.
Diabetes, ...	.	.	.	.	.	1	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	3	.	.	.	.	.	.	1	2	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	6	—	3	.	.	.	.	.	.	.	1	1	1
Alcoholism, ...	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		3	.	.	1	1	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										3		4	.	.	.	.	.	.	.	1	2	1
Softening of Brain, ...										3		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),										7		2	.	1	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	36	36	30	37	45	33	22	34	3	34·9	2	.	.	.	.	.	.	1	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										18		9	.	.	.	.	.	.	2	4	2	1
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	10	9	8	6	9	19	8	10	13	9	10·1	9	.	.	.	.	.	.	.	2	4	3
Broncho-pneumonia, ...	3	2	3	5	4	7	4	3	3	4	3·8	1	.	1	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	.	.	.	1	.	.	1	2	·5	3	.	.	.	.	1	.	.	2	.	.
Pneumonia (type not distinguished)	6	4	5	3	8	4	.	3	5	2	4·0	.	.	.	.	.	.	.	.	.	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	.	1	2	1	3	2	2	1	.	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	1	.	.

TWENTY-NINTH WEEK ending Saturday, 20th July, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 29th Week of the 10 years 1902–1911.	In the Week ending Saturday, 20th July, 1912.										
													Deaths of Persons of the Ages of									
	July 19, 1902.	July 25, 1903.	July 23, 1904.	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 58·6	° 57·4	° 59·3	° 61·9	° 59·0	° 63·8	° 57·3	° 59·4	° 56·9	° 62·9	° 59·7	° 58·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	1	1	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	4	.	1	.	.	.	.	.	1	.	2
Diarrhœa and *Enteritis* of Children under 2 years.	5	2	7	22	7	2	17	9	9	11	9·2	7	.	6	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	1	2	2	.	.	1	.	1	1	.	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	2	3	2	2	2	.	.	.	1	.		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	2	5	9	2	6	2	6	4	2	4·4	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	6	6	5	5	6	6	4	4	5	1	5·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										3		1	.	.	.	.	.	.	1	.	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	.	.	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	3	3	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	3	6	6	1	4	1	4	2	3·3	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	4	.	4	.	.	.	.	.	.	.	.
Old Age, ...	6	3	3	4	3	4	7	.	2	3	3·5	3	.	.	.	.	.	.	.	.	1	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	3	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	.	1	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	1	.	1	.	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	2	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	6	4	2	3	1	4	7	1	3·4	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	2	4	6	9	2	7	1	6	8	2	4·7	1	.	.	.	.	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	1	.	2	1	.	1	1	2	.	·9	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	.	1	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	4	.	.	.	.	.	.	1	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered,	233	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208
Average Births in corresponding week of previous 10 years, ...	207	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218
DEATHS registered, ...	195	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131
Annual Death-rate per 1,000, ...	25·0	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8
Average Deaths in corresponding week of previous 10 years, ...	196	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146
Ages, Under 5 years, ...	52	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41
5—15 „ ...	11	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4
15—25 „ ...	9	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6
25—45 „ ...	40	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26
45—65 „ ...	42	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29
65—75 „ ...	29	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14
75 and upwards, ...	12	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11
Deaths from :—																										
Enteric Fever, ...	.	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8
Scarlet Fever, ...	2	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.
Whooping-cough, ...	4	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.
Diphtheria, ...	1	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3
Influenza, ...	2	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.
Dysentery, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	32	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21
Tuberculous Disease, Other Forms,	5	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7
Cancer, ...	9	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11
Diseases of Circulatory System,	23	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10
Diseases of Respiratory System, Pneumonia,	20	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4
Diseases of Respiratory System, Others, ...	23	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10
Diarrhœa and *Enteritis*, under 2 years, ...	1	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7
Diarrhœa, 2 years and upwards,	.	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.
Violent Deaths, ...	3	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2
Number of Uncertified Deaths,	6	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5
Mean Temperature of the Air (Phœnix Park)	36·3	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0
Average Mean Temperature in corresponding week of previous 10 years, ...	40·9	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7
Rainfall in inches, ...	·260	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th July, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
					REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH JULY, 1912.																									
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	131	41	4	6	26	29	14	11	.	.	.	8	.	.	3	.	21	7	11	2	4	10	7	.	2	56	5
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	17·9	6	.	.	.	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1
II.	MIDDLE CLASS, ...	87,188	10·8	18	4	.	.	4	6	2	2	.	.	.	.	.	.	1	.	1	.	3	1	.	2	.	.	1	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·3	26	8	1	3	4	7	1	2	.	.	.	3	.	.	1	.	5	1	.	.	.	1	2	.	.	13	2
IV.	GENERAL SERVICE CLASS, ...	154,279	18·3	54	23	2	2	11	8	4	4	.	.	.	5	.	.	1	.	9	2	6	1	4	1	4	.	1	20	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	27	6	1	1	6	6	6	1	.	.	.	.	.	.	.	.	6	4	2	.	.	6	1	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	1
	2. Merchants and Manufacturers, Higher Class	1,277	40·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	4·7	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	3	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	.	.	1	5	.	2	.	.	.	.	.	.	1	.	1	.	1	.	.	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	.	1	1	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
	10. Clothing Trades, ...	23,260	11·2	5	2	.	1	.	1	.	1	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	11. Food Supply Trades	9,242	16·9	3	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	1	1	2	3	3	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	.	.	.	5	1
	13. Petty Shopkeepers	7,894	13.2	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	11·4	8	2	.	.	2	3	1	.	.	.	.	.	.	.	.	.	2	.	2	.	1	.	1	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	3	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·6	39	16	2	2	8	5	3	3	.	.	.	3	.	.	1	.	7	2	3	1	3	1	2	.	.	16	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	27	6	1	1	6	6	6	1	.	.	.	.	.	.	.	.	6	4	2	.	.	6	1	.	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	June 1,	20·8	3·5	12	.	.	.	2	.	.	.	.	2	1	.	1	1	.	.	.	.
	„ 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	„ 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
	„ 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
	„ 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	„ 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	June 1	27·3	3·9	21	.	.	.	2	.	.	.	.	2	1	.	1	3	1	.	.	1
	„ 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	„ 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
	„ 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
	„ 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
	„ 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	„ 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	June 1,	18·6	1·7	11	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	„ 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
	„ 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
	„ 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
	„ 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
North City, No. 3. (*Office, Benburb-street*) Pop. in 1912 (Est.) 33,701.	June 1,	21·7	1·5	14	.	.	.	1	.	.	.	.	.	3	1	3	1	.	.	.	.
	„ 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	„ 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
	„ 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
	„ 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
	„ 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	„ 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	June 1,	22·5	3·8	18	.	.	.	2	.	1	.	.	3	1	3	1	.	.	.	.	2
	„ 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	„ 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
	„ 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
	„ 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
	„ 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	„ 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	June 1,	19·1	2·4	8	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.
	„ 8,	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	„ 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
	„ 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
	„ 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
	„ 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	June 1,	19·2	1·2	16	.	.	.	1	.	.	.	.	3	2	2	.	1	.	.	.	3
	„ 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	„ 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
	„ 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
	July 6,	10 8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	„ 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	June 1,	18·8	4·3	13	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	1	1
	„ 8,	15·9	2 9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	„ 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
	„ 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
	„ 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
	„ 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.

* See note (‡) at foot of first page

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	June 1,	20·1	4·0	15	.	.	.	.	1	.	1	.	2	.	1	2	1	1	.	.	.
	„ 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	June 1,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
	„ 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	June 1,	24·2	3·0	8	.	.	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1
	„ 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	3	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 28,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,051.	June 1,	14·9	0·9	112	.	.	.	.	.	4	1	.	23	8	5	7	15	1	1	.	1
	„ 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
Cork. Pop. in 1911 76,632.	June 1,	21·1	0·7	31	.	.	.	.	1	.	.	.	5	1	2	.	3	.	.	.	.
	„ 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
Londonderry. Pop. in 1912 (Est.) 40,912.	June 1,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
Limerick. Pop. in 1911 38,403.	June 1,	20·4	1·4	15	.	.	.	.	.	1	.	.	3	.	.	.	5	.	.	.	1
	„ 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
Waterford. Pop. in 1911 27,430.	June 1,	28·5	1·9	15	.	.	.	.	.	.	1	.	1	2	1	1	2	.	.	.	1
	„ 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1·9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th July, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Deaths from: Typhus.	Deaths from: Small-pox.	Deaths from: Measles.	Deaths from: Scarlet Fever.	Deaths from: Whooping-cough.	Deaths from: Diphtheria.	Deaths from: Dysentery.	Deaths from: Tuberculous Disease: Phthisis.	Deaths from: Tuberculous Disease: Other Forms.	Deaths from: Cancer.	Deaths from: Diseases of the Respiratory System: Pneumonia.	Deaths from: Diseases of the Respiratory System: Other.	Deaths from: Diarrhœa and *Enteritis* of children under 2 years of age.	Deaths from: Diarrhœa 2 years of age and upwards.	Deaths from: Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.			The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
BELFAST URBAN No. 1 DISTRICT,	385,492	6			7	1	1	1	2	1	1	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	4	.
Do. 2 do.		28			11	2	1	.	1	2	5	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	.	4	1
Do. 3 do.		30			19	7	2	2	2	3	3	.	.	.	1	.	1	.	.	.	2	2	1	1	2	.	1	1	5	1
Do 4 do.		27			12	.	.	2	2	4	4	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	7	.
Do. 5 do.		8			9	3	1	.	3	1	1	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	1	.
Do. 6 do.		12			6	.	.	.	.	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.		11			6	.	1	2	1	1	1	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	2	.
Do. 10 do.		19			10	1	4	.	1	4	.	.	.	.	2	.	.	.	.	1	1	.	.	.	.	1	.	.	1	.
Do. 11 do.		27			7	3	1	.	.	1	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 12 do.		27			10	4	2	1	1	2	.	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1	4	.
Do. 13 do.		11			3	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		9			7	2	.	.	4	.	1	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	1	4	.
Total,	—	217			109	23	14	10	18	21	23	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	3	34	2
City of Cork.			The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.																											
CORK URBAN No. 1 DISTRICT,	76,632	8			5	.	.	1	.	1	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Do 2 do.		9			3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	1	.
Do 3 do.		4			1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 4 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.		2			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		11			3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	3	2	.
Total,	—	39	10·2	.	15	.	1	4	3	2	5	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	4	8	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.
No. of weeks in Annual Series,	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered, ...	222	239	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217
DEATHS registered, ...	206	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109
Annual Death rate per 1,000 of estimated population, ...	27·5	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5
AGES, Under 1 year, ...	62	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23
1—5 years, ...	41	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14
5—25 ,, ...	19	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10
25—45 ,, ...	18	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18
45—65 ,, ...	42	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21
65 and upwards, ...	24	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23
Deaths from :—																										
Enteric Fever, ...	1	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3
Scarlet Fever, ...	1	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.
Whooping-cough, ...	12	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2
Diphtheria, ...	1	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	20	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14
Tuberculous Disease. Other Forms,	7	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9
Cancer, ...	4	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10
Diseases of Respiratory System, Pneumonia,	44	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3
Diseases of Respiratory System, Others, ...	42	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8
Diarrhœa, and *Enteritis*, under 2 years, ...	1	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1
Violent Deaths, ...	3	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1
Number of Uncertified Deaths, ...	1	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	July 20,	2,033	1,058	12·2	4	.	40	4	24	8	32*a*
Edinburgh, ...	321,200	„ 20,	144	77	12·5	.	.	.	.	4	.	.
Glasgow, ...	785,600	„ 20,	433	213	14·1	.	.	1	1	6	3	12
Calcutta, ...	896,067	June 15,	.	379	21·9	95*	4	2	.	.	1	26‡
Bombay, ...	979,445	„ 15,	361	1,252	66·5	102*	24	5	.	.	1	520‡
Madras, ...	518,660	May 25,	307	364	36·5	72*	1	2	?	?	?	94
Cairo, ...	699,228	„ 18,	545	450	33·6	2	.	3	.	.	5	98
Paris, ...	2,847,229	June 22,	919	874	15·7	3	.	37	9	3	4†	22*a*
Brussels, ...	745,380	„ 29,	222	172	12·0	.	.	3	4	1	1	9
Antwerp, ...	308,618	„ 29,	140	60	10·1	.	.	1	.	.	.	10*a*
Amsterdam, ...	582,674	„ 29,	276	98	8·8	.	.	5	1	.	.	5*a*
Copenhagen, ...	465,000	„ 29,	207	128	14·4	.	.	1	2	2	.	8
Stockholm, ...	346,599	„ 29,	129	12	13·8	.	.	.	3	.	.	4
Christiania, ...	247,488	July 6,	119	52*b*	10·9	.	.	1	1	.	1	4*b*
St. Petersburg, ...	1,599,139	June 15,	720	623	20·3	10	1	40	4	7	2	74
Moscow, ...	1,617,157	„ 8,	.	702	22·6	3	.	18	13	5	1	77
Berlin, ...	2,075,924	„ 15,	767	530	13·3	1	.	6	4	.	10†	41
Hamburg, ...	953,079	„ 29,	.	247	13·5	.	.	2	1	5	10†	16
Breslau, ...	530,232	„ 29,	.	184	18·1	.	.	.	.	2	.	21
Munich, ...	610,000	July 6,	.	161	13·8	.	.	3	.	1	.	7
Vienna (with suburbs),	2,081,335	June 29,	823	586	14·6	1	.	11	3	4	3†	37*a*
Buda-Pesth, ...	910,548	„ 29,	381	298	17·0	1	.	4	2	2	.	20*a*
Prague and Faubourgs,	484,301	„ 15,	170	172	18·5	1	1	1	.	1	.	8*a*
Trieste, ...	235,999	„ 29,	136	88	19·4	2	.	2	.	.	.	6*a*
Rome, ...	564,913	Mar. 9,	321	171	15·8	1	.	.	1	1	3	5
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	May 18,	2,385	1,463	14·8	5	.	42	15	11	24†	29
Philadelphia, ...	1,606,105	June 1,	.	407	13·2	1	.	.	3	3	5	17*a*
Boston, ...	720,031	„ 29,	.	165	11·9	1	.	3	.	.	1	6

* Deaths from "fever," including 7 deaths from enteric fever and 27 from plague in Calcutta, and 6 from enteric fever and 27 from plague in Bombay.

† Including deaths from croup.

‡ Including 6 deaths from cholera in Calcutta, and 428 in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including 3 deaths from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th July, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	2	.	.	1	.	.	.	1	.	.	.	4
" " 2, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 3, ...	.	1	.	.	3	.	.	1	.	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	2	.	.	1	3	.	.	1	11
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 4, ...	.	1	.	.	3	.	.	1	.	.	.	.	5
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
Total, ...	.	13	.	.	10	.	.	4	6	.	.	2	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th July, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th July.			
	June 29.	July 6.	July 13.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	21	23	4	6	.	21
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	97	97	100	21	23	3	95
Scarlet Fever, ...	143	136	147	22	22	.	147*
Diphtheria, ...	45	48	39	14	8	3	42
Pneumonia, ...	17	8	11	8	3	.	16

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 20th July, 1912:—

For the first time since the week ended July 15th, 1911, Dublin has enjoyed a rainless calendar week. In addition to being fine and dry the past week has also been seasonably warm, notwithstanding a very pronounced dip in temperature during the nights of Wednesday and Thursday. Winds from polar quarters (N.W., N., and N.E.) prevailed throughout; and, as the sky was often clear, the diurnal range of temperature was large, amounting in Dublin to 21·2° on Sunday (min. 50·1°; max. 71·3°). In the London district torrid heat was felt on the earlier days of the week—the maximal shade temperatures recorded at Camden Square were 89° on Sunday, 90° on Monday, 89° on Tuesday, and 85° on Wednesday. Then came a change, which culminated on Friday, when the highest reading of the screened thermometer at that station was only 61° after a night-minimum of 48°. On the same day the thermometer rose only to 58° at Kew and Greenwich, clouds, showers, and northerly winds all combining to substitute winter for summer. During the week the barometer stood high over Scotland and Ireland, whereas it was relatively low at first over the Peninsula and France, afterwards over Germany and the Low Countries. Hence generally finer conditions held in Scotland and Ireland than in England. In connection with the presence of shallow atmospheric depressions over France and Germany, heavy thunder-rains occurred locally in those countries on Thursday. In Dublin, on the evening of that day several flashes of lightning were seen over the land to W.S.W. The mean height of the barometer in this City was 30·153 inches, pressure ranging between 30·252 inches at 9 a.m of Monday (wind, N.N.E.) and 30·028 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 59·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·8°. On Monday the screened thermometers rose to 73·1°, on Friday they fell to 46·9°. Northerly winds prevailed throughout. No rain fell in Dublin. At Birr Castle, King's County, the nights were very cold after Wednesday—the thermometer in the screen falling to 45°, 44° and 43° respectively.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·222 inches. The highest reading (31·158) was on Sunday at 9 a.m., air calm, the lowest (30·037) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 58·0°, being 1·7° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Monday, on which day the thermometer registered 74°, and was lowest on Friday, the mercury having fallen to 42°. The mean of the Dry Bulb for the week was 58·5° and of the Wet Bulb, 55·2°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 65·8°, the maximum 88·1°, and the minimum 48·1°; at Glasgow the maximum was 77·3°, the minimum 46·0°, and the mean 60·6°; and at Edinburgh the maximum was 69·6°, the minimum 46·8°, and the mean 56·7°. The rainfall at Greenwich measured 0·04 in. There was no rainfall recorded at Glasgow or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 14,	30·665	72	44	58·0	61·7	57·2	·76	·2	12·6	·000	Calm.	Calm.
Monday, „ 15,	30·240	74	47	60·5	63·4	59·6	·81	·3	13·3	·000	Calm.	Calm.
Tuesday, „ 16,	30·210	71	49	60·0	60·6	58·1	·85	·3	8·8	·000	N.E.	Calm.
Wednesday, „ 17,	30·180	66	51	58·5	58·2	56·2	·87	·5	0·0	·000	N.E.	N.N.W.
Thursday, „ 18,	30·110	67	45	56·0	54·3	50·7	·77	·5	8·0	·000	W.N.W.	N.
Friday, „ 19,	30·100	66	42	54·0	54·6	51·0	·77	·4	8·7	·000	W.N.W.	Calm.
Saturday, „ 20,	30·050	71	47	59·0	57·0	53·9	·81	·4	3·1	·000	W.N.W.	Calm.
Mean, ...	30·222	69·6	46·4	58·0	58·5	55·2	·81	·4	Total 54·5	Total ·000	—	

Sunday—A bright day; night clear. *Monday*—A bright day, light clouds; night cloudy. *Tuesday*—A bright day, light clouds; night cloudy. *Wednesday*—A dull day, cloudy; night clear. *Thursday*—A bright day, light clouds; night clear. *Friday*—A bright day, light clouds; night cloudy. *Saturday*—A dull day, bright at intervals; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 20th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 14,	64·8	60·0	57·0	73·0	49·1	61·1	12·1	—
Monday, „ 15,	67·3	61·7	57·0	74·1	54·0	64·1	12·0	—
Tuesday, „ 16,	62·5	63·0	57·0	71·4	52·8	62·1	11·9	—
Wednesday, „ 17,	60·9	63·0	57·3	65·2	57	61·1	0·12	—
Thursday, „ 18,	57·8	61·3	57·5	68·5	47·1	57·8	8·1	—
Friday, „ 19,	57·2	60·8	57·6	62·0	45·0	53·5	10·2	—
Saturday, „ 20,	57	60·3	57·7	72·1	48·4	60·2	3·5	—
Weekly Mean, .	61·1	61·4	57·3	69·5	50·5	60·0	Total 57·92	Total —

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32719. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 27TH JULY, 1912. [No. 30.

General Register Office, Charlemont House,
Dublin, 29th July, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 6	Week ending July 13	Week ending July 20	Week ending July 27	Average Rate for 4 weeks.
22 Town Districts, ...	**13·8**	**15·7**	**14·5**	**15·2**	**14·8**
Armagh	27·5	·	13·7	·	10·3
Ballymena	13·8	13·8	18·3	22·9	17·2
Belfast	12·1	15·9	14·5	15·6	14·5
Clonmel	10·1	10·1	10·1	10·1	10·1
Cork	12·2	14·3	10·2	13·6	12·6
Drogheda	21·0	·	12·6	8·4	10·5
Dublin Reg. Area ...	16·0	16·0	15·4	14·5	15·5
Dundalk	23·8	7·9	7·9	7·9	11·9
Galway	3·9	15·7	19·7	23·6	15·7
Kilkenny	24·8	34·7	14·9	24·8	24·8
Limerick	12·2	19·0	19·0	16·3	16·6
Lisburn	12·9	30·0	8·6	12·9	16·1
Londonderry	10·2	12·7	15·3	8·9	11·8
Lurgan	8·6	21·5	12·9	25·8	17·2
Newry	21·8	26·2	13·1	34·9	24·0
Newtownards	5.7	11·4	5·7	22·9	11·4
Portadown	13·3	4·4	·	8·9	6·7
Queenstown	13·2	13.2	13·2	6·6	11·6
Sligo	14·0	9·3	14·0	32·7	17·5
Tralee	15·9	5·3	21·1	21·1	15·8
Waterford	11·4	26·6	15·2	17·1	17·6
Wexford	4·6	9·1	18·2	9·1	10·3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·7 in Newry, the 8 deaths from all causes for that district including 2 from whooping-cough. Among the 117 deaths from all causes for Belfast is one from each of measles, scarlet fever, whooping-cough, and diphtheria. One of the 20 deaths from all causes for Cork is from whooping-cough, and the 7 deaths from all causes for Londonderry include one from diphtheria. Among the 12 deaths from all causes for Limerick are one from whooping-cough and one from diarrhœa and *enteritis* of an infant, and one of the 5 deaths from all causes for Ballymena is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—100 boys and 102 girls—and the deaths to 120—65 males and 55 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·5 per 1,000 of the population. During the thirty weeks ending with Saturday last the death-rate averaged 22·3, and was 0·4 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 120, represent an annual rate of 15·4 per 1,000 ; the annual rate for the past thirty weeks was 23·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·8 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths from all causes registered there were from enteric fever one death, from measles 7 deaths, from whooping-cough one death, from diphtheria 3 deaths, and from diarrhœa and *enteritis* of children under 2 years of age 8 deaths.

In each of the 3 preceding weeks deaths from enteric fever were 0, 0, and 0; deaths from measles were 7, 7, and 8 ; deaths from whooping-cough were one, 0, and 0 : deaths from diphtheria were one, 0, and 3 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 4, 7, and 7.

Twenty-five deaths were caused by tuberculosis ; this figure includes 21 deaths from pulmonary tuberculosis, one death from tuberculous enteritis, one death from tuberculosis of kidney ; and 2 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from tuberculosis numbered 20, 22, and 28.

There was one death from broncho-pneumonia, and there were 4 deaths from *pneumonia* (type not distinguished).

The deaths of 8 persons were attributed to cancer.

There were 4 deaths of infants under one year of age from *convulsions.*

Seven deaths were caused by organic diseases of the heart, and 5 by bronchitis.

Prematurity accounted for the deaths of 3 infants, and congenital debility for the deaths of 4 infants.

Accidental drowning caused the only violent death registered during the weekly period under notice.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old), and the death of one person aged 74 years.

Forty-one of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 5 were under one month old) and 22 were aged 65 years and upwards, including 16 persons aged 70 and upwards ; among the latter were 10 aged 75 and upwards.

Fifty-two of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse, and 8 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·5 per 1,000 ; the rate in the City was 15·1 (North City Districts, 14·1 ; South, 16·1) and in the Suburbs, 12·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·6 per 1,000 inhabitants, the rate for the City being 2·8 (in the North City Districts 2·3, and in the South 3·4), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·9 per 1,000, and include one death from measles, 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and one death from *pneumonia.*

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·6 per 1,000. Pulmonary tuberculosis caused 4 deaths, and there was one death from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 18·6 per 1,000. Measles and whooping-cough each caused one death ; there was one death from pulmonary tuberculosis, one death from bronchitis, and one death from diarrhœa and *enteritis* of an infant.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 15·5 per 1,000. Measles and diphtheria each caused one death ; there was one death from pulmonary tuberculosis, 2 deaths were from *pneumonia*, and there was one death from diarrhœa and *enteritis* of an infant.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Coolock and Drumcondra, part of, 8·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·5 per 1,000. Measles caused 2 deaths ; there were 4 deaths from tuberculosis, 2 deaths from bronchitis, and one death from diarrhœa and *enteritis* of an infant.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 11·9 per 1,000. Of the deaths, 2 were from pulmonary tuberculosis and one from diarrhœa and *enteritis* of an infant.

No. 3 *South City District* (Peter-street).—The deaths (11) are equal to an annual rate of 13·2 per 1,000, and include one death from measles, 4 deaths from tuberculous disease, one death from diarrhœa and *enteritis* of an infant, and one death by accidental drowning.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 18·8 per 1,000. Measles and diphtheria each caused one death ; there was one death from pulmonary tuberculosis, one death from *pneumonia*, one death from bronchitis, and 2 deaths from diarrhœa and *enteritis* of infants.

New Kilmainham District.—No deaths for this district were registered during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 9·4 ; Pembroke, 17·6 ; Blackrock, 11·4 ; and Kingstown, 12·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of enteric fever and diphtheria for Pembroke and one from *enteritis* of a child under 2 years of age for Blackrock. Of the 7 deaths from all causes for Rathmines and Rathgar, one was from pulmonary tuberculosis, and one death from this disease is included in the 10 deaths from all causes for Pembroke. One death from disseminated tuberculosis is among the 4 deaths from all causes for Kingstown.

(†) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 27th July, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 6,	.	—	—	14	.	.	4	.	.	3	4	.	—	—	.	—	14	—	39
	July 13,	.	—	—	13	.	.	3	.	.	2	4	.	—	—	.	—	12	—	34
	July 20,	.	—	—	13	.	.	10	.	.	4	6	.	—	—	.	—	2	—	35
	July 27,	.	—	—	12	.	.	10	.	2	1	8	.	—	—	.	—	10	—	43
Rathmines and Rathgar Urban District.	July 6,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	July 13,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	July 20	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	July 6,	.	18	1	1	.	.	1	.	.	.	1	.	.	4	—	—	.	—	26
	July 13,	.	11	.	6	.	.	.	.	.	.	.	.	.	9	—	—	.	—	26
	July 20,	.	12	.	2	.	.	.	.	.	.	.	.	—	13	—	—	.	—	27
	July 27,	.	6	.	2	.	.	1	.	.	.	.	.	—	.	—	—	.	—	9
Blackrock Urban District.	July 6,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	July 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	July 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	July 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	July 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	July 6	.	—	—	12	.	.	3	.	.	2	4	.	—	—	.	—	12	.	33
	July 13,	.	—	—	7	.	.	4	1	.	1	2	.	—	—	.	—	7	.	22
	July 20,	.	—	—	11	.	.	7	.	.	.	5	1	—	—	.	—	6	.	30
	July 27,	.	—	—	9	.	.	7	.	.	.	3	.	—	—	.	—	6	.	25

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th July, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 23, and 21.

Sixteen cases of measles were admitted to hospital during the week, 37 were discharged, there were 4 deaths, and 70 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 97, 100 and 95, respectively.

Twenty-five cases of scarlet fever were admitted to hospital, 23 were discharged, and 149* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 136, 147 and 147, respectively.

Fourteen cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there were 4 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 48, 39, and 42, respectively, were 39 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 3 were discharged, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·2), was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·6, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th July. From this Report it appears that of a total of 31 cases notified, 17 were phthisis, 12 scarlet fever and 2 erysipelas. Among the 260 cases of infectious diseases in hospital at the close of the week were 99 cases of scarlet fever, 61 of phthisis, 27 of measles, 27 of whooping-cough, 23 of diphtheria, 12 of erysipelas, 5 of chicken-pox, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 27th July, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 27th July, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 27th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 13th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	26·4	15·2	1·5	586	337	58	74	1	...	...	8	1	7	5	...	47	12	20	12	21	11	...	8	15	103	19	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c) ...	406,536	29·5	25·9	14·5	2·6	202	113	22	21	1	...	...	7	..	1	3	...	19	3	7	5	5	8	...	1	2	45	7	e67	47	58·7	1·72	e74	42	58·0	0·00	e67	40	56·6	0·19
CITY OF DUBLIN,	311,601	39·4	28·4	15·1	2·8	170	90	19	12	...	...	...	7	...	1	2	...	17	2	3	5	5	7	...	1	2	43	6	f67·1 g65·9	54·5 53·0	59·8 59·1	1·54 1·47	f73·1 g74·7	46·9 43·0	59·9 59·3	0·00 0·00	f68·3 g67·9	49·8 44·0	58·4 57·5	0·48 0·47
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	18·8	9·4	.	14	7	1	4	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	11·0	17·6	3·5	8	10	1	2	1	...	...	...	...	...	1	...	1	...	2	...	..	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	22·9	11·4	5·7	4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN. ...	17,227	11·8	18·2	12·1	.	6	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	..	66	54	58·8	1·90	69	47	58·8	0·00	66	49	57·9	0·58
Urban Districts. BELFAST ...	391,051	26·6	27·3	15·6	0·5	205	117	21	19	...	..	...	1	1	1	1	...	15	3	11	2	9	...	...	3	9	31	2	...	...	...	...	72	45	58·7	0·00	66	45	60·1	1·11
CORK, ...	76,632	33·8	14·3	13·6	0·7	21	20	2	10	...	...	...	...	...	1	...	...	1	...	1	1	3	...	...	1	1	5	1	64	53	58·6	3·71	76	50	62·3	0·52	66	48	55·8	0·63
LONDONDERRY...	40,912	18·9	19·1	8·9	1·3	15	7	1	3	...	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	32·6	16·3	2·7	24	12	3	1	...	...	...	...	...	1	...	...	1	...	...	...	3	1	...	...	...	7	1	71	50	59·3	3·20	73·0	39·0	57·9	0·00	66·3	46·5	57·0	0·33
WATERFORD, ...	27,430	19·1	43·7	17·1	.	23	9	1	2	...	..	...	...	...	...	...	...	1	2	...	1	...	...	...	...	..	2	...	...	...	...	..	...	..	...	...	...	...	...	...
GALWAY, ...	13,249	2·5	47·2	23·6	.	12	6	...	1	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	2	2	1	1	70	50	60	2·64	73	45	61	0·00	68	44	56	0·60
DUNDALK, ...	13,128	9·5	11·9	7·9	.	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	33·6	8·4	.	8	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	8·7	34·9	8·7	2	8	3	1	...	...	...	..	...	2	...	...	1	...	...	1	...	...	...	...	...	2	...	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77
LURGAN, ...	12,135	14·3	47·3	25·8	.	11	6	...	3	...	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	...	1	...	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77
LISBURN, ...	12,172	10·7	21·4	12·9	4·3	5	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77
WEXFORD, ...	11,455	23·8	27·3	9·1	.	6	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	18·3	22·9	4·6	4	5	...	1	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	32·7	32·7	.	7	7	...	4	..	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	3	68	49	57·0	1·37	73	39	56·0	0·23	64	41	53·0	1·03
KILKENNY, ...	10,513	11·4	34·7	24·8	.	7	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4	...	68	53	59·7	2·73	76	44	60·5	0·11	65	43	56·0	1·26
CLONMEL, ...	10,277	7·9	10·1	10·1	5·1	2	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	17·8	8·9	.	4	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	.	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77
TRALEE. ...	9,867	16·6	26·4	21·1	.	5	4	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	34·3	22·9	.	6	4	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	1	...	66	52	56·7	1·45	63	49	56·1	0·00	65	48	56·1	1·08
QUEENSTOWN, ...	7,909	14·4	16·1	6·6	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	64	53	58·6	3·71	76	50	62·3	0·52	66	48	55·8	0·63
ARMAGH. ...	7,588	22·2	18·1	.	.	7	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00	66·8	46·0	56·3	0·77

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one under one year old, and one at 65 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 27th of July, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	1	.	1	1	.	.	.	2	.	1	1	.	.	.	.	.	7	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	4	1	1	.	.	.	3	2	3	1	.	1	1	.	.	19	2
Tuberculous Disease. { Other Forms,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	3	1
Cancer,	.	1	.	.	.	.	.	.	.	.	2	.	2	2	.	.	7	1
Diseases of Nervous System,	1	2	2	1	.	1	.	2	1	1	1	.	2	1	.	1	16	2
,, Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Circulatory System,	.	.	2	1	.	.	.	1	1	2	.	.	.	1	1	1	10	.
,, Respiratory System. { Pneumonia,	2	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	5	.
,, Respiratory System. { Others,	.	1	1	.	.	.	.	2	.	.	1	.	.	.	.	.	5	.
,, Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	.	1	1	.	.	.	1	1	1	2	.	.	.	1	.	8	.
,, Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
,, Digestive System. { *Enteritis*, 2 years and upwards,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
,, Digestive System. { Others,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
,, Genito-urinary System,	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	3	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
,, Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Other specified Causes,	2	.	2	2	.	.	.	4	.	1	1	.	1	2	.	.	15	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Deaths from All Causes	8	12	11	10	.	2	.	18	5	11	13	.	7	10	2	4	113	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	13·9	15·6	18·6	15·5	.	8·9	.	22·5	11·9	13·2	18·8	.	9·4	17·6	11·4	12·1	14·5	.
	14·1							16·1					12·6					
	15·1																	
Ages at Death. Under 1 year,	1	1	4	2	.	1	.	5	1	2	2	.	1	1	1	.	22	1
1 and under 2 years,	1	.	.	1	.	.	.	3	.	1	4	.	.	.	.	.	10	.
2 ,, 5 ,,	.	1	1	1	.	.	.	2	1	1	.	.	.	1	.	.	8	.
5 ,, 15 ,,	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	4	1
15 ,, 25 ,,	.	1	.	.	.	.	.	.	.	2	1	.	.	2	.	.	6	.
25 ,, 45 ,,	1	3	2	3	.	1	.	3	2	3	2	.	1	.	.	.	21	1
45 ,, 65 ,,	3	4	1	1	.	.	.	3	1	1	2	.	.	4	.	1	21	3
65 and upwards,	1	2	3	1	.	.	.	2	.	1	2	.	4	2	1	2	21	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	3	.	1	1	.	1	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	1	2	2	.	1	.	4	1	5	6	.	.	2	.	.	25	6
Workhouse Hospitals,	1	4	4	3	.	.	.	3	1	3	1	.	.	.	.	.	20	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.	Averages in 30th Week of the 10 years 1902–1911.	In the Week ending Saturday, 27th July, 1912. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 62·7	° 58·6	° 58·7										
ALL CAUSES.	150	141	136	157	149	166	142	143	127	186	149·7	120	5	18	10	8	5	6	22	24	12	10
Enteric Fever, ...	1	1	1	1	.	1	1	.	2	1	·9	1	.	.	.	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	1	4	1	2	3	5	4	.	7	3·5	7	.	1	2	4	.	.	.	.	.	.
Scarlet Fever, ...	1	.	.	.	2	.	1	1	3	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	.	2	.	2	4	.	4	.	3	1·6	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	.	1	.	.	.	2	1	5	1	1·1	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	.	2	1	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	.	1	1	1	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	23	15	18	19	21	15	14	17	17	17·7	21	.	.	.	.	2	3	12	3	1	.
Tuberculous Meningitis, ...	.	3	5	.	6	5	2	3	4	7	3·5	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	2	.	.	2	4	1	.	2	5	1·8	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	2	3	4	2	5	5	7	6	3	.	4·0	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										1		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	.	1	.	1	.	.	.	.	.
Venereal Diseases, ...	.		1	2	.	.	2	1	.	.	·6	1	.	.	.	.	.	.	.	1	.	.
Cancer, ...	6	8	10	7	9	8	9	9	10	6	8·2	8	.	.	.	.	.	1	1	4	2	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	3	.	.	.	.	1	1	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	2	.	.	.	.	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	2	.	.	2	2	2	1	.	2	.	1·1	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.		·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		5	.	2	.	2	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										1		4	.	.	.	.	.	.	.	2	1	1
Softening of Brain, ...										1		1	.	.	.	.	.	.	.	.	.	1
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		4	1	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	32	32	45	32	36	37	34	34	4	34·2	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Organic Diseases of the Heart,										12		7	.	.	.	.	.	1	2	2	2	.
Embolism and Thrombosis (including Cerebral)										1		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										2		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	6	10	11	13	16	11	7	10	12	10·5	5	.	1	1	.	.	.	.	.	2	1
Broncho-pneumonia, ...	4	3	4	.	7	2	3	7	4	7	4·1	1	.	.	.	.	.	.	.	.	1	.
Lobar pneumonia, ...	.	.	1	1	1	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	2	6	8	3	5	6	3	5	1	4	4·3	4	.	.	2	.	.	.	1	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	.	1	1	.	1	.	3	2	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

THIRTIETH WEEK ending Saturday, 27th July, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 30th Week of the 10 years 1902–1911.	In the Week ending Saturday, 27th July, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	July 26, 1902.	Aug. 1, 1903.	July 30, 1904.	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·0	° 55·4	° 60·2	° 60·2	° 60·6	° 59·4	° 59·6	° 55·6	° 57·8	° 62·7	° 58·6	° 58·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	6	10	28	11	4	11	6	4	34	12·4	8	.	7	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										5		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		2	.	.	.	1	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	3	.	1	.	1	3	.	.	1	.	1·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	2	.	1	.	1	.	.	2	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	.	2	1	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	8	6	2	7	2	8	3	4	.	1	4·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	5	5	3	2	6	6	7	4	2	5·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		2	.	.	.	.	.	.	.	1	1	.
Puerperal Septicæmia, &c., ...	.	.	2	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	1	1	.	.	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	.	.	1
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	10	3	4	2	6	1	5	3	8	4·5	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	10	2	.	5	6	1	1	3	3	3	3·4	5	.	.	.	.	.	.	.	.	.	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	4	2	1	2	.	.	1	1	1	1·3	1	.	.	.	.	.	1	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	1	2	2	1	4	1	4	2	3	2·0	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	2	5	5	3	4	5	3	5	3	4	3·9	1	.	.	.	.	.	1	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	1	.	.	.	2	·3	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	1	.	.	1	1	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	1	.	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	3	.	.	1	.	.	.	1	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered.	227	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202
Average Births in corresponding week of previous 10 years, ...	239	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223
DEATHS registered, ...	184	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120
Annual Death-rate per 1,000, ...	23·6	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4
Average Deaths in corresponding week of previous 10 years, ...	201	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150
Ages, Under 5 years, ...	44	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41
5—15 „ ...	7	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5
15—25 „ ...	13	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6
25—45 „ ...	33	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22
45—65 „ ...	45	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24
65—75 „ ...	28	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12
75 and upwards, ...	14	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10
Deaths from :—																										
Enteric Fever, ...	1	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1
Typhus, ...	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7
Scarlet Fever, ...	2	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.
Whooping-cough, ...	1	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1
Diphtheria, ...	2	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3
Influenza, ...	2	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.
Dysentery, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	25	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21
Tuberculous Disease, Other Forms,	6	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4
Cancer, ...	6	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8
Diseases of Circulatory System,	17	24	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10
Diseases of Respiratory System, Pneumonia,	16	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5
Diseases of Respiratory System, Others, ...	42	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5
Diarrhœa and *Enteritis*, under 2 years, ...	2	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8
Diarrhœa, 2 years and upwards,	1	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.
Violent Deaths, ...	6	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1
Number of Uncertified Deaths,	4	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7
Mean Temperature of the Air (Phœnix Park)	30·6	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7
Average Mean Temperature in corresponding week of previous 10 years, ...	40·3	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6
Rainfall in inches, ...	·045	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th July, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH JULY, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	120	41	5	6	22	24	12	10	1	.	.	7	.	1	3	.	21	4	8	4	5	5	8	.	1	52	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	3	1	1	3	4	3	3	1	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.	.	12	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	9·9	21	7	1	1	5	4	2	1	.	.	.	1	.	1	1	.	3	.	4	.	2	.	1	.	1	7	.
IV.	GENERAL SERVICE CLASS, ...	154,279	19·6	58	25	3	3	9	9	5	4	.	.	.	6	.	.	2	.	11	2	3	3	3	4	4	.	.	20	5
V.	INMATES OF WORKHOUSES, ...	6,024	—	21	6	.	1	5	6	2	1	.	.	.	.	.	.	.	.	5	2	.	.	.	1	2	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c..	22,016	14·2	6	.	.	.	1	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	3	1	1	2	.	1	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	1	.	.	4	2
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	5·8	3	.		.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	1	.	.	2	1	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	.	.	1	2	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	6·7	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	6·9	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
	13. Petty Shopkeepers	7,894	19.8	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	23·3	6	2	1	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	2·8	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	2	.	.	2	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	2	.	1	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	25·0	43	20	2	3	5	7	3	3	.	.	.	6	.	.	2	.	8	1	2	1	1	4	3	.	.	15	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	21	6	.	1	5	6	2	1	.	.	.	.	.	.	.	.	5	2	.	.	.	1	2	.		11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	June 8,	34·7	8·7	20	.	.	.	4	.	1	.	.	2	.	.	2	3	.	.	1	2
	" 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
	" 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	" 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
	" 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	" 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
	" 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	June 8,	24·7	2·6	19	.	.	.	.	2	.	.	.	.	.	3	3	5	.	.	.	1
	" 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
	" 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
	" 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
	" 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	" 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
	" 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	June 8,	16·9	1·7	10	.	.	.	1	.	.	.	.	2	1	.	.	2	.	.	.	1
	" 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
	" 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
	" 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
	" 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	" 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
	" 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	June 8,	24·8	1·5	16	.	.	.	1	.	.	.	.	.	.	1	4	.	.	.	2	.
	" 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
	" 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
	" 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
	" 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	" 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	" 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	June 8,	22·5	2·5	18	.	.	.	2	.	.	.	.	4	1	.	.	2	.	.	1	.
	" 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
	" 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
	" 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
	" 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	" 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
	" 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	June 8	23·9	.	10	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.	.
	" 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
	" 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
	" 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
	" 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	" 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	June 8,	22·8	2·4	19	.	.	.	2	.	.	.	.	4	1	.	1	4	.	.	.	.
	" 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
	" 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
	" 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
	July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	" 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	" 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
	" 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	June 8,	15·9	2·9	11	.	.	.	2	.	.	.	.	1	1	.	4	2	.	.	.	.
	" 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
	" 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
	" 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
	" 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	" 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
	" 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912 Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,889.	June 8,	13·4	2·7	10	.	.	.	1	.	1	.	.	1	1	.	.	1	.	.	.	.
	„ 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,693.	June 8,	14·0	1·8	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	1
	„ 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 17,227.	June 8,	15·1	.	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 15,	39·3	.	3	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	June 8,	16·1	1·1	121	.	.	.	.	.	6	.	.	16	7	12	10	10	2	.	2	.
	„ 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
Cork. Pop. in 1911 76,632.	June 8,	22·5	.	33	.	.	.	.	.	.	.	.	10	1	2	1	4	.	.	.	1
	„ 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
Londonderry. Pop. in 1912 (Est.) 40,912.	June 8,	19·1	.	15	.	.	.	.	.	.	.	.	2	1	3	.	2	.	.	.	1
	„ 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,403.	June 8,	28·5	.	21	.	.	.	.	.	.	.	.	5	.	.	1	4	.	.	.	2
	„ 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2		9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
Waterford. Pop. in 1911 27,430.	June 8,	20·9	1·9	11	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	1	.
	„ 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1.9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th July, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	6	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 2 do.		22			18	4	1	3	3	7	.	.	.	.	1	.	.	.	.	2	2	.	.	.	.	.	1	2	4	.
Do. 3 do.		29			10	1	.	1	4	1	3	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	4	2
Do 4 do.		27			9	1	.	1	.	5	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	5	.
Do. 5 do.		10			7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	1	2	.
Do. 6 do.		10			8	2	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	.
Do. 7 do.		3			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.		10			6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	.	4	.
Do. 10 do.		14			13	1	1	3	3	2	3	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	.	2	3	.
Do. 11 do.		21			14	1	2	1	4	2	4	.	.	.	.	1	.	.	.	1	1	1	.	1	.	.	.	.	4	.
Do. 12 do.		23			14	3	1	3	5	2	.	.	.	.	.	.	.	.	.	4	.	1	.	2	.	.	.	1	2	.
Do. 13 do.		11			3	1	.	.	1	.	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		15			10	4	1	.	3	2	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	2	1	.
Total,	—	205			117	21	6	12	30	29	19	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	9	31	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.		3			3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.
Do 3 do.		4			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 4 do.		1			4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 5 do.		1			3	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do 6 do.		4			2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		4			6	2	.	.	1	.	3	.	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	.	1	1
Total,	—	21	13·6	0·7	20	2	.	1	5	2	10	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1	5	1

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Feb. 3.	Feb 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.
No. of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS registered, ...	239	181	229	206	229	230	197	268	196	174	210	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205
DEATHS registered, ...	233	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117
Annual Death rate per 1,000 of estimated population, ...	31·1	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6
AGES, Under 1 year, ...	66	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21
1—5 years, ...	50	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6
5—25 " ...	26	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12
25—45 " ...	24	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	21	18	15	15	16	16	18	30
45—65 " ...	32	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29
65 and upwards, ...	35	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19
Deaths from :—																										
Enteric Fever, ...	.	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1
Scarlet Fever, ...	1	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1
Whooping-cough, ...	14	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1
Diphtheria, ...	1	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	21	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15
Tuberculous Disease. Other Forms,	7	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3
Cancer, ...	5	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11
Diseases of Respiratory System, Pneumonia,	46	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2
Diseases of Respiratory System, Others, ...	45	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9
Diarrhœa, and *Enteritis*, under 2 years, ...	3	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.
Violent Deaths, ...	4	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3
Number of Uncertified Deaths, ...	1	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
			Exclusive of Stillborn.									
London, ...	4,519,754	July 27,	2,309	971	11·2	.	.	33	5	7	15	34*a*
Edinburgh, ...	321,200	„ 27,	137	85	13·8	.	.	.	.	1	.	4
Glasgow, ...	785,600	„ 27,	464	220	14·6	2	.	1	2	2	1	20
Calcutta, ...	896,067	June 22,	.	349	20·2	82*	2	1	.	1	.	52‡
Bombay, ...	979,445	„ 22,	356	1,035	54·9	73*	20	1	.	.	.	421‡
Madras, ...	518,660	„ 1,	386	306	30·7	67*	3	3	?	?	?	83‡
Cairo, ...	699,228	May 20,	576	544	40·6	6	.	1	1	.	4	125
Paris, ...	2,847,229	June 29,	1,064	788	14·1	3	.	22	4	6	5†	44*a*
Brussels, ...	745,380	July 6,	219	163	11·4	1	.	2	1	.	2	12
Antwerp, ...	308,618	„ 6,	141	79	13·3	1	.	8	2	.	.	14*a*
Amsterdam, ...	582,674	„ 6,	245	105	9·4	.	.	3	.	2	.	4*a*
Copenhagen, ...	465,000	„ 6,	229	120	13·5	.	.	1	.	3	.	4
Stockholm, ...	346,599	„ 6,	115	88	13·2	.	.	3	.	2	.	1
Christiania, ...	247,488	„ 13,	111	44*b*	9·2	.	.	1	.	.	1	2*b*
St. Petersburg, ...	1,599,139	June 22,	845	765	24·9	10	3	53	9	5	2	95
Moscow, ...	1,617,157	„ 15,	.	769	24·8	1	1	24	7	10	6	146
Berlin, ...	2,077,376	„ 22,	781	516	13·0	1	.	6	7	7	4†	25
Hamburg, ...	953,079	July 6,	.	232	12·7	.	.	1	1	8	9†	14*a*
Breslau, ...	530,232	„ 6,	.	175	17·2	1	.	.	.	4	.	16
Munich, ...	610,000	„ 13,	.	166	14·2	.	.	2	.	.	2†	12
Vienna (with suburbs),	2,081,335	„ 6,	632	597	14·9	2	.	13	6	2	4†	37*a*
Buda-Pesth, ...	910,548	„ 6,	433	300	17·1	.	.	1	6	1	4†	32*a*
Prague and Faubourgs,	484,301	June 22,	162	163	17·5	.	.	5	1	.	1†	9*a*
Trieste, ...	235,999	July 6,	113	86	19·0	.	.	3	.	.	.	12*a*
Rome, ...	564,913	Mar. 16,	314	147	13·6	5	.	3	.	1	2	10
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	May 25,	2,340	1,471	14·8	6	.	22	15	4	29†	53
Philadelphia, ...	1,606,105	June 8,	.	432	14·0	1	.	1	3	.	8	26*a*
Boston, ...	720,031	July 6,	.	196	14·2	.	.	1	.	2	1	18

* Deaths from "fever," including 11 deaths from enteric fever and 36 from plague in Calcutta, 5 from enteric fever and 10 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 33 deaths from cholera in Calcutta, 356 in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th July, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
,, ,, 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
,, ,, 2, ...	.	2	.	.	1	.	.	.	.	.	.	2	5
,, ,, 3, ...	.	.	.	.	2	.	2	.	.	.	.	3	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	1	.	.	1	2
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	1	.	.	1	4	.	.	1	8
,, ,, 2, ...	.	3	.	.	.	.	.	.	.	.	.	.	3
,, ,, 3, ...	.	2	.	.	.	.	.	.	1	.	.	1	4
,, ,, 4, ...	.	2	.	.	2	.	.	.	1	.	.	1	6
New Kilmainham, ...	.	.	.	.	2	.	.	.	1	.	.	.	3
Total, ...	.	12	.	.	10	.	2	1	8	.	.	10	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th July, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th July.			
	July 6.	July 13.	July 20.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	23	21	5	4	.	22
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	97	100	95	16	37	4	70
Scarlet Fever, ...	136	147	147	25	23	.	149*
Diphtheria, ...	48	39	42	14	13	4	39
Pneumonia, ...	8	11	16	6	3	.	19

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 27th July, 1912:—

"Cloudy, rainy, thundery weather prevailed in Ireland, affording a direct contrast to the fine, summer-like conditions which had held during the previous week. On Sunday a vast high-pressure (anticyclonic) system embraced the Eastern Atlantic from the Tropics to Iceland and the Arctic Ocean, the isobar of 30·3 inches stretching from the Azores to the north-western coast of Iceland. The barometer was relatively low (29·8 inches) over Central Germany and on the Riviera; but a third area of low pressure formed off the Land's End as the day advanced, and this system caused a break in the weather which was most pronounced in Ireland. A thunderstorm occurred at Donaghadee in the course of the day and rain fell heavily in many places, ·64 inch being measured at Blacksod Point and ·71 inch at Roche's Point on Monday morning. From this time onward to the end of the week the barometer remained low off the S.W. of Ireland, so that easterly to southerly winds, clouded skies, and frequent and often heavy showers were experienced both in this country and in many parts of Great Britain. The London district escaped. On Tuesday night a thunderstorm passed over Dublin, the lightning being extremely vivid and the peals of thunder loud and reverberating. Next day distant thunder was heard in the afternoon near Dublin, and severe thunderstorms were reported from various parts of Ireland. At Blacksod Point the accompanying rain and hail yielded 1·06 inches in the rain-gauge. Wednesday was warm and fine in the Thames Valley—the screened thermometers rose to 82° at Greenwich, 81° at Camden Square, London, N.W., and 79° at Kew Observatory At Greenwich, 81° was reached on Thursday also. In the east of Ireland the weather improved on Friday, but the week closed with a low barometer and an unsettled appearance. In Dublin the mean height of the barometer was 29·848 inches, the range of pressure being from 30·014 inches at 9 a.m. of Sunday (wind, N.N.E.) to 29·594 inches at 9 p.m. of Saturday (air calm). The corrected mean temperature was 59·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·6°. On Friday the screened thermometers fell to 54·5° to rise next day to 67·1°. The diurnal range of temperature was small—only 8·3°. The prevalent winds were E.N.E. and S.E. Rain fell daily to the large amount of 1·539 inches, of which ·514 inch was referred to Tuesday and ·409 inch to Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·853 inches. The highest reading (30·023) was on Sunday at 9 a.m., wind N.E., the lowest (29·604) on Saturday at 9 p.m., air calm.

The mean temperature for the week was 58·7°, being 0·1° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Thursday and Friday, on which days the thermometer registered 67°, and was lowest on Friday, the mercury having fallen to 47°. The mean of the Dry Bulb for the week was 57·7° and of the Wet Bulb, 56·1°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 1·720 inches.

At Greenwich the mean temperature for the week was 64·8°, the maximum 81·6°, and the minimum 49·2°; at Glasgow the maximum was 69·4°, the minimum 46·0°, and the mean 58·3°; and at Edinburgh the maximum was 68·4°, the minimum 47·0°, and the mean 55·2°. The rainfall at Greenwich measured 0·16 in.; at Glasgow 0·88 in.; and at Edinburgh 1·30 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 21,	30·010	62	53	57·5	57·5	55·3	·87	·5	0·8	·210	N.E.	Calm.
Monday, " 22,	29·995	62	56	59·0	57·1	55·9	·91	·3	0·0	·140	E.N.E.	Calm.
Tuesday, " 23,	29·910	61	55	58·0	56·1	55·5	·96	·3	0·0	·730	E.N.E.	Calm.
Wednesday, " 24,	29·830	66	54	60·0	56·0	55·6	·95	·0	1·5	·070	E.	Calm.
Thursday, " 25,	29·765	67	52	59·5	58·3	55·8	·86	·0	4·4	·130	E.S.E.	Calm.
Friday, " 26,	29·810	67	47	57·0	60·6	57·1	·79	·3	3·7	·110	E.S.E.	Calm.
Saturday, " 27,	29·650	65	55	60·0	58·3	57·2	·93	·3	0·2	·330	E.	Calm.
Mean, ...	29·853	64·3	53·1	58·7	57·7	56·1	·90	·2	Total 10·6	Total 1·720	—	

Sunday—A dull day, heavy and light showers a.m. and p.m.; night cloudy. *Monday*—A dull day, showers at intervals p.m.; night cloudy, showers at intervals a.m. *Tuesday*—A dull day, heavy showers a.m. and p.m.; thunder and lightning 11.30 p.m. to 1.15 a.m.; night cloudy, rain to 3.0 a.m. *Wednesday*—Day cloudy, showers a.m. and p.m.; night cloudy, light shower 12.50 a.m. to 12.45 a.m. *Thursday*—Day cloudy, bright at intervals; heavy shower 10.5 a.m. to 10.40 a.m.; night cloudy, light shower 3.30 a.m. to 3.45 a.m. *Friday*—Day cloudy, bright at intervals; night cloudy, light rain 1.0 a.m. to 3.20 a.m. *Saturday*—Day cloudy; night cloudy, heavy and light rain from 11.0 p.m. to 6.40 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 27th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 21,	59·5	61·2	57·8	61·2	53·9	57·5	1·0	·234
Monday, " 22,	58·0	60·4	57·8	61·0	55·8	58·4	—	·234
Tuesday, " 23,	56·0	60·0	57·8	60·8	54·3	57·5	—	·500
Wednesday, " 24,	57·7	60·0	57·6	65·4	54·4	59·9	4·0	·140
Thursday, " 25,	62·4	60·8	57·7	65·8	55·3	60·5	6·5	·046
Friday, " 26,	63·1	61·0	57·8	66·5	52·3	59·4	6·8	·001
Saturday, " 27,	59·8	61·9	57·9	65·0	56·1	60·5	1·8	·035
Weekly Mean, .	59·5	60·8	57·8	63·7	54·6	59·1	Total 20·1	Total 1·190

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32719. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 3RD AUGUST, 1912. [No. 31.

General Register Office, Charlemont House, Dublin, 6th August, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 13	Week ending July 20	Week ending July 27	Week ending Aug. 3	Average Rate for 4 weeks.
22 Town Districts, ...	**15·7**	**14·5**	**15·2**	**16·4**	**15·4**
Armagh	·	13·7	·	13·7	6·9
Ballymena	13·8	18·3	22·9	32·1	21·8
Belfast	15·9	14·5	15·6	13·2	14·8
Clonmel	10·1	10·1	10·1	25·4	13·9
Cork	14·3	10·2	13·6	19·7	14·5
Drogheda	·	12·6	8·4	21·0	10·5
Dublin Reg. Area ...	16·0	15·4	14·5	18·1	16·0
Dundalk	7·9	7·9	7·9	19·9	10·9
Galway	15·7	19·7	23·6	27·5	21·6
Kilkenny	34·7	14·9	24·8	5·0	19·8
Limerick	19·0	19·0	16·3	19·0	18·3
Lisburn	30·0	8·6	12·9	12·9	16·1
Londonderry	12·7	15·3	8·9	16·6	13·4
Lurgan	21·5	12·9	25·8	8·6	17·2
Newry	26·2	13·1	34·9	26·2	25·1
Newtownards	11·4	5·7	22·9	11·4	12·9
Portadown	4·4	·	8·9	13·3	6·7
Queenstown	13.2	13·2	6·6	6·6	9·9
Sligo	9·3	14·0	32·7	28·0	21·0
Tralee	5·3	21·1	21·1	10·6	14·5
Waterford	26·6	15·2	17·1	9·5	17·1
Wexford	9·1	18·2	9·1	27·3	15·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·2 in Ballymena, 2 of the 7 deaths from all causes for that district being from whooping-cough. Included in the 99 deaths from all causes for Belfast are 2 from enteric fever, one from scarlet fever, 2 from each of whooping-cough and diphtheria, and 2 from diarrhœa and *enteritis* of children under 2 years. Among the 29 deaths from all causes for Cork are one from each of enteric fever and scarlet fever and 2 from diarrhœa and *enteritis* of children under 2 years. One of the 7 deaths from all causes for Galway is from enteric fever, and of the 6 deaths from all causes for Newry 2 are from diarrhœa and *enteritis* of children under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—122 boys and 104 girls—and the deaths to 155—80 males and 75 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·1 per 1,000 of the population. During the thirty-one weeks ending with Saturday last the death-rate averaged 22·2, and was 0·4 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 155, represent an annual rate of 19·9 per 1,000 ; the annual rate for the past thirty-one weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·7 per 1,000 of the mean population for all deaths registered.

There were 10* deaths from measles, one death from scarlet fever, 4 deaths from diphtheria, one death from varicella, and 17 deaths from diarrhœa and *enteritis* of children under 2 years (the latter figure is 9 over the number of such deaths registered in the week preceding).

In each of the 3 preceding weeks deaths from measles were 7, 8, and 7 ; deaths from scarlet fever were 0, 0, and 0 ; deaths from diphtheria were 0, 3, and 3 ; and deaths from diarrhœa and *enteritis* of children were 7, 7, and 8.

Tuberculosis accounted for the deaths of 26 persons, namely, from pulmonary tuberculosis 17 deaths, from tuberculous meningitis 5 deaths, from abdominal tuberculosis 3 deaths, and from disseminated tuberculosis one death ; in the 3 weeks preceding deaths from tuberculosis numbered 22, 28, and 25, respectively.

One death from broncho-pneumonia was registered.

Twelve deaths were attributed to cancer.

There were 2 deaths from meningitis, and 3 deaths of infants from *convulsions.*

Organic diseases of the heart caused 12 deaths, and there were 6 deaths from bronchitis.

Congenital debility caused the death of one infant, and there were 6 deaths from prematurity.

The deaths of 4 persons were ascribed to accidental causes.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 infants under one year old, and the deaths of 2 persons aged 65 years and upwards.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 12 were under one month old) and 29 were aged 65 years and upwards, including 23 persons aged 70 and upwards ; among the latter were 14 aged 75 and upwards of whom one (a female) was stated to have been aged 90 years.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·1 per 1,000 ; the rate in the City was 18·9 (North City Districts, 20·6 ; South, 17·1) and in the Suburbs, 15·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·8 per 1,000 inhabitants, the rate for the City being 4·4 (in the North City Districts 3·9, and in the South 4·8), and for the Suburbs 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·6 per 1,000, and include 2 deaths from measles, one death from tuberculous meningitis, one death from broncho-pneumonia, and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·9 per 1,000. There were 2 deaths from measles, 4 deaths from tuberculosis, one death from diarrhœa and *enteritis* of an infant, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·0 per 1,000. Measles and diphtheria each caused one death ; there were 3 deaths from tuberculous disease, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. Measles and scarlet fever each caused one death ; there were 3 deaths from pulmonary tuberculosis, one death from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 13·5. One of the 2 deaths from all causes for Coolock and Drumcondra, part of, was from diarrhœa and *enteritis* of a child under 2 years of age ; and the 2 deaths from all causes for Finglas and Glasnevin, part of, include one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·0 per 1,000. The deaths included 2 from measles, 4 from tuberculous disease, one from bronchitis, and 2 from diarrhœa and *enteritis* of children under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 11·9 per 1,000. There was no death from any of the principal epidemic diseases, nor yet from tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·8 per 1,000. There were 4 deaths from tuberculosis, 2 from bronchitis, and 5 from diarrhœa and *enteritis* of children under 2 years.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 17·4 per 1,000, and include one death from diphtheria, 2 deaths from pulmonary tuberculosis, and 3 deaths from diarrhœa and *enteritis* of children under 2 years.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 11·4 per 1,000. One of the 2 deaths was of an infant from diarrhœa and *enteritis.*

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1 ; Pembroke, 22·8 ; Blackrock, 5·7 ; and Kingstown, 6·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa and *enteritis* of a child under 2 years of age for Rathmines and Rathgar, and also for Pembroke. One of the 13 deaths from all causes for Pembroke was by a tram-car accident. The only death for Blackrock was from disseminated tuberculosis.

* See Note (*c*) Table II.

(†) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 3rd August, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 13,	.	—	—	13	.	.	3	.	.	2	4	.	—	—	.	—	12	—	34
	July 20,	.	—	—	13	.	.	10	.	.	4	6	.	—	—	.	—	2	—	35
	July 27,	.	—	—	12	.	.	10	.	2	1	8	.	—	—	.	—	10	—	43
	Aug. 3,	.	—	—	15	1	.	5	.	.	4	3	.	—	—	.	—	8	—	36
Rathmines and Rathgar Urban District.	July 13,	.	—	—	3	.	.	1	.	.	1	.	.	—	—	—	—	—	—	5
	July 20	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	July 13,	.	11	.	6	.	.	.	.	.	.	.	.	.	9	—	—	.	—	26
	July 20,	.	12	.	2	.	.	.	.	.	.	.	.	—	13	—	—	.	—	27
	July 27,	.	6	.	2	.	.	1	.	.	.	.	.	—		—	—	.	—	9
	Aug. 3.	.	8	.	.	.	.	1	.	.	.	2	.	.	2	—	—	.	—	13
Blackrock Urban District.	July 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	July 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	July 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	—	1
	July 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
City of Belfast.	July 13,	.	—	—	7	.	.	4	1	.	1	2	.	—	—	.	—	7	.	22
	July 20,	.	—	—	11	.	.	7	.	.	.	5	1	—	—	.	—	6	.	30
	July 27,	.	—	—	9	.	.	7	.	.	.	3	.	—	—	.	—	6	.	25
	Aug. 3,	.	—	—	14	.	.	8	.	.	1	2	.	—	—	.	—	6	.	31

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd August, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Six cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 23, 21, and 22.

One case of typhus was admitted to hospital during the week and remained under treatment at its close.

Twelve cases of measles were admitted to hospital during the week, 28 were discharged, there was one death, and 53 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 100, 95, and 70, respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 28 were discharged, there were 2 deaths, and 140* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 147, 147, and 149, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 2 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 42, and 39, respectively, were 47 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 7 were discharged, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·2), was equal to an average annual death-rate of 11·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·4 per 1,000, the rate for Glasgow being 15·6, and for Edinburgh 13·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd August. From this Report it appears that of a total of 41 cases notified, 15 were phthisis, 15 scarlet fever, 6 erysipelas, and 5 diphtheria. Among the 243 cases of infectious diseases in hospital at the close of the week were 104 cases of scarlet fever, 60 of phthisis, 24 of diphtheria, 19 of whooping-cough, 18 of measles, 10 of erysipelas, 3 of chicken-pox, and 2 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 3rd August, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 3rd August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 20th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	29·2	16·4	2·2	649	364	67	81	4	...	...	8	3	4	6	...	46	23	27	13	20	24	...	8	12	116	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	406,536	29·5	29·0	18·1	3·8	226	141	35	27	...	...	...	8	1	...	4	...	16	7	11	1	9	17	...	3	4	49	4	e67	36	53·4	1·50	e 67	47	58·7	1·72	e 74	42	58·0	0·00
CITY OF DUBLIN,	311,601	39·4	34·1	18·9	4·4	204	113	29	18	...	...	...	8	1	...	2	...	16	6	6	1	7	15	...	2	3	41	3	f62·1 g62·4	42·9 39·0	54·1 53·5	1·48 1·64	f67·1 g65·9	54·5 53·0	59·8 59·1	1·54 1·47	f73·1 g74·7	46·9 43·0	59·9 59·3	0·00 0·00
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	12·1	16·1	2·7	9	12	3	2	...	...	...	...	...	...	1	...	...	...	1	...	1	1	...	...	...	2	1	...	...	...	...	...	...	...	...	.	...	...	...
PEMBROKE, ...	29,693	18·7	12·3	22·8	3·5	7	13	3	5	...	...	...	...	...	...	1	...	...	...	4	...	..	1	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,126	8·4	11·4	5·7	.	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	17,227	11·8	12·1	6·1	.	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	63	44	55·0	1·63	66	54	58·8	1·90	69	47	58·8	0·00
Urban Districts. BELFAST ...	391,051	26·6	28·5	13·2	1·2	214	99	18	18	2	..	...	...	1	2	2	...	7	11	7	9	8	2	...	2	3	28	1	61·5	42	55·0	2·35	69	52	58·0	0·42	72	45	58·7	0·00
CORK, ...	76,632	33·8	25·9	19·7	2·7	38	29	2	8	1	...	...	...	1	...	...	...	4	1	1	1	1	2	...	...	2	11	2	63	43	54·5	1·05	64	53	58·6	3·71	76	50	62·3	0·52
LONDONDERRY...	40,912	18·9	31·9	16·6	.	25	13	1	3	...	...	...	...	...	...	...	...	3	...	2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,403	18·2	59·7	19·0	1·4	44	14	4	2	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	3	1	61·7	36	52·3	1·04	71	50	59·3	3·20	73·0	39·0	57·9	0·00
WATERFORD, ...	27,430	19·1	19·0	9·5	.	10	5	1	2	...	.	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	6	1	...	...	...	...	...	...	...	..	...	..	...	...
GALWAY. ...	13,249	2·5	39·4	27·5	3·9	10	7	1	3	1	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	...	2	...	67	40	54·3	0·67	70	50	60	2·64	73	45	61	0·00
DUNDALK, ...	13,128	9·5	31·8	19·9	.	8	5	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	37·8	21·0	.	9	5	...	3	...	...	...	...	...	...	...	..	..	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,956	17·2	13·1	26·2	8·7	3	6	2	...	...	...	...	..	...	...	...	...	2	...	...	..	1	2	...	1	1	...	1	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00
LURGAN, ...	12,135	14·3	51·6	8·6	.	12	2	...	1	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	...	...	1	...	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00
LISBURN, ...	12,172	10·7	30·0	12·9	.	7	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00
WEXFORD, ...	11,455	23·8	18·2	27·3	.	4	6	...	3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	1	1	2	2	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	13·8	32·1	9·2	3	7	1	2	...	...	...	...	...	2	...	...	...	...	2	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	56·1	28·0	.	12	6	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	62	33	50·0	1·49	68	49	57·0	1·37	73	39	56·0	0·23
KILKENNY. ...	10,513	11·4	19·8	5·0	.	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	63	38	52·8	1·65	68	53	59·7	2·73	76	44	60·5	0·11
CLONMEL, ...	10,277	7·9	20·3	25·4	.	4	5	..	5	...	...	...	...	...	...	...	...	5	1	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	31·1	13·3	.	7	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	.	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00
TRALEE. ...	9,867	16·6	21·1	10·6	.	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	11·4	11·4	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	61	42	53·1	0·67	66	52	56·7	1·45	63	49	56·1	0·00
QUEENSTOWN, ...	7,909	14·4	19·8	6·6	.	3	1	...	...	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	63	43	54·5	1·05	64	53	58·6	3·71	76	50	62·3	0·52
ARMAGH. ...	7,588	22·2	.	13·7	.	.	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28	72·5	42·0	57·1	0·00

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old, and 2 at 65 years or upwards) admitted to hospital from localities outside the Area; of the 14 deaths 2 were from measles. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 3rd of August, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	2	2	1	1	.	.	.	2	.	.	.	.	.	.	.	.	8	2
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	1	.	.	.	.	.	.	.	1	.	1	1	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	3	2	3	.	.	1	3	.	2	2	.	.	.	.	.	16	1
Tuberculous Disease. { Other Forms,	1	1	1	.	.	.	.	1	.	2	.	.	.	.	1	.	7	2
Cancer,	.	2	.	1	.	.	.	.	2	.	1	.	1	4	.	.	11	1
Diseases of Nervous System,	.	4	1	1	.	.	.	.	1	2	1	.	.	1	.	.	11	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System,	.	1	2	2	2	.	.	.	1	2	1	.	2	1	.	.	14	.
" Respiratory System. { Pneumonia,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Respiratory System. { Others,	2	.	.	1	.	.	.	1	.	3	.	.	1	.	.	1	9	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	1	2	.	.	1	.	2	.	5	3	1	1	1	.	.	17	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	2	1	.	.	1	.	.	.	.	1	1	1	1	.	1	9	2
" Genito-urinary System,	.	.	.	.	.	.	.	1	1	2	.	.	1	2	.	.	7	1
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	4	2	1	.	.	1	2	.	1	1	.	3	1	.	.	19	.
Violent Deaths,	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	3	1
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	.
Deaths from All Causes	9	23	13	12	2	2	2	12	5	19	12	2	12	13	1	2	141	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·6	29·9	22·0	18·6	19·3	8·9	13·5	15·0	11·9	22·8	17·4	11·4	16·1	22·8	5·7	6·1	18·1	.
	20·6							17·1					15·4					
	18·9																	
Ages at Death. { Under 1 year,	3	4	2	1	.	1	.	7	.	7	4	.	3	3	.	.	35	1
1 and under 2 years,	2	4	4	2	.	.	.	1	.	1	1	1	.	.	.	.	16	1
2 " 5 "	1	2	.	1	.	.	.	.	.	.	.	.	2	1	.	.	7	1
5 " 15 "	.	1	2	.	.	.	.	1	.	2	2	.	.	.	.	.	8	1
15 " 25 "	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
25 " 45 "	.	6	2	2	.	.	1	.	.	2	2	.	1	2	1	.	19	6
45 " 65 "	2	3	1	3	1	.	.	3	3	3	1	1	4	2	.	.	27	2
65 and upwards,	1	3	2	2	1	1	1	.	1	4	2	.	2	5	.	2	27	2
Number of Uncertified Deaths,	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	6	3	3	.	.	.	.	1	5	2	1	2	3	.	1	27	13
Workhouse Hospitals,	.	3	1	4	.	.	.	4	2	4	2	.	.	2	.	.	22	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1902–1911.	In the Week ending Saturday, 3rd August, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 62·5	° 58·8	° 53·4										
ALL CAUSES.	165	137	161	161	125	138	133	123	145	153	144·1	155	12	24	17	8	9	2	25	29	15	14
Enteric Fever, ...	2	.	.	.	1	.	1	1	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	18	1	3	.	.	6	2	1	.	5	3·6	10	.	2	6	1	1	.	.	.	.	.
Scarlet Fever, ...	2	.	1	.	.	.	1	1	1	1	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	2	1	4	2	2	4	2	4	3	4	2·8	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	2	2	.	2	1	1	1	.	1·1	4	.	.	1	2	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	.	.	.	.	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	1	.	.	.	1	.	.	·3	1	.	.	.	1	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	2	1	.	.	1	.	.	1	1	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	14	10	16	21	17	16	15	24	16	16·8	17	.	.	1	.	3	.	9	3	1	.
Tuberculous Meningitis, ...	1	2	1	2	2	4	1	2	2	3	2·0	5	.	2	2	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	2	4	1	1	2	2	.	2	2	1·7	3	.	.	.	.	2	.	1	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	2	3	7	9	1	5	3	3	6	.	4·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	.	1	1	.	.	.	1	2	2	1	·8	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	7	10	8	11	7	10	8	5	8·0	12	.	.	.	.	.	.	2	6	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	.	1	1	.	1	·5	1	.	.	.	.	.	.	1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	3	.	.	.	.	.	.	.	3	.	.
Alcoholism, ...	.	1	1	.	.	.	1	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	1	.	.	.	.	.	.	.	.		·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	.	1	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										6		3	.	.	.	.	.	.	.	2	.	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										5		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),										4		3	1	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	25	43	40	37	31	27	38	28	37	1	33·4	3	.	.	.	.	.	1	2	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										8		12	.	.	.	.	.	1	3	3	2	3
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		2	.	.	.	.	.	.	.	.	.	2
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	18	6	14	7	13	12	6	5	7	3	9·1	6	.	2	.	.	.	.	.	1	1	2
Broncho-pneumonia, ...	3	4	5	2	2	7	3	3	3	.	3·2	1	1	.	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	6	4	4	.	2	11	4	6	4	1	4·2	.	.	.	.	.	.	.	.	.	.	.
Pleurisy, ...										.		2	.	.	.	.	.	.	.	.	1	1
Pulmonary Congestion, Pulmonary Apoplexy	3	1	1	1	1	.	1	1	3	.	1·2	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-FIRST WEEK ending Saturday, 3rd August, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 31st Week of the 10 years 1902–1911.	In the Week ending Saturday, 3rd August, 1912.										
													Deaths of Persons of the Ages of									
	Aug. 2, 1902.	Aug. 8, 1903.	Aug. 6, 1904.	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 55·4	° 56·5	° 61·5	° 57·7	° 60·5	° 57·7	° 60·7	° 58·6	° 56·5	° 62·5	° 58·8	° 53·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	6	—	3	.	1	1	.	.	.	.	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	7	7	22	32	14	3	16	6	6	29	14·3	17	.	13	4	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards												.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	1	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	3	.	.	.	.	.	.	1	1	.	1
Cirrhosis of Liver, ...	2	.	.	.	1	.	1	.	1	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	3	1	1	.	.	1	.	1	2		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	1	.	.	1	2	1	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	3	5	6	4	2	6	6	4	2	4·3	3	.	1	.	.	.	.	.	1	.	1
Acute Nephritis, ...	3	6	5	5	2	6	1	2	9	1	4·2	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										1		3	.	.	.	.	.	.	.	1	2	.
Urinary Calculi, ...										.		1	.	.	.	.	.	.	.	1	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		3	.	.	.	.	.	.	.	3	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	3	.	1	.	1	1	.	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	2	3	2	2	2	4	4	5	2·9	6	6	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	8	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	5	5	5	6	3	4	2	4	4	.	3·8	3	.	.	.	.	.	.	.	.	2	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	.	.	.	.	.	1	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	2	.	.	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	1	1	.	1	2	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	7	4	.	2	1	1	1	4	1	2	2·3	4	.	.	.	1	.	.	2	1	.	.
Total Deaths from Accident,	7	5	2	5	1	2	4	5	3	2	3·6	4	.	.	.	1	.	.	2	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	.	2	1	.	.	2	.	1	·7	2	.	.	.	.	.	.	2	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	5	—	3	.	.	1	.	.	.	.	.	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered.	217	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226
Average Births in corresponding week of previous 10 years, ...	213	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211
DEATHS registered, ...	219	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155
Annual Death-rate per 1,000, ...	28·1	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9
Average Deaths in corresponding week of previous 10 years, ...	197	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144
Ages, Under 5 years, ...	49	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61
5—15 „ ...	12	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9
15—25 „ ...	7	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2
25—45 „ ...	40	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25
45—65 „ ...	56	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29
65—75 „ ...	34	28	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15
75 and upwards, ...	21	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14
Deaths from :—																										
Enteric Fever, ...	1	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.
Typhus, ...	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10
Scarlet Fever, ...	1	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1
Whooping-cough, ...	5	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.
Diphtheria, ...	3	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4
Influenza, ...	1	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	26	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17
Tuberculous Disease, Other Forms,	2	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9
Cancer, ...	12	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12
Diseases of Circulatory System,	24	12	18	24	26	24	21	23	16	20	17	21	11	22	19	14	14	18	22	11	10	10	15	10	10	14
Diseases of Respiratory System, Pneumonia,	21	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1
Diseases of Respiratory System, Others, ...	44	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9
Diarrhœa and *Enteritis*, under 2 years, ...	3	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Violent Deaths, ...	7	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4
Number of Uncertified Deaths,	12	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4
Mean Temperature of the Air (Phœnix Park)	41·1	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4
Average Mean Temperature in corresponding week of previous 10 years, ...	40·3	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8
Rainfall in inches, ...	·468	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd August, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD AUGUST, 1912.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	155	61	9	2	25	29	15	14	.	.	.	10	1	.	4	.	17	9	12	3	1	9	17	.	4	68	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	.	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7	2
II.	MIDDLE CLASS, ...	87,188	18·5	31	8	1	.	3	9	6	4	.	.	.	1	1	.	1	.	2	.	6	.	.	2	1	.	1	16	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·6	31	11	6	1	5	4	2	2	.	.	.	1	.	.	2	.	5	3	.	1	.	.	6	.	.	13	1
IV.	GENERAL SERVICE CLASS, ...	154,279	21·0	62	33	2	1	11	8	3	4	.	.	.	.	7	.	1	.	2	5	3	2	1	5	7	.	3	26	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	23	9	.	.	5	5	2	2	.	.	.	1	.	.	.	.	8	1	3	.	—	1	3	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	53·5	8	.	.	.	1	3	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	7	2
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	1	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	9·5	4	1	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	4	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	32·8	17	3	1	.	1	6	5	1	.	.	.	1	.	.	1	.	1	.	4	.	.	1	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	3	.	.	1	1
	10. Clothing Trades, ...	23,260	2·2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	32·6	19	7	2	.	2	4	2	2	.	.	.	.	.	.	2	.	4	.	.	1	.	.	3	.	.	9	.
	13. Petty Shopkeepers	7,894	13.2	2	.	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	8·5	6	2	.	.	2	2	.	.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	1	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·7	46	28	2	1	7	4	2	2	.	.	.	6	.	.	1	.	2	3	3	1	1	5	7	.	2	15	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	23	9	.	.	5	5	2	2	.	.	.	1	.	.	.	.	8	1	3	.	.	1	3	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	June 15,	22·6	5·2	13	1	.	.	2	.	.	.	.	2	.	.	1	1	.	.	.	1
		" 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
		" 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
		July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
		" 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
		" 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
		" 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
		Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	June 15,	28·6	3·9	22	.	.	.	2	.	.	.	.	3	.	2	6	2	1	.	.	2
		" 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
		" 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
		July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
		" 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
		" 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
		" 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
		Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	June 15,	32·1	1·7	19	.	.	.	1	.	.	.	.	1	1	2	6	2	.	.	.	.
		" 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
		" 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
		July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
		" 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
		" 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
		" 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
		Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	June 15,	27·8	4·6	18	.	.	.	1	.	1	1	.	1	1	.	1	2	.	.	1	.
		" 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
		" 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
		July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
		" 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
		" 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
		" 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
		Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	June 15,	25·0	6·3	20	.	.	.	4	.	.	.	.	1	.	2	1	5	1	.	1	.
		" 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
		" 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
		July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
		" 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
		" 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
		" 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
		Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	June 15,	21·5	2·4	9	.	.	.	1	.	.	.	.	1	1	1	2	.	.	.	.	.
		" 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
		" 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
		July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
		" 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
		" 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
		" 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
		Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	June 15,	21·6	1·2	18	.	.	.	1	.	.	.	.	2	2	.	.	2	.	.	1	2
		" 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
		" 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
		July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
		" 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
		" 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
		" 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
		Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	June 15,	18·8	7·2	13	.	.	.	5	.	.	.	.	2	.	.	.	1	.	.	1	.
		" 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
		" 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
		July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
		" 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
		" 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
		" 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
		Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 15,	17·4	1·3	13	1	.	.	.	.	.	.	.	3	.	2	1	.	.	.	.	.
	„ 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Pop. in 1912 (Est.) 38,889.	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
Pembroke Urban District.	June 15,	12·3	1·8	7	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.
	„ 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
Pop. in 1912 (Est.) 29,693.	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
Kingstown Urban District.	June 15,	39·3	.	3	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1
	„ 22,	9·1	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Pop. in 1911 17,227.	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast.	June 15,	14·4	0·5	108	2	.	.	.	.	1	.	.	18	11	9	8	13	1	.	2	1
	„ 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
Pop. in 1912 (Est.) 391,051.	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
Cork.	June 15,	13·6	0·7	20	.	.	.	.	.	.	1	.	4	.	1	1	4	.	.	.	2
	„ 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
Pop. in 1911 76,632.	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
Londonderry.	June 15,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	„ 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
Pop. in 1912 (Est.) 40,912.	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
Limerick.	June 15,	12·2	1·4	9	.	.	.	.	.	1	.	.	2	1	1	1	2	.	.	.	1
	„ 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
Pop. in 1911 38,403.	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
Waterford.	June 15,	19·0	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2
	„ 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1.9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
Pop. in 1911 27,430.	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd August, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	4	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do. 2 do.		25			16	1	2	2	3	6	2	1	.	.	.	.	.	1	.	1	1	3	3	.	.	.	.	.	6	.
Do. 3 do.		19			19	4	2	2	5	6	.	.	.	.	.	.	.	.	.	2	.	.	3	.	1	.	1	1	5	1
Do 4 do.		41			5	1	.	.	1	.	3	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.	2	.
Do. 5 do.		17			4	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Do. 6 do.		18			9	.	1	1	2	2	3	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	2	.
Do. 7 do.		2			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		2			2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 9 do.		3			6	1	.	2	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	2	.
Do. 10 do.		23			5	2	.	1	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	.
Do. 11 do.		18			10	2	3	1	.	.	4	.	.	.	.	.	2	.	.	.	2	.	.	1	.	.	.	.	.	.
Do. 12 do.		24			6	1	1	.	.	1	3	.	.	.	.	.	.	1	.	.	.	2	.	2	.	.	.	.	2	.
Do. 13 do.		13			6	.	.	.	2	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		5			9	4	3	.	1	1	.	.	.	.	.	1	.	.	.	.	3	.	1	.	.	.	1	1	5	.
Total,	—	214			99	18	13	10	17	23	18	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	3	28	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	4	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.		1			8	.	4	.	2	.	2	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1	3	.
Do 3 do.		4			4	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.
Do 4 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.		1			4	.	.	.	2	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
Do 6 do.		8			7	.	1	.	2	1	3	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.		16			5	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	1	2
Total,	—	38	19·7	2·7	29	2	7	1	7	4	8	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2	11	2

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.
No. of weeks in Annual Series,	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	181	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214
DEATHS registered, ...	313	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99
Annual Death rate per 1,000 of estimated population, ...	41·7	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2
AGES, Under 1 year, ...	84	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18
1—5 years, ...	62	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13
5—25 ,, ...	30	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10
25—45 ,, ...	34	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17
45—65 ,, ...	49	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23
65 and upwards, ...	54	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18
Deaths from :—																										
Enteric Fever, ...	1	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.
Scarlet Fever, ...	.	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1
Whooping-cough, ...	15	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2
Diphtheria, ...	3	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7
Tuberculous Disease. Other Forms,	7	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11
Cancer, ...	5	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7
Diseases of Respiratory System, Pneumonia,	73	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9
Diseases of Respiratory System, Others, ...	67	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8
Diarrhœa, and *Enteritis*, under 2 years, ...	1	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.
Violent Deaths, ...	7	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2
Number of Uncertified Deaths, ...	5	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Aug. 3,	2,148	969	11·2	2	.	31	2	14	9	59*a*
Edinburgh, ...	321,200	„ 3,	119	85	13·8	.	.	1	.	1	2	3
Glasgow, ...	785,600	„ 3,	430	235	15·6	.	.	1	.	3	2	21
Calcutta, ...	896,067	June 29,	.	360	20·8	57*	1	1	.	2	2	58‡
Bombay, ...	979,445	„ 29,	391	834	44·3	81*	15	.	.	.	.	206‡
Madras, ...	518,660	„ 8,	367	328	32·9	62*	.	2	?	?	?	79‡
Cairo, ...	699,228	May 27,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	July 6,	881	838	15·0	3	.	18	6	6	6†	30*a*
Brussels, ...	745,380	„ 13,	208	154	10·7	2	.	3	1	.	2	12
Antwerp, ...	308,618	„ 13,	144	65	11·0	.	.	8	1	.	.	10*a*
Amsterdam, ...	582,984	„ 13,	274	120	10·7	.	.	5	.	4	.	6*a*
Copenhagen, ...	465,000	„ 13,	237	126	14·1	.	.	1	.	3	.	6
Stockholm, ...	346,599	„ 13,	128	77	11·6	.	.	1	.	2	.	2
Christiania, ...	247,488	„ 20,	100	55*b*	11·6	.	.	1	.	.	1	4*b*
St. Petersburg, ...	1,641,600	June 29,	723	721	22·9	17	3	57	10	2	5	139
Moscow, ...	1,617,157	„ 22,	.	768	24·8	3	.	20	12	5	6	216
Berlin, ...	2,077,577	„ 29,	796	509	12·8	1	.	10	6	8	7†	38
Hamburg, ...	953,079	July 13,	.	254	13·9	2	.	2	3	6	5†	17
Breslau, ...	529,617	„ 13,	.	171	16·8	.	.	.	.	3	2	11
Munich, ...	610,000	„ 20,	.	153	13·1	.	.	.	.	.	1†	14
Vienna (with suburbs),	2,081,335	„ 13,	702	551	13·8	2	.	7	2	1	6†	34*a*
Buda-Pesth, ...	910,548	„ 13,	457	307	17·5	3	.	.	5	1	4†	36*a*
Prague and Faubourgs,	484,301	June 29,	143	145	15·6	1	.	1	.	.	.	3*a*
Trieste, ...	235,999	July 13,	134	91	20·1	.	.	4	.	.	1†	9*a*
Rome, ...	564,913	Mar. 23,	319	168	15·5	1	.	6	.	1	.	5
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	June 1,	2,338	1,275	12·9	4	.	22	21	6	15†	43*a*
Philadelphia, ...	1,606,105	„ 15,	.	354	11·5	2	.	1	4	5	3	16*a*
Boston, ...	720,031	July 13,	.	248	18·0	1	.	3	.	1	.	19

* Deaths from "fever," including 2 deaths from enteric fever and 9 from plague in Calcutta, 3 from enteric fever and 23 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 30 deaths from cholera in Calcutta, 140 in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including one death from cerebro-spinal fever.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd August, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 1, West, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	3	.	.	.	.	.	.	.	.	.	.	3
South City No. 1, ...	.	4	.	.	2	.	.	2	3	.	.	3	14
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
„ „ 3, ...	.	1	1	.	1	.	.	.	.	.	.	3	6
„ „ 4, ...	.	2	.	.	1	.	.	1	.	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	15	1	.	5	.	.	4	3	.	.	8	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd August, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd August.			
	July 13.	July 20.	July 27.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	23	21	22	6	6	.	22
Typhus, ...	.	.	.	1	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	100	95	70	12	28	1	53
Scarlet Fever, ...	147	147	149	21	28	2	140*
Diphtheria, ...	39	42	39	12	2	2	47
Pneumonia, ...	11	16	19	4	7	.	16

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 3rd August, 1912:—

"Grievously unseasonable and very unsettled weather held during the greater part of this week, the latter part of which was more like the end of October than the beginning of August. Sunday found a cyclonic system of perfect shape and of considerable size and depth central over the Irish Sea. In that region the barometer was below 29·4 inches at 7 a.m. The wind circulated round the baric minimum against watch-hands but with little force. Dull, wet weather prevailed and the thermometer rose no higher than 61° at any Irish station. In the course of the day the depression grew deeper and moved northwards, so that at night the barometer fell below 29 inches in the Hebrides. On Monday afternoon a secondary depression passed eastwards across Ireland, keeping the weather in a showery, squally condition. Thunderstorms were reported very generally from the north of England. On Tuesday rain fell in many places but not heavily, and thunder occurred at Aberdeen and Oxford. By Wednesday morning a new depression had arrived off the Fastnet, and as it travelled northeastwards it threw the weather all over the British Isles into a gloomy, wet state—on Thursday morning the largest rainfall measurements were 1·04 inches at Liverpool and 1·51 inches at Holyhead. Up to 6 p.m. of that day 1·35 inches fell at Colwyn Bay, 1·52 inches at Rhyl, 1·75 inches at Southport, and 2·20 inches at Blackpool On Thursday morning the disturbance was central on the North Sea off the coast of Lincolnshire (barometer reading 29·20 inches at Spurn Head). By Friday morning it had reached Bergen in Norway. The polar winds in its rear carried the screened thermometer down to 38° at Nairn, 39° at Wick and Birr, and to 43° even in Dublin on the early morning of Friday. The weather now improved and the wind became light and variable finally backing to N.E. and freshening with a threatening appearance. Northerly winds and very low temperatures for the time of year prevailed in Iceland throughout this week. In Dublin the mean height of the barometer was 29·608 inches, pressure ranging from 29·283 inches at 4 p.m. of Monday (wind, W.S.W.) to 29·930 inches at 9 a.m. of Saturday (wind, E.). The corrected mean temperature was 54·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·5°. On Monday the screened thermometers rose to 62·1°, on Friday they sank to 42·9°. Westerly winds predominated. The rainfall was 1·484 inches on 7 days, ·564 inch being measured on Wednesday and ·590 inch on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·621 inches. The highest reading (29·937) was on Saturday at 9 a.m., air calm, the lowest (29·331) on Monday at 9 p.m., wind W.S.W.

The mean temperature for the week was 53·4°, being 5·4° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 67°, and was lowest on Saturday, the mercury having fallen to 36°. The mean of the Dry Bulb for the week was 53·4° and of the Wet Bulb, 50·3°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 1·495 inches.

At Greenwich the mean temperature for the week was 57·8°, the maximum 72·0°, and the minimum 42·2°; and at Edinburgh the maximum was 62·7°, the minimum 41·2°, and the mean 53·3°. The rainfall at Greenwich measured 0·54 in.; and at Edinburgh 1·39 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, July 28,	29·385	60	54	57·0	55·1	53·6	·91	·6	0·0	·310	S.W.	W.S.W.
Monday, " 29,	29·330	62	49	55·5	55·7	53·0	·85	·6	0·8	·070	S.W.	W.S.W.
Tuesday, " 30,	29·685	67	50	58·5	53·1	49·6	·78	·4	5·9	·000	W.	Calm.
Wednesday, " 31,	29·535	56	47	51·5	51·6	49·9	·90	·3	0·0	·390	Calm.	Calm.
Thursday, August 1,	29·640	60	47	53·5	52·5	49·7	·82	·4	3·6	·080	W.N.W.	Calm.
Friday, " 2,	29·880	59	39	49·0	50·7	46·0	·70	·0	6·2	·080	W.S.W.	Calm.
Saturday, " 3,	29·895	61	36	48·5	55·4	50·6	·76	·5	4·3	·565	Calm.	Calm.
Mean, ...	29·621	60·7	46·0	53·4	53·4	50·3	·82	·4	Total 20·8	Total 1·495	—	

Sunday—Day overcast, rain from 9.15 a.m. to 6.15 p.m.; night cloudy. *Monday*—Day dull, showers at intervals a.m. and p.m.; night cloudy. *Tuesday*—Day cloudy, bright at intervals; night cloudy. *Wednesday*—Day overcast, light and heavy rain a.m. and p.m.; night cloudy. *Thursday*—Day dull, showers a.m. and p.m.; night clear. *Friday*—Day cloudy, heavy showers 6 to 8 p.m.; night cloudy. *Saturday*—Day cloudy, fine; night overcast, drizzling rain from 9.55 to 10.45 p.m. and heavy rain from 2.30 a.m. to 9.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 3rd, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, July 28,	57·9	61·8	57·8	61·2	49·5	55·3	0·0	·160
Monday, " 29,	57·5	59·9	57·9	63·0	53·9	59·4	2·4	·045
Tuesday, " 30,	57·9	59·5	58·0	62·2	51·1	56·5	7·5	·038
Wednesday, " 31,	55·8	59·1	57·9	55·7	47·9	51·8	0·0	·516
Thursday, August 1,	56·7	58·0	57·9	61·2	47·7	54·4	4·5	·065
Friday, " 2,	51·8	57·5	57·8	55·7	47·9	51·8	7·1	·018
Saturday, " 3,	55·0	57·2	57·6	61·4	45·9	53·6	4·3	·620
Weekly Mean, .	56·1	59·0	57·8	60·1	49·1	54·7	Total 25·8	Total 1·462

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32884. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 10TH AUGUST, 1912. [No. 32.

General Register Office, Charlemont House,
Dublin, 12th August, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 20	Week ending July 27	Week ending Aug. 3	Week ending Aug. 10	Average Rate for 4 weeks.	Towns, &c.	Week ending July 20	Week ending July 27	Week ending Aug. 3	Week ending Aug. 10	Average Rate for 4 weeks.
22 Town Districts, ...	**14·5**	**15·2**	**16·4**	**14·0**	**15·0**	Limerick	19·0	16·3	19·0	16·3	17·6
						Lisburn	8·6	12·9	12·9	34·3	17·2
Armagh	13·7	·	13·7	6·9	8·6	Londonderry	15·3	8·9	16·6	10·2	12·8
Ballymena	18·3	22·9	32·1	13·8	21·8	Lurgan	12·9	25·8	8·6	8·6	14·0
Belfast	14·5	15·6	13·2	12·3	13·9	Newry	13·1	34·9	26·2	13·1	21·8
Clonmel	10·1	10·1	25·4	25·4	17·7	Newtownards	5·7	22·9	11·4	17·2	14·3
Cork	10·2	13·6	19·7	12·2	13·9	Portadown	·	8·9	13·3	8·9	7·8
Drogheda	12·6	8·4	21·0	4·2	11·6	Queenstown	13·2	6·6	6·6	·	6·6
Dublin Reg. Area ...	15·4	14·5	18·1	15·8	15·9	Sligo	14·0	32·7	28·0	14·0	22·2
Dundalk	7·9	7·9	19·9	11·9	11·9	Tralee	21·1	21·1	10·6	10·6	15·8
Galway	19·7	23·6	27·5	23·6	23·6	Waterford	15·2	17·1	9·5	19·0	15·2
Kilkenny	14·9	24·8	5·0	14·9	14·9	Wexford	18·2	9·1	27·3	9·1	15·9

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·7 in Waterford, the 10 deaths from all causes for that district including 3 from diarrhœa and *enteritis* of children under 2 years of age. The 92 deaths from all causes for Belfast include 3 from each of measles and whooping-cough, and 4 from diarrhœa and *enteritis* of children under 2 years of age. Two of the 12 deaths from all causes for Limerick are from whooping-cough. Among the 3 deaths from all causes for Newry is one from whooping-cough, and one of the 2 deaths for Portadown is also from this disease.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—95 boys and 98 girls—and the deaths to 130—71 males and 59 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·8 per 1,000 of the population. During the thirty-two weeks ending with Saturday last the death-rate averaged 22·0, and was 0·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 130, represent an annual rate of 16·7 per 1,000 ; the annual rate for the past thirty-two weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·6 per 1,000 of the mean population for all deaths registered.

Among the deaths from all causes there was one* from enteric fever, there were 4 from measles, one death from scarlet fever, 2 from whooping-cough, one death from diphtheria, and 13 deaths from diarrhœa and *enteritis* of children under 2 years of age—the latter figure is 4 under the number registered in the preceding weekly period.

During each of the 3 preceding weeks deaths from enteric fever were 0, one, and 0 ; deaths from measles were 8, 7, and 10 ; deaths from scarlet fever were 0, 0, and one ; deaths from whooping-cough were 0, one, and 0 ; deaths from diphtheria were 3, 3, and 4 ; and deaths from diarrhœa and *enteritis* of children were 7, 8, and 17.

Deaths from tuberculosis, which had been 28, 25, and 26 in the 3 preceding weeks, were 27 in the period under notice ; this latter figure includes 17 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, 3 deaths from abdominal tuberculosis, 3 deaths from tuberculosis of other organs, and 3 from disseminated tuberculosis.

There was one death from broncho-pneumonia ; there were 3 deaths from lobar pneumonia, and 3 deaths from *pneumonia* (type not distinguished).

Cancer caused the deaths of 8 persons.

The death of one infant was ascribed to *convulsions.*

Organic diseases of the heart accounted for 11 deaths, and bronchitis caused 5 deaths.

Two deaths of infants were attributed to congenital malformations, 2 to premature birth, and 6 to congenital debility.

The 3 deaths from accident or negligence include one death by vehicles and horses.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one year old.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 9 were under one month old) and 19 were aged 65 years and upwards, including 14 persons aged 70 and upwards ; among the latter were 6 aged 75 and upwards.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·8 per 1,000 ; the rate in the City was 17·6 (North City Districts, 19·6 ; South, 15·4) and in the Suburbs, 9·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 3·5 (in the North City Districts 2·6, and in the South 4·5), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·0 per 1,000. There were 3 deaths from tuberculous disease, 2 deaths from diarrhœa and *enteritis* of children, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·6 per 1,000, and include one death from pulmonary tuberculosis, one death from broncho-pneumonia, and one death from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 28·7 per 1,000. The deaths included 5 from tuberculous disease, one from lobar pneumonia, one from *pneumonia,* 2 from diarrhœa and *enteritis* of children, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·0 per 1,000. Whooping-cough and diphtheria each caused one death ; there was one death from pulmonary tuberculosis, and one death from *pneumonia.*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Coolock and Drumcondra, part of, 17·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 6·7. The 4 deaths from all causes for Coolock and Drumcondra, part of, include one from each of measles and scarlet fever.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·5 per 1,000, and include one death from measles, 4 deaths from tuberculous disease, one death from *pneumonia,* one death from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 14·3 per 1,000. There were 2 deaths from tuberculous disease, one from lobar pneumonia, and one from bronchitis included in the total.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·0 per 1,000. Whooping-cough caused one death ; there were 4 deaths from pulmonary tuberculosis, one death from lobar pneumonia, one death from bronchitis, 4 deaths from diarrhœa and *enteritis* of children, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 13·0 per 1,000. Measles caused 2 deaths ; there were 3 deaths from tuberculous disease, and 2 deaths from diarrhœa and *enteritis* of children.

New Kilmainham District.—The only death (equal to an annual rate of 5·7 per 1,000), was from diarrhœa and *enteritis* of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 6·7 ; Pembroke, 14·0 ; Blackrock, 5·7 ; and Kingstown, 12·1. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Included in the 8 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis and bronchitis ; and one of the 4 deaths from all causes for Kingstown is from pulmonary tuberculosis.

* See Note (*c*) Table II.

(†) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 10th August, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 20,	.	—	—	13	.	.	10	.	.	4	6	.	—	—	.	—	2	—	35
	July 27,	.	—	—	12	.	.	10	.	2	1	8	.	—	—	.	—	10	—	43
	Aug. 3,	.	—	—	15	1	.	5	.	.	4	3	.	—	—	.	—	8	—	36
	Aug. 10,	.	—	—	19	.	.	6	.	1	6	6	1	—	—	.	—	14	—	53
Rathmines and Rathgar Urban District.	July 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 10,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke Urban District.	July 20,	.	12	.	2	.	.	.	.	.	.	.	.	.	13	—	—	.	—	27
	July 27,	.	6	.	2	.	.	1	.	.	.	.	.	—	.	—	—	.	—	9
	Aug. 3.	.	8	.	.	.	.	1	.	.	.	2	.	—	2	—	—	.	—	13
	Aug. 10,	.	7	.	1	.	.	.	.	.	.	.	.	.	4	—	—	.	—	12
Blackrock Urban District.	July 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	.	—	—	—	4
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	July 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Aug. 10,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
City of Belfast.	July 20,	.	—	—	11	.	.	7	.	.	.	5	1	—	—	.	—	6	.	30
	July 27,	.	—	—	9	.	.	7	.	.	.	3	.	—	—	.	—	6	.	25
	Aug. 3,	.	—	—	14	.	.	8	.	.	1	2	.	—	—	.	—	6	.	31
	Aug. 10,	.	—	—	19	.	.	1	.	.	1	2	1	—	—	.	—	3	.	27

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th August, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 22, and 22.

One case of typhus remained under treatment in hospital at the close of the week.

Six cases of measles were admitted to hospital during the week, 15 were discharged, there were 3 deaths, and 41 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 95, 70, and 53, respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 20 were discharged, and 144* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 147, 149, and 140, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 39, and 47, respectively, were 43 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 15 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·2), was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·4 per 1,000, the rate for Glasgow being 15·1, and for Edinburgh 13·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th August. From this Report it appears that of a total of 30 cases notified, 16 were phthisis, 11 scarlet fever, 2 diphtheria, and one erysipelas. Among the 230 cases of infectious diseases in hospital at the close of the week were 95 cases of scarlet fever, 62 of phthisis, 21 of diphtheria, 21 of whooping-cough, 15 of measles, 9 of erysipelas, 3 of chicken-pox, and one of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 10th August, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 10th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 27th July, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts, ...	1,157,014	20·3	27·4	14·0	1·8	609	310	80	52	...	...	...	7	1	9	1	...	38	22	19	17	24	21	...	8	13	105	10	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total. (c.) ...	406,536	29·5	24·8	15·8	2·7	193	123	33	18	...	...	...	4	1	2	1	...	16	9	7	7	5	13	...	3	4	54	4	e 63	39	53·0	1·72	e 67	36	53·1	1·50	e 67	47	58·7	1·72
City of Dublin,	311,601	39·4	26·9	17·6	3·5	161	105	29	13	...	...	...	4	1	2	1	...	14	9	6	7	4	13	...	3	4	52	2	f 62·2 g 63·8	45·1 42·2	54·1 53·8	1·80 1·76	f 62·1 g 62·4	42·9 39·0	54·1 53·5	1·48 1·64	f 67·1 g 65·9	54·5 53·0	59·8 59·1	1·54 1·47
Urban Districts. Rathmines and Rathgar.	38,889	22·7	14·7	6·7	.	11	5	...	2	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,693	18·7	22·8	14·0	.	13	8	3	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,126	8·4	22·9	5·7	.	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	17,227	11·8	12·1	12·1	.	4	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	63	46	51·7	2·01	63	44	55·0	1·63	66	54	58·8	1·90
Urban Districts. Belfast ...	391,051	26·6	29·1	12·3	1·3	218	92	26	13	...	...	...	3	...	3	...	...	9	6	4	5	9	4	...	3	7	24	...	62	45	54·0	2·01	61·5	42	55·0	2·35	69	52	58·9	0·42
Cork, ...	76,632	33·8	23·8	12·2	0·7	35	18	3	3	...	...	...	...	...	...	...	...	3	1	2	1	1	1	...	1	1	8	1	61	45	53·8	0·21	63	43	54·5	1·05	64	53	58·6	3·71
Londonderry...	40,912	18·9	21·2	10·2	.	19	8	...	4	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,403	18·2	31·2	16·3	2·7	23	12	5	2	...	...	...	...	...	2	...	...	...	...	1	2	1	...	...	...	...	4	2	61·5	37·1	52·2	0·29	61·7	36	52·3	1·04	71	50	59·3	3·20
Waterford, ...	27,430	19·1	26·6	19·0	5·7	14	10	3	2	...	...	...	...	...	...	...	...	...	3	...	..	2	3	...	...	...	5	...	...	..	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,249	2·5	23·6	23·6	.	6	6	2	1	...	...	...	...	...	...	...	...	2	1	...	...	1	...	...	...	...	5	...	65	41	54	0·24	67	40	54·3	0·67	70	50	60	2·64
Dundalk, ...	13,128	9·5	39·7	11·9	.	10	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,425	8·4	25·2	4·2	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,956	17·2	26·2	13·1	4·4	6	3	2	1	...	...	...	..	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28
Lurgan, ...	12,135	14·3	47·3	8·6	.	11	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28
Lisburn, ...	12,172	10·7	30·0	34·3	.	7	8	2	3	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	1	..	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28
Wexford. ...	11,455	23·8	31·9	9·1	.	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,376	9·3	9·2	13·8	.	2	3	...	1	...	...	...	...	...	...	...	...	1	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	32·7	14·0	.	7	3	...	...	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	66	36	50·0	0·90	62	33	50·0	1·49	68	49	57·0	1·37
Kilkenny, ...	10,513	11·4	54·6	14·9	.	11	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	62	37	52·7	1·09	63	38	52·8	1·65	68	53	59·7	2·73
Clonmel, ...	10,277	7·9	20·3	25·4	.	4	5	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	31·1	8·9	4·4	7	2	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28
Tralee. ...	9,867	16·6	68·7	10·6	.	13	2	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,110	18·9	40·1	17·2	.	7	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	61	46	54·2	2·30	61	42	53·1	0·67	66	52	56·7	1·45
Queenstown, ...	7,909	14·4	.	.	.	.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61	45	53·8	0·24	63	43	54·5	1·05	64	53	58·6	3·71
Armagh, ...	7,588	22·2	20·6	6·9	.	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87	66·0	49·0	58·0	1·28

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 69 years) admitted to hospital from localities outside the Area: one of the 7 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 10th of August, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	1	.	1	.	.	2	.	.	.	.	.	4	.
Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	3	1	.	.	.	2	.	4	1	.	.	1	.	1	16	1
Tuberculous Disease. { Other Forms,	1	.	2	.	.	.	.	2	2	.	2	.	.	.	.	.	9	1
Cancer,	.	2	.	1	.	1	.	2	.	.	.	.	1	.	.	.	7	1
Diseases of Nervous System,	3	1	1	1	.	.	1	1	.	1	.	.	.	1	1	1	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	.	2	.	.	.	1	.	1	.	.	2	1	.	.	11	1
" Respiratory System. { Pneumonia,	.	1	2	1	.	.	.	1	1	1	.	.	.	.	.	.	7	.
" Respiratory System. { Others,	.	1	.	.	.	.	.	1	1	1	.	.	.	1	.	.	5	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	2	.	2	.	.	.	.	2	.	4	2	1	.	.	.	.	13	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	2	1	.	.	.	1	.	.	.	.	1	.	.	1	6	.
" Genito-urinary System,	1	.	1	1	.	.	.	.	1	1	1	.	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		1
Other specified Causes,	3	3	2	.	.	1	.	.	1	.	1	.	.	3	.	1	15	.
Violent Deaths,	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
Deaths from All Causes	15	12	17	11	.	4	1	14	6	15	9	1	5	8	1	4	123	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·0	15·6	28·7	17·0	.	17·9	6·7	17·5	14·3	18·0	13·0	5·7	6·7	14·0	5·7	12·1	15·8	.
	19·6							15·4					9·9					
	17·6																	
Ages at Death. { Under 1 year,	4	5	4	1	.	2	1	4	2	2	3	1	.	3	1	.	33	.
1 and under 2 years,	1	.	3	1	.	.	.	2	1	3	1	.	.	.	.	1	13	.
2 " 5 "	.	.	1	.	.	1	.	.	1	2	1	.	.	.	.	.	6	.
5 " 15 "	1	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	5	1
15 " 25 "	2	.	3	.	.	.	.	1	.	.	.	.	.	1	.	.	7	1
25 " 45 "	1	1	3	4	.	.	.	1	.	4	2	.	.	1	.	1	18	3
45 " 65 "	6	2	2	4	.	.	.	2	.	2	.	.	3	.	.	2	23	1
65 and upwards.	.	3	.	1	.	1	.	3	2	2	1	.	2	3	.	.	18	1
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	2	5	6	.	2	.	2	.	4	4	.	1	.	.	.	29	6
Workhouse Hospitals,	2	2	2	1	.	.	.	7	5	2	3	.	.	.	.	1	25	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1902–1911.	In the Week ending Saturday, 10th August, 1912.										
													Deaths of Persons of the Ages of									
	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under 1 year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 60·8	° 58·5	° 53·0										
ALL CAUSES.	154	136	199	151	130	118	149	113	143	169	146·2	130	9	24	13	6	6	8	21	24	13	6
Enteric Fever, ...	4	2	1	.	1	1	1	.	.	2	1·2	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	1	5	.	2	5	2	1	1	2	3·9	4	.	1	1	1	1	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	.	.	.	1	3	·6	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	1	4	.	3	1	1	2	3	1	1·7	2	.	.	1	1	.	.	.	.	.	.
Diphtheria, ...	2	1	2	1	2	1	1	.	.	.	1·0	1	.	1	.	.	.	.	.	.	.	.
Croup, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	.	1	.	2	.	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	1	.	.	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	.	.	1	2	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	23	25	22	18	15	13	9	14	13	16·7	17	.	.	.	.	1	4	9	3	.	.
Tuberculous Meningitis, ...	9	3	2	3	.	6	4	5	7	2	4·1	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	1	.	.	3	1	1	1	1	1·2	3	.	2	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	1	9	6	7	6	5	4	7	.	5·1	3	.	.	.	.	.	.	3	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		3	.	.	1	.	.	1	1	.	.	.
Venereal Diseases, ...	.	.	2	1	2	1	.	4	.	.	1·0	2	1	.	1	.	.	.	.	.	.	.
Cancer, ...	5	7	5	8	4	3	9	6	8	11	6·6	8	.	.	.	.	.	.	2	1	5	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	.	.	.	1	1	.	2	.	1	·6	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										3		2	.	2	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		5	.	.	.	.	.	.	.	4	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	35	40	30	35	18	37	28	32	1	31·4	3	.	.	.	.	.	.	1	1	1	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										9		11	.	.	.	.	.	.	2	5	2	2
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.										3		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	12	8	5	8	16	6	9	7	8	9·5	5	.	2	.	.	.	.	.	.	2	1
Broncho-pneumonia, ...	2	2	3	.	.	3	2	.	1	1	1·4	1	.	1	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	.	.	1	.	1	1	3	.	·7	3	.	.	2	1	.	.	.	.	.	.
Pneumonia (type not distinguished)	6	3	6	4	4	5	3	1	4	7	4·3	3	.	.	1	.	1	.	.	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	4	2	3	1	2	.	2	.	1	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-SECOND WEEK ending Saturday, 10th August, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 32nd Week of the 10 years 1902–1911.	In the Week ending Saturday, 10th August, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Aug. 9, 1902.	Aug. 15, 1903.	Aug. 13, 1904.	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 54·4	° 54·7	° 57·1	° 57·3	° 61·3	° 58·3	° 59·5	° 62·4	° 59·2	° 60·8	° 58·5	° 53·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	1	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	4	43	33	15	7	20	13	16	41	20·2	13	1	8	4	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										6		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	2	.	.	2	2	.	.	2	3	1·9	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	1	1	1	.	.	.	1	2	.	1		2	.	.	.	.	.	.	.	1	.	1
Peritonitis (cause unknown),	1	1	.	2	.	.	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	5	5	10	.	5	2	1	.	3·7	2	.	1	.	.	.	.	1	.	.	.
Acute Nephritis, ...	2	4	6	7	.	2	8	3	5	.	4·4	3	.	.	.	1	.	1	.	1	.	.
Chronic Bright's Disease, ...										6		4	.	.	.	.	.	.	.	2	1	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	.	1	.	·2	2	.	.	.	.	.	1	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	2	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	6	2	2	2	3	2	2	3	3	2·7	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	6	1	4	1	.	.	.	.	.	.	.
Old Age, ...	4	6	6	3	.	2	2	3	6	3	3·5	.	.	.	.	.	.	.	.	.	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	.	.	.	1	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	1	.	1	.	2	2	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	1	2	2	1	3	.	4	2	1·7	3	.	.	.	.	2	.	1	.	.	.
Total Deaths from Accident,	2	1	3	2	3	2	6	3	6	2	3·0	3	.	.	.	.	2	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	2	.	1	.	2	1	·7	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	4	—	2	.	.	.	.	.	.	.	2	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered.	239	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193
Average Births in corresponding week of previous 10 years, ...	211	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214
DEATHS registered, ...	197	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130
Annual Death-rate per 1,000, ...	25·3	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7
Average Deaths in corresponding week of previous 10 years, ...	197	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146
Ages, Under 5 years, ...	54	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52
5—15 " ...	9	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6
15—25 " ...	10	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8
25—45 " ...	16	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21
45—65 " ...	57	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24
65—75 " ...	28	31	36	21	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13
75 and upwards, ...	23	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6
Deaths from :—																										
Enteric Fever, ...	.	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1
Typhus, ...	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	3	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4
Scarlet Fever, ...	.	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1
Whooping-cough, ...	1	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2
Diphtheria, ...	1	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1
Influenza, ...	4	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	22	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17
Tuberculous Disease, Other Forms,	5	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10
Cancer, ...	5	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8
Diseases of Circulatory System,	12	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12
Diseases of Respiratory System, Pneumonia,	29	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7
Diseases of Respiratory System, Others, ...	39	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5
Diarrhœa and *Enteritis*, under 2 years, ...	4	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Violent Deaths, ...	7	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3
Number of Uncertified Deaths,	8	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4
Mean Temperature of the Air (Phœnix Park)	42·9	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0
Average Mean Temperature in corresponding week of previous 10 years, ...	41·0	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5
Rainfall in inches, ...	·200	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 10th August, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH AUGUST, 1912.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	130	52	6	8	21	24	13	6	1	.	.	4	1	2	1	.	17	10	8	1	7	5	13	.	3	57	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	10·8	18	4	.	.	5	3	6	.	.	.	.	.	.	.	.	.	2	2	2	.	.	1	.	.	.	11	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	10·9	23	6	2	3	3	7	.	2	.	.	.	1	.	.	.	.	3	2	.	.	2	1	1	.	.	13	1
IV.	GENERAL SERVICE CLASS, ...	154,279	20·3	60	32	3	2	10	11	1	1	1	.	.	3	1	2	1	.	6	1	4	1	5	.	10	.	3	22	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	10	1	3	3	3	4	2	.	.	.	.	.	.	.	.	6	5	1	.	.	3	2	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	7·1	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	2	.	.	3	2	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	5	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	.	.	.	1	5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	7·0	4	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	2	.	3	1	6	.	.	.	.	.	1	.	.	.	.	1	1	.	.	1	.	.	.	.	8	1
	13. Petty Shopkeepers	7,894	13.2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	19·4	5	1	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	4·3	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	28·4	49	30	3	2	5	7	1	1	1	.	.	3	1	2	.	.	5	.	2	1	5	.	9	.	2	18	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	26	10	1	3	3	3	4	2	.	.	.	.	.	.	.	.	6	5	1	.	.	3	2	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	June 22,	19·1	.	11	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	.
	„ 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
	„ 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	„ 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
	„ 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	June 22,	16·9	3·9	13	.	.	.	1	.	.	.	.	4	.	.	2	.	2	.	1	2
	„ 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
	„ 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	„ 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
	„ 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	June 22,	15·2	1·7	9	.	.	.	1	.	.	.	.	4	.	.	1	.	.	.	.	.
	„ 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
	„ 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
	„ 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	June 22,	15·5	4·6	10	.	.	.	2	.	.	1	.	1	.	1	3	1	.	.	.	.
	„ 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
	„ 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	„ 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	June 22,	13·8	1·3	11	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.
	„ 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
	„ 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	„ 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
	„ 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	June 22,	19·1	4·8	8	.	.	.	1	.	1	.	.	.	1	.	1	2	.	.	.	.
	„ 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
	„ 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	„ 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	June 22,	18·0	1·2	15	.	.	.	1	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
	July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	„ 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
	„ 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	June 22,	18·8	8·7	13	.	.	.	5	.	.	.	.	1	.	.	1	2	1	.	.	.
	„ 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
	„ 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
	„ 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
	„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 22,	12·1	.	9	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Pop. in 1912 (Est.) 38,889.	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District.	June 22,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.
	„ 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pop. in 1912 (Est.) 29,693.	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
Kingstown Urban District.	June 22,	9·1	.	13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Pop. in 1911 17,227.	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,051.	June 22,	16·7	1·2	125	.	.	.	.	1	2	.	.	13	12	5	16	13	6	.	1	4
	„ 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
Cork. Pop. in 1911 76,632.	June 22,	16·3	.	24	.	.	.	.	.	.	.	.	4	.	2	2	3	.	.	.	.
	„ 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
Londonderry. Pop. in 1912 (Est.) 40,912.	June 22,	8·9	.	7	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
Limerick. Pop. in 1911 38,403.	June 22,	5·4	1·4	4	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.	.
	„ 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
Waterford. Pop. in 1911 27,430.	June 22,	15·2	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
	„ 29,	13·3	1·9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th August, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911. (Unrevised)	No. of BIRTHS.	Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate of Mortality: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	11	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		21			7	1	.	1	2	1	2	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.	.	.
Do. 3 do.		38			16	1	6	1	4	3	1	.	.	.	.	.	3	.	.	2	1	1	2	1	1	.	1	2	4	.
Do 4 do.		18			10	4	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	4	.
Do. 5 do.		7			12	7	.	.	3	1	1	.	.	.	.	.	.	.	.	2	2	.	.	.	.	.	1	1	9	.
Do. 6 do.		15			8	1	1	.	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	1	.
Do. 7 do.		4			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		4			3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 9 do.		16			7	2	.	1	1	2	1	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	1	1	1	.
Do. 10 do.		13			9	3	3	1	1	1	.	.	.	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
Do. 11 do.		20			8	3	.	1	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Do. 12 do.		26			5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.
Do. 13 do.		15			2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Total,	—	218			92	26	10	7	20	16	13	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	7	24	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		3	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Do 2 do.		5			4	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	1
Do 3 do.		4			4	.	.	2	1	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	1	1	1	.
Do 4 do.		7			3	1	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 5 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 6 do.		8			4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	3	.
Do. 7 do.		8			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	—	35	12·2	0·7	18	3	.	4	2	6	3	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1	8	1

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Feb. 17.	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.
No. of weeks in Annual Series,	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
BIRTHS registered, ...	229	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218
DEATHS registered, ...	248	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92
Annual Death rate per 1,000 of estimated population, ...	33·1	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3
AGES, Under 1 year, ...	69	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26
1—5 years, ...	38	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10
5—25 „ ...	22	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7
25—45 „ ...	32	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20
45—65 „ ...	43	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16
65 and upwards, ...	44	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13
Deaths from :—																										
Enteric Fever, ...	2	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3
Scarlet Fever, ...	.	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.
Whooping-cough, ...	17	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3
Diphtheria, ...	.	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	20	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9
Tuberculous Disease. Other Forms,	9	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6
Cancer, ...	1	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4
Diseases of Respiratory System, Pneumonia,	54	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5
Diseases of Respiratory System, Others, ...	55	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9
Diarrhœa, and *Enteritis*, under 2 years, ...	1	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.
Violent Deaths, ...	6	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3
Number of Uncertified Deaths, ...	2	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Aug. 10,	2,001	974	11·2	3	.	33	5	12	9	80*a*
Edinburgh, ...	321,200	„ 10,	123	84	13·6	.	.	.	.	1	.	2
Glasgow, ...	785,600	„ 10,	434	228	15·1	.	.	3	.	4	.	22
Calcutta, ...	896,067	July 6,	.	376	21·8	61*	2	2	.	1	.	61‡
Bombay, ...	979,445	„ 6,	387	693	36·8	72*	9	2	.	.	1	136‡
Madras, ...	518,660	„ 15,	405	300	30·1	56*	1	.	?	?	?	73
Cairo, ...	699,228	May 27,	495	525	39·2	5	.	7	4	.	6	142
Paris, ...	2,847,229	July 13,	950	878	15·8	2	.	12	8	9	5†	66*a*
Brussels, ...	745,380	„ 20,	225	177	12·4	1	.	3	.	.	.	13
Antwerp, ...	308,618	„ 20,	127	69	11·7	.	.	3	2	2	.	17*a*
Amsterdam, ...	582,984	„ 20,	279	139	12·4	.	.	7	.	3	2†	6*a*
Copenhagen, ...	465,000	„ 20,	242	111	12·4	1	.	1	1	2	.	5
Stockholm, ...	346,599	„ 20,	.	.	.	.	.	.	.	.	.	.
Christiania, ...	247,488	„ 27,	118	52	10·9	.	.	1	.	.	.	4
St. Petersburg, ...	1,641,600	„ 6,	904	756	24·0	21	5	56	2	3	4	181
Moscow, ...	1,617,157	June 29,	.	933	30·1	4	1	16	7	4	9†	350
Berlin, ...	2,078,148	July 6,	733	505	12·7	.	.	6	6	7	6†	37
Hamburg, ...	953,079	„ 20,	.	257	14·0	.	.	2	1	5	11†	17
Breslau, ...	529,617	„ 20,	.	183	18·0	.	.	.	.	1	.	24
Munich, ...	610,000	„ 27,	.	153	13·1	.	.	1	.	.	2†	10
Vienna (with suburbs),	2,081,335	„ 20,	752	536	13·4	1	.	2	1	2	6†	33*a*
Buda-Pesth, ...	910,548	„ 20,	439	308	17·6	.	.	.	3	1	4†	46*a*
Prague and Faubourgs,	484,301	„ 6,	164	144	15·5	1	.	.	2	1	1†	4*a*
Trieste, ...	235,999	„ 20,	147	96	21·2	1	.	.	.	.	.	18*a*
Rome, ...	564,913	Mar. 30,	304	196	18·1	2	.	2	2	1	4	5
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	June 8,	2,742	1,338	13·5	9	.	21	15	3	15†	49*a*
Philadelphia, ...	1,606,105	„ 22,	.	392	12·7	1	.	.	3	1	6	18*a*
Boston, ...	720,031	July 20,	.	204	14·5	1	.	1	.	1	2	23

* Deaths from "fever," including 5 deaths from enteric fever and 10 from plague in Calcutta, 3 from enteric fever and 19 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, and 69 in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th August, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	4	.	.	.	.	.	1	1	.	.	2	8
" " 1, West, ...	.	2	.	.	2	.	.	.	.	.	.	2	6
" " 2, ...	.	2	.	.	.	.	.	1	.	.	.	3	6
" " 3, ...	.	3	.	.	1	.	.	.	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	1	.	1	.	4	.	.	2	10
" " 2, ...	.	1	.	.	1	.	.	1	.	.	.	2	5
" " 3, ...	.	.	.	.	1	.	.	.	.	1	.	1	3
" " 4, ...	.	3	.	.	.	.	.	2	.	.	.	2	7
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	19	.	.	6	.	1	6	6	1	.	14	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th August, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th August.			
	July 20.	July 27.	Aug. 3.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	22	22	4	6	1	19
Typhus, ...	.	.	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	95	70	53	6	15	3	41
Scarlet Fever, ...	147	149	140	24	20	.	144*
Diphtheria, ...	42	39	47	9	12	1	43
Pneumonia, ...	16	19	16	7	6	2	15

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 10th August, 1912:—

"Another week of very unseasonable, cold, dull and rainy weather has to be recorded. The period opened with a northerly gale and torrents of rain. The downpour on Sunday yielded 1·456 inches in the rain gauge at Fitzwilliam Square, Dublin, 2·18 inches at Donaghadee and as much as 2·23 inches at Ardgillan, Balbriggan, Co. Dublin. This deluge and the gale were caused by a cyclonic system which was central over Cornwall on Sunday morning, when the barometer was down to 29·39 inches at Newquay in that county. By Monday morning the disturbance had reached the Lowlands of Scotland. The weather improved in Ireland, where "Bank Holiday" was fortunately fine; but drenching rain fell in the west of Scotland as the cyclone passed northwards, and finally westwards back to the ocean. On Tuesday morning another and deeper depression lay over Cornwall and Devon, the barometer marking as low as 29·21 inches at Portland Bill at 7 a.m. England received the worst weather of this system, which travelled slowly across that country in a north-easterly direction. Cold N. and N.W. winds blew in the wake of the depression and the weather remained showery, with thunder and lightning here and there. On Friday morning the same system apparently was centred over the west of Norway. On Saturday the pressure distribution over the N.W. of Europe was very irregular, a V-shaped depression resting upon the British Isles. A remarkable feature of the period was the occurrence of high summer temperature in the extreme North of Europe—at Haparanda, Gulf of Bothnia, within the Arctic Circle, the thermometer rose to 82° on Friday and the morning (7 a.m.) readings from Wednesday inclusive were 67°, 64°, 70° and 74°. The sky was still covered with a thin veil of filmy cirrus cloud in which no halos became visible at any time. In Dublin the mean height of the barometer was 29·650 inches, the range being from 29·401 inches at 9 a.m. of Tuesday (wind, N.E.) to 30·008 inches at 9 p.m. of Saturday (wind, W.). The corrected mean temperature was 54·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·4°. The screened thermometers rose to 62·2° on Wednesday and fell to 45·1° on Friday. N.W. winds prevailed. Rain fell to the large amount of 1·798 inches on 6 days, the largest measurement on any one day being 1·456 inches on Sunday. Since the rains began on July 21, Dublin has received 4·821 inches of rain on 20 out of 21 days. Thunder was heard on Thursday afternoon and lightning was seen on Friday evening."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·658 inches. The highest reading (30·006) was on Saturday at 9 p.m., wind W.S.W., the lowest (29·418) on Tuesday at 9 a.m., air calm.

The mean temperature for the week was 53·0°, being 5·5° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Wednesday, on which day the thermometer registered 63°, and was lowest on Tuesday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 53·0° and of the Wet Bulb, 51·1°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 1·715 inches.

At Greenwich the mean temperature for the week was 57·6°, the maximum 73·0°, and the minimum 47·6°; and at Edinburgh the maximum was 63·9°, the minimum 45·1°, and the mean 53·6°. The rainfall at Greenwich measured 1·26 ins.; and at Edinburgh 1·69 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 4,	29·535	54	48	51·0	49·7	49·2	·96	·6	0·0	1·390	N.	W.
Monday, " 5,	29·515	62	47	54·5	53·5	49·9	·78	·4	7·6	·000	S.W.	Calm.
Tuesday, " 6,	29·435	59	39	49·0	55·5	54·0	·90	·4	0·3	·075	Calm.	Calm.
Wednesday, " 7,	29·590	63	52	57·5	55·0	53·8	·92	·4	0·0	·240	N.W.	Calm.
Thursday, " 8,	29·810	60	51	55·5	54·0	51·6	·85	·4	2·3	·000	W.	Calm.
Friday, " 9,	29·810	58	42	50·0	51·7	49·5	·85	·4	2·5	·000	W.S.W.	Calm.
Saturday, " 10,	29·910	60	47	53·5	51·9	49·8	·87	·5	2·7	·010	Calm.	W.S.W.
Mean, ...	29·658	59·4	46·6	53·0	53·0	51·1	·88	·4	Total 15·4	Total 1·715	—	

Sunday—Day overcast, drizzling and heavy rain, 9.0 a.m. to 9.0 p.m.; night overcast, drizzling and heavy rain, 9.0 p.m to 3.0 a.m. *Monday*—A fine day, cloudy at intervals; night clear. *Tuesday*—A dull day, showers at intervals a.m. and p.m.; night overcast, light rain 9.0 p.m. to 9.45 p.m. *Wednesday*—Day overcast, heavy showers p.m.; night overcast, heavy rain 9.30 to 11.15 p.m. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day cloudy, heavy showers 6.10 to 6.30 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 10th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 4,	51·7	57·9	57·2	56·1	49·1	52·6	—	1·410
Monday, " 5,	55·8	57·9	57·1	62·8	46·8	54·6	8·7	—
Tuesday, " 6,	57·0	56·4	57·0	59·9	49·2	54·6	0·3	·098
Wednesday, " 7,	57·9	56·9	56·9	63·4	52·0	57·7	—	·113
Thursday, " 8,	55·9	57·3	56·8	60·9	51·1	56·0	2·7	·035
Friday, " 9,	53·5	57·0	56·8	60·9	44·1	52·5	3·5	·005
Saturday, " 10,	56·1	57·2	56·6	60·9	48·7	54·8	2·5	·008
Weekly Mean, .	55·4	57·2	56·9	60·7	48·7	54·7	Total 17·7	Total 1·669

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32884. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 17TH AUGUST, 1912. [No. 33.

General Register Office, Charlemont House, Dublin, 19th August, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 13·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,157,014.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending July 27	Week ending Aug. 3	Week ending Aug. 10	Week ending Aug. 17	Average Rate for 4 weeks.	Towns, &c.	Week ending July 27	Week ending Aug. 3	Week ending Aug. 10	Week ending Aug. 17	Average Rate for 4 weeks.
22 Town Districts, ...	**15·2**	**16·4**	**14·0**	**13·1**	**14·7**	Limerick	16·3	19·0	16·3	14·9	16·6
						Lisburn	12·9	12·9	34·3	12·9	18·2
Armagh	.	13·7	6·9	6·9	6·9	Londonderry	8·9	16·6	10·2	2·5	9·6
Ballymena	22·9	32·1	13·8	36·7	26·4	Lurgan	25·8	8·6	8·6	21·5	16·1
Belfast	15·6	13·2	12·3	11·1	13·1	Newry	34·9	26·2	13·1	21·8	24·0
Clonmel	10·1	25·4	25·4	15·2	19·0	Newtownards	22·9	11·4	17·2	22·9	18·6
Cork	13·6	19·7	12·2	16·3	15·4	Portadown	8·9	13·3	8·9	4·4	8·9
Drogheda	8·4	21·0	4·2	12·6	11·6	Queenstown	6·6	6·6	.	13·2	6·6
Dublin Reg. Area ...	14·5	18·1	15·8	15·3	15·9	Sligo	32·7	28·0	14·0	14·0	22·2
Dundalk	7·9	19·9	11·9	11·9	12·9	Tralee	21·1	10·6	10·6	.	10·6
Galway	23·6	27·5	23·6	7·9	20·6	Waterford	17·1	9·5	19·0	9·5	13·8
Kilkenny	24·8	5·0	14·9	9·9	13·7	Wexford	9·1	27·3	9·1	9·1	13·7

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·2 in Ballymena, the 8 deaths from all causes for that district including one from each of measles and whooping-cough. Among the 83 deaths from all causes for Belfast are one from enteric fever, one from whooping-cough, 3 from diphtheria, and 4 from diarrhœa and *enteritis* of children under 2 years. Included among the 11 deaths from all causes for Limerick are 2 from whooping-cough, and of the 5 deaths from all causes for Newry one is also from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 223—108 boys and 115 girls—and the deaths to 127—59 males and 68 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·3 per 1,000 of the population. During the thirty-three weeks ending with Saturday last the death-rate averaged 21·8, and was 0·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 127, represent an annual rate of 16·3 per 1,000 ; the annual rate for the past thirty-three weeks was 23·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

The total includes 2 deaths from enteric fever, 4 from measles, one death from scarlet fever, one death from whooping-cough, and 7 deaths from diarrhœa and *enteritis* of children under 2 years of age—the latter figure is 6 under the number registered in the week preceding.

In the 3 previous weeks deaths from enteric fever were one, 0, and one ; deaths from measles were 7, 10, and 4 ; deaths from scarlet fever were 0, one, and one ; deaths from whooping-cough were one, 0, and 2 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 8, 17, and 13.

Deaths from tuberculous disease, which in each of the 3 preceding weeks had numbered 25, 26, and 27, in the week under notice declined to 17—namely, 15 deaths from pulmonary tuberculosis, one death from tubercle of the bladder, and one death from disseminated tuberculosis.

Broncho-pneumonia caused 5 deaths, lobar pneumonia 3 deaths, and 4 deaths were attributed to *pneumonia* (type not distinguished).

There were nine deaths assigned to cancer.

Organic diseases of the heart accounted for the deaths of 12 persons, and bronchitis for 5 deaths.

Three deaths of infants were caused by prematurity, and 2 by congenital debility.

Of 3 deaths ascribed to accidental circumstances, one was by poison.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of one person aged 72 years.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 8 were under one month old) and 31 were aged 65 years and upwards, including 25 persons aged 70 and upwards ; among the latter were 17 aged 75 and upwards.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 10 took place in the North Dublin Union Workhouse and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·3 per 1,000 ; the rate in the City was 16·9 (North City Districts, 19·6 ; South, 14·1) and in the Suburbs, 9·9.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 4·2, and in the South 1·0), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·6 per 1,000, and include 2 deaths from pulmonary tuberculosis, 2 from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·7 per 1,000. Measles caused 3 deaths, scarlet fever and whooping-cough each caused one death, there were 2 deaths from tuberculosis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·0 per 1,000. There was one death from measles, also one death from tuberculous disease, there were 2 deaths from broncho-pneumonia, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 18·6 per 1,000. The deaths include one from pulmonary tuberculosis, one from lobar pneumonia, and one from diarrhœa of a child under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 8·9 ; and Finglas and Glasnevin, part of, 6·7. Of the 2 deaths for Coolock and Drumcondra, part of, one was from enteric fever.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·3 per 1,000, and include one death from enteric fever, 3 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one death from *pneumonia*, and 3 deaths from bronchitis.

No. 2 *South City District* (Castle-street).—The one death for this district is equal to an annual rate of 2·4 per 1,000, and was due to accidental causes.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·8 per 1,000. The deaths include one from pulmonary tuberculosis, 2 from broncho-pneumonia, one from lobar pneumonia, 2 from *pneumonia*, and one from diarrhœa of a child under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 14·5 per 1,000. Pulmonary tuberculosis caused 2 deaths ; there was one death from diarrhœa of a child, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 17·2 per 1,000). There was no death from any of the principal epidemic diseases tuberculous disease, pneumonia, or bronchitis included in the 3 deaths registered.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 5·4 ; Pembroke, 10·5 ; Blackrock, 22·9 ; and Kingstown, 12·1. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Of the 6 deaths from all causes for Pembroke one was from pulmonary tuberculosis and one from lobar pneumonia. Included in the 4 deaths from all causes for Blackrock was one from pulmonary tuberculosis ; and one death from pulmonary tuberculosis is also included among the 4 deaths from all causes for Kingstown.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 17th August, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	July 27,	.	—	—	12	.	.	10	.	2	1	8	.	—	—	.	—	10	—	43
	Aug. 3,	.	—	—	15	1	.	5	.	.	4	3	.	—	—	.	—	8	—	36
	Aug. 10,	.	—	—	19	.	.	6	.	1	6	6	1	—	—	.	—	14	—	53
	Aug, 17,	.	—	—	18	1	.	10	.	1	6	4	.	—	—	.	—	4	—	44
Rathmines and Rathgar Urban District.	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 10,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	July 27,	.	6	.	2	.	.	1	.	.	.	.	.	—		—	—	.	—	9
	Aug. 3.	.	8	.	.	.	.	1	.	.	.	2	.	—	2	—	—	.	—	13
	Aug. 10,	.	7	.	1	.	.	.	.	.	.	.	.	.	4	—	—	.	—	12
	Aug. 17,	.	5	.	1	.	.	2	.	.	.	.	.	.	3	—	—	.	—	11
Blackrock Urban District.	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Aug. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	July 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Aug. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Aug. 10,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	July 27,	.	—	—	9	.	.	7	.	.	.	3	.	—	—	.	—	6	.	25
	Aug. 3,	.	—	—	14	.	.	8	.	.	1	2	.	—	—	.	—	6	.	31
	Aug. 10,	.	—	—	19	.	.	1	.	.	1	2	1	—	—	.	—	3	.	27
	Aug. 17,	.	—	—	26	.	.	5	.	.	3	6	.	—	—	.	—	5	.	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th August, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, one was discharged, there was one death, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 22, and 19.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Ten cases of measles were admitted to hospital during the week, 17 were discharged, there was one death, and 33 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 70, 53, and 41, respectively.

Twenty-five cases of scarlet fever were admitted to hospital, 40 were discharged, there were 2 deaths, and 127* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 149, 140, and 144, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, and 10 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 47, and 43, respectively, were 46 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·8), was equal to an average annual death-rate of 11·7 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·7, and for Edinburgh 11·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th August. From this Report it appears that of a total of 56 cases notified, 30 were phthisis, 10 scarlet fever, 8 erysipelas, 7 diphtheria, and one enteric fever. Among the 227 cases of infectious diseases in hospital at the close of the week were 90 cases of scarlet fever, 61 of phthisis, 26 of diphtheria, 23 of whooping-cough, 12 of measles, 7 of erysipelas, 2 of chicken-pox, and 2 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 17th August, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Registration—Week ending Saturday, 17th August, 1912. Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 22 TOWN DISTRICTS, ...	1,157,014	20·3	26·8	13·1	1·4	594	291	46	72	3	...	...	5	1	6	3	...	44	11	16	20	20	12	1	6	6	97	7
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	406,536	29·5	28·6	15·3	2·1	223	119	20	30	2	...	...	4	1	1	...	...	13	2	8	11	6	7	1	3	1	43	2
CITY OF DUBLIN,	311,601	39·4	30·8	16·9	2·7	184	101	19	19	2	...	...	4	1	1	...	...	10	2	6	10	6	7	1	3	1	41	1
Urban Districts. RATHMINES AND RATHGAR.	38,889	22·7	20·1	5·4	.	15	4	...	4	...	...	...	...	...	...	...	...	...	...	1	...	..	...	...	...	...	...	...
PEMBROKE, ...	29,693	18·7	19·3	10·5	.	11	6	1	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	1
BLACKROCK, ...	9,126	8·4	22·9	22·9	.	4	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
KINGSTOWN, ...	17,227	11·8	27·2	12·1	.	9	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
Urban Districts. BELFAST ...	391,051	26·6	26·5	11·1	1·2	199	83	17	14	1	...	...	...	...	1	3	...	16	6	2	5	7	4	...	2	3	23	...
CORK, ...	76,632	33·8	28·6	16·3	.	42	24	...	7	...	...	...	...	...	...	...	...	6	1	1	..	3	...	...	...	1	16	...
LONDONDERRY ...	40,912	18·9	12·7	2·5	.	10	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
LIMERICK, ...	38,403	18·2	24·4	14·9	2·7	18	11	2	1	...	...	...	...	...	2	...	...	1	1	1	1	1	...	...	...	...	3	2
WATERFORD, ...	27,430	19·1	20·9	9·5	1·9	11	5	1	2	...	..	...	...	...	...	...	...	...	1	...	...	...	1	...	1	1	3	...
GALWAY, ...	13,249	2·5	55·1	7·9	.	14	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1
DUNDALK, ...	13,128	9·5	7·9	11·9	.	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,425	8·4	16·8	12·6	.	4	3	...	3	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	1
NEWRY, ...	11,956	17·2	26·2	21·8	4·4	6	5	2	1	...	...	...	..	...	1	...	...	...	...	...	1	...	...	...	...	...	1	...
LURGAN, ...	12,135	14·3	30·1	21·5	.	7	5	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	3	...
LISBURN, ...	12,172	10·7	17·1	12·9	.	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	..
WEXFORD, ...	11,455	23·8	9·1	9·1	.	2	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
BALLYMENA ..	11,376	9·3	91·7	36·7	9·2	20	8	1	5	...	...	...	1	...	1	...	...	1	...	...	1	...	...	...	...	...	...	1
SLIGO, ...	11,163	3·8	23·4	14·0	.	5	3	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	.
KILKENNY, ...	10,513	11·4	24·8	9·9	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
CLONMEL, ...	10,277	7·9	5·1	15·2	.	1	3	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...
PORTADOWN, ...	11,727	15·3	31·1	4·4	.	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	9,867	16·6	5·3	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,110	18·9	17·2	22·9	.	3	4	...	...	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	...	...
QUEENSTOWN, ...	7,909	14·4	46·1	13·2	.	7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,588	22·2	20·6	6·9	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

Towns and Districts.	Meteorology. (d) Week ending 17th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 3rd August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	e 66	33	52·5	0·56	e 63	39	53·0	1·72	e67	36	53·4	1·50
CITY OF DUBLIN,	f 65·9 g 66·7	43·4 37·8	54·3 54·1	0·50 0·49	f 62·2 g 63·8	45·1 42·2	54·1 53·8	1·80 1·76	f 62·1 g 62·4	42·9 39·0	54·1 53·5	1·48 1·64
Urban Districts. RATHMINES AND RATHGAR.	...	...	...	...	..	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	68	46	55·2	0·20	63	46	54·7	2·04	63	44	55·0	1·63
Urban Districts. BELFAST ...	64	46	54·6	0·55	62	45	54·0	2·01	61·5	42	55·0	2·35
CORK, ...	63	41	54·8	0·43	61	45	53·8	0·24	63	43	54·5	1·05
LONDONDERRY ...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	63·9	42	53·4	0·49	61·5	37·1	52·2	0·29	61·7	36	52·3	1·04
WATERFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	63	42	54	0·33	65	41	54	0·24	67	40	54·3	0·67
DUNDALK, ...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87
LURGAN, ...	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87
LISBURN, ...	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87
WEXFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	63	34	52·0	1·43	66	36	50·0	0·90	62	33	50·0	1·49
KILKENNY, ...	65	40	54·8	0·41	62	37	52·7	1·09	63	38	52·8	1·65
CLONMEL, ...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	63	48	54·0	0·43	61	46	54·2	2·30	61	42	53·1	0·67
QUEENSTOWN, ...	63	41	54·8	0·43	61	45	53·8	0·24	63	43	54·5	1·05
ARMAGH, ...	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90	61·3	38·8	52·6	0·87

(a) In the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912: in the cases of the urban districts containing a population of over 10,000 in 1901 the population is according to the Census of 1911 (unrevised figures) and in the other urban districts according to the Census of 1901. (b) See note (‡) at foot of first page. (c) Exclusive of 8 deaths of persons (including one at 65 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 17th of August, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	.	1	.	.	.	3	.	1	2	.	.	1	1	1	13	2
Tuberculous Disease. { Other Forms,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Cancer,	.	1	3	1	.	.	.	.	.	.	1	.	1	1	.	.	8	1
Diseases of Nervous System,	1	3	1	2	.	.	.	.	.	1	.	.	.	.	1	1	10	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Circulatory System,	1	2	3	.	.	.	.	.	.	2	1	2	3	1	.	1	16	.
" Respiratory System. { Pneumonia,	.	.	2	1	.	.	.	2	.	5	.	.	.	1	.	.	11	1
" Respiratory System. { Others,	2	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	6	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	2	2	1	.	.	.	.	.	1	1	.	.	.	.	.	7	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	1	.	1	.	1	.	.	.	.	.	.	.	.	.	4	1
" Genito-urinary System,	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	2
Puerperal Septicæmia, etc.,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	3	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Other specified Causes,	1	2	2	3	.	.	.	1	.	2	4	.	.	1	1	.	17	.
Violent Deaths,	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	1	4	.
Deaths from All Causes	9	19	16	12	1	2	1	13	1	14	10	3	4	6	4	4	119	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·6	24·7	27·0	18·6	9·7	8·9	6·7	16·3	2·4	16·8	14·5	17·2	5·4	10·5	22·9	12·1	15·3	.
	19·6							14·1					9·9					
	16·9																	
Ages at Death. Under 1 year,	1	2	3	5	.	.	.	1	.	5	2	.	.	1	.	.	20	.
1 and under 2 years,	.	1	2	1	.	.	.	.	.	2	2	.	.	.	.	.	8	.
2 " 5 "	.	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
5 " 15 "	.	3	1	.	.	.	.	.	.	1	.	.	.	1	.	.	6	.
15 " 25 "	1	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	4	2
25 " 45 "	2	2	1	2	.	1	1	4	.	.	.	2	.	.	2	1	18	4
45 " 65 "	4	5	3	1	1	.	.	5	.	3	5	.	.	1	.	.	28	1
65 and upwards,	1	3	5	3	.	1	.	2	1	2	.	1	4	2	2	3	30	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	3	1	.	.	1	2	1	1	4	2	.	1	1	.	24	7
Workhouse Hospitals,	1	2	1	5	.	.	.	4	.	4	1	1	.	.	.	.	19	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										33rd Week of the 10 years 1902–1911.	In the Week ending Saturday, 17th August, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 61·2	° 57·8	° 52·5										
ALL CAUSES.	145	169	183	151	151	145	167	157	126	199	159·3	127	8	12	8	5	6	6	22	29	14	17
Enteric Fever, ...	1	.	1	1	.	1	.	.	2	2	·8	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles.	20	.	4	1	1	7	3	.	.	.	3·6	4	.	.	.	3	1	.	.	.	.	.
Scarlet Fever, ...	1	.	.	1	.	.	.	1	1	.	·4	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	.	1	3	.	1	3	1	1	2	3	1·5	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	1	1	.	.	.	1	1	2	1	·7	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	.	1	.	.	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	.	.	2	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	.	2	.	.	.	·4	1	1	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	22	21	23	21	19	14	18	17	19	19·2	15	.	.	.	.	.	4	8	2	1	.
Tuberculous Meningitis, ...	3	4	6	3	1	2	5	5	.	.	2·9	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	1	4	2	2	2	2	.	1	5	1·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	2	8	8	10	6	3	4	2	6	2	5·3	1	.	.	.	.	1	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	.	.	.	1	.	.	.	.	.
Venereal Diseases, ...	1	.	.	.	1	2	1	1	.	2	·8	2	1	.	.	.	.	.	.	1	.	.
Cancer, ...	8	12	3	5	12	6	12	10	9	7	8·4	9	.	.	.	.	.	1	1	3	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	3	1	2	1	1	1	1·0	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	1	.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	.	1	4	.	.	.	.	·7	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										2		4	.	.	.	.	.	.	.	2	2	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										5		1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	40	27	43	34	31	24	24	30	23	3	30·4	4	.	.	.	.	.	.	1	1	1	1
Pericarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										12		12	.	.	.	.	.	.	2	4	2	4
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Circulatory System.										1		2	.	.	.	.	.	.	.	1	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	8	13	3	9	11	15	9	6	9	11	9·4	5	.	1	.	.	.	.	.	3	.	1
Broncho-pneumonia, ...	6	1	.	1	2	3	2	1	2	2	2·0	5	.	1	2	1	.	.	1	.	.	.
Lobar pneumonia, ...	.	.	.	1	.	.	.	2	1	.	·4	3	.	.	.	.	.	.	1	2	.	.
Pneumonia (type not distinguished)	3	4	4	.	2	4	2	5	4	1	2·9	4	.	1	1	.	1	.	.	1	.	.
Pleurisy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	4	1	1	.	3	3	2	1	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		.	.	.	.	.	.	.	.	.	.	.

THIRTY-THIRD WEEK ending Saturday, 17th August, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 33rd Week of the 10 years 1902–1911.	In the Week ending Saturday, 17th August, 1912.										
													Deaths of Persons of the Ages of									
	Aug. 16, 1902.	Aug. 22, 1903.	Aug. 20, 1904.	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 57·0	° 53·3	° 55·8	° 58·2	° 58·9	° 58·9	° 56·8	° 58·8	° 58·8	° 61·2	° 57·8	° 52·5										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	4	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.										49		7	.	5	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,	1	17	43	27	31	8	43	30	10	7	27·2	1	.	.	.	.	.	.	.	.	.	1
Enteritis 2 years and upwards										6		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	2	3	2	1	3	1	.	1	.	1	2·1	3	.	.	.	.	.	.	1	2	.	.
Other Diseases of Liver, ...	2	.	.	.	.	1	1	1	1	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	3	1	.	2	.	2	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	9	8	7	3	6	4	5	4	3	5·4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										5		4	.	.	.	.	.	.	1	2	.	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	7	5	1	2	2	4	8	9	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	1	.	.	0·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	3	.	.	1	.	1	0·8	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	3	.	.	1	.	.	.	.	.	2	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	5	4	2	1	3	2	3	4	5	3·0	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	8	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	3	3	2	4	2	.	1	3	4	5	2·7	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	.	1	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	2	.	.	2	.	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	1	.	1	.	1	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	.	1	1	1	5	2	2	2	1·8	2	.	.	.	.	.	.	.	1	.	1
Total Deaths from Accident,	3	3	3	3	2	2	8	3	2	5	3·4	3	.	.	.	.	.	.	.	1	1	1
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	1	1	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	1	.	.	.	.	.	.	3	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ..	—	—	—	—	—	—	—	—	—	4	—	4	.	1	.	.	.	.	.	.	1	2

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Feb. 24.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered.	186	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223
Average Births in corresponding week of previous 10 years, ...	209	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222
DEATHS registered, ...	194	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127
Annual Death-rate per 1,000, ...	24·9	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3
Average Deaths in corresponding week of previous 10 years, ...	206	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159
Ages, Under 5 years, ...	59	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33
5—15 „ ...	13	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6
15—25 „ ...	9	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6
25—45 „ ...	23	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22
45—65 „ ...	41	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29
65—75 „ ...	31	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14
75 and upwards, ...	18	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17
Deaths from :—																										
Enteric Fever, ...	1	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2
Typhus, ...	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4
Scarlet Fever, ...	2	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1
Whooping-cough, ...	4	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1
Diphtheria, ...	1	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.
Influenza, ...	2	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	20	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15
Tuberculous Disease, Other Forms,	6	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2
Cancer, ...	11	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9
Diseases of Circulatory System,	18	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16
Diseases of Respiratory System, Pneumonia,	21	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12
Diseases of Respiratory System, Others, ...	37	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6
Diarrhœa and *Enteritis*, under 2 years, ...	2	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1
Violent Deaths, ...	3	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3
Number of Uncertified Deaths,	8	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2
Mean Temperature of the Air (Phœnix Park)	42·9	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5
Average Mean Temperature in corresponding week of previous 10 years, ...	40·5	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8
Rainfall in inches, ...	·680	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560
Mean Humidity of the Air, complete Saturation 1·0, ...	·91	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th August, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH AUGUST, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	127	33	6	6	22	29	14	17	2	.	.	4	1	1	.	.	15	2	9	1	12	6	7	1	3	63	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	13·2	22	2	.	1	5	5	3	6	1	.	.	.	.	.	.	.	3	.	2	.	1	2	.	.	1	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·2	30	4	3	1	7	9	3	3	.	.	.	.	1	.	.	.	3	1	3	.	1	2	1	.	2	16	.
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	22	3	4	7	6	4	4	1	.	.	4	.	1	.	.	4	1	1	1	9	1	3	.	.	24	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	20	5	.	.	3	6	3	3	.	.	.	.	.	.	.	.	5	.	1	.	.	1	3	1	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	.	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	9·5	4	1	.	.	2	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	6·9	4	1	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	19·3	10	.	.	1	1	2	2	4	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	2	1	.	2	2	.	1	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	4	.
	10. Clothing Trades, ...	23,260	6·7	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	1	.	.	4	5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	7	.
	13. Petty Shopkeepers	7,894	26·4	4	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	1	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	15. Domestic Servants, ...	36,603	4·3	3	1	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	1	.	1	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·0	38	19	3	3	4	6	2	1	.	.	.	4	.	1	.	.	2	1	1	.	9	1	2	.	.	17	1
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	20	5	.	.	3	6	3	3	.	.	.	.	.	.	.	.	5	.	1	.	.	1	3	1	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 30,034.	June 29,	17·4	.	10	.	.	.	.	.	.	.	.	2	2	.	.	2	.	.	.	.
	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
	„ 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	„ 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
	„ 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,141.	June 29,	13·0	1.3	10	.	.	.	1	.	.	.	.	2	.	.	4	1	.	.	.	.
	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
	„ 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	„ 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
	„ 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
	„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 30,873.	June 29,	13·5	1·7	8	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1	.
	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
	„ 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
	„ 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
	„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 33,701.	June 29,	20·1	3·1	13	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1	.	.
	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
	„ 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	„ 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 41,650.	June 29,	21·3	.	17	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
	„ 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	„ 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
	„ 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
	„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 21,846.	June 29,	9·5	.	4	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	1	.
	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
	„ 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	„ 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 43,408.	June 29,	18·0	2·4	15	.	.	.	1	.	.	.	.	2	1	.	.	3	.	1	.	1
	July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	„ 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
	„ 27,	13·2	2 4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
	„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 36,031.	June 29,	17·4	4·3	12	.	.	.	1	1	.	.	.	2	.	.	1	1	1	.	2	.
	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
	„ 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
	„ 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
	„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
	„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	June 29,	20·1	.	15	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
Pop. in 1912 (Est.) 38,889.	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District.	June 29,	10·5	1·8	6	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.
	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
Pop. in 1912 (Est.) 29,693.	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
Kingstown Urban District.	June 29,	12·1	3·0	4	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1
	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pop. in 1911 17,227.	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast.	June 29,	12·8	0·7	96	.	.	.	1	.	3	.	.	13	7	5	7	9	.	1	1	1
	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
Pop. in 1912 (Est.) 391,051.	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
Cork.	June 29,	27·2	.	40	.	.	.	.	.	.	.	.	7	2	3	.	3	.	.	1	3
	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
Pop. in 1911 76,632.	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	.
Londonderry.	June 29,	25·5	.	20	.	.	.	.	.	.	.	.	2	2	1	1	4	.	.	1	1
	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
Pop. in 1912 (Est.) 40,912.	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Limerick.	June 29,	20·4	5·4	15	.	.	.	.	.	4	.	.	3	.	.	1	1	.	.	.	5
	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
Pop. in 1911 38,403.	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
Waterford.	June 29,	13·3	1·9	7	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
Pop. in 1911 27,430.	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th August, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911, (Unrevised)	No. of BIRTHS.	DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	385,492	5	The Population of Belfast by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Do. 2 do.		26			3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		24			10	3	.	.	3	1	3	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	.	1	2	.
Do 4 do.		22			11	3	1	1	2	2	2	1	.	.	.	.	.	.	.	2	1	1	.	1	1	.	.	.	4	.
Do. 5 do.		7			3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		8			9	1	.	2	.	2	4	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	1	1	1	.
Do. 7 do.		1			2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		13			5	1	1	.	2	1	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	3	.
Do. 10 do.		18			9	4	.	2	2	1	.	.	.	.	.	.	1	.	.	3	1	.	1	.	.	.	.	.	2	.
Do. 11 do.		24			6	.	.	.	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Do. 12 do.		20			6	1	1	.	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	1	1	3	.
Do. 13 do.		21			3	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do. 14 do.		.			.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		10			12	2	2	3	3	2	.	.	.	.	.	.	.	.	.	4	1	.	3	.	.	.	.	.	4	.
Total,	—	199			83	17	7	13	18	14	14	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	3	23	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	76,632	3	The Population of Cork by Districts not having been yet ascertained, the death-rate for each District cannot be inserted in this Table.		5	.	.	2	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	2	.
Do 2 do.		7			2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.		5			2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do 4 do.		4			5	.	1	2	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	3	.
Do 5 do.		4			1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.		8			4	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	4	.
Do. 7 do.		11			5	.	.	1	.	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.
Total,	—	42	16·3	.	24	.	2	9	5	1	7	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	1	16	.

* See note (‡) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Feb. 24.	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
BIRTHS registered, ...	206	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	99
DEATHS registered, ...	202	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83
Annual Death rate per 1,000 of estimated population, ...	26·9	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1
AGES, Under 1 year, ...	56	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17
1—5 years, ...	19	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7
5—25 ,, ...	19	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13
25—45 ,, ...	30	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18
45—65 ,, ...	38	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14
65 and upwards, ...	40	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1
Typhus, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.
Scarlet Fever, ...	.	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.
Whooping-cough, ...	9	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1
Diphtheria, ...	.	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16
Tuberculous Disease. Other Forms,	3	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6
Cancer, ...	6	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2
Diseases of Respiratory System, Pneumonia,	42	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5
Diseases of Respiratory System, Others, ...	52	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7
Diarrhœa, and *Enteritis*, under 2 years, ...	1	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.
Violent Deaths, ...	2	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2
Number of Uncertified Deaths, ...	2	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Aug. 17,	2,180	1,019	11·8	1	.	43	3	13	8	66*a*
Edinburgh, ...	321,200	„ 17,	126	73	11·9	.	.	1	.	1	.	.
Glasgow, ...	785,600	„ 17,	375	222	14·7	1	.	2	3	9	3	13
Calcutta, ...	896,067	July 13,	.	328	19·0	66*	.	.	.	.	.	37‡
Bombay, ...	979,445	„ 13,	385	739	39·2	81*	15	1	.	1	.	115‡
Madras, ...	518,660	„ 20,	391	311	31·2	54*	1	2	?	?	?	73‡
Cairo, ...	699,228	June 3,	479	602	44·9	2	.	19	1	.	6	163
Paris, ...	2,847,229	July 20,	1,037	833	14·9	7	.	11	3	3	2†	64*a*
Brussels, ...	745,380	„ 27,	226	174	12·1	.	.	2	.	.	1	34
Antwerp, ...	308,618	„ 27,	105	78	13·2	.	.	5	2	1	3†	15*a*
Amsterdam, ...	582,984	„ 27,	267	121	10·8	.	.	5	.	3	1†	12*a*
Copenhagen, ...	465,000	„ 27,	240	118	13·2	.	.	4	1	1	.	15*a*
Stockholm, ...	346,599	„ 27,	150	82	12·3	.	.	.	1	2	.	4
Christiania, ...	247,488	Aug. 3,	96	48	10·1	.	.	.	.	.	.	5
St. Petersburg, ...	1,641,600	July 13,	841	797	25·3	27	1	41	4	3	5	216
Moscow, ...	1,617,157	„ 6,	.	1,015	32·7	3	.	13	8	3	5†	509
Berlin, ...	2,073,517	„ 13,	783	552	13·9	1	.	11	3	7	6†	57
Hamburg, ...	953,079	„ 27,	.	217	11·8	.	.	2	1	4	4†	24
Breslau, ...	529,617	„ 27,	.	196	19·3	.	.	.	.	1	.	34
Munich, ...	610,000	Aug. 3,	.	158	13·5	.	.	.	.	.	1†	6
Vienna (with suburbs),	2,081,335	July 27,	680	523	13·1	.	.	7	4	3	.	55*a*
Buda-Pesth, ...	910,548	„ 27,	362	347	19·8	6	.	.	6	1	1†	63*a*
Prague and Faubourgs,	484,301	„ 20,	181	152	16·4	1	.	.	4	1	.	5*a*
Trieste, ...	235,999	„ 27,	137	99	21·9	3	.	1	1	.	.	18*a*
Rome, ...	566,453	Apr. 6,	322	187	17·2	1	1	2	1	1	2	7
		„ 13,	312	175	16·1	3	.	8	.	4	4	13
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	June 15,	2,612	1,204	12·1	3	.	18	19	6	23†	38*a*
Philadelphia, ...	1,606,105	„ 29,	.	423	13·7	8	.	1	2	5	2	32*a*
Boston, ...	720,031	Aug. 3,	.	211	15·3	.	.	1	.	2	2	21

* Deaths from "fever," including 5 deaths from enteric fever and 6 from plague in Calcutta, 3 from enteric fever and 16 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 19 deaths from cholera in Calcutta, 68 in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th August, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	1	.	.	3	1	.	.	.	7
" " 1, West, ...	.	3	.	.	.	.	.	.	.	.	.	2	5
" " 2, ...	.	4	.	.	2	.	.	.	.	.	.	.	6
" " 3, ...	.	1	1	.	.	.	.	.	1	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.		.	.	.	.	.	.		.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	4	.	.	1	.	1	1	1	.	.	1	9
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 4, ...	.	3	.	.	5	.	.	1	.	.	.	.	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	18	1	.	10	.	1	6	4	.	.	4	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th August, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th August.			
	July 27.	Aug 3.	Aug. 10.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	22	19	4	1	1	21
Typhus, ...	.	1	1	1	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	70	53	41	10	17	1	33
Scarlet Fever, ...	149	140	144	25	40	2	127*
Diphtheria, ...	39	47	43	13	10	.	46
Pneumonia, ...	19	16	15	7	4	1	17

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 17th August, 1912:—

"While it was still changeable and unsettled the weather showed a decided tendency to improve as this week advanced, and Friday and Saturday were the first really warm days of the present unseasonable August. The main feature of the period was the gradual movement westward of a large atmospheric depression from the Baltic Sea to the North Sea and Scotland. On Sunday this system was central near Stockholm and Wisby in Gothland, whereas a new depression was moving slowly eastward across the Atlantic towards the English Channel. In Ireland the weather was tolerably fine, but the following night was very cold, the thermometer falling to 43° even in Dublin and to 39° at Birr Castle. On Monday the northerly winds of both depressions passed over the British Isles, so that the weather remained cold and changeable. Shortly before 2 p.m. of Tuesday a heavy shower of rain and hail fell at Blackrock, Co. Dublin. The Scandinavian depression at this time began to move westward to Scotland, while the southern depression, which had passed eastward up the English Channel in the course of Monday was shown over the north-east of France and Belgium on the morning of the same day (Tuesday). From this time the northern system remained nearly stationary off the N.E. coast of Scotland until Friday morning, when a new depression arrived off the N.W. of Ireland, causing southerly winds, clouds, and showers, but above all a rapid and grateful rise of temperature to something approaching the average for the time of year. These conditions held to the close of the period. Increasing attention has been directed this week to the strange aspect of the sky, which has now lasted for several weeks. The mid-atmosphere is covered with a haze or filmy cirriform cloud stratum in which no halos appear, through which the sun shines with lessened power and warmth, and which seems to act as a cloud-compeller and condenser in the lower strata of the air. This phenomenon may be associated with an unwonted coldness of the sea water round the British Isles. In Dublin the mean height of the barometer was 29·857 inches, the range being from 30·126 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·637 inches at 4 p.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 54·3°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 54·6°. The screened thermometers rose to 65·9° on Friday, having fallen to 43·4° on Monday. N.W. winds prevailed till Friday, when S.W. winds took their place. Rain fell to the amount of ·504 inch on 5 days, ·302 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·861 inches. The highest reading (30·140) was on Sunday at 9 a.m., wind W.S.W., the lowest (29·662) on Saturday at 9 a.m., wind S.S.W.

The mean temperature for the week was 52·5°, being 5·3° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday, on which day the thermometer registered 66°, and was lowest on Monday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 53·2° and of the Wet Bulb, 51·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·560 inch.

At Greenwich the mean temperature for the week was 56·2°, the maximum 70·1°, and the minimum 44·1°; and at Edinburgh the maximum was 64·1°, the minimum 45·1°, and the mean 54·6°. The rainfall at Greenwich measured 0·23 in.; and at Edinburgh 0·25 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 11,	30·130	60	41	50·5	47·9	46·0	·87	·3	3·6	·030	W.S.W.	Calm.
Monday, „ 12,	30·010	59	33	46·0	53·0	50·6	·83	·4	3·4	·000	N.N.W.	N.
Tuesday, „ 13,	29·890	59	41	50·0	51·2	48·9	·85	·5	4·0	·130	W.N.W.	Calm.
Wednesday, „ 14,	29·680	53	47	50·0	51·1	50·5	96	·5	0·0	·320	W.	W.S.W.
Thursday, „ 15,	29·810	59	51	55·0	53·8	52·2	·90	·0	0·8	·020	W.	Calm.
Friday, „ 16,	29·835	66	47	56·5	56·1	54·8	·92	·1	1·3	·050	Calm.	Calm.
Saturday, „ 17,	29·675	65	54	59·5	59·0	56·4	·85	·2	1·2	·010	S.S.W.	S.S.W.
Mean, ...	29·861	60·1	44·9	52·5	53·2	51·3	·88	·3	Total 14·3	Total ·560	—	

Sunday—Day cloudy, heavy rain 12.40 to 1.25 p.m.; night clear. *Monday*—Day cloudy, fine; night cloudy to clear. *Tuesday*—Day cloudy, showers p.m.; night overcast, drizzling rain 3.30 to 9.0 a.m. *Wednesday*—Day overcast, drizzling from 9.0 a.m. to 9.0 p.m.; night overcast, drizzling rain 9.0 p.m. to 1.0 a.m. *Thursday*—A dull day; night cloudy, light rain 7.0 a.m. to 8.30 a.m. *Friday*—Day cloudy, fine; night overcast, showers at intervals a.m. *Saturday*—Day dull, light rain 9.20 to 10.0 a.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 17th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 11,	55·4	57·0	56·5	59·7	45·5	52·6	6·12	·018
Monday, „ 12,	55·4	57·0	56·4	61·0	42·0	51·5	3·2	—
Tuesday, „ 13,	55·5	56·5	56·2	60·0	43·2	51·6	3·95	·143
Wednesday, „ 14,	51·8	56·3	56·0	54·0	47·8	50·9	1·4	·260
Thursday, „ 15,	55·0	56·0	56·0	59·8	50·8	55·3	0·0	·005
Friday, „ 16,	59·4	56·0	56·0	67·8	49·0	58·4	2·9	·005
Saturday, „ 17,	65·6	57·7	56·0	66·3	54·5	57·4	1·4	—
Weekly Mean, .	56·9	56·6	56·2	61·2	47·5	54·0	Total 18·97	Total ·431

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32884. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 24TH AUGUST, 1912. [No. 34.

General Register Office, Charlemont House, Dublin, 26th August, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 3	Week ending Aug. 10	Week ending Aug. 17	Week ending Aug. 24	Average Rate for 4 weeks.	Towns, &c.	Week ending Aug. 3	Week ending Aug. 10	Week ending Aug. 17	Week ending Aug. 24	Average Rate for 4 weeks.
22 Town Districts, ...	**16·4**	**14·0**	**13·1**	**14·8**	**14·6**	Limerick	19·0	16·3	14·9	14·9	16·3
						Lisburn	12·9	34·3	12·9	4·2	16·1
Armagh	13·7	6·9	6·9	21·3	12·2	Londonderry	16·6	10·2	2·5	8·9	9·6
Ballymena	32·1	13·8	36·7	27·5	27·5	Lurgan	8·6	8·6	21·5	8·3	11·8
Belfast	13·2	12·3	11·1	12·6	12·3	Newry	26·2	13·1	21·8	8·7	17·4
Clonmel	25·4	25·4	15·2	15·3	20·3	Newtownards	11·4	17·2	22·9	16·3	16·9
Cork	19·7	12·2	16·3	17·0	16·3	Portadown	13·3	8·9	4·4	4·4	7·8
Drogheda	21·0	4·2	12·6	4·2	10·5	Queenstown	6·6	.	13·2	6·4	6·6
Dublin Reg. Area ...	18·1	15·8	15·3	18·6	16·9	Sligo	28·0	14·0	14·0	9·3	16·3
Dundalk	19·9	11·9	11·9	.	10·9	Tralee	10·6	10·6	.	5·1	6·6
Galway	27·5	23·6	7·9	19·7	19·7	Waterford	9·5	19·0	9·5	11·4	12·4
Kilkenny	5·0	14·9	9·9	34·7	16·1	Wexford	27·3	9·1	9·1	9·0	13·6

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 27·5 in Ballymena, the 6 deaths from all causes for that district comprising 5 from whooping-cough and one from diarrhœa and *enteritis* of a child under 2 years of age. The 95 deaths from all causes for Belfast include one from measles and 4 from diarrhœa and *enteritis* of children under 2 years of age. Among the 25 deaths from all causes for Cork are 2 from diarrhœa and *enteritis* of infants. Included in the 11 deaths from all causes for Limerick are 2 from each of measles and whooping-cough, and of the 5 deaths from all causes for Galway one is from scarlet fever and 2 are from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—105 boys and 92 girls—and the deaths to 154—87 males and 67 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·6 per 1,000 of the population. During the thirty-four weeks ending with Saturday last the death-rate averaged 21·7, and was 0·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 154, represent an annual rate of 20·0 per 1,000; the annual rate for the past thirty-four weeks was 23·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

Among the deaths which were registered there were 2 from each of enteric fever, measles, scarlet fever, and diphtheria, and one death from whooping-cough. Diarrhœa and *enteritis* caused the deaths of 11 children under 2 years of age, being 4 over the number registered in the preceding week.

In the 3 preceding weeks deaths from enteric fever were 0, one, and 2, respectively; deaths from measles were 10, 4, and 4; deaths from scarlet fever were one, one, and one; deaths from whooping-cough were 0, 2, and one; deaths from diphtheria were 4, one, and 0; and deaths from diarrhœa and *enteritis* of children under 2 years were 17, 13, and 7.

There were 35 deaths from all forms of tuberculous disease, including 22 deaths from pulmonary tuberculosis, 5 deaths from tuberculous meningitis, 2 deaths from abdominal tuberculosis, 2 deaths from tuberculosis of the vertebral column, and 4 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from all forms of tuberculous disease were 26, 27, and 17.

Broncho-pneumonia caused 6 deaths and *pneumonia* (type not distinguished) 4 deaths.

Eight deaths were attributed to cancer.

The deaths of 4 infants were ascribed to *convulsions*, and 3 deaths were caused by meningitis.

Organic diseases of the heart caused 16 deaths, and bronchitis 11 deaths.

Three infants died from prematurity, and one from congenital debility.

There was only one death from violence registered; this was a case of accidental burning.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 12 were under one month old) and 29 were aged 65 years and upwards, including 23 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 29 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 21·4 (North City Districts, 19·9; South, 23·2) and in the Suburbs, 9·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·7 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 3·9, and in the South 2·5), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·6 per 1,000. Enteric fever caused 2 deaths and scarlet fever one death; there were 3 deaths from tuberculous disease, and one from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·8 per 1,000, and include one death from diphtheria, 3 deaths from tuberculous disease, 2 deaths from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. There was one death from whooping-cough, one death from pulmonary tuberculosis, one death from broncho-pneumonia, and 3 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 25·4 per 1,000. Tuberculous disease caused 6 deaths, broncho-pneumonia and bronchitis each caused one death, and there were 2 deaths from diarrhœa and *enteritis* of children under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·5; and Finglas and Glasnevin, part of, 0·0. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from tuberculous disease.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·8 per 1,000. Tuberculous disease caused 3 deaths; there were 2 deaths from *pneumonia*, 2 deaths from bronchitis, and 2 deaths from diarrhœa and *enteritis* of children under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Of the deaths 3 were from tuberculous disease and 4 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·3 per 1,000. Pulmonary tuberculosis caused 5 deaths and there was one death from broncho-pneumonia.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Scarlet fever and diphtheria each caused one death; there were 5 deaths from pulmonary tuberculosis, one from broncho-pneumonia, 2 from *pneumonia*, one from bronchitis, and 2 from diarrhœa and *enteritis* of children under 2 years of age.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·9 per 1,000), and include one death from broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1; Pembroke, 5·3; Blackrock, 17·1; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from measles for Pembroke. Of the 3 deaths from all causes for Pembroke one is from tuberculous meningitis; and the 5 deaths from all causes for Kingstown include one from pulmonary tuberculosis.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 24th August, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 3,	.	—	—	15	1	.	5	.	.	4	3	.	—	—	.	—	8	—	36
	Aug. 10,	.	—	—	19	.	.	6	.	1	6	6	1	—	—	.	—	14	—	53
	Aug. 17,	.	—	—	18	1	.	10	.	1	6	4	.	—	—	.	—	4	—	44
	Aug. 24,	.	—	—	10	.	.	7	.	1	3	1	.	—	—	.	—	7	—	29
Rathmines and Rathgar Urban District.	Aug. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug 10,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 24,	.	—	—	2	.	.	2	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Aug. 3.	.	8	.	.	.	.	1	.	.	.	2	.	—	2	—	—	.	—	13
	Aug. 10,	.	7	.	1	.	.	.	.	.	.	.	.	.	4	—	—	.	—	12
	Aug. 17,	.	5	.	1	.	.	2	.	.	.	.	.	.	3	—	—	.	—	11
	Aug. 24,	.	6	.	3	.	.	1	.	.	.	.	.	.	5	—	—	.	—	15
Blackrock Urban District.	Aug. 3,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Aug. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Aug. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	1	—	3
	Aug. 10,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
City of Belfast.	Aug. 3,	.	—	—	14	.	.	8	.	.	1	2	.	—	—	.	—	6	.	31
	Aug. 10,	.	—	—	19	.	.	1	.	.	1	2	1	—	—	.	—	3	.	27
	Aug. 17,	.	—	—	26	.	.	5	.	.	3	6	.	—	—	.	—	5	.	45
	Aug. 24,	.	—	—	14	.	.	2	1	1	2	5	.	—	—	.	—	11	.	36

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th August, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, two were discharged, and 22 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 19, and 21.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Eight cases of measles were admitted to hospital during the week, 9 were discharged, and 32 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 53, 41, and 33, respectively.

Twenty cases of scarlet fever were admitted to hospital, 25 were discharged, there were 3 deaths, and 119* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 140, 144, and 127, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 14 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 43, and 46, respectively, were 42 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·7), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 11·8 per 1,000, the rate for Glasgow being 12·4, and for Edinburgh 10·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th August. From this Report it appears that of a total of 62 cases notified, 36 were phthisis, 11 scarlet fever, 9 diphtheria, 4 erysipelas, one puerperal fever, and one enteric fever. Among the 221 cases of infectious diseases in hospital at the close of the week were 86 cases of scarlet fever, 57 of phthisis, 27 of diphtheria, 20 of whooping-cough, 10 of measles, 8 of erysipelas, 3 of enteric fever, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 24th August, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

REGISTRATION—WEEK ENDING SATURDAY, 24TH AUGUST, 1912.

Towns and Districts	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·0	14·8	1·9	531	327	51	77	2	...	...	5	3	8	4	...	46	21	14	18	28	19	2	3	11	124	10
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	400,865	29·2	25·6	18·6	2·7	197	143	23	28	2	...	...	2	2	1	2	...	19	13	6	10	12	11	1	...	2	74	2
CITY OF DUBLIN,	306,573	38·8	29·9	21·4	3·2	176	126	22	24	2	...	...	...	2	1	2	...	18	12	3	10	11	11	1	...	2	67	2
Urban Districts: RATHMINES AND RATHGAR.	38,495	22·5	9·5	8·1	.	7	6	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...
PEMBROKE, ...	29,731	18·9	15·8	5·3	3·5	9	3	...	...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
BLACKROCK, ...	9,125	8·4	5·7	17·1	.	1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
KINGSTOWN, ...	16,941	11·6	12·3	15·4	.	4	5	...	1	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	2	...
Urban Districts: BELFAST ...	391,974	26·2	24·1	12·6	0·8	181	95	14	22	...	...	...	1	...	...	...	...	12	5	4	3	9	4	1	2	7	24	1
CORK, ...	76,673	28·6	22·4	17·0	1·4	33	25	3	8	...	...	...	...	...	...	...	...	8	...	1	...	2	2	...	...	1	9	2
LONDONDERRY ...	40,891	15·9	23·0	8·9	.	18	7	...	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...
LIMERICK, ...	38,518	16·1	12·8	14·9	5·4	9	11	3	2	...	...	...	2	...	2	...	...	...	...	...	1	1	...	...	...	...	3	2
WATERFORD, ...	27,464	19·1	26·6	11·4	.	14	6	...	2	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	1	1	2	...
GALWAY, ...	13,255	2·5	27·5	19·7	11·8	7	5	1	1	...	...	...	...	1	...	2	...	...	...	...	1	...	...	...	...	...	4	...
DUNDALK, ...	13,128	9·5	55·6	.	.	14	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	12·5	4·2	.	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	17·4	8·7	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
LURGAN, ...	12,553	14·7	4·2	8·3	4·2	1	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...
LISBURN, ...	12,388	10·9	12·6	4·2	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22·8	31·6	9·0	.	7	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
BALLYMENA ..	11,381	9·3	9·2	27·5	27·5	2	6	3	...	...	...	...	...	...	5	...	...	...	...	...	...	...	1	...	...	...	...	...
SLIGO, ...	11,163	3·8	46·7	9·3	.	10	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1
KILKENNY, ...	10,514	11·4	24·8	34·7	.	5	7	...	6	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	2	1
CLONMEL, ...	10,209	7·8	20·4	15·3	.	4	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	...
PORTADOWN, ...	11,727	15·3	17·8	4·4	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
TRALEE, ...	10,300	17·4	10·1	5·1	.	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	27·2	16·3	.	5	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
QUEENSTOWN, ...	8,209	14·7	25·4	6·4	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21·8	28·4	21·3	.	4	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...

METEOROLOGY.(d)

Towns and Districts	Week ending 24th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 10th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	c64	41	52·7	1·11	c66	33	52·5	0·56	c63	39	53·0	1·72
CITY OF DUBLIN,	f64 g63·6	44·9 43·0	54·3 53·4	1·24 1·18	f65·9 g66·7	43·4 37·8	54·3 54·1	0·50 0·49	f62·2 g63·8	45·1 42·2	54·1 53·8	1·80 1·76
Urban Districts: RATHMINES AND RATHGAR.	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	65	46	54·4	1·32	68	46	55·2	0·20	63	46	54·7	2·04
Urban Districts: BELFAST ...	64	42	54·8	1·66	64	46	54·6	0·55	62	45	54·0	2·01
CORK, ...	64	47	55·2	1·46	63	41	54·8	0·43	61	45	53·8	0·24
LONDONDERRY ...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	63·8	38·4	53·2	1·63	63·9	42	53·4	0·49	61·5	37·1	52·2	0·29
WATERFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	62	40	53	1·63	63	42	54	0·33	65	41	54	0·24
DUNDALK, ...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90
LURGAN, ...	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90
LISBURN, ...	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90
WEXFORD, ...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	63	37	52·0	2·07	63	34	52·0	1·43	66	36	50·0	0·90
KILKENNY, ...	64	37	53·7	0·46	65	40	54·8	0·41	62	37	52·7	1·09
CLONMEL, ...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90
TRALEE, ...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	63	44	54·1	1·68	63	48	54·0	0·43	61	46	54·2	2·30
QUEENSTOWN, ...	64	47	55·2	1·46	63	41	54·8	0·43	61	45	53·8	0·24
ARMAGH, ...	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71	64·0	42·2	52·6	1·90

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 11 deaths of persons (including one at 75 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 24th of August, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA. — CITY OF DUBLIN. — REGISTRATION DISTRICTS IN — Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.					URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	2	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Whooping-cough	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	1	2	.	.	.	1	.	5	5	.	.	.	.	1	19	3
Tuberculous Disease. — Other Forms,	1	1	.	4	.	1	.	2	3	.	.	.	.	1	.	.	13	.
Cancer,	.	1	1	.	.	.	.	.	.	1	.	.	1	.	.	2	6	2
Diseases of Nervous System,	1	4	2	2	.	1	.	1	3	2	1	.	.	.	1	.	18	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	4	.	1	.	.	.	3	.	3	2	.	.	.	16	2
" Respiratory System. — Pneumonia,	1	.	1	1	.	.	.	2	.	1	3	1	.	.	.	.	10	.
" Respiratory System. — Others,	.	2	1	1	.	.	.	2	4	.	1	.	.	.	1	.	12	.
" Digestive System. — Diarrhœa, and *Enteritis*, under 2 years,	.	2	3	2	.	.	.	2	.	.	2	.	.	.	.	.	11	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. — *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
" Digestive System. — Others,	.	.	1	.	.	.	.	1	.	1	.	.	1	.	.	.	4	.
" Genito-urinary System,	.	.	.	.	1	.	.	1	.	.	1	.	1	.	1	.	5	.
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	.	1	.	.	.	2	1	2	1	.	.	.	.	1	10	2
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Ill-defined, &c. Causes,	.	1	1	.	.	1	.	.	.	.	.	1	1	.	.	1	6	.
Deaths from All Causes	10	17	13	17	1	4	.	16	11	15	17	5	6	3	3	5	143	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·6	21·8	24·3	25·4	9·7	15·5	.	20·8	31·3	18·3	26·7	26·9	8·1	5·3	17·1	15·4	18·6	.
	19·9							23·2					9·4					
	21·4																	
Ages at Death. — Under 1 year,	1	5	4	3	.	.	.	2	3	1	2	1	1	.	.	.	23	.
1 and under 2 years,	.	.	2	.	.	.	.	2	1	1	.	.	.	2	.	.	8	.
2 " 5 "	2	1	1	2	1	.	.	3	1	.	3	.	.	1	.	.	15	.
5 " 15 "	1	1	.	3	.	.	.	1	.	2	.	1	.	.	.	.	9	.
15 " 25 "	1	1	1	.	.	.	.	.	.	.	2	.	1	.	.	.	6	2
25 " 45 "	3	2	1	2	.	.	.	2	1	4	3	1	.	.	1	1	21	5
45 " 65 "	1	3	3	7	.	1	.	3	1	5	3	.	2	.	1	3	32	3
65 and upwards,	1	4	1	.	.	3	.	3	4	2	4	2	2	.	1	1	28	1
Number of Uncertified Deaths,	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	3	5	4	.	1	.	4	.	6	4	.	1	1	1	1	34	10
Workhouse Hospitals,	2	3	1	6	.	.	.	6	5	6	8	.	2	.	.	1	40	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1902–1911.	In the Week ending Saturday, 24th August, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.	Aug. 26, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·6	° 59·7	° 56·8	° 52·7										
ALL CAUSES.	146	176	178	153	167	122	187	162	146	162	159·9	154	12	11	8	15	9	8	26	36	17	12
Enteric Fever, ...	2	3	1	2	.	2	1	1	.	1	1·3	2	.	.	.	.	1	1	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	16	.	7	1	.	2	2	.	.	1	2·9	2	.	.	2	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	1	.	.	.	.	.	2	1	·4	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	2	3	4	.	.	4	.	5	.	6	2·4	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	2	1	1	.	2	2	1	4	5	1·8	2	.	.	.	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	1	1	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	2	.	.	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	28	19	10	21	14	26	19	12	15	18·5	22	.	.	.	.	1	3	9	6	3	.
Tuberculous Meningitis, ...	5	4	1	2	2	5	6	7	2	1	3·5	5	.	1	1	2	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	.	1	.	.	1	.	1	2	·7	2	.	.	.	1	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.										.		2	.	.	.	.	2	.	.	.	.	.
Tuberculosis of Joints, ...	4	7	7	7	6	7	7	8	2	.	5·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		4	.	.	.	1	1	.	1	1	.	.
Venereal Diseases, ...	1	2	4	.	2	.	1	1	.	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	5	5	10	11	11	6	6	7	10	6	7·7	8	.	.	.	.	.	.	3	3	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	.	.	1	.	1	1	·4	2	.	.	.	.	.	.	1	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	1	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	.	.	.	1	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		3	.	.	.	1	.	2	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										2		6	.	.	.	.	.	.	1	4	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		3	.	.	.	.	.	.	.	3	.	.
Epilepsy, ...										.		1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),										5		4	3	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	36	35	30	36	31	24	27	22	27	3	28·8	2	.	.	.	.	.	.	1	.	.	1
Pericarditis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										7		16	.	.	.	.	.	.	2	7	4	3
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										.		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	7	10	11	10	9	8	6	11	9	5	8·6	11	.	.	2	1	.	.	.	3	2	3
Broncho-pneumonia, ...	2	3	1	3	3	3	.	1	3	.	1·9	6	.	1	1	2	.	.	.	2	.	.
Lobar pneumonia, ...	.	.	1	.	1	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	8	2	2	6	4	3	6	2	3	5	4·1	4	.	.	.	1	.	.	1	2	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	5	3	1	3	3	1	2	2	2·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-FOURTH WEEK ending Saturday, 24th August, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 34th Week of the 10 years 1902–1911.	In the Week ending Saturday, 24th August, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Aug. 23, 1902.	Aug. 29, 1903.	Aug. 27, 1904.	Aug. 26, 1905.	Aug. 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug. 28, 1909.	Aug. 27, 1910.	Aug. 26, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 59·3	° 54·5	° 54·6	° 54·7	° 61·8	° 55·0	° 55·9	° 56·2	° 56·6	° 59·7	° 56·8	° 52·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	1	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	15	40	28	37	9	47	38	23	38	29·2	11	4	6	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										10		1	.	.	.	1	.	.	.	.	.	.
Enteritis 2 years and upwards										4		2	.	.	.	1	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	2	.	1	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	2	1	1	1	1	1	2	2	.	.	2·0	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	1	4	.	1	1	2	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	2	2	1	.	.	2	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	2	6	7	5	8	7	8	4	8	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	6	3	3	5	2	9	3	8	2	5·1	2	.	.	.	1	.	.	.	1	.	.
Chronic Bright's Disease, ...										2		2	.	.	.	.	.	.	.	.	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	2	.	1	0·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	1	1	.	1	.	2	0·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	6	3	1	3	4	3	7	3	3·7	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	3	4	1	.	4	.	1	.	1	4	1·8	3	.	.	.	.	.	.	.	.	2	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	3	.	.	1	.	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Drowning, ...	1	.	.	.	.	1	2	.	1	2	·7	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	4	2	4	7	2	1	2	3	3	3·1	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	5	6	2	8	7	3	5	2	4	5	4·7	1	.	.	.	.	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	2	1	.	1	1	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	3	—	6	1	.	.	.	.	.	1	2	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered.	237	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197
Average Births in corresponding week of previous 10 *years*, ...	220	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220
DEATHS registered, ...	205	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154
Annual Death-rate per 1,000, ...	26·3	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0
Average Deaths in corresponding week of previous 10 *years*, ...	204	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160
Ages, Under 5 years, ...	64	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46
5—15 " ...	5	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9
15—25 " ...	8	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8
25—45 " ...	32	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26
45—65 " ...	42	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36
65—75 " ...	36	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17
75 and upwards, ...	18	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12
Deaths from :—																										
Enteric Fever, ...	.	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2
Typhus, ...	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2
Scarlet Fever, ...	3	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2
Whooping-cough, ...	3	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1
Diphtheria, ...	3	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2
Influenza, ...	1	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	24	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22
Tuberculous Disease, Other Forms,	8	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13
Cancer, ...	13	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8
Diseases of Circulatory System,	24	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18
Diseases of Respiratory System, Pneumonia,	19	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10
Diseases of Respiratory System, Others, ...	35	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12
Diarrhœa and *Enteritis*, under 2 years, ...	4	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1
Violent Deaths, ...	5	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1
Number of Uncertified Deaths,	4	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2
Mean Temperature of the Air (Phœnix Park)	49·4	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7
Average Mean Temperature in corresponding week of previous 10 *years*, ...	40·8	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8
Rainfall in inches, ...	·315	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th August, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH AUGUST, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	154	46	9	8	26	36	17	12	2	.	.	2	2	1	2	.	22	13	8	4	10	12	11	1	1	63	2
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	3·0	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	16·1	27	2	3	4	3	5	4	6	1	.	.	.	.	.	.	.	2	1	3	.	1	2	.	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·7	27	8	4	.	6	5	4	.	1	.	.	.	.	.	2	.	6	2	2	.	3	.	2	.	.	9	.
IV.	GENERAL SERVICE CLASS, ...	154,279	19·6	58	30	1	3	7	14	1	2	.	.	.	2	2	1	.	.	5	6	2	4	4	4	6	1	1	20	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	41	6	1	1	10	12	8	3	.	.	.	.	.	.	.	.	9	4	1	.	2	6	3	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	6·7	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	18·9	8	.	2	.	2	2	.	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	2	1	3	1	2	.	.	1	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	.	1	.	1	2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	6	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	10·6	2	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	4	.	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	4·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	1	3	.	3	2	2	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	1	.	.	3	.
	13. Petty Shopkeepers	7,894	26·4	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	23·3	6	3	.	.	.	2	.	1	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	7·1	5	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	24·4	42	23	1	2	5	9	1	1	.	.	.	.	2	1	.	.	4	4	2	3	4	2	6	1	.	13	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	41	6	1	1	10	12	8	3	.	.	.	.	.	.	.	.	9	4	1	.	2	6	3	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number . Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),																					
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	July 6,	12·2	1·7	7	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	1
	„ 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	„ 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
	„ 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	July 6,	28·6	5·2	22	.	.	.	1	1	1	1	.	3	1	1	3	.	.	.	.	1
	„ 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	„ 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
	„ 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
	„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
	„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	July 6,	15·2	3·4	9	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	.	1
	„ 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
	„ 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
	„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
	„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	July 6,	20·1	7·7	13	.	.	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.
	„ 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	„ 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
	„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	July 6,	18·8	2·5	15	.	.	.	1	.	.	.	.	1	.	1	.	4	1	.	.	1
	„ 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	„ 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
	„ 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
	„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
	„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	July 6,	28·6	.	12	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	.
	„ 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	„ 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	July 6,	10·8	.	9	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.
	„ 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	„ 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
	„ 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
	„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
	„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	July 6,	15·9	1·4	11	.	.	.	.	.	.	.	.	3	.	.	1	.	1	.	1	.
	„ 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
	„ 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
	„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
	„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
	„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population according to the Census of 1911 (unrevised figures); for the week ended 24th August, the rates for the Dublin districts, Belfast population according to the Census

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	July 6,	12·1	1·3	9	.	.	.	1	.	.	.	.	1	.	1	1	2	.	.	.	.
	„ 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	July 6,	15·8	.	9	.	.	.	.	.	.	.	.	.	1	3	1	.	.	.	.	.
	„ 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	July 6,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	July 6,	12·1	0·9	91	.	.	.	2	.	4	.	.	9	5	4	4	5	1	.	4	4
	„ 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
Cork. Pop. in 1911 76,673.	July 6,	12·2	.	18	.	.	.	.	.	.	.	.	2	1	.	2	2	.	.	.	2
	„ 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
Londonderry. Pop. in 1912 (Est.) 40,891.	July 6,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	„ 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	July 6,	12·2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1
	„ 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
Waterford. Pop. in 1911 27,464.	July 6,	11·4	.	6	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	„ 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures); those for the other districts on the of 1911 (revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th August, 1912. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	3·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 2 do.	49,500	24	14·7	.	14	1	3	1	3	3	3	.	.	.	.	.	.	.	.	.	2	1	.	4	.	.	1	1	7	.
Do. 3 do.	50,032	26	12·5	1·0	12	2	1	1	.	4	4	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
Do 4 do.	32,637	22	17·6	1·6	11	4	.	1	1	2	3	.	.	.	.	.	.	.	.	1	1	.	1	1	1	.	.	1	3	.
Do. 5 do.	16,112	9	12·9	.	4	1	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 6 do.	37,293	15	11·2	.	8	.	.	1	2	2	3	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	6	12·8	6·4	6	2	2	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	1	1	.	.
Do. 10 do.	28,958	19	12·6	.	7	1	.	2	2	1	1	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	2	.
Do. 11 do.	39,311	23	17·2	1·3	13	1	.	3	5	2	2	.	.	.	.	.	.	.	.	4	1	.	.	1	.	1	.	1	1	.
Do. 12 do.	38,076	15	12·3	.	9	1	1	1	1	3	2	.	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	1	4	.
Do. 13 do.	23,233	10	9·0	.	4	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	13·8	.	6	1	.	2	1	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	2	.
Total,	386,947	181	12·6	0·8	95	14	7	13	20	19	22	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	7	24	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	1	15·5	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Do 2 do.	10,399	4	10·0	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1
Do 3 do.	9,793	5	10·6	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 4 do.	9,139	2	17·1	.	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do 5 do.	6,250	2	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 6 do.	11,581	10	27·0	9·0	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	2	.
Do. 7 do.	16,056	9	22·7	.	7	.	.	.	2	2	3	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.	3	.
Total,	76,673	33	17·0	1·4	25	3	.	1	4	9	8	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	1	9	2

* See note (‡) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Mar. 2.	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.
No. of weeks in Annual Series,	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
BIRTHS registered, ...	229	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181
DEATHS registered, ...	162	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95
Annual Death rate per 1,000 of estimated population, ...	21·6	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6
AGES, Under 1 year, ...	38	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14
1—5 years, ...	25	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7
5—25 " ...	16	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13
25—45 " ...	23	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20
45—65 " ...	32	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19
65 and upwards, ...	28	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22
Deaths from :—																										
Enteric Fever, ...	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1
Scarlet Fever, ...	.	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.
Whooping-cough, ...	11	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.
Diphtheria, ...	.	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	24	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12
Tuberculous Disease. Other Forms,	8	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5
Cancer, ...	2	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4
Diseases of Respiratory System, Pneumonia,	25	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3
Diseases of Respiratory System, Others, ...	17	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9
Diarrhœa, and *Enteritis*, under 2 years, ...	2	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1
Violent Deaths, ...	1	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2
Number of Uncertified Deaths, ...	3	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Aug. 24,	2,140	1,012	11·7	2	.	36	4	10	6	61*a*
Edinburgh, ...	321,200	„ 24,	107	64	10·4	.	.	.	.	2	1	.
Glasgow, ...	785,600	„ 24,	334	187	12·4	.	.	2	.	1	3	8
Calcutta, ...	896,067	July 20,	.	374	21·7	79*	3	2	.	.	1	43‡
Bombay, ...	979,445	„ 20.	369	723	38·4	53*	11	1	.	1	.	126‡
Madras, ...	518,660	„ 27,	430	324	32·5	47*	1	2	?	?	?	95‡
Cairo, ...	699,228	June 10,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	July 27,	895	828	14·9	2	.	5	3	4	3†	58*a*
Brussels, ...	745,380	Aug. 3,	241	160	11·2	.	.	1	1	.	.	23
Antwerp, ...	308,618	„ 3,	116	75	12·7	.	.	5	2	.	.	23*a*
Amsterdam, ...	582,984	„ 3,	275	103	9·2	.	.	2	.	.	.	9*a*
Copenhagen, ...	465,000	„ 3,	216	109	12·2	.	.	3	1	1	1†	8*a*
Stockholm, ...	346,599	„ 3,	138	87	13·1	.	.	2	.	2	.	6
Christiania, ...	247,488	„ 10,	105	55	11·6	.	.	.	.	.	1†	5
St. Petersburg, ...	1,664,000	July 20,	680	721	22·6	20	2	41	6	5	4	169
Moscow, ...	1,617,157	„ 13,	.	1,072	34·6	4	.	11	10	7	3†	539
Berlin, ...	2,074,684	„ 20,	.	523	13·2	.	.	2	5	3	8†	55
Hamburg, ...	953,079	Aug. 3,	.	230	12·5	3	.	2	1	1	8†	29
Breslau, ...	529,617	„ 3,	.	181	17·8	.	.	1	.	2	.	34
Munich, ...	610,000	„ 10,	.	141	12·1	.	.	.	.	.	1†	15
Vienna (with suburbs),	2,081,335	„ 3,	779	502	12·5	.	.	5	2	1	2†	42*a*
Buda-Pesth, ...	910,548	„ 3,	455	367	21·0	6	.	.	11	3	2†	64*a*
Prague and Faubourgs,	484,301	July 27,	159	188	20·2	2	.	1	3		.	13*a*
Trieste, ...	235,999	Aug. 3,	148	89	19·7	1	.	3	1	1	.	23*a*
Rome, ...	566,453	Apr. 20,	292	183	16·8	.	1	2	.	1	3	9
		„ 27,	275	177	18·1	1	.	4	1	2	3	11
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	June 22,	2,493	1,206	12·2	10	.	19	7	3	25†	48*a*
Philadelphia, ...	1,606,105	July 6,	.	449	14·5	5	1	1	1	4	8	52*a*
Boston, ...	720,031	Aug. 10,	.	.	..	.	.	.	.	.	.	.

* Deaths from "fever," including 7 deaths from enteric fever and 7 from plague in Calcutta, one from enteric fever and 6 from plague in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta, 67 in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th August, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	.	.	.	.	.	.	.	.	3
" " 1, West, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 2, ...	.	.	.	.	.	.	.	2	.	.	.	.	2
" " 3, ...	.	.	.	.	1	.	.	1	.	.	.	6	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	2	.	.	.	.	1	.	.	.	.	1	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	2	.	.	.	.	.	.	.	2
" " 4, ...	.	4	.	.	3	.	.	.	.	.	.	.	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	10	.	.	7	.	1	3	1	.	.	7	29

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th August, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th August.			
	Aug. 3.	Aug 10.	Aug. 17.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	19	21	3	2	.	22
Typhus, ...	1	1	2	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	53	41	33	8	9	.	32
Scarlet Fever, ...	140	144	127	20	25	3	119*
Diphtheria, ...	47	43	46	11	14	1	42
Pneumonia, ...	16	15	17	8	8	1	16

* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 24th August, 1912:—

"The weather of this week was in keeping with that which has so long prevailed in the present season—it was extremely unsettled, with clouds, frequent rains, winds variable in both direction and force, and very unstable but generally low temperature. The British Isles were throughout the central arena of very disturbed weather connected with the presence of a succession of atmospheric depressions of considerable magnitude and depth. At first these disturbances either halted in their course or else travelled slowly northwards; but on Wednesday an independent depression appeared over southern Sweden. This system moved slowly westward and grew deeper, so that on Thursday morning the barometer read only 29·30 inches at Karlstad. It caused torrential rains in Sweden, the measurements at 7 a.m. of Thursday being ·79 inch at Karlstad, 1·42 inches at Stockholm, 2·21 inches at Wisby, and 2·44 inches at Hernösand. The N.W. winds of the Scandinavian depression affected the N. and E. of Scotland, so that on Friday morning the thermometer sank to 39° at Aberdeen and 37° at Nairn. Just at this time a sudden and extreme rise of temperature took place in Ireland in connection with the S.W. winds of a new depression which had arrived off the Irish coasts in the course of the previous night. At Birr Castle, at 7 a.m. of Friday, the thermometer stood at 59°, or 16° higher than the Thursday morning's reading. Heavy rains accompanied this system, Blacksod Point receiving 1·04 inches, Valentia ·90 inch, Birr Castle ·76 inch, Donaghadee ·73 inch, and Dublin ·64 inch. On Saturday the northerly winds of this depression brought drier and cooler weather, but the sky remained cloudy to overcast. In Dublin the mean height of the barometer was 29·697 inches, pressure ranging between 29·433 inches at 9 p.m. of Monday (wind, variable and light) and 30·112 inches at 9 a.m. of Thursday (wind, W.). The corrected mean temperature was 54·3°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 54·5°. On Thursday the screened thermometers fell to 44·9°, on Friday they rose to 64·0°. The wind was S.E. at first; afterwards, W. or N.W. Rain fell on 5 days to the amount of 1·244 inches, of which ·640 inch was recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·706 inches. The highest reading (30·125) was on Thursday at 9 a.m., wind W.S.W., the lowest (29·449) on Monday at 9 p.m., wind calm.

The mean temperature for the week was 52·7°, being 4·1° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday, on which day the thermometer registered 64°, and was lowest on Monday, the mercury having fallen to 41°. The mean of the Dry Bulb for the week was 53·7° and of the Wet Bulb, 52·2°. The mean humidity of the air was ·91, complete saturation being represented by 1·0. The rainfall during the week measured 1·105 inches.

At Greenwich the mean temperature for the week was 57·2°, the maximum 70·0°, and the minimum 47·1°; at Glasgow the maximum was 67·1°, the minimum 46·7°, and the mean 53·6°; and at Edinburgh the maximum was 63·4°, the minimum 45·3°, and the mean 52·5°. The rainfall at Greenwich measured 1·27 ins.; at Glasgow 0·71 in.; and at Edinburgh 0·98 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 18,	29·535	61	47	54·0	55·7	53·0	·85	·0	0·4	·150	Calm.	Calm.
Monday, „ 19,	29·470	58	41	49·5	54·4	53·2	·93	·1	0·0	·085	Calm.	Calm.
Tuesday, „ 20,	29·685	58	45	51·5	49·4	47·4	·87	·4	3·7	·040	W.N.W.	W.S.W.
Wednesday, „ 21,	29·970	60	42	51·0	51·1	49·4	·88	·3	2·8	·020	W.S.W.	Calm.
Thursday, „ 22,	30·060	60	42	51·0	53·1	51·3	·88	·4	4·2	·610	W.S.W.	Calm.
Friday, „ 23,	29·590	64	51	57·5	59·5	59·3	·98	·4	0·0	·200	W.S.W.	W.S.W.
Saturday, „ 24,	29·635	60	49	54·5	52·4	51·6	·96	·0	0·3	·000	N.	Calm.
Mean, ...	29·706	60·1	45·3	52·7	53·7	52·2	·91	·2	Total 11·4	Total 1·105	—	

Sunday—A dull day, showers at intervals from 1.0 to 9.0 p.m.; night overcast, light rain 9.30 to 10.40 p.m., and fog. *Monday*—Day overcast, heavy showers at intervals a.m.; night overcast, drizzling and heavy rain 12.20 to 3.15 a.m. *Tuesday*—Day cloudy, showers at intervals a.m. and p.m.; night clear. *Wednesday*—Day cloudy, showery from 3.30 to 7.25 p.m.; night clear. *Thursday*—Day cloudy, drizzling and heavy rain 4.30 to 9.0 p.m.; night overcast, drizzling and heavy rain 9.0 p.m. to 9.0 a.m. *Friday*—Day overcast, drizzling rain 9.0 a.m. to 4.30 p.m. and 7.30 to 9.0 p.m.; night overcast, drizzling rain 9.0 p.m. to 12.30 a.m. *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 24th, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 18,	60·3	58·0	56·0	60·8	50·0	55·4	·46	·235
Monday, „ 19,	56·0	57·4	56·0	58·2	45·1	51·6	·51	·012
Tuesday, „ 20,	54·3	57·6	56·0	59·0	47·0	53·0	4·36	—
Wednesday, „ 21,	54·8	56·2	56·0	60·0	44·0	52·0	4·65	·015
Thursday, „ 22,	56·6	56·0	56·0	61·4	44·0	52·7	0·0	·597
Friday, „ 23,	62·0	57·0	56·0	—	51·0	56·0	4·75	·160
Saturday, „ 24,	56·0	57·8	55·8	61·1	51·4	56·2	·50	—
Weekly Mean,	57·1	57·1	56·0	—	47·5	53·8	Total 15·23	Total 1·019

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

32884. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 31ST AUGUST, 1912. [No. 35.

General Register Office, Charlemont House, Dublin, 2nd September, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 10	Week ending Aug. 17	Week ending Aug. 24	Week ending Aug. 31	Average Rate for 4 weeks.
22 Town Districts, ...	**14·0**	**13·1**	**14·8**	**14·9**	**14·2**
Armagh	6·9	6·9	21·3	14·2	12·3
Ballymena	13·8	36·7	27·5	13·7	22·9
Belfast	12·3	11·1	12·6	12·4	12·1
Clonmel	25·4	15·2	15·3	30·6	21·6
Cork	12·2	16·3	17·0	17·0	15·6
Drogheda	4·2	12·6	4·2	4·2	6·3
Dublin Reg. Area ...	15·8	15·3	18·6	15·2	16·2
Dundalk	11·9	11·9	.	15·9	9·9
Galway	23·6	7·9	19·7	35·4	21·6
Kilkenny	14·9	9·9	34·7	9·9	17·3
Limerick	16·3	14·9	14·9	29·8	19·0
Lisburn	34·3	12·9	4·2	16·8	17·0
Londonderry	10·2	2·5	8·9	21·7	10·8
Lurgan	8·6	21·5	8·3	12·5	12·7
Newry	13·1	21·8	8·7	4·4	12·0
Newtownards	17·2	22·9	16·3	5·4	15·4
Portadown	8·9	4·4	4·4	13·3	7·8
Queenstown	.	13·2	6·4	31·8	12·9
Sligo	14·0	14·0	9·3	4·7	10·5
Tralee	10·6	.	5·1	.	3·9
Waterford	19·0	9·5	11·4	17·1	14·2
Wexford	9·1	9·1	9·0	9·0	9·1

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 6·4 in Queenstown, the 5 deaths from all causes for that district including one from scarlet fever. Among the 93 deaths from all causes for Belfast are one from each of measles, scarlet fever, and diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years. Of the 25 deaths from all causes for Cork one is from enteric fever and one from diphtheria. Included in the 17 deaths from all causes for Londonderry are 3 from diarrhœa and *enteritis* of children under 2 years. Among the 22 deaths from all causes for Limerick are one from measles and 2 from whooping-cough. Included in the 9 deaths from all causes for Waterford are 2 from diarrhœa and *enteritis* of children under 2 years. One death from diphtheria is included in the 9 deaths from all causes for Galway, and of the 6 deaths from all causes for Clonmel one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—103 boys and 101 girls—and the deaths to 122—68 males and 54 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·2 per 1,000 of the population. During the thirty-five weeks ending with Saturday last the death-rate averaged 21·5, and was 0·8 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 122, represent an annual rate of 15·9 per 1,000 ; the annual rate for the past thirty-five weeks was 22·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

There were 2 deaths from measles, 2 from scarlet fever, 4 from whooping-cough, one death from diphtheria one from influenza, and 6 deaths from diarrhœa and *enteritis* of children under 2 years (the latter figure is 5 under the corresponding figure in the preceding week) included in the total deaths registered.

In each of the 3 preceding weeks deaths from measles were 4, 4, and 2; deaths from scarlet fever were one, one, and 2 ; deaths from whooping-cough were 2, one, and one ; deaths from diphtheria were one, 0, and 2 ; deaths from influenza were 0, 0, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 13, 7, and 11.

Deaths from all forms of tuberculosis, which in the 3 preceding weeks had been 27, 17, and 35, declined to 18 in the period under notice ; the latter figure includes 12 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, and 5 deaths from other forms of the disease.

There were 7 deaths from broncho-pneumonia, one from lobar pneumonia, and 3 from *pneumonia* (type not distinguished).

The deaths of 7 persons were assigned to cancer.

Seven infants were reported to have died from *convulsions.*

Organic diseases of the heart caused 8 deaths, and bronchitis 11 deaths.

Prematurity accounted for the deaths of 6 infants, and there was one death of an infant from congenital debility.

There was one death caused by a fall from a window.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 infants under one year old.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 22 were aged 65 years and upwards, including 14 persons aged 70 and upwards ; among the latter were 7 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 9 took place in the North Dublin Union Workhouse and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·2 per 1,000 ; the rate in the City was 16·2 (North City Districts, 13·8 ; South, 18·8) and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 2·4 (in the North City Districts 1·0, and in the South 4·0), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·5 per 1,000, and include 2 deaths from pulmonary tuberculosis.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·0 per 1,000. There were 3 deaths from broncho-pneumonia, 2 from *pneumonia,* one from bronchitis, and 2 from diarrhœa and *enteritis.*

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. The deaths include one from whooping-cough, 3 from tuberculous disease, 2 from broncho-pneumonia, and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·4 per 1,000. Pulmonary tuberculosis caused 2 deaths and bronchitis caused 2 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 0·0. The one death for Coolock and Drumcondra, part of, was from tuberculous enteritis.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 14·3 per 1,000, and include one death from disseminated tuberculosis, one death from broncho-pneumonia, and 2 deaths from diarrhœa and *enteritis.*

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. The deaths include one from whooping-cough, 4 from tuberculous disease, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·3 per 1,000. Whooping-cough caused 2 deaths, diphtheria one death, influenza one death, tuberculosis one death, and there was one death from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. There were 2 deaths from measles, one death from scarlet fever, 2 deaths from tuberculous disease, one death from lobar pneumonia, one death from *pneumonia,* and 3 deaths from diarrhœa and *enteritis.*

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·8 per 1,000. One of the 2 deaths registered was from scarlet fever.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·8 ; Pembroke, 10·5 ; Blackrock, 17·1 ; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhœa and *enteritis* of a child under 2 years for Kingstown. Of the 8 deaths from all causes for Rathmines one was from pulmonary tuberculosis and one was caused by falling from a window. Of the 6 deaths from all causes for Pembroke 2 were from bronchitis. Among the 3 deaths from all causes for Blackrock was one from broncho-pneumonia.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 31st August, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 10,	.	—	—	19	.	.	6	.	1	6	6	1	—	—	.	—	14	—	53
	Aug. 17,	.	—	—	18	1	.	10	.	1	6	4	.	—	—	.	—	4	—	44
	Aug. 24,	.	—	—	10	.	.	7	.	1	3	1	.	—	—	.	—	7	—	29
	Aug. 31,	.	—	—	13	.	.	12	.	.	4	7	.	—	—	.	—	12	—	48
Rathmines and Rathgar Urban District.	Aug. 10,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 24,	.	—	—	2	.	.	2	.	.	1	.	.	—	—	—	—	—	—	5
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Aug. 10,	.	7	.	1	.	.	.	.	.	.	.	.	.	4	—	—	.	—	12
	Aug. 17,	.	5	.	1	.	.	2	.	.	.	.	.	.	3	—	—	.	—	11
	Aug. 24,	.	6	.	3	.	.	1	.	.	.	.	.	.	5	—	—	.	—	15
	Aug. 31,	.	2	1	3	.	.	.	.	.	.	.	.	—	5	—	—	.	—	11
Blackrock Urban District.	Aug. 10,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	.	—	—	—	3
	Aug. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 10,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	—	2
	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Aug. 10,	.	—	—	19	.	.	1	.	.	1	2	1	—	—	.	—	3	.	27
	Aug. 17,	.	—	—	26	.	.	5	.	.	3	6	.	—	—	.	—	5	.	45
	Aug. 24,	.	—	—	14	.	.	2	1	1	2	5	.	—	—	.	—	11	.	36
	Aug. 31,	.	—	—	20	.	.	6	.	1	1	8	.	—	—	.	—	8	.	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st August, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death, and 24 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 19, 21, and 22.

One case of typhus remained under treatment at the close of the week.

Five cases of measles were admitted to hospital during the week, 17 were discharged, and 20 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 41, 33, and 32, respectively.

Thirty-four cases of scarlet fever were admitted to hospital, 7 were discharged, there was one death, and 145* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 144, 127, and 119, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were two deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 46, and 42, respectively, were 47 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 6 were discharged, and 12 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·5), was equal to an average annual death-rate of 11·2 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·1 per 1,000, the rate for Glasgow being 14·6, and for Edinburgh 10·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st August. From this Report it appears that of a total of 50 cases notified, 20 were phthisis, 12 scarlet fever, 8 diphtheria, 7 erysipelas, and 3 enteric fever. Among the 224 cases of infectious diseases in hospital at the close of the week were 84 cases of scarlet fever, 60 of phthisis, 33 of diphtheria, 18 of whooping-cough, 10 of erysipelas, 9 of measles, 3 of enteric fever, 2 of chicken-pox, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 31st August, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 31st August, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 31st August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 17th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ..	1,154,150	19·8	27·5	14·9	1·6	608	330	57	70	1	...	...	4	4	7	4	...	28	19	14	21	28	16	...	7	20	119	8	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:—Total. (c.) ...	400,865	29·2	26·5	15·2	2·0	204	117	28	21	..	...	...	2	2	4	1	...	11	6	5	11	11	6	...	1	5	53	3	e 63	39	52·1	1·38	e 64	41	52·7	1·11	e 66	33	52·5	0·56
City of Dublin,	306,573	38·8	31·3	16·2	2·4	184	95	23	14	...	...	...	2	2	4	1	...	10	6	5	10	9	5	...	...	2	45	2	f 62·6 g 63·6	45·4 42·0	54·5 53·5	1·08 1·21	f 64 g 63·6	44·9 43·0	54·3 53·4	1·24 1·18	f 65·9 g 66·7	43·4 37·8	54·3 54·1	0·50 0·49
Urban Districts. Rathmines and Rathgar.	38,495	22·5	4·1	10·8	.	3	8	2	2	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	1	1	5	...	.	...	...	...	...	...	...	...	...	...	...	...
Pembroke ...	29,731	18·9	17·5	10·5	.	10	6	1	3	...	...	...	...	...	...	...	...	...	...	...		2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,125	8·4	17·1	17·1	.	3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	12·3	15·4	3·1	4	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	..	1	...	1	64	47	55·5	0·81	65	46	54·4	1·32	68	46	55·2	0·20
Urban Districts. Belfast ...	391,974	26·2	27·0	12·4	1·1	203	93	14	19	...	..	...	1	1	...	1	...	6	7	5	7	6	5	...	4	7	32	...	64	40	53·3	2·05	64	42	54·8	1·66	64	46	54·6	0·55
Cork, ...	76,673	28·6	23·1	17·0	1·4	34	25	2	8	1	...	...	...	...	...	1	...	5	1	...	..	...	..	...	...	1	8	...	62	50	56·0	1·18	64	47	55·2	1·46	63	41	54·8	0·43
Londonderry ...	40,891	15·9	37·0	21·7	3·8	29	17	4	3	...	...	...	...	...	...	...	...	1	1	...	...	3	3	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	52·8	29·8	4·1	39	22	2	5	...	...	...	1	...	2	...	...	...	..	1	1	3	...	...	...	3	9	1	63	45·1	54·4	0·66	63·8	38·4	53·2	1·63	63·9	42	53·4	0·49
Waterford, ...	27,464	19·1	19·0	17·1	3·8	10	9	2	4	...	..	...	...	...	...	...	...	..	1	...	..	2	2	...	...	2	4	...	...	..	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	23·6	35·4	3·9	6	9	...	3	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	2	2	4	..	...	...	...	...	62	40	53	1·63	63	42	54	0·33
Dundalk, ...	13,128	9·5	35·7	15·9	.	9	4	...	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,501	8·4	20·9	4·2	.	5	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,963	17·0	26·2	4·4	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71
Lurgan, ...	12,553	14·7	20·8	12·5	.	5	3	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	1	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71
Lisburn, ...	12,388	10·9	16·8	16·8	.	4	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	..	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71
Wexford. ...	11,531	22·8	36·2	9·0	.	8	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3	18·3	13·7	.	4	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	37·4	4·7	.	8	1	...	...	..	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	1	65	39	52·0	0·95	63	37	52·0	2·07	63	34	52·0	1·43
Kilkenny, ...	10,514	11·4	9·9	9·9	.	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	64	42	54·2	0·82	64	37	53·7	0·46	65	40	54·8	0·41
Clonmel, ...	10,209	7·8	30·6	30·6	5·1	6	6	1	3	...	...	...	...	...	1	...	...	...	...	1	...	2	...	...	...	...	3	..	...	...	...	...	...	...	...	...	...	...	...	...
Portadown. ...	11,727	15·3	17·8	13·3	.	4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71
Tralee. ...	10,300	17·4	25·3	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards.	9,587	20·1	59·8	5·4	.	11	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	63	44	53·8	1·20	63	44	54·1	1·68	63	48	54·0	0·43
Queenstown, ...	8,209	14·7	12·7	31·8	6·4	2	5	1	...	...	...	...	1	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	62	50	56·0	1·18	64	47	55·2	1·46	63	41	54·8	0·43
Armagh. ...	7,356	21·8	28·4	14·2	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	1	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91	65·4	40·3	53·4	0·71

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons (including one at 65 years) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 31st of August, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Whooping-cough	.	.	1	.	.	.	.	.	1	2	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	.	2	2	.	.	.	.	3	.	1	.	1	.	.	.	11	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	1	.	1	1	1	1	.	.	.	.	.	6	.
Cancer,	.	1	.	.	.	.	.	1	.	3	.	.	.	.	.	.	5	2
Diseases of Nervous System,	.	2	1	2	.	.	.	1	2	4	1	.	.	1	1	3	18	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	1	1	1	.	.	.	4	.	1	1	.	.	.	.	1	11	.
" Respiratory System. { Pneumonia,	.	5	2	.	.	.	.	1	.	.	2	.	.	.	1	.	11	.
" Respiratory System. { Others,	.	1	2	2	.	.	.	2	1	1	.	.	.	2	.	.	11	.
" Digestive System. { Diarrhœa, and *Enteritis*, under 2 years,	.	2	.	.	.	.	.	.	.	.	3	.	.	.	.	1	6	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	4	1
" Genito-urinary System,	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	3	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	1	1	2	.	.	.	1	.	1	.	1	4	.	.	.	12	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	1	2	1	.	5	.
Deaths from All Causes	6	14	11	11	.	1	.	11	10	15	14	2	8	6	3	5	117	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	10·5	18·0	20·6	16·4	.	3·9	.	14·3	28·4	18·3	22·0	10·8	10·8	10·5	17·1	15·4	15·2	.
	13·8							18·8					12·2					
	16·2																	
Ages at Death. { Under 1 year,	.	7	4	3	.	.	.	2	1	2	3	1	2	1	.	2	28	.
Ages at Death. { 1 and under 2 years,	.	.	1	1	.	1	.	1	1	1	1	.	.	.	.	.	7	.
Ages at Death. { 2 " 5 "	.	.	.	1	.	.	.	2	2	3	3	1	.	.	.	.	12	.
Ages at Death. { 5 " 15 "	1	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Ages at Death. { 15 " 25 "	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Ages at Death. { 25 " 45 "	3	3	2	1	.	.	.	1	2	2	1	.	2	1	.	1	19	.
Ages at Death. { 45 " 65 "	2	2	3	1	.	.	.	2	2	5	2	.	2	1	1	2	25	3
Ages at Death. { 65 and upwards,	.	2	1	3	.	.	.	2	1	2	3	.	2	3	2	.	21	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	3	1	3	.	.	.	.	1	6	3	1	5	2	1	.	27	5
Workhouse Hospitals,	3	2	1	3	.	.	.	3	3	5	6	.	.	.	.	.	26	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1902–1911.	In the Week ending Saturday, 31st August, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 57·2	° 59·1	° 56·7	° 52·1										
ALL CAUSES.	156	116	150	165	166	149	179	149	120	210	146·0	122	9	19	7	12	4	2	19	28	15	7
Enteric Fever, ...	2	1	1	2	2	2	.	1	1	2	1·4	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	.	1	2	.	7	8	.	.	1	3·0	2	.	.	.	2	.	.	.	.	.	.
Scarlet Fever, ...	2	1	.	.	.	.	1	2	1	.	·7	2	.	.	.	1	1	.	.	.	.	.
Whooping-cough, ...	.	4	1	.	.	.	.	.	4	7	1·6	4	.	.	2	2	.	.	.	.	.	.
Diphtheria, ...	2	.	.	1	.	.	.	3	1	1	·8	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	.	.	1	1	.	.	1	·5	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	3	.	.	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	1	.	1	.	.	2	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	16	21	21	18	15	28	18	17	22	19·5	12	.	.	1	.	.	2	7	2	.	.
Tuberculous Meningitis, ...	2	3	2	1	5	3	2	2	2	4	2·6	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	4	.	.	.	3	1	1	4	1·4	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of other Organs,	3	3	3	5	4	4	3	3	2	.	3·2	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	.	.	1	1	.	.	.	.	.
Venereal Diseases, ...	.	1	.	1	2	1	1	5	.	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	5	3	10	10	10	7	8	8	10	7·8	7	.	.	.	.	.	.	2	4	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	1	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	.	1	.	.	.	.	.	1	·4	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	.	1
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	2	1	1	.	.	1	.	.	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										2		7	.	.	.	.	.	.	1	4	1	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		7	.	7	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	32	26	28	42	33	35	36	26	21	2	30·2	3	.	.	.	.	.	.	2	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		3	.	.	.	.	1	.	2	.	.	.
Organic Diseases of the Heart,										9		8	.	.	.	.	.	.	1	4	1	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										3		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	9	10	7	13	2	9	12	8	6	4	8·0	11	.	1	.	2	.	.	.	2	5	1
Broncho-pneumonia, ...	2	.	3	2	2	3	1	.	4	5	2·2	7	.	5	1	.	.	.	.	1	.	.
Lobar pneumonia, ...	1	1	.	.	1	.	3	1	1	2	1·0	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	4	4	3	7	2	8	2	6	.	5	4·1	3	.	.	.	1	.	.	1	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	1	1	1	2	1	2	.	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

THIRTY-FIFTH WEEK ending Saturday, 31st August, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 35th Week of the 10 years 1902-1911.	In the Week ending Saturday, 31st August, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Aug. 30, 1902.	Sept. 5, 1903.	Sept. 3, 1904.	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 53·5	° 54·9	° 58·8	° 55·7	° 62·6	° 53·9	° 57·3	° 53·7	° 57·2	° 59·1	° 56·7	° 52·1										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	.	2	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	13	13	30	25	35	12	31	26	22	52	27·1	6	2	3	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										7		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										5		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	2	.	.	1	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	1	1	1	2	1	1	1	1	2	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	4	1	1	1	2	1	.	.	.	1		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	.	3	1	.	1	.	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	4	3	3	9	6	6	2	4	1	4·1	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	4	2	6	6	7	8	3	3	9	.	5·5	1	.	.	.	1	.	.	.	.	.	.
Chronic Bright's Disease, ...										7		1	.	.	.	.	.	.	.	.	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		1	.	.	.	.	.	.	.	.	1	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	1	.	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	.	.	.	1	.	2	·5	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	1	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	2	10	5	3	2	3	3	1	4	3·4	6	5	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	8	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	4	2	3	4	1	4	1	3	2	5	2·9	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	1	.	1	.	.	1	2	1	.	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	2	.	2	2	2	2	1	.	1·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	3	2	5	2	1	2	2	2	2·2	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	4	4	5	3	7	5	4	7	5	3	4·7	1	.	.	.	.	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	8	—	5	.	.	.	.	.	.	.	2	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered.	210	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204
Average Births in corresponding week of previous 10 years, ...	224	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210
DEATHS registered, ...	218	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122
Annual Death-rate per 1,000, ...	28·0	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9
Average Deaths in corresponding week of previous 10 years, ...	200	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146
Ages, Under 5 years, ...	78	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47
5—15 " ...	12	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4
15—25 " ...	7	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2
25—45 " ...	33	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19
45—65 " ...	45	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28
65—75 " ...	24	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15
75 and upwards, ...	19	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7
Deaths from :—																										
Enteric Fever, ...	2	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2
Scarlet Fever, ...	.	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2
Whooping-cough, ...	2	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4
Diphtheria, ...	3	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1
Influenza, ...	2	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12
Tuberculous Disease, Other Forms,	7	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6
Cancer, ...	9	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7
Diseases of Circulatory System,	26	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18
Diseases of Respiratory System, Pneumonia,	25	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11
Diseases of Respiratory System, Others, ...	45	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11
Diarrhœa and *Enteritis*, under 2 years, ...	6	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6
Diarrhœa, 2 years and upwards,	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.
Violent Deaths, ...	5	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1
Number of Uncertified Deaths,	15	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3
Mean Temperature of the Air (Phœnix Park)	44·2	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1
Average Mean Temperature in corresponding week of previous 10 years, ...	41·6	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7
Rainfall in inches, ...	·690	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st August, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 31ST AUGUST, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	122	47	4	2	19	28	15	7	.	.	.	2	2	4	1	.	12	6	7	7	11	11	6	.	1	52	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	9·0	15	2	1	.	2	6	2	2	.	.	.	.	.	.	1	.	1	1	1	.	1	1	.	.	.	9	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·3	26	10	.	.	7	5	4	.	.	.	.	.	.	2	.	.	2	.	4	1	5	2	.	.	.	10	.
IV.	GENERAL SERVICE CLASS, ...	154,279	17·6	52	33	2	2	6	5	2	2	.	.	.	2	2	2	.	.	5	2	.	6	4	2	6	.	1	20	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	26	2	1	.	4	11	6	2	.	.	.	.	.	.	.	.	4	3	1	.	1	6	.	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	6·9	4	1	.	.	2	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	1	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	5·8	3	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	.	.	5	3	1	.	.	.	.	.	.	1	.	.	1	.	2	.	4	2	.	.	.	3	.
	10. Clothing Trades, ...	23,260	13·5	6	2	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	6·9	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
	13. Petty Shopkeepers	7,894	13·2	2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	15. Domestic Servants, ...	36,603	8·5	6	1	.	1	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	1	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	5	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·0	38	26	2	1	4	2	1	2	.	.	.	2	2	2	.	.	4	2	.	5	4	1	5	.	.	11	3
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	26	2	1	.	4	11	6	2	.	.	.	.	.	.	.	.	4	3	1	.	1	6	.	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	July 13,	22·6	1·7	13	.	.	.	1	.	.	.	.	2	.	2	2	2	.	.	.	.
	„ 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
	„ 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	July 13,	26·0	6·5	20	.	.	.	2	.	.	.	.	1	2	.	4	2	3	.	.	.
	„ 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
	„ 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
	„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
	„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
	„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	July 13,	15.2	5·1	9	.	.	.	1	.	.	.	.	.	.	.	.	1	2	.	.	.
	„ 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
	„ 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
	„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
	„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
	„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	July 13,	26·3	1·5	17	.	.	.	1	.	.	.	.	2	1	3	1	.	.	.	.	3
	„ 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
	„ 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
	„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
	„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	July 13,	17·5	1·3	14	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	.
	„ 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
	„ 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
	„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
	„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
	„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	July 13,	11·9	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
	„ 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
	„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	July 13,	14·4	.	12	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	2
	„ 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
	„ 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
	„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
	„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
	„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	July 13,	15·9	1·4	11	.	.	.	1	.	.	.	.	2	1	.	2	3	.	.	.	.
	„ 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
	„ 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
	„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
	„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
	„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
	„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population according to the Census of 1911 (unrevised figures); for the remaining weeks, the rates for the Dublin districts, Belfast population according to the Census

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted*; also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	July 13,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	July 13,	8·8	3·5	5	.	.	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.
	„ 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	July 13,	18·2	.	6	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Belfast. Pop. in 1912 (Est.) 391,974.	July 13,	15·9	0·8	119	1	.	.	2	.	.	.	.	17	7	9	10	16	2	1	.	.
	„ 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
Cork. Pop. in 1911 76,673.	July 13,	14·3	.	21	.	.	.	.	.	.	.	.	3	1	2	.	1	.	.	.	2
	„ 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1·4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	July 13,	12·7	.	10	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	„ 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
Limerick. Pop. in 1911 38,518.	July 13,	19·0	1·4	14	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3
	„ 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
Waterford. Pop. in 1911 27,464.	July 13,	26·6	.	14	.	.	.	.	.	.	.	.	2	2	.	.	1	.	.	.	.
	„ 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the
and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures); those for the other districts on the
of 1911 revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st August, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	.	.	.	4	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Do. 2 do.	49,500	16	9·5	1·1	9	3	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	1	2	2	.
Do. 3 do.	50,032	23	9·4	3·1	9	2	2	1	1	2	1	.	.	.	1	.	.	1	.	2	1	.	.	.	1	.	1	1	3	.
Do 4 do.	32,637	18	22·4	1·6	14	3	2	.	4	2	3	.	.	.	.	.	.	.	.	2	.	.	2	.	1	.	.	.	9	.
Do. 5 do.	16,112	9	19·4	.	6	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	2	.
Do. 6 do.	37,293	16	25·2	.	18	.	2	3	2	6	5	.	.	.	.	.	.	.	.	1	1	3	2	1	.	.	1	1	5	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	13	2·1	2·1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 10 do.	28,958	27	10·8	.	6	1	2	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.
Do. 11 do.	39,311	25	6·6	.	5	1	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
Do. 12 do.	38,076	24	16·4	1·4	12	2	1	2	1	3	3	.	.	.	.	1	.	.	.	.	2	.	2	2	.	.	.	.	3	.
Do. 13 do.	23,233	13	6·7	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	9·2	2·3	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
Total,	386,947	203	12·4	1·1	93	14	12	10	17	21	19	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	7	32	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	15·5	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	2	.
Do 2 do.	10,399	11	5·0	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,793	5	5·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 4 do.	9,139	3	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,250	2	33·4	.	4	.	1	.	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Do 6 do.	11,581	4	40·5	9·0	9	1	.	1	1	3	3	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	5	.
Do. 7 do.	16,056	3	16·2	.	5	.	1	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Total,	76,673	34	17·0	1·4	25	2	3	1	4	7	8	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	1	8	.

* See note (†) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Mar. 9	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.
No. of weeks in Annual Series,	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
BIRTHS registered, ...	230	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203
DEATHS registered, ...	152	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93
Annual Death rate per 1,000 of estimated population, ...	20·3	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4
AGES, Under 1 year, ...	31	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14
1—5 years, ...	17	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12
5—25 ,, ...	14	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10
25—45 ,, ...	35	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17
45—65 ,, ...	29	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21
65 and upwards, ...	26	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19
Deaths from :—																										
Enteric Fever, ...	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1
Scarlet Fever, ...	1	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1
Whooping-cough, ...	11	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.
Diphtheria, ...	.	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	25	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6
Tuberculous Disease. Other Forms,	8	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7
Cancer, ...	5	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5
Diseases of Respiratory System, Pneumonia,	18	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7
Diseases of Respiratory System, Others, ...	12	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6
Diarrhœa, and *Enteritis*, under 2 years, ...	4	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.
Violent Deaths, ...	5	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4
Number of Uncertified Deaths, ...	2	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Aug. 31,	2,179	993	11·5	2	.	17	1	19	2	75*a*
Edinburgh, ...	321,200	„ 31,	123	67	10·9	1	.	.	.	2	.	.
Glasgow, ...	785,600	„ 31,	420	220	14·6	1	.	1	2	.	5	24
Calcutta, ...	896,067	July 27,	.	429	24·8	64*	1	1	.	.	.	79‡
Bombay, ...	979,445	„ 27,	376	812	43·1	66*	9	1	.	1	.	164‡
Madras, ...	518,660	Aug. 3,	401	406	40·7	76*	1	.	?	?	?	124‡
Cairo, ...	699,228	June 10,	498	621	46·3	3	.	16	1	.	8	204
Paris, ...	2,847,229	Aug. 3,	813	733	13·1	4	.	4	4	2	5†	61*a*
Brussels, ...	745,380	„ 10,	245	168	11·7	1	.	.	1	.	.	31
Antwerp, ...	308,618	„ 10,	125	95	16·1	.	1	3	1	1	.	31*a*
Amsterdam, ...	583,380	„ 10,	265	116	10·4	.	.	2	1	1	2†	8*a*
Copenhagen, ...	465,000	„ 10,	222	102	11·4	1	.	.	5	1	1†	14*a*
Stockholm, ...	346,599	„ 10,	132	62	9·3	.	.	.	.	.	.	1
Christiania, ...	247,488	„ 17,	93	62	13·0	.	.	.	.	.	.	3
St. Petersburg, ...	1,664,000	July 27,	695	800	25·4	17	2	40	4	1	5†	241
Moscow, ...	1,617,157	„ 20,	.	913	29·4	5	.	10	9	3	5†	429
Berlin, ...	2,075,734	„ 27,	.	523	13·2	.	.	4	6	8	7†	82
Hamburg, ...	953,079	Aug. 10,	.	248	13·5	1	.	2	1	7	7†	29*a*
Breslau, ...	529,617	„ 10,	.	170	16·7	1	.	.	.	4	.	23
Munich, ...	615,000	„ 17,	..	137	11·6	.	.	1	.	1	.	10
Vienna (with suburbs),	2,081,335	„ 10,	684	503	12·6	.	.	2	2	4	2†	53*a*
Buda-Pesth, ...	910,548	„ 10,	442	347	19·8	2	.	1	4	2	.	61*a*
Prague and Faubourgs,	484,301	„ 3,	174	165	17·8	1	.	1	.	1	1†	18*a*
Trieste, ...	235,999	„ 10,	151	112	24·7	1	.	.	1	.	.	22*a*
Rome, ...	566,453	May 4,	295	204	18·8	.	1	9	1	2	2	7
		„ 11,	296	184	16·9	1	.	10	2	2	4	8
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	June 29,	2,591	1,233	12·4	9	.	17	16	7	19†	66*a*
Philadelphia, ...	1,606,105	July 13,	.	523	16·9	7	.	.	1	4	1	82*a*
Boston, ...	720,031	Aug. 17,	.	200	14·5	2	.	.	.	4	2	29

* Deaths from "fever," including 9 deaths from enteric fever and 7 from plague in Calcutta, 2 from enteric fever and 15 from plague in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 49 deaths from cholera in Calcutta, 58 in Bombay, and 3 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st August, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	4	.	.	.	.	.	.	.	.	.	.	4
" " 1, West, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	5	6
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	2	.	.	.	5	.	.	1	9
" " 2, ...	.	.	.	.	1	.	.	1	.	.	.	2	4
" " 3, ...	.	2	.	.	2	.	.	1	1	.	.	3	9
" " 4, ...	.	3	.	.	4	.	.	.	.	.	.	.	7
New Kilmainham, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
Total, ...	.	13	.	.	12	.	.	4	7	.	.	12	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st August, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st August.			
	Aug. 10.	Aug 17.	Aug. 24.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	19	21	22	7	4	1	24
Typhus, ...	1	2	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	41	33	32	5	17	.	20
Scarlet Fever, ...	144	127	119	34	7	1	145*
Diphtheria, ...	43	46	42	15	8	2	47
Pneumonia, ...	15	17	16	2	6	.	12

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 31st August, 1912:—

"Once more the record is of broken, dull, rainy, and cool weather. But the closing days of the week and month gave promise of more favourable meteorological conditions, for Friday and Saturday, August 30 and 31, were chiefly fine and dry. The general distribution of atmospheric pressure showed no change until Saturday—areas of relatively high barometer were found between Iceland and Greenland on the one hand and between the Azores and the Iberian Peninsula on the other hand. In a trough separating these northern and southern anticyclonic systems, depression after depression passed in rapid succession from the Atlantic across the British Isles and North Sea to the Low Countries, Scandinavia, and the Baltic. The most energetic of these disturbances arrived off the south coast of Ireland on Sunday afternoon, when for the first time for several weeks a solar halo developed in the thin, filmy veil of cirrus cloud which has formed such a conspicuous feature in this summer's skies. On Monday morning depressions were found within the low pressure zone, or trough, off Kerry, Pembroke, the Thames Estuary, the Skagerrack and the Gulf of Bothnia. Rain fell in torrents on the Wicklow coast and in East Anglia—at Greystones, 1·98 inches of rain were measured at 9 a.m.; tropical downpours in the eastern counties of England at this time yielded measurements of from 3 to 6 inches within some 12 hours. The resulting floods in the Norwich district are historic. The finer weather towards the close of the week synchronised with the disappearance of the anticyclone so long situated in the Iceland–Greenland region; on Saturday morning a baric depression was found off the southwest of Iceland, while a ridge of high pressure was passing eastwards across the British Isles. In Dublin the mean height of the barometer was 29·663 inches, the range being from 29·270 inches at 4 a.m. of Thursday (wind, S.W.) to 30·127 inches at 9 a.m. of Saturday (wind, W.N.W.). The corrected mean temperature was 54·5° the mean dry-bulb reading at 9 a.m. and 9 p.m. being 54·6°. The screened thermometers fell to 45·4°, on Tuesday and rose to 62·6° on Friday. The prevalent wind was W.N.W. Rain fell on 4 days to the amount of 1·075 inches, of which ·364 inch was measured on Sunday. Thunder occurred on Monday morning."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·669 inches. The highest reading (30·147) was on Saturday at 9 a.m., wind W.S.W., the lowest (29·361) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 52·1°, being 4·6° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday, on which day the thermometer registered 63°, and was lowest on Tuesday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 53·9° and of the Wet Bulb, 52·3°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 1·375 inches.

At Greenwich the mean temperature for the week was 56·9°, the maximum 70·1°, and the minimum 42·1°; at Glasgow the maximum was 62·5°, the minimum 39·0°, and the mean 53·2°; and at Edinburgh the maximum was 60·6°, the minimum 42·4°, and the mean 52·2°. The rainfall at Greenwich measured 1·33 ins.; at Glasgow 0·88 in.; and at Edinburgh 0·64 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, August 25,	29·590	60	46	53·0	55·2	53·6	·90	·1	0·5	·410	Calm.	Calm.
Monday, „ 26,	29·490	55	47	51·0	52·4	51·9	·97	·2	0·0	·235	N.E.	Calm.
Tuesday, „ 27,	29·710	58	39	48·5	51·5	49·7	·89	·0	1·6	·000	Calm.	Calm.
Wednesday, „ 28,	29·590	59	41	50·0	56·2	54·5	·90	·4	0·0	·335	E.S.E.	E.S.E.
Thursday, „ 29,	29·390	61	51	56·0	54·4	52·8	·91	·4	1·7	·370	S.W.	W.S.W.
Friday, „ 30,	29·860	63	48	55·5	53·0	51·5	·90	·5	4·5	·015	W.	Calm.
Saturday, „ 31,	30·050	60	42	51·0	54·9	51·9	·80	·5	3·7	·010	W.S.W.	S.W.
Mean, ...	29·669	59·4	44·9	52·1	53·9	52·3	·90	·3	Total 12·0	Total 1·375	—	

Sunday—A dull day; night overcast, heavy shower 10.35 to 10.45 p.m., drizzling 12.0 to 1.0 a.m., heavy rain 3.45 to 6.0 a.m., and 7.0 to 9.0 a.m., thunder heard a.m. *Monday*—Day overcast, heavy rain 9.0 to 10.50 a.m., and at intervals 11.0 to 4.0 p.m.; night cloudy. *Tuesday*—A dull day; night cloudy. *Wednesday*—Day overcast, heavy showers at intervals a.m. and p.m.; night overcast, showers at intervals 9.0 p.m. to 12.0 m.n., and heavy rain 12.0 to 3.0 a.m. *Thursday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy. *Friday*—Day cloudy, light rain 9.20 to 10.0 a.m., and heavy 1.30 to 1.45 p.m.; night clear. *Saturday*—Day cloudy, light shower 5.30 to 5.35 p.m.; night cloudy, drizzling 9.0 to 9.40 p.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 31st, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, August 25,	59·6	57·9	56·0	62·0	51·0	56·5	2·16	·404
Monday, „ 26,	55·5	58·0	56·0	57·0	50·0	53·5	0·0	·083
Tuesday, „ 27,	56·4	56·9	56·0	59·0	44·9	51·9	1·05	—
Wednesday, „ 28,	56·6	56·0	56·0	59·3	46·0	52·6	0·0	·230
Thursday, „ 29,	60·0	56·2	56·0	64·8	51·0	57·9	4·1	·176
Friday, „ 30,	58·8	57·0	56·0	63·9	51·0	57·4	5·6	—
Saturday, „ 31,	56·0	56·5	56·0	63·9	45·0	54·4	3·2	—
Weekly Mean, .	57·6	56·9	56·0	61·4	48·4	54·9	Total 16·11	Total ·893

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1912. [No. 36.

General Register Office, Charlemont House,
Dublin, 9th September, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 13·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 17	Week ending Aug. 24	Week ending Aug. 31	Week ending Sept. 7	Average Rate for 4 weeks.
22 Town Districts, ...	**13·1**	**14·8**	**14·9**	**13·0**	**13·9**
Armagh	6·9	21·3	14·2	7·1	12·4
Ballymena	36·7	27·5	13·7	18·3	24·0
Belfast	11·1	12·6	12·4	10·9	11·8
Clonmel	15·2	15·3	30·6	5·1	16·5
Cork	16·3	17·0	17·0	12·9	15·8
Drogheda	12·6	4·2	4·2	8·3	7·3
Dublin Reg. Area ...	15·3	18·6	15·2	15·0	16·0
Dundalk	11·9	.	15·9	11·9	9·9
Galway	7·9	19·7	35·4	11·8	18·7
Kilkenny	9·9	34·7	9·9	14·9	17·3
Limerick	14·9	14·9	29·8	20·3	20·0
Lisburn	12·9	4·2	16·8	12·6	11·6
Londonderry	2·5	8·9	21·7	11·5	11·2
Lurgan	21·5	8·3	12·5	16·6	14·7
Newry	21·8	8·7	4·4	4·4	9·8
Newtownards	22·9	16·3	5·4	5·4	12·5
Portadown	4·4	4·4	13·3	17·8	10·0
Queenstown	13·2	6·4	31·8	.	12·9
Sligo	14·0	9·3	4·7	4·7	8·2
Tralee	.	5·1	.	15·2	5·1
Waterford	9·5	11·4	17·1	22·8	15·2
Wexford	9·1	9·0	9·0	9·0	9·0

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Waterford, the 12 deaths from all causes for that district including 3 from diarrhœa and *enteritis* of children under 2 years of age. Among the 82 deaths from all causes for Belfast are 4 from scarlet fever, one from whooping-cough, and 4 from diarrhœa and *enteritis* under 2 years of age. Included in the 15 deaths from all causes for Limerick are one from scarlet fever, and 3 from whooping-cough; and the 4 deaths from all causes for Ballymena include one from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 276—130 boys and 146 girls—and the deaths to 129—65 males and 64 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·0 per 1,000 of the population. During the thirty-six weeks ending with Saturday last the death-rate averaged 21·3, and was 0·9 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 129, represent an annual rate of 16·8 per 1,000 ; the annual rate for the past thirty-six weeks was 22·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·3 per 1,000 of the mean population for all deaths registered.

The total deaths (129) include 3 from whooping-cough, 2 from diphtheria, 2 from influenza, and 8 from diarrhœa and *enteritis* of children under 2 years.

In the 3 preceding weeks deaths from whooping-cough were one, one, and 4; deaths from diphtheria were 0, 2, and one ; deaths from influenza were 0, 0, and one; and deaths from diarrhœa and *enteritis* were 7, 11, and 6.

Deaths from all forms of tuberculous disease numbered 23, including 18 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and 2 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 17, 35, and 18 respectively.

Broncho-pneumonia caused 7 deaths, and *pneumonia* (type not distinguished) caused one death.

The deaths of 10 persons were caused by cancer.

Convulsions caused the death of one infant.

There were 7 deaths from organic diseases of the heart, and 10 from bronchitis.

The deaths of 4 infants were ascribed to prematurity, and one to congenital debility.

There were 3 accidental deaths, one of which was by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old, and the deaths of 2 persons aged 65 years and upwards.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 10 were under one month old) and 27 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a female) was stated to have been aged 99 years.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 9 took place in the North Dublin Union Workhouse and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·0 per 1,000 ; the rate in the City was 14·5 (North City Districts, 13·2 ; South, 15·9) and in the Suburbs, 16·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·9, and in the South 1·4), and for the Suburbs 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·1 per 1,000 Included in the total are 3 from pulmonary tuberculosis, one from broncho-pneumonia and 2 from diarrhœa and *enteritis.*

No. 1 *North City District, West* (Summer-hill).—The deaths (11) are equal to an annual rate of 14·1 per 1,000, and include one from diphtheria, and 2 from pulmonary tuberculosis.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·0 per 1,000. Whooping-cough caused one death ; pulmonary tuberculosis, one death ; broncho-pneumonia, one death ; bronchitis, 2 deaths ; and diarrhœa and *enteritis*, one death.

No. 3 *North City District* (Benburb-street).—The deaths (3) represent an annual rate of 4·5 per 1,000, and include one from whooping-cough and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 15·5 ; and Finglas and Glasnevin, part of, 0·0. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one was from pulmonary tuberculosis ; and of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from abdominal tuberculosis and one was by accidental drowning.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 per 1,000. Included in the total are one from diphtheria, 2 from tuberculous disease, one from broncho-pneumonia, 3 from bronchitis and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Five deaths were from pulmonary tuberculosis and diarrhœa and *enteritis* caused one death.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·3 per 1,000, and include one from whooping-cough, 5 from tuberculous disease, 2 from broncho-pneumonia, and one from *pneumonia.*

No. 4 *South City District* (Grand Canal Street).—The deaths (5) are equivalent to an annual rate of 7·9 per 1,000. Of the 5 deaths, one was from influenza, one was from broncho-pneumonia, one was from bronchitis and one was from diarrhœa and *enteritis.*

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·5 per 1,000, and include 3 from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0 ; Pembroke, 14·0 ; Blackrock, 11·4 ; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts include one from diarrhœa and *enteritis* for each of Rathmines and Rathgar, Pembroke, and Kingstown. Of the 14 deaths from all causes for Rathmines and Rathgar 3 were from tuberculous disease and one was from broncho-pneumonia. One of the 2deaths from all causes for Blackrock was from influenza.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th September, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 17,	.	—	—	18	1	.	10	.	1	6	4	.	—	—	.	—	4	—	44
	Aug. 24,	.	—	—	10	.	.	7	.	1	3	1	.	—	—	.	—	7	—	29
	Aug. 31,	.	—	—	13	.	.	12	.	.	4	7	.	—	—	.	—	12	—	48
	Sept. 7,	.	—	—	20	.	.	5	.	6	8	3	.	—	—	.	—	10	—	52
Rathmines and Rathgar Urban District.	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 24,	.	—	—	2	.	.	2	.	.	1	.	.	—	—	—	—	—	—	5
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 17,	.	5	.	1	.	.	2	.	.	.	.	.	.	3	—	—	.	—	11
	Aug. 24,	.	6	.	3	.	.	1	.	.	.	.	.	.	5	—	—	.	—	15
	Aug. 31,	.	2	1	3	.	.	.	.	.	.	.	.	—	5	—	—	.	—	11
	Sept. 7,	.	1	.	.	.	.	.	.	.	1	.	.	.	4	—	—	.	—	6
Blackrock Urban District.	Aug. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Aug. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Aug. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
City of Belfast.	Aug. 17,	.	—	—	26	.	.	5	.	.	3	6	.	—	—	.	—	5	.	45
	Aug. 24,	.	—	—	14	.	.	2	1	1	2	5	.	—	—	.	—	11	.	36
	Aug. 31,	.	—	—	20	.	.	6	.	1	1	8	.	—	—	.	—	8	.	44
	Sept. 7,	.	—	—	33	.	.	9	1	.	1	3	.	—	—	.	—	10	.	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th September, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eight cases of enteric fever were admitted to hospital during the week, one was discharged, and 31 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 21, 22, and 24.

One case of typhus remained under treatment at the close of the week.

Five cases of measles were admitted to hospital during the week, 5 were discharged, there was one death, and 19 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 33, 32, and 20, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 35 were discharged, and 128* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 127, 119, and 145, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were two deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 46, 42, and 47, respectively, were 45 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 13 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·7), was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 12·7 per 1,000, the rate for Glasgow being 12·7, and for Edinburgh 13·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th September. From this Report it appears that of a total of 43 cases notified, 20 were phthisis, 10 diphtheria, 9 scarlet fever, and 4 erysipelas. Among the 222 cases of infectious diseases in hospital at the close of the week were 78 cases of scarlet fever, 63 of phthisis, 39 of diphtheria, 16 of whooping-cough, 8 of erysipelas, 7 of measles, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 7th September, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 7th September, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 7th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 31st August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 24th August, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ..	1,154,150	19·8	27·8	13·0	1·4	616	288	45	70	...	...	...	1	5	7	2	...	38	10	15	15	32	15	1	6	7	94	11	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total, (c.) ...	400,865	29·2	35·9	15·0	1·7	276	115	17	24	...	...	...	...	...	3	2	...	18	5	5	8	13	8	...	3	2	39	4	e 68	43	53·7	0·15	e 63	39	52·1	1·38	e 64	41	52·7	1·11
City of Dublin,	306,573	38·8	40·6	14·5	1·7	239	85	13	14	...	...	...	...	...	3	2	...	16	4	1	7	11	5	...	3	2	31	3	f 68·8 g 68·9	46·1 45·0	54·9 54·6	0·10 0·09	f 62·6 g 63·6	45·4 42·0	54·5 53·5	1·08 1·21	f 64 g 63·6	44·9 43·0	54·3 53·4	1·24 1·18
Urban Districts. Rathmines and Rathgar.	38,495	22·5	12·2	19·0	1·4	9	14	1	5	...	...	...	...	...	...	...	...	2	1	1	1	..	1	...	...	..	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,731	18·9	26·3	14·0	1·8	15	8	2	1	...	...	...	...	...	...	...	...	...	...	1	.	...	1	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,125	8·4	28·6	11·4	.	5	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	24·6	18·5	3·1	8	6	1	3	...	...	...	...	...	...	...	...	...	...	1	...	2	1	...	...	...	...	...	69	47	55·7	0·05	64	47	55·5	0·81	65	46	54·4	1·32
Urban Districts. Belfast ...	391,974	26·2	24·9	10·9	1·2	187	82	14	19	...	...	...	...	4	1	...	...	7	4	5	2	6	4	...	2	3	25	...	59·5	44·0	53·5	1·10	64	40	53·3	2·05	64	42	54·8	1·66
Cork, ...	76,673	28·6	21·1	12·9	.	31	19	3	7	...	...	...	...	...	...	...	...	4	...	...	1	2	...	...	...	1	8	...	66	46	55·8	0·15	62	50	56·0	1·18	64	47	55·2	1·46
Londonderry ...	40,891	15·9	10·2	11·5	.	8	9	...	2	...	...	...	...	...	...	...	...	...	1	1	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	28·4	20·3	5·4	21	15	3	2	...	...	...	...	1	3	...	...	2	...	...	...	2	...	...	...	...	8	3	68·8	45·1	56·5	0·39	63	45·1	54·4	0·66	63·8	38·4	53·2	1·63
Waterford, ...	27,464	19·1	20·9	22·8	5·7	11	12	4	2	...	-	...	...	...	...	...	...	...	...	1	2	3	3	...	...	...	3	1	...	...	...	...	...	..	...	...	...	...	...	...
Galway, ...	13,255	2·5	23·6	11·8	.	6	3	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	63	47	54	0·54	...	...	...	...	62	40	53	1·63
Dundalk, ...	13,128	9·5	15·9	11·9	.	4	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,501	8·4	33·4	8·3	.	8	2	...	1	...	...	...	..	...	...	...	..	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,963	17·0	4·4	4·4	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91
Lurgan, ...	12,553	14·7	29·1	16·6	4·2	7	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91
Lisburn, ...	12,388	10·9	21·0	12·6	.	5	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	..	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91
Wexford, ...	11,531	22·8	27·1	9·0	.	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3	18·3	18·3	4·6	4	4	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	42·0	4·7	.	9	1	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	67	46	52·0	1·07	65	39	52·0	0·95	63	37	52·0	2·07
Kilkenny, ...	10,514	11·4	24·8	14·9	.	5	3	...	3	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	3	...	68	46	55·2	0·11	64	42	54·2	0·82	64	37	53·7	0·46
Clonmel, ...	10,209	7·8	10·2	5·1	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	31·1	17·8	.	7	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91
Tralee, ...	10,300	17·4	15·2	15·2	.	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1	21·8	5·4	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	64	46	53·1	0·79	63	44	53·8	1·20	63	44	54·1	1·68
Queenstown, ...	8,209	14·7	38·1	.	.	6	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66	46	55·8	0·15	62	50	56·0	1·18	64	47	55·2	1·46
Armagh, ...	7,356	21·8	35·4	7·1	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30	63·2	43·0	53·3	1·91

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of September, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Diphtheria,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	3	2	1	.	1	.	.	1	5	3	.	.	2	.	.	.	18	.
Tuberculous Disease. { Other Forms,	.	.	.	.	.	1	.	1	.	2	.	.	1	.	.	.	5	.
Cancer,	.	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	5	5
Diseases of Nervous System,	.	.	1	1	.	2	.	1	.	.	.	.	1	3	.	1	10	2
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	1	1	.	1	.	.	.	.	1	.	.	2	.	.	.	9	2
" Respiratory System. { Pneumonia,	1	.	1	.	.	.	.	1	.	3	1	.	1	.	.	.	8	.
" Respiratory System. { Others,	.	2	2	.	.	.	.	3	.	.	1	3	.	.	.	2	13	.
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	2	.	1	.	.	.	.	.	1	.	1	.	1	1	.	1	8	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	1	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	4	1
" Genito-urinary System,	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	5	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	.	.	.	.	.	2	1	3	1	.	.	1	.	.	11	2
Violent Deaths,	.	.	.	1	.	1	.	1	.	.	.	.	.	.	.	.	3	.
Ill-defined, &c. Causes,	.	2	.	.	.	.	.	1	.	.	.	.	2	.	.	1	6	.
Deaths from All Causes	12	11	9	3	2	4	.	13	7	15	5	4	14	8	2	6	115	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·1	14·1	16·0	4·5	19·3	15·5	.	16·9	19·9	18·3	7·9	21·5	19·0	14·0	11·4	18·5	15·0	.
	13·2							15·9					16·6					
	14·5																	
Ages at Death. Under 1 year,	2	1	1	.	.	.	.	2	2	3	1	1	1	2	.	1	17	1
1 and under 2 years,	1	2	2	.	.	1	.	.	.	2	.	.	.	.	.	.	8	.
2 " 5 "	.	.	.	.	.	.	.	5	.	2	.	.	.	.	.	1	8	.
5 " 15 "	.	.	.	1	.	1	.	.	.	2	.	.	3	.	.	.	7	.
15 " 25 "	.	2	.	.	1	.	.	.	1	.	.	2	.	.	.	.	6	.
25 " 45 "	5	1	3	1	1	1	.	3	2	2	1	.	2	2	.	.	24	4
45 " 65 "	1	3	2	.	.	1	.	2	2	2	.	.	3	3	1	1	21	6
65 and upwards,	3	2	1	1	.	.	.	1	.	2	3	1	5	1	1	3	24	3
Number of Uncertified Deaths,	.	2	.	.	.	.	.	1	.	.	.	.	.	1	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	3	.	.	.	.	2	1	4	.	.	3	3	.	.	20	13
Workhouse Hospitals,	1	1	4	2	.	.	.	4	1	3	1	.	2	.	.	.	19	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1902–1911.	In the Week ending Saturday, 7th September, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	57·2°	50·4°	55·5°	58·3°	60·5°	52·9°	50·7°	50·9°	54·8°	57·5°	54·9°	53·7°										
ALL CAUSES.	170	145	157	143	184	159	170	134	141	219	162·2	129	10	8	8	8	7	6	28	27	12	15
Enteric Fever, ...	3	1	.	4	2	.	2	2	1	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	.	1	.	.	3	6	2	.	.	2·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	3	.	.	.	.	1	.	.	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	4	.	1	2	.	1	3	4	1·6	3	.	1	1	.	1	.	.	.	.	.
Diphtheria, ...	2	1	.	1	.	.	1	1	.	2	·8	2	1	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	1	.	1	2	1	.	.	2	·7	2	.	.	.	.	.	.	1	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	2	1	1	.	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	.	1	3	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	1	.	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	29	20	12	21	25	19	20	23	22	21·5	18	.	.	2	.	2	3	8	3	.	.
Tuberculous Meningitis, ...	3	.	2	5	5	4	2	1	7	.	2·9	2	.	.	.	.	1	.	1	.	.	.
Abdominal Tuberculosis, ...	3	1	2	1	1	.	2	.	.	5	1·5	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										2		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	1	1	6	6	3	6	1	.	6	2	3·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		2	.	.	.	1	1	.	.	.	.	.
Venereal Diseases, ...	.	.	2	1	1	.	1	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	3	5	6	7	7	4	9	9	10	6·9	10	.	.	.	.	.	.	1	5	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	2	3	.	2	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	·1	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	1	1	.	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	.	.	1	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										7		1	.	.	.	.	.	.	.	1	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										3		1	.	.	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	37	38	33	35	33	43	38	23	32	3	34·3	6	.	.	.	.	.	.	3	2	.	1
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		2	.	.	.	.	.	.	1	1	.	.
Organic Diseases of the Heart,										13		7	.	.	.	.	.	.	3	2	2	.
Embolism and Thrombosis (including Cerebral)										2		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	13	9	9	10	7	10	10	10	9	11	9·8	10	.	2	.	1	.	1	.	2	2	2
Broncho-pneumonia, ...	3	.	2	1	1	2	2	1	2	1	1·5	7	.	.	3	1	.	.	1	.	1	1
Lobar pneumonia, ...	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	4	1	1	2	2	4	4	5	3	4	3·0	1	.	.	.	.	.	.	1	.	.	.
Pleurisy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	.	.	.	3	1	1	3	2	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		3	.	.	.	.	.	1	1	.	.	1

THIRTY-SIXTH WEEK ending Saturday, 7th September, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 36th Week of the 10 years 1902–1911.	In the Week ending Saturday, 7th September, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 6, 1902.	Sept. 12, 1903.	Sept. 10, 1904.	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 57·2	° 50·4	° 55·5	° 58·3	° 60·5	° 52·9	° 50·7	° 50·9	° 54·8	° 57·5	° 54·9	° 53·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	14	7	30	15	61	7	39	22	19	45	27·3	8	4	4	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										4		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										10		1	.	.	.	.	.	.	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	2	3	1	3	.	2	3	1	2	3·0	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	1	1	3	.	3	1	.	1	.	2		1	.	.	.	.	.	1	.	.	.	.
Peritonitis (cause unknown),	2	1	2	1	.	.	.	1	.	1	·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	7	6	3	10	9	5	5	3	1	.	4·9	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	4	9	4	3	5	3	5	4	9	1	5·3	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...										3		5	.	.	1	.	.	.	2	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										3		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	1	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	3	5	3	1	5	5	6	2	3	3·5	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	4·0	1	.	1	.	.	.	.	.	.	.	.
Old Age, ...	6	2	7	5	1	8	2	3	.	6	—	5	.	.	.	.	.	.	.	.	.	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	6	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	1	.	2	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	2	1	.	.	2	.	1	.	2	1	·9	1	.	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	1	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	4	.	2	1	3	2	2	.	1	1·6	2	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	3	5	.	3	5	4	5	3	2	4	3·4	3	.	.	.	.	1	.	1	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	.	1	1	1	.	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	1	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	7	—	6	.	.	.	1	.	.	.	1	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered.	235	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276
Average Births in corresponding week of previous 10 years, ...	201	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233
DEATHS registered, ...	257	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129
Annual Death-rate per 1,000, ...	33·0	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8
Average Deaths in corresponding week of previous 10 years, ...	188	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162
Ages, Under 5 years, ...	107	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34
5—15 " ...	9	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7
15—25 " ...	14	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6
25—45 " ...	24	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28
45—65 " ...	53	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27
65—75 " ...	30	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12
75 and upwards, ...	20	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15
Deaths from :—																										
Enteric Fever, ...	3	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.
Scarlet Fever, ...	.	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.
Whooping-cough, ...	10	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3
Diphtheria, ...	5	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2
Influenza, ...	4	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	28	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18
Tuberculous Disease, Other Forms,	7	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5
Cancer, ...	7	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10
Diseases of Circulatory System,	24	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11
Diseases of Respiratory System, Pneumonia,	33	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8
Diseases of Respiratory System, Others, ...	47	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13
Diarrhœa and *Enteritis*, under 2 years, ...	4	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8
Diarrhœa, 2 years and upwards,	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.
Violent Deaths, ...	4	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3
Number of Uncertified Deaths,	10	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4
Mean Temperature of the Air (Phœnix Park)	44·6	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7
Average Mean Temperature in corresponding week of previous 10 years, ...	42·2	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9
Rainfall in inches, ...	·280	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th September, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	129	34	7	6	28	27	12	15	.	.	.	.	.	3	2	.	18	5	10	1	8	13	8	.	3	58	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	17·3	29	2	2	1	7	6	2	9	.	.	.	.	.	.	.	.	2	2	3	.	1	2	.	.	1	18	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·3	26	6	2	1	9	6	1	1	.	.	.	.	.	.	1	.	10	1	2	.	2	.	.	.	.	10	1
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	22	2	3	7	10	4	2	.	.	.	.	.	3	1	.	4	1	4	1	3	5	7	.	1	20	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	20	4	1	1	3	5	5	1	.	.	.	.	.	.	.	.	2	1	1	.	1	6	1		1	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	27·0	4	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	23·7	10	.	1	.	2	3	2	2	.	.	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	1	1	1	1	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	.	.	2	3	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	7	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	4	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	1
	10. Clothing Trades, ...	23,260	11·2	5	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	.	.	.	.
	11. Food Supply Trades	9,242	11·3	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	2	.	.	4	3	1	.	.	.	.	.	.	.	1	.	2	.	1	.	1	.	.	.	.	5	.
	13. Petty Shopkeepers	7,894	6·6	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
	15. Domestic Servants, ...	36,603	2·8	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	23·8	41	19	2	1	6	7	4	2	.	.	.	.	.	3	1	.	4	1	3	1	3	4	5	.	1	15	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	20	4	1	1	3	5	5	1	.	.	.	.	.	.	.	.	2	1	1	.	1	6	1	.	1	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	July 20,	13·9	5·2	8	.	.	.	.	.	.	1	.	2	1	.	.	.	2	.	.	.
		„ 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
		Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
		„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
		„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
		„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
		Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	July 20,	22·1	1·3	17	.	.	.	1	.	.	.	.	4	1	2	.	1	.	.	.	.
		„ 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
		Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
		„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
		„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
		„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
		„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
		Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	July 20,	20·3	5·1	12	.	.	.	3	.	.	.	.	2	.	1	.	.	.	.	1	.
		„ 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
		Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
		„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
		„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
		„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
		„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
		Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	July 20,	15·5	.	10	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	1
		„ 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
		Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
		„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
		„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
		„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
		„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	July 20,	18·8	5·0	15	.	.	.	1	.	.	1	.	5	.	.	2	2	2	.	.	.
		„ 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
		Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
		„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
		„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
		„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
		„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
		Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	July 20,	14·3	.	6	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	1
		„ 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
		Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
		„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
		„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
		„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
		„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
		Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	July 20,	16·8	2·4	14	.	.	.	.	.	.	.	.	1	1	1	1	3	2	.	.	.
		„ 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
		Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
		„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
		„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
		„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
		„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
		Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	July 20,	23·2	4·3	16	.	.	.	2	.	.	.	.	2	2	2	.	1	1	.	.	.
		„ 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
		Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
		„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
		„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
		„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
		„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
		Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.

* See note (I) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population, according to the Census of 1911, (unrevised figures); for the remaining weeks, the rates for the Dublin districts, Belfast population according to the Census

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	July 20,	8·0	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	„ 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Pop. in 1912 (Est.) 38,495.	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
Pembroke Urban District.	July 20,	7·0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
Pop. in 1912 (Est.) 29,731.	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Kingstown Urban District.	July 20,	6·1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Pop. in 1911 16,941.	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
Belfast.	July 20,	14·5	1·3	109	.	.	.	3	.	2	.	.	14	9	10	3	8	4	1	1	2
	„ 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
Pop. in 1912 (Est.) 391,974.	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
Cork.	July 20,	10·2	.	15	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.
	„ 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
Pop. in 1911 76,673.	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1·4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
Londonderry.	July 20,	15·3	.	12	.	.	.	.	.	.	.	.	3	.	1	.	3	.	.	.	.
	„ 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
Pop. in 1912 (Est.) 40,891.	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
Limerick.	July 20,	19·0	5·4	14	.	.	.	.	.	.	.	.	1	.	.	.	1	3	1	.	.
	„ 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
Pop. in 1911 38,518.	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
Waterford.	July 20,	15·2	1·9	8	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	1
	„ 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
Pop. in 1911 27,464.	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the
and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures); those for the other districts on the
of 1911 revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th September, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	6·6	3·3	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 2 do.	49,500	21	7·4	1·1	7	2	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	3	.
Do. 3 do.	50,032	15	11·5	2·1	11	1	1	2	4	3	.	.	.	.	.	1	.	.	.	3	1	1	1	1	1	.	.	.	4	.
Do 4 do.	32,637	30	16·0	1·6	10	1	1	.	1	2	5	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.	6	.
Do. 5 do.	16,112	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.	37,293	13	11·2	.	8	3	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	35·0	.	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 9 do.	24,427	9	6·4	.	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
Do. 10 do.	28,958	16	14·4	.	8	2	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.
Do. 11 do.	39,311	23	9·3	2·7	7	1	1	1	1	1	2	.	.	.	.	1	1	.	.	.	1	.	.	1	.	.	1	1	4	.
Do. 12 do.	38,076	23	11·0	1·4	8	2	1	.	.	3	2	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do. 13 do.	23,233	9	15·7	.	7	.	1	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	15	16·1	2·3	7	.	1	1	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.	1	.
Total,	386,947	187	10·9	1·2	82	14	7	9	13	20	19	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	3	25	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	7	3·9	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	5	5·0	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,793	4	10·6	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 4 do.	9,139	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,250	.	33·4	.	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.
Do 6 do.	11,581	5	27·0	.	6	.	.	.	3	.	3	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	.	3	.
Do. 7 do.	16,056	8	16·2	.	5	2	.	1	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Total,	76,673	31	12·9	.	19	3	.	1	4	4	7	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	1	8	.

* See note (†) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.
No. of weeks in Annual Series,	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
BIRTHS registered, ...	197	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187
DEATHS registered, ...	147	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82
Annual Death rate per 1,000 of estimated population, ...	19·6	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9
AGES, Under 1 year, ...	28	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14
1—5 years, ...	17	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7
5—25 „ ...	20	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9
25—45 „ ...	22	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13
45—65 „ ...	28	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20
65 and upwards, ...	32	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.
Typhus, ...	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.
Scarlet Fever, ...	1	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4
Whooping-cough, ...	4	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1
Diphtheria, ...	.	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7
Tuberculous Disease. Other Forms,	4	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4
Cancer, ...	13	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5
Diseases of Respiratory System, Pneumonia,	19	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2
Diseases of Respiratory System, Others, ...	23	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6
Diarrhœa, and *Enteritis*, under 2 years, ...	3	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.
Violent Deaths, ...	4	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2
Number of Uncertified Deaths, ...	.	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Sept. 7,	2,146	1,016	11·7	1	.	23	5	10	6	62*a*
Edinburgh, ...	321,200	„ 7,	133	81	13·2	.	.	.	.	1	1	.
Glasgow, ...	785,600	„ 7,	389	191	12·7	.	.	.	.	4	6	13
Calcutta, ...	896,067	Aug. 3,	.	431	25·0	59*	3	.	.	.	3†	70‡
Bombay, ...	979,445	„ 3,	383	830	44·1	78*	4	.	.	.	1	169‡
Madras, ...	518,660	„ 10,	490	421	42·2	88*	.	2	?	?	?	126‡
Cairo, ...	699,228	June 17,	495	820	61·1	6	.	20	.	.	4	286
Paris, ...	2,847,229	Aug. 10,	882	755	13·5	5	.	4	4	6	4†	85*a*
Brussels, ...	745,380	„ 17,	223	169	11·8	1	.	2	.	1	.	21
Antwerp, ...	308,618	„ 17,	138	68	11·5	.	.	.	1	1	.	24*a*
Amsterdam, ...	583,380	„ 17,	267	113	10·1	1	.	5	.	.	2†	4*a*
Copenhagen, ...	465,000	„ 17,	224	93	10·4	2	.	.	.	.	.	13*a*
Stockholm, ...	346,599	„ 17,	132	81	12·2	.	.	.	.	.	.	3*a*
Christiania, ...	247,488	„ 24,	108	38	8·0	.	.	.	.	.	.	4
St. Petersburg, ...	1,664,000	„ 3,	467	841	25·5	30	.	30	4	7	6†	208
Moscow, ...	1,617,157	„ 3,	.	992	32·0	3	.	9	9	9	11†	327
Berlin, ...	2,081,112	„ 3,	.	555	13·9	.	.	8	1	9	9†	87
Hamburg, ...	953,079	„ 17,	.	234	12·8	3	.	1	1	5	4†	29*a*
Breslau, ...	529,030	„ 17,	.	149	14·7	1	.	.	1	2	.	24
Munich, ...	615,000	„ 24,	.	170	14·4	.	.	2	.	.	1†	20
Vienna (with suburbs),	2,081,335	„ 17,	716	486	12·1	.	.	3	2	1	1†	46*a*
Buda-Pesth, ...	910,548	„ 17,	383	320	18·3	4	.	1	23	1	3†	47*a*
Prague and Faubourgs,	484,301	„ 10,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	235,999	„ 17,	145	86	19·0	.	.	.	.	.	.	25*a*
Rome, ...	566,453	May 18,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	July 6,	2,601	1,273	12·8	6	.	18	13	8	25†	80*a*
Philadelphia, ...	1,606,105	„ 20,	.	500	16·2	7	.	1	1	2	3	74*a*
Boston, ...	720,031	Aug. 24,	.	215	15·6	1	.	.	.	2	.	33

* Deaths from "fever," including 8 deaths from enteric fever and 8 from plague in Calcutta, and 12 from plague in Bombay.

† Including deaths from croup.

‡ Including 41 deaths from cholera in Calcutta, 57 in Bombay, and 3 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th September, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	4	.	.	1	.	.	1	.	.	.	1	7
„ „ 1, West, ...	.	2	.	.	.	.	1	1	.	.	.	3	7
„ „ 2, ...	.	4	.	.	1	.	.	2	.	.	.	1	8
„ „ 3, ...	.	2	.	.	.	.	1	2	.	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	2	.	.	.	.	.	2
South City No. 1, ...	.	1	.	.	.	.	1	.	3	.	.	1	6
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	3	.	.	2	.	1	.	.	.	.	1	7
„ „ 4, ...	.	2	.	.	1	.	.	2	.	.	.	1	6
New Kilmainham, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Total, ...	.	20	.	.	5	.	6	8	3	.	.	10	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th September, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th September.			
	Aug. 17.	Aug 24.	Aug. 31.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	21	22	24	8	1	.	31
Typhus, ...	2	1	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	33	32	20	5	5	1	19
Scarlet Fever, ...	127	119	145	18	35	.	128*
Diphtheria, ...	46	42	47	9	9	2	45
Pneumonia, ...	17	16	12	4	3	.	13

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 7th September, 1912:—

"With the coming of September, the improvement in the weather observed during the closing days of August became more pronounced, and this week proved in most respects favourable. It is true that showers fell on several days and that the wind blew strongly from westerly points (between S.W. and N.W.), yet the rainfall was slight, and there was more sunshine than of late. Sunday was cloudy but fine, except for a slight shower at 1.20 p.m. in Dublin: a shallow depression passed eastward along the north coast of Scotland during the day and in the course of the following night. Its N.W. winds caused a cold day on Monday, when a thin veil of cirrus cloud developed no halo. On Tuesday morning a large and deep depression reached the S.W. of Iceland. Its S.W. winds brought a warm, moist air to Ireland first and later to Great Britain also. In Dublin the thermometer rose to 68·8° in the screen—higher than any reading recorded since July 20th. The disturbance was of considerable energy, for on Tuesday evening the barometer was down to 28·96 inches at Vestmanna on the south coast of Iceland, and a strong gale from E. prevailed at that place. Next morning the centre of the system was near Thorshavn in the Faeroe, and strong west winds swept across the British Isles, reaching gale-force at exposed points. The depression subsequently travelled slowly eastwards to Scandinavia, while an area of high atmospheric pressure spread northwards from Spain and the Atlantic to the Bay of Biscay and Ireland. On Saturday indications of the approach of some new disturbance from the Atlantic to the N.W. of Ireland were not wanting—the sky became overcast, the wind backed and freshened, and temperature rose, with slight drizzling showers. In Dublin the mean height of the barometer was 30·043 inches, pressure ranging between 29·837 inches at 9 p.m. of Tuesday (wind, W.S.W.) and 30·272 inches at 9 a.m. of Saturday (wind, W.). The corrected mean temperature was 54·9° the mean dry-bulb reading at 9 a.m. and 9 p.m. being 54·7°. The screened thermometer rose to 68·8°, on Tuesday and fell to 46·1° on Friday. W. and N.W. winds prevailed. The rainfall was ·104 inch on 4 days, ·040 inch being recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·054 inches. The highest reading (30·281) was on Saturday at 9 a.m., wind W.S.W., the lowest (29·837) on Tuesday at 9 p.m., wind W.S.W.

The mean temperature for the week was 53·7°, being 1·2° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 68°, and was lowest on Monday, the mercury having fallen to 43°. The mean of the Dry Bulb for the week was 53·8° and of the Wet Bulb, 51·0°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·150 inch.

At Greenwich the mean temperature for the week was 54·8°, the maximum 69·1°, and the minimum 42·2°; at Glasgow the maximum was 66·4°, the minimum 44·0°, and the mean 54·0°; and at Edinburgh the maximum was 61·2°, the minimum 42·6°, and the mean 51·6°. The rainfall at Greenwich measured 0·21 in.; at Glasgow 2·69 ins.; and at Edinburgh 1·05 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 1,	29·955	60	51	55·5	55·5	53·3	·86	·4	0·0	·000	W.S.W.	W.S.W.
Monday, " 2,	30·060	58	43	50·5	51·2	48·9	·85	·4	1·9	·030	W.	Calm.
Tuesday, " 3,	29·915	68	48	58·0	60·0	58·5	·92	·5	0·2	·090	S.W.	W.S.W.
Wednesday, " 4,	29·975	61	50	55·5	53·7	49·2	·72	·5	7·1	·005	W.	W.
Thursday, " 5,	30·050	57	46	51·5	50·2	46·4	·76	·5	3·8	·025	W.	W.
Friday, " 6,	30·160	60	44	52·0	50·1	47·1	·80	·4	9·2	·000	W.	Calm.
Saturday, " 7,	30·260	60	46	53·0	55·8	53·4	·85	·6	0·4	·000	W.S.W.	W.S.W.
Mean, ...	30·054	60·6	46·9	53·7	53·8	51·0	·82	·5	Total 22·6	Total ·150	Prevailing Wind, W.	

Sunday—Day overcast; night cloudy. *Monday*—A dull day; night overcast, showers at intervals a.m. *Tuesday*—A dull day, drizzling rain 9.10 to 10 a.m. and 8.20 to 9.0 p.m.; night overcast, drizzling 9.0 p.m. to 12.20 a.m. *Wednesday*—A fine day, light clouds at intervals, drizzling 5.30 to 7 p.m.; night cloudy. *Thursday*—Day cloudy, showers at intervals a.m. and p.m.; night cloudy. *Friday*—A fine bright day; night clear. *Saturday*—A dull day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 7th September, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 1,	58·0	57·0	55·9	63·9	45·0	54·4	0·0	0·0
Monday, " 2,	55·0	56·9	56·0	63·8	45·0	54·4	3·58	·012
Tuesday, " 3,	61·7	56·6	55·9	69·9	50·2	60·0	0·10	·043
Wednesday, " 4,	59·0	57·4	55·8	61·4	50·0	55·7	9·7	0·0
Thursday, " 5,	54·0	56·0	55·6	58·2	47·0	52·6	5·5	·020
Friday, " 6,	53·9	54·9	55·8	60·9	45·0	52·9	8·66	0·0
Saturday, " 7,	56·0	54·8	55·7	60·9	47·0	53·9	0·9	0·0
Weekly Mean,	56·8	56·2	55·8	62·7	47·0	54·8	Total 23·44	Total ·075

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031 Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1912. [No. 37.

General Register Office, Charlemont House,
Dublin, 16th September, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 24	Aug. 31	Sept 7	Sept. 14	Average Rate for 4 weeks.
22 Town Districts,	**14·8**	**14·9**	**13·0**	**14·2**	**14·2**
Armagh	21·3	14·2	7·1	.	10·7
Ballymena	27·5	13·7	18·3	27·5	21·7
Belfast	12·6	12·4	10·9	12·6	12·1
Clonmel	15·3	30·6	5·1	.	12·8
Cork	17·0	17·0	12·9	15·0	15·5
Drogheda	4·2	4·2	8·3	4·2	5·2
Dublin Reg. Area ...	18·6	15·2	15·0	14·7	15·9
Dundalk	.	15·9	11·9	23·8	12·9
Galway	19·7	35·4	11·8	27·5	23·6
Kilkenny	34·7	9·9	14·9	9·9	17·3
Limerick	14·9	29·8	20·3	10·8	18·9
Lisburn	4·2	16·8	12·6	21·0	13·7
Londonderry	8·9	21·7	11·5	17·9	15·0
Lurgan	8·3	12·5	16·6	8·3	11·4
Newry	8·7	4·4	4·4	13·1	7·7
Newtownards	16·3	5·4	5·4	5·4	8·1
Portadown	4·4	13·3	17·8	13·3	12·2
Queenstown	6·4	31·8	.	6·4	11·2
Sligo	9·3	4·7	4·7	23·4	10·5
Tralee	5·1	.	15·2	35·4	13·9
Waterford	11·4	17·1	22·8	20·9	18·0
Wexford	9·0	9·0	9·0	13·6	10·2

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 15·2 in Tralee, the 7 deaths from all causes for that district including one from enteric fever, and 2 from diarrhœa and *enteritis* of children under 2 years. Among the 95 deaths from all causes for Belfast are one from each of scarlet fever and diphtheria and 4 from diarrhœa and *enteritis* under 2 years. Included in the 8 deaths from all causes for Limerick is one from whooping-cough. Of the 3 deaths from all causes for Newry one is from whooping-cough. Three deaths from whooping-cough are also included among the 6 deaths from all causes for Ballymena, and of the 5 deaths from all causes for Sligo one is from enteric fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 203—110 boys and 93 girls—and the deaths to 122—56 males and 66 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·7 per 1,000 of the population. During the thirty-seven weeks ending with Saturday last the death-rate averaged 21·1, and was 1·1 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 122, represent an annual rate of 15·9 per 1,000 ; the annual rate for the past thirty-seven weeks was 22·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

Among the deaths from all causes registered were one from each of measles, scarlet fever, whooping-cough, 2 from diphtheria, and 2 from diarrhœa and *enteritis* of children under 2 years of age.

In each of the preceding 3 weeks deaths from measles were 2, 2, and 0; deaths from scarlet fever were 2, 2, and 0; deaths from whooping-cough were one, 4, and 3; deaths from diphtheria were 2, one, and 2; and deaths from diarrhœa and *enteritis* of children were 11, 6, and 8.

There were 22 deaths from tuberculosis, including 17 deaths from pulmonary tuberculosis, 2 deaths from tuberculous meningitis, one death from abdominal tuberculosis, one from disease of joint, and one from disseminated tuberculosis. In each of the 3 preceding weeks deaths from tuberculosis (all forms) were 35, 18, and 23.

Of 8 deaths from pneumonia, 4 were attributed to broncho-pneumonia, one to lobar pneumonia, and 3 to *pneumonia* (type not distinguished).

The deaths of 6 persons were assigned to cancer.

Four infants were stated to have died from *convulsions*.

There were 9 deaths caused by organic diseases of the heart, and 8 by bronchitis.

Prematurity accounted for the deaths of 4 infants, and 3 deaths of infants were from congenital debility.

There was no information regarding deaths by violence received for the period under notice.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one male aged 72 years.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 11 were under one month old) and 28 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·7 per 1,000; the rate in the City was 15·1 (North City Districts, 14·8; South, 15·6) and in the Suburbs, 13·3.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·6, and in the South 1·8), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (5) are equal to an annual rate of 8·8 per 1,000 and include one death from scarlet fever, one death from pulmonary tuberculosis, one death from broncho-pneumonia, and one death from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. There were 4 deaths from tuberculosis, one death from broncho-pneumonia, and 2 deaths from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 9·4 per 1,000. Of the deaths one was due to whooping-cough and one to *pneumonia*.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 17·9 per 1,000. The deaths included 2 from tuberculosis and one from each of lobar pneumonia and *pneumonia*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·9; and Finglas and Glasnevin, part of, 4·9. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one was from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 per 1,000. Pulmonary tuberculosis cause 2 deaths, there was one death from *pneumonia*, 3 deaths from other diseases of the respiratory system, and one death from diarrhœa.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000, and include one death from pulmonary tuberculosis and one death from bronchitis.

No. 3 *South City District* (Peter-street)—The deaths (10) are equal to an annual rate of 12·2 per 1,000. Pulmonary tuberculosis caused 3 deaths, and there was one death from diarrhœa and *enteritis* of a child under 2 years of age.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. The deaths included one from measles, 2 from tuberculosis, one from broncho-pneumonia, one from bronchitis, and one from diarrhœa and *enteritis* of a child under 2 years of age.

New Kilmainham District.—There were no deaths recorded for this district for last week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 12·2; Pembroke, 8·8; Blackrock, 28·6; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. Of the 9 deaths from all causes for Rathmines and Rathgar 3 were from pulmonary tuberculosis. Included among the 5 deaths from all causes for Pembroke was one from pulmonary tuberculosis; and of the 5 deaths from all causes for Kingstown one was from pulmonary tuberculosis and one was from broncho-pneumonia.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 14th September, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 24,	.	—	—	10	.	.	7	.	1	3	1	.	—	—	.	—	7	—	29
	Aug. 31,	.	—	—	13	.	.	12	.	.	4	7	.	—	—	.	—	12	—	48
	Sept. 7,	.	—	—	20	.	.	5	.	6	8	3	.	—	—	.	—	10	—	52
	Sept. 14,	.	—	—	12	.	.	4	.	.	11	9	.	—	—	.	—	13	—	49
Rathmines and Rathgar Urban District.	Aug. 24,	.	—	—	2	.	.	2	.	.	1	.	.	—	—	—	—	—	—	5
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 14,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Aug. 24,	.	6	.	3	.	.	1	.	.	.	.	.	—	5	—	—	.	—	15
	Aug. 31,	.	2	1	3	.	.	.	.	.	.	.	.	—	5	—	—	.	—	11
	Sept. 7,	.	1	.	.	.	.	.	.	.	1	.	.	—	4	—	—	.	—	6
	Sept. 14,	.	2	.	.	.	.	1	.	.	.	.	.	—	2	—	—	.	—	5
Blackrock Urban District.	Aug. 24,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1
	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
City of Belfast.	Aug. 24,	.	—	—	14	.	.	2	1	1	2	5	.	—	—	.	—	11	.	36
	Aug. 31,	.	—	—	20	.	.	6	.	1	1	8	.	—	—	.	—	8	.	44
	Sept. 7,	.	—	—	33	.	.	9	1	.	1	3	.	—	—	—	—	10	—	57
	Sept. 14,	.	—	—	21	.	.	7	.	.	1	4	.	—	—	.	—	10	.	43

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th September, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirteen cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 40 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 22, 24, and 31.

One case of typhus was discharged from hospital, and no case remained under treatment at the close of the week.

One case of measles was admitted to hospital during the week, 8 were discharged, there were 2 deaths, and 10 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 32, 20, and 19, respectively.

Sixteen cases of scarlet fever were admitted to hospital, 18 were discharged, there was one death, and 125* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 119, 145, and 128, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 47, and 45, respectively, were 39 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, one was discharged, there was one death, and 17 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 11·4), was equal to an average annual death-rate of 11·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 12·4 per 1,000, the rate for Glasgow being 12·7, and for Edinburgh 11·5.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th September. From this Report it appears that of a total of 40 cases notified, 15 were phthisis, 12 scarlet fever, 8 diphtheria, and 5 erysipelas. Among the 224 cases of infectious diseases in hospital at the close of the week were 80 cases of scarlet fever, 66 of phthisis, 41 of diphtheria, 16 of whooping-cough, 8 of erysipelas, 3 of measles, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th September, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 14th September, 1912. Air Temperature. Absolute Highest.	Week ending 14th September, 1912. Air Temperature. Absolute Lowest.	Week ending 14th September, 1912. Air Temperature. Mean.	Week ending 14th September, 1912. Rainfall in Inches.	Week ending 7th September, 1912. Air Temperature. Absolute Highest.	Week ending 7th September, 1912. Air Temperature. Absolute Lowest.	Week ending 7th September, 1912. Air Temperature. Mean.	Week ending 7th September, 1912. Rainfall in Inches.	Week ending 31st August, 1912. Air Temperature. Absolute Highest.	Week ending 31st August, 1912. Air Temperature. Absolute Lowest.	Week ending 31st August, 1912. Air Temperature. Mean.	Week ending 31st August, 1912. Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ..	1,154,150	19·8	26·2	14·2	1·1	579	315	53	80	2	...	...	1	2	6	2	...	40	11	19	17	24	9	2	3	7	118	12	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	400,865	29·2	26·4	14·7	1·0	293	113	21	26	..	...	...	1	1	1	1	...	17	4	5	8	10	2	2	...	1	51	4	e 64	37	51·1	0·00	e 68	43	53·7	0·15	e 63	39	52·1	1·38
CITY OF DUBLIN.	306,573	38·8	28·7	15·1	1·2	169	89	18	17	...	...	...	1	1	1	...	...	12	4	5	7	9	2	2	...	1	44	4	f 64·1 g 63·8	43·3 40·0	52·9 52·4	0·00 0·00	f 68·8 g 68·9	46·1 45·0	54·9 54·6	0·10 0·09	f 62·6 g 63·6	45·4 42·0	54·5 53·5	1·08 1·21
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	10·8	12·2	.	8	9	1	4	...	...	...	...	...	...	...	...	3	...	...	...	..	.	...	...	.	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE ...	29,731	18·9	22·8	8·8	1·8	13	5	...	1	...	...	...	...	...	...	1	...	1	...	...	.	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	40·0	28·6	.	7	5	1	3	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	15·4	.	6	5	1	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...	65	43	53·2	0·00	69	47	55·7	0·05	64	47	55·5	0·81
Urban Districts. BELFAST ...	391,974	26·2	23·8	12·6	0·8	179	95	15	24	...	..	...	...	1	...	1	...	15	2	4	5	6	4	...	2	4	25	3	60	41	52·0	0·15	59·5	44·0	53·5	1·10	64	40	53·3	2·05
CORK, ...	76,673	28·6	29·9	15·0	.	44	22	6	5	...	...	...	...	...	...	...	...	..	3	2	2	...	...	...	...	1	9	1	64	43	53·5	0·02	66	46	55·8	0·15	62	50	56·0	1·18
LONDONDERRY ...	40,891	15·9	30·6	17·9	1·3	24	14	3	6	...	...	...	...	...	...	...	...	3	1	1	1	1	1	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	27·1	10·8	1·4	20	8	2	1	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	6	1	61·9	34·5	50·8	0·00	68·8	45·1	56·5	0·39	63	45·1	54·4	0·66
WATERFORD, ...	27,464	19·1	30·4	20·9	.	16	11	1	4	...	.	...	...	...	...	...	...	1	1	1	...	1	...	...	...	...	7	1	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5	27·5	27·5	.	7	7	1	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	5	1	64	40	53	0·02	63	47	54	0·51	...	...	...	...
DUNDALK, ...	13,128	9·5	23·8	23·8	.	6	6	...	2	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	37·5	4·2	.	9	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	43·6	13·1	4·4	10	3	1	1	...	...	...	...	...	1	...	...	...	...	1	...	1	...	...	...	...	...	..	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30
LURGAN, ...	12,553	14·7	37·4	8·3	.	9	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30
LISBURN, ...	12,388	10·9	29·5	21·0	.	7	5	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30
WEXFORD. ...	11,531	22·8	13·6	13·6	.	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	9·2	27·5	15·7	2	6	1	...	...	...	...	...	...	3	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	14·0	23·4	4·7	3	5	..	3	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	4	...	63	35	50·0	0·20	67	46	52·0	1·07	65	39	52·0	0·95
KILKENNY, ...	10,514	11·4	9·9	9·9	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	65	38	50·4	0·02	68	46	55·2	0·11	64	42	54·2	0·82
CLONMEL, ...	10,209	7·8	46·0	.	.	9	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	40·0	13·3	.	9	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30
TRALEE. ...	10,300	17·4	50·6	35·4	15·2	10	7	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	16·3	5·4	.	3	1	...	...	...	...	...	..	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	62	44	51·9	0·00	64	46	53·1	0·79	63	44	53·8	1·20
QUEENSTOWN, ...	8,209	14·7	12·7	6·4	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	64	43	53·5	0·02	66	46	55·8	0·15	62	50	56·0	1·18
ARMAGH. ...	7,356	21·8	14·2	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54	63·2	37·0	52·7	1·30

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area; of the 9 deaths one was from diphtheria (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of September, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	1	2	.	1	1	.	.	2	1	3	1	.	3	1	.	1	17	.
Tuberculous Disease. — Other Forms,	.	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	4	1
Cancer,	.	1	.	1	.		.	1	1	1	.	.	.	.	.	.	5	1
Diseases of Nervous System,	1	3	.	1	.	.	.	.	1	1	3	.	2	1	1	1	15	.
" Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	.	2	2	.	1	.	1	.	1	1	.	1	1	1	.	11	.
" Respiratory System. — Pneumonia,	1	1	1	2	.	.	.	1	.	.	1	.	.	.	.	1	8	.
" Respiratory System. — Others,	1	2	.	1	.	.	.	3	1	.	1	.	.	.	.	1	10	1
" Digestive System. — Diarrhœa and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
" Digestive System. — *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	2	.	.	1	.	1	1	1	1	.	.	.	.	.	1	8	2
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	1	3	.	.	.	2	1	1	2	.	1	.	1	.	14	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes,	.	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	7	1
Deaths from All Causes	5	20	5	12	2	1	1	13	7	10	13	.	9	5	5	5	113	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	8·8	25·7	9·4	17·9	19·3	3·9	4·9	16·9	19·9	12·2	20·4	.	12·2	8·8	28·6	15·4	14·7	.
	14·8							15·6					13·3					
	15·1																	
Ages at Death. — Under 1 year,	1	5	1	2	.	.	.	2	2	2	3	.	1	.	1	1	21	.
1 and under 2 years,	.	2	1	1	.	.	.	1	.	.	1	.	.	1	.	1	8	1
2 " 5 "	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
5 " 15 "	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	1
15 " 25 "	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	1	5	1
25 " 45 "	1	2	.	2	1	1	.	5	1	4	3	.	1	1	1	1	24	2
45 " 65 "	1	5	2	4	.	.	.	4	2	1	2	.	1	2	.	.	24	2
65 and upwards,	1	4	.	3	1	.	1	.	1	3	3	.	4	1	3	1	26	2
Number of Uncertified Deaths,	.	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	2	2	1	.	.	3	.	2	3	.	1	4	.	1	25	7
Workhouse Hospitals,	1	7	.	3	.	.	.	1	3	5	5	.	.	.	1	.	26	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1902–1911.	In the Week ending Saturday, 14th September, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Sept. 16, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 52·5	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·9	° 52·4	° 51·1										
ALL CAUSES.	142	146	134	123	220	137	169	136	153	189	154·9	122	11	10	9	2	4	6	26	26	19	9
Enteric Fever, ...	3	3	2	1	.	2	1	2	1	2	1·7	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	1	.	.	.	1	6	1	.	1	1·6	1	.	.	.	.	1	.	.	.	.	.
Scarlet Fever, ...	.	1	.	1	1	.	.	.	2	1	·6	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	.	6	.	.	1	1	2	2	2	3	1·7	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	2	1	2	.	1	2	.	1	2	3	1·4	2	.	.	1	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	1	.	1	2	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	2	1	.	.	.	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	1	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	14	22	11	15	20	18	21	22	15	19	17·7	17	.	.	.	.	.	3	11	3	.	.
Tuberculous Meningitis, ...	4	3	5	3	4	1	1	2	3	2	2·8	2	.	.	1	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	.	2	6	1	1	.	.	2	3	2	1·7	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	5	6	7	8	6	5	8	4	3	.	5·5	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	.	.	.	.	.	1	.	.	.
Venereal Diseases, ...	1	.	3	1	2	.	2	.	.	.	·9	1	1	.	.	.	.	.	.	.	.	.
Cancer, ...	4	5	8	4	11	9	7	6	7	10	7·1	6	.	.	.	.	.	.	.	2	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	1	1	.	1	.	.	1	·5	2	.	.	.	.	.	1	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	.	1	.	3	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		1	.	.	.	.	.	1	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										4		5	.	.	.	.	.	.	.	1	4	.
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	1	.	.
Paralysis, without specified cause.										1		2	.	.	.	.	.	.	.	1	.	1
Epilepsy, ...										.		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),										5		4	3	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	29	31	21	30	43	35	35	33	31	3	31·9	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										15		9	.	.	.	.	.	.	3	2	2	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	7	13	8	7	12	10	12	5	9	11	9·4	8	.	1	1	.	.	.	2	2	2	.
Broncho-pneumonia, ...	3	3	3	2	2	4	3	2	4	3	2·9	4	1	1	2	.	.	.	.	.	.	.
Lobar pneumonia, ...	1	.	.	1	2	2	1	1	2	2	1·2	1	.	.	1	.	.	.	.	.	.	.
Pneumonia (type not distinguished)	2	1	5	2	5	2	3	5	4	5	3·4	3	.	.	.	1	.	.	1	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	1	.	3	1	3	3	1	.	1·6	1	.	.	.	.	1	.	.	.	.	.
Other Diseases of Respiratory System.										1		2	1	.	.	.	.	.	.	1	.	.

THIRTY-SEVENTH WEEK ending Saturday, 14th September, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 37th Week of the 10 years 1902–1911.	In the Week ending Saturday, 14th September, 1912.										
													Deaths of Persons of the Ages of									
	Sept. 13, 1902.	Sept. 19, 1903.	Sept. 17, 1904.	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Sept. 16, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 52·5	° 47·9	° 55·9	° 51·1	° 52·4	° 57·5	° 53·0	° 49·0	° 52·0	° 52·9	° 52·4	° 51·1										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	.	1	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	20	10	17	13	58	15	27	11	26	46	24·6	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		2	.	.	.	1	.	.	1	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	5	.	.	.	.	.	.	.	1	2	2
Cirrhosis of Liver, ...	2	.	1	.	2	.	1	4	3	1	2·3	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	.	2	1	.	.	.	1	1	4		1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	1	.	.	.	.	.	2	.	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Digestive System.	3	5	8	9	7	6	9	3	5	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	1	3	7	5	7	7	6	3	6	.	5·1	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										3		4	.	.	.	.	.	.	.	3	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										1		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	2	.	1	.	1	.	.	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	1	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	4	4	2	4	3	2	4	6	2	3·3	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	8	5	1	3	3	1	3	4	3	5	3·6	3	.	.	.	.	.	.	.	.	3	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	2	1	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	1	1	.	.	2	.	·5	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	.	2	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	.	1	4	.	1	3	2	4	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	4	1	2	4	2	2	3	3	6	2	2·9	.	.	.	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	1	.	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	2	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	4	—	8	1	.	.	.	.	.	2	2	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered.	210	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203
Average Births in corresponding week of previous 10 years, ...	219	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208
DEATHS registered, ...	203	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122
Annual Death-rate per 1,000, ...	26·0	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9
Average Deaths in corresponding week of previous 10 years, ...	197	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155
Ages, Under 5 years, ...	76	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32
5—15 „ ...	3	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4
15—25 „ ...	14	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6
25—45 „ ...	24	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26
45—65 „ ...	41	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26
65—75 „ ...	29	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19
75 and upwards, ...	16	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9
Deaths from :—																										
Enteric Fever, ...	1	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	6	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1
Scarlet Fever, ...	2	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1
Whooping-cough, ...	.	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1
Diphtheria, ...	3	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2
Influenza, ...	1	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	30	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17
Tuberculous Disease, Other Forms,	4	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5
Cancer, ...	4	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6
Diseases of Circulatory System,	21	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11
Diseases of Respiratory System, Pneumonia,	22	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8
Diseases of Respiratory System, Others, ...	42	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11
Diarrhœa and *Enteritis*, under 2 years, ...	2	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2
Diarrhœa, 2 years and upwards,	.	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2
Violent Deaths, ...	1	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.
Number of Uncertified Deaths,	5	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4
Mean Temperature of the Air (Phœnix Park)	40·8	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1
Average Mean Temperature in corresponding week of previous 10 years, ...	42·8	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4
Rainfall in inches, ...	·620	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th September, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	122	32	4	6	26	26	19	9	.	.	.	1	1	1	2	.	17	5	6	4	8	11	2	2	.	62	4
	CLASSES. **Deaths in Families of the—**																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	12·6	21	3	2	.	4	5	3	4	.	.	.	.	1	.	1	.	3	.	2	.	1	.	1	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	9·0	19	5	.	1	5	7	.	1	.	.	.	.	.	.	1	.	5	.	2	.	3	4	.	.	.	4	1
IV.	GENERAL SERVICE CLASS, ...	154,279	16·9	50	17	2	4	11	8	6	2	.	.	.	1	.	1	.	.	5	3	2	4	4	2	.	2	.	26	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	6	.	1	5	6	8	2	.	.	.	.	.	.	.	.	4	2	.	.	.	5	1	.	.	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	11·8	5	1	.	.	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
	6. Clerks and Commercial Assistants, ...	30,432	13·7	8	1	1	.	2	.	3	.	.	.	.	.	1	.	.	.	2	.	1	.	.	.	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	1	1	.	.	2	.	3	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	1	1
	10. Clothing Trades, ...	23,260	4·5	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	9,242	16·9	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	10·3	6	3	.	.	1	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	3	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	5·7	4	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	2	.	1	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	21·5	37	12	2	1	10	6	5	1	.	.	.	1	.	1	.	.	3	2	2	3	2	1	.	2	.	20	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	6,024	—	28	6	.	1	5	6	8	2	.	.	.	.	.	.	.	.	4	2	.	.	.	5	1	.	.	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	July 27,	13·9	1·7	8	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.	.
	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
	„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
	„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	July 27,	15·6	.	12	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	1
	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
	„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
	„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
	„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
	„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
	Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
	„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	July 27,	18·6	5·1	11	.	.	.	1	.	1	.	.	1	.	.	.	1	1	.	.	.
	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
	„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
	„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
	„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
	„ 31,	20·6	1·6	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
	Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
	„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	July 27,	15·5	4·6	10	.	.	.	1	.	.	1	.	1	.	.	2	.	1	.	.	.
	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
	„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
	„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
	„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	July 27,	22·5	3·8	18	.	.	.	2	.	.	.	.	3	1	.	.	2	1	.	.	3
	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
	„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
	„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
	„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
	„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
	Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	July 27,	11·9	2·4	5	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.
	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
	„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
	Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
	„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	July 27,	13·2	2·4	11	.	.	.	1	.	.	.	.	3	1	.	.	.	1	.	1	1
	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
	„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
	„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
	„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
	„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
	Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
	„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	July 27,	18·8	5·8	13	.	.	.	1	.	.	1	.	1	.	2	1	1	2	.	.	1
	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
	„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
	„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
	„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
	„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
	Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population according to the Census of 1911 (unrevised figures); for the remaining weeks, the rates for the Dublin districts, Belfast population according to the Census

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	July 27,	9·4	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	1
	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Pop. in 1912 (Est.) 38,495.	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
Pembroke Urban District.	July 27,	17·6	3·5	10	1	.	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.
	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
Pop. in 1912 (Est.) 29,731.	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Kingstown Urban District.	July 27,	12·1	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Pop. in 1911 16,941.	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Belfast.	July 27,	15·6	0·5	117	.	.	.	1	1	1	1	.	15	3	11	2	9	.	.	3	2
	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
Pop. in 1912 (Est.) 391,974.	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
Cork.	July 27,	13·6	0·7	20	.	.	.	.	.	1	.	.	1	.	1	1	3	.	.	1	1
	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
Pop. in 1911 76,673.	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1 4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
Londonderry.	July 27,	8·9	1·3	7	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	.
	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Pop. in 1912 (Est.) 40,891.	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
Limerick.	July 27,	16·3	2·7	12	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	1
	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
Pop. in 1911 38,518.	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
Waterford.	July 27,	17·1	.	9	.	.	.	.	.	.	.	.	1	2	.	1	.	.	.	.	.
	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
Pop. in 1911 27,464.	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the
and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures); those for the other districts on the
of 1911 revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th September, 1912. Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	1	3·3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Do. 2 do.	49,500	21	14·7	1·1	14	.	1	3	2	4	4	.	.	.	.	.	.	1	.	2	.	1	.	1	.	.	.	1	3	1
Do. 3 do.	50,032	22	7·3	2·1	7	2	1	.	1	1	2	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.	.	.	1	.
Do 4 do.	32,637	27	22·4	1·6	14	2	1	1	.	4	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	2	7	1
Do. 5 do.	16,112	10	25·9	.	8	.	.	2	2	3	1	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	.	3	.
Do. 6 do.	37,293	15	11·2	1·4	8	2	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Do. 7 do.	2,681	.	19·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	8	4·3	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	8	9·0	.	5	.	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
Do. 11 do.	39,311	18	15·9	.	12	4	1	.	.	4	3	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	1	1
Do. 12 do.	38,076	21	6·8	1·4	5	1	.	2	1	.	1	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	.	2	.
Do. 13 do.	23,233	12	13·5	.	6	1	.	1	.	3	1	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	13	23·0	.	10	1	.	1	3	2	3	.	.	.	.	.	.	.	.	2	1	.	1	2	.	.	.	.	5	.
Total,	386,947	179	12·6	0·8	95	15	5	12	12	27	24	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	4	25	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	6	19·4	.	5	1	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Do 2 do.	10,399	7	15·0	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Do 3 do.	9,793	10	10·6	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do 4 do.	9,139	7	11·4	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,250	4	25·0	.	3	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.
Do 6 do.	11,581	6	9·0	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do. 7 do.	16,056	4	16·2	.	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Total,	76,673	44	15·0	.	22	6	.	.	5	6	5	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1	9	1

* See note (†) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered, ...	268	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179
DEATHS registered, ...	141	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95
Annual Death rate per 1,000 of estimated population, ...	18·8	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6
AGES, Under 1 year, ...	25	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15
1—5 years, ...	21	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5
5—25 „ ...	16	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12
25—45 „ ...	24	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12
45—65 „ ...	18	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27
65 and upwards, ...	37	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.
Scarlet Fever, ...	1	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1
Whooping-cough, ...	4	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.
Diphtheria, ...	.	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	21	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15
Tuberculous Disease. Other Forms,	8	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2
Cancer, ...	4	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4
Diseases of Respiratory System, Pneumonia,	24	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5
Diseases of Respiratory System, Others, ...	21	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6
Diarrhœa, and *Enteritis*, under 2 years, ...	1	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4
Diarrhœa, 2 years and upwards,	.	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.
Violent Deaths, ...	3	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2
Number of Uncertified Deaths, ...	3	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Sept. 14,	2,120	984	11·4	3	.	16	2	14	10	43*a*
Edinburgh, ...	321,200	„ 14,	120	71	11·5	.	.	.	.	1	.	.
Glasgow, ...	785,600	„ 14,	437	191	12·7	.	.	.	.	2	5	9
Calcutta, ...	896,067	Aug. 10,	.	432	25·0	48*	.	.	.	1	.	70‡
Bombay, ...	979,445	„ 10,	378	764	40·6	73*	3	1	1	.	.	178‡
Madras, ...	518,660	„ 17,	431	461	46·2	82*	1	2	?	?	?	135‡
Cairo, ...	699,228	June 24,	543	670	50·0	4	1	26	1	.	2	235
Paris, ...	2,847,229	Aug. 17,	863	717	12·9	3	.	4	1	8	4†	58*a*
Brussels, ...	745,380	„ 24,	255	178	12·4	.	.	4	1	.	.	30
Antwerp, ...	308,618	„ 24,	.	.	.	.	.	.	.	.	.	.
Amsterdam, ...	583,380	„ 24,	253	107	9·6	1	.	3	.	3	.	2*a*
Copenhagen, ...	465,000	„ 24,	249	133	14·9	.	.	.	.	.	1†	6*a*
Stockholm, ...	346,599	„ 24,	136	79	11·9	.	.	.	.	.	1	1*a*
Christiania, ...	247,488	„ 31,	94	44	9·2	.	.	.	.	.	1†	.
St. Petersburg, ...	1,664,000	„ 10,	708	924	29·0	33	3	25	5	8	2†	302
Moscow, ...	1,617,157	„ 10,	.	1,084	35·0	5	.	12	6	8	11†	526
Berlin, ...	2,079,672	„ 10,	.	530	13·3	2	.	9	4	8	8†	88
Hamburg, ...	953,079	„ 24,	.	219	11·9	1	.	4	.	4	8†	21*a*
Breslau, ...	529,030	„ 24,	.	177	17·4	.	.	.	1	3	1	31
Munich, ...	615,000	„ 31,	.	170	14·4	.	.	1	.	.	1†	10
Vienna (with suburbs),	2,081,335	„ 24,	613	519	13·0	.	.	3	1	3	3†	39*a*
Buda-Pesth, ...	910,548	„ 24,	424	314	17·9	2	.	1	10	.	2†	39*a*
Prague and Faubourgs,	484,301	„ 17,	157	136	14·6	2	.	.	1	1	1†	8
Trieste, ...	235,999	„ 24,	130	94	20·8	4	.	.	.	.	.	18*a*
Rome, ...	566,453	May 25,	221	174	11·0	1	.	9	2	3	1	12
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	July 13,	2,770	1,390	18·2	7	.	18	8	13	20†	138*a*
Philadelphia, ...	1,606,105	„ 27,	.	416	13·5	4	.	.	1	2	1	65*a*
Boston, ...	720,031	Aug. 31,	.	192	13·9	5	.	1	.	2	.	39

* Deaths from "fever," including 5 deaths from enteric fever and 5 from plague in Calcutta, 5 from enteric fever, and 6 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, 62 in Bombay, and 11 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th September, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	2	.	.	.	.	3
" " 1, West, ...	.	.	.	.	1	.	.	2	1	.	.	1	5
" " 2, ...	.	1	.	.	1	.	.	.	.	.	.	6	8
" " 3, ...	.	4	.	.	.	.	.	.	1	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	1	.	.	.	.	2
South City No. 1, ...	.	3	.	.	.	.	.	1	6	.	.	3	13
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 3, ...	.	.	.	.	1	.	.	1	1	.	.	.	3
" " 4, ...	.	2	.	.	.	.	.	3	.	.	.	.	5
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
Total, ...	.	12	.	.	4	.	.	11	9	.	.	13	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th September, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th September.			
	Aug. 24.	Aug 31.	Sept. 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	22	24	31	13	4	.	40
Typhus, ...	1	1	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	32	20	19	1	8	2	10
Scarlet Fever, ...	119	145	128	16	18	1	125*
Diphtheria, ...	42	47	45	7	12	1	39
Pneumonia, ...	16	12	13	6	1	1	17

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 14th September, 1912:—

"Very favourable weather prevailed in Ireland all through this week. On the east coast of England, on the contrary, it was unsettled, stormy and rainy until Friday. This contrast was brought about by a cyclonic distribution of atmospheric pressure over Scandinavia and the North Sea, whereas an anticyclone of considerable size and staying power spread slowly over Ireland from the Atlantic. The latter system was formed by the coalescence on Sunday of two separate areas of high pressure, of which one spread southeastwards from Iceland while the other travelled slowly northwards from the Mid-Atlantic. Light misty showers fell on Sunday evening, when the wind veered from W. to N.W. in Dublin. From this time onward to Friday cold northerly winds and fine dry weather held in Ireland, but a large and rather deep depression, spreading southwestwards from the Gulf of Bothnia to Denmark and the North Sea, threw the weather into a very unsettled, inclement state on the east coast of Great Britain. The wind rose to gale-force at Spurn Head from N.W. or N., and rain fell at Yarmouth to the large amount of 1·22 inches up to 7 a.m. of Thursday. Accompanying the fine dry weather in Ireland were very low night temperatures—especially on the early morning of Wednesday when the screened thermometer sank to 37° at Birr Castle and 41° at Valentia, Co. Kerry. In the course of Wednesday night again a minimum of 35° was recorded at the former station. During the following day, however, temperature rose to 62° at Birr Castle—a reading which was recorded also in Dublin on Friday owing to bright sunshine and a westerly wind. At this time a large though not deep depression, lying on and within the Arctic Circle, affected the weather in Scotland and later in Ireland also, so that Saturday was dull with W. winds and misty showers. In Dublin the mean height of the barometer was 30·352 inches, the observed range of pressure being from 30·196 inches at 9 a.m. of Sunday (wind, W.) to 30·479 inches at 9 p.m. of Thursday (wind, calm). The corrected mean temperature was 52·9°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 52·0°. On Sunday the screened thermometers rose to 64·1°, on Friday they fell to 43·3°. N. and N.W. winds prevailed. There was no measurable rainfall, light showers on Sunday evening and Saturday morning yielding only ·003 inch in the gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·366 inches. The highest reading (30·485) was on Thursday at 9 p.m., air calm, the lowest (30·212) on Sunday at 9 a.m., wind W.S.W.

The mean temperature for the week was 51·1°, being 1·3° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Sunday, on which day the thermometer registered 64°, and was lowest on Friday, the mercury having fallen to 37°. The mean of the Dry Bulb for the week was 50·8° and of the Wet Bulb, 48·6°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 52·4°, the maximum 67·0°, and the minimum 43·2°; at Glasgow the maximum was 62·1°, the minimum 36·1°, and the mean 52·3°; and at Edinburgh the maximum was 63·0°, the minimum 36·9°, and the mean 49·2°. The rainfall at Greenwich measured 0·02 in.; and at Edinburgh 0·04 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 8,	30·220	64	55	59·5	56·9	55·2	·89	·4	0·1	·000	W.S.W.	Calm.
Monday, „ 9,	30·345	56	39	47·5	48·6	45·5	·80	·4	5·3	·000	Calm.	Calm.
Tuesday, „ 10,	30·320	53	42	47·5	47·9	44·5	·76	·4	0·4	·000	N.	Calm.
Wednesday, „ 11,	30·335	56	44	50·0	47·7	45·4	·85	·3	1·2	·000	N.N.W.	Calm.
Thursday, „ 12,	30·485	58	39	48·5	46·1	44·6	·91	·1	4·3	·000	Calm	Calm.
Friday, „ 13,	30·475	63	37	50·0	53·5	51·2	·86	·5	10·5	·000	Calm.	W.
Saturday, „ 14,	30·380	61	49	55·0	55·1	53·6	·91	·3	0·0	·000	W.S.W.	Calm.
Mean, ...	30·366	58·7	43·6	51·1	50·8	48·6	·85	·3	Total 21·8	Total ·000	—	

Sunday—Day overcast; night overcast. *Monday*—Day cloudy, fine; night cloudy. *Tuesday*—A dull day; night cloudy. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—A fine day, cloudy at intervals; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—Day overcast; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 14th September, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 8,	58·7	56·0	55·3	64·1	55·3	59·7	0·25	0·0
Monday, „ 9,	51·8	56·0	55·3	59·0	48·1	53·5	5·6	0·0
Tuesday, „ 10,	52·3	55·1	55·1	54·5	43·0	48·7	1·0	0·0
Wednesday, „ 11,	54·7	55·1	55·0	57·0	45·0	51·0	2·78	0·0
Thursday, „ 12,	54·8	53·9	55·0	58·0	42·1	50·0	4·98	0·0
Friday, „ 13,	57·7	54·8	55·0	63·0	43·0	53·0	9·5	0·0
Saturday, „ 14,	56·2	55·0	55·0	61·6	48·5	55·0	0·21	0·0
Weekly Mean, .	55·2	55·1	55·1	59·6	46·4	53·0	Total 24·32	Total 0·0

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031 Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 21ST SEPTEMBER, 1912. [No. 38.

General Register Office, Charlemont House,
Dublin, 23rd September, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Aug. 31	Sept. 7	Sept. 14	Sept. 21	Average Rate for 4 weeks.
22 Town Districts, ...	**14·9**	**13·0**	**14·2**	**14·7**	**14·2**
Armagh	14·2	7·1	.	.	5·3
Ballymena	13·7	18·3	27·5	9·2	17·2
Belfast	12·4	10·9	12·6	12·8	12·2
Clonmel	30·6	5·1	.	15·3	12·8
Cork	17·0	12·9	15·0	15·6	15·1
Drogheda	4·2	8·3	4·2	4·2	5·2
Dublin Reg. Area ...	15·2	15·0	14·7	16·6	15·4
Dundalk	15·9	11·9	23·8	27·8	19·8
Galway	35·4	11·8	27·5	11·8	21·6
Kilkenny	9·9	14·9	9·9	19·8	13·6
Limerick	29·8	20·3	10·8	14·9	18·9
Lisburn	16·8	12·6	21·0	16·8	16·8
Londonderry	21·7	11·5	17·9	11·5	15·6
Lurgan	12·5	16·6	8·3	12·5	12·5
Newry	4·4	4·4	13·1	17·4	9·8
Newtownards	5·4	5·4	5·4	10·9	6·8
Portadown	13·3	17·8	13·3	13·3	14·4
Queenstown	31·8	.	6·4	25·4	15·9
Sligo	4·7	4·7	23·4	28·0	15·2
Tralee	.	15·2	35·4	15·2	16·4
Waterford	17·1	22·8	20·9	13·3	18·5
Wexford	9·0	9·0	13·6	13·6	11.3

The deaths from certain epidemic diseases‡ registered as appertaining to the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·9 in Dundalk, the 7 deaths from all causes for that district including one from diphtheria and one from diarrhœa and *enteritis* of a child under 2 years Among the 96 deaths from all causes for Belfast are one from enteric fever, 4 from scarlet fever, and 4 from diarrhœa and *enteritis* of children under 2 years. Included in the 23 deaths from all causes for Cork is one from scarlet fever; and of the 2 deaths from all causes for Ballymena one is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 217—116 boys and 101 girls—and the deaths to 134—65 males and 69 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·6 per 1,000 of the population. During the thirty-eight weeks ending with Saturday last the death-rate averaged 21·0, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (*a*) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 134, represent an annual rate of 17·4 per 1,000 ; the annual rate for the past thirty-eight weeks was 22·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

The total deaths (134) include one from enteric fever, 3 from measles, one from scarlet fever, 4 from whooping-cough, one from influenza, and 3 from diarrhœa and *enteritis* of children under 2 years of age.

In the 3 weeks preceding deaths from enteric fever were 0, 0, and 0 ; deaths from measles were 2, 0, and one ; deaths from scarlet fever were 2, 0, and one ; deaths from whooping-cough were 4, 3, and one ; deaths from influenza were one, 2, and 0 ; and deaths from diarrhœa and *enteritis* of children were 6, 8, and 2.

Tuberculous disease caused 13 deaths, comprising 7 from pulmonary tuberculosis, and 2 from each of tuberculous meningitis, abdominal tuberculosis, and disseminated tuberculosis. In the 3 weeks preceding deaths from tuberculous disease numbered 18, 23, and 22 respectively.

Pneumonia caused 13 deaths, comprising 5 from broncho-pneumonia, one from lobar pneumonia, and 7 from *pneumonia* (type not distinguished).

The deaths of 6 persons were assigned to cancer.

Convulsions caused the deaths of 6 infants.

Organic diseases of the heart caused 13 deaths, and bronchitis 7 deaths.

The deaths of 6 infants were ascribed to premature birth, and congenital debility caused one death.

There were 4 deaths by accidental violence, including 2 from burns or scalds, one by suffocation in bed of an infant, and one on a railway.

One death by suicide was recorded.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the death of an infant under one year of age, and the death of a female aged 73 years.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 10 were under one month old) and 30 were aged 65 years and upwards, including 19 persons aged 70 and upwards ; among the latter were 10 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 93 years respectively.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 6 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·6 per 1,000 ; the rate in the City was 17·9 (North City Districts, 15·7 ; South, 20·3) and in the Suburbs, 12·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 2·6, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·6 per 1,000, and include one from scarlet fever, 2 from *pneumonia*, one from diarrhœa and *enteritis* under 2 years of age, and one from accidental suffocation of an infant.

No. 1 *North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·8 per 1,000. Enteric fever caused one death, whooping-cough one death, broncho-pneumonia one death, lobar pneumonia one death, bronchitis one death, and there were 2 deaths from diarrhœa and *enteritis*.

No. 2 *North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·0 per 1,000, and include one death from tuberculous meningitis, one from broncho-pneumonia, one from *pneumonia*, and one by suicide.

No. 3 *North City District* (Benburb-street).—The deaths (10) represent an annual rate of 14·9 per 1,000. Of the total, measles, whooping-cough, *pneumonia*, and bronchitis each caused one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·6 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 0·0.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·5 per 1,000, and include one from measles, 2 from disseminated tuberculosis, one from broncho-pneumonia, one from *pneumonia*, one from bronchitis, and one by accidental scalds.

No. 2 *South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. The total includes one from each of pulmonary tuberculosis, broncho-pneumonia, and *pneumonia*.

No. 3 *South City District* (Peter-street).—The deaths (27) are equal to an annual rate of 32·9 per 1,000. Whooping-cough caused 2 deaths, tuberculous disease 4 deaths, *pneumonia* one death, bronchitis 3 deaths, and there was one death by a railway accident.

No. 4 *South City District* (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000, and include one from measles and one from bronchitis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·4 per 1,000, and was from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·5 ; Pembroke, 14·0 ; Blackrock, 11·4 ; and Kingstown, 18·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 7 deaths from all causes for Rathmines and Rathgar are 3 from pulmonary tuberculosis. One of the 2 deaths for Blackrock is from influenza ; and of the 6 deaths from all causes for Kingstown one is from broncho-pneumonia.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 21st September, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Aug. 31,	.	—	—	13	.	.	12	.	.	4	7	.	—	—	.	—	12	—	48
	Sept. 7,	.	—	—	20	.	.	5	.	6	8	3	.	—	—	.	—	10	—	52
	Sept. 14,	.	—	—	12	.	.	4	.	.	11	9	.	—	—	.	—	13	—	49
	Sept. 21,	.	—	—	21	3	.	4	.	2	13	2	.	—	—	.	—	8	—	53
Rathmines and Rathgar Urban District.	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 14,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Sept. 21,	.	—	—	.	.	.	2	.	.	3	2	.	—	—	—	—	—	—	7
Pembroke Urban District.	Aug. 31,	.	2	1	3	.	.	.	.	.	.	.	.	—	5	—	—	.	—	11
	Sept. 7,	.	1	.	.	.	.	.	.	.	1	.	.	—	4	—	—	.	—	6
	Sept. 14,	.	2	.	.	.	.	1	.	.	.	.	.	—	2	—	—	.	—	5
	Sept. 21,	.	2	.	3	.	.	1	.	.	.	.	.	—	1	—	—	.	—	7
Blackrock Urban District.	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Aug. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Sept. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Sept. 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	—	3
City of Belfast.	Aug. 31,	.	—	—	20	.	.	6	.	1	1	8	.	—	—	.	—	8	.	44
	Sept. 7,	.	—	—	33	.	.	9	1	.	1	3	.	—	—	—	—	10	.	57
	Sept. 14,	.	—	—	21	.	.	7	.	.	1	4	.	—	—	.	—	10	—	43
	Sept. 21,	.	—	—	45	.	.	3	1	.	.	4	.	—	—	.	—	5	.	58

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st September, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eleven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 48 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 24, 31, and 40.

One case of typhus was admitted to hospital during the week, and remained under treatment at its close.

One case of measles was admitted to hospital during the week, 5 were discharged, and 6 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 20, 19, and 10 respectively.

Twenty-seven cases of scarlet fever were admitted to hospital, 26 were discharged, there was one death, and 125* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 145, 128, and 125, respectively.

Six cases of diphtheria were admitted to hospital during the week, and 8 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 47, 45, and 39 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 12·2), was equal to an average annual death-rate of 11·6 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 13·8, and for Edinburgh 16·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st September. From this Report it appears that of a total of 52 cases notified, 18 were diphtheria, 16 phthisis, 10 scarlet fever, 5 erysipelas, 2 enteric fever, and one cerebro-spinal fever. Among the 230 cases of infectious diseases in hospital at the close of the week were 77 cases of scarlet fever, 66 of phthisis, 49 of diphtheria, 14 of whooping-cough, 10 of erysipelas, 4 of enteric fever, 3 of measles, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 21st September, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 21st September, 1912. Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 21st September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·9	14·7	1·2	552	326	56	85	2	...	...	3	6	5	1	...	30	10	14	22	29	9	1	8	13	113	21	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	400,865	29·2	28·2	16·6	1·6	217	128	24	30	1	...	...	3	1	4	...	...	6	6	4	13	13	3	...	4	6	55	4	e 64	39	50·3	0·00	e 61	37	51·1	0·00	e 68	43	53·7	0·15
CITY OF DUBLIN,	306,573	38·8	31·3	17·9	2·0	184	105	21	21	1	...	...	3	1	4	...	...	3	6	3	12	10	3	...	4	5	52	3	f 62·2 g 65	46·9 41	53·7 52·3	0·01 0·01	f 64·1 g 63·8	43·3 40·0	52·9 52·4	0·00 0·00	f 68·8 g 68·9	46·1 45·0	54·9 54·6	0·10 0·09
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	13·5	9·5	.	10	7	...	3	...	...	...	...	...	...	...	...	3	...	...	...	1	.	...	...	1	2	...	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE, ...	29,731	18·9	22·8	14·0	.	13	8	3	2	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,125	8·4	17·1	11·4	.	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	21·5	18·5	.	7	6	...	2	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	...	62	46	54·3	0·00	65	43	53·2	0·00	69	47	55·7	0·05
Urban Districts. BELFAST ...	391,974	26·2	24·3	12·8	1·2	183	96	14	23	1	...	...	...	4	...	...	...	13	2	7	6	8	4	...	2	5	23	3	62	40	52·6	0·00	60	41	52·0	0·15	59·5	44·0	53·5	1·10
Urban Districts. CORK, ...	76,673	28·6	18·4	15·6	0·7	27	23	6	5	...	...	...	...	1	...	...	...	3	1	...	...	1	...	...	1	1	6	2	63	49	54·6	0·09	64	43	53·5	0·02	66	46	55·8	0·15
Urban Districts. LONDONDERRY...	40,891	15·9	17·9	11·5	.	14	9	...	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK, ...	38,518	16·1	17·6	14·9	1·4	13	11	1	3	...	...	...	...	...	...	...	...	2	...	...	...	2	...	1	...	...	6	1	65·8	40	51·2	0·00	61·9	34·5	50·8	0·00	68·8	45·1	56·5	0·39
Urban Districts. WATERFORD, ...	27,464	19·1	17·1	13·3	1·9	9	7	3	1	...	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	4	1	...	..	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY, ...	13,255	2·5	43·3	11·8	.	11	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	69	45	57	0·00	64	40	53	0·02	63	47	51	0·54
Urban Districts. DUNDALK, ...	13,128	9·5	27·8	27·8	7·9	7	7	2	2	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. DROGHEDA, ...	12,501	8·4	33·4	4·2	.	8	1	...	1	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWRY, ...	11,963	17·0	17·4	17·4	.	4	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	...	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54
Urban Districts. LURGAN, ...	12,553	14·7	20·8	12·5	.	5	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54
Urban Districts. LISBURN, ...	12,388	10·9	21·0	16·8	.	5	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54
Urban Districts. WEXFORD, ...	11,531	22·8	31·7	13·6	.	7	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3	13·7	9·2	4·6	3	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO, ...	11,163	3·8	28·0	28·0	.	6	6	...	1	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	1	2	65	38	53·0	0·00	63	35	50·0	0·20	67	46	52·0	1·07
Urban Districts. KILKENNY, ...	10,514	11·4	24·8	19·8	.	5	4	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2	65	43	53·0	0·00	65	38	50·4	0·02	68	46	55·2	0·11
Urban Districts. CLONMEL, ...	10,209	7·8	25·5	15·3	.	5	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PORTADOWN, ...	11,727	15·3	14·5	13·3	.	10	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54
Urban Districts. TRALEE, ...	10,300	17·4	20·2	15·2	..	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1	16·3	10·9	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	60	47	53·4	0·00	62	44	51·9	0·00	64	46	53·1	0·79
Urban Districts. QUEENSTOWN, ...	8,209	14·7	31·8	25·4	.	5	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	63	49	54·6	0·09	64	43	53·5	0·02	66	46	55·8	0·15
Urban Districts. ARMAGH, ...	7,356	21·8	7·1	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02	66·5	42·0	53·5	0·54

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of September, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	3	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	.	.	.	.	.	.	.	1	2	.	.	3	.	.	.	6	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	.	.	2	.	2	.	1	.	.	.	.	6	.
Cancer,	.	1	.	.	.		.	2	.	.	.	.	.	1	.	.	4	2
Diseases of Nervous System,	2	3	1	.	.	.	.	1	2	2	.	.	.	.	.	1	12	1
" Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	.	1	1	.	.	.	.	1	.	5	2	.	3	3	.	1	17	.
" Respiratory System. { Pneumonia,	2	2	2	1	.	.	.	2	2	1	.	.	.	.	.	1	13	.
" Respiratory System. { Others,	.	1	.	1	.	1	.	1	.	5	1	.	1	.	.	2	13	.
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	1	1	1	.	2	.	1	.	1	1	.	.	.	.	.	8	1
" Genito-urinary System,	.	2	.	2	.	.	.	.	1	1	.	.	.	.	.	.	6	.
Puerperal Septicæmia, etc.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	1	2	.	.	.	1	1	4	1	.	.	3	1	1	16	.
Violent Deaths,	1	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	4	1
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	1	.	1	.	.	.	1	.	.	5	.
Deaths from All Causes	10	17	9	10	.	3	.	15	7	27	6	1	7	8	2	6	128	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17·6	21·8	16·0	14·9	.	11·6	.	19·5	19·9	32·9	9·4	5·4	9·5	14·0	11·4	18·5	16·6	.
	15·7							20·3					12·7					
	17·9																	
Ages at Death. { Under 1 year,	3	5	2	1	.	1	.	2	2	5	.	.	.	3	.	.	24	.
1 and under 2 years,	1	1	1	.	.	.	.	3	.	3	.	.	.	.	.	.	9	.
2 " 5 "	2	1	1	1	.	.	.	1	.	1	1	.	.	.	.	2	10	.
5 " 15 "	.	1	.	.	.	.	.	1	.	1	.	1	.	1	.	.	5	1
15 " 25 "	.	1	1	.	.	.	.	.	.	2	.	.	1	.	.	.	5	.
25 " 45 "	1	2	1	2	.	.	.	1	4	5	.	.	.	1	.	1	18	3
45 " 65 "	2	3	2	3	.	1	.	1	1	6	3	.	3	1	.	1	27	2
65 and upwards,	1	3	1	3	.	1	.	6	.	4	2	.	3	2	2	2	30	.
Number of Uncertified Deaths,	.	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	6	1	.	1	.	5	1	7	1	1	1	.	.	.	31	6
Workhouse Hospitals,	1	3	1	2	.	.	.	4	1	8	2	.	1	.	.	1	24	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1902–1911.	In the Week ending Saturday, 21st September, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 52·9	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 50·4	° 52·2	° 46·7*	° 50·3										
ALL CAUSES.	168	165	194	137	201	145	153	157	174	183	167·7	134	10	14	9	10	6	5	21	29	20	10
Enteric Fever, ...	1	1	1	2	2	.	1	2	1	3	1·4	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	.	1	.	1	.	3	.	3	.	2·1	3	.	.	1	2	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	1	.	.	1	.	3	·7	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	1	.	4	1	1	1	1	.	1	3	1·3	4	.	3	.	.	1	.	.	.	.	.
Diphtheria, ...	4	1	.	.	.	2	.	2	3	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	.	.	.	.	.	1	.	1	.	·2	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	1	.	.	.	2	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	3	1	.	1	.	3	1	1	1·1	1	.	.	.	.	.	.	1	.	.	.
Tetanus, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	15	27	25	25	26	21	21	21	19	12	21·2	7	.	.	1	.	.	1	2	3	.	.
Tuberculous Meningitis, ...	1	2	4	2	5	6	6	3	3	.	3·2	2	.	.	.	1	1	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	3	3	.	2	.	.	.	1	1·1	2	.	1	1	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	4	8	6	7	4	3	6	5	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		2	.	.	1	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	1	.	2	3	1	1	1	.	·9	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	9	5	6	9	8	18	9	9	8·7	6	.	.	.	.	.	.	3	.	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	.	1	.	.	.
Rheumatic Fever, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	.	1	2	.	4	·9	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	3	1	.	.	1	1	.	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		2	.	.	.	.	.	.	.	1	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										5		6	3	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	31	38	38	30	44	29	34	24	32	1	33·1	4	.	.	.	.	.	.	1	2	1	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	.	1	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										12		13	.	.	.	.	1	1	2	3	3	3
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Circulatory System.										3		2	.	.	.	.	.	.	.	2	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	1	.	.	.	.	.	.
Bronchitis, ...	8	10	18	6	10	14	11	13	16	12	11·8	7	.	1	.	.	.	.	.	3	2	1
Broncho-pneumonia, ...	5	3	1	4	3	2	6	1	3	3	3·1	5	.	.	2	2	.	.	1	.	.	.
Lobar pneumonia, ...	.	.	.	.	.	.	1	1	.	1	·3	1	.	.	.	.	1	.	.	.	.	.
Pneumonia (type not distinguished)	2	9	5	1	4	4	5	2	1	.	3·3	7	.	.	.	1	.	.	4	1	1	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	.	.	1
Pulmonary Congestion, Pulmonary Apoplexy	4	1	2	.	.	.	2	5	4	.	1·8	2	.	.	.	.	.	.	.	2	.	.
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	2	.	.	.

* For nine years only.

THIRTY-EIGHTH WEEK ending Saturday, 21st September, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 38th Week of the 10 years 1902–1911.	In the Week ending Saturday, 21st September, 1912.											
													Deaths of Persons of the Ages of										
												Mean Temp.	0—5.										
	Sept. 20, 1902.	Sept. 26, 1903.	Sept. 24, 1904.	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 52·9	° —	° 52·6	° 51·3	° 51·9	° 57·2	° 55·7	° 52·0	° 50·4	° 52·2	° 46·7*	° 50·3											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	1	.	.	.	.	.	.	.	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	25	18	32	14	43	16	24	9	32	44	26·4	3	.	2	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										3		.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										4		1	.	.	.	1	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	3	.	.	.	.	.	.	.	2	1	.	.
Cirrhosis of Liver. ...	2	1	2	1	2	1	1	5	2	3	2·8	2	.	.	.	.	.	.	1	1	.	.	.
Other Diseases of Liver, ...	.	1	2	1	1	.	.	.	1	2		1	.	.	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	5	6	3	7	2	4	6	3	1	4·1	.	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	2	8	7	7	7	6	4	6	4	2	6·1	3	.	.	.	.	.	.	2	1	.	.	.
Chronic Bright's Disease, ...										6		2	.	.	.	.	.	.	1	1	.	.	.
Urinary Calculi, ...										1		.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		1	.	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	1	1	.	.	2	1	.	.	.	1	·6	1	.	.	.	.	.	1	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	3	.	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	2	.	1	.	.	.	.	.	1	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	8	6	6	5	5	4	4	7	3	5·0	6	6	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.	.
Old Age, ...	8	5	3	3	2	2	1	1	4	6	3·5	6	.	.	.	.	.	.	.	.	4	2	
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																							
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	2	1	.	1	1	1	2	·8	2	.	.	.	1	1	.	.	.	.	.	.
Drowning, ...	.	.	.	2	1	.	1	.	1	2	·7	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	1	.	.	2	.	·4	1	.	1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	1	2	.	2	3	2	1	2	3	1·8	1	.	.	.	.	.	1	.	.	.	.	.
Total Deaths from Accident,	2	1	2	4	5	4	4	2	6	7	3·7	4	.	1	.	1	1	1	.	.	.	.	.
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	.	.	.	1	·1	1	.	.	.	.	.	1	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	2	.	1	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	.	.	.	·1	1	.	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	5	.	.	1	.	.	.	.	1	1	2	

* For nine years only.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered.	227	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217
Average Births in corresponding week of previous 10 years, ...	232	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215
DEATHS registered, ...	236	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134
Annual Death-rate per 1,000, ...	30·3	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4
Average Deaths in corresponding week of previous 10 years, ...	197	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168
Ages, Under 5 years, ...	78	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43
5—15 " ...	18	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6
15—25 " ...	6	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5
25—45 " ...	35	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21
45—65 " ...	42	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29
65—75 " ...	32	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20
75 and upwards, ...	25	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10
Deaths from :—																										
Enteric Fever, ...	.	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3
Scarlet Fever, ...	1	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1
Whooping-cough, ...	2	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4
Diphtheria, ...	6	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.
Influenza, ...	2	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	15	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7
Tuberculous Disease, Other Forms,	14	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6
Cancer, ...	9	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6
Diseases of Circulatory System,	23	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17
Diseases of Respiratory System, Pneumonia,	36	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13
Diseases of Respiratory System, Others, ...	48	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13
Diarrhœa and *Enteritis*, under 2 years, ...	1	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3
Diarrhœa, 2 years and upwards,	.	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.
Violent Deaths, ...	5	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5
Number of Uncertified Deaths,	3	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4
Mean Temperature of the Air (Phœnix Park)	48·3	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3
Average Mean Temperature in corresponding week of previous 10 years, ...	43·2	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*
Rainfall in inches, ...	·345	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st September, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST SEPTEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	134	43	6	5	21	29	20	10	1	.	.	3	1	4	.	.	7	6	6	6	13	13	3	.	5	66	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	5	.	2	4	2	5	5	.	.	.	.	1	.	.	.	1	.	1	3	2	2	.	.	.	13	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	9·4	20	9	.	.	1	6	4	.	.	.	.	1	.	.	.	.	1	2	1	1	2	2	2	.	.	8	1
IV.	GENERAL SERVICE CLASS, ...	154,279	21·6	64	26	6	3	10	10	6	3	1	.	.	2	.	4	.	.	2	2	3	2	7	4	1	.	5	31	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	3	.	.	6	10	5	.	.	.	.	.	.	.	.	.	3	2	1	.	2	4	.	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	7·1	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	4	.	1	2	.	2	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.	.	.	.	4	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	1	.	1	1	.	1	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	7·0	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	4	.	.	1	3	1	.	.	.	.	1	.	.	.	.	1	1	.	.	1	1	.	.	.	4	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	7·1	5	2	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	4	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	6	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·0	50	20	6	2	8	9	4	1	1	.	.	2	.	4	.	.	2	2	2	2	6	3	.	.	4	22	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	24	3	.	.	6	10	5	.	.	.	.	.	.	.	.	.	3	2	1	.	2	4	.	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Aug. 3,	15·6	3·5	9	.	.	.	2	.	.	.	.	.	1	.	1	2	.	.	.	.
		„ 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
		„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
		„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
		Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
		„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Aug. 3,	29·9	3·9	23	.	.	.	2	.	.	.	.	3	1	2	.	.	1	.	1	1
		„ 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
		„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
		„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
		„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
		Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
		„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
		„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Aug. 3,	22·0	6·8	13	.	.	.	1	.	.	1	.	2	1	.	.	.	2	.	.	1
		„ 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
		„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
		„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
		„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
		Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
		„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
		„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Aug. 3,	18·6	3·1	12	.	.	.	1	1	.	.	.	3	.	1	.	1	.	.	1	.
		„ 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
		„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
		„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
		„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
		„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	1
		„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Aug. 3,	15·0	5·0	12	.	.	.	2	.	.	.	.	3	1	.	.	1	2	.	.	.
		„ 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
		„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
		„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
		„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
		Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
		„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Aug. 3,	11·9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
		„ 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
		„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
		„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
		„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
		Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
		„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
		„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Aug. 3,	22·8	6·0	19	.	.	.	.	.	.	.	.	2	2	.	.	3	5	.	.	1
		„ 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
		„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
		„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
		„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
		Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
		„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
		„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Aug. 3,	17·4	5·8	12	.	.	.	.	.	.	1	.	2	.	1	.	.	3	.	.	.
		„ 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
		„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
		„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
		„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
		Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
		„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
		„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population according to the Census of 1911 (unrevised figures); for the remaining weeks, the rates for the Dublin districts, Belfast population according to the Census

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Aug. 3,	16·1	2·7	12	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.	1
	„ 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Aug. 3,	22·8	3·5	13	.	.	.	.	.	.	1	.	.	.	4	.	.	1	.	1	.
	„ 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 3,	6·1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Aug. 3,	13·2	1·2	99	2	.	.	.	1	2	2	.	7	11	7	9	8	2	.	2	1
	„ 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
Cork. Pop. in 1911 76,673.	Aug. 3,	19·7	2·7	29	1	.	.	.	1	.	.	.	4	1	1	1	1	2	.	.	2
	„ 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1 4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
Londonderry. Pop. in 1912 (Est.) 40,891.	Aug. 3,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	1	.
	„ 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
Limerick. Pop. in 1911 38,518.	Aug. 3,	19·0	1·4	14	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	1
	„ 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
Waterford. Pop. in 1911 27,464.	Aug. 3,	9·5	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
	„ 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures); those for the other districts on the of 1911 revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st September, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.	DEATHS. Ages at Death.						Deaths from																		
			All Causes.	Certain Epidemic Diseases.*		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	29·6	.	9	3	.	2	.	2	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.
Do. 2 do.	49,500	25	9·5	2·1	9	4	1	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	1	1	2	.
Do. 3 do.	50,032	27	14·6	1·0	14	1	.	.	3	4	6	1	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	3	2
Do 4 do.	32,637	21	17·6	1·6	11	2	1	.	2	4	2	.	.	.	.	.	.	.	.	3	1	.	1	2	1	.	.	1	4	.
Do. 5 do.	16,112	10	16·2	3·2	5	3	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	1
Do. 6 do.	37,293	11	5·4	.	11	1	1	1	1	4	3	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	5	.
Do. 7 do.	2,681	1	19·4	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 do.	28,958	14	12·6	.	7	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.
Do. 11 do.	39,311	12	13·3	2·7	10	.	1	2	2	2	3	.	.	.	.	2	.	.	.	2	.	.	1	.	.	.	.	.	1	.
Do. 12 do.	38,076	27	16·4	2·7	12	.	3	4	1	3	1	.	.	.	.	2	.	.	.	1	.	.	1	1	.	.	1	3	6	.
Do. 13 do.	23,233	3	4·5	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	11·5	.	5	.	.	2	1	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1	.
Total,	386,947	183	12·8	1·2	96	14	9	14	12	24	23	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	5	23	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	15·5	.	4	1	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do 2 do.	10,399	3	10·0	5·0	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,793	8	31·9	.	6	2	1	.	1	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	1	.
Do 4 do.	9,139	1	5·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,250	.	16·7	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 6 do.	11,581	4	31·5	.	7	1	1	.	1	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	1
Do. 7 do.	16,056	7	3·2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Total,	76,673	27	15·6	0·7	23	6	3	1	3	5	5	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	1	6	2

* See note (‡) at foot of first page

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.
No. of weeks in Annual Series,	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
BIRTHS registered, ...	196	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183
DEATHS registered, ...	145	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96
Annual Death rate per 1,000 of estimated population, ...	19·3	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8
AGES, Under 1 year, ...	21	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14
1—5 years, ...	20	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9
5—25 ,, ...	17	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14
25—45 ,, ...	21	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12
45—65 ,, ...	35	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24
65 and upwards, ...	31	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1
Typhus, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.
Scarlet Fever, ...	.	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4
Whooping-cough, ...	10	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.
Diphtheria, ...	.	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13
Tuberculous Disease. Other Forms,	8	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2
Cancer, ...	6	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7
Diseases of Respiratory System, Pneumonia,	18	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6
Diseases of Respiratory System, Others, ...	30	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8
Diarrhœa, and *Enteritis*, under 2 years, ...	2	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4
Diarrhœa, 2 years and upwards,	.		.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.
Violent Deaths, ...	.	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2
Number of Uncertified Deaths, ...	3	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Sept. 21,	2,100	1,059	12·2	3	.	21	4	7	12	42*a*
Edinburgh, ...	321,200	„ 21,	111	103	16·7	.	.	.	.	1	.	1
Glasgow, ...	785,600	„ 21,	386	208	13·8	.	.	.	2	3	4	3
Calcutta, ...	896,067	Aug. 17,	.	396	22·9	60*	1	1	.	1	.	46‡
Bombay, ...	979,445	„ 17,	414	801	42·5	90*	3	1	.	.	.	168‡
Madras, ...	518,660	„ 24,	417	472	47·3	70*	1	2	?	?	?	174‡
Cairo, ...	699,228	July 1,	540	708	52·8	1	1	33	.	.	4	307
Paris, ...	2,847,229	Aug. 24,	894	680	12·2	3	.	3	2	4	4†	27*a*
		„ 31,	883	713	12·8	4	.	2	1	4	6†	37*a*
Brussels, ...	745,380	„ 31,	242	161	11·2	1	.	1	1	.	1†	17
Antwerp, ...	308,618	„ 24,	124	73	12·3	.	.	1	1	.	.	18*a*
		„ 31,	130	72	12·2	.	.	.	.	.	.	16*a*
Amsterdam, ...	583,380	„ 31,	296	112	12·4	.	.	7	.	2	2	5*a*
Copenhagen, ...	468,000	„ 31,	220	97	10·8	.	.	.	1	1	.	9*a*
Stockholm, ...	346,599	„ 31,	129	72	10·8	.	.	.	1	.	.	6*a*
Christiania, ...	247,488	Sept. 7,	108	55	11·6	.	.	.	1	.	.	2
St. Petersburg, ...	1,664,000	Aug. 17,	718	788	24·7	19	.	33	5	11	3†	215
Moscow, ...	1,617,157	„ 17,	.	912	29·4	6	.	7	8	8	8†	331
Berlin, ...	2,073,540	„ 17,	.	580	14·6	.	.	4	1	17	8†	87*a*
Hamburg, ...	953,079	„ 31,	.	238	13·0	.	.	.	1	4	7†	28*a*
Breslau, ...	529,617	„ 31,	.	166	16·3	.	.	.	1	3	.	18
Munich, ...	615,000	Sept. 7,	.	132	11·2	.	.	.	.	.	1†	7
Vienna (with suburbs),	2,081,335	Aug. 31,	697	503	12·6	1	.	1	1	2	5†	30*a*
Buda-Pesth, ...	910,548	„ 31,	442	314	17·9	.	.	.	14	2	3†	35*a*
Prague and Faubourgs,	484,301	„ 24,	178	157	16·9	1	.	.	.	.	.	7*a*
Trieste, ...	235,999	„ 31,	108	97	21·4	1	.	.	.	.	.	19*a*
Rome, ...	566,453	June 1,	226	203	18·7	1	.	3	1	2	3	21
		„ 8,	243	204	18·8	1	.	9	1	3	1	31
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	July 20,	2,577	1,309	13·2	14	.	10	4	6	14†	178*a*
		„ 27,	2,812	1,315	13·3	13	.	5	9	9	14†	187*a*
Philadelphia, ...	1,606,105	Aug. 3,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Sept. 7,	.	207	15·0	2	.	.	.	3	1	30

* Deaths from "fever," including 6 deaths from enteric fever and 7 from plague in Calcutta; 2 from enteric fever, and 14 from plague in Bombay.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, 33 in Bombay, and 45 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st September, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	1	.	.	.	.	3
" " 1, West, ...	.	4	.	.	1	.	.	3	.	.	.	.	8
" " 2, ...	.	2	.	.	.	.	.	1	.	.	.	3	6
" " 3, ...	.	4	.	.	.	.	2	3	1	.	.	1	11
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	1	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	4	.	.	.	.	.	2	.	.	.	1	7
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	3	.	.	1	.	.	.	.	.	.	1	5
" " 4, ...	.	1	3	.	1	.	.	3	.	.	.	1	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	21	3	.	4	.	2	13	2	.	.	8	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st September, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st September.			
	Aug. 31.	Sept. 7.	Sept. 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	24	31	40	11	3	.	48
Typhus, ...	1	1	.	1	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	20	19	10	1	5	.	6
Scarlet Fever, ...	145	128	125	27	26	1	125*
Diphtheria, ...	47	45	39	6	8	.	37
Pneumonia, ...	12	13	17	5	4	2	16

* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 21st September, 1912:—

"The most striking feature of this week, from a meteorological standpoint, was its anticyclonic weather. There was a complete reversal of the distribution of atmospheric pressure in September when compared with the previous month. During nearly the whole of August areas of high atmospheric pressure were found in the Greenland–Iceland region to the northward and between the Azores and the Peninsula to the southward, while a series of depressions passed in quick succession eastwards or northeastwards along the intervening trough or air-valley right across the British Islands. Hardly had September commenced when this distribution of pressure became reversed, so that from the 5th instant Ireland, at all events, has been continuously to the present date (21st) within the limits of an anticyclone of considerable intensity and unusual staying power. On the other hand, areas of low pressure have been found from time to time both away in the far northwest (Greenland–Iceland region), and near the Azores in the far southwest. As a result of these conditions fine, dry, but withal autumnal, weather has held in Ireland generally—Roche's Point, Cork, perhaps being an exception owing to a prevalence of wet fogs and drizzling showers. The amount of cloud was often large, but Dublin enjoyed many hours of sunshine on Sunday afternoon, Thursday and Saturday, and the evenings were starlight except on Monday and Friday. The prevailing winds were at first N.W., afterwards E. In Dublin the mean height of the barometer was 30·391 inches, the range being from 30·274 inches at 9 p.m. of Sunday (wind, N.W.) to 30·506 inches at 9 a.m. of Thursday (wind, E.). The corrected mean temperature was 53·7°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 53·0°. On Sunday the screened thermometers rose to 62·2°, on Friday they fell to 46·9°. Drizzling showers fell early on Tuesday morning, yielding a rainfall of ·010 inch, entered to Monday—the only 'rain-day'."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·404 inches. The highest reading (30·505) was on Thursday at 9 a.m., wind E., the lowest (30·289) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 50·3°, being 3·6° above the average for the corresponding period of the 9 years, 1902 and 1904–1911. The temperature* was highest on Sunday, on which day the thermometer registered 64°, and was lowest on Friday and Saturday, the mercury having fallen to 38°. The mean of the Dry Bulb for the week was 50·2° and of the Wet Bulb, 48·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 53·6°, the maximum 63·1°, and the minimum 41·1°; at Glasgow the maximum was 65·0°, the minimum 43·0°, and the mean 53·7°; and at Edinburgh the maximum was 64·6°, the minimum 44·1°, and the mean 53·4°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 15,	30·305	64	46	55·0	51·3	49·2	·88	·0	8·1	·000	Calm	Calm.
Monday, " 16,	30·305	59	45	52·0	53·6	52·5	·93	·0	0·0	·000	Calm.	Calm.
Tuesday, " 17,	30·390	58	44	51·0	48·9	48·5	·98	·0	0·0	·000	Calm.	Calm.
Wednesday, " 18,	30·485	60	41	50·5	48·9	47·3	·89	·0	6·3	·000	Calm.	Calm.
Thursday, " 19,	30·490	56	40	48·0	49·2	47·4	·88	·0	3·3	·000	E.	Calm.
Friday, " 20,	30·445	56	39	47·5	53·3	49·2	·74	·0	0·1	·000	E.	Calm.
Saturday, " 21,	30·410	57	39	48·0	45·9	44·3	·85	·2	12·0	·000	E.S.E.	Calm.
Mean, ...	30·404	58·6	42·0	50·3	50·2	48·3	·83	·0	Total 29·8	Total ·000	—	

Sunday—A beautiful bright day; night clear. *Monday*—Day overcast; night overcast. *Tuesday*—Day overcast; night clear. *Wednesday*—A fine bright day; night clear. *Thursday*—Day cloudy, fine; night clear. *Friday*—Day overcast; night overcast. *Saturday*—A beautiful bright day; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 21st September, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 15,	55·0	55·1	54·8	64·8	51·0	60·9	7·73	0·0
Monday, " 16,	54·8	55·0	54·6	60·2	46·6	53·4	0·26	0·0
Tuesday, " 17,	54·0	56·0	54·9	57·0	49·8	53·4	0·0	0·0
Wednesday, " 18,	55·7	55·0	54·9	60·6	46·3	53·4	5·6	0·0
Thursday, " 19,	56·0	55·0	54·9	56·9	45·0	50·9	5·8	0·0
Friday, " 20,	55·6	54·4	54·8	56·8	46·0	51·4	0·09	0·0
Saturday, " 21,	56·7	54·2	54·9	60·5	45·3	52·9	9·5	0·0
Weekly Mean, .	55·4	55·0	54·8	59·5	47·1	53·8	Total 28·98	Total 0·0

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031 Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1912. [No. 39.

General Register Office, Charlemont House, Dublin, 30th September, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 14·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 7	Sept. 14	Sept. 21	Sept. 28	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 7	Sept. 14	Sept. 21	Sept. 28	Average Rate for 4 weeks.
22 Town Districts, ...	**13·0**	**14·2**	**14·7**	**14·5**	**14·1**	Limerick	20·3	10·8	14·9	21·7	16·9
						Lisburn	12·6	21·0	16·8	12·6	15·7
Armagh	7·1	.	.	21·3	7·1	Londonderry	11·5	17·9	11·5	3·8	11·2
Ballymena	18·3	27·5	9·2	9·2	16·0	Lurgan	16·6	8·3	12·5	12·5	12·5
Belfast	10·9	12·6	12·8	14·0	12·6	Newry	4·4	13·1	17·4	8·7	10·9
Clonmel	5·1	.	15·3	5·1	6·4	Newtownards	5·4	5·4	10·9	21·8	10·9
Cork	12·9	15·0	15·6	12·9	14·1	Portadown	17·8	13·3	13·3	17·8	15·5
Drogheda	8·3	4·2	4·2	8·3	6·3	Queenstown	.	6·4	25·4	6·4	9·6
Dublin Reg. Area ...	15·0	14·7	16·6	17·2	15·9	Sligo	4·7	23·4	28·0	4·7	15·2
Dundalk	11·9	23·8	27·8	11·9	18·8	Tralee	15·2	35·4	15·2	10·1	19·0
Galway	11·8	27·5	11·8	11·8	15·7	Waterford	22·8	20·9	13·3	17·1	18·5
Kilkenny	14·9	9·9	19·8	.	11·2	Wexford	9·0	13·6	13·6	13·6	12·5

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·8 in Limerick, the 16 deaths from all causes for that district including 4 from measles, and one from whooping-cough. Among the 105 deaths from all causes for Belfast are two from scarlet fever, one from diphtheria, and 3 from diarrhœa and *enteritis* of children under 2 years. Of the 9 deaths from all causes for Waterford, 2 are from diarrhœa and *enteritis* under 2 years; and one of the 2 deaths from all causes for Ballymena is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 186—97 boys and 89 girls—and the deaths to 141—72 males and 69 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·2 per 1,000 of the population. During the thirty-nine weeks ending with Saturday last the death-rate averaged 20·9, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 141, represent an annual rate of 18·3 per 1,000; the annual rate for the past thirty-nine weeks was 22·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

The total deaths (141) include one from enteric fever, one from measles, 2 from scarlet fever, 2 from diphtheria, one from influenza, and 2 from diarrhœa and *enteritis* of children under 2 years.

In the 3 weeks preceding, deaths from enteric fever were 0, 0, and one; deaths from measles were 0, one, and 3; deaths from scarlet fever were 0, one, and one; deaths from diphtheria were 2, 2, and 0; deaths from influenza were 2, 0, and one; and deaths from diarrhœa and *enteritis* of children under 2 years were 8, 2, and 3.

Tuberculous disease, which in the 3 weeks preceding caused 23, 22, and 13 deaths respectively, in the week under notice caused 25 deaths, comprising 18 from pulmonary tuberculosis, one from each of tuberculous meningitis, abdominal tuberculosis, and tuberculosis of the vertebral column, and 4 from disseminated tuberculosis.

There were 9 deaths from pneumonia, of which 2 were from broncho-pneumonia, 2 from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

The deaths of 14 persons were assigned to cancer.

Convulsions caused the death of one infant

Twelve deaths were caused by organic diseases of the heart, and 14 by bronchitis.

The deaths of 4 infants were ascribed to premature birth, 2 to congenital malformations, and 2 to congenital debility.

There were 4 accidental deaths, including one by a tramcar, one by carbolic acid poisoning, and one, that of an infant aged 6 months, by burns.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of an infant under one month old and the death of a female aged 78 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 8 were under one month old) and 30 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·2 per 1,000; the rate in the City was 19·2 (North City Districts, 19·6; South, 18·8) and in the Suburbs, 10·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·0, and in the South 1·8), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 28·1 per 1,000, and include one from scarlet fever, 3 from tuberculous disease, one from broncho-pneumonia, and one death caused by accidental violence.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. The total includes one from enteric fever, 2 from pulmonary tuberculosis, one from *pneumonia*, 5 from bronchitis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 13·1 per 1,000. Tuberculous disease caused 3 deaths and bronchitis one death.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 17·9 per 1,000, and include one from influenza, 3 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one from diarrhœa or *enteritis*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. The 2 deaths for Coolock and Drumcondra, part of, include one from *pneumonia*.

No. 1 *South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·0 per 1,000, and include one from each of measles, scarlet fever and diphtheria, 3 from tuberculous disease, one from *pneumonia*, and 3 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·6 per 1,000, and include one from diphtheria, 4 from tuberculous disease, and one from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Tuberculous disease caused 2 deaths, diarrhœa or *enteritis* one death, and there were 2 accidental deaths.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·1 per 1,000, and include one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·5; Pembroke, 17·5; Blackrock, 0·0; and Kingstown, 6·2. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 7 deaths from all causes for Rathmines and Rathgar include one from pulmonary tuberculosis, one from lobar pneumonia, and one from bronchitis. Included in the 10 deaths from all causes for Pembroke are one from pulmonary tuberculosis, 2 from *pneumonia*, and one from bronchitis; and one of the 2 deaths for Kingstown is from lobar pneumonia.

(*) See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 28th September, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 7,	.	—	—	20	.	.	5	.	6	8	3	.	—	—	.	—	10	—	52
	Sept. 14,	.	—	—	12	.	.	4	.	.	11	9	.	—	—	.	—	13	—	49
	Sept. 21,	.	—	—	21	3	.	4	.	2	13	2	.	—	—	.	—	8	—	53
	Sept. 28,	.	—	—	18	.	.	6	.	1	7	12	.	—	—	.	—	10	—	54
Rathmines and Rathgar Urban District.	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 14,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Sept. 21,	.	—	—	.	.	.	2	.	.	3	2	.	—	—	—	—	—	—	7
	Sept. 28,	.	—	—	1	.	.	5	.	.	.	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Sept. 7,	.	1	.	.	.	.	.	.	.	1	.	.	—	4	—	—	.	—	6
	Sept. 14,	.	2	.	.	.	.	1	.	.	.	.	.	—	2	—	—	.	—	5
	Sept. 21,	.	2	.	3	.	.	1	.	.	.	.	.	—	1	—	—	.	—	7
	Sept. 28,	.	.	.	2	1	.	1	.	.	3	.	1	—	.	—	—	.	—	8
Blackrock Urban District.	Sept. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	.	—	3
	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Sept. 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	—	3
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Sept. 7,	.	—	—	33	.	.	9	1	.	1	3	.	—	—	.	—	10	.	57
	Sept. 14,	.	—	—	21	.	.	7	.	.	1	4	.	—	—	.	—	10	.	43
	Sept. 21,	.	—	—	45	.	.	3	1	.	.	4	.	—	—	.	—	5	.	58
	Sept. 28,	.	—	—	29	.	.	4	1	.	.	3	.	—	—	.	—	13	.	50

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th September, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Thirteen cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 53 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 31, 40, and 48.

Three cases of typhus were admitted to hospital during the week, and 4 cases remained under treatment at its close.

Four cases of measles were admitted to hospital during the week, one was discharged, there was one death, and 8 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 19, 10, and 6 respectively.

Twenty-eight cases of scarlet fever were admitted to hospital, 27 were discharged, there were 2 deaths, and 124* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 128, 125, and 125, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 39, and 37, respectively, were 36 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 12·2), was equal to an average annual death-rate of 11·9 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·0 per 1,000, the rate for Glasgow being 13·4, and for Edinburgh 14·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th September. From this Report it appears that of a total of 58 cases notified, 22 were scarlet fever, 18 diphtheria, 15 phthisis, and 3 erysipelas. Among the 257 cases of infectious diseases in hospital at the close of the week were 91 cases of scarlet fever, 65 of phthisis, 62 of diphtheria, 18 of whooping-cough, 9 of erysipelas, 5 of enteric fever, 3 of chicken-pox, and one of cerebro-spinal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 28th September, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 28th September, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Phthisis. (Tuberculous Disease.)	Other Forms. (Tuberculous Disease.)	Cancer.	Pneumonia. (Diseases of the Respiratory System.)	Other. (Diseases of the Respiratory System.)	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 28th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,154,150	19·8	22·9	14·5	1·2	506	321	59	60	1	...	...	5	4	2	3	...	35	20	17	17	36	8	3	8	14	108	8	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:—TOTAL. (c.) ...	400,865	29·2	24·2	17·2	1·0	186	132	23	28	1	...	...	1	2	...	2	...	15	7	11	9	18	2	...	4	6	60	3	c 60	34	49·2	0·19	c 64	39	50·3	0·00	c 61	37	51·1	0·00
CITY OF DUBLIN,	306,573	38·8	26·0	19·2	1·4	153	113	23	23	1	...	...	1	2	...	2	...	13	7	8	5	15	2	...	4	6	53	3	f 59·3 g 60·2	43·4 37·2	52·3 51·1	0·16 0·12	f 62·2 g 65	46·9 41	53·7 52·3	0·01 0·01	f 64·1 g 63·8	43·3 40·0	52·9 52·4	0·00 0·00
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	13·5	9·5	.	10	7	...	2	...	...	...	...	...	...	...	...	1	...	...	1	2	.	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PEMBROKE, ...	29,731	18·9	24·6	17·5	.	14	10	...	2	...	...	...	...	...	...	..	...	1	...	3	2	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BLACKROCK, ...	9,125	8·4	17·1	.	.	3	.	...	.	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	18·5	6·2	.	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	60	43	53·2	0·09	62	46	51·	0·00	65	43	53·2	0·00
Urban Districts. BELFAST ...	391,974	26·2	24·1	14·0	1·2	181	105	21	14	...	...	...	...	2	...	1	...	12	9	2	5	12	3	3	3	4	27	...	59	43	51·5	0·00	62	40	52·6	0·00	60	41	52·0	0·15
Urban Districts. CORK, ...	76,673	28·6	21·5	12·9	.	36	19	7	3	...	...	...	...	...	...	...	...	2	1	1	...	1	...	...	...	1	7	1	59	50	55·1	0·58	63	49	54·6	0·09	64	43	53·5	0·02
Urban Districts. LONDONDERRY...	40,891	15·9	24·2	3·8	1·3	19	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. LIMERICK. ...	38,518	16·1	6·8	21·7	6·8	5	16	4	1	...	...	...	4	...	1	...	...	1	...	...	1	...	...	...	...	...	4	2	60·8	31·1	51	0·08	65·8	40	51·2	0·00	61·9	34·5	50·8	0·00
Urban Districts. WATERFORD, ...	27,464	19·1	19·0	17·1	3·8	10	9	4	2	...	...	...	...	...	...	...	...	...	...	...	1	3	2	...	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. GALWAY, ...	13,255	2·5	15·7	11·8	.	4	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...	64	37	52	0·06	69	45	57	0·00	64	40	53	0·02
Urban Districts. DUNDALK, ...	13,128	9·5	11·9	11·9	.	3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. DROGHEDA, ...	12,501	8·4	16·7	8·3	.	4	2	...	1	...	...	...	..	...	...	...	..	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWRY. ...	11,963	17·0	13·1	8·7	.	3	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02
Urban Districts. LURGAN, ...	12,553	14·7	33·2	12·5	.	8	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02
Urban Districts. LISBURN, ...	12,388	10·9	21·0	12·6	.	5	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	.	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02
Urban Districts. WEXFORD. ...	11,531	22·8	31·7	13·6	.	7	3	...	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. BALLYMENA ..	11,381	9·3	4·6	9·2	4·6	1	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. SLIGO. ...	11,163	3·8	32·7	4·7	.	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	61	37	50·0	0·02	65	38	53·0	0·00	63	35	50·0	0·20
Urban Districts. KILKENNY, ...	10,514	11·4	24·8	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	59	35	50·1	0·09	65	43	53·0	0·00	65	38	50·1	0·02
Urban Districts. CLONMEL, ...	10,209	7·8	5·1	5·1	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. PORTADOWN, ...	11,727	15·3	31·1	17·8	.	7	4	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	...	...	...	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02
Urban Districts. TRALEE. ...	10,300	17·4	5·1	10·1	.	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts. NEWTOWNARDS,	9,587	20·1	38·1	21·8	.	7	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	57	50	53·3	0·00	60	47	53·4	0·00	62	41	51·9	0·00
Urban Districts. QUEENSTOWN, ...	8,209	14·7	12·7	6·4	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	..	59	50	55·1	0·58	63	49	54·6	0·09	61	43	53·5	0·02
Urban Districts. ARMAGH, ...	7,356	21·8	28·4	21·3	.	4	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00	63·2	39·1	51·6	0·02

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under 1 year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of September, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	2	2	2	.	.	.	2	.	2	1	.	1	1	.	.	15	3
Tuberculous Disease. { Other Forms,	1	.	1	1	.	.	.	1	.	2	1	.	.	.	.	.	7	.
Cancer,	1	3	.	.	.	1	.	1	.	1	1	.	.	3	.	.	11	3
Diseases of Nervous System,	.	1	.	1	.	.	.	1	2	.	1	1	2	1	.	.	10	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	4	1	2	.	.	.	3	1	.	2	.	.	1	.	.	16	1
" Respiratory System. { Pneumonia,	1	1	.	1	.	1	.	1	.	.	.	.	1	2	.	1	9	.
" Respiratory System. { Others,	1	5	1	1	.	.	.	3	.	1	2	1	2	1	.	.	18	.
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	1
" Genito-urinary System,	.	.	.	.	.	.	.	2	.	.	.	1	1	1	.	1	6	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	5	3	1	2	.	.	.	.	1	4	1	.	.	.	.	.	17	1
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	1	1	1	.	.	.	1	1	.	.	.	.	.	.	.	.	5	.
Deaths from All Causes	16	23	7	12	.	2	1	20	5	12	12	3	7	10	.	2	132	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	28·1	29·6	13·1	17·9	.	7·8	4·9	26·0	14·2	14·6	18·9	16·1	9·5	17·5	.	6·2	17·2	.
	19·6							18·8					10·5					
	19·2																	
Ages at Death. { Under 1 year,	4	3	2	2	.	.	.	3	.	4	4	1	.	.	.	.	23	1
1 and under 2 years,	.	.	1	1	.	.	.	.	1	1	.	.	1	.	.	.	5	.
2 " 5 "	2	.	.	1	.	.	.	2	.	1	.	.	.	1	.	.	7	.
5 " 15 "	2	1	.	1	.	.	.	1	.	.	.	.	.	.	.	1	6	.
15 " 25 "	1	2	.	1	.	.	1	1	.	1	.	.	.	1	.	.	8	2
25 " 45 "	1	3	1	4	.	1	.	4	1	.	1	1	3	2	.	.	22	1
45 " 65 "	2	8	2	.	.	1	.	6	2	2	5	.	1	4	.	.	33	3
65 and upwards,	4	6	1	2	.	.	.	3	1	3	2	1	2	2	.	1	28	2
Number of Uncertified Deaths,	.	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	1	3	.	.	1	8	1	1	2	1	3	3	.	.	31	8
Workhouse Hospitals,	5	3	2	2	.	.	.	3	3	5	4	1	.	1	.	.	29	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1902–1911.	In the Week ending Saturday, 28th September, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	55·5°	56·8°	50·6°	49·4°	50·4°	56·9°	52·5°	53·6°	54·2°	50·8°	53·1°	49·2°										
ALL CAUSES.	213	139	146	168	184	143	164	144	164	161	162·6	141	8	16	5	7	6	10	23	36	15	15
Enteric Fever, ...	8	2	2	2	1	.	1	1	.	6	2·3	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	10	.	.	.	.	1	5	.	.	.	1·6	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	3	.	.	.	.	.	.	.	.	1	·4	2	.	.	.	2	.	.	.	.	.	.
Whooping-cough, ...	1	.	1	.	5	1	1	2	2	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	5	.	.	.	.	1	.	1	2	.	·9	2	.	2	.	.	.	.	.	.	.	.
Croup, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	2	1	1	.	.	1	1	.	2	.	·8	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	1	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	20	19	11	23	19	19	24	15	18	14	18·2	18	.	.	1	.	1	4	9	2	1	.
Tuberculous Meningitis, ...	4	2	4	.	4	9	2	1	3	4	3·3	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	1	3	1	1	2	2	3	3	.	.	1·6	1	.	.	.	.	.	.	1	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	7	10	7	9	8	3	5	3	8	.	6·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		4	.	2	1	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	2	1	3	1	1	.	.	.	·8	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	4	8	5	6	7	6	7	11	8	6·6	14	.	.	.	.	.	.	1	9	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	2	1	.	.	.	.	.	.	.	1	·4	2	.	.	.	.	.	1	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	1	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	1	.	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	2	1	.	.	.	.	2	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	.	1	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										2		3	.	.	.	.	.	.	1	2	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		2	.	.	.	.	.	.	.	2	.	.
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	28	29	39	28	25	34	39	33	1	32·8	3	.	.	.	.	.	.	3	.	.	.
Pericarditis, ...										.		1	.	.	.	.	.	.	.	1	.	.
Acute Endocarditis, ...										.		3	.	.	.	.	.	.	.	3	.	.
Organic Diseases of the Heart,										16		12	.	.	.	.	.	.	3	4	5	.
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	16	11	8	16	13	11	11	15	10	9	12·0	14	.	2	1	.	1	1	.	5	2	2
Broncho-pneumonia, ...	2	3	1	5	3	1	2	6	6	1	3·0	2	.	1	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	3	3	.	3	1	.	1	1·1	2	.	.	.	.	.	.	1	.	1	.
Pneumonia (type not distinguished)	5	3	4	9	6	4	5	6	.	2	4·4	5	.	.	.	1	.	1	1	1	1	.
Pleurisy, ...										.		2	.	.	.	.	.	.	.	1	.	1
Pulmonary Congestion, Pulmonary Apoplexy	4	1	.	1	1	2	2	3	2	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		2	.	.	.	.	.	.	.	.	2	.

THIRTY-NINTH WEEK ending Saturday, 28th September, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 39th Week of the 10 years 1902-1911.	In the Week ending Saturday, 28th September, 1912.										
													Deaths of Persons of the Ages of									
	Sept. 27, 1902.	Oct. 3, 1903.	Oct. 1, 1904.	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 55·5	° 56·8	° 50·6	° 49·4	° 50·4	° 56·9	° 52·5	° 53·6	° 54·2	° 50·8	° 53·1	° 49·2										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	5	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	25	5	21	12	42	27	16	9	34	28	22·2	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	.	.	1	.	2	2	.	2	1	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	4	2	1	1	1	.	2	.	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	1	1	.	1	.	.	.	.	·4	1	.	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	8	5	6	7	9	6	6	5	2	2	5·6	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	2	11	12	2	3	3	9	4	6	1	5·7	1	.	1	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										1		4	.	.	.	.	1	.	.	1	1	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										3		1	.	.	.	.	.	.	1	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	1	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	1	2	2	1	.	·6	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	1	.	.	.	.	.	1
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	3	3	3	4	1	2	5	4	4	3·2	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	2	3	3	5	6	1	2	2	2	5	3·1	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	1	1	.	.	.	1	.	3	·8	1	.	1	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	2	.	1	.	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	1	1	2	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	5	4	3	.	2	1	.	3	2	2·3	2	.	.	.	1	.	.	.	1	.	.
Total Deaths from Accident,	5	5	5	7	3	4	3	2	3	7	4·4	4	.	1	.	1	.	.	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	1	.	.	1	.	1	.	·3	1	.	.	.	1	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	.	1	.	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	5	—	5	.	.	.	.	.	1	.	1	.	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered.	166	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186
Average Births in corresponding week of previous 10 *years,* ...	208	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249
DEATHS registered, ...	205	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141
Annual Death-rate per 1,000, ...	26·3	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3
Average Deaths in corresponding week of previous 10 *years,* ...	196	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163
Ages, Under 5 years, ...	73	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36
5—15 " ...	9	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6
15—25 " ...	14	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10
25—45 " ...	26	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23
45—65 " ...	42	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36
65—75 " ...	26	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15
75 and upwards, ...	15	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15
Deaths from :—																										
Enteric Fever, ...	2	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1
Scarlet Fever, ...	1	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2
Whooping-cough, ...	2	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.
Diphtheria, ...	4	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2
Influenza, ...	4	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	25	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18
Tuberculous Disease, Other Forms,	9	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7
Cancer, ...	11	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14
Diseases of Circulatory System,	16	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17	17
Diseases of Respiratory System, Pneumonia,	31	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9
Diseases of Respiratory System, Others, ...	32	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18
Diarrhœa and *Enteritis*, under 2 years, ...	2	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2
Diarrhœa, 2 years and upwards,	.	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.
Violent Deaths, ...	4	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4
Number of Uncertified Deaths,	4	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3
Mean Temperature of the Air (Phœnix Park)	48·4	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2
Average Mean Temperature in corresponding week of previous 10 *years,*	43·7	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1
Rainfall in inches, ...	·115	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th September, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	141	36	6	10	23	36	15	15	1	.	.	1	2	.	2	.	18	7	14	1	9	18	2	.	4	62	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	4	.	.	1	.	.	.	.	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	5	.	4	7	3	5	2	1	.	.	.	.	.	1	.	3	.	1	1	2	3	1	.	.	13	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·3	26	4	.	3	6	10	1	2	.	.	.	.	.	.	.	.	4	.	4	.	3	4	.	.	.	11	.
IV.	GENERAL SERVICE CLASS, ...	154,279	18·3	54	17	6	2	8	14	4	3	.	.	.	1	2	.	1	.	8	4	3	.	3	7	.	.	3	22	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	30	10	.	1	1	8	4	6	.	.	.	.	.	.	.	.	3	3	2	.	1	3	1	.	1	16	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	1	.	2	.	.	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	9·5	4	1	.	.	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	2	.	3	3	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	23·2	12	2	.	1	1	3	3	2	.	.	.	.	.	.	.	.	2	.	1	1	1	2	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	3	.	1	1	4	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	3	.	.	.	2	.
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	12·0	7	.	.	1	2	3	.	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	3	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
	15. Domestic Servants, ...	36,603	12·8	9	1	1	2	3	1	.	1	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	7·2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·6	39	14	5	.	4	12	2	2	.	.	.	1	2	.	1	.	5	2	3	.	2	5	.	.	3	15	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	30	10	.	1	1	8	4	6	.	.	.	.	.	.	.	.	3	3	2	.	1	3	1	.	1	16	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Aug. 10,	26·0	3·5	15	.	.	.	.	.	.	.	.	2	1	.	.	.	2	.	1	1
	„ 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
	„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
	„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
	„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Aug. 10,	15·6	.	12	.	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	1
	„ 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
	„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
	„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
	Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
	„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
	„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
	„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Aug. 10,	28·7	3·4	17	.	.	.	.	.	.	.	.	3	2	.	2	.	2	.	1	.
	„ 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
	„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
	„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
	Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
	„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
	„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Aug. 10,	17·0	3·1	11	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	.	.
	„ 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
	„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
	„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
	„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	1
	„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Aug. 10,	17·5	3·8	14	.	.	.	1	.	.	.	.	2	2	2	1	1	2	.	.	.
	„ 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
	„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
	„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
	Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
	„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
	„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Aug. 10,	14·3	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	„ 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
	„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
	Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
	„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
	„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Aug. 10,	18·0	6·0	15	.	.	.	.	.	1	.	.	4	.	.	1	1	4	.	1	.
	„ 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
	„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
	„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
	Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
	„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
	„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Aug. 10,	13·0	5·8	9	.	.	.	2	.	.	.	.	1	2	.	.	.	2	.	.	.
	„ 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
	„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
	„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
	Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
	„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the weeks up to and including that ending the 17th August, for the Dublin districts, Belfast and population according to the Census of 1911 (unrevised figures) for the remaining weeks, the rates for the Dublin districts, Belfast population according to the Census

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Aug. 10,	6·7	.	5	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Aug. 10,	14·0	.	8	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2
	„ 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 10,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Aug. 10,	12·3	1·3	92	.	.	.	3	.	3	.	.	9	6	4	5	9	4	.	3	.
	„ 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
Cork. Pop. in 1911 76,673.	Aug. 10,	12·2	0·7	18	.	.	.	.	.	.	.	.	3	1	2	1	1	1	.	1	1
	„ 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1·4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,891.	Aug. 10,	10·2	.	8	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	„ 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Limerick. Pop. in 1911 38,518.	Aug. 10,	16·3	2·7	12	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	.	2
	„ 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
Waterford. Pop. in 1911 27,464.	Aug. 10,	19·0	5·7	10	.	.	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.
	„ 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1

* See note (‡) at foot of first page.

Londonderry are calculated on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the
and Londonderry are calculated on an estimated population based on the Census of 1911 (revised figures) those for the other districts on the
of 1911 (revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th September, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.	DEATHS. Ages at Death.						Deaths from																	
			All Causes.	Certain Epidemic Diseases.*		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	16·4	.	5	1	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	3	.
Do. 2 do.	49,500	14	14·7	1·1	14	4	1	2	3	2	2	.	.	.	.	.	.	.	.	2	1	.	.	1	.	1	.	.	1	.
Do. 3 do.	50,032	33	16·7	2·1	16	5	.	2	2	6	1	.	.	.	.	.	.	.	.	3	1	.	1	1	2	.	.	.	5	.
Do 4 do.	32,637	28	12·8	1·6	8	1	1	1	2	3	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	.	.	5	.
Do. 5 do.	16,112	4	22·7	3·2	7	3	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	3	.
Do. 6 do.	37,293	9	8·4	.	6	.	.	.	2	2	2	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.	1	.
Do. 7 do.	2,681	1	38·9	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	17·5	.	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	1	.
Do. 9 do.	24,427	13	6·4	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 10 do.	28,958	12	12·6	1·8	7	.	1	1	.	4	1	.	.	.	.	1	.	.	.	1	1	.	1	2	.	.	.	.	2	.
Do. 11 do.	39,311	18	11·9	1·3	9	.	1	4	.	3	1	.	.	.	.	1	.	.	.	2	3	.	.	.	.	.	.	.	2	.
Do. 12 do.	38,076	24	16·4	1·4	12	3	1	.	2	3	3	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	.	1	.	.
Do. 13 do.	23,233	11	6·7	.	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	25·3	2·3	11	4	1	2	.	2	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	3	.
Total,	386,947	181	14·0	1·2	105	21	8	15	15	32	14	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	4	27	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	4	3·9	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	2	15·0	.	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do 3 do.	9,793	6	10·6	.	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 4 do.	9,139	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,250	2	8·3	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 6 do.	11,581	5	27·0	.	6	2	.	2	.	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.
Do. 7 do.	16,056	13	19·5	.	6	1	1	1	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	.
Total,	76,673	36	12·9	.	19	7	1	3	3	2	3	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1	7	1

* See note (†) at foot of first page.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Apr. 6.	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.
No. of weeks in Annual Series,	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered, ...	174	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181
DEATHS registered, ...	145	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105
Annual Death rate per 1,000 of estimated population, ...	19·3	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0
AGES, Under 1 year, ...	35	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21
1—5 years, ...	23	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8
5—25 ,, ...	15	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15
25—45 ,, ...	13	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15
45—65 ,, ...	31	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32
65 and upwards, ...	28	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.
Scarlet Fever, ...	1	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2
Whooping-cough, ...	13	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.
Diphtheria, ...	1	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12
Tuberculous Disease. Other Forms,	7	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9
Cancer, ...	9	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2
Diseases of Respiratory System, Pneumonia,	16	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5
Diseases of Respiratory System, Others, ...	25	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12
Diarrhœa, and *Enteritis*, under 2 years, ...	3	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3
Diarrhœa, 2 years and upwards,	.	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3
Violent Deaths, ...	1	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3
Number of Uncertified Deaths, ...	.	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Sept. 28,	2,179	1,058	12·2	1	.	17	2	14	9	39*a*
Edinburgh, ...	321,200	„ 28,	121	87	14·1	.	.	.	.	1	2	.
Glasgow, ...	785,600	„ 28,	405	201	13·4	1	.	1	.	.	2	7
Calcutta, ...	896,067	Aug. 24,	.	426	24·7	75*	.	.	.	1	.	58‡
Bombay, ...	979,445	„ 24,	402	808	42·9	71*	1	2	.	1	.	148‡
Madras, ...	518,660	„ 31,	.	.	.	.	.	.	.	.	.	.
Cairo, ...	704,956	July 8,	575	835	61·8	5	2	29	.	.	7†	370
Paris, ...	2,847,229	Sept. 7,	814	633	11·3	7	.	2	1	.	2†	26*a*
		„ 14,	934	681	12·2	5	.	1	1	5	2†	30*a*
Brussels, ...	745,380	„ 7,	219	169	11·8	.	.	.	1	1	1†	18
Antwerp, ...	308,618	Aug. 31,	127	58	9·8	.	.	1	1	.	.	9*a*
		Sept. 7,	111	79	13·3	.	.	.	.	2	.	18*a*
Amsterdam, ...	583,380	„ 7,	234	107	9·6	1	.	2	2	.	1	3*a*
Copenhagen, ...	468,000	„ 7,	217	92	10·3	.	.	.	1	1	.	7*a*
Stockholm, ...	346,599	„ 7,	152	75	11·5	.	.	.	.	.	2	2*a*
Christiania, ...	247,488	„ 14,	114	49	10·3	1	.	2	.	.	1	2
St. Petersburg, ...	1,664,000	Aug. 24,	643	717	22·5	13	1	20	5	11	5†	181
Moscow, ...	1,617,157	„ 24,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,075,408	„ 24,	.	524	13·2	.	.	1	3	6	5†	62*a*
Hamburg, ...	953,079	Sept. 7,	.	204	11·1	1	.	.	1	8	7†	15*a*
Breslau, ...	529,617	„ 7,	.	156	15·3	.	.	.	1	5	1	14
Munich, ...	615,000	„ 14,	.	156	13·2	.	.	1	.	.	1†	5
Vienna (with suburbs),	2,081,335	„ 7,	579	431	10·8	.	.	.	1	5	1†	22*a*
Buda-Pesth, ...	910,548	„ 7,	399	270	15·5	7	.	.	17	2	3†	27*a*
Prague and Faubourgs,	484,301	Aug. 31,	165	127	13·7	.	.	1	1	.	2†	2*a*
Trieste, ...	235,999	Sept. 7,	131	99	21·9	6	.	.	1	.	.	12*a*
Rome, ...	566,453	June 15,	244	207	19·1	4	.	8	.	3	3	22
		„ 22,	261	199	18·3	2	.	4	2	2	2	17
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Aug. 3,	2,333	1,367	13·8	7	.	12	7	3	12†	230*a*
		„ 10,	2,644	1,267	12·7	9	.	4	5	12	20†	205*a*
Philadelphia, ...	1,606,105	„ 10	.	447	14·5	6	.	1	.	1	2†	74*a*
Boston, ...	720,031	Sept. 14,	.	.	.	.	.	.	.	.	.	.

* Deaths from "fever," including 6 deaths from enteric fever and 6 from plague in Calcutta ; 3 from enteric fever, and 12 from plague in Bombay.

† Including deaths from croup.

‡ Including 15 deaths from cholera in Calcutta, and 19 in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th September, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	.	.	.	1	.	.	.	.	4
„ „ 1, West, ...	.	4	.	.	1	.	.	2	4	.	.	2	13
„ „ 2, ...	.	.	.	.	.	.	.	1	1	.	.	2	4
„ „ 3, ...	.	2	.	.	2	.	1	.	1	.	.	.	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	1	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	1	.	.	1	4	.	.	.	7
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	1	.	.	1	.	.	.	1	.	.	5	8
„ „ 4, ...	.	5	.	.	.	.	.	1	.	.	.	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	18	.	.	6	.	1	7	12	.	.	10	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th September, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th September.			
	Sept. 7.	Sept. 14.	Sept. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	31	40	48	13	8	.	53
Typhus, ...	1	.	1	3	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	19	10	6	4	1	1	8
Scarlet Fever, ...	128	125	125	28	27	2	124*
Diphtheria, ...	45	39	37	12	11	2	36
Pneumonia, ...	13	17	16	11	7	1	19

* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 28th September, 1912:—

"The anticyclone, which had shown such staying power during the previous fortnight, continued to dominate the weather over the British Isles until Wednesday, when an area of relatively low atmospheric pressure was observed off the S.W. of Ireland and over the Bay of Biscay. The arrival of this barometric depression led to steep gradients for south-easterly winds in this country and later on in Great Britain also, for the anticyclone with its high pressure retreated very slowly from the North Sea, over which it was central at the beginning of the week, across Scandinavia to Lapland, which it reached on Saturday. In the central parts of both Great Britain and Ireland very low night temperatures were recorded owing to clear skies and the nightly dying down of the wind—in England, for example, at Bath the screened thermometer fell night by night to 39°, 41°, 43°, 35°, 37°, 38° and 41°; in Scotland, at Nairn, corresponding temperatures were 41°, 37°, 34°, 34°, 31°, 31° and 31°; in Ireland, at Birr Castle, the figures were up to Wednesday (when the S.E. wind freshened) 39°, 37°, 35° and 35°. At this Irish inland station the minima for the last three days of the week were 46°, 47° and 48°. While the Atlantic depression did not materially break the September drought over the United Kingdom at large, it caused heavy rain in the extreme S.W. of Ireland—at Valentia Observatory, Cahirciveen, the measurements were 2·66 inches on Thursday morning, ·60 inch on Friday morning, but only ·02 inch on Saturday morning. In Dublin the mean height of the barometer was 30·158 inches, pressure decreasing from 30·441 inches at 9 a.m. of Monday (wind, S.E.) to 29·790 inches at 9 p.m. of Saturday (wind, E.). The corrected mean temperature was 52·3°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 51·9°. On Tuesday the screened thermometer rose to 59·3°, having fallen to 43·4° during the previous night. Light to strong S.E. winds prevailed. A few drops of rain fell on Saturday morning, but on Sunday morning, September 29, rain fell to the amount of ·158 inch, constituting one rain-day in the week."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·169 inches. The highest reading (30·446) was on Monday at 9 p.m., air calm, the lowest (29·815) on Saturday at 9 p.m., wind E.

The mean temperature for the week was 49·2°, being 3·9° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 60°, and was also lowest on that day, the mercury having fallen to 34°. The mean of the Dry Bulb for the week was 49·8° and of the Wet Bulb, 46·4°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The rainfall during the week measured 0·190 inch.

At Greenwich the mean temperature for the week was 51·5°, the maximum 64·0°, and the minimum 37·2°; at Glasgow the maximum was 63·6°, the minimum 33·0°, and the mean 48·2°; and at Edinburgh the maximum was 60·3°, the minimum 37·0°, and the mean 47·9°. The rainfall at Greenwich measured 0·02 in. There was no rainfall recorded at Glasgow or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 22,	30·390	57	36	46·5	46·9	44·5	·86	·1	8·3	·000	S.E.	Calm.
Monday, „ 23,	30·440	59	35	47·0	45·9	43·9	·87	·0	6·8	·000	E.S.E.	Calm.
Tuesday, „ 24,	30·365	60	34	47·0	47·0	45·6	·92	·0	3·9	·000	Calm.	Calm.
Wednesday, „ 25,	30·130	54	37	45·5	51·5	46·4	·70	·0	2·3	·000	S.E.	S.E.
Thursday, „ 26,	30·020	57	47	52·0	52·4	48·3	·74	·4	1·3	·000	S.E.	S.E.
Friday, „ 27,	29·980	54	51	52·5	52·6	48·0	·71	·0	0·3	·000	S.E.	E.S.E.
Saturday, „ 28,	29·855	57	51	54·0	52·5	48·4	·75	·5	3·5	·190	E.S.E.	E.
Mean, ...	30·169	56·9	41·6	49·2	49·8	46·4	·79	·1	Total 26·4	Total ·190	Prevailing Wind, S.E.	

Sunday—A beautiful bright day; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—A dull day; night cloudy. *Saturday*—Day cloudy, fine; night cloudy, drizzling and heavy rain 2.30 to 6.0 a m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 28th September, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 22,	54·9	53·6	54·5	58·0	50·0	54·0	6·70	0·0
Monday, „ 23,	53·8	54·0	54·2	59·0	46·0	52·5	7·24	0·0
Tuesday, „ 24,	56·9	53·0	54·3	60·0	40·2	50·1	4·52	0·0
Wednesday, „ 25,	54·2	53·0	54·0	60·1	46·1	53·1	4·00	0·0
Thursday, „ 26,	53·1	52·8	54·0	56·3	51·3	53·8	0·48	0·0
Friday, „ 27,	53·4	52·7	54·0	55·3	50·4	52·8	0·10	0·0
Saturday, „ 28,	53·8	52·6	53·8	57·8	51·0	54·4	3·20	0·140
Weekly Mean, .	54·3	53·1	54·1	58·1	47·9	53·0	Total 26·24	Total 0·140

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031 Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] QUARTER ENDING SATURDAY, 28TH SEPTEMBER, 1912. [No. 39A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1912, 400,865, there were registered during the thirteen weeks ended on Saturday, 28th September, 1912, 2,744 births—1,420 boys and 1,324 girls—being equal to an annual ratio of 1 in 36·5, or 27·4 in every 1,000 of the population.

The number of births registered in the city was 2,360, equivalent to an annual rate of 30·8 in every 1,000 of the population; and in the urban districts named above, 384, equal to an annual rate of 16·3 in every 1,000 of the population.

There were registered in London during the same period 27,700 births—being equal to an annual birth-rate of 24·5 in every 1,000 of the estimated population; in Glasgow there were registered 5,371, being equal to 27·3 per 1,000; and in Edinburgh, 1,618—a number affording an annual birth-rate of 20·1 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (118) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,614, are equivalent to an annual rate of 16·1 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 19·6. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,732—899 males and 833 females—affording an annual ratio of 1 in 57·9 or 17·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1902–1911, in the Dublin Registration Area was 20·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 697, representing an annual mortality of 17·2 in every 1,000 of the population; and the number in the south city districts was 638, equivalent to a rate of 17·7 per 1,000. In the urban districts the number of deaths registered was 279, being equal to an annual death-rate of 11·8 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 12,974—a number equal to an annual rate of mortality of 11·5 in every 1,000 of the inhabitants in Glasgow the number was 2,715, equal to 13·8 in every 1,000; and in Edinburgh, 1,061, affording an annual death-rate of 13·2 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 216, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·16.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1902–1911 :—

Names of Diseases.	No. of Deaths in September Quarter, 1912.	Average No. of Deaths in September Quarters, 1902–1911.
Enteric Fever, ...	8	17
Typhus, ...	–	1
Small-pox, ...	–	–
Measles, ...	56	36
Scarlet Fever, ...	14	8
Whooping-cough, ...	18	24
Diphtheria, ...	21	13

Enteric Fever.—During the quarter there were 8 deaths registered from enteric fever as compared with 22, 16 and 10 for the 3 preceding quarters, and an average of 17 for the corresponding period of the previous 10 years. Of the 8 deaths registered during the 13 weeks ending the 28th September, 5 appertained to the North city districts, one to the South city, one to the urban district of Pembroke, and one was the death of a person admitted from without the Registration Area. According to table I., it appears that there were 19 cases of enteric fever in hospital at the close of the June quarter. During the period under notice 83 cases were admitted to hospital; 46 were discharged; there were 3 deaths, and 53 cases remained in hospital at the close of the quarter.

Typhus.—No deaths from typhus were registered during the quarter. In table I., it may be seen that 6 cases were admitted to hospital, 2 were discharged, and 4 remained under treatment at the close of the quarterly period.

Small-pox.—No deaths from this cause occurred nor were any cases of the disease notified during the period covered by this report.

Measles.—There were 56 deaths from measles registered during the quarter, (equivalent to an annual rate of 0·56 per 1,000), as compared with an average of 36 for the corresponding period of the previous 10 years. In the December, March and June quarters preceding such deaths numbered 43, 53, and 158 respectively. Of the 56 deaths registered during the period under notice, 29 belonged to the North city districts, 20 to the South city districts, one to the urban district of Rathmines and Rathgar, 3 to the urban district of Pembroke and 3 were deaths of persons admitted from without the registration area. From table I., it appears that there were 97 cases of measles in hospital at the close of the preceding quarter; 156 cases were admitted during the quarter under notice; 222 were discharged; there were 23 deaths, and 8 cases remained under treatment at the close of the quarter.

Scarlet Fever.—Deaths from scarlet fever, which had been 23, 21 and 21 in the 3 preceding quarters, declined in the period under notice to 14, a number equivalent to an annual rate of 0·14 per 1,000 of the estimated population. The average number of deaths for the corresponding period of the previous 10 years was 8. Of the 14 deaths, 10 appertained to the districts of North Dublin city, and 4 to the South city districts. In table I., it may be seen that there were 143 cases of scarlet fever in hospital at the close of the preceding quarter; 321 cases were admitted; 325 were discharged; there were 15 deaths and 124* cases remained under treatment at the close of the quarter.

* See note (*) p. 624h.

Whooping-cough.—Eighteen deaths from this cause, equivalent to an annual rate of 0·18 per 1,000, were registered, the numbers in the December, March and June quarters preceding being 33, 42 and 21 respectively, while the average number for the September quarter of the 10 years, 1902—11 was 24. Of the total, 11 appertained to North Dublin city and 7 to South Dublin city.

Diphtheria.—There were 21 deaths from this cause registered during the quarter, the average number for the corresponding period of the previous 10 years being 13, while the numbers in the preceding December, March and June quarter were 27, 38 and 29 respectively. Of the total 7 appertained to the districts of North Dublin city, 8 to the districts of South Dublin city, one to the urban district of Rathmines and Rathgar, 3 to the urban district of Pembroke, and 2 were deaths of persons admitted from without the Dublin Registration Area. From table I., it appears that there were 45 cases in hospital at the close of the preceding quarter ; 137 cases were admitted during the quarter under notice ; 128 were discharged ; there were 18 deaths, and 36 cases remained under treatment at the close of the quarter.

Diarrhœal Diseases.—Of the deaths attributed to diarrhœal diseases, 95 were those of children under 2 years of age from diarrhœa and *enteritis*. In the corresponding quarter of 1911 such deaths numbered 426.

Influenza.—There were 7 deaths from influenza, the average for the corresponding period of the preceding 10 years being also 7. The numbers in the 3 preceding quarters were 13, 22 and 30 respectively.

Cerebro-spinal Fever.—There was no mortality recorded from this disease.

Pneumonia.—There were 110 deaths, equivalent to an annual rate of 1·10 per 1,000, classified under this heading, the average for the corresponding period of the previous 10 years being 96. Of the total registered during the period under review, there were 53 from broncho-pneumonia, 19 from lobar pneumonia and 38 from *pneumonia* (type not distinguished).

Tuberculosis.—There were 301 deaths registered from the various forms of tuberculous disease comprising 212 from pulmonary tuberculosis, 24 from tuberculous meningitis, 25 from abdominal tuberculosis, 3 from tuberculosis of the vertebral column, 2 from tuberculosis of joints, 7 from tuberculosis of other organs, and 28 from disseminated tuberculosis. The total is equivalent to an annual rate of 3·00 per 1,000 of the estimated population.

The following rates correspond to the deaths from tuberculosis in the various divisions of the Dublin Registration Area :—in North Dublin city ·283 per 1,000 ; in South Dublin city 3·78 per 1,000 ; in Rathmines and Rathgar urban district 1·35 per 1,000 ; in Pembroke, 0·94 per 1,000 ; in Blackrock 1·32 per 1,000, and in Kingstown 1·65 per 1,000.

Cancer.—There were 118 deaths from cancer, equivalent to an annual rate of 1·18 per 1,000.

Diseases of the Brain and Nervous System.—The total (179) includes the deaths of 45 children under 5 years of age from convulsions. Of this figure, 41 were deaths of infants under one year of age.

Diseases of the Circulatory System.—The deaths included under this heading were 172 in number.

Bronchitis.—The deaths of 109 persons, equivalent to an annual rate of 1·09 per 1,000, were caused by bronchitis.

Congenital Malformations, Premature Birth, Congenital Debility.—There were 8 deaths from congenital malformations, 51 from premature birth, and 37 from congenital debility.

Accidental Violence.—There were 29 deaths from accidental violence, including 6 by vehicles and horses, 2 by railways, 4 by burns or scalds (of which 2 were of children under 5 years of age) and 3 by drowning.

Homicide.—There were no deaths classified under this heading.

Suicide.—Two deaths by suicide were recorded.

* See note (*) at foot of Table I.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th September, 1912.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	19	83	46	3	53
Typhus, ...	–	6	2	–	4
Small-pox, ...	–	–	–	–	–
Measles, ...	97	156	222	23	8
Scarlet Fever, ...	143	321	325	15	124*
Diphtheria, ...	45	137	128	18	36
Pneumonia, ...	17	79	67	10	19

* Exclusive of 22 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 52 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 52 cases, 21 (or 40 per cent.) were deaths of children under 5 years of age; these 21 deaths form 3·7 per cent. of the total number of deaths of children of that age-period. Of the deaths of 121 infants under one month old registered, there were 9 (or 7·4 per cent.) regarding which the cause was uncertified.

From table II., on page 624*f*, it will be seen that, excluding 118 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,614, equal to an annual rate of 16·1 per 1,000 of the estimated population, and that 210 of these deaths, representing an annual rate of 2·1 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 17·4 per 1,000, and for the urban districts 11·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·5, and in the urban districts 0·7, the rates for the several districts varying from 0·0 in two of the districts to 4·0 in each of North city, No. 2, and South city, No. 4.

OCCUPATIONS.—Table III., on page 624*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 11·5 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 13·4 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 12·1; and in the "General Service Class" it was 18·7.

AGES.—Of the 1,732 persons whose deaths were registered in the Dublin Registration Area during the quarter, 568 were under 5 years of age, including 334 infants under one year of age, the latter representing a rate of 121·7 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 55·5 in every 1,000 children at that age (according to the Census of 1911); 82 were between the ages of 5 and 15, representing an annual rate of 4·6 per 1,000 persons at that age-period; 77 were between the ages of 15 and 25, equivalent to an annual rate of 3·8 per 1,000; the total number under 25 years being equal to an annual mortality of 15·1 per 1,000 of the population at that age-period (according to the Census of 1911); 302, or 9·7 per 1,000 persons, were between 25 and 45; 373, or 25·3 per 1,000, between 45 and 65; 187, or 44·3 per 1,000, between 65 and 75; and 143, or 102·3 per 1,000, were aged 75 and upwards, including 8 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 1,732 deaths recorded during the quarter, 796 or 46·0 per cent., occurred in public institutions, viz., 463 in the various hospitals, prisons, and lunatic asylums; 134 in the North Dublin Union Workhouse; 193 in the South Dublin Union Workhouse; and 6 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 53·6°. At Greenwich, for the quarter, it was 58·0°; at Glasgow, 55·2°; and at Edinburgh, 53·4.°

The rainfall at Dublin during the thirteen weeks measured 9·14 inches; at Greenwich, 5·64 inches; at Glasgow, 9·00 inches; and at Edinburgh, 7·88 inches.

† See note (*) p. 624*h*.

TABLE showing the MEAN WEEKLY VALUES and the difference from their average VALUES of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended **28th September, 1912.**

Prepared in the Metrological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1912. Week Ended	Barometer. Mean at 32°F. Mean Sea Level and Standard Gravity. Lat. 45°.	Barometer. Difference from Average.	Thermometer. Mean of Maximum A.	Thermometer. Mean of Minimum B.	Thermometer. Mean of A and B.	Thermometer. Difference from Average.	Thermometer. Highest.	Thermometer. Lowest.	Hygrometer. Mean of Dry Bulb.	Hygrometer. Mean of Wet Bulb.	Hygrometer. Mean Humidity	Ozone. 1·0.	Bright Sunshine. Mean Daily Duration in Hours.	Bright Sunshine. Difference from Average.	Bright Sunshine. Percentage of Possible.	Rainfall. Total Amount.	Rainfall. Difference from Average.	Rainfall. Number of Days.	Wind. Mean Velocity Recorded in Metres per second.
	Inches.		°F.	°F.	°F.		°F.	°F.	°F.	°F.	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches.		m.p.s.
July 6th	30·076	–	62·7	46·4	54·6	–	65	41	54·8	52·3	85	0·4	4·3	—1·8	26	·32	–	2	2·0
,, 13th	29·920	–	64·6	48·6	56·6	–	67	40	57·2	54·0	83	0·4	4·2	—1·6	26	·49	–	5	2·1
,, 20th	30·152	–	69·6	46·4	58·0	–	74	42	58·5	55·2	81	0·4	7·8	+2·4	48	–	–	0	1·6
,, 27th	29·853	–	64·3	53·1	58·7	–	67	47	57·7	56·1	90	0·2	1·5	—3·8	9	1·72	–	7	1·9
Aug. 3rd	29·621	–	60·7	46·0	53·4	–	67	36	53·4	50·3	82	0·4	3·0	—2·4	20	1·50	–	6	2·5
,, 10th	29·658	–	59·4	46·6	53·0	–	63	39	53·0	51·1	88	0·4	2·2	—3·1	15	1·72	–	4	2·8
,, 17th	29·864	–	60·1	44·9	52·5	–	66	33	53·2	51·3	88	0·3	2·0	—3·3	14	·56	–	6	2·3
,, 24th	29·706	–	60·1	45·3	52·7	–	64	41	53·7	52·2	91	0·2	1·6	—3·6	11	1·11	–	6	1·8
,, 31st	29·669	–	59·4	44·9	52·2	–	63	39	53·9	52·3	90	0·3	1·7	—3·3	12	1·38	–	6	1·8
Sept. 7th	30·054	–	60·6	46·9	53·8	–	68	43	53·8	51·0	82	0·5	3·2	—1·7	24	·15	–	4	3·3
,, 14th	30·366	–	58·7	43·6	51·2	–	64	37	50·8	48·6	85	0·3	3·1	—1·7	24	–	–	0	1·7
,, 21st	30·404	–	58·6	42·0	50·3	–	64	39	50·2	48·3	88	0·0	4·3	—0·3	35	–	–	0	1·0
,, 28th	30·169	–	56·9	41·6	49·3	–	60	34	49·8	46·4	79	0·1	3·8	—0·6	32	·19	–	1	3·4
MEAN	29·962	+·014	61·2	45·9	53·6	—3·1	74	33	53·8	51·5	86	0·3	3·3	—1·9	23	9·14	+0·76	47	2·2

*Height above Mean Sea Level, Station H=155 feet; Barometer Hb= 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the three calendar months July to September.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 28th September, 1912,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

REGISTRARS' DISTRICTS, &c.	Population, estimated to middle of 1912.†	Annual Rate of Mortality per 1,000 living represented by Deaths. From all causes	From certain epidemic diseases*	Total Deaths.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and *Enteritis* of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
					QUARTER (13 WEEKS) ENDED 28TH SEPTEMBER, 1912. DEATHS. CAUSED BY																								
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
NORTH CITY, No. 1, E.,	29,697	17·2	2·6	128	27	10	10	8	6	23	28	16	2	.	.	4	5	.	1	.	20	5	4	12	9	7	.	4	2
" 1, W.,	40,583	22·4	3·1	227	53	16	15	12	12	36	42	41	2	.	.	9	2	3	3	.	25	9	16	17	19	12	.	2	12
" 2,	27,883	20·2	4·0	141	38	20	10	4	5	21	28	15	.	.	.	8	1	5	1	.	15	8	5	11	9	13	.	3	2
" 3,	34,937	17·2	2·4	150	30	10	9	8	4	32	34	23	.	.	.	7	1	3	2	.	17	8	10	10	7	7	1	2	7
CLONTARF AND HOWTH, No. 1, part of.	5,393	8·2	.	11	.	.	1	.	2	2	4	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
COOLOCK AND DRUMCONDRA, part of,	13,455	8·9	1·2	30	5	2	1	1	2	5	6	8	1	.	.	1	1	.	.	.	1	4	2	1	1	1	.	1	1
FINGLAS AND GLASNEVIN, part of,	10,542	3·8	.	10	1	.	.	.	1	2	2	4	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
South City.																													
SOUTH CITY, No. 1,	40,080	18·9	2·7	189	37	18	18	11	5	35	39	26	1	.	.	9	1	.	3	.	25	13	8	13	28	11	2	3	9
" 2,	18,341	19·0	0·9	87	16	6	7	2	4	15	21	16	.	.	.	.	.	1	.	.	17	8	3	5	8	2	1	1	2
" 3,	42,805	17·6	2·1	188	43	16	14	8	10	31	38	28	.	.	.	1	.	6	2	.	28	14	8	16	15	14	.	3	4
" 4,	33,171	18·0	4·0	149	31	13	11	10	4	24	27	29	.	.	.	10	2	.	3	.	21	8	7	11	11	18	.	4	1
NEW KILMAINHAM,	9,686	10·3	1·2	25	5	1	1	2	2	5	2	7	.	.	.	.	1	.	.	.	1	1	.	1	4	2	.	.	1
Urban Districts.																													
RATHMINES AND RATHGAR,	38,495	10·4	0·4	100	13	1	2	5	4	12	25	38	.	.	.	1	.	.	1	.	12	1	10	3	8	2	.	1	4
PEMBROKE,	29,731	12·8	1·3	95	20	4	5	2	5	10	24	25	1	.	.	3	.	.	3	.	5	2	15	4	5	3	.	1	5
BLACKROCK,	9,125	12·7	0·4	29	3	.	.	.	.	6	4	16	.	.	.	.	.	.	.	.	2	1	2	2	1	1	.	.	.
KINGSTOWN,	16,941	13·0	0·5	55	6	3	4	4	1	8	12	17	.	.	.	.	.	.	.	.	5	2	5	3	6	2	.	.	2
Total City. North,	162,490	17·2	2·5	697	154	58	46	33	32	121	144	109	5	.	.	29	10	11	7	.	81	34	38	51	46	40	1	12	24
Total City. South,	144,083	17·7	2·5	638	132	54	51	33	25	110	127	106	1	.	.	20	4	7	8	.	92	44	26	46	66	47	3	11	17
Total City. North and South,	306,573	17·4	2·5	1,335	286	112	97	66	57	231	271	215	6	.	.	49	14	18	15	.	173	78	64	97	112	87	4	23	41
Total Urban Districts,	94,292	11·8	0·7	279	42	8	11	11	10	36	65	96	1	.	.	4	.	.	4	.	24	6	32	12	20	8	.	2	11
Total Registration Area,	400,865	16·1	2·1	1,614	328	120	108	77	67	267	336	311	7	.	.	53	14	18	19	.	197	84	96	109	132	95	4	25	52
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				118	6	3	3	5	10	35	37	19	1	.	.	3	.	.	2	.	15	5	22	1	3	.	.	6	.

* See note (*) on page 624h.

† See note (*) on page 624i.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 28th September, 1912;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 28TH SEPTEMBER, 1912.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer	*Convulsions.*	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	375,350	—	1,732	568	82	77	302	373	187	143	8	.	.	56	14	18	21	.	212	89	118	45	110	135	95	4	31	776	52
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	11·5	50	2	.	.	6	15	12	15	.	.	.	.	.	.	.	.	.	.	10	.	3	3	.	.	.	34	3
II.	MIDDLE CLASS, ...	87,188	13·4	292	49	11	16	53	69	44	50	4	.	.	1	3	.	5	.	22	7	31	6	14	21	4	.	5	169	7
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	12·1	335	100	23	17	65	85	26	19	1	.	.	10	2	4	8	.	56	12	27	7	27	19	17	.	5	140	13
IV.	GENERAL SERVICE CLASS, ...	154,279	18·7	722	333	42	33	116	116	48	34	3	.	.	42	9	14	8	.	69	36	33	32	58	43	50	3	19	303	27
V.	INMATES OF WORKHOUSES, ...	6,024	—	333	84	6	11	62	88	57	25	.	.	.	3	.	.	.	.	65	34	17	.	8	49	24	1	2	130	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	21·5	42	2	.	.	5	12	9	14	.	.	.	.	.	.	.	.	.	.	8	.	2	3	.	.	.	29	3
	2. Merchants and Manufacturers, Higher Class	1,277	3·1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	3·3	7	.	.	.	.	3	3	1	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	15·6	30	2	.	.	8	6	4	10	1	.	.	.	.	.	.	.	3	.	3	.	2	2	.	.	1	18	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	65	7	3	.	12	23	10	10	1	.	.	.	.	.	.	.	5	3	6	.	4	5	1	.	.	40	.
	6. Clerks and Commercial Assistants, ...	30,432	11·7	89	29	4	11	23	8	11	3	2	.	.	.	3	.	2	.	8	2	8	5	3	4	3	.	3	46	6
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	16·0	108	11	4	5	10	32	19	27	.	.	.	1	.	.	3	.	6	2	14	1	5	10	.	.	1	65	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	11·8	29	10	4	2	6	6	.	1	1	.	.	.	.	1	.	.	6	3	2	2	3	1	1	.	.	9	.
	9. Building and Furnishing Trades, ...	29,801	12·8	95	41	5	2	17	20	6	4	.	.	.	4	2	1	1	.	12	1	11	2	11	10	7	.	.	33	6
	10. Clothing Trades, ...	23,260	6·2	36	9	.	4	6	8	7	2	.	.	.	1	.	.	.	.	10	1	3	.	2	1	1	.	.	17	.
	11. Food Supply Trades, ...	9,242	8·7	20	5	2	1	6	5	1	.	.	.	.	1	.	.	1	.	4	1	1	.	2	3	1	.	1	5	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	16·1	122	28	8	8	24	39	6	9	.	.	.	3	.	1	6	.	20	5	8	2	7	3	4	.	3	60	3
	13. Petty Shopkeepers, ...	7,894	16·7	33	7	4	.	6	7	6	3	.	.	.	1	.	1	.	.	4	1	2	1	2	1	3	.	1	16	4
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	13·4	45	16	1	1	8	8	3	8	.	.	.	2	.	.	1	.	2	3	3	1	1	3	3	.	.	26	.
	15. Domestic Servants, ...	36,603	6·6	60	14	1	6	19	13	5	2	1	.	.	1	.	.	.	.	9	4	4	4	3	2	5	.	3	24	2
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	20·8	75	33	1	5	13	12	7	4	.	.	.	4	.	.	.	.	9	3	3	3	4	3	2	.	4	40	2
	17. Hawkers, Porters, Labourers, &c., ...	89,861	24·1	542	270	39	21	76	83	33	20	2	.	.	35	9	14	7	.	49	26	23	24	50	35	40	3	12	213	23
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	333	84	6	11	62	88	57	25	.	.	.	3	.	.	.	.	65	34	17	.	8	49	24	1	2	130	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-one of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 14·5 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Drogheda, 8·6; Portadown, 10·2; Armagh, 10·3; Queenstown, 10·7; Londonderry, 11·6; Wexford, 11·8; Newtownards, 12·1; Tralee, 12·4; Belfast, 13·0; Lurgan, 13·4; Clonmel, 13·7; Dundalk, 14·0; Cork, 14·5; Sligo, 15·4; Lisburn, 15·8; Dublin Registration Area, 16·1; Waterford, 16·2; Newry, 16·4; Kilkenny, 16·7; Limerick, 17·5; Galway, 18·4; and Ballymena, 19·7.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·5 per 1,000 of the population, the rates varying from 0·0 in 4 of the districts to 6·7 in Ballymena, the 56 deaths from all causes for that district including 2 from measles, 16 from whooping-cough, and one from diarrhœa or *enteritis* of a child under 2 years.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—There were 5 deaths recorded for Belfast, 2 for Cork, and one for each of Galway, Sligo, and Tralee.

Typhus.—One death for Kilkenny was registered.

Small-pox.—There was no mortality recorded from this disease.

Measles.—Thirteen deaths were registered for Belfast, 7 for Limerick, and 2 for Ballymena.

Scarlet Fever.—There were 14 deaths for Belfast, 2 for Cork, and one for each of Limerick, Galway, and Queenstown.

Whooping-cough.—For Ballymena there were 16 deaths, for Limerick 15 deaths, for Belfast 14 deaths, for Newry 11 deaths, and for each of Cork, Portadown and Clonmel one death.

Diphtheria.—Of the total, 9 were for Belfast, 4 for Galway, and one for each of Cork, Londonderry, and Dundalk.

Diarrhœa and Enteritis.—Of 79 deaths of children under 2 years of age, 41 appertained to Belfast, 13 to Waterford, 5 to each of Cork, Londonderry, and Limerick, and 3 to Tralee.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 1·8 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·0 per 1,000, for Belfast county borough 1·6 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin Registration Area), it was 1·8 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 28th September, 1912,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	26·2	14·5	1·5	7,555	4,185	755	922	17	1	...	75	33	77	35	...	513	214	238	226	347	174	14	78	148	1,405	164
DUBLIN REGISTRATION AREA:— TOTAL	400,865	29·2	27·4	16·1	2·1	2,744	1,614	328	311	7	...	...	53	14	18	19	...	197	84	96	109	132	95	4	25	40	678	52
CITY OF DUBLIN, ...	306,573	38·8	30·8	17·4	2·5	2,360	1,335	286	215	6	...	...	49	14	18	15	...	173	78	64	97	112	87	4	23	35	608	41
Urban Districts. RATHMINES AND RATHGAR, ...	38,495	22·5	13·9	10·4	0·4	134	100	13	38	...	...	...	1	...	...	1	...	12	1	10	3	8	2	...	1	2	30	4
Urban Districts. PEMBROKE, ...	29,731	18·9	18·0	12·8	1·3	134	95	20	25	1	...	...	3	...	...	3	...	5	2	15	4	5	3	...	1	1	25	5
Urban Districts. BLACKROCK, ...	9,125	8·4	19·3	12·7	0·4	44	29	3	16	...	...	...	...	...	...	...	...	2	1	2	2	1	1	...	...	1	7	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	17·0	13·0	0·5	72	55	6	17	...	...	...	...	...	...	...	...	5	2	5	3	6	2	...	...	1	8	2
Urban Districts. BELFAST, ...	391,974	26·2	26·0	13·0	1·0	2,551	1,276	238	245	5	..	...	13	14	14	9	...	152	76	74	66	109	41	6	30	65	332	16
Urban Districts. CORK, ...	76,673	28·6	23·6	14·5	0·6	452	278	40	80	2	...	...	...	2	1	1	...	43	11	11	9	18	5	...	6	15	117	14
Urban Districts. LONDONDERRY, ...	40,891	15·9	23·4	11·6	0·6	239	119	11	32	...	...	...	...	...	...	1	...	15	6	9	3	16	5	...	1	3	14	1
Urban Districts. LIMERICK, ...	38,518	16·1	25·6	17·5	3·1	247	169	38	27	...	...	...	7	1	15	...	...	14	2	4	6	15	5	2	...	3	67	20
Urban Districts. WATERFORD, ...	27,464	19·1	24·5	16·2	1·9	168	111	22	29	...	...	...	...	...	...	...	...	8	14	4	6	17	13	...	3	9	52	6
Urban Districts. GALWAY, ...	13,255	2·5	31·4	18·4	2·1	104	61	10	15	1	...	...	...	1	...	4	...	9	1	3	2	4	..	1	5	4	30	6
Urban Districts. DUNDALK, ...	13,128	9·5	30·5	14·0	0·6	100	46	4	15	...	...	...	...	...	...	1	...	7	...	6	5	1	1	...	2	2	12	1
Urban Districts. DROGHEDA, ...	12,501	8·4	26·6	8·6	...	83	27	2	11	...	...	...	...	...	...	...	...	5	2	1	1	2	...	...	...	...	7	2
Urban Districts. NEWRY, ...	11,963	17·0	22·1	16·4	4·3	66	49	14	12	...	...	...	...	...	11	...	...	4	...	2	7	3	2	...	1	1	11	3
Urban Districts. LURGAN, ...	12,553	14·7	28·0	13·4	0·6	88	42	4	9	...	...	...	...	...	...	...	...	6	2	2	1	2	1	1	...	...	7	2
Urban Districts. LISBURN, ...	12,388	10·9	21·6	15·8	0·3	67	49	5	19	...	...	...	...	...	...	...	...	6	1	2	...	2	1	...	...	1	12	...
Urban Districts. WEXFORD, ...	11,531	22·8	25·3	11·8	...	73	34	5	8	...	...	...	...	...	...	...	...	4	3	1	3	3	...	...	1	2	6	9
Urban Districts. BALLYMENA, ...	11,381	9·3	19·3	19·7	6·7	55	56	11	14	...	...	...	2	..	16	...	...	6	...	3	1	2	1	...	2	2	4	4
Urban Districts. SLIGO, ...	11,163	3·8	32·2	15·4	0·4	90	43	...	19	1	...	...	...	...	...	...	...	2	3	2	...	3	...	...	...	1	9	15
Urban Districts. KILKENNY, ...	10,514	11·4	25·5	16·7	0·4	67	44	5	25	...	1	...	...	...	...	...	...	3	1	4	2	10	...	...	...	...	16	4
Urban Districts. CLONMEL, ...	10,209	7·8	20·0	13·7	0·8	51	35	6	13	...	...	..	...	...	1	...	...	10	1	3	...	3	1	...	...	...	12	3
Urban Districts. PORTADOWN, ...	11,727	15·3	29·3	10·2	0·3	86	30	6	6	...	...	...	...	...	1	...	...	3	2	2	2	2	...	...	...	...	...	1
Urban Districts. TRALEE, ...	10,300	17·4	26·4	12·4	1·6	68	32	3	7	1	...	...	...	...	...	...	...	6	2	1	1	...	3	...	2	...	11	...
Urban Districts. NEWTOWNARDS, ...	9,587	20·1	27·1	12·1	...	65	29	...	10	...	...	...	...	...	...	...	...	10	1	3	1	2	...	...	...	...	3	...
Urban Districts. QUEENSTOWN, ...	8,209	14·7	22·9	10·7	0·5	47	22	1	7	...	...	...	...	1	...	...	...	...	2	4	1	...	...	...	...	...	...	3
Urban Districts. ARMAGH, ...	7,356	21·8	23·9	10·3	...	44	19	2	8	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...	...	...	5	2

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1912; that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 264*h*.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 28th September, 1912,** Deaths in Public Institutions of persons *admitted from without each City being omitted,* and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of **1911,** represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	79	13·4	1·0	53	10	4	5	13	11	10	1	.	.	.	.	.	.	.	6	1	4	3	2	3	.	2	4	18	1
Do. 2 do.	49,500	294	11·8	0·7	146	27	12	20	22	35	30	1	.	.	1	.	.	2	.	14	8	10	6	17	4	1	4	7	36	3
Do. 3 do.	50,032	351	13·1	1·8	164	36	15	15	31	40	27	1	.	.	4	2	4	1	.	22	8	6	11	11	10	.	5	7	39	7
Do. 4 do.	32,637	324	17·3	1·1	141	30	12	9	17	36	37	1	.	.	.	1	1	1	.	16	6	3	8	16	5	.	3	6	64	1
Do. 5 do.	16,112	117	18·9	0·5	76	22	4	7	18	16	9	.	.	.	.	.	.	.	.	11	8	5	3	4	2	.	4	4	25	2
Do. 6 do.	37,293	170	12·2	0·3	114	11	6	11	18	33	35	.	.	.	.	.	.	1	.	11	4	14	7	6	2	.	2	6	24	.
Do. 7 do.	2,681	17	—	—	6	2	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	26	15·4	.	23	5	2	.	4	6	6	.	.	.	.	.	.	.	.	.	.	2	1	2	.	.	1	2	5	.
Do. 9 do.	24,427	126	9·5	1·3	58	10	5	9	13	16	5	1	.	.	.	.	.	1	.	11	2	7	4	6	6	.	4	4	15	.
Do. 10 do.	28,958	211	14·0	2·2	101	19	15	18	17	22	10	.	.	.	8	1	1	1	.	15	5	6	6	7	3	2	.	3	18	1
Do. 11 do.	39,311	265	11·7	1·0	115	17	10	16	18	28	26	.	.	.	.	5	4	.	.	11	10	2	5	8	.	1	2	4	19	1
Do. 12 do.	38,076	288	13·2	1·3	126	22	20	17	19	25	23	.	.	.	.	4	3	2	.	12	9	7	5	21	2	1	2	10	31	.
Do. 13 do.	23,233	146	8·1	0·2	47	3	4	8	12	9	11	.	.	.	.	.	1	.	.	8	5	.	.	2	.	.	.	1	5	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	136	18·7	1·1	106	24	8	12	22	24	16	.	.	.	.	1	.	.	.	13	9	8	7	7	4	1	1	7	33	.
Total	386,947	2,551	13·0	1·0	1,276	238	117	151	224	301	245	5	.	.	13	14	14	9	.	152	76	74	66	109	41	6	30	65	332	16
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	59	11·9	.	40	2	2	5	8	6	17	.	.	.	.	.	.	.	.	11	.	2	.	1	.	.	.	1	26	2
Do. 2 do.	10,399	68	13·5	1·2	35	7	7	2	6	6	7	.	.	.	.	2	.	.	.	1	1	2	3	2	1	.	2	3	6	3
Do. 3 do.	9,793	72	12·7	0·4	31	8	3	5	4	4	7	.	.	.	.	.	.	.	.	4	1	1	.	3	1	.	2	4	10	1
Do. 4 do.	9,139	43	12·7	.	29	4	2	4	4	7	8	.	.	.	.	.	.	.	.	5	.	.	1	5	.	.	.	.	9	1
Do. 5 do.	6,250	25	18·6	.	29	3	1	2	9	9	5	.	.	.	.	.	.	.	.	3	3	2	2	3	.	.	.	2	15	1
Do. 6 do	11,581	76	21·1	2·1	61	8	4	7	12	13	17	2	.	.	.	.	.	1	.	9	3	1	2	2	3	.	.	1	30	2
Do. 7 do	16,056	109	13·2	0·2	53	8	3	5	10	8	19	.	.	.	.	.	1	.	.	10	3	3	1	2	.	.	2	4	21	4
Total,	76,673	452	14·5	0·6	278	40	22	30	53	53	80	2	.	.	.	2	1	1	.	43	11	11	9	18	5	.	6	15	117	14

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
2nd November, 1912.

* See note (†) on page 624*h*.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 33267. Wt. P. 210.—30/139. 375. 11. 1912. Sch. C. 9.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 5TH OCTOBER, 1912. [No. 40.

General Register Office, Charlemont House,
Dublin, 7th October, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 14	Week ending Sept. 21	Week ending Sept. 28	Week ending Oct. 5	Average Rate for 4 weeks.
22 Town Districts, ...	**14·2**	**14·7**	**14·5**	**15·5**	**14·7**
Armagh	·	·	21·3	14·2	8·9
Ballymena	27·5	9·2	9·2	4·6	12·6
Belfast	12·6	12·8	14·0	14·9	13·6
Clonmel	·	15·3	5·1	5·1	6·4
Cork	15·0	15·6	12·9	17·7	15·3
Drogheda	4·2	4·2	8·3	4·2	5·2
Dublin Reg. Area ...	14·7	16·6	17·2	16·4	16·2
Dundalk	23·8	27·8	11·9	15·9	19·8
Galway	27·5	11·8	11·8	35·4	21·6
Kilkenny	9·9	19·8	·	5·0	8·7
Limerick	10·8	14·9	21·7	33·8	20·3
Lisburn	21·0	16·8	12·6	8·4	14·7
Londonderry	17·9	11·5	3·8	10·2	10·9
Lurgan	8·3	12·5	12·5	12·5	11·5
Newry	13·1	17·4	8·7	4·4	10·9
Newtownards	5·4	10·9	21·8	16·3	13·6
Portadown	13·3	13·3	17·8	4·4	12·2
Queenstown	6·4	25·4	6·4	12·7	12·7
Sligo	23·4	28·0	4·7	4·7	15·2
Tralee	35·4	15·2	10·1	·	15·2
Waterford	20·9	13·3	17·1	19·0	17·6
Wexford	13·6	13·6	13·6	13·6	13·6

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in fifteen of the districts to 9·5 in Limerick, the 25 deaths from all causes for that district including 7 from measles. Among the 112 deaths from all causes for Belfast are 3 from measles, 2 from scarlet fever, and 8 from diarrhœa and *enteritis* of children under 2 years. The only death for Ballymena is from whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 240—132 boys and 108 girls—and the deaths to 136—66 males and 70 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·4 per 1,000 of the population. During the forty weeks ending with Saturday last the death-rate averaged 20·8, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 136, represent an annual rate of 17·7 per 1,000 ; the annual rate for the past forty weeks was 22·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The total deaths (136) include 2 from enteric fever, 2 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from influenza, and one from diarrhœa or *enteritis* of a child under 2 years of age.

In the 3 weeks preceding, deaths from enteric fever were 0, one, and one ; deaths from measles were one, 3, and one ; deaths from scarlet fever were one, one, and 2 ; deaths from whooping-cough were one, 4, and 0 ; deaths from diphtheria were 2, 0, and 2 ; deaths from influenza were 0, one, and one ; and deaths from diarrhœa and *enteritis* of children under 2 years were 2, 3, and 2 respectively.

Tuberculous disease, which in the 3 weeks preceding caused 22, 13, and 25 deaths, respectively, in the week under notice caused 22 deaths, comprising 18 from pulmonary tuberculosis, one from tuberculous disease of femur, and 3 from disseminated tuberculosis.

There were 7 deaths from pneumonia, including 3 from broncho-pneumonia, one from lobar pneumonia, and 3 from *pneumonia* (type not distinguished).

Fifteen deaths were caused by cancer.

Convulsions caused 4 deaths, all being those of infants under one year of age.

Organic diseases of the heart caused 13 deaths, and 11 were caused by bronchitis.

The deaths of 4 infants were ascribed to premature birth, and 3 to congenital debility.

There were 4 accidental deaths, including one caused by drinking camphor liniment, and 2, both of children under 5 years of age, by burns.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one year old and the death of one person aged 70 years.

Twenty-eight of the persons whose deaths were registered during the week were under 5 years of age (17 being infants under one year, of whom 4 were under one month old) and 36 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 12 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000 ; the rate in the City was 17·9 (North City Districts, 19·9 ; South, 15·6) and in the Suburbs, 11·6.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·6, and in the South 1·1), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·8 per 1,000, and include one from influenza, one from *pneumonia*, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·4 per 1,000. Whooping-cough, pulmonary tuberculosis, and *pneumonia* each caused one death, and there was one death of a child from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000. Measles caused one death, scarlet fever one death, pulmonary tuberculosis 5 deaths, broncho-pneumonia 2 deaths, bronchitis one death, and there was one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000. The total includes one from whooping-cough and one from disseminated tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·4 per 1,000 inhabitants ; Clontarf and Howth, No 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 14·8. The 3 deaths from all causes for the latter district include one from each of enteric fever and bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (8) represent an annual rate of 10·4 per 1,000, and include one from measles and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Pulmonary tuberculosis caused 3 deaths, and there were 2 accidental deaths.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·1 per 1,000. Tuberculous disease caused 3 deaths, broncho-pneumonia one death, *pneumonia* one death, bronchitis 2 deaths, and diarrhœa or *enteritis* one death.

No. 4 *South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000, and include one from enteric fever, 3 from pulmonary tuberculosis, and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·1 per 1,000, and include one from pulmonary tuberculosis and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·5 ; Pembroke, 0·0 ; Blackrock, 17·1 ; and Kingstown, 24·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Rathmines and Rathgar. Among the 10 deaths from all causes for this district was one from pulmonary tuberculosis ; and included in the 8 deaths from all causes for Kingstown are one from lobar pneumonia and 2 from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 5th October, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 14,	.	—	—	12	.	.	4	.	.	11	9	.	—	—	.	—	13	—	49
	Sept. 21,	.	—	—	21	3	.	4	.	2	13	2	.	—	—	.	—	8	—	53
	Sept. 28,	.	—	—	18	.	.	6	.	1	7	12	.	—	—	.	—	10	—	54
	Oct. 5,	.	—	—	18	1	.	12	.	1	12	1	.	—	—	.	—	7	—	52
Rathmines and Rathgar Urban District.	Sept. 14,	.	—	—	1	.	.	2	.	.	1	.	.	—	—	—	—	—	—	4
	Sept. 21,	.	—	—	.	.	.	2	.	.	3	2	.	—	—	—	—	—	—	7
	Sept. 28,	.	—	—	1	.	.	5	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 5,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Sept. 14,	.	2	.	.	.	.	1	.	.	.	.	.	—	2	—	—	.	—	5
	Sept. 21,	.	2	.	3	.	.	1	.	.	.	.	.	—	1	—	—	.	—	7
	Sept. 28,	.	.	.	2	1	.	1	.	.	3	.	1	—	.	—	—	.	—	8
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	3
Blackrock Urban District.	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Sept. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	2	—	2
	Sept. 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	—	3
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Oct. 5,	.	—	—	.	.	4	.	.	.	.	.	.	—	—	—	—	.	—	4
City of Belfast.	Sept. 14,	.	—	—	21	.	.	7	.	.	1	4	.	—	—	—	—	10	—	43
	Sept. 21,	.	—	—	45	.	.	3	1	.	.	4	.	—	—	—	—	5	—	58
	Sept. 28,	.	—	—	29	.	.	4	1	.	.	3	.	—	—	—	—	13	—	50
	Oct. 5,	.	—	—	37	.	.	8	.	.	.	5	.	—	—	—	—	7	—	57

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th October, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Twenty-two cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 64 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 40, 48, and 53.

One case of typhus was admitted to hospital during the week, and 5 cases remained under treatment at its close.

Three cases of measles were admitted to hospital during the week, 3 were discharged, there was one death, and 7 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 10, 6, and 8 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 135* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 125, 125, and 124, respectively.

Seventeen cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 39, 37, and 36, respectively, were 43 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 13·3), was equal to an average annual death-rate of 12·3 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 12·2 per 1,000, the rate for Glasgow being 13·8, and for Edinburgh 10·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th October. From this Report it appears that of a total of 97 cases notified, 33 were scarlet fever, 29 phthisis, 24 diphtheria, 8 erysipelas, and 3 enteric fever. Among the 295 cases of infectious diseases in hospital at the close of the week were 112 cases of scarlet fever, 73 of diphtheria, 67 of phthisis, 16 of whooping-cough, 12 of erysipelas, 7 of enteric fever, and 5 of chicken-pox.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 5th October, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 5th October, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 5th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	30·6	15·5	1·5	677	342	56	82	2	...	...	12	3	3	1	...	41	10	26	19	30	12	1	11	18	118	20	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	400,865	29·2	31·2	16·4	1·2	240	126	17	35	2	...	...	2	1	2	1	...	16	2	13	7	12	1	...	4	7	55	7	e57	25	45·9	0·11	e60	34	49·2	0·19	e64	39	50·3	0·00
CITY OF DUBLIN,	306,573	38·8	36·1	17·9	1·4	212	105	13	29	2	...	...	2	1	2	...	...	15	2	11	6	10	1	...	4	6	49	6	f56·2 g56·8	32·1 29·0	48·6 47·3	0·30 0·22	f59·3 g60·2	43·4 37·2	52·3 51·1	0·16 0·12	f62·2 g65	46·9 41	53·7 52·3	0·01 0·01
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	14·9	13·5	1·4	11	10	3	1	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,731	18·9	8·8	.	.	5	.	...	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	11·4	17·1	.	2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	30·8	24·6	.	10	8	1	3	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	1	2	1	57	32	49·2	0·41	60	43	53·2	0·09	62	46	54	0·00
Urban Districts. BELFAST ...	391,974	26·2	31·0	14·9	1·9	233	112	18	23	...	...	...	3	2	...	...	...	11	4	7	8	9	8	1	6	7	36	2	56·5	32·5	51·0	0·21	59	43	51·5	0·00	62	40	52·6	0·00
CORK, ...	76,673	28·6	26·0	17·7	0·7	53	26	3	8	...	...	...	...	...	...	...	...	4	2	...	1	2	1	...	1	2	12	...	58	37	49·5	0·84	59	50	55·1	0·58	63	49	54·6	0·09
LONDONDERRY ...	40,891	15·9	24·2	10·2	.	19	8	1	...	...	...	...	...	...	...	...	...	2	2	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	25·5	33·8	9·5	41	25	7	4	...	...	...	7	...	...	...	...	2	...	...	1	2	...	...	...	...	11	4	58·5	26	46·2	0·00	60·8	31·1	51	0·08	65·8	40	51·2	0·00
WATERFORD, ...	27,464	19·1	20·9	19·6	.	11	10	2	2	...	...	...	...	...	...	...	...	4	...	1	...	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	39·3	35·4	3·9	10	9	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	1	3	60	29	47	0·00	64	37	52	0·06	69	45	57	0·00
DUNDALK, ...	13,128	9·5	39·7	15·9	.	10	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	16·7	1·2	.	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	21·8	4·4	.	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00
LURGAN, ...	12,553	14·7	8·5	12·5	.	2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00
LISBURN, ...	12,388	10·9	16·5	8·4	4·2	4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00
WEXFORD, ...	11,531	22·8	13·6	13·6	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ...	11,381	9·3	13·7	4·6	4·6	3	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	9·3	4·7	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	58	27	47·0	0·20	61	37	50·0	0·02	65	38	53·0	0·00
KILKENNY, ...	10,514	11·4	29·5	5·0	.	12	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	60	25	47·0	0·13	59	35	50·1	0·09	65	43	53·0	0·00
CLONMEL, ...	10,209	7·8	29·4	5·1	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	35·6	14·1	.	8	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55·8	29·3	45·8	0·23	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00
TRALEE, ...	10,300	17·4	10·1	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	10·9	16·3	.	2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	1	55	35	48·8	0·16	57	50	53·3	0·00	60	47	53·4	0·00
QUEENSTOWN, ...	8,209	14·7	31·8	12·7	.	5	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	58	37	49·5	0·84	59	50	55·1	0·58	63	49	54·6	0·09
ARMAGH, ...	7,356	21·8	28·4	11·2	.	4	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06	65·4	38·0	52·7	0·00

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 5th of October, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	1	5	.	.	.	.	.	3	2	3	1	1	.	.	.	16	2
Tuberculous Disease. Other Forms,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	2
Cancer,	1	1	3	1	.	1	.	1	1	1	1	.	1	.	1	.	13	2
Diseases of Nervous System,	.	4	.	2	.	2	.	2	1	3	1	.	1	.	1	2	19	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	3	5	2	.	.	1	.	.	.	.	2	1	1	.	.	1	16	.
" Respiratory System. Pneumonia,	1	1	2	.	.	.	.	.	.	2	.	.	.	.	.	1	7	.
" Respiratory System. Others,	2	.	1	.	.	.	1	2	.	2	1	1	.	.	.	2	12	.
" Digestive System. Diarrhœa and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	3	2
" Genito-urinary System,	.	1	.	1	.	.	1	.	.	.	.	.	1	.	.	.	4	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	2	2	1	.	.	.	1	1	.	1	.	3	.	.	.	11	1
Violent Deaths,	.	1	1	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	.	2	1	.	.	1	.	.	.	1	.	.	1	.	1	1	8	.
Deaths from All Causes	9	19	19	7	.	5	3	8	8	14	10	3	10	.	3	8	126	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·8	24·4	35·5	10·4	.	19·4	14·8	10·4	22·7	17·1	15·7	16·1	13·5	.	17·1	24·6	16·4	.
	19·9							15·6					11·6					
	17·9																	
Ages at Death. Under 1 year,	.	3	4	.	.	.	.	2	.	2	2	.	3	.	.	1	17	.
1 and under 2 years,	1	1	1	1	.	.	.	1	.	.	1	.	.	.	.	.	6	1
2 " 5 "	.	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	4	.
5 " 15 "	.	.	1	.	.	.	.	.	1	1	1	.	1	.	.	.	5	.
15 " 25 "	.	.	2	1	.	.	.	.	.	.	.	1	1	.	.	.	5	1
25 " 45 "	.	3	3	1	.	.	2	.	2	1	.	.	2	.	.	1	15	3
45 " 65 "	4	2	6	2	.	2	1	1	3	5	6	1	2	.	1	3	39	4
65 and upwards,	4	9	2	1	.	3	.	3	1	5	.	1	1	.	2	3	35	1
Number of Uncertified Deaths,	.	3	.	.	.	.	.	.	.	1	2	.	.	.	.	1	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	1	4	2	.	2	3	3	2	3	5	.	4	.	.	1	32	8
Workhouse Hospitals,	.	2	7	1	.	1	.	3	3	4	1	.	.	.	.	1	23	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1902–1911.	In the Week ending Saturday, 5th October, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·5	° 48·6	° 52·1	° 45·9										
ALL CAUSES.	169	150	130	158	198	161	146	134	160	179	158·5	136	4	13	7	4	5	6	18	43	27	9
Enteric Fever, ...	6	2	1	2	.	.	4	.	3	2	2·0	2	.	.	.	.	1	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	.	.	.	.	.	4	1	1	.	1·4	2	.	1	.	1	.	.	.	.	.	.
Scarlet Fever, ...	.	1	1	.	.	.	1	.	1	1	·5	1	.	.	.	.	1	.	.	.	.	.
Whooping-cough, ...	1	2	3	.	1	3	.	3	2	.	1·5	2	.	.	1	1	.	.	.	.	.	.
Diphtheria, ...	5	1	.	.	.	3	1	1	2	.	1·3	1	.	.	.	.	1	.	.	.	.	.
Croup, ...	.	.	.	.	1	1	.	.	.	.	·2	1	.	1	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	1	1	1	.	.	1	1	·7	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	2	1	.	1	1	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	27	24	25	23	32	13	17	17	18	21·4	18	.	.	1	.	.	4	7	5	1	.
Tuberculous Meningitis, ...	4	.	2	6	3	5	4	3	2	2	3·1	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	5	2	1	2	.	2	.	1	4	1·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	4	9	4	10	3	6	7	2	9	.	6·0	1	.	.	.	.	.	.	.	1	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										6		3	.	.	2	.	.	1	.	.	.	.
Venereal Diseases, ...	1	1	1	2	1	2	.	4	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	4	9	3	11	13	12	12	8	12	6	9·0	15	.	.	.	.	.	.	2	9	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	.	.	1	2	1	.	.	2	·7	1	.	.	.	.	.	.	.	.	1	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	1	1	.	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	.	1	1	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		2	.	1	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										9		5	.	.	.	.	.	1	.	2	2	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		4	.	.	.	.	.	.	1	2	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		4	1	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	33	31	31	30	37	32	44	27	35	5	33·5	4	.	.	.	.	.	.	1	1	2	.
Pericarditis, ...										—		2	.	.	.	.	.	.	.	1	1	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										1		13	.	.	.	.	.	.	1	5	5	2
Embolism and Thrombosis (including Cerebral)										15		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	1	.	.	.	.	.	.	.
Bronchitis, ...	11	8	11	10	21	6	7	8	15	15	11·2	11	.	.	1	.	.	.	1	4	3	2
Broncho-pneumonia, ...	1	5	3	4	4	2	2	3	1	7	3·2	3	.	2	.	.	1	.	.	.	.	.
Lobar pneumonia, ...	.	.	2	1	.	1	2	1	2	3	1·2	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	6	2	2	5	6	3	4	7	2	4	4·1	3	.	.	.	.	.	.	1	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	2	2	3	1	2	1	1	1	.	1·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		.	.	.	.	.	.	.	.	.	.	.

FORTIETH WEEK ending Saturday, 5th October, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 40th Week of the 10 years 1902–1911.	In the Week ending Saturday, 5th October, 1912.										
												Deaths of Persons of the Ages of										
	Oct. 4, 1902.	Oct. 10, 1903.	Oct. 8, 1904.	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 51·1	° 52·4	° 48·3	° 48·3	° 53·3	° 52·4	° 60·6	° 53·2	° 52·5	° 48·6	° 52·1	° 45·9										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	5	—	2	.	1	.	.	.	.	.	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	25	9	12	8	34	14	13	7	19	32	17·4	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	1	1	.	1	.	2	2	.	2·1	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Liver, ...	2	1	.	3	3	.	.	2	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	2	.	1	.	.	.	1	.	.	·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	5	5	4	3	6	6	1	3	1	2	3·6	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	4	5	3	9	5	6	3	2	5	2	4·7	1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										1		4	.	.	.	.	.	.	.	3	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	.	.	.	5	.	1	.	.	·7	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	5	1	2	7	3	2	2	4	5	3	3·4	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	3	.	2	1	.	.	.	.	.	.	.
Old Age, ...	5	4	2	4	5	6	1	6	2	4	3·9	2	.	.	.	.	.	.	.	.	1	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	1	.	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	.	.	1	.	3	.	·5	2	.	.	.	2	.	.	.	.	.	.
Drowning, ...	1	.	1	.	.	2	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	1	1	.	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	1	1	4	1	2	3	5	1	2·0	1	.	.	.	.	.	.	.	.	1	.
Total Deaths from Accident,	3	1	3	2	4	3	3	5	10	1	3·5	4	.	.	.	2	.	.	.	1	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	.	.	1	1	.	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	8	.	.	.	.	.	.	1	2	2	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered.	251	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240
Average Births in corresponding week of previous 10 years, ...	209	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195
DEATHS registered, ...	216	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136
Annual Death-rate per 1,000, ...	27·7	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7
Average Deaths in corresponding week of previous 10 years, ...	188	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159
Ages, Under 5 years, ...	86	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28
5—15 „ ...	10	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5
15—25 „ ...	10	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6
25—45 „ ...	28	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18
45—65 „ ...	41	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43
65—75 „ ...	28	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27
75 and upwards, ...	13	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9
Deaths from :—																										
Enteric Fever, ...	.	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2
Scarlet Fever, ...	.	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1
Whooping-cough, ...	2	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2
Diphtheria, ...	1	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1
Influenza, ...	3	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	25	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18
Tuberculous Disease, Other Forms,	10	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4
Cancer, ...	8	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15
Diseases of Circulatory System,	20	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17	17	16
Diseases of Respiratory System, Pneumonia,	27	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7
Diseases of Respiratory System, Others, ...	32	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12
Diarrhœa and *Enteritis*, under 2 years, ...	6	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1
Diarrhœa, 2 years and upwards,	2	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.
Violent Deaths, ...	.	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4
Number of Uncertified Deaths,	7	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7
Mean Temperature of the Air (Phœnix Park)	43·9	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9
Average Mean Temperature in corresponding week of previous 10 years, ...	43·0	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1
Rainfall in inches, ...	·230	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105
Mean Humidity of the Air, complete Saturation 1·0, ...	·86	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th October, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH OCTOBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	136	28	5	6	18	43	27	9	2	.	.	2	1	2	1	.	18	4	15	4	7	12	1	.	4	63	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	21·5	36	4	2	.	7	11	8	4	1	.	.	.	.	.	1	.	1	.	4	.	2	3	.	.	.	24	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	13·2	28	4	1	1	3	9	8	2	.	.	.	.	1	1	.	.	3	.	5	1	.	4	.	.	.	13	1
IV.	GENERAL SERVICE CLASS, ...	154,279	15·2	45	14	2	3	5	15	4	2	1	.	.	2	.	1	.	.	7	1	2	2	3	4	.	.	3	19	6
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	6	.	2	3	8	5	1	.	.	.	.	.	.	.	.	7	3	3	1	2	1	1	.	1	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	2	.	.	2	3	2	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	2	2	.	2	3	1	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.	.	.	.	6	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	28·9	15	.	.	.	3	3	5	4	.	.	.	.	.	.	.	.	1	.	2	.	.	2	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	15·7	9	2	.	.	.	4	3	.	.	.	.	.	.	1	.	.	.	.	2	1	.	1	.	.	.	4	1
	10. Clothing Trades, ...	23,260	9·0	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	.	1	1	2	4	1	1	.	.	.	.	1	.	.	.	2	.	1	.	.	1	.	.	.	5	.
	13. Petty Shopkeepers	7,894	13·2	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
	15. Domestic Servants, ...	36,603	10·0	7	2	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	6	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18.1	5	1	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	2	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	16·8	29	11	2	1	4	9	1	1	1	.	.	2	.	1	.	.	6	1	1	2	3	2	.	.	2	8	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	25	6	.	2	3	8	5	1	.	.	.	.	.	.	.	.	7	3	3	1	2	1	1	.	1	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Aug. 17,	15·6	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	.
		„ 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
		„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
		Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
		„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
		„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
		Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Aug. 17,	24·7	9·1	19	.	.	.	3	1	1	.	.	1	1	1	.	1	2	.	.	1
		„ 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
		„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
		Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
		„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
		„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
		„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
		Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Aug. 17,	27·0	5·1	16	.	.	.	1	.	.	.	.	.	1	3	2	.	2	.	.	.
		„ 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
		„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
		Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
		„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
		„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
		„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Aug. 17,	18·6	3·1	12	.	.	.	.	.	.	.	.	1	.	1	1	.	1	1	.	.
		„ 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
		„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
		Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
		„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	1
		„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
		Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Aug. 17,	16·3	1·3	13	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	.
		„ 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
		„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
		Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
		„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
		„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
		Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Aug. 17,	2·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
		„ 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
		„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
		Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
		„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
		„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Aug. 17,	16·8	1·2	14	.	.	.	.	.	.	.	.	1	.	.	5	.	1	.	.	.
		„ 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
		„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
		Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
		„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
		„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
		„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
		Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Aug. 17,	14·5	1·4	10	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	.
		„ 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
		„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
		Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
		„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
		„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
		„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
		Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	2

* See note (‡) at foot of first page.

NOTE.—The rates given in this report for the week ending the 17th August, for the Dublin districts, Belfast and Londonderry are calculated Census of 1911 (unrevised figures) for the remaining weeks, the rates for the Dublin districts, Belfast and Londonderry are calculated Census of 1911

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Aug. 17,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Aug. 17,	10·5	.	6	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1
	„ 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 17,	12·1	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,974.	Aug. 17,	11·1	1·2	83	1	.	.	.	.	1	3	.	16	6	2	5	7	4	.	2	.
	„ 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
Cork. Pop. in 1911 76,673.	Aug. 17,	16·3	.	24	.	.	.	.	.	.	.	.	6	1	1	.	3	.	.	.	3
	„ 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1 4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Aug. 17,	2·5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	„ 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
Limerick. Pop. in 1911 38,518.	Aug. 17,	14·9	2·7	11	.	.	.	.	.	2	.	.	1	1	1	1	1	.	.	.	2
	„ 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
Waterford. Pop. in 1911 27,464.	Aug. 17,	9·5	1·9	5	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.
	„ 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.

* See note (‡) at foot of first page.

on an estimated population based on the Census of 1911 (unrevised figures); those for the other districts on the population according to the on an estimated population based on the Census of 1911 (revised figures): those for the other districts on the population according to the (revised figures).

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th October, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.	DEATHS. Ages at Death.						Deaths from																		
			All Causes.	Certain Epidemic Diseases.*		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	19·7	.	6	.	.	.	2	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1	4	.
Do. 2 do.	49,500	32	13·7	3·2	13	2	.	2	4	3	2	.	.	.	.	.	.	.	.	.	.	1	2	1	2	1	1	1	4	1
Do. 3 do.	50,032	29	10·4	2·1	10	1	2	1	.	3	3	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.	1	1	2	1
Do 4 do.	32,637	26	25·6	1·6	16	4	.	4	4	3	1	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	2	2	11	.
Do. 5 do.	16,112	14	29·1	.	9	3	1	.	.	5	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	1	1	2	.
Do. 6 do.	37,293	12	11·2	1·4	8	2	3	.	.	1	2	.	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	2	.
Do. 7 do.	2,681	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	6	8·7	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	6	14·9	.	7	.	.	1	2	2	2	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	1	2	.
Do. 10 do.	28,958	17	25·2	3·6	14	1	3	3	.	4	3	.	.	.	1	.	.	.	.	1	1	2	1	.	1	.	.	.	4	.
Do. 11 do.	39,311	20	10·6	1·3	8	2	.	.	2	1	3	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	1	.
Do. 12 do.	38,076	20	16·4	2·7	12	1	4	2	1	2	2	.	.	.	2	.	.	.	.	2	.	.	2	2	.	.	.	.	3	.
Do. 13 do.	23,233	16	4·5	2·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	19	13·8	2·3	6	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.	1	.
Total,	386,947	233	14·9	1·9	112	18	15	13	16	27	23	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	7	36	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	8	15·5	.	4	.	.	.	1	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do 2 do.	10,399	8	5·0	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Do 3 do.	9,793	9	21·3	.	4	1	1	1	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Do 4 do.	9,139	5	11·4	5·7	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Do 5 do.	6 250	5	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.
Do 6 do.	11,581	9	27·0	.	6	.	.	3	.	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,056	9	22·7	.	7	1	.	.	.	2	4	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	4	.
Total,	76,673	53	17·7	0·7	26	3	1	5	1	8	8	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	2	12	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Apr. 13.	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered, ...	240	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233
DEATHS registered, ...	147	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112
Annual Death rate per 1,000 of estimated population, ...	19·6	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9
AGES, Under 1 year, ...	29	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18
1—5 years, ...	13	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15
5—25 ,, ...	17	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13
25—45 ,, ...	25	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16
45—65 ,, ...	28	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27
65 and upwards, ...	35	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3
Scarlet Fever, ...	.	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2	2
Whooping-cough, ...	9	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.
Diphtheria, ...	.	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	12	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11
Tuberculous Disease. Other Forms,	4	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4
Cancer, ...	4	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7
Diseases of Respiratory System, Pneumonia,	16	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8
Diseases of Respiratory System, Others, ...	27	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9
Diarrhœa, and *Enteritis*, under 2 years, ...	3	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8
Diarrhœa, 2 years and upwards,	.	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1
Violent Deaths, ...	4	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6
Number of Uncertified Deaths, ...	2	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Oct. 5,	1,952	1,150	13·3	4	.	22	2	8	12	38*a*
Edinburgh, ...	321,200	„ 5,	107	63	10·2	.	.	.	.	.	2	2
Glasgow, ...	785,600	„ 5,	392	208	13·8	.	.	.	4	1	6	4
Calcutta, ...	896,067	Aug. 31,	.	398	23·0	54*	.	.	.	.	1†	52‡
Bombay, ...	979,445	„ 31,	400	631	33·5	96*	5	1	.	.	.	111‡
Madras, ...	518,660	Sept. 7,	405	410	41·1	90*	.	1	?	?	?	112‡
Cairo, ...	704,956	July 15,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	Sept. 21,	911	699	12·5	3	.	1	2	4	4†	23*a*
		„ 28,	938	730	13·1	8	.	5	2	3	8†	26*a*
Brussels, ...	745,380	„ 14,	220	174	12·1	3	.	.	.	.	.	21
Antwerp, ...	308,618	„ 14,	127	54	9·1	.	.	1	1	.	.	9*a*
		„ 21,	123	53	8·9	1	.	.	1	.	.	8*a*
Amsterdam, ...	583,901	„ 14,	255	106	9·5	1	.	2	.	.	.	3*a*
Copenhagen, ...	468,000	„ 14,	223	107	11·9	1	.	.	.	.	.	7*a*
Stockholm, ...	346,599	„ 14,	153	95	14·3	.	.	.	.	.	.	4*a*
Christiania, ...	247,488	„ 21,	99	52	10·9	.	.	.	2	.	1	2
St. Petersburg, ...	1,664,000	Aug. 31,	763	756	23·7	19	1	23	6	9	5†	171
Moscow, ...	1,617,157	„ 24,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,077,090	„ 31,	.	476	12·0	3	.	4	4	2	6†	52*a*
Hamburg, ...	953,079	Sept. 14,	.	228	12·4	.	.	1	2	4	14†	13*a*
Breslau, ...	529,617	„ 14,	.	173	17·0	.	.	.	.	.	.	15
Munich, ...	615,000	„ 21,	.	153	13·0	.	.	2	.	1	.	5
Vienna (with suburbs),	2,081,335	„ 14,	663	453	11·3	2	.	2	.	2	1†	25*a*
Buda-Pesth, ...	910,548	„ 14,	505	300	17·1	2	.	.	10	.	.	21*a*
Prague and Faubourgs,	484,301	„ 7,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	235,999	Sept. 14,	126	80	17·6	3	.	.	2	.	.	8*a*
Rome, ...	566,453	June 29,	232	199	18·3	1	.	10	2	2	1	27
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Aug. 17,	2,628	1,362	13·7	16	.	7	8	10	9†	212*a*
		„ 24,	2,581	1,310	13·2	19	.	8	3	8	10†	204*a*
Philadelphia, ...	1,606,105	„ 17,	.	481	15·6	3	.	.	2	1	4	70*a*
Boston, ...	720,031	Sept. 21,	.	215	15·6	3	.	.	.	.	1	35

* Deaths from "fever," including 8 deaths from enteric fever and one from plague in Calcutta; 4 from enteric fever, and 20 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 11 deaths from cholera in Calcutta, 9 in Bombay and 20 in Madras

Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th October, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	5	.	.	.	.	.	2	.	.	.	.	7
„ „ 1, West, ...	.	3	.	.	2	.	.	1	.	.	.	1	7
„ „ 2, ...	.	1	.	.	.	.	.	1	.	.	.	2	4
„ „ 3, ...	.	5	.	.	4	.	1	.	.	.	.	.	10
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1, ...	.	1	.	.	2	.	.	3	.	.	.	1	7
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3, ...	.	.	.	.	2	.	.	4	1	.	.	2	9
„ „ 4, ...	.	.	1	.	1	.	.	.	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	18	1	.	12	.	1	12	1	.	.	7	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th October, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th October.			
	Sept. 14.	Sept. 21.	Sept. 28	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	40	48	53	22	10	1	64
Typhus, ...	.	1	4	1	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	10	6	8	3	3	1	7
Scarlet Fever, ...	125	125	124	18	6	1	135*
Diphtheria, ...	39	37	36	17	9	1	43
Pneumonia, ...	17	16	19	12	3	1	27

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 5th October, 1912:—

"This week presented marked contrasts in its weather. During its earlier days the British Islands were traversed by a series of atmospheric depressions, of which the respective centres passed in an easterly direction across the south of England and the English Channel. On Wednesday a large anticyclone spread south-eastwards from Iceland to Scotland and Ireland. By Friday morning this system, in which the barometer rose above 30·6 inches, was central over the south of Ireland, St. George's Channel, Wales, and the greater part of the south of England. On Saturday the high pressure area had passed on to the Continent, and a far-stretching Atlantic depression central near Iceland was threatening the western shores of Ireland and Scotland. The passage of depressions across England in the early part of the week was attended by very inclement weather. Rain fell in large quantities—even in the London district during the 48 hours ended at 9 a.m. of Tuesday Greenwich had 1·96 inches, St. James's Park 1·90 inches, Camden Square 2·03 inches, and Hampstead 1·92 inches. Kew reported ·88 inch up to 7 a.m. of Monday, and 1·04 inches during the following 24 hours. Thunderstorms and hail showers were rife in many parts of England on Tuesday and Wednesday. Ireland fared better, although the weather was broken and squally up to Wednesday. To this state of things an anticyclonic cold, dry, bright spell succeeded, and Thursday and Friday were typical, fine winter days. On Thursday night an unusually severe frost for the time of year occurred, the screened thermometer falling to 26° in Central Ireland (at Birr Castle), to 29° at Bath, and to 32° at Oxford and in Dublin. A still sharper frost was felt in England on Friday night. On Saturday the wind backed in Ireland to S.W., and freshened with increasing cloud and finally showers. In Dublin the mean height of the barometer was 29·938 inches, pressure increasing from 29·260 inches at 9 p.m. of Monday (wind, N.N.W.) to 30·636 inches at 9 a.m. of Friday (wind, W.N.W.). The corrected mean temperature was 43·6°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 43·7°. On Monday the screened thermometers rose to 56·2°, on Friday they sank to 32·1°, the grass minimum being 28·2°. The prevalent winds were northerly (N.W. to N.E.). Rain fell on 2 days to the amount of ·295 inch, ·237 inch being measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·956 inches. The highest reading (30·641) was on Friday at 9 a.m., air calm, the lowest (29·285) on Monday at 9 p.m., air calm.

The mean temperature for the week was 45·9°, being 6·2° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Monday, on which day the thermometer registered 57°, and was lowest on Friday, the mercury having fallen to 25°. The mean of the Dry Bulb for the week was 46·6° and of the Wet Bulb, 44·2°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·105 inch.

At Greenwich the mean temperature for the week was 48·8°, the maximum 63·9°, and the minimum 29·9°; at Glasgow the maximum was 54·4°, the minimum 27·9°, and the mean 46·4°; and at Edinburgh the maximum was 52·1°, the minimum 34·0°, and the mean 45·9°. The rainfall at Greenwich measured 2·30 ins.; at Glasgow 0·22 in.; and at Edinburgh 1·53 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, September 29,	29·605	55	51	53.0	52·8	51·3	·89	·3	0·0	·075	E.	E.N.E.
Monday, „ 30,	29·340	57	47	52·0	52·0	50·8	·92	·2	0·1	·010	N.	Calm.
Tuesday, October 1,	29·460	55	43	49·0	51·6	48·5	·81	·5	0·0	·020	Calm.	N.E.
Wednesday, „ 2,	29·935	53	42	47·5	45·2	41·6	·75	·4	5·1	·000	N.E.	N.
Thursday, „ 3,	30·440	49	29	39·0	37·0	35·1	·87	·4	8·0	·000	N.N.E.	Calm.
Friday, „ 4,	30·615	53	25	39·0	36·5	34·5	·89	·5	9·0	·000	Calm.	Calm.
Saturday, „ 5,	30·295	54	29	41·5	51·4	47·8	·77	·5	1·2	·000	S.S.W.	S.W.
Mean, ...	29·956	53·7	38·0	45·9	46·6	44·2	·84	·4	Total 23·4	Total ·105	—	

Sunday—Day overcast, drizzling rain 10.0 to 11.30 a.m.; night cloudy, heavy shower 6.20 to 6.35 a.m. *Monday*—Day overcast, drizzling rain 9.15 to 10.0 a.m.; night cloudy. *Tuesday*—Day overcast, drizzling at intervals a.m.; night cloudy. *Wednesday*—A fine day, light clouds at intervals; night cloudy. *Thursday*—A beautiful bright day; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—Day cloudy, fine; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 5th October, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, September 29,	55·6	52·8	53·8	56·1	51·0	53·6	0·1	·272
Monday, „ 30,	52 8	53·0	53·5	56·8	48·2	52·5	0·0	—
Tuesday, October 1,	54·1	53·0	53·5	56·0	46·1	51·1	0·0	—
Wednesday, „ 2,	54·2	53·1	53·6	—	45·2	48·9	5·1	—
Thursday, „ 3,	46·7	51·0	53·2	50·1	37·1	43·6	7·8	—
Friday, „ 4,	47·2	49·2	53·2	53·4	31·1	42·3	7·2	—
Saturday, „ 5,	53·9	49·0	53·0	56·4	40·0	48·2	2·9	—
Weekly Mean, .	52·1	51·6	53·4	—	42·7	48·6	Total 23·1	Total ·272

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33031. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price 1½d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 12TH OCTOBER, 1912. [No. 41.

General Register Office, Charlemont House, Dublin, 14th October, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 21	Sept. 28	Oct. 5	Oct. 12	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 21	Sept. 28	Oct. 5	Oct. 12	Average Rate for 4 weeks.
22 Town Districts, ...	**14·7**	**14·5**	**15·5**	**17·6**	**15·6**	Limerick	14·9	21·7	33·8	29·8	25·0
						Lisburn	16·8	12·6	8·4	4·2	10·5
Armagh	.	21·3	14·2	7·1	10·7	Londonderry	11·5	3·8	10·2	12·8	9·6
Ballymena	9·2	9·2	4·6	9·2	8·1	Lurgan	12·5	12·5	12·5	29·1	16·6
Belfast	12·8	14·0	14·9	18·0	14·9	Newry	17·4	8·7	4·4	4·4	8·7
Clonmel	15·3	5·1	5·1	25·5	12·8	Newtownards	10·9	21·8	16·3	16·3	16·3
Cork	15·6	12·9	17·7	16·3	15·6	Portadown	13·3	17·8	4·4	4·4	10·0
Drogheda	4·2	8·3	4·2	16·7	8·4	Queenstown	25·4	6·4	12·7	.	11·1
Dublin Reg. Area ...	16·6	17·2	16·4	19·4	17·4	Sligo	28·0	4·7	4·7	23·4	15·2
Dundalk	27·8	11·9	15·9	7·9	15·9	Tralee	15·2	10·1	.	5·1	7·6
Galway	11·8	11·8	35·4	7·9	16·7	Waterford	13·3	17·1	19·0	20·9	17·6
Kilkenny	19·8	.	5·0	9·9	8·7	Wexford	13·6	13·6	13·6	4·5	11·3

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in eighteen of the districts to 20·3 in Limerick, the 22 deaths from all causes for that district including 15 from measles. Among the 135 deaths from all causes for Belfast are one from enteric fever, 4 from each of measles and scarlet fever, 3 from diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—104 boys and 91 girls—and the deaths to 161—88 males and 73 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·4 per 1,000 of the population. During the forty-one weeks ending with Saturday last the death-rate averaged 20·8, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 161, represent an annual rate of 20·9 per 1,000 ; the annual rate for the past forty-one weeks was 22·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The total deaths registered (161) include one from enteric fever, one from measles, 3 from diphtheria, one from influenza, one from dysentery,* and 5 from diarrhœa and *enteritis* of children under 2 years of age.

In the 3 preceding weeks, deaths from enteric fever were one, one, and 2 ; deaths from measles were 3, one, and 2 ; deaths from diphtheria were 0, 2, and one ; deaths from influenza were one, one, and one ; deaths from dysentery were 0, 0, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 3, 2, and one respectively.

Tuberculous disease caused 24 deaths, comprising 22 deaths from pulmonary tuberculosis, and one from each of abdominal tuberculosis and disseminated tuberculosis. In the 3 weeks preceding deaths from all forms of tuberculous disease numbered 13, 25, and 22 respectively.

There were 18 deaths from pneumonia, including 11 from broncho-pneumonia, one from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

Cancer caused 12 deaths.

Four deaths were due to *convulsions*, all being those of infants under one year of age.

Thirteen deaths were caused by organic diseases of the heart, and 11 by bronchitis.

The deaths of 2 infants were attributed to premature birth, 3 to congenital malformations, and 6 to congenital debility.

There were 10 accidental deaths, including 4 from burns or scalds (of which one was of an infant aged 10 weeks), one by drowning, and 2 by being knocked down by tramcar.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 persons aged 65 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 12 were under one month old) and 39 were aged 65 years and upwards, including 34 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom 2 (females) were stated to have been each aged 90 years.

Sixty-nine of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·4 per 1,000 ; the rate in the City was 21·3 (North City Districts, 21·5 ; South, 21·0) and in the Suburbs, 13·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·6, and in the South 1·8), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·3 per 1,000, and include one from enteric fever, one from broncho-pneumonia, 2 from *pneumonia*, 3 from bronchitis, and one by accidental drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·0 per 1,000. Pulmonary tuberculosis caused 3 deaths and broncho-pneumonia one death.

No. 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000, and include one from pulmonary tuberculosis, 3 from broncho-pneumonia, one from *pneumonia*, 2 from diarrhœa and *enteritis* of children under 2 years, and 5 accidental deaths.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 19·4 per 1,000. Of the total 4 were from pulmonary tuberculosis, one was from broncho-pneumonia, and one was from diarrhœa or *enteritis*.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·6 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 14·8. The 3 deaths from all causes for the first-named district comprise 2 from pulmonary tuberculosis and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·7 per 1,000, and include one from measles, 2 from diphtheria, 4 from pulmonary tuberculosis, one from broncho-pneumonia, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Disseminated tuberculosis caused one death, and one was from broncho-pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·1 per 1,000. Tuberculous disease caused 3 deaths, and one death was registered from each of broncho-pneumonia, *pneumonia*, bronchitis, and diarrhœa or *enteritis*.

No. 4 *South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000 and include 4 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, one from *pneumonia*, 4 from bronchitis, and one from diarrhœa or *enteritis*.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·1 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·3 ; Pembroke, 12·3 ; Blackrock, 5·7 ; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts was from diphtheria for Rathmines and Rathgar. Included in the 7 deaths from all causes for Rathmines and Rathgar are one from bronchitis and one accidental death. Among the 7 deaths from all causes for Pembroke are one from each of influenza and broncho-pneumonia, and one from accidental burns ; and the 4 deaths from all causes for Kingstown include one from each of *pneumonia* and bronchitis.

* See Note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 12th October, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 21,	.	—	—	21	3	.	4	.	2	13	2	.	—	—	.	—	8	—	53
	Sept. 28,	.	—	—	18	.	.	6	.	1	7	12	.	—	—	.	—	10	—	54
	Oct. 5,	.	—	—	18	1	.	12	.	1	12	1	.	—	—	.	—	7	—	52
	Oct. 12,	.	—	—	21	.	.	7	.	.	4	2	.	—	—	.	—	5	—	39
Rathmines and Rathgar Urban District.	Sept. 21,	.	—	—	.	.	.	2	.	.	3	2	.	—	—	—	—	—	—	7
	Sept. 28,	.	—	—	1	.	.	5	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 5,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Sept. 21,	.	2	.	3	.	.	1	.	.	.	.	.	—	1	—	—	.	—	7
	Sept 28,	.	.	.	2	1	.	1	.	.	3	.	1	—	.	—	—	.	—	8
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	3
	Oct. 12,	.	.	.	2	.	.	1	.	.	1	1	.	—	1	—	—	.	—	6
Blackrock Urban District.	Sept. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Sept. 21,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	—	3
	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Oct. 5,	.	—	—	.	.	4	.	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 12,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	.	—	4
City of Belfast.	Sept. 21,	.	—	—	45	.	.	3	1	.	.	4	.	—	—	—	—	5	—	58
	Sept. 28,	.	—	—	29	.	.	4	1	.	.	3	.	—	—	—	—	13	—	50
	Oct. 5,	.	—	—	37	.	.	8	.	.	.	5	.	—	—	—	—	7	—	57
	Oct. 12,	.	—	—	30	.	.	10	.	.	.	5	.	—	—	—	—	4	—	49

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th October, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nine cases of enteric fever were admitted to hospital during the week, 12 were discharged, there was one death, and 60 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 48, 53, and 64.

Five cases of typhus remained under treatment in hospital at the close of the week.

Six cases of measles were admitted to hospital during the week, 2 were discharged, and 11 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 6, 8, and 7, respectively.

Thirty cases of scarlet fever were admitted to hospital, 38 were discharged, and 127* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 125, 124, and 135, respectively.

Seventeen cases of diphtheria were admitted to hospital during the week, 14 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 37, 36, and 43, respectively, were 43 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there were 3 deaths, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 15·5), was equal to an average annual death-rate of 13·7 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14·1 per 1,000, the rate for Glasgow being 15·3, and for Edinburgh 13·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th October. From this Report it appears that of a total of 79 cases notified, 35 were scarlet fever, 33 phthisis, 9 diphtheria, and 2 erysipelas. Among the 318 cases of infectious diseases in hospital at the close of the week were 133 cases of scarlet fever, 76 of diphtheria, 68 of phthisis, 14 of whooping-cough, 10 of erysipelas, 10 of chicken-pox, and 4 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 12th October, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 12th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 28th September, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
Total of 22 Town Districts, ...	1,154,150	19·8	25·8	17·6	2·0	571	389	66	85	2	...	...	20	4	...	6	...	45	11	21	36	34	11	2	14	25	119	12	...	...	...	...	...	...	...	...	...	...	...	...
Dublin Registration Area:— Total. (c) ...	400,865	29·2	25·4	19·4	1·4	195	149	52	35	1	...	...	1	...	...	3	...	20	2	9	18	16	5	1	9	11	57	3	e62	29	48·3	0·03	e57	25	45·9	0·11	e60	34	49·2	0·19
City of Dublin,	306,573	38·8	28·4	21·3	1·7	167	125	31	24	1	...	...	1	...	...	2	...	20	2	5	16	13	5	1	7	10	51	3	f60·2 g62·2	39·1 32·0	51·7 49·8	0·11 0·10	f56·2 g56·8	32·1 29·0	48·6 47·3	0·30 0·22	f59·3 g60·2	43·4 37·2	52·3 51·1	0·16 0·12
Urban Districts. Rathmines and Rathgar.	38,495	22·5	16·3	16·3	1·4	12	12	...	5	...	...	...	...	...	...	1	...	...	...	3	...	2	...	...	1	...	3	...	.	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,731	18·9	15·8	12·3	.	9	7	...	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,125	8·4	11·4	5·7	.	2	1	...	1	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	15·4	12·3	.	5	4	1	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	61	41	51·7	0·00	57	32	49·2	0·41	60	43	53·2	0·09
Urban Districts. Belfast ...	391,974	26·2	28·1	18·0	2·4	211	135	22	18	1	...	...	4	4	...	3	...	13	7	7	11	10	5	1	2	12	40	2	59·0	31·5	50·5	0·10	56·5	32·5	51·0	0·21	59	43	51·5	0·00
Cork, ...	76,673	28·6	15·6	16·3	.	23	24	2	13	...	...	...	...	...	...	...	...	3	...	2	2	1	...	...	...	...	10	1	59	43	52·1	0·19	53	37	49·5	0·84	59	50	55·1	0·58
Londonderry...	40,891	15·9	25·5	12·8	.	20	10	...	2	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	9·5	29·8	20·3	7	22	2	2	...	...	...	15	...	...	...	...	...	...	1	...	3	...	...	...	1	3	...	60·2	36·4	50·6	0·28	58·5	26	46·2	0·00	60·8	31·1	51	0·08
Waterford, ...	27,464	19·1	26·6	20·9	1·9	14	11	3	1	...	...	...	...	...	...	...	...	2	...	1	...	2	1	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	47·2	7·9	.	12	2	...	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	60	45	54	0·37	60	29	47	0·00	64	37	52	0·06
Dundalk, ...	13,128	9·5	31·8	7·9	.	8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,501	8·4	12·5	16·7	.	3	4	...	1	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,963	17·0	30·5	4·4	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06
Lurgan, ...	12,553	14·7	12·5	29·1	.	3	7	...	1	...	...	...	...	...	...	...	...	1	...	1	2	...	...	...	...	...	2	...	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06
Lisburn, ...	12,388	10·9	33·7	4·2	.	8	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	..	...	...	..	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06
Wexford, ...	11,531	22·8	13·6	4·5	.	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3	22·9	9·2	.	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo. ...	11,163	3·8	28·0	23·4	.	6	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	61	38	50·0	0·15	58	27	47·0	0·20	61	37	50·0	0·02
Kilkenny, ...	10,514	11·4	34·7	9·9	.	7	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	60	33	50·7	0·07	60	25	47·0	0·13	59	35	50·1	0·09
Clonmel, ...	10,209	7·8	35·8	25·5	.	7	5	2	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	26·7	4·4	.	6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06
Tralee, ...	10,300	17·4	45·6	5·1	.	9	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1	43·5	16·3	.	8	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	1	59	39	50·9	0·05	55	35	48·8	0·16	57	50	53·3	0·00
Queenstown, ...	8,209	14·7	31·8	.	.	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	59	43	52·1	0·19	58	37	49·5	0·84	59	50	55·1	0·58
Armagh, ...	7,356	21·8	28·4	7·1	.	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28	59·7	32·9	49·7	0·06

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 4 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 12 deaths was from dysentery. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of October, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease. Pulmonary Tuberculosis,	.	3	1	4	.	2	.	4	.	2	4	.	.	.	.	.	20	2
Tuberculous Disease. Other Forms,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	.
Cancer,	1	.	.	.	.	.	.	2	.	1	1	.	3	.	.	1	9	3
Diseases of Nervous System,	1	1	2	3	.	.	.	4	.	.	.	.	.	.	.	.	11	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	2	2	1	.	.	.	.	2	1	.	.	3	3	.	1	17	.
" Respiratory System. Pneumonia,	3	1	4	1	.	.	.	1	1	2	3	.	.	1	.	1	18	.
" Respiratory System. Others,	4	.	.	.	.	1	.	1	.	1	5	1	2	.	.	1	16	.
" Digestive System. Diarrhœa and *Enteritis*, under 2 years,	.	.	2	1	.	.	.	.	.	1	1	.	.	.	.	.	5	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Digestive System. Others,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1
" Genito-urinary System,	.	1	.	.	.	.	.	.	1	2	.	.	.	.	1	.	5	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	3	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	2	2	2	.	.	3	2	1	2	1	2	.	.	.	.	18	.
Violent Deaths,	1	.	5	.	.	.	.	1	.	.	.	.	1	1	.	.	9	1
Ill-defined, &c. Causes,	1	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	5	1
Deaths from All Causes	15	14	19	13	.	3	3	19	6	14	16	3	12	7	1	4	149	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·3	18·0	35·5	19·4	.	11·6	14·8	24·7	17·1	17·1	25·2	16·1	16·3	12·3	5·7	12·3	19·4	.
	21·5							21·0					13·3					
	21·3																	
Ages at Death. Under 1 year,	1	2	6	3	.	.	3	6	3	4	1	2	.	.	.	1	32	.
1 and under 2 years,	1	.	2	2	.	.	.	.	.	1	2	.	.	.	.	.	8	.
2 " 5 "	1	1	.	.	.	.	.	3	.	1	.	.	.	.	.	.	6	.
5 " 15 "	2	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	5	2
15 " 25 "	.	1	.	1	.	.	.	1	.	2	1	.	.	.	.	.	6	3
25 " 45 "	2	4	6	2	.	1	.	3	.	.	4	1	2	2	.	.	27	1
45 " 65 "	4	3	2	2	.	2	.	4	1	1	4	.	4	1	.	2	30	2
65 and upwards,	4	3	3	3	.	.	.	2	1	4	4	.	5	4	1	1	35	4
Number of Uncertified Deaths,	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	7	2	.	1	.	5	1	3	5	1	3	3	.	.	36	11
Workhouse Hospitals,	2	4	4	2	.	.	.	5	2	1	1	.	.	.	.	.	21	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 4 last Week of the 10 years 1902–1911.	In the Week ending Saturday, 12th October, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 48·2	° 48·3	° 50·4	° 48·3										
ALL CAUSES.	192	145	162	141	175	157	134	127	151	183	156·7	161	12	20	8	6	7	9	28	32	21	18
Enteric Fever, ...	2	4	1	1	4	3	4	1	1	4	2·5	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	.	.	.	1	1	4	.	.	1	1·8	1	.	.	.	1	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	.	.	.	1	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	1	3	.	2	2	2	.	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	.	.	1	1	2	1	1	4	1·2	3	.	.	.	2	1	.	.	.	.	.
Croup, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	.	1	1	1	3	1	1	·9	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	1	.	.	.	.
Erysipelas, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	2	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	25	8	17	16	21	18	12	14	16	17·3	22	.	.	.	.	1	4	8	7	1	1
Tuberculous Meningitis, ...	2	1	4	3	3	2	2	1	1	1	2·0	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	1	3	.	.	1	1	3	2	1·4	1	.	.	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	6	8	8	7	4	6	8	1	4	.	5·5	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		1	.	1	.	.	.	.	.	.	.	.
Venereal Diseases, ...	.	3	.	1	.	.	.	2	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	2	8	7	7	9	8	4	8	11	12	7·6	12	.	.	.	.	.	1	3	5	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	.	1	.	2	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	.	.	.	.	2	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	1	3	.	.	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		3	.	2	.	.	.	.	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										8		4	.	.	.	.	.	.	.	2	1	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										4		4	2	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	44	43	35	36	27	24	29	27	4	34·3	.	.	.	.	.	.	.	.	.	.	.
Pericarditis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Acute Endocarditis, ...										1		2	.	.	.	.	.	.	1	.	1	.
Organic Diseases of the Heart,										9		13	.	.	.	.	2	.	2	4	3	2
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System, ...										3		1	.	.	.	.	.	.	.	.	.	1
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Bronchitis, ...	13	12	23	14	18	13	12	11	13	14	14·3	11	.	.	1	.	.	.	.	5	2	3
Broncho-pneumonia, ...	2	.	4	3	5	5	2	1	3	3	2·8	11	1	4	3	1	.	.	1	.	.	1
Lobar pneumonia, ...	1	.	1	.	4	.	1	.	2	2	1·1	1	.	.	.	.	.	.	1	.	.	.
Pneumonia (type not distinguished)	5	4	5	6	7	3	3	4	6	4	4·7	6	.	1	1	.	1	.	1	1	1	.
Pleurisy, ...										.		2	.	.	.	.	.	.	.	1	1	.
Pulmonary Congestion, Pulmonary Apoplexy	2	3	1	3	2	3	1	2	4	.	2·1	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	.	1

FORTY-FIRST WEEK ending Saturday, 12th October, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 41st Week of the 10 years 1902–1911.	In the Week ending Saturday, 12th October, 1912.										
												Deaths of Persons of the Ages of										
	Oct. 11, 1902.	Oct. 17, 1903.	Oct. 15, 1904.	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 48·2	° 50·0	° 47·9	° 49·6	° 52·5	° 48·9	° 57·7	° 52·5	° 48·2	° 48·3	° 50·4	° 48·3										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	6	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	21	6	13	6	18	31	13	10	16	27	16·4	5	.	3	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										2		1	.	.	.	.	.	1	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	.	.	.	.	.	1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	4	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	.	.	1	2	.	3	3	.	.	1·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	.	.	2	.	1	2	.	1	1		2	.	.	.	.	.	.	.	2	.	.
Peritonitis (cause unknown),	1	.	.	.	1	.	1	1	1	1	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	1	4	5	2	5	1	3	6	6	1	3·4	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	7	3	2	2	9	6	7	6	4	1	5·1	2	.	1	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										3		2	.	.	.	.	.	.	.	2	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		3	.	.	.	.	.	1	.	.	.	2
Puerperal Septicæmia, &c., ...	.	.	.	2	.	.	.	.	2	1	·5	3	.	.	.	.	.	.	3	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	2	1	.	.	1	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	3	2	1	.	.	.	.	.	.	.	.
Premature Birth, ...	5	4	7	3	4	5	1	3	3	3	3·8	2	2	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	6	—	6	2	4	.	.	.	.	.	.	.	.
Old Age, ...	6	2	4	.	2	1	.	4	5	3	2·7	4	.	.	.	.	.	.	.	.	4	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	1	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	.	1	3	2	.	.	.	.	·8	4	.	1	.	.	.	.	1	.	1	1
Drowning, ...	.	.	1	.	1	.	.	.	2	.	·4	1	.	.	.	.	.	.	.	1	.	.
Suffocation in Bed, ...	.	.	.	.	2	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	1	3	.	5	4	1	1	3	1·9	5	.	.	.	.	.	1	2	1	.	1
Total Deaths from Accident,	2	1	2	4	6	7	4	1	4	4	3·5	10	.	1	.	.	.	1	3	2	1	2
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	2	.	1	2	.	.	1	·6	2	.	.	.	.	.	.	1	1	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	1	.	.	2	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	7	—	6	.	.	1	.	.	.	1	1	1	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered.	247	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195
Average Births in corresponding week of previous 10 years, ...	220	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189
DEATHS registered, ...	217	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161
Annual Death-rate per 1,000, ...	27·8	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9
Average Deaths in corresponding week of previous 10 years, ...	192	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157
Ages, Under 5 years, ...	63	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46
5—15 " ...	9	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7
15—25 " ...	13	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9
25—45 " ...	34	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28
45—65 " ...	42	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32
65—75 " ...	37	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21
75 and upwards, ...	19	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18
Deaths from :—																										
Enteric Fever, ...	1	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	13	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1
Scarlet Fever, ...	2	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.
Whooping-cough, ...	2	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.
Diphtheria, ...	4	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3
Influenza, ...	11	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	30	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22
Tuberculous Disease, Other Forms,	9	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2
Cancer, ...	11	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12
Diseases of Circulatory System,	17	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17	17	16	17
Diseases of Respiratory System, Pneumonia,	25	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18
Diseases of Respiratory System, Others, ...	25	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	12	18	12	16
Diarrhœa and *Enteritis*, under 2 years, ...	1	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5
Diarrhœa, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1
Violent Deaths, ...	2	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10
Number of Uncertified Deaths,	12	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3
Mean Temperature of the Air (Phœnix Park)	48·1	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3
Average Mean Temperature in corresponding week of previous 10 years, ...	45·4	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4
Rainfall in inches, ...	·090	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th October, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH OCTOBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	161	46	7	9	28	32	21	18	1	.	.	1	.	.	3	1	22	2	12	4	18	16	5	1	10	65	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	1	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	27·5	46	10	3	3	6	7	6	11	.	.	.	.	.	.	.	1	4	1	3	.	4	4	1	.	4	24	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	12·7	27	5	3	2	7	7	3	.	.	.	.	.	.	.	1	.	3	.	5	.	3	2	.	1	.	12	1
IV.	GENERAL SERVICE CLASS, ...	154,279	19·9	59	26	1	3	11	12	4	2	1	.	.	1	.	.	2	.	8	.	1	4	10	7	2	.	6	17	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	22	4	.	1	4	4	6	3	.	.	.	.	.	.	.	.	7	1	1	.	.	3	2	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	37·9	16	6	.	.	3	2	4	1	.	.	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	10	.
	6. Clerks and Commercial Assistants, ...	30,432	18·8	11	1	1	2	1	2	1	3	.	.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	2	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	36·7	19	3	2	1	2	3	1	7	.	.	.	.	.	.	.	1	2	.	1	.	1	2	1	.	2	9	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	5·2	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
	10. Clothing Trades, ...	23,260	17·9	8	1	.	.	3	3	1	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	5	1
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	2	2	1	3	2	2	.	.	.	.	.	.	.	1	.	2	.	1	.	2	2	.	.	.	4	.
	13. Petty Shopkeepers	7,894	13·2	2	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	8·5	6	.	.	1	3	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·3	47	23	1	2	8	10	2	1	1	.	.	1	.	.	2	.	7	.	1	4	8	5	2	.	5	11	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	22	4	.	1	4	4	6	3	.	.	.	.	.	.	.	.	7	1	1	.	.	3	2	.	.	8	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincia

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Aug. 24,	17·6	5·3	10	2	.	.	.	1	.	.	.	2	1	.	1	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
	„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
	„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
	Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Aug. 24,	21·8	3·9	17	.	.	.	.	.	.	1	.	2	1	1	.	2	2	.	.	1
	„ 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
	Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
	„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
	„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
	„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
	Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
	„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,888.	Aug. 24,	24·3	7·5	13	.	.	.	.	.	1	.	.	1	.	1	1	1	3	.	.	.
	„ 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
	Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
	„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
	„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
	„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Aug. 24,	25·4	3·0	17	.	.	.	.	.	.	.	.	2	4	.	1	1	2	.	.	.
	„ 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	1	1
	„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
	Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Aug. 24,	20·8	3·9	16	.	.	.	.	.	.	.	.	1	2	.	2	2	2	1	.	.
	„ 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
	Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
	„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
	„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
	Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Aug. 24,	31·3	.	11	.	.	.	.	.	.	.	.	.	3	.	.	4	.	.	.	.
	„ 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
	Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
	„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
	„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
	„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Aug. 24,	18·3	.	15	.	.	.	.	.	.	.	.	5	.	1	1	.	.	.	.	.
	„ 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
	Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
	„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
	„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
	Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
	„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Aug. 24,	26·7	6·3	17	.	.	.	.	1	.	1	.	5	.	.	3	1	2	.	.	.
	„ 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
	Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
	„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
	Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
	„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Aug. 24,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Aug. 24,	5·3	3·5	3	.	.	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 24,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	„ 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Aug. 24,	12·6	0·8	95	.	.	.	1	.	.	.	.	12	5	4	3	9	4	1	2	1
	„ 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
Cork. Pop. in 1911 76,673.	Aug. 24,	17·0	1·4	25	.	.	.	.	.	.	.	.	8	.	1	.	2	2	.	.	2
	„ 31,	17·0	1·4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,891.	Aug. 24,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	Aug. 24,	14·9	5·4	11	.	.	.	2	.	2	.	.	.	.	.	1	1	.	.	.	2
	„ 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
Waterford. Pop. in 1911 27,464.	Aug. 24,	11·4	.	6	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	1	.
	„ 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th October, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	6·6	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 2 do.	49,500	18	14·7	2·1	14	.	4	.	4	3	3	1	.	.	1	.	.	.	.	1	1	.	1	1	.	.	.	2	.	.
Do. 3 do.	50,032	35	15·6	4·2	15	4	2	3	2	2	2	.	.	.	.	2	.	.	.	2	.	1	2	1	2	.	.	.	6	.
Do 4 do.	32,637	19	16·0	1·6	10	2	.	1	3	2	2	.	.	.	.	.	.	.	.	2	.	1	1	2	1	.	.	.	7	.
Do. 5 do.	16,112	5	22·7	.	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1	4	1
Do. 6 do.	37,293	24	15·4	.	11	3	.	2	.	5	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	1	1	.
Do. 7 do.	2,681	2	19·4	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	8·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	13	21·3	.	10	2	1	2	1	2	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	1	1	2	.
Do. 10 do.	28,958	16	18·0	3·6	10	.	3	2	1	2	2	.	.	.	1	.	.	.	.	1	1	2	2	.	.	1	.	.	3	.
Do. 11 do.	39,311	24	18·6	4·0	14	3	3	1	3	4	.	.	.	.	.	1	.	1	.	1	.	.	1	1	1	.	.	.	8	1
Do. 12 do.	38,076	21	27·4	8·2	20	3	6	3	2	5	1	.	.	.	2	1	.	2	.	2	.	.	1	.	1	.	.	6	3	.
Do. 13 do.	23,233	9	11·2	.	5	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	15	34·5	.	15	1	.	5	3	3	3	.	.	.	.	.	.	.	.	2	3	.	2	1	.	.	.	.	4	.
Total,	386,947	211	18·0	2·4	135	22	19	19	21	36	18	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	12	40	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	3	15·5	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,399	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,793	3	31·9	.	6	1	.	2	.	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Do 4 do.	9,139	9	11·4	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Do 5 do.	6 250	.	16·7	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Do 6 do.	11,581	1	31·5	.	7	.	1	.	1	1	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	4	.
Do. 7 do.	16,056	5	9·7	.	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	1
Total,	76,673	23	16·3	.	24	2	2	2	3	2	13	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	.	10	1

* See note (‡) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Apr. 20.	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
BIRTHS registered, ...	291	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211
DEATHS registered, ...	172	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135
Annual Death rate per 1,000 of estimated population, ...	22·9	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0
AGES, Under 1 year, ...	28	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22
1—5 years, ...	15	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19
5—25 „ ...	18	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19
25—45 „ ...	30	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21
45—65 „ ...	38	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36
65 and upwards, ...	43	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4
Scarlet Fever, ...	2	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2	2	4
Whooping-cough, ...	4	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.
Diphtheria, ...	1	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	25	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13
Tuberculous Disease. Other Forms,	7	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7
Cancer, ...	8	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7
Diseases of Respiratory System, Pneumonia,	18	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11
Diseases of Respiratory System, Others, ...	26	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10
Diarrhœa, and *Enteritis*, under 2 years, ...	2	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5
Diarrhœa, 2 years and upwards,	1	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1
Violent Deaths, ...	4	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2
Number of Uncertified Deaths, ...	3	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Oct. 12,	2,055	1,345	15·5	2	.	38	3	18	9	29*a*
Edinburgh, ...	321,200	„ 12,	124	84	13·6	1	.	.	1	2	.	3
Glasgow, ...	785,600	„ 12,	451	231	15·3	.	.	.	.	3	3	10
Calcutta, ...	896,067	Sept. 7,	.	402	23·3	61*	.	.	.	.	5†	53‡
Bombay, ...	979,445	„ 7,	375	690	36·6	80*	1	.	.	.	.	122‡
Madras, ...	518,660	„ 14,	353	380	38·1	84*	.	.	?	?	?	114‡
Cairo, ...	704,956	July 15,	.	.	.	.	.	.	.	.	.	.
Paris, ...	2,847,229	Oct. 5,	.	.	.	.	.	.	.	.	.	.
Brussels, ...	745,380	Sept. 21,	213	158	11·0	.	.	.	.	.	1†	10
Antwerp, ...	308,618	„ 28,	145	64	10·8	.	.	1	1	.	.	11*a*
Amsterdam, ...	583,901	„ 21,	301	107	9·6	.	.	.	.	1	1†	.
Copenhagen, ...	468,000	„ 21,	217	95	10·6	1	.	.	.	1	.	10
Stockholm, ...	346,599	„ 21,	147	68	10·2	.	.	.	2	.	.	2
Christiania, ...	247,488	„ 28,	109	55	11·6	.	.	.	.	.	.	2
St. Petersburg, ...	1,664,000	„ 7,	1,063	660	20·7	24	.	14	7	3	2†	130
Moscow, ...	1,617,157	Aug. 24,	.	.	.	.	.	.	.	.	.	.
Berlin, ...	2,077,090	Sept. 7,	.	478	12·0	2	.	1	6	11	11†	50*a*
Hamburg, ...	953,079	„ 21,	.	220	12·0	.	.	4	2	1	8†	12*a*
Breslau, ...	529,617	„ 21,	.	162	15·9	.	.	.	2	3	1	12
Munich, ...	615,000	„ 28,	.	161	13·7	.	.	1	.	1	.	14
Vienna (with suburbs),	2,081,335	„ 21,	696	482	12·0	1	.	1	1	3	4†	24*a*
Buda-Pesth, ...	910,548	„ 21,	428	305	17·4	3	.	.	16	.	2	22*a*
Prague and Faubourgs,	484,301	„ 14,	182	180	19·4	.	.	1	3	.	.	6
Trieste, ...	235,999	„ 21,	121	74	16 4	.	.	.	1	.	.	6*a*
Rome, ...	566,453	July 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Aug. 31,	2,544	1,317	13·3	19	.	2	3	3	7†	188*a*
		Sept. 7,	2,273	1,229	12·4	14	.	.	1	16	12†	163*a*
Philadelphia, ...	1,606,105	Aug. 24,	.	395	12·8	8	.	.	2	2	5	44*a*
Boston, ...	720,031	Sept. 28,	.	192	13·9	3	.	1	.	2	.	30

* Deaths from "fever," including 9 deaths from enteric fever and 3 from plague in Calcutta ; 5 from enteric fever, and 11 from plague in Bombay, and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 13 deaths from cholera in Calcutta, 12 in Bombay and 8 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th October, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	5	.	.	1	.	.	.	.	.	.	.	6
" " 1, West, ...	.	2	.	.	.	.	.	.	.	.	.	1	3
" " 2, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
" " 3, ...	.	6	.	.	.	.	.	.	.	.	.	1	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	3	.	.	4	1	.	.	.	8
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 4, ...	.	2	.	.	1	.	.	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	21	.	.	7	.	.	4	2	.	.	5	39

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th October, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th October.			
	Sept. 21.	Sept. 28.	Oct. 5.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	48	53	64	9	12	1	60
Typhus, ...	1	4	5	.	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	8	7	6	2	.	11
Scarlet Fever, ...	125	124	135	30	38	.	127*
Diphtheria, ...	37	36	43	17	14	3	43
Pneumonia, ...	16	19	27	6	5	3	25

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 12th October, 1912:—

"Very favourable autumnal weather continued to prevail. Only on Friday did clouds, gloom, and rain over Ireland remind one that fair weather cannot last forever. The general distribution of atmospheric pressure was anticyclonic on the Continent and over England, cyclonic in the direction of Iceland and at times in the Straits of Gibraltar also. The low pressure areas in the Greenland–Iceland region caused S. and S.W. winds in Ireland, Scotland and Norway, so that temperature was comparatively high in these countries. England, on the other hand, and especially the south-eastern counties, were more decidedly within the influence of the Continental anticyclone, and so low night temperatures and dense fogs were observed. On Sunday morning the barometer was at or below 29 inches over the whole of Iceland—28·90 inches at Reykjavik—but as high as 30·52 inches at Berlin. During the previous night the thermometer had fallen in the screen to 28° at Nottingham, 29° at Bath, and 30° at Oxford and Kew. Rain had fallen in the West of Ireland and at Holyhead. On Tuesday afternoon a secondary depression approached the S.W. of Ireland. It caused a rainfall of ·33 inch at Valentia but passed away harmlessly to the northward. The anticyclone now spread westward over Ireland, and temperature gave way at night with formation of fog. On Friday a very shallow V-shaped secondary depression crossed this country eastwards, throwing the weather into a very gloomy, wet, but mild state for the time being. At night the sky cleared, and dense vapour fog ushered in Saturday's dawn in Dublin. But bright sunshine and southerly winds sent the thermometer up to 60·2° on this, the last day of a very fine week. In Dublin the mean height of the barometer was 30·183 inches, the range of pressure being between 30·263 inches at 9 p.m. of Wednesday (wind, calm) and 30·051 inches at 4 p.m. of Tuesday (wind, S.S.E.). The corrected mean temperature was 51·7°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 50·6°. The screened thermometers fell to 39·1° on Thursday and rose to 60·2° on Saturday. S.W. and S.E. winds and calms prevailed. Rain fell on Friday to the amount of ·113 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·174 inches. The highest reading (30·231) was on Sunday at 9 a.m., wind W.S.W., the lowest (30·072) on Saturday at 9 p.m., wind S.

The mean temperature for the week was 48·3°, being 2·1° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Saturday, on which day the thermometer registered 62°, and was lowest on Thursday, the mercury having fallen to 29°. The mean of the Dry Bulb for the week was 49·3° and of the Wet Bulb, 46·5°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·030 inch.

At Greenwich the mean temperature for the week was 46·0°, the maximum 63·0°, and the minimum 29·4°; at Glasgow the maximum was 64·0°, the minimum 34·0°, and the mean 51·3°; and at Edinburgh the maximum was 64·4°, the minimum 41·7°, and the mean 52·2°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind.	
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.	9 A.M.	9 P.M.
Sunday, October 6,	30·225	59	44	51·5	50·9	48·1	·81	·5	8·8	·000	W.S.W.	Calm.
Monday, " 7,	30·215	60	37	48·5	45·0	43·5	·89	·5	7·2	·000	W S.W.	Calm.
Tuesday, " 8,	30·095	61	37	49·0	54·6	45·6	·61	·4	5·4	·000	S S.E.	S.
Wednesday, " 9,	30·200	60	35	47·5	44·3	42·7	·86	·0	5·7	·000	E.	Calm.
Thursday, " 10,	30·185	61	29	45·0	45·0	43·4	·96	·5	5·7	·000	Calm.	Calm.
Friday, " 11,	30·170	55	39	47·0	52·7	51·4	·91	·2	0·0	·030	W.S.W.	Calm.
Saturday, " 12,	30·130	62	37	49·5	52·7	50·9	·90	·4	6·1	·000	Calm.	S.
Mean, ...	30·174	59·7	36·9	48·3	49·3	46·5	·85	·4	Total 38·9	Total ·030	—	

Sunday—A beautiful bright day; night clear. *Monday*—A beautiful bright day; night clear. *Tuesday*—A fine day, cloudy p.m.; night clear. *Wednesday*—A fine bright day, light clouds; night clear. *Thursday*—A fine bright day, light clouds; night clear. *Friday*—Day overcast, drizzling rain 9.45 a.m. to 4.0 p.m.; night overcast. *Saturday*—A beautiful bright day; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 12th October, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 6,	55·0	49·7	52·8	59·9	46·5	53·2	8·3	—
Monday, " 7,	55·2	50·2	52·5	60·7	45·1	52·9	5·7	—
Tuesday, " 8,	54·9	50·5	52·4	59·2	44·8	52·0	6·2	—
Wednesday, " 9,	53·6	50·7	52·3	59·0	44·0	51·5	5·5	—
Thursday, " 10,	45·2	50·0	53·1	59·8	38·0	48·9	3·3	—
Friday, " 11,	55·9	49·8	52·0	56·9	44·0	50·5	0·0	·091
Saturday, " 12,	57·2	50·3	52·0	61·8	43·6	52·7	5·7	—
Weekly Mean, .	53·9	50·2	52·4	59·6	43·7	51·7	Total 34·7	Total ·091

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 392–106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 19TH OCTOBER, 1912. [No. 42.

General Register Office, Charlemont House, Dublin, 21st October, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Sept. 28	Oct. 5	Oct. 12	Oct. 19	Average Rate for 4 weeks.	Towns, &c.	Week ending Sept. 28	Oct. 5	Oct. 12	Oct. 19	Average Rate for 4 weeks.
22 Town Districts, ...	**14·5**	**15·5**	**17·6**	**16·5**	**16·0**	Limerick	21·7	33·8	29·8	35·2	30·1
						Lisburn	12·6	8·4	4·2	8·4	8·4
Armagh	21·3	14·2	7·1	21·3	16·0	Londonderry	3·8	10·2	12·8	6·4	8·3
Ballymena	9·2	4·6	9·2	13·7	9·2	Lurgan	12·5	12·5	29·1	12·5	16·6
Belfast	14·0	14·9	18·0	14·2	15·3	Newry	8·7	4·4	4·4	26·2	10·9
Clonmel	5·1	5·1	25·5	15·3	12·8	Newtownards	21·8	16·3	16·3	10·9	16·3
Cork	12·9	17·7	16·3	16·3	15·8	Portadown	17·8	4·4	4·4	17·8	11·1
Drogheda	8·3	4·2	16·7	4·2	8·4	Queenstown	6·4	12·7	.	19·1	9·6
Dublin Reg. Area ...	17·2	16·4	19·4	19·8	18·2	Sligo	4·7	4·7	23·4	9·3	10·5
Dundalk	11·9	15·9	7·9	.	8·9	Tralee	10·1	.	5·1	5·1	5·1
Galway	11·8	35·4	7·9	11·8	16·7	Waterford	17·1	19·0	20·9	17·1	18·5
Kilkenny	.	5·0	9·9	9·9	6·2	Wexford	13·6	13·6	4·5	18·1	12·5

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 14·9 in Limerick, the 26 deaths from all causes for that district including 10 from measles and one from whooping-cough. Among the 107 deaths from all causes for Belfast are 8 from measles, one from scarlet fever, and 3 from diarrhœa and *enteritis* of children under 2 years. Two of the 9 deaths from all causes for Waterford are from diarrhœa and *enteritis* of children under 2 years, and among the 6 deaths from all causes for Newry is one from each of enteric fever and whooping-cough.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 201—101 boys and 100 girls—and the deaths to 164—74 males and 90 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·8 per 1,000 of the population. During the forty-two weeks ending with Saturday last the death-rate averaged 20·7, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 164, represent an annual rate of 21·3 per 1,000 ; the annual rate for the past forty-two weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The 164 deaths registered include two from enteric fever, 2 from measles, one from whooping-cough, 3* from diphtheria, one from influenza, and 7* from diarrhœa and *enteritis* of children under 2 years of age.

In the 3 preceding weeks, deaths from enteric fever were one, 2, and one; deaths from measles were one, 2, and one ; deaths from whooping-cough were 0, 2, and 0 ; deaths from diphtheria were 2, one and 3 ; deaths from influenza were one, one, and one ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 2, one, and 5, respectively.

Tuberculous disease, which in the 3 weeks preceding caused 25, 22, and 24 deaths, respectively, in the week under notice numbered 34, comprising 26 from pulmonary tuberculosis, one from tuberculous meningitis, 3 from abdominal tuberculosis and 4 from disseminated tuberculosis.

There were 13 deaths from pneumonia, including 4 from broncho-pneumonia, 3 from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

Eight deaths were caused by cancer.

No death was returned as having been caused by *convulsions*.

Thirteen deaths were caused by organic diseases of the heart, and 15 by bronchitis.

The deaths of 4 infants were attributed to premature birth, and 3 to congenital debility.

There were 4 accidental deaths, including 2 by vehicles, and one, that of a child aged 8 years, by burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 persons aged 65 years and upwards.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 6 were under one month old) and 34 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse, and 26 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000 ; the rate in the City was 21·9 (North City Districts, 21·2 ; South, 22·8) and in the Suburbs, 12·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·9 (in the North City Districts 1·6, and in the South 2·2), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·3 per 1,000, and include 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from lobar pneumonia, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·0 per 1,000. Included in the total are one from measles, one from influenza, 4 from pulmonary tuberculosis, and one from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 39·3 per 1,000, and include one from diphtheria, 2 from tuberculous disease, one from lobar pneumonia, 2 from *pneumonia*, 2 from bronchitis, and 2 from diarrhœa and *enteritis*.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 19·4 per 1,000. The total includes one from pulmonary tuberculosis, one from broncho-pneumonia, one from diarrhœa or *enteritis*, and 2 accidental deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·9 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0 ; and Finglas and Glasnevin, part of, 9·9.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·3 per 1,000, and include 5 from tuberculous disease, one from *pneumonia*, 2 from bronchitis, and one from diarrhœa or *enteritis*.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Disseminated tuberculosis caused one death.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·0 per 1,000, and include one from each of enteric fever, measles, and diphtheria, 8 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include one from whooping-cough, 4 from pulmonary tuberculosis, one from each of broncho-pneumonia, lobar pneumonia, *pneumonia*, and bronchitis, and there was one death from diarrhœa or *enteritis*.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·8 per 1,000. One of the 2 deaths was from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·9 ; Pembroke, 8·8 ; Blackrock, 5·7 ; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever and one from diarrhœa or *enteritis* for Pembroke. The 11 deaths from all causes for Rathmines and Rathgar include one from pulmonary tuberculosis, one from *pneumonia*, 3 from bronchitis, and one by a cycle accident. One of the 5 deaths from all causes for Pembroke is from pulmonary tuberculosis ; and among the 6 deaths from all causes for Kingstown is one from each of *pneumonia* and bronchitis.

* See Note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 19th October, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Sept. 28,	.	—	—	18	.	.	6	.	1	7	12	.	—	—	.	—	10	—	54
	Oct. 5,	.	—	—	18	1	.	12	.	1	12	1	.	—	—	.	—	7	—	52
	Oct. 12,	.	—	—	21	.	.	7	.	.	4	2	.	—	—	.	—	5	—	39
	Oct. 19,	.	—	—	21	.	.	10	.	.	9	6	.	—	—	.	—	6	—	52
Rathmines and Rathgar Urban District.	Sept. 28,	.	—	—	1	.	.	5	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 5,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Oct. 19,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
Pembroke Urban District.	Sept. 28,	.	.	.	2	1	.	1	.	.	3	.	1	—	.	—	—	.	—	8
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	3
	Oct. 12,	.	.	.	2	.	.	1	.	.	1	1	.	—	1	—	—	.	—	6
	Oct. 19,	.	.	.	2	.	.	.	.	.	2	.	.	—	.	—	—	.	—	4
Blackrock Urban District.	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 19,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
Kingstown Urban District.	Sept. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
	Oct. 5,	.	—	—	.	.	4	.	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 12,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Sept. 28,	.	—	—	29	.	.	4	1	.	.	3	.	—	—	—	—	13	—	50
	Oct. 5,	.	—	—	37	.	.	8	.	.	.	5	.	—	—	—	—	7	—	57
	Oct. 12,	.	—	—	30	.	.	10	.	.	.	5	.	—	—	—	—	4	—	49
	Oct. 19,	.	—	—	37	.	.	5	.	.	.	8	.	—	—	—	—	12	—	62

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th October, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Nine cases of enteric fever were admitted to hospital during the week, 9 were discharged, there was one death, and 59 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 53, 64, and 60.

Three cases of typhus were discharged from hospital during the week, and 2 cases remained under treatment at its close.

One case of measles was discharged, there were 2 deaths, and 8 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 8, 7, and 11 respectively.

Twenty-four cases of scarlet fever were admitted to hospital, 24 were discharged, there was one death, and 126* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 124, 135, and 127, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 43, and 43, respectively, were 44 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 4 were discharged, and 27 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 16·8), was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 15·5, and for Edinburgh 11·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th October. From this Report it appears that of a total of 69 cases notified, 28 were phthisis, 21 scarlet fever, 13 diphtheria, 6 erysipelas, and one puerperal fever. Among the 336 cases of infectious diseases in hospital at the close of the week were 137 cases of scarlet fever, 84 of diphtheria, 77 of phthisis, 12 of whooping-cough, 10 of chicken-pox, 8 of erysipelas, 4 of enteric fever, one of measles, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 19th October, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 19th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 5th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ..	1,154,150	19·8	27·1	16·5	1·9	600	365	61	83	3	...	...	20	1	3	2	...	44	12	20	29	47	14	...	7	12	105	10	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	26·1	19·8	1·7	201	152	25	33	2	...	...	2	...	1	2	...	23	7	7	13	17	6	...	4	5	61	4	c 62	34	49·7	0·48	c 62	29	48·3	0·03	e 57	25	45·9	0·11
CITY OF DUBLIN,	306,573	38·8	31·0	21·9	1·9	182	129	20	25	1	...	...	2	...	1	2	...	21	7	7	11	12	5	...	3	3	56	4	f 62·6 g 61·8	43·9 34·8	52·2 50·5	0·34 0·45	f 60·2 g 62·2	39·1 32·0	51·7 49·8	0·11 0·10	f 56·2 g 56·8	32·1 29·0	48·6 47·3	0·30 0·22
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	12·2	14·9	.	9	11	3	4	...	...	...	...	...	...	...	...	1	...	...	1	4	...	...	1	1	2	...	...	...	...	...	..	...	...	...	...	...	...	...
PEMBROKE, ...	29,731	18·9	7·0	8·8	3·5	4	5	2	1	1	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	17·1	5·7	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	9·2	18·5	.	3	6	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	61	41	51·7	0·00	57	32	49·2	0·41
BELFAST ...	391,974	26·2	28·2	14·2	1·6	212	107	19	23	...	...	...	8	1	...	...	...	12	3	9	9	16	3	...	2	3	21	2	61	39	50·1	0·92	59·0	31·5	50·5	0·10	56·5	32·5	51·0	0·21
CORK, ...	76,673	28·6	18·4	16·3	.	27	24	...	7	...	...	...	...	...	...	...	...	1	...	1	2	3	...	...	...	2	12	...	59	42	52·8	0·82	59	43	52·1	0·19	58	37	49·5	0·84
LONDONDERRY...	40,891	15·9	17·9	6·4	.	14	5	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	25·7	35·2	14·9	19	26	5	3	...	...	...	10	...	1	...	...	1	...	1	3	1	...	...	...	1	5	...	61·5	36·5	50·2	0·75	60·2	36·4	50·6	0·28	58·5	26	46·2	0·00
WATERFORD, ...	27,464	19·1	20·9	17·1	3·8	11	9	5	2	...	..	...	...	...	...	...	...	...	...	...	1	3	2	...	...	...	...	2	...	...	...	...	...	..	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	39·3	11·8	.	10	3	2	...	...	..	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	60	42	51·6	0·79	60	45	51	0·37	60	29	47	0·00
DUNDALK, ...	13,128	9·5	43·7	.	.	11	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	4·2	4·2	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	30·5	26·2	8·7	7	6	2	2	1	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	2	...	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28
LURGAN, ...	12,553	14·7	29·1	12·5	4·2	7	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28
LISBURN, ...	12,388	10·9	8·4	8·4	.	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	..	...	...	...	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28
WEXFORD, ...	11,531	22·8	45·2	18·1	.	10	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	114·5	13·7	4·6	25	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	18·7	9·3	.	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1	60	35	49·0	1·24	61	38	50·0	0·15	58	27	47·0	0·20
KILKENNY, ...	10,514	11·4	.	9·9	.	.	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	61	33	49·7	0·33	60	33	50·7	0·07	60	25	47·0	0·13
CLONMEL, ...	10,209	7·8	30·6	15·3	5·1	6	5	...	...	...	...	...	...	...	...	...	...	1	...	...	...	..	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	57·8	17·8	.	13	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·23
TRALEE, ...	10,300	17·4	30·4	5·1	.	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	10·9	10·9	.	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	..	..	59	41	50·3	0·81	59	39	50·9	0·05	55	35	48·8	0·16
QUEENSTOWN, ...	8,209	14·7	44·5	19·1	.	7	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	59	42	52·8	0·82	59	43	52·1	0·19	58	37	49·5	0·84
ARMAGH, ...	7,356	21·8	35·4	21·3	.	5	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07	55·8	29·3	45·8	0·28

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and one at 84 years), admitted to hospital from localities outside the Area; included in the 12 deaths was one from diphtheria and one from diarrhœa or *enteritis*. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of October, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diphtheria,	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	3	4	1	1	.	.	.	3	.	5	4	.	1	1	.	.	23	3
Tuberculous Disease. — Other Forms,	.	.	1	.	.	.	.	2	1	3	.	.	.	.	.	.	7	1
Cancer,	.	1	.	.	.	.	1	2	.	3	.	.	.	.	.	.	7	1
Diseases of Nervous System,	1	.	1	4	.	1	.	.	.	2	1	.	.	.	.	.	10	1
" Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	2	3	3	1	.	.	.	3	.	.	.	.	1	1	.	1	15	.
" Respiratory System. — Pneumonia,	2	.	3	1	.	.	.	1	.	1	3	.	1	.	.	1	13	.
" Respiratory System. — Others,	1	1	2	.	.	.	1	2	1	2	1	1	4	.	.	1	17	1
" Digestive System. — Diarrhœa and *Enteritis*, under 2 years,	.	.	2	1	.	.	.	1	.	.	1	.	.	1	.	.	6	1
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. — Others,	1	.	2	.	.	.	.	.	.	1	.	.	1	.	.	.	5	2
" Genito-urinary System,	.	.	1	1	.	.	.	3	1	1	.	.	.	.	.	1	8	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other specified Causes,	2	2	4	2	.	.	.	3	2	.	1	1	1	1	1	.	20	1
Violent Deaths,	.	.	.	2	.	.	.	.	.	1	.	.	1	.	.	.	4	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	1	.	1	.	.	1	.	.	2	6	.
Deaths from All Causes	15	14	21	13	.	1	2	21	5	23	12	2	11	5	1	6	152	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·3	18·0	39·3	19·4	.	3·9	9·9	27·3	14·2	28·0	18·9	10·8	14·9	8·3	5·7	18·5	19·8	.
	21·2							22·8					12·7					
	21·9																	
Ages at Death. — Under 1 year,	1	2	6	2	.	.	.	2	3	3	1	.	3	2	.	.	25	1
1 and under 2 years,	1	.	2	.	.	.	.	1	.	2	2	.	.	.	.	.	8	.
2 " 5 "	.	1	.	3	.	.	.	.	.	3	1	.	.	.	.	1	9	2
5 " 15 "	.	1	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	2
15 " 25 "	.	.	1	.	.	.	.	1	.	1	1	.	1	2	.	.	7	1
25 " 45 "	2	3	4	2	.	.	.	6	1	4	3	.	2	.	.	1	28	1
45 " 65 "	6	4	6	3	.	1	1	4	1	6	2	1	1	.	.	2	38	4
65 and upwards,	5	3	2	2	.	.	1	7	.	3	1	1	4	1	1	2	33	1
Number of Uncertified Deaths,	1	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Number of the above Deaths which occurred in Hospitals, Prisons, Lunatic Asylums, and Workhouse Hospitals.																		
Public Hospitals, Prisons, and Lunatic Asylums,	1	6	5	5	.	.	.	5	1	2	1	.	.	3	.	.	29	10
Workhouse Hospitals,	1	.	6	1	.	.	.	8	1	9	4	.	2	.	.	.	32	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 19th October, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 49·4	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 49·1	° 57·4	° 49·8	° 49·7										
ALL CAUSES.	200	164	191	143	166	164	134	124	174	165	162·5	164	6	20	8	11	6	8	29	42	21	13
Enteric Fever, ...	1	4	.	4	4	1	2	.	2	4	2·2	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	19	.	6	.	.	.	2	.	.	2	2·9	2	.	.	1	1	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	.	2	1	1	1	1	4	1·2	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	1	.	1	2	2	1	1	5	1	1·5	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	1	.	1	2	2	.	1	.	.	.	·7	3	.	.	1	1	1	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	.	1	.	1	1	2	.	2	1	1·2	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	.	1	.	1	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Other Epidemic Diseases, ...	.	1	.	2	1	.	.	1	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	1	1	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	.	1	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	19	25	18	21	25	25	25	23	28	22·7	26	.	1	1	.	.	6	11	7	.	.
Tuberculous Meningitis, ...	3	3	3	2	2	1	3	3	3	1	2·4	1	.	.	.	.	.	1	.	.	.	.
Abdominal Tuberculosis, ...	2	3	2	.	1	2	.	.	.	3	1·3	3	.	.	.	1	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	4	6	5	2	4	6	1	5	.	3·6	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		4	1	1	1	.	.	.	.	1	.	.
Venereal Diseases, ...	.	.	1	.	.	1	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	7	7	6	10	7	4	3	3	12	9	6·8	8	.	.	.	.	.	.	.	7	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	.	1	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	1	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	1	.	1	.
Alcoholism, ...	.	1	1	.	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		1	.	.	.	.	.	.	.	1	.	.
Cerebral Hæmorrhage, *Apoplexy.*										3		3	.	.	.	.	.	.	.	3	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		2	.	.	.	.	.	.	.	.	.	2
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	37	32	39	30	34	35	37	29	35	.	33·6	5	.	1	.	1	.	.	2	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		1	.	.	.	.	.	.	.	.	.	1
Organic Diseases of the Heart,										19		13	.	.	.	.	.	.	5	5	3	.
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	27	19	19	15	14	9	10	8	13	14	14·8	15	.	3	1	1	.	.	.	3	5	2
Broncho-pneumonia, ...	5	2	8	2	5	11	2	5	12	4	5·6	4	.	.	2	2	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	3	.	4	.	1	.	1	.	·9	3	.	.	.	.	.	.	1	2	.	.
Pneumonia (type not distinguished)	7	2	3	4	8	3	2	2	2	4	3·7	6	.	.	.	.	1	.	1	3	1	.
Pleurisy, ...										.		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	4	.	3	1	3	1	3	4	.	2·2	1	.	.	.	.	.	.	.	.	1	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	1	.	.	.

FORTY-SECOND WEEK ending Saturday, 19th October, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 19th October, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 18, 1902.	Oct. 24, 1903.	Oct. 22, 1904.	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 49·4	° 48·8	° 53·9	° 40·0	° 45·5	° 47·0	° 55·7	° 51·1	° 49·1	° 57·4	° 49·8	° 49·7										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	3	—	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	17	11	14	3	15	25	10	6	14	13	12·8	7	.	7	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		1	.	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	1	.	.	.	.	.	.
Cirrhosis of Liver, ...	1	.	1	2	1	1	1	.	.	2	2·0	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	.	1	4	1	.	.	2	1	2	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	2	.	.	.	1	.	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	6	9	8	5	3	6	5	4	3	5·4	2	.	2	.	.	.	.	.	.	.	.
Acute Nephritis, ...										4		2	.	.	1	1	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		6	.	.	.	.	.	.	1	3	2	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	4	9	4	4	5	4	3	3	4	.	5·0	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	1	.	.	3	.	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	3	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	9	2	11	5	3	6	3	6	4·9	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	3	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	6	7	1	3	1	4	.	4	6	3	3·5	7	.	.	.	.	.	.	.	.	3	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	2	1	.	.	.	.	.	1	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	1	2	.	1	.	1	·6	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	.	1	1	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	5	6	3	7	3	3	.	3	.	3	3·3	3	.	.	.	1	.	.	2	.	.	.
Total Deaths from Accident,	5	8	4	7	4	5	.	4	.	4	4·1	4	.	.	.	1	1	.	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	2	.	.	.	2	.	1	.	3	·8	2	.	.	.	.	.	.	2	.	.	.
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	3	—	6	.	.	.	.	.	.	.	.	2	4

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered.	247	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201
Average Births in corresponding week of previous 10 years, ...	207	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208
DEATHS registered, ...	192	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164
Annual Death-rate per 1,000, ...	24·6	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3
Average Deaths in corresponding week of previous 10 years, ...	188	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163
Ages, Under 5 years, ...	66	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45
5—15 " ...	18	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6
15—25 " ...	8	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8
25—45 " ...	26	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29
45—65 " ...	47	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42
65—75 " ...	18	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21
75 and upwards, ...	9	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13
Deaths from :—																										
Enteric Fever, ...	3	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	16	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2
Scarlet Fever, ...	1	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.
Whooping-cough, ...	2	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1
Diphtheria, ...	1	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3
Influenza, ...	2	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease, Phthisis, ...	17	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26
Tuberculous Disease, Other Forms,	4	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8
Cancer, ...	9	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8
Diseases of Circulatory System,	24	11	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17	17	16	17	15
Diseases of Respiratory System, Pneumonia,	19	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13
Diseases of Respiratory System, Others, ...	25	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	12	18	12	16	18
Diarrhœa and *Enteritis*, under 2 years, ...	7	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7
Diarrhœa, 2 years and upwards,	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.
Violent Deaths, ...	7	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4
Number of Uncertified Deaths,	4	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4
Mean Temperature of the Air (Phœnix Park)	47·2	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7
Average Mean Temperature in corresponding week of previous 10 years, ...	46·3	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8
Rainfall in inches, ...	·680	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475
Mean Humidity of the Air, complete Saturation 1·0, ...	·90	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th October, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH OCTOBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	164	45	6	8	29	42	21	13	2	.	.	2	.	1	3	.	26	8	8	.	13	18	7	.	4	72	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	.	2	2	3	9	6	2	.	.	.	.	.	.	.	.	3	1	1	.	2	4	.	.	1	12	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	7	.	1	6	11	6	3	1	.	.	.	.	.	2	.	6	1	2	.	2	1	1	.	1	17	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·3	69	28	4	4	10	16	5	2	1	.	.	2	.	1	1	.	8	3	4	.	6	6	4	.	2	31	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	34	10	.	1	10	6	4	3	.	.	.	.	.	.	.	.	9	3	1	.	3	7	2	.	.	9	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	16·6	7	.	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	12·0	7	.	1	.	2	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.	3	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	1	2	.	2	2	2	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	10·5	6	1	.	.	1	3	1	.	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	2	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	4	.	.	1	5	4	3	.	.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	.	12	2
	13. Petty Shopkeepers	7,894	19·8	3	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
	15. Domestic Servants, ...	36,603	10·0	7	3	.	2	2	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	1	1	.	1	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	5	1
	17. Hawkers, Porters, Labourers, &c., ...	89,861	30·2	52	23	3	2	6	13	4	1	.	.	.	2	.	1	.	.	6	3	4	.	6	5	2	.	.	23	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	34	10	.	1	10	6	4	3	.	.	.	.	.	.	.	.	9	3	1	.	3	7	2	.	.	9	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of): North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Aug. 31,	10·5	.	6	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
	„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
	„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
	Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
	„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Aug. 31,	18·0	2·6	14	.	.	.	.	.	.	.	.	.	.	1	5	1	2	.	.	.
	Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
	„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
	„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
	„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
	Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
	„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
	„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Aug. 31,	20·6	1·9	11	.	.	.	.	.	1	.	.	2	1	.	2	2	.	.	.	.
	Sept. 7,	16·0	3·7	9	.		.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
	„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
	„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
	„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
	„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Aug. 31,	16·4	.	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
	Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	1	1
	„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
	„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
	Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
	„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Aug. 31,	14·3	.	11	.	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	2
	Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
	„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
	„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
	Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
	„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Aug. 31,	28·4	2·8	10	.	.	.	.	.	1	.	.	3	1	.	.	1	.	.	.	.
	Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
	„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
	„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
	„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
	„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Aug. 31,	18·3	3·7	15	.	.	.	.	.	2	1	.	.	1	3	.	1	.	.	.	.
	Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
	„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
	„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
	„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
	Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
	„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Aug. 31,	22·0	9·4	14	.	.	.	2	1	.	.	.	1	1	.	2	.	3	.	.	.
	Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
	„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
	Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
	„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
	„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Aug. 31,	10·8	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Aug. 31,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Aug. 31,	15·4	3·1	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Aug 31,	12·4	1·1	93	.	.	.	1	1	.	1	.	6	7	5	7	6	5	.	4	.
	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
Cork. Pop. in 1911 76,673.	Aug. 31,	17·0	1 4	25	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	.
	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Aug. 31,	21·7	3·8	17	.	.	.	.	.	.	.	.	1	1	.	.	3	3	.	.	.
	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Limerick. Pop. in 1911 38,518.	Aug. 31,	29·8	4·1	22	.	.	.	1	.	2	.	.	.	.	1	1	3	.	.	.	1
	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
Waterford. Pop. in 1911 27,464.	Aug. 31,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	1	.	.	2	2	.	.	.
	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th October, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	Total Number of DEATHS.	DEATHS. Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	6·6	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.	49,500	15	9·5	1·1	9	3	2	1	.	2	1	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.
Do. 3 do.	50,032	32	22·9	4·2	22	3	4	4	4	3	4	.	.	.	2	.	.	.	.	4	2	.	1	4	2	.	1	1	5	.
Do 4 do.	32,637	28	16·0	.	10	1	1	1	4	3	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	.	1	.
Do. 5 do.	16,112	9	19·4	.	6	1	.	1	2	1	1	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.	2	1
Do. 6 do.	37,293	6	11·2	.	8	.	1	.	1	2	4	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1	2	1
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	21,427	23	14·9	.	7	2	.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	2	.
Do. 10 do.	28,958	21	14·4	5·4	8	.	3	1	2	1	1	.	.	.	3	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
Do. 11 do.	39,311	20	17·2	.	13	1	.	2	1	5	4	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.	2	.
Do. 12 do.	38,076	30	15·1	2·7	11	5	2	.	.	2	2	.	.	.	2	.	.	.	.	1	.	1	.	2	.	.	.	.	1	.
Do. 13 do.	23,233	8	11·2	2·2	5	.	.	2	.	1	2	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	1	1	1	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	9·2	2·3	4	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
Total,	386,917	212	14·2	1·6	107	19	13	12	15	25	23	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	3	21	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	7	11·6	.	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.
Do 2 do.	10,701	4	5·0	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 3 do.	9,978	1	21·3	.	4	.	.	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.
Do 4 do.	8,666	3	5·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do 5 do.	6,592	4	25·0	.	3	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Do 6 do.	10,702	4	31·5	.	7	.	.	.	1	3	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
Do. 7 do.	16,616	4	16·2	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Total,	76,122	27	16·3	.	24	.	.	.	5	12	7	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	2	12	.

* See note (†) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	Apr 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.
No. of weeks in Annual Series,	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
BIRTHS registered, ...	237	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212
DEATHS registered, ...	135	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107
Annual Death rate per 1,000 of estimated population, ...	18·0	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2
AGES, Under 1 year, ...	22	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19
1—5 years, ...	11	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13
5—25 „ ...	21	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12
25—45 „ ...	21	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15
45—65 „ ...	32	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25
65 and upwards, ...	28	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8
Scarlet Fever, ...	.	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2	2	4	1
Whooping-cough, ...	4	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.
Diphtheria, ...	2	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	14	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12
Tuberculous Disease. Other Forms,	11	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3
Cancer, ...	6	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9
Diseases of Respiratory System, Pneumonia,	16	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9
Diseases of Respiratory System, Others, ...	15	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16
Diarrhœa, and *Enteritis*, under 2 years, ...	2	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3
Diarrhœa, 2 years and upwards,	.	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.
Violent Deaths, ...	2	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2
Number of Uncertified Deaths, ...	3	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births.	Deaths.	Annual Death-rate per 1,000 living.	Deaths from						
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Oct. 19,	2,093	1,454	16·8	2	.	54	8	14	12	37a
Edinburgh, ...	321,200	„ 19,	144	69	11·2	.	.	.	.	.	.	.
Glasgow, ...	785,600	„ 19,	421	233	15·5	.	.	1	.	1	6	4
Calcutta, ...	896,067	Sept. 14,	.	433	25·1	59*	.	.	.	1	.	72‡
Bombay, ...	979,445	„ 14.	386	734	39·0	78*	2	1	.	.	.	131‡
Madras, ...	518,660	„ 21,	450	384	38·5	89*	1	3	?	?	?	96‡
Cairo, ...	704,956	July 22,	619	694	51·3	6	.	27	2	?	10	236
Paris, ...	2,847,229	Oct. 5,	932	785	14·1	6	.	2	.	.	4†	15
Brussels, ...	745,380	Sept. 28,	249	196	13·7	1	.	.	.	3	.	11
Antwerp, ...	308,618	Oct. 5,	139	61	10·4	.	.	1	.	.	.	12a
Amsterdam, ...	583,901	Sept. 28,	275	89	8·0	.	.	1	.	.	2†	3
Copenhagen, ...	468,000	„ 28,	243	94	10·5	.	.	.	2	1	.	3
Stockholm, ...	346,599	„ 28,	158	77	11·6	.	.	.	.	.	.	3
Christiania, ...	247,488	Oct. 5,	111	45	9·5	.	.	.	1	.	2	1
St. Petersburg, ...	1,664,000	Sept. 14,	851	638	20·0	29	1	18	7	6	5†	106
Moscow, ...	1,617,157	Aug. 31,	.	914	29·5	3	.	9	13	6	10	239
Berlin, ...	2,076,380	Sept. 14,	.	502	12·6	1	.	1	7	5	5†	37a
Hamburg, ...	953,079	„ 28,	.	217	11·8	.	.	1	2	9	7†	15a
Breslau, ...	529,617	„ 28,	.	145	14·3	2	.	.	.	2	.	12
Munich, ...	614,671	Oct. 5,	.	179	15·2	.	.	1	1	.	.	4
Vienna (with suburbs),	2,081,335	Sept. 28,	705	570	14·2	2	.	6	2	1	3†	28a
Buda-Pesth, ...	910,548	„ 28,	489	295	16·8	1	.	.	9	.	4	13a
Prague and Faubourgs,	484,301	„ 21,	152	132	14·2	.	.	.	.	1	1†	3
Trieste, ...	235,999	„ 28,	160	80	17·6	.	.	1	.	1	.	3a
Rome, ...	566,453	July 6,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Sept. 14,	2,547	1,251	12·6	18	.	4	5	13	1†	161a
		„ 21,	2,870	1,162	11·7	22	.	2	4	6	10†	143a
Philadelphia, ...	1,606,105	Aug. 31,	.	398	12·9	6	.	.	2	.	1	66a
		Sept. 7,	.	404	13·1	2	.	.	2	4	4	52a
Boston, ...	720,031	Oct. 5,	.	216	15·6	2	.	2	1	2	2	24

* Deaths from "fever," including 8 deaths from enteric fever and 2 from plague in Calcutta; and 3 from enteric fever, and 6 from plague in Bombay.

† Including deaths from croup.

‡ Including 17 deaths from cholera in Calcutta, 13 in Bombay and 8 in Madras

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th October, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	5	.	.	1	.	.	.	2	.	.	1	9
„ „ 1, West, ...	.	2	.	.	.	.	.	1	.	.	.	2	5
„ „ 2, ...	.	2	.	.	1	.	.	1	.	.	.	1	5
„ „ 3, ...	.	3	.	.	.	.	.	1	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	1	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	2	.	.	1	.	.	.	.	.	.	.	3
South City No. 1, ...	.	1	.	.	1	.	.	1	1	.	.	2	6
„ „ 2, ...	.	.	.	.	.	.	.	3	2	.	.	.	5
„ „ 3, ...	.	2	.	.	2	.	.	1	.	.	.	.	5
„ „ 4, ...	.	1	.	.	4	.	.	.	1	.	.	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	21	.	.	10	.	.	9	6	.	.	6	52

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th October, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th October.			
	Sept. 28.	Oct. 5.	Oct. 12.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	53	64	60	9	9	1	59
Typhus, ...	4	5	5	.	3	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	7	11	.	1	2	8
Scarlet Fever, ...	124	135	127	24	24	1	126*
Diphtheria, ...	36	43	43	11	9	1	44
Pneumonia, ...	19	27	25	6	4	.	27

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 19th October, 1912:—

"Somewhat changeable, but withal favourable, weather was experienced this week. Atmospheric pressure ruled high in a broad band stretching from Central Europe to the Azores, while depressions were found in the neighbourhood of Iceland, whence they spread south-eastwards to Ireland and Scotland. On Monday a secondary V-shaped system crossed England, a similar incident happening again in the course of Wednesday night. At 7 a.m. of Friday a deep and far-stretching depression was found off the west coast of Iceland, the barometer readings being as low as 28·56 inches at Reykjavik and 28·62 inches at Isafjord. On Saturday again cyclonic conditions reappeared in the far Northwest. Sunday was a day of exceptional mildness for the season in Dublin, the thermometer ranging from 54·0° to 62·6°. A dash of rain at 7 a.m. of Monday and a veering of the wind to N.W. brought down the temperature, which had been as high as 61·1° during the previous night. In London the week opened with a calm, dense fog, and low temperature, but the warm wave reached the metropolis on Sunday afternoon. It soon passed by, for Tuesday morning was again calm, cold and foggy. At Bath the thermometer rose to 63° on Monday, but fell to 31° during the following night—a range of 32° in a few hours. In Ireland also temperature was unsteady, though not to the same degree. Rain began to fall in larger quantities as the week advanced, and on Friday nearly two-tenths of an inch fell in Dublin between 4 and 6 p.m. The forenoon of that day had been summer-like in its mildness. In Dublin the mean height of the barometer was 30·093 inches, the range being from 30·354 inches at 9 p.m. of Monday (wind, W.), to 29·776 inches at 4 p.m. of Wednesday (wind, S.W. to W.). The corrected mean temperature was 52·2°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 51·2°. The screened thermometers rose to 62·6° on Sunday and fell to 43·9° on Tuesday and Thursday. W. and S.W. winds prevailed. The rainfall was ·341 inch on 4 days, ·191 inch being recorded on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·052 inches. The highest reading (30·281) was on Monday at 9 p.m., air calm, the lowest (29·851) on Wednesday at 9 p.m., wind W.

The mean temperature for the week was 49·7°, being 0·1° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Sunday, on which day the thermometer registered 62°, and was lowest on Tuesday, the mercury having fallen to 34°. The mean of the Dry Bulb for the week was 50·0° and of the Wet Bulb, 48·2°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·475 inch.

At Greenwich the mean temperature for the week was 49·8°, the maximum 65·7°, and the minimum 34·3°; and at Edinburgh the maximum was 59·7°, the minimum 40·2°, and the mean 50·1°. The rainfall at Greenwich measured 0·13 in.; and at Edinburgh 0·12 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 13,	29·960	62	52	57·0	59·0	57·0	·87	·5	0·0	·070	S.W.	S.S.W.
Monday, „ 14,	30·155	60	40	50·0	45·3	44·0	·90	·4	3·8	·000	W.	Calm.
Tuesday, „ 15,	30·155	55	34	44·5	51·3	48·3	·80	·4	0·0	·000	S.W.	S.W.
Wednesday, „ 16,	29·855	57	44	50·5	49·4	47·6	·89	·5	0·0	·120	S.S.W.	W.
Thursday, „ 17,	30·150	57	41	49·0	46·0	44·3	·88	·4	7·8	·000	W.	Calm.
Friday, „ 18,	30·125	60	39	49·5	51·0	49·4	·89	·5	1·8	·220	S.W.	W.
Saturday, „ 19,	29·965	53	42	47·5	48·3	46·9	·90	·5	1·6	·065	W.	W.S.W.
Mean, ...	30·052	57·7	41·7	49·7	50·0	48·2	·88	·5	Total 15·0	Total ·475	Prevailing W.	Wind,

Sunday—Day overcast, heavy rain at intervals 2.15 to 9.0 p.m.; night overcast to cloudy, showers at intervals 9.0 p.m. to 12.30 a.m. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day overcast; night overcast. *Wednesday*—Day overcast, drizzling rain at intervals a.m. and p.m.; night clear to cloudy, heavy rain 10.50 to 11.20 p.m. *Thursday*—A beautiful bright day; night clear. *Friday*—A dull day, heavy rain at intervals 1.30 to 6.0 p.m.; night clear. *Saturday*—A dull day, showers at intervals p.m.; night overcast, heavy showers at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 19th October, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 13,	59·8	51·5	51·9	63	54	59	0·0	·035
Monday, „ 14,	50·3	52·7	51·9	62	45	54	3·5	—
Tuesday, „ 15,	51·3	51·0	51·9	57	42	50	0·0	—
Wednesday, „ 16,	55·8	51·1	52·0	58	46	52	0·1	·090
Thursday, „ 17,	49·2	50·7	51·9	57	44	51	7·4	—
Friday, „ 18,	57·0	50·3	52·0	63	45	54	3·4	·172
Saturday, „ 19,	50·5	51·0	52·0	54	44	49	2·1	·042
Weekly Mean,	53·4	51·2	51·9	59	46	53	Total 16·5	Total ·339

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 392-106/138. 375. 1. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 26TH OCTOBER, 1912. [No. 43.

General Register Office, Charlemont House, Dublin, 28th October, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 5	Week ending Oct. 12	Week ending Oct. 19	Week ending Oct. 26	Average Rate for 4 weeks.
22 Town Districts, ...	**15·5**	**17·6**	**16·5**	**17·8**	**16·8**
Armagh	14·2	7·1	21·3	·	10·7
Ballymena	4·6	9·2	13·7	22·9	12·6
Belfast	14·9	18·0	14·2	16·8	16·0
Clonmel	5·1	25·5	15·3	35·8	20·4
Cork	17·7	16·3	16·3	23·1	18·3
Drogheda	4·2	16·7	4·2	·	6·3
Dublin Reg. Area ...	16·4	19·4	19·8	18·3	18·5
Dundalk	15·9	7·9	·	23·8	11·9
Galway	35·4	7·9	11·8	3·9	14·8
Kilkenny	5·0	9·9	9·9	14·9	9·9
Limerick	33·8	29·8	35·2	35·2	33·5
Lisburn	8·4	4·2	8·4	12·6	8·4
Londonderry	10·2	12·8	6·4	14·0	10·9
Lurgan	12·5	29·1	12·5	8·3	15·6
Newry	4·4	4·4	26·2	17·4	13·1
Newtownards	16·3	16·3	10·9	10·9	13·6
Portadown	4·4	4·4	17·8	·	6·7
Queenstown	12·7	·	19·1	6·4	9·6
Sligo	4·7	23·4	9·3	·	9·4
Tralee	·	5·1	5·1	10·1	5·1
Waterford	19·0	20·9	17·1	26·6	20·9
Wexford	13·6	4·5	18·1	22·6	14·7

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fifteen of the districts to 15·3 in Clonmel, the 7 deaths from all causes for that district including one from enteric fever, one from whooping-cough, and one from diarrhœa or *enteritis* of a child under 2 years. The 126 deaths from all causes for Belfast include 7 from measles and one from each of scarlet fever and diphtheria. Eleven of the 26 deaths from all causes for Limerick are from measles. Included in the 6 deaths from all causes for Dundalk are 2 from scarlet fever and one from diphtheria. One of the 5 deaths from all causes for Ballymena is from whooping-cough, and one of the 2 deaths for Tralee is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 205—98 boys and 107 girls—and the deaths to 154—72 males and 82 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·3 per 1,000 of the population. During the forty-three weeks ending with Saturday last the death-rate averaged 20·7, and was 1·2 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

The total deaths registered, numbering 154, represent an annual rate of 20·0 per 1,000 ; the annual rate for the past forty-three weeks was 22·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The 154 deaths registered include 2* from enteric fever, one from measles, 2 from scarlet fever, one from whooping-cough, 2 from diphtheria, and 4 from diarrhœa and *enteritis* of children under 2 years of ge. In the 3 preceding weeks, deaths from enteric fever were 2, one, and 2 ; deaths from measles were 2, one, and 2 ; deaths from scarlet fever were one, 0, and 0 ; deaths from whooping-cough were 2, 0, and one ; deaths from diphtheria were one, 3, and 3 ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were one, 5, and 7, respectively.

Deaths from tuberculous disease numbered 26, comprising 22 from pulmonary tuberculosis, 2 from tuberculous meningitis and one from tuberculosis of the vertebral column and one from renal tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 22, 24, and 34 respectively.

Pneumonia caused 13 deaths, of which 3 were from broncho-pneumonia, 3 from lobar pneumonia, and 7 from *pneumonia* (type not distinguished).

There were 14 deaths from cancer.

Convulsions caused the deaths of 2 infants, both of whom were under one year of age.

Organic diseases of the heart caused 11 deaths, and there were 17 from bronchitis.

The deaths of 4 infants were attributed to premature birth, 4 to congenital debility, and one to congenital malformation.

There were 2 accidental deaths, of which one was that of an infant aged 7 months from burns, and one by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 infants under one year old, and the death of one person aged 74 years.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old) and 31 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 7 aged 75 and upwards.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 11 took place in the North Dublin Union Workhouse, and 17 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·3 per 1,000 ; the rate in the City was 19·2 (North City Districts, 18·3 ; South, 20·3) and in the Suburbs, 15·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·9, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 26·3 per 1,000, and include one from each of scarlet fever, whooping-cough, diphtheria, pulmonary tuberculosis, *pneumonia*, and bronchitis, and there was one death by drowning.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·3 per 1,000. Of the total, one was from scarlet fever, one from pulmonary tuberculosis, one from *pneumonia*, one from bronchitis, 2 were from diarrhœa or *enteritis*, and there was one death from accidental burns.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Tuberculous disease caused 5 deaths and broncho-pneumonia one death.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 17·9 per 1,000. Pulmonary tuberculosis caused one death, and there were 3 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 0·0 ; and Finglas and Glasnevin, part of, 9·9. One of the 2 deaths recorded for Finglas and Glasnevin, part of, is from *pneumonia*.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·1 per 1,000, and include one from measles, 2 from tuberculous disease, one from lobar pneumonia, 3 from bronchitis, and one from diarrhœa or *enteritis*.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000. Included in the total are 2 from tuberculous disease, 2 from *pneumonia*, 2 from bronchitis, and one from diarrhœa or *enteritis*.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·5 per 1,000, and include 4 from pulmonary tuberculosis, one from lobar pneumonia, 2 from *pneumonia*, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Pulmonary tuberculosis caused 3 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·8 per 1,000. One death was caused by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1 ; Pembroke, 17·5 ; Blackrock, 17·1 ; and Kingstown, 27·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever for Pembroke, and one from diphtheria for Blackrock. Among the 6 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and 2 from bronchitis. Included in the 10 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis, broncho-pneumonia, lobar pneumonia, and bronchitis. One of the 3 deaths from all causes for Blackrock is from pulmonary tuberculosis ; and among the 9 deaths from all causes for Kingstown are 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

* See Note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 26th October, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 5,	.	—	—	18	1	.	12	.	1	12	1	.	—	—	.	—	7	—	52
	Oct. 12,	.	—	—	21	.	.	7	.	.	4	2	.	—	—	.	—	5	—	39
	Oct. 19,	.	—	—	21	.	.	10	.	.	9	6	.	—	—	.	—	6	—	52
	Oct. 26,	.	—	—	13	.	.	12	.	2	5	6	.	—	—	.	—	13	—	51
Rathmines and Rathgar Urban District.	Oct. 5,	.	—	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	6
	Oct. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Oct. 19,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Oct. 26,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	—	3	—	—	.	—	3
	Oct. 12,	.	.	.	2	.	.	1	.	.	1	1	.	—	1	—	—	.	—	6
	Oct. 19,	.	.	.	2	.	.	.	.	.	2	.	.	—	.	—	—	.	—	4
	Oct. 26,	.	.	.	4	.	.	3	.	.	.	.	.	—	.	—	—	.	—	7
Blackrock Urban District.	Oct. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Oct. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 19,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Oct. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 5,	.	—	—	.	.	4	.	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 12,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 19,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	.	—	5
	Oct. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
City of Belfast.	Oct. 5,	.	—	—	37	.	.	8	.	.	.	5	.	—	—	—	—	7	—	57
	Oct. 12,	.	—	—	30	.	.	10	.	.	.	5	.	—	—	—	—	4	—	49
	Oct. 19,	.	—	—	37	.	.	5	.	.	.	8	.	—	—	—	—	12	—	62
	Oct. 26,	.	—	—	40	.	.	4	.	.	1	4	.	—	—	—	—	5	—	54

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th October, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, there were 3 deaths, and 60 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 64, 60, and 59.

One case of typhus was discharged from hospital during the week, and one case remained under treatment at its close.

Four cases of measles were admitted to hospital during the week, 3 were discharged, there was one death, and 8 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 7, 11, and 8 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 129* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 135, 127, and 126, respectively.

Twenty-nine cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 43, and 44, respectively, were 62 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 23 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 13·4 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow being 16·3, and for Edinburgh 12·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th October. From this Report it appears that of a total of 79 cases notified, 31 were phthisis, 25 scarlet fever, 14 erysipelas, and 9 diphtheria. Among the 353 cases of infectious diseases in hospital at the close of the week were 152 cases of scarlet fever, 79 of phthisis, 76 of diphtheria, 12 of whooping-cough, 12 of erysipelas, 9 of chicken-pox, 4 of enteric fever, 3 of measles, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 26th October, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Enteritis of children under 2 years of age. Diarrhœa and	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 26th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 12th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	25·9	17·8	1·8	574	393	63	89	2	...	...	19	6	3	4	...	61	10	26	27	51	5	...	5	9	138	7	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	26·7	18·3	1·4	205	141	25	30	1	...	...	1	2	1	2	...	21	4	11	13	20	4	...	2	3	60	3	e55	24	42·1	0·78	e 62	34	49·7	0·48	e 62	29	48·3	0·03
CITY OF DUBLIN,	306,573	38·8	30·1	19·2	1·5	177	113	23	23	...	...	...	1	2	1	1	...	16	4	8	10	14	4	...	2	3	52	2	f54·4 g55·8	32·2 28·0	43·4 42·5	0·83 0·82	f62·6 g61·8	43·9 34·8	52·2 50·5	0·34 0·45	f60·2 g62·2	39·1 32·0	51·7 49·8	0·11 0·10
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	9·5	8·1	.	7	6	...	3	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,731	18·9	24·6	17·5	1·8	14	10	1	3	1	...	...	...	...	...	...	...	1	...	1	2	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	5·7	17·1	5·7	1	3	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	27·7	.	6	9	1	1	...	...	...	...	...	...	...	...	2	...	1	1	3	...	...	...	...	...	1	58	32	45·5	1·30	65	42	53·2	0·66	61	41	51·7	0·00
Urban Districts. BELFAST ...	391,974	26·2	26·1	16·8	1·2	196	126	18	29	...	...	...	7	1	...	1	...	24	2	9	10	20	...	...	1	4	36	1	52·5	29·8	43·0	1·75	61	39	50·1	0·92	59·0	31·5	50·5	0·10
CORK, ...	76,673	28·6	23·1	23·1	.	34	34	3	11	...	...	...	...	...	...	...	...	5	1	3	1	1	...	...	...	1	7	1	56	36	46·6	1·42	59	42	52·8	0·82	59	43	52·1	0·19
LONDONDERRY ...	40,891	15·9	20·4	14·0	.	16	11	...	3	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	21·7	35·2	14·9	16	26	9	3	...	...	...	11	...	...	...	...	2	...	1	...	5	...	...	...	...	6	1	58	26·1	43·4	1·00	61·5	36·5	50·2	0·75	60·2	36·4	50·6	0·28
WATERFORD, ...	27,464	19·1	28·5	26·6	.	15	14	2	4	...	...	...	...	...	...	...	...	3	1	1	2	3	...	...	1	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	23·6	3·9	.	6	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	56	30	44	0·87	60	42	51·6	0·79	60	45	54	0·37
DUNDALK, ...	13,128	9·5	63·6	23·8	11·9	16	6	1	2	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	12·5	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	26·2	17·4	.	6	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07
LURGAN, ...	12,553	14·7	37·4	8·3	.	9	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07
LISBURN, ...	12,388	10·9	21·0	12·6	.	5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07
WEXFORD, ...	11,531	22·8	36·2	22·6	.	8	5	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	18·3	22·9	4·6	4	5	2	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	4·7	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	28	41·0	1·62	60	35	49·0	1·24	61	38	50·0	0·15
KILKENNY, ...	10,514	11·4	14·9	14·9	.	3	5	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	56	27	43·1	1·19	61	33	49·7	0·33	60	33	50·7	0·07
CLONMEL, ...	10,209	7·8	15·3	35·8	15·3	3	7	1	...	1	...	...	...	...	1	...	...	1	...	...	...	1	1	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	44·5	.	.	10	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07
TRALEE, ...	10,300	17·4	15·2	10·1	5·1	3	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	32·6	10·9	.	6	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	53	35	44·1	1·18	59	41	50·3	0·81	59	39	50·9	0·05
QUEENSTOWN, ...	8,209	14·7	38·1	6·4	.	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	36	46·6	1·42	59	42	52·8	0·82	59	43	52·1	0·19
ARMAGH, ...	7,356	21·8	21·3	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27	61·0	30·7	51·5	0·07

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and one at 67 years), admitted to hospital from localities outside the Area; one of the 13 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of October, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	1	3	1	.	.	.	1	1	4	3	1	1	1	1	2	21	1
Tuberculous Disease. { Other Forms,	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.
Cancer,	.	2	1	.	.	.	.	.	2	2	1	.	.	1	1	1	11	3
Diseases of Nervous System,	2	.	.	2	.	.	1	3	1	1	1	.	1	1	.	1	14	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	.	1	3	1	.	.	2	1	1	1	1	1	.	.	.	14	.
" Respiratory System. { Pneumonia,	1	1	1	.	.	.	1	1	2	3	.	.	.	2	.	1	13	.
" Respiratory System. { Others,	1	1	1	3	.	.	.	3	3	2	.	.	2	1	.	3	20	.
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Digestive System. { Others,	1	3	1	1	.	.	.	.	.	.	2	.	.	1	.	.	9	2
" Genito-urinary System,	.	.	1	.	.	.	.	1	1	1	.	.	.	1	.	1	6	2
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	1	2	.	.	.	3	.	1	.	.	1	1	.	.	14	2
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from All Causes	15	15	12	12	1	.	2	17	13	16	8	2	6	10	3	9	141	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	26·3	19·3	22·4	17·9	9·7	.	9·9	22·1	37·0	19·5	12·6	10·8	8·1	17·5	17·1	27·7	18·3	.
	18·3							20·3					15·5					
	19·2																	
Ages at Death. Under 1 year,	3	6	2	2	.	.	.	7	2	1	.	.	.	1	.	1	25	1
1 and under 2 years,	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	1	3	.
2 " 5 "	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	4	.
5 " 15 "	2	3	.	.	.	.	.	1	1	.	.	1	.	.	.	.	8	.
15 " 25 "	1	.	.	1	.	.	.	1	.	2	.	.	.	2	1	1	9	.
25 " 45 "	3	.	4	2	1	.	2	1	3	4	1	.	1	3	1	2	28	5
45 " 65 "	3	5	3	3	.	.	.	1	4	4	5	.	2	1	1	2	34	6
65 and upwards,	3	.	1	4	.	.	.	6	3	4	1	1	3	3	.	1	30	1
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	6	3	3	.	.	1	2	4	2	1	.	1	4	3	.	33	12
Workhouse Hospitals,	2	.	2	6	.	.	.	5	4	7	1	.	.	.	.	.	27	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 26th October, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Oct. 28, 1911.		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 50·7	° 44·3	° 47·6	° 41·1	° 51·2	° 47·3	° 48·7	° 40·3	° 50·4	° 44·4	° 46·6	° 42·1										
ALL CAUSES.	223	162	156	133	170	154	129	148	139	147	156·1	154	8	18	3	4	8	9	33	40	24	7
Enteric Fever, ...	1	.	1	.	2	.	3	1	1	1	1·0	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	1	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	20	.	4	1	2	5	1	.	.	5	3·8	1	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	1	2	1	.	.	.	.	1	1	·8	2	.	.	.	.	2	.	.	.	.	.
Whooping-cough, ...	1	2	2	2	2	1	3	1	1	5	2·0	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	2	1	1	.	.	.	.	.	4	1	·9	2	.	.	.	.	.	2	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	8	3	1	.	2	1	1	.	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	1	.	.	.	.	.	.	.	1	·2	2	.	.	.	.	.	.	.	.	2	.
Other Epidemic Diseases, ...	.	.	.	1	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	1	.	1	.	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	17	24	25	21	17	13	14	27	17	18	19·3	22	.	.	.	1	1	3	11	5	1	.
Tuberculous Meningitis, ...	5	2	.	2	3	1	1	2	1	4	2·1	2	.	1	.	1	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	3	.	2	2	2	2	2	1	1·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	4	4	5	2	8	10	4	5	1	1	4·4	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	2	.	1	1	.	.	2	.	2	·9	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	6	3	5	8	10	8	11	6	9	9	7·5	14	.	.	.	.	.	.	2	9	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	.	.	2	1	1	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	.	2	1	.	1	.	2	.	1	1	·8	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	1	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										2		4	.	.	.	.	.	.	.	2	2	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		5	.	.	.	.	.	.	.	4	1	.
Epilepsy, ...										1		1	.	.	.	.	.	1	.	.	.	.
Convulsions (non-puerperal),										4		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	45	40	36	27	36	33	28	27	29	3	32·4	3	.	.	.	.	.	.	3	.	.	.
Pericarditis, ...										.		2	.	.	.	.	1	.	.	1	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										9		11	.	.	.	.	.	.	3	3	3	2
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		1	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	1	.	1	.	.	.	.	.	.
Bronchitis, ...	23	15	10	14	17	9	7	13	11	9	12·8	17	.	2	2	.	.	1	1	6	2	3
Broncho-pneumonia, ...	14	3	3	6	6	4	3	5	5	1	5·0	3	.	1	.	1	.	.	.	.	1	.
Lobar pneumonia, ...	.	2	1	1	1	1	.	4	1	1	1·2	3	.	.	1	.	.	1	.	.	1	.
Pneumonia (type not distinguished)	8	2	4	3	6	4	9	4	6	6	5·2	7	.	.	.	.	2	.	4	.	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	3	2	3	3	2	3	.	1	1	.	1·8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	1	.

FORTY-THIRD WEEK ending Saturday, 26th October, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 43rd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 26th October, 1912.										
													Deaths of Persons of the Ages of									
	Oct. 25, 1902.	Oct. 31, 1903.	Oct. 29, 1904.	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Oct. 28, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	50·7°	44·3°	47·6°	41·1°	51·2°	47·3°	48·7°	40·3°	50·4°	44·4°	46·6°	42·1°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	18	9	10	5	9	18	7	10	7	13	10·7	4	.	4	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	6	1	.	.	.	.	.	1	2	1	1
Cirrhosis of Liver, ...	.	1	3	1	1	1	.	1	1	1	2·2	2	.	.	.	.	.	.	1	1	.	.
Other Diseases of Liver, ...	4	1	2	1	2	.	.	2	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	1	1	.	1	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	4	3	5	1	4	4	2	7	.	3·5	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	3	6	5	4	4	3	3	7	10	3	5·0	1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										2		5	.	.	.	.	.	.	1	1	3	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		1	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-cancerous).										.		1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	2	.	.	1	2	1	.	.	.	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	6	4	3	4	5	2	5	2	3	3·8	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	7	1	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	5	2	5	8	5	2	2	5	4	7	4·5	2	.	.	.	.	.	.	.	.	2	.
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	1	1	2	.	.	.	.	.	2	·7	1	.	1	.	.	.	.	.	.	.	.
Drowning, ...	1	.	1	1	1	.	1	.	.	.	·5	1	.	.	.	.	.	.	1	.	.	.
Suffocation in Bed, ...	.	.	.	1	.	1	.	.	1	1	·4	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	1	2	6	4	5	1	1	4	2·8	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	3	5	3	6	7	5	6	1	2	7	4·5	2	.	1	.	.	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	1	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	4	—	.	.	.	.	.	.	.	.	.	.	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered.	206	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205
Average Births in corresponding week of previous 10 years, ...	265	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200
DEATHS registered, ...	208	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154
Annual Death-rate per 1,000, ...	26·7	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0
Average Deaths in corresponding week of previous 10 years, ...	176	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156
Ages, Under 5 years, ...	80	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33
5—15 „ ...	12	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8
15—25 „ ...	7	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9
25—45 „ ...	30	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33
45—65 „ ...	40	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40
65—75 „ ...	26	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24
75 and upwards, ...	13	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	15	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1
Scarlet Fever, ...	4	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2
Whooping-cough, ...	4	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1	1
Diphtheria, ...	4	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2
Influenza, ...	1	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculous Disease, Phthisis, ...	26	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22
Tuberculous Disease, Other Forms,	12	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4
Cancer, ...	8	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14
Diseases of Circulatory System,	11	22	12	14	14	18	22	11	10	10	15	10	10	14	12	16	18	18	11	11	17	17	16	17	15	14
Diseases of Respiratory System, Pneumonia,	24	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13
Diseases of Respiratory System, Others, ...	28	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20
Diarrhœa and *Enteritis*, under 2 years, ...	4	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.
Violent Deaths, ...	4	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2
Number of Uncertified Deaths,	7	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3
Mean Temperature of the Air (Phœnix Park)	47·9	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1
Average Mean Temperature in corresponding week of previous 10 years, ...	47·0	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6
Rainfall in inches, ...	·475	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th October, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 26th October, 1912. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	154	33	8	9	33	40	24	7	2	.	.	1	2	1	2	.	22	4	14	2	13	20	4	.	2	65	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	14·4	24	1	1	3	7	7	3	2	.	.	.	.	.	.	2	.	1	1	3	.	.	2	.	.	.	15	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·1	32	5	.	2	8	11	5	1	1	.	.	.	.	1	.	.	7	.	3	.	3	3	.	.	.	14	1
IV.	GENERAL SERVICE CLASS, ...	154,279	22·3	66	21	7	4	12	12	7	3	1	.	.	1	2	.	.	.	10	3	4	2	7	9	3	.	2	22	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	6	.	.	5	7	9	1	.	.	.	.	.	.	.	.	4	.	3	.	2	6	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	11·8	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	21·2	11	.	1	2	3	2	2	1	.	.	.	.	.	.	2	.	1	.	1	.	.	2	.	.	.	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	1	.	.	1	3	1	1	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	4	.
	10. Clothing Trades, ...	23,260	11·2	5	1	.	.	3	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	3	1
	11. Food Supply Trades	9,242	22·6	4	1	.	1	.	1	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	1	.	1	3	5	2	.	1	.	.	.	.	.	.	.	5	.	2	.	1	1	.	.	.	2	.
	13. Petty Shopkeepers	7,894	6·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	23·3	6	.	1	.	2	.	2	1	.	.	.	.	1	.	.	.	1	.	1	.	1	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	7·1	5	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	14·5	4	1	1	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	19	5	3	8	10	4	2	.	.	.	1	1	.	.	.	6	3	3	2	5	8	3	.	2	17	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	28	6	.	.	5	7	9	1	.	.	.	.	.	.	.	.	4	.	3	.	2	6	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Sept. 7,	21·1	3·5	12	.	.	.	.	.	.	.	.	3	.	.	1	.	2	.	.	.
		„ 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
		„ 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
		„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
		Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
		„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
		„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Sept. 7,	14·1	1·3	11	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	2
		„ 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
		„ 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
		„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
		Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
		„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
		„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
		„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Sept. 7,	16·0	3·7	9	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	.	.
		„ 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
		„ 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
		„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
		„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
		„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
		„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Sept. 7,	4·5	1·5	3	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
		„ 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	1	1
		„ 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
		Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
		„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
		„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
		„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Sept. 7,	16·9	1·3	13	.	.	.	.	.	.	1	.	1	1	.	1	3	.	.	1	1
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
		„ 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
		„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
		Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
		„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
		„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
		„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Sept. 7,	19·9	2·8	7	.	.	.	.	.	.	.	.	5	.	.	.	.	1	.	.	.
		„ 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
		„ 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
		„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
		„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
		„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Sept. 7,	18·3	1·2	15	.	.	.	.	.	1	.	.	3	2	1	3	.	.	.	.	.
		„ 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
		„ 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
		„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
		Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
		„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
		„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
		„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Sept. 7,	7·9	1·6	5	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
		„ 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
		„ 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
		„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
		Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
		„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
		„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
		„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa, and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Sept. 7,	19·0	1·4	14	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	„ 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Sept. 7,	14·0	1·8	8	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
	„ 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 7,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	1	.	2	1	.	.	.
	„ 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,974.	Sept. 7,	10·9	1·2	82	.	.	.	.	4	1	.	.	7	4	5	2	6	4	.	2	.
	„ 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
Cork. Pop. in 1911 76,673.	Sept. 7,	12·9	.	19	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	.	.
	„ 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,891.	Sept. 7,	11·5	.	9	.	.	.	.	.	.	.	.	.	1	1	.	3	.	.	.	.
	„ 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	Sept. 7,	20·3	5·4	15	.	.	.	.	1	3	.	.	2	.	.	.	2	.	.	.	3
	„ 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
Waterford. Pop. in 1911 27,464.	Sept. 7,	22·8	5·7	12	.	.	.	.	.	.	.	.	.	.	1	2	3	3	.	.	1
	„ 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th October, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	14	26·3	.	8	2	.	.	1	2	3	.	.	.	.	.	.	.	.	2	.	3	1	.	.	.	.	.	2	.
Do. 2 do.	49,500	23	23·2	2·1	22	3	4	.	3	7	5	.	.	.	2	.	.	.	.	5	1	1	1	4	.	.	.	.	7	.
Do. 3 do.	50,032	24	13·5	1·0	13	4	1	1	.	7	.	.	.	.	1	.	.	.	.	1	.	1	.	3	.	.	.	1	3	.
Do 4 do.	32,637	33	16·0	.	10	2	1	.	3	2	2	.	.	.	.	.	.	.	.	2	.	.	2	2	.	.	.	.	5	.
Do. 5 do.	16,112	13	22·7	3·2	7	1	2	.	1	2	1	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	1	4	.
Do. 6 do.	37,293	12	14·0	.	10	.	.	1	1	1	7	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	1	1	3	.
Do. 7 do.	2,681	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	15	10·7	.	5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
Do. 10 do.	28,958	8	19·8	5·4	11	.	4	.	1	3	3	.	.	.	3	.	.	.	.	1	.	.	.	4	.	.	.	.	1	.
Do. 11 do.	39,311	16	14·6	1·3	11	2	.	4	.	3	2	.	.	.	.	1	.	.	.	2	.	.	2	1	.	.	.	1	3	.
Do. 12 do.	38,076	18	15·1	1·4	11	2	3	3	.	1	2	.	.	.	1	.	.	.	.	3	.	1	3	1	.	.	.	.	4	1
Do. 13 do.	23,233	12	18·0	.	8	1	.	1	3	3	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	18·4	.	8	.	.	1	1	3	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	.
Total,	386,947	196	16·8	1·2	126	18	16	12	15	36	29	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	4	36	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	8	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 2 do.	10,701	3	15·0	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Do 3 do.	9,978	4	21·3	.	4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Do 4 do.	8,666	2	22·8	.	4	.	.	2	.	2	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.
Do 5 do.	6 592	1	58·4	.	7	.	.	.	.	4	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do 6 do.	10,702	3	27·0	.	6	.	1	1	1	1	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	13	26·0	.	8	.	1	1	.	4	2	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	5	.
Total,	76,122	34	23·1	.	34	3	2	4	1	13	11	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1	7	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.
No. of weeks in Annual Series,	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS registered, ...	240	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196
DEATHS registered, ...	134	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126
Annual Death rate per 1,000 of estimated population, ...	17·9	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8
AGES, Under 1 year, ...	20	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18
AGES, 1—5 years, ...	13	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16
AGES, 5—25 „ ...	15	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12
AGES, 25—45 „ ...	18	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15
AGES, 45—65 „ ...	43	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36
AGES, 65 and upwards, ...	25	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7
Scarlet Fever, ...	1	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2	2	4	1	1
Whooping-cough, ...	8	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24
Tuberculous Disease. Other Forms,	8	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2
Cancer, ...	6	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9
Diseases of Respiratory System, Pneumonia,	15	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10
Diseases of Respiratory System, Others, ...	20	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20
Diarrhœa, and *Enteritis*, under 2 years, ...	3	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.
Diarrhœa, 2 years and upwards,	1	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.
Violent Deaths, ...	.	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1
Number of Uncertified Deaths, ...	2	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Oct. 26,	2,117	1,226	14·1	4	.	49	1	7	13	24*a*
Edinburgh, ...	321,200	„ 26,	121	79	12·8	.	.	.	.	1	2	.
Glasgow, ...	785,600	„ 26,	411	246	16·3	.	.	.	1	7	5	6
Calcutta, ...	896,067	Sept. 21,	.	475	27·5	78*	.	.	.	.	.	56‡
Bombay, ...	979,445	„ 21,	404	673	35·7	84*	1	.	.	1	1	113‡
Madras, ...	518,660	„ 28,	460	380	38·1	60*	1	2	?	?	?	91‡
Cairo, ...	704,956	July 29,	574	725	53·6	5	1	24	.	?	8	250*a*
Paris, ...	2,847,229	Oct. 12,	901	766	13·7	6	.	1	2	4	3†	19*a*
Brussels, ...	745,380	„ 5,	253	177	12·3	1	.	.	.	.	.	4*a*
Antwerp, ...	308,618	„ 12,	127	66	11·2	1	.	.	1	.	.	8*a*
Amsterdam, ...	584,978	„ 5,	264	122	10·8	.	.	5	1	.	.	4
Copenhagen, ...	468,000	„ 5,	228	101	11·3	.	.	.	.	.	1	3
Stockholm, ...	346,599	„ 5,	149	99	14·9	1	.	.	3	.	.	3
Christiania, ...	247,488	„ 12,	91	46	9·7	.	.	1	.	.	.	1
St. Petersburg, ...	1,664,000	Sept. 21,	928	646	20·2	23	2	19	14	7	4†	98
Moscow, ...	1,617,157	„ 7,	.	746	24·1	35	.	8	9	4	10	270
		„ 14,	.	735	23·7	8	1	7	10	.	4	269
Berlin, ...	2,080,924	„ 21,	.	518	13·0	2	.	.	7	4	12†	33*a*
Hamburg, ...	953,079	Oct. 5,	359	227	12·4	3	.	2	1	7	9†	8*a*
Breslau, ...	529,617	„ 5,	.	161	15·8	.	.	.	1	2	.	12
Munich, ...	614,671	„ 12,	.	151	12·8	.	.	2	.	.	1†	7
Vienna (with suburbs),	2,081,335	„ 5,	695	567	14·0	2	.	7	1	4	4†	20*a*
Buda-Pesth, ...	910,548	„ 5,	462	272	15·5	3	.	.	14	.	5	10*a*
Prague and Faubourgs,	484,301	Sept. 28,	154	163	17·6	.	.	.	2	1	1†	7
Trieste, ...	239,549	Oct. 5,	156	81	17·6	.	.	.	1	.	.	2*a*
Rome, ...	566,453	July 6,	253	215	19·8	2	.	4	3	3	1	33
			267	193	17·8	5	.	6	1	1	2	25
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Sept. 28,	2,791	1,194	12·0	22	.	3	2	7	12†	164*a*
Philadelphia, ...	1,606,105	„ 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Oct. 12,	.	216	15·6	1	.	.	.	1	1	23

* Deaths from "fever," including 11 deaths from enteric fever and 7 from plague in Calcutta; 4 from enteric fever, and 16 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 28 deaths from cholera in Calcutta, one in Bombay and 7 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th October, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	4	1	.	.	.	7
„ „ 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ 2, ...	.	2	.	.	.	.	.	.	.	.	.	2	4
„ „ 3, ...	.	1	.	.	1	.	1	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	5	.	.	1	3	.	.	3	13
„ „ 2, ...	.	.	.	.	.	.	.	.	1	.	.	3	4
„ „ 3, ...	.	1	.	.	2	.	1	.	1	.	.	.	5
„ „ 4, ...	.	1	.	.	4	.	.	.	.	.	.	1	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	13	.	.	12	.	2	5	6	.	.	13	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th October, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th October.			
	Oct. 5.	Oct. 12.	Oct. 19.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	64	60	59	7	3	3	60
Typhus, ...	5	5	2	.	1	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	11	8	4	3	1	8
Scarlet Fever, ...	135	127	126	16	12	1	129*
Diphtheria, ...	43	43	44	29	9	2	62
Pneumonia, ...	27	25	27	7	9	2	23

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 26th October, 1912:—

"Very unsettled atmospheric conditions held throughout this week, the weather in consequence being changeable, cold and showery at the beginning and close. In Dublin, however, it was chiefly fine from Tuesday to Friday inclusive, although the barometer was very low all the time. This state of things was brought about by the presence over the British Isles and their neighbourhood of a number of baric minima, the result being very slight gradients and in consequence light variable winds, or calms. Throughout the week areas of high atmospheric pressure were found over Northern Russia and in the Azores region respectively, whereas depressions drifted in from the Atlantic over the British Isles—on Sunday and Tuesday depressions passed near Iceland also. Of these latter disturbances the first produced strong S.W. winds or gales in many seaboard places. In Dublin a "white sky" was visible after 4 p.m. of Sunday and temperature fell fast as the wind veered and moderated. Lightning was seen in the evening. On Monday there were heavy showers and a fresh to strong northerly gale sprang up in the afternoon. Next morning the Dublin and Wicklow mountains were snow-capped. The cold weather culminated in Ireland on Friday morning, when the screened thermometers fell to 32° in Dublin and 28° at Birr Castle. Much fog accompanied the low night temperatures—England was wrapt in fog on Friday morning. On Saturday temperature rose as a new depression came in from the Atlantic, bringing with it gloom and heavy rain. In Dublin the mean height of the barometer was 29·425 inches, the range of pressure being from 29·170 inches at 1·30 p.m. of Monday (wind, N.W.) to 29·606 inches at 9 a.m. of Tuesday (wind, N.). The corrected mean temperature was 43·4°, or 8·8° below that of the previous week, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 42·5°. The screened thermometers fell to 32·2° on Friday and rose to 54·4° on Saturday. There were 5 rain-days, the total precipitation amounting to ·828 inch, of which ·420 inch was recorded on Saturday. The most prevalent wind was W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·499 inches. The highest reading (29·579) was on Sunday at 9 a.m., wind S.W., the lowest (29·464) on Wednesday at 9 a.m., air calm.

The mean temperature for the week was 42·1°, being 4·5° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Saturday, on which day the thermometer registered 55°, and was lowest on Friday, the mercury having fallen to 24°. The mean of the Dry Bulb for the week was 41·3° and of the Wet Bulb, 40·1°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 0·775 inch.

At Greenwich the mean temperature for the week was 45·4°, the maximum 59·0°, and the minimum 33·0°; at Glasgow the maximum was 51·5°, the minimum 30·0°, and the mean 40·8°; and at Edinburgh the maximum was 49·0°, the minimum 33·0°, and the mean 42·0°. The rainfall at Greenwich measured 0·88 in.; at Glasgow 0·57 in.; and at Edinburgh 1·50 ins.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 20,	29·525	52	39	45·5	44·9	43·0	·85	·7	0·2	·070	S.W.	W.S.W.
Monday, „ 21,	29·475	51	35	43·0	40·1	39·0	·92	·4	0·7	·180	W.	N.W.
Tuesday, „ 22,	29·545	50	31	40·5	39·0	38·2	·94	·2	6·2	·060	Calm.	Calm.
Wednesday, „ 23,	29·470	53	38	45·5	42·5	41·1	·90	·2	5·5	·020	Calm.	Calm.
Thursday, „ 24,	29·480	50	31	40·5	35·9	35·2	·95	·0	6·0	·000	Calm.	Calm.
Friday, „ 25,	29·510	52	24	38·0	34·8	34·5	·97	·0	5·4	·000	Calm.	Calm.
Saturday, „ 26,	29·490	55	29	42·0	51·7	49·9	·89	·0	0·0	·445	E.S.E.	S.S.W.
Mean, ...	29·499	51·9	32·4	42·1	41·3	40·1	·92	·2	Total 24·0	Total ·775	—	

Sunday—A dull day, heavy showers at intervals from 9.20 a.m. to 3.20 p.m.; night clear to overcast, rain 7.30 to 8.40 a.m. *Monday*—A dull day, heavy rain at intervals 9.30 to 4.0 p.m.; night overcast to clear, drizzling rain 10.40 p.m. to 2.20 a.m. *Tuesday*—A beautiful bright day; night overcast, showers at intervals a.m. *Wednesday*—A fine day, light clouds p.m.; night cloudy, drizzling rain at intervals a.m. *Thursday*—A beautiful bright day; night clear. *Friday*—A fine day, cloudy at intervals; night clear. *Saturday*—Day overcast, light and heavy rain 9.0 a.m. to 6.0 p.m.; night overcast.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 26th October, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 20,	53·3	50·6	51·8	54	40	47·0	1·3	·125
Monday, „ 21,	40·9	48·7	51·7	51	36	43·5	0·6	·205
Tuesday, „ 22,	40·0	47·5	51·6	51	37	44·0	4·3	·047
Wednesday, „ 23,	47·0	47·4	51·4	52	41	46·5	3·4	—
Thursday, „ 24,	41·7	46·7	51·1	50	36	43·0	2·5	—
Friday, „ 25,	37·7	45·7	50·8	49	32	40·5	0·4	—
Saturday, „ 26,	49·0	44·8	50·6	57	32	44·5	0·0	·400
Weekly Mean, .	44·2	47·3	51·3	52	36	44·1	Total 12·5	Total ·777

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 2ND NOVEMBER, 1912. [No. 44.

General Register Office, Charlemont House, Dublin, 4th November, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 12	Week ending Oct. 19	Week ending Oct. 26	Week ending Nov. 2	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 12	Week ending Oct. 19	Week ending Oct. 26	Week ending Nov. 2	Average Rate for 4 weeks.
22 Town Districts, ...	**17·6**	**16·5**	**17·8**	**18·3**	**17·5**	Limerick	29·8	35·2	35·2	47·4	36·9
						Lisburn	4·2	8·4	12·6	4·2	7·4
Armagh	7·1	21·3	·	28·4	14·2	Londonderry	12·8	6·4	14·0	20·4	13·4
Ballymena	9·2	13·7	22·9	9·2	13·8	Lurgan	29·1	12·5	8·3	37·4	21·8
Belfast	18·0	14·2	16·8	16·8	16·5	Newry	4·4	26·2	17·4	17·4	16·4
Clonmel	25·5	15·3	35·8	5·1	20·4	Newtownards	16·3	10·9	10·9	10·9	12·3
Cork	16·3	16·3	23·1	17·0	18·2	Portadown	4·4	17·8	·	13·3	8·9
Drogheda	16·7	4·2	·	29·2	12·5	Queenstown	·	19·1	6·4	6·4	8·0
Dublin Reg. Area ...	19·4	19·8	18·3	18·5	19·0	Sligo	23·4	9·3	·	14·0	11·7
Dundalk	7·9	·	23·8	11·9	10·9	Tralee	5·1	5·1	10·1	10·1	7·6
Galway	7·9	11·8	3·9	27·5	12·8	Waterford	20·9	17·1	26·6	15·2	19·9
Kilkenny	9·9	9·9	14·9	19·8	13·6	Wexford	4·5	18·1	22·6	4·5	12·4

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·9 per 1,000, the rates varying from 0·0 in fourteen of the districts to 29·8 in Limerick, 22 of the 35 deaths from all causes for that district being from measles. Among the 126 deaths from all causes for Belfast are 12 from measles, 2 from scarlet fever, one from diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years. Of the 25 deaths from all causes for Cork, 3 were from diarrhœa and *enteritis* of children under 2 years. Included in the 16 deaths from all causes for Londonderry is one from enteric fever. One death from diphtheria is included in the 3 deaths recorded for Dundalk, and one of the 2 deaths for Ballymena is from whooping-cough. One of the 2 deaths for Tralee is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 211—98 boys and 113 girls—and the deaths to 147—78 males and 69 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·5 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

During the forty-four weeks ending with Saturday last the death-rate averaged 20·6, and was 1·3 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 147, represent an annual rate of 19·1 per 1,000; the annual rate for the past forty-four weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The total number of deaths from all causes includes 2 from enteric fever, 2 from measles, 3 from scarlet fever, one death from whooping-cough, 2 deaths from diphtheria, and 5 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were one, 2, and 2; deaths from measles were one, 2, and one; deaths from scarlet fever were 0, 0 and 2; deaths from whooping-cough were 0, one, and one; deaths from diphtheria were 3, 3, and 2; and deaths from diarrhœa and *enteritis* of children were 5, 7, and 4.

Of 27 deaths from tuberculous disease (all forms) 21 were caused by pulmonary tuberculosis, 3 by abdominal tuberculosis, 2 by tuberculosis of the vertebral column, and one by tuberculosis of hip joint. In the 3 weeks preceding deaths from tuberculous disease were 24, 34, and 26 respectively.

The deaths of 13 persons were assigned to cancer.

Pneumonia caused 9 deaths; of these 4 were attributed to broncho-pneumonia, one to lobar pneumonia, and 4 to *pneumonia* (type not distinguished).

There were 2 deaths from *convulsions*, 2 deaths from congenital malformations, 9 deaths from prematurity, and one death from congenital debility, all of infants under one year of age.

Organic diseases of the heart caused the deaths of 5 persons, and 23 deaths from bronchitis were recorded.

Of 4 violent deaths, 3 were accidental (namely 2 by vehicles and horses and one in building operations) and one was suicidal.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old).

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 12 were under one month old) and 32 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 11 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·5 per 1,000; the rate in the City was 20·4 (North City Districts, 18·9; South, 22·1) and in the Suburbs, 12·2.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·4 (in the North City Districts 2·2, and in the South 2·5), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·8 per 1,000. Pulmonary tuberculosis caused 2 deaths; there was one death from *pneumonia*, and 3 deaths from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 28·3 per 1,000. Measles and whooping-cough each caused one death; there was one death from pulmonary tuberculosis, also one death from broncho-pneumonia; there were 7 deaths from diseases of the respiratory system, including 5 deaths from bronchitis and there were 2 deaths from diarrhœa and *enteritis* of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·0 per 1,000, and include one death from pulmonary tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and one death from diarrhœa of a child.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·4 per 1,000. Enteric fever and scarlet fever each caused one death; there were 2 deaths from tuberculosis, one from *pneumonia*, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·8; and Finglas and Glasnevin, part of, 4·9.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·8 per 1,000. Enteric fever and measles each caused one death; there were 6 deaths from tuberculous disease, 2 from bronchitis, and one death from diarrhœa.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000, and include one death from pulmonary tuberculosis and 3 deaths from bronchitis.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·7 per 1,000. There were 5 deaths from tuberculous disease, 2 from broncho-pneumonia, 2 from bronchitis, one from diarrhœa of a child, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. Scarlet fever caused 2 deaths and diphtheria one death; there were 3 deaths from pulmonary tuberculosis, 3 deaths from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 32·3 per 1,000. The deaths include one from pulmonary tuberculosis, one from *pneumonia*, one from bronchitis, and one suicidal death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·5; Pembroke, 19·3; Blackrock, 5·7; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from *enteritis* for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis and one from bronchitis. Of the 11 deaths from all causes for Pembroke one is from pulmonary tuberculosis, one from *pneumonia* and one from bronchitis, and of the 3 deaths recorded for Kingstown one is from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 2nd November, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 12,	.	—	—	21	.	.	7	.	.	4	2	.	—	—	.	—	5	—	39
	Oct. 19,	.	—	—	21	.	.	10	.	.	9	6	.	—	—	.	—	6	—	52
	Oct. 26,	.	—	—	13	.	.	12	.	2	5	6	.	—	—	.	—	13	—	51
	Nov. 2,	.	—	—	19	.	.	12	.	3	6	9	.	—	—	.	—	10	—	59
Rathmines and Rathgar Urban District.	Oct. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Oct. 19,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Oct. 26,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Nov. 2,	.	—	—	5	.	.	6	.	.	.	.	.	—	—	—	—	—	—	11
Pembroke Urban District.	Oct. 12,	.	.	.	2	.	.	1	.	.	1	1	.	—	1	—	—	.	—	6
	Oct. 19,	.	.	.	2	.	.	.	.	.	2	.	.	—	.	—	—	.	—	4
	Oct. 26,	.	.	.	4	.	.	3	.	.	.	.	.	—	.	—	—	.	—	7
	Nov. 2,	.	.	.	4	.	.	.	.	.	.	.	.	—	1	—	—	.	—	5
Blackrock Urban District.	Oct. 12,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	.	—	—	—	2
	Oct. 19,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Oct. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 2,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Oct. 12,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	.	—	4
	Oct. 19,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	.	—	5
	Oct. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 2,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	1	—	5
City of Belfast.	Oct. 12,	.	—	—	30	.	.	10	.	.	.	5	.	—	—	—	—	4	—	49
	Oct. 19,	.	—	—	37	.	.	5	.	.	.	8	.	—	—	—	—	12	—	62
	Oct. 26,	.	—	—	40	.	.	4	.	.	1	4	.	—	—	—	—	5	—	54
	Nov. 2,	.	—	—	26	.	.	3	1	1	.	3	.	—	—	—	—	11	—	46

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd November, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Seven cases of enteric fever were admitted to hospital during the week, 14 were discharged, and 53 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 60, 59, and 60.

One case of typhus remained under treatment in hospital at the close of the week.

Three cases of measles were discharged from hospital during the week, there were 2 deaths, and 3 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 11, 8, and 8 respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 16 were discharged, there were 2 deaths, and 132* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 127, 126, and 129, respectively.

Twenty-six cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 44, and 62, respectively, were 73 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 7 were discharged, and 25 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·1), was equal to an average annual death-rate of 14·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 17·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd November. From this Report it appears that of a total of 58 cases notified, 24 were phthisis, 21 scarlet fever, 8 diphtheria, and 5 erysipelas. Among the 354 cases of infectious diseases in hospital at the close of the week were 166 cases of scarlet fever, 79 of phthisis, 63 of diphtheria, 11 of whooping-cough, 11 of erysipelas, 10 of chicken-pox, 6 of measles, 4 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 2nd November, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 2nd November, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 2nd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 19th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
Total of 22 Town Districts, ...	1,154,150	19·8	24·4	18·3	2·9	539	406	67	89	3	...	...	36	6	2	4	...	49	17	23	20	54	13	1	9	19	130	16	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
Dublin Registration Area:— Total. (c) ...	400,865	29·2	27·4	18·5	2·1	211	142	30	30	2	...	...	2	3	1	2	...	21	5	11	8	27	5	1	4	6	62	3	e 59	23	43·4	0·30	e 55	24	42·1	0·78	e 62	34	49·7	0·48
City of Dublin,	306,573	38·8	32·5	20·4	2·4	191	120	27	22	2	...	...	2	3	1	1	...	17	5	6	7	24	4	1	4	5	54	3	f 57·0 g 59	30·9 25	46·1 45·6	0·38 0·42	f 54·4 g 55·8	32·2 28·0	43·4 42·5	0·83 0·82	f 62·6 g 61·8	43·9 34·8	52·2 50·5	0·34 0·45
Urban Districts. Rathmines and Rathgar.	38,495	22·5	6·8	9·5	.	5	7	1	3	...	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Pembroke, ...	29,731	18·9	19·3	19·3	3·5	11	11	2	5	...	...	...	...	...	...	1	...	1	...	2	1	1	1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Blackrock, ...	9,125	8·4	5·7	5·7	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Kingstown, ...	16,941	11·6	9·2	9·2	.	3	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	2	...	59	30	48·3	0·59	58	32	45·5	1·30	65	42	53·2	0·66
Urban Districts. Belfast ...	391,974	26·2	25·4	16·8	2·7	191	126	20	20	...	...	...	12	2	...	1	...	17	7	8	8	14	5	...	3	5	29	...	...	...	...	...	52·5	29·8	43·0	1·75	61	39	50·1	0·92
Cork, ...	76,673	28·6	24·5	17·0	2·0	36	25	3	10	...	...	...	...	...	...	...	...	3	2	...	...	2	3	...	...	1	13	...	56	36	48·4	1·35	56	36	46·6	1·42	59	42	52·8	0·82
Londonderry ...	40,891	15·9	28·1	20·4	1·3	22	16	1	3	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	2	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Limerick, ...	38,518	16·1	23·0	47·4	29·8	17	35	6	3	...	...	...	22	...	...	...	...	...	...	1	...	1	...	...	...	3	6	5	55·8	23·6	43·9	0·75	58	26·1	43·4	1·00	61·5	36·5	50·2	0·75
Waterford, ...	27,464	19·1	11·4	15·2	.	6	8	2	5	...	...	...	...	...	...	...	...	1	...	...	...	3	...	...	...	1	3	2	...	...	...	...	...	...	...	...	...	...	...	...
Galway, ...	13,255	2·5	11·8	27·5	.	3	7	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	2	55	28	45	0·81	56	30	44	0·87	60	42	51·6	0·79
Dundalk, ...	13,128	9·5	19·9	11·9	4·0	5	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Drogheda, ...	12,501	8·4	.	29·2	.	.	7	...	4	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
Newry, ...	11,963	17·0	34·9	17·4	.	8	4	...	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27
Lurgan, ...	12,553	14·7	24·9	37·4	.	6	9	...	1	...	...	...	...	...	...	...	...	1	...	1	1	2	...	...	...	...	4	...	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27
Lisburn, ...	12,388	10·9	29·5	4·2	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	..	...	...	...	1	..	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27
Wexford, ...	11,531	22·8	13·6	4·5	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Ballymena ..	11,381	9·3	4·6	9·2	4·6	1	2	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Sligo, ...	11,163	3·8	18·7	14·0	.	4	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	56	25	42·0	1·14	53	28	41·0	1·62	60	35	49·0	1·24
Kilkenny, ...	10,514	11·4	5·0	19·8	.	1	4	...	1	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	56	27	44·9	0·59	56	27	43·1	1·19	61	33	49·7	0·33
Clonmel, ...	10,209	7·8	15·3	5·1	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Portadown, ...	11,727	15·3	13·3	13·3	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27
Tralee, ...	10,300	17·4	30·4	10·1	5·1	6	2	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
Newtownards,	9,587	20·1	10·9	10·9	.	2	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	..	57	36	46·6	1·05	53	35	44·1	1·18	59	41	50·3	0·81
Queenstown, ...	8,209	14·7	12·7	6·4	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	36	48·4	1·35	56	36	46·6	1·42	59	42	52·8	0·82
Armagh, ...	7,356	21·8	14·2	28·4	.	2	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45	60·8	41·0	49·8	0·27

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 5 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of November, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	3	.
Whooping-cough	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	2	1	1	1	.	.	.	3	1	4	3	1	2	1	.	1	21	.
Tuberculous Disease. { Other Forms,	.	.	.	1	.	.	.	3	.	1	.	.	.	.	.	.	5	1
Cancer,	.	.	.	1	1	1	.	1	1	1	.	.	1	2	1	1	11	2
Diseases of Nervous System,	2	2	1	1	.	.	1	.	.	2	2	1	.	.	.	.	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	3	.	2	.	.	.	.	.	2	.	.	.	.	.	.	7	.
" Respiratory System. { Pneumonia,	1	1	1	1	.	.	.	.	.	2	.	1	.	1	.	.	8	1
" Respiratory System. { Others,	3	7	1	.	.	.	.	2	4	3	3	1	2	1	.	.	27	1
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	.	2	1	.	.	.	.	.	.	1	.	.	.	1	.	.	5	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	1	2	2	.	.	.	.	2	.	.	1	.	.	1	.	1	10	.
" Genito-urinary System,	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	1	.	.	1	.	1	2	.	1	.	2	3	.	.	16	.
Violent Deaths,	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.	.	4	.
Ill-defined, &c. Causes,	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Deaths from All Causes	13	22	9	11	1	2	1	16	8	17	14	6	7	11	1	3	142	5
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·8	28·3	16·0	16·4	9·7	7·8	4·9	20·8	22·7	20·7	22·0	32·3	9·5	19·3	5·7	9·2	18·5	.
	18·9							22·1					12·2					
	20·4																	
Ages at Death. { Under 1 year,	4	7	3	.	.	1	.	3	2	4	2	1	1	2	.	.	30	.
Ages at Death. { 1 and under 2 years,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	1
Ages at Death. { 2 " 5 "	3	4	1	1	.	.	1	.	1	.	2	.	.	.	.	.	13	.
Ages at Death. { 5 " 15 "	.	1	.	2	.	.	.	1	.	.	2	.	.	1	.	.	7	.
Ages at Death. { 15 " 25 "	1	.	.	1	.	.	.	2	.	.	.	1	2	.	.	.	7	1
Ages at Death. { 25 " 45 "	1	5	2	3	.	.	.	2	1	3	2	3	1	1	.	2	26	1
Ages at Death. { 45 " 65 "	2	2	2	2	.	1	.	6	1	4	3	1	.	1	1	1	27	.
Ages at Death. { 65 and upwards,	2	3	1	2	1	.	.	1	3	6	3	.	3	5	.	.	30	2
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	1	5	.	.	.	8	2	5	3	2	2	4	.	2	42	4
Workhouse Hospitals,	.	5	2	2	.	.	.	2	.	6	3	.	.	.	.	.	20	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 2nd November, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 45·8	° 43·4										
ALL CAUSES.	183	166	162	195	204	169	171	145	147	169	171·1	147	12	18	3	13	7	8	27	27	19	13
Enteric Fever, ...	2	1	.	2	1	2	3	1	1	3	1·6	2	.	.	.	.	.	2	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	16	.	6	.	2	1	2	.	1	4	3·2	2	.	1	.	1	.	.	.	.	.	.
Scarlet Fever, ...	3	.	1	.	.	1	.	.	3	2	1·0	3	.	.	.	2	1	.	.	.	.	.
Whooping-cough, ...	1	.	1	.	3	.	1	1	1	1	·9	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	1	.	1	.	1	1	.	.	1	.	·5	2	.	.	.	.	2	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	1	1	2	2	.	1	4	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	1	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	1	.	.	1·	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	26	20	24	21	16	26	19	18	19	21·0	21	.	1	1	.	.	2	11	6	.	.
Tuberculous Meningitis, ...	4	1	3	4	3	4	2	3	5	1	3·0	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	2	2	.	3	2	1	.	1	1	1·2	3	.	.	1	.	1	.	1	.	.	.
Tuberculosis of the Vertebral Column.										1		2	.	.	.	.	.	1	.	1	.	.
Tuberculosis of Joints, ...	8	7	7	5	11	6	7	4	5	1	6·3	1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	.	.	1	1	3	.	.	2	.	·8	1	.	.	.	.	.	.	1	.	.	.
Cancer, ...	7	8	6	7	10	9	14	10	7	6	8·4	13	.	.	.	.	.	.	1	5	5	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	1	.	.
Alcoholism, ...	1	.	2	.	1	1	.	1	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										7		6	.	.	.	.	.	.	1	3	2	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		2	.	.	.	.	.	.	.	.	1	1
Epilepsy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										2		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	43	35	41	47	42	40	31*	22	4	37·5	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		2	.	1	.	.	.	.	1	.	.	.
Organic Diseases of the Heart,										16		5	.	.	.	.	.	.	3	1	1	.
Embolism and Thrombosis (including Cerebral)										1		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	23	23	17	37	32	18	12	13	15	25	21·5	23	.	3	.	3	.	.	1	5	5	6
Broncho-pneumonia, ...	5	2	9	6	4	6	3	2	5	4	4·6	4	.	3	.	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	1	3	.	1	.	.	1	.	·6	1	.	.	.	.	.	1	.	.	.	.
Pneumonia (type not distinguished)	7	9	2	9	6	3	4	6	7	2	5·5	4	.	.	.	1	.	1	.	.	1	1
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	2	2	5	1	1	3	2	3	1	2·3	3	.	.	.	.	1	.	.	.	1	1
Other Diseases of Respiratory System.										1		1	.	.	.	.	.	.	.	.	1	.

FORTY-FOURTH WEEK ending Saturday, 2nd November, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 44th Week of the 10 years, 1902-1911.	In the Week ending Saturday, 2nd November, 1912.										
												Deaths of Persons of the Ages of										
												Mean Temp.	0—5.									
	Nov. 1, 1902.	Nov. 7, 1903.	Nov. 5, 1904.	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 50·1	° 43·9	° 49·0	° 42·7	° 40·6	° 49·0	° 48·5	° 45·0	° 43·1	° 46·3	° 45·8	° 43·4										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	5	.	1	.	1	.	.	1	1	.	1
Diarrhœa and *Enteritis* of Children under 2 years.	4	3	6	8	11	8	13	10	12	14	9·2	5	.	4	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										2		1	.	.	.	.	.	.	.	1	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	4	—	3	.	1	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	.	3	1	.	2	1	2	.	.	1	2·6	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	1	2	4	3	2	1	1	1	1	.		1	.	.	.	.	.	.	.	.	1	.
Peritonitis (cause unknown),	.	1	.	1	.	.	.	.	2	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	2	4	7	6	6	4	3	6	1	4·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	5	7	4	7	7	9	7	7	6	1	6·4	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		2	.	.	.	.	.	.	1	1	.	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	2	2	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	5	4	6	6	7	5	2	4	3	4·5	9	9	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	5	—	1	1	.	.	.	.	.	.	.	.	.
Old Age, ...	3	5	5	2	4	4	2	7	3	6	4·1	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	.	1	.	2	2	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	1	2	.	1	2	.	1	1	1·0	3	.	.	.	1	1	.	.	1	.	.
Total Deaths from Accident,	1	2	2	3	1	2	4	2	1	2	2·0	3	.	.	.	1	1	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	1	1	.	.	.	.	.	1	.	·3	2	.	.	.	1	1	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	2	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	4	—	2	.	.	.	1	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered.	245	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211
Average Births in corresponding week of previous 10 years, ...	236	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217
DEATHS registered, ...	203	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147
Annual Death-rate per 1,000, ...	26·0	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1
Average Deaths in corresponding week of previous 10 years, ...	176	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171
Ages, Under 5 years, ...	65	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46
5—15 „ ...	10	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7
15—25 „ ...	10	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8
25—45 „ ...	43	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27
45—65 „ ...	35	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27
65—75 „ ...	21	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19
75 and upwards, ...	19	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2
Scarlet Fever, ...	5	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3
Whooping-cough, ...	.	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1	1	1
Diphtheria, ...	3	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2
Influenza, ...	4	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Tuberculous Disease, Phthisis, ...	24	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21
Tuberculous Disease, Other Forms,	8	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6
Cancer, ...	10	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13
Diseases of Circulatory System,	22	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7
Diseases of Respiratory System, Pneumonia,	22	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9
Diseases of Respiratory System, Others, ...	28	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28
Diarrhœa and *Enteritis*, under 2 years, ...	4	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1
Violent Deaths, ...	8	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4
Number of Uncertified Deaths,	6	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3
Mean Temperature of the Air (Phœnix Park)	56·1	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4
Average Mean Temperature in corresponding week of previous 10 years, ...	48·7	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8
Rainfall in inches, ...	·180	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
			REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND NOVEMBER, 1912.																											
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	147	46	7	8	27	27	19	13	2	.	.	2	3	1	2	.	21	6	13	2	9	28	5	1	4	48	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS, ...	87,188	13·8	23	1	2	1	7	4	4	4	.	.	.	.	.	.	.	.	4	1	6	.	1	5	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·9	38	14	2	2	8	5	4	3	1	.	.	1	1	1	1	.	7	1	1	1	.	5	.	.	.	18	3
IV.	GENERAL SERVICE CLASS, ...	154,279	22·0	65	29	2	5	7	12	6	4	1	.	.	1	2	.	1	.	6	3	5	1	8	10	4	1	3	19	.
V.	INMATES OF WORKHOUSES, ...	6,024	—	21	2	1	.	5	6	5	2	.	.	.	.	.	.	.	.	4	1	1	.	.	8	1	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	11·8	5	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	2	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	1	.	.	4	1	2	1	.	.	.	.	.	.	.	.	2	.	2	.	.	2	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	2	1	1	1	1	3	.	.	.	.	.	.	.	.	1	1	3	.	1	2	.	.	1	.	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	52·8	10	5	1	1	2	.	.	1	1	.	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	5	1
	9. Building and Furnishing Trades, ...	29,801	14·0	8	2	1	.	2	2	1	.	.	.	.	.	1	.	.	.	3	.	.	.	.	1	.	.	.	3	1
	10. Clothing Trades, ...	23,260	4·5	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	11. Food Supply Trades	9,242	11·3	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	22·3	13	5	.	.	3	2	3	.	.	.	.	1	.	.	.	.	1	.	1	1	.	2	.	.	.	7	1
	13. Petty Shopkeepers	7,894	19·8	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	3	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	1	2	.
	15. Domestic Servants, ...	36,603	4·3	3	1	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	25·4	7	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·9	48	22	2	3	5	10	4	2	.	.	.	1	2	.	1	.	5	2	5	1	5	5	4	1	2	14	.
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	21	2	1	.	5	6	5	2	.	.	.	.	.	.	.	.	4	1	1	.	.	8	1	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (Office, Clarence-st. Nth.) Pop. in 1912 (Est.) 29,697.	Sept. 14,	8·8	1·8	5	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.
	" 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
	" 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
	Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	" 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
	" 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
	" 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1912 (Est.) 40,583.	Sept. 14,	25·7	.	20	.	.	.	.	.	.	.	.	2	2	1	1	2	.	.	.	3
	" 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
	" 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
	Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
	" 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
	" 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
	" 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	1	.
	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
North City, No. 2. (Office, Lisburn-street.) Pop. in 1912 (Est.) 27,883.	Sept. 14,	9·4	1·9	5	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.
	" 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
	" 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
	" 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
	" 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
	" 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
North City, No. 3. (Office, Benburb-street.) Pop. in 1912 (Est.) 34,937.	Sept. 14,	17·9	.	12	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	1	1
	" 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
	" 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
	Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	" 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
	" 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
	" 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
South City, No. 1. (Office, Sth. Earl-street.) Pop. in 1912. (Est.) 40,080.	Sept. 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	2	.	1	1	3	.	1	.	.
	" 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
	" 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
	Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
	" 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
	" 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
	" 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
South City, No. 2. (Office, Castle-street.) Pop. in 1912 (Est.) 18,341.	Sept. 14,	19·9	2·8	7	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
	" 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
	" 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
	" 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	" 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	" 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
South City, No. 3. (Office, Peter-street.) Pop. in 1912 (Est.) 42,805.	Sept. 14,	12·2	1·2	10	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.
	" 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	.
	" 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
	Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
	" 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	" 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
	" 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
South City, No. 4. (Office, Grand Canal-st.) Pop. in 1912 (Est.) 33,171.	Sept. 14,	20·4	3·1	13	.	.	.	1	.	.	.	.	1	1	.	1	1	1	.	.	.
	" 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
	Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
	" 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
	" 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
	" 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Others.	Diarrhœa, and *Enteritis* of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Sept. 14,	12·2	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Sept. 14,	8·8	1·8	5	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	„ 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 14,	15·4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Sept. 14,	12·6	0·8	95	.	.	.	.	1	.	1	.	15	2	4	5	6	4	.	2	3
	„ 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
Cork. Pop. in 1911 76,673.	Sept. 14,	15·0	.	22	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.	.	1
	„ 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Sept. 14,	17·9	1·3	14	.	.	.	.	.	.	.	.	3	1	1	1	1	1	.	.	.
	„ 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
Limerick. Pop. in 1911 38,518.	Sept. 14,	10·8	1·4	8	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	1
	„ 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
Waterford. Pop. in 1911 27,464.	Sept. 14,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	1
	„ 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd November, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	5	16·4	3·3	5	3	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	.	.
Do. 2 do.	49,500	36	22·1	4·2	21	2	5	1	3	5	5	.	.	.	3	1	.	.	.	4	.	2	.	2	.	.	1	2	9	.
Do. 3 do.	50,032	14	11·5	2·1	11	.	2	2	1	4	2	.	.	.	2	.	.	.	.	3	.	.	1	1	.	.	.	.	.	.
Do 4 do.	32,637	17	19·2	.	12	1	1	1	2	3	4	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	4	.
Do. 5 do.	16,112	9	32·4	3·2	10	2	3	1	3	1	.	.	.	.	.	.	.	.	.	2	1	1	1	1	1	.	.	.	2	.
Do. 6 do.	37,293	19	11·2	.	8	1	.	.	1	4	2	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	17·5	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	9	14·9	2·1	7	1	1	1	2	2	.	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.	1	.
Do. 10 do.	28,958	18	14·4	1·8	8	2	.	2	1	3	.	.	.	.	1	.	.	.	.	.	.	.	1	3	.	.	.	.	3	.
Do. 11 do.	39,311	19	11·9	1·3	9	2	2	1	1	2	1	.	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.
Do. 12 do.	38,076	20	21·9	9·6	16	4	6	2	1	2	1	.	.	.	5	.	.	1	.	1	.	1	1	2	1	.	1	1	5	.
Do. 13 do.	23,233	10	15·7	2·2	7	2	1	.	2	1	1	.	.	.	.	1	.	.	.	1	1	.	.	2	.	.	.	1	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	23·0	2·3	10	.	1	2	2	3	2	.	.	.	1	.	.	.	.	2	1	1	.	1	.	.	.	.	2	.
Total,	386,947	191	16·8	2·7	126	20	22	14	20	30	20	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	5	29	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	3	11·6	.	3	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Do 2 do.	10,701	14	10·0	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Do 3 do.	9,978	4	21·3	10·6	4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.
Do 4 do.	8,666	4	5·7	5·7	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Do 5 do.	6 592	4	8·3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	1	27·0	.	6	.	1	.	2	1	2	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	3	.
Do. 7 do.	16,616	6	26·0	.	8	.	.	1	1	3	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.
Total,	76,122	36	17·0	2·0	25	3	1	1	4	6	10	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	1	13	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered, ...	193	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191
DEATHS registered, ...	115	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126
Annual Death rate per 1,000 of estimated population, ...	15·3	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8
AGES, Under 1 year, ...	22	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20
1—5 years, ...	15	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22
5—25 ,, ...	20	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14
25—45 ,, ...	18	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20
45—65 ,, ...	18	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30
65 and upwards, ...	22	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12
Scarlet Fever, ...	.	1	1	.	.	.	1	.	.	.	.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2
Whooping-cough, ...	6	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	1	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17
Tuberculous Disease. Other Forms,	8	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7
Cancer, ...	1	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8
Diseases of Respiratory System, Pneumonia,	6	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8
Diseases of Respiratory System, Others, ...	11	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14
Diarrhœa, and *Enteritis*, under 2 years, ...	4	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5
Diarrhœa, 2 years and upwards,	.	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.
Violent Deaths, ...	.	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3
Number of Uncertified Deaths, ...	.	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Nov. 2,	2,216	1,221	14·1	1	.	57	5	7	9	28*a*
Edinburgh, ...	321,200	„ 2,	144	107	17·4	.	.	.	.	.	.	.
Glasgow, ...	785,600	„ 2,	410	264	17·5	.	.	1	1	7	4	6
Calcutta, ...	896,067	Sept. 28,	.	419	24·3	85*	.	.	.	1	.	62‡
Bombay, ...	979,445	„ 28,	446	653	34·6	90*	.	1	.	.	.	95‡
Madras, ...	518,660	Oct. 5,	460	379	38·0	72*	.	2	?	?	?	93‡
Cairo, ...	704,956	Aug. 5,	665	712	52·7	7	.	19	2	?	8	223*a*
Paris, ...	2,847,229	Oct. 19,	893	835	15·0	2	.	1	2	7	4†	35*a*
Brussels, ...	745,380	„ 12,	228	195	13·6	2	.	1	.	1	1	7*a*
Antwerp, ...	308,618	„ 19,	113	72	12·1	1	.	.	.	.	.	7*a*
Amsterdam, ...	584,978	„ 12,	267	127	11·3	.	.	1	.	2	.	1*a*
Copenhagen, ...	468,000	„ 12,	217	133	14·8	.	.	2	.	2	.	4
Stockholm, ...	346,599	„ 12,	138	80	12·0	.	.	.	.	1	1	5
Christiania, ...	247,488	„ 19,	125	51	10·7	.	.	.	.	.	.	4
St. Petersburg, ...	1,664,000	Sept. 28,	730	613	19·2	20	.	8	4	7	5†	87
Moscow, ...	1,617,157	„ 28,	.	660	21·3	8	.	6	9	4	11	135
Berlin, ...	2,081,841	„ 28,	791	459	11·5	.	.	1	2	7	8†	37*a*
Hamburg, ...	953,079	Oct. 12,	.	219	11·9	1	.	4	2	2	8†	13*a*
Breslau, ...	529,617	„ 12,	.	171	16·8	.	.	.	.	4	.	9
Munich, ...	615,000	„ 19,	.	163	13·8	.	.	3	.	.	3†	9
Vienna (with suburbs),	2,098,225	„ 12,	696	555	13·8	.	.	8	5	5	2†	25*a*
Buda-Pesth, ...	910,548	„ 12,	450	281	16·0	3	.	1	16	.	7	12*a*
Prague and Faubourgs,	484,301	„ 5,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	239,549	„ 12,	113	70	15·2	.	.	4	.	.	.	3*a*
Rome, ...	569,809	July 20,	274	170	15·6	2	.	6	.	1	1	24
		„ 27,	283	165	15·1	4	2	4	2	1	2	22
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Oct. 5,	2,317	1,274	12·9	15	.	3	5	2	13†	124*a*
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Oct. 19,	.	202	14·6	3	.	1	.	2	2	15

* Deaths from "fever," including 11 deaths from enteric fever and 5 from plague in Calcutta; 7 from enteric fever, and 7 from plague in Bombay.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 2 in Bombay and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd November, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
" " 1, West, ...	.	4	.	.	.	.	.	.	3	.	.	1	8
" " 2, ...	.	2	.	.	.	.	1	.	.	.	.	.	3
" " 3, ...	.	4	.	.	1	.	.	2	2	.	.	1	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	3	.	.	.	.	2	.	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	5	.	.	1	2	.	.	3	11
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
" " 3, ...	.	3	.	.	2	.	.	.	2	.	.	1	8
" " 4, ...	.	1	.	.	3	.	.	1	.	.	.	1	6
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	2	3
Total, ...	.	19	.	.	12	.	3	6	9	.	.	10	59

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd November, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd November.			
	Oct. 12.	Oct. 19.	Oct. 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	60	59	60	7	14	.	53
Typhus, ...	5	2	1	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	8	8	.	3	2	3
Scarlet Fever, ...	127	126	129	21	16	2	132*
Diphtheria, ...	43	44	62	26	12	3	73
Pneumonia, ...	25	27	23	9	7	.	25

* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 2nd November, 1912:—

"Until Thursday the British Isles were under the influence of large and deep atmospheric depressions advancing towards the northeast in quick succession from the Atlantic. On the day named the last of these passed away to Scandinavia, and a ridge of high pressure, in which the barometer rose in Dublin to 30·450 inches at 9 p.m. of Friday, drifted eastwards across the United Kingdom. Very unsettled weather accompanied the cyclonic period of the earlier part of the week. Sunday dawned fair in Dublin, but in the forenoon the wind veered from S.E. to S.W., and for some two or three hours blew a violent gale from S.W. The wind moderated in the afternoon and temperature fell, the thermometer having marked as high as 57·0° in the forenoon. On Monday a secondary thunderstorm depression passed over Ireland—in Dublin a drenching shower of rain fell at 11 a.m.; an hour earlier thunder and lightning had occurred at Greystones, Co. Wicklow. Thunderstorms were also reported from Roche's Point, Co. Cork, Birr Castle, King's County, and Kilkenny. At 6.30 a.m. of Tuesday thunder and lightning again occurred at Greystones. Early on Wednesday morning heavy rain-clouds passed northwards along the east coast of Ireland. The barometer at that time was below 29 inches in Central Ireland; in the evening however a rapid increase of pressure set in and the wind veered to N.N.W. These changes ushered in a cold but fine period, which lasted to the end of the week. The increase of atmospheric pressure between Wednesday and Friday amounted to nearly an inch and a half in Dublin, in which City the barometric range of the week was from 29·037 inches at 9 a.m. of Wednesday (wind, S.S.W.) to 30·450 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was 46·1°; the mean dry-bulb temperature at 9 a.m. and 9 p.m. was 44·3°. On Sunday the screened thermometers rose to 57·0°, on Saturday they sank to 30·9°. The wind was southeasterly in the earlier part of the week, northwesterly in the latter part. The rainfall was ·383 inch on three days, ·310 inch being measured on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·668 inches. The highest reading (30·388) was on Friday at 9 p.m., air calm, the lowest (29·070) on Wednesday at 9 a.m., wind E.S.E.

The mean temperature for the week was 43·4°, being 2·4° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Sunday, on which day the thermometer registered 59°, and was lowest on Saturday, the mercury having fallen to 23°. The mean of the Dry Bulb for the week was 43·5° and of the Wet Bulb, 40·9°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·300 inch.

At Greenwich the mean temperature for the week was 49·1°, the maximum 60·3°, and the minimum 32·1°; at Glasgow the maximum was 59·3°, the minimum 31·0°, and the mean 45·6°; and at Edinburgh the maximum was 51·9°, the minimum 31·4°, and the mean 43·6°. The rainfall at Greenwich measured 0·55 in.; at Glasgow 1·04 ins.; and at Edinburgh 0·88 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, October 27,	29·465	59	38	48·5	54·0	49·2	·72	·3	2·2	·000	E.S.E.	S.
Monday, „ 28,	29·330	56	38	47·0	50·8	47·9	·81	·4	0·0	·230	S.	Calm.
Tuesday, „ 29,	29·200	55	46	50·5	51·1	46·9	·73	·3	0·0	·070	S.W.	S.
Wednesday, „ 30,	29·140	52	40	46·0	47·0	44·7	·84	·5	2·7	·000	E.S.E.	W.N.W.
Thursday, „ 31,	29·875	49	34	41·5	39·8	38·0	·86	·3	3·2	·000	N.	N.N.W.
Friday, November 1,	30·360	46	25	35·5	30·2	29·6	·93	·1	6·7	·000	N.W.	Calm.
Saturday, „ 2,	30·305	47	23	35·0	31·9	29·9	·82	·0	2·3	·000	Calm.	Calm.
Mean, ...	29·668	52·0	34·9	43·4	43·5	40·9	·82	·3	Total 17·1	Total ·300	—	

Sunday—Day cloudy, fine; night cloudy. *Monday*—Day overcast, heavy rain at intervals a.m.; night cloudy, showers at intervals a.m. *Tuesday*—Day overcast, rain 5.30 to 5.50 p.m.; night cloudy, rain from 11.5 to 11.20 p.m. and 6.10 to 6.40 a.m. *Wednesday*—Day cloudy, fine; night cloudy. *Thursday*—Day cloudy, fine; night clear. *Friday*—A beautiful bright day; night clear. *Saturday*—Day cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 2nd November, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, October 27,	54·1	46·5	50·3	60	46	53	4·7	—
Monday, „ 28,	51·6	47·2	50·0	57	45	51	2·6	·31
Tuesday, „ 29,	50·9	47·8	50·0	56	46	51	5·6	·06
Wednesday, „ 30,	50·2	48·0	49·9	53	45	49	2·4	—
Thursday, „ 31,	45·5	48·0	49·8	50	37	43·5	2·4	—
Friday, November 1,	37·0	46·2	49·7	45	32	38·5	4·1	—
Saturday, „ 2,	33·3	44·5	49·7	47	29	38	0·3	—
Weekly Mean, .	46·1	46·9	49·9	52·6	40·0	46·3	Total 22·1	Total ·37

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 9TH NOVEMBER, 1912. [No. 45.

General Register Office, Charlemont House,
Dublin, 11*th November,* 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 19	Oct. 26	Nov. 2	Nov. 9	Average Rate for 4 weeks.
22 Town Districts, ...	**16·5**	**17·8**	**18·3**	**17·9**	**17·6**
Armagh	21·3	·	28·4	21·3	17·7
Ballymena	13·7	22·9	9·2	22·9	17·2
Belfast	14·2	16·8	16·8	16·8	16·2
Clonmel	15·3	35·8	5·1	5·1	15·3
Cork	16·3	23·1	17·0	15·6	18·0
Drogheda	4·2	·	29·2	33·4	16·7
Dublin Reg. Area ...	19·8	18·3	18·5	18·0	18·6
Dundalk	·	23·8	11·9	35·7	17·8
Galway	11·8	3·9	27·5	11·8	13·8
Kilkenny	9·9	14·9	19·8	5·0	12·4
Limerick	35·2	35·2	47·4	28·4	36·5
Lisburn	8·4	12·6	4·2	21·0	11·6
Londonderry	6·4	14·0	20·4	16·6	14·4
Lurgan	12·5	8·3	37·4	20·8	19·7
Newry	26·2	17·4	17·4	21·8	20·7
Newtownards	10·9	10·9	10·9	21·8	13·6
Portadown	17·8	·	13·3	17·8	12·2
Queenstown	19·1	6·4	6·4	6·4	9·6
Sligo	9·3	·	14·0	32·7	14·0
Tralee	5·1	10·1	10·1	15·2	10·1
Waterford	17·1	26·6	15·2	13·3	18·0
Wexford	18·1	22·6	4·5	13·1	15·8

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 19·0 in Limerick, the 21 deaths from all causes for that district including 14 from measles. Among the 126 deaths from all causes for Belfast are 8 from measles, and 2 from scarlet fever. One of the 9 deaths from all causes for Dundalk is from diphtheria. Included in the 5 deaths from all causes for Ballymena are 2 from whooping-cough, and one of the 7 deaths from all causes for Sligo is from diphtheria.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—86 boys and 99 girls—and the deaths to 151—81 males and 70 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·0 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

During the forty-five weeks ending with Saturday last the death-rate averaged 20·6, and was 1·4 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 151, represent an annual rate of 19·6 per 1,000 ; the annual rate for the past forty-five weeks was 21·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

Among the deaths there were 2* from enteric fever, one from measles, 4 from diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years of age. In the 3 preceding weeks, deaths from enteric fever were 2, 2, and 2 ; deaths from measles were 2, one, and 2 ; deaths from diphtheria were 3, 2, and 2 ; and deaths from diarrhœa and *enteritis* of children were 7, 4, and 5 respectively.

There were altogether 24 deaths from tuberculous disease, as compared with 34, 26, and 27 in the 3 preceding weeks. The 24 deaths for the week under notice comprise 20 from pulmonary tuberculosis, 2 from abdominal tuberculosis, one from tuberculous disease of hip, and one from disseminated tuberculosis.

Of 9 deaths from pneumonia (all forms), 4 were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 2 to *pneumonia* (type not distinguished).

The deaths of 14 persons were referred to cancer.

Among the deaths of infants under one year of age 2 were from *convulsions*, 3 from prematurity, and 9 from congenital debility.

Organic diseases of the heart caused the deaths of 19 persons, and 15 deaths were accounted for by bronchitis.

There were 3 deaths from accidental causes, and one death by homicide was registered.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness ; this case was that of an infant under one year old.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 8 were under one month old) and 36 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 18 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·0 per 1,000 ; the rate in the City was 18·9 (North City Districts, 20·9 ; South, 16·6) and in the Suburbs, 14·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·4 (in the North City Districts 1·9, and in the South 0·7), and for the Suburbs 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 24·6 per 1,000, and include one death from diphtheria, one death of a child from diarrhœa, one death from pulmonary tuberculosis, one death from each of lobar pneumonia and *pneumonia*, and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 19·3 per 1,000. The deaths included one from enteric fever, 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and one homicidal death.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. There were 3 deaths from tuberculosis, one from bronchitis, one from diarrhœa of a child, and one accidental death.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 22·4 per 1,000. Pulmonary tuberculosis caused 3 deaths, there were 2 deaths from bronchitis, one death of a child from diarrhœa, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·4 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. One of the 5 deaths from all causes for Coolock and Drumcondra, part of, was from diphtheria, and there was one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (11) represent an annual rate of 14·3 per 1,000, and include one death from measles, one from pulmonary tuberculosis, and 3 from diseases of the respiratory system.

No. 2 *South City District* (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000. Of the 3 deaths one was caused by bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·5 per 1,000. Pulmonary tuberculosis caused 4 deaths ; there were 2 deaths from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. There were 3 deaths from tuberculosis, one from broncho-pneumonia, 2 from lobar pneumonia, and one from diarrhœa of a child,

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·1 per 1,000. Two of the 3 deaths registered were from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·3 ; Pembroke, 15·8 ; Blackrock, 5·7 ; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhœa or *enteritis* for Rathmines and Rathgar, and one from diphtheria for Pembroke. Among the 12 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one from *pneumonia*, and one from bronchitis. One of the 9 deaths from all causes for Pembroke is from disseminated tuberculosis. The one death tabulated for Blackrock is from bronchitis ; and of the 5 deaths from all causes for Kingstown one is from bronchitis.

* See Note (c) Table II.

† See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th November, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 19,	.	—	—	21	.	.	10	.	.	9	6	.	—	—	.	—	6	.	52
	Oct. 26,	.	—	—	13	.	.	12	.	2	5	6	.	—	—	.	—	13	.	51
	Nov. 2,	.	—	—	19	.	.	12	.	3	6	9	.	—	—	.	—	10	.	59
	Nov. 9,	.	—	—	12	.	.	9	.	.	10	8	.	—	—	.	—	10	.	49
Rathmines and Rathgar Urban District.	Oct. 19,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	5
	Oct. 26,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Nov. 2,	.	—	—	5	.	.	6	.	.	.	.	.	—	—	—	—	—	—	11
	Nov. 9,	.	—	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	8
Pembroke Urban District.	Oct. 19,	.	.	.	2	.	.	.	.	.	2	.	.	—	.	—	—	.	—	4
	Oct. 26,	.	.	.	4	.	.	3	.	.	.	.	.	—	.	—	—	.	—	7
	Nov. 2,	.	.	.	4	.	.	.	.	.	.	.	.	—	1	—	—	.	—	5
	Nov. 9,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	—	—	.	—	3
Blackrock Urban District.	Oct. 19,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Oct. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 2,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
Kingstown Urban District.	Oct. 19,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	.	—	5
	Oct. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 2,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	1	—	5
	Nov. 9,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	2	—	7
City of Belfast.	Oct. 19,	.	—	—	37	.	.	5	.	.	.	8	.	—	—	—	—	12	—	62
	Oct. 26,	.	—	—	40	.	.	4	.	.	1	4	.	—	—	—	—	5	—	54
	Nov. 2,	.	—	—	26	.	.	3	1	1	1	3	.	—	—	—	—	11	—	46
	Nov. 9,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	7	—	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th November, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 52 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 59, 60, and 53.

One case of typhus was discharged from hospital during the week, and no case remained under treatment at its close.

Two cases of measles were admitted to hospital during the week, one was discharged, and 4 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 8, 8, and 3 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 19 were discharged, and 131* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 126, 129, and 132, respectively.

Twenty cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 44, 62, and 73, respectively, were 73 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 9 were discharged, there were 3 deaths, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 14·8 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 15·4 per 1,000, the rate for Glasgow being 15·4, and for Edinburgh 16·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th November. From this Report it appears that of a total of 77 cases notified, 32 were phthisis, 19 scarlet fever, 15 diphtheria, and 11 erysipelas. Among the 366 cases of infectious diseases in hospital at the close of the week were 168 cases of scarlet fever, 88 of phthisis, 60 of diphtheria, 15 of erysipelas, 11 of whooping-cough, 8 of chicken-pox, 8 of measles, 4 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 9th November, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Urban Districts.	Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 9th November, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 9th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 26th October, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
	Total of 22 Town Districts, ...	1,154,150	19·8	25·7	17·9	1·8	569	396	61	96	1	...	...	23	2	2	6	...	49	16	20	34	59	5	...	7	13	138	7	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
	Dublin Registration Area:— Total, (c.) ...	400,865	29·2	24·1	18·0	1·4	185	138	24	34	1	...	...	1	...	...	4	...	19	3	10	9	18	5	...	4	6	67	1	e 64	27	49·6	0·52	e 59	23	43·4	0·30	e 55	24	42·1	0·78
	City of Dublin,	306,573	38·8	25·9	18·9	1·4	152	111	18	23	1	...	...	1	...	...	2	...	18	2	7	8	14	4	...	4	5	57	...	f 64·2 g 65·2	33·9 28·0	51·0 49·8	0·37 0·42	f 57·0 g 59	30·9 25	46·1 45·6	0·38 0·42	f 54·4 g 55·8	32·2 28·0	43·4 42·5	0·83 0·82
Urban Districts.	Rathmines and Rathgar.	38,495	22·5	20·3	16·3	2·7	15	12	2	7	...	...	...	...	...	...	1	...	1	...	1	1	1	1	...	...	...	4	...	...	...	...	...	.	...	...	...	...	...	...	...
Urban Districts.	Pembroke, ...	29,731	18·9	19·3	15·8	1·8	11	9	2	1	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	...	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Blackrock, ...	9,125	8·4	17·1	5·7	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Kingstown, ...	16,941	11·6	12·3	15·4	.	4	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	1	66	39	52·3	0·12	59	30	48·3	0·59	58	32	45·5	1·30
Urban Districts.	Belfast ...	391,974	26·2	26·9	16·8	1·3	202	126	19	21	...	...	...	8	2	...	...	...	16	7	2	15	22	...	...	2	5	39	1	57	28	47·1	1·33	54·5	28·5	45·1	1·15	52·5	29·8	43·0	1·75
Urban Districts.	Cork, ...	76,673	28·6	27·2	15·6	.	40	23	2	12	...	...	...	...	...	...	...	...	5	...	3	...	4	...	...	...	...	10	...	55	49	52·2	0·70	56	36	48·4	1·35	56	36	46·6	1·42
Urban Districts.	Londonderry ...	40,891	15·9	26·8	16·6	.	21	13	...	5	...	...	...	...	...	...	...	...	2	1	1	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Limerick, ...	38,518	16·1	21·7	28·4	19·0	16	21	3	2	...	...	...	11	...	...	...	...	...	...	...	3	...	...	...	...	...	2	...	62·5	40·1	51·2	0·39	55·8	23·6	43·9	0·75	58	26·1	43·4	1·00
Urban Districts.	Waterford, ...	27,464	19·1	20·9	13·3	.	11	7	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	1	...	...	...	...	...	..	...	...	...	...	...	...
Urban Districts.	Galway. ...	13,255	2·5	15·7	11·8	.	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	1	55	29	49·4	1·23	55	28	45	0·81	56	30	44	0·87
Urban Districts.	Dundalk, ...	13,128	9·5	15·9	35·7	4·0	4	9	3	1	...	...	...	...	...	...	1	...	1	...	1	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Drogheda, ...	12,501	8·4	25·0	33·4	.	6	8	1	2	...	...	...	..	...	...	...	..	1	...	1	...	2	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Newry, ...	11,963	17·0	26·2	21·8	.	6	5	2	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45
Urban Districts.	Lurgan, ...	12,553	14·7	49·8	20·8	.	12	5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	..	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45
Urban Districts.	Lisburn, ...	12,388	10·9	29·5	21·0	.	7	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	1	2	2	1	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45
Urban Districts.	Wexford. ...	11,531	22·8	40·7	18·1	.	9	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Ballymena ..	11,381	9·3	22·9	22·9	9·2	5	5	...	1	...	...	...	...	...	2	...	...	2	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Sligo. ...	11,163	3·8	23·4	32·7	4·7	5	7	1	3	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	5	...	57	38	50·0	2·03	56	25	42·0	1·14	53	28	41·0	1·62
Urban Districts.	Kilkenny, ...	10,514	11·4	39·7	5·0	.	8	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	62	33	50·5	0·30	56	27	44·9	0·59	56	27	43·1	1·19
Urban Districts.	Clonmel, ...	10,209	7·8	15·3	5·1	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Portadown, ...	11,727	15·3	13·3	17·8	.	3	4	1	1	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45
Urban Districts.	Tralee, ...	10,300	17·4	30·4	15·2	.	6	3	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	Newtownards,	9,587	20·1	54·4	21·8	.	10	4	...	3	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	..	...	1	1	57	34	48·8	1·09	57	36	46·6	1·05	53	35	44·1	1·18
Urban Districts.	Queenstown, ...	8,209	14·7	19·1	6·4	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	49	52·2	0·70	56	36	48·4	1·35	56	36	46·6	1·42
Urban Districts.	Armagh, ...	7,356	21·8	21·3	21·3	.	3	5	...	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	...	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32	52·1	27·0	40·8	0·45

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 13 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of November, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	4	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	1	3	2	3	.	.	.	1	.	4	2	2	1	.	.	.	19	1
Tuberculous Disease. { Other Forms,	.	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3	1
Cancer,	1	1	.	3	.	.	.	.	.	1	1	.	1	2	.	.	10	4
Diseases of Nervous System,	1	2	1	.	.	.	.	1	1	1	2	.	1	.	.	1	11	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	1	3	4	2	.	.	.	.	1	1	2	.	3	2	.	1	20	2
" Respiratory System. { Pneumonia,	2	1	.	.	.	.	.	.	.	2	3	.	1	.	.	.	9	.
" Respiratory System. { Others,	3	1	2	2	.	1	.	3	1	1	.	.	1	.	1	2	18	2
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	1	.	1	1	.	.	.	.	.	.	1	.	1	.	.	.	5	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	4	.
" Genito-urinary System,	1	.	1	.	.	.	.	1	.	3	.	.	1	.	.	.	7	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	2	2	.	3	.	4	.	2	1	1	1	3	.	1	21	1
Violent Deaths,	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	.	4	.
Ill-defined, &c. Causes,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	14	15	16	15	.	5	.	11	3	16	13	3	12	9	1	5	138	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	24·6	19·3	29·9	22·4	.	19·4	.	14·3	8·5	19·5	20·4	16·1	16·8	15·8	5·7	15·4	18·0	.
	20·9							16·6					14·9					
	18·9																	
Ages at Death. { Under 1 year,	3	.	2	2	.	2	.	4	1	2	2	.	2	2	.	2	24	1
1 and under 2 years,	.	1	2	.	.	.	.	1	.	.	.	.	.	1	.	.	5	1
2 " 5 "	.	.	.	1	.	1	.	.	.	.	2	.	1	.	.	.	5	.
5 " 15 "	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.
15 " 25 "	.	.	1	3	.	.	.	.	.	1	1	.	.	.	.	.	6	1
25 " 45 "	4	7	1	2	.	.	.	2	1	4	1	3	1	2	.	.	28	3
45 " 65 "	3	3	5	3	.	1	.	1	1	5	5	.	1	2	.	1	31	5
65 and upwards,	3	3	3	4	.	1	.	3	.	4	2	.	7	1	1	2	34	2
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	4	2	.	.	.	2	1	2	9	1	3	3	.	2	38	11
Workhouse Hospitals,	1	5	7	4	.	.	.	3	1	6	.	.	1	1	.	.	29	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 9th November, 1912.										
													Deaths of Persons of the Ages of									
	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 47·7	° 47·6	° 46·7	° 43·0	° 43·8	° 45·1	° 48·2	° 41·9	° 39·6	° 40·2	° 44·4	° 49·6										
ALL CAUSES.	228	157	156	152	192	178	185	177	141	179	174·5	151	8	17	6	5	5	7	31	36	24	12
Enteric Fever, ...	5	3	.	2	1	2	3	1	.	.	1·7	2	.	.	.	.	.	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	16	.	7	.	6	2	3	.	.	6	4·0	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	4	1	1	1	.	.	.	1	.	3	1·1	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	.	3	.	.	2	2	2	1	4	.	1·4	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	3	.	.	1	1	2	1	1	2	2	1·3	4	.	.	.	2	2	.	.	.	.	.
Croup, ...	.	.	.	1	1	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	4	1	.	1	1	.	1	2	1	.	1·1	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	1	.	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	2	.	1	1	.	.	.	2	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	.	.	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	.	1	.	.
Tetanus, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	24	16	22	21	31	25	25	20	16	19	21·9	20	.	.	.	.	1	4	11	3	1	.
Tuberculous Meningitis, ...	6	4	1	.	2	2	3	4	3	.	2·5	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	.	.	2	1	1	.	.	2	·9	2	.	.	1	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	5	4	6	5	5	6	4	8	.	5·2	1	.	.	1	.	.	.	.	.	.	.
Tuberculosis of other Organs,										2		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		1	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	1	2	.	.	1	.	3	1	1	.	·9	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	5	9	11	6	11	6	9	8	9	12	8·6	14	.	.	.	.	.	.	2	8	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	1	1	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	.	3	.	2	1	.	1	·7	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	6	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	4	.	2	.	1	.	1	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		8	.	.	.	.	.	.	2	3	2	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										3		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										1		1	.	.	.	.	.	.	1	.	.	.
Convulsions (non-puerperal),										2		2	.	2	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	38	45	31	38	47	48	33	46	21	3	37·9	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										15		19	.	.	.	1	1	.	7	4	5	1
Embolism and Thrombosis (including Cerebral)										.		1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Circulatory System.										1		2	.	.	.	.	.	.	.	2	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	35	24	21	24	15	12	22	19	23	23	21·8	15	.	1	.	.	.	.	1	5	5	3
Broncho-pneumonia, ...	8	5	2	5	2	8	7	5	9	5	5·6	4	.	1	1	1	.	.	.	.	1	.
Lobar pneumonia, ...	.	.	1	3	2	2	1	3	.	2	1·4	3	.	.	.	.	.	.	1	2	.	.
Pneumonia (type not distinguished)	9	1	3	5	4	3	4	6	2	7	4·4	2	.	.	.	.	.	.	.	1	.	1
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	4	2	1	3	4	1	3	3	.	2·8	3	.	.	.	.	.	.	.	1	2	.
Other Diseases of Respiratory System.										2		2	.	.	.	.	.	.	.	1	1	.

FORTY-FIFTH WEEK ending Saturday, 9th November, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 45th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 9th November, 1912.										
													Deaths of Persons of the Ages of									
	Nov. 8, 1902.	Nov. 14, 1903.	Nov. 12, 1904.	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	47·7°	47·6°	46·7°	43·0°	43·8°	45·1°	48·2°	41·9°	39·6°	40·2°	44·4°	49·6°										
Diseases of the Pharynx, Tonsillitis.	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	4	—	1	.	.	1	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	5	2	8	5	5	7	10	12	7	4	6·8	5	.	5	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										1		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	1	.
Cirrhosis of Liver, ...	1	1	2	1	3	3	1	1	.	.	2·2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	1	2	2	2	.	.	1	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	2	.	.	1	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	3	1	3	11	6	6	3	6	1	4·7	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	9	3	7	4	7	6	11	5	8	1	6·4	1	.	.	.	.	.	.	.	1	.	.
Chronic Bright's Disease, ...										.		5	.	.	.	.	.	.	.	3	2	.
Urinary Calculi, ...										1		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	.	1	.	.	.	2	·5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	5	2	4	4	8	6	3	9	4·5	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	9	—	9	2	7	.	.	.	.	.	.	.	.
Old Age, ...	6	5	3	7	4	3	6	4	1	6	4·5	3	.	.	.	.	.	.	.	.	.	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	1	1	1	.	.	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	.	2	.	1	1	2	.	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	3	2	.	1	4	2	4	1	1	2·0	3	.	.	.	.	1	2	.	.	.	.
Total Deaths from Accident,	3	4	5	1	3	6	4	4	2	2	3·4	3	.	.	.	.	1	2	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	.	.	1	.	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	1	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	1	.	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	5	—	1	.	.	.	.	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered,	223	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185
Average Births in corresponding week of previous 10 years, ...	214	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211
DEATHS registered, ...	149	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151
Annual Death-rate per 1,000, ...	19·1	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6
Average Deaths in corresponding week of previous 10 years, ...	165	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175
Ages, Under 5 years, ...	45	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36
5—15 " ...	12	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5
15—25 " ...	5	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7
25—45 " ...	20	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31
45—65 " ...	31	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36
65—75 " ...	17	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24
75 and upwards, ...	19	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1
Scarlet Fever, ...	2	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.
Whooping-cough, ...	2	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.
Diphtheria, ...	2	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4
Influenza, ...	.	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	17	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20
Tuberculous Disease, Other Forms,	9	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4
Cancer, ...	7	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14
Diseases of Circulatory System,	19	14	14	18	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22
Diseases of Respiratory System, Pneumonia,	18	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9
Diseases of Respiratory System, Others, ...	19	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20
Diarrhœa and *Enteritis*, under 2 years, ...	1	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.
Violent Deaths, ...	3	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4
Number of Uncertified Deaths,	2	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1
Mean Temperature of the Air (Phœnix Park)	49·4	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6
Average Mean Temperature in corresponding week of previous 10 years, ...	49·2	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4
Rainfall in inches, ...	·035	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515
Mean Humidity of the Air, complete Saturation 1·0, ...	·78	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
					REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH NOVEMBER, 1912.																									
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	151	36	5	7	31	36	24	12	2	.	.	1	.	.	4	.	20	4	14	2	9	20	5	.	4	66	1
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	1	.	.	.	1	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	12·0	20	4	2	.	3	6	3	2	.	.	.	.	.	.	1	.	4	1	6	.	2	.	.	.	1	5	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·1	34	6	1	3	6	14	3	1	.	.	.	.	.	.	1	.	5	.	3	.	2	8	1	.	3	11	.
IV.	GENERAL SERVICE CLASS, ...	154,279	20·6	61	19	2	3	15	8	10	4	2	.	.	1	.	.	1	.	6	3	4	2	4	7	3	.	.	28	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	6	.	1	7	7	7	3	.	.	.	.	.	.	.	.	5	.	1	.	1	4	1	.	.	19	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	33·4	5	1	.	.	.	1	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c.	22,016	14·2	6	1	.	.	2	2	.	1	.	.	.	.	.	.	1	.	2	.	.	.	2	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	2	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	1	2	.	.	2	1	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	1	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	37·0	7	2	.	2	1	1	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	2	.
	9. Building and Furnishing Trades, ...	29,801	12·2	7	3	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	4	.
	10. Clothing Trades, ...	23,260	11·2	5	.	.	.	1	3	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.	.	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	25·8	15	1	1	.	1	10	1	1	.	.	.	.	.	.	1	.	1	.	2	.	2	4	.	.	.	5	.
	13. Petty Shopkeepers	7,894	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	11·7	3	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	36,603	10·0	7	3	.	1	2	.	.	1	1	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	.	.	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·1	45	15	1	2	10	7	7	3	1	.	.	.	.	.	1	.	4	3	4	2	3	6	3	.	.	18	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	31	6	.	1	7	7	7	3	.	.	.	.	.	.	.	.	5	.	1	.	1	4	1	.	.	19	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age:	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Sept. 21,	17·6	3·5	10	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	1	.
		„ 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
		Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
		„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
		„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
		Nov. 2,	22 8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
		„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Sept. 21,	21·8	5·1	17	1	.	.	.	.	1	.	.	.	.	1	2	1	2	.	.	1
		„ 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
		Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
		„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
		„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
		„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	1	.
		Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
		„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Sept. 21,	16·0	.	9	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	1	.
		„ 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
		Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
		„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
		„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
		„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
		Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
		„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Sept. 21,	14·9	3·0	10	.	.	.	1	.	1	.	.	.	.	.	1	1	.	.	.	1
		„ 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
		Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
		„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
		„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
		„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
		Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
		„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Sept. 21,	19·5	1·3	15	.	.	.	1	.	.	.	.	.	2	2	2	1	.	.	1	.
		„ 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
		Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
		„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
		„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
		„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
		Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
		„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Sept. 21,	19·9	.	7	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	1
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
		Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
		„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
		„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
		„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
		Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
		„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Sept. 21,	32·9	2·4	27	.	.	.	.	.	2	.	.	2	2	.	1	5	.	.	1	
		„ 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
		Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
		„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
		„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
		„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
		Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
		„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Sept. 21,	9·4	1·6	6	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
		„ 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
		Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
		„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
		„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
		„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
		Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
		„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and *Enteritis* of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Sept. 21,	9·5	.	7	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	„ 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Sept. 21,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	„ 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Sept. 21,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
Belfast. Pop. in 1912 (Est.) 391,974.	Sept. 21,	12·8	1·2	96	1	.	.	.	4	.	.	.	13	2	7	6	8	4	.	2	3
	„ 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
Cork. Pop. in 1911 76,673.	Sept. 21,	15·6	0·7	23	.	.	.	.	1	.	.	.	3	1	.	.	1	.	.	1	2
	„ 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Sept. 21,	11·5	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	„ 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
Limerick. Pop. in 1911 38,518.	Sept. 21,	14·9	1·4	11	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1	.	1
	„ 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
Waterford. Pop. in 1911 27,464.	Sept. 21,	13·3	1·9	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1
	„ 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th November, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	19·7	6·6	6	2	1	.	1	2	.	.	.	.	2	.	.	.	.	2	.	.	1	.	.	.	.	.	2	.
Do. 2 do.	49,500	23	15·8	1·1	15	.	3	4	2	3	3	.	.	.	1	.	.	.	.	1	1	.	1	3	.	.	.	.	3	.
Do. 3 do.	50,032	37	11·5	.	11	2	3	1	2	2	1	.	.	.	.	.	.	.	.	1	2	.	1	2	.	.	.	.	2	1
Do 4 do.	32,637	28	16·0	.	10	3	.	2	1	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	6	.
Do. 5 do.	16,112	8	25·9	6·5	8	1	2	1	1	2	1	.	.	.	1	1	.	.	.	.	.	2	2	1	.	.	.	.	4	.
Do. 6 do.	37,293	15	9·8	.	7	.	.	2	1	1	3	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	3	.
Do. 7 do.	2,681	2	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	2	17·5	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 9 do.	24,427	13	23·5	.	11	3	.	2	3	2	1	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	1	2	.
Do. 10 do.	28,958	8	14·4	.	8	1	1	1	1	2	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	2	.
Do. 11 do.	39,311	15	18·6	.	14	2	2	2	1	5	2	.	.	.	.	.	.	.	.	1	2	.	2	4	.	.	1	2	5	.
Do. 12 do.	38,076	22	20·5	5·5	15	3	6	2	1	2	1	.	.	.	4	.	.	.	.	2	.	.	2	3	.	.	.	1	3	.
Do. 13 do.	23,233	16	15·7	2·2	7	.	2	1	1	1	2	.	.	.	.	1	.	.	.	.	.	.	.	4	.	.	.	.	2	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	6	25·3	.	11	2	3	1	3	1	1	.	.	.	.	.	.	.	.	3	1	.	2	1	.	.	1	1	4	.
Total,	386,947	202	16·8	1·3	126	19	23	19	19	25	21	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	5	39	1
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	7	11·6	.	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	12	10·0	.	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Do 3 do.	9,978	4	26·6	.	5	.	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	1	.
Do 4 do.	8,666	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6,592	1	16·7	.	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do 6 do.	10,702	5	22·5	.	5	1	.	1	.	.	3	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	4	.
Do. 7 do.	16,616	9	19·5	.	6	1	.	.	1	2	2	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
Total,	76,122	40	15·6	.	23	2	.	1	3	5	12	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.	10	.

* See note (‡) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	275	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202
DEATHS registered, ...	138	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126
Annual Death rate per 1,000 of estimated population, ...	18·4	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8
AGES, Under 1 year, ...	20	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19
1—5 years, ...	17	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23
5—25 ,, ...	14	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19
25—45 ,, ...	22	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19
45—65 ,, ...	43	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25
65 and upwards, ...	22	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8
Scarlet Fever, ...	1	1	.	.	.	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2
Whooping-cough, ...	4	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.
Diphtheria, ...	2	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	19	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16
Tuberculous Disease. Other Forms,	11	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7
Cancer, ...	13	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2
Diseases of Respiratory System, Pneumonia,	16	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15
Diseases of Respiratory System, Others, ...	5	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22
Diarrhœa and *Enteritis*, under 2 years, ...	3	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.
Diarrhœa, 2 years and upwards,	.	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.
Violent Deaths, ...	5	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2
Number of Uncertified Deaths, ...	1	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Nov. 9,	2,320	1,252	14·4	2	.	67	4	10	8	16*a*
Edinburgh, ...	321,200	„ 9,	117	100	16·2	.	.	.	.	.	1	2
Glasgow, ...	785,600	„ 9,	390	232	15·4	.	.	3	1	2	2	3
Calcutta, ...	896,067	Oct. 5,	.	.	.	.	.	.	.	.	.	.
Bombay, ...	979,445	„ 5,	435	620	32·9	58*	.	2	.	1	.	78‡
Madras, ...	518,660	„ 12,	426	375	37·6	76*	.	2	?	?	?	93‡
Cairo, ...	704,956	Aug. 12,	638	658	48·7	8	.	14	.	?	9	212*a*
Paris, ...	2,847,229	Oct. 26,	916	823	14·8	3	.	3	1	4	4†	22*a*
Brussels, ...	745,380	„ 19,	215	201	14·0	1	.	1	1	.	1	5*a*
Antwerp, ...	308,618	„ 26,	107	71	12·0	.	.	1	.	3	.	7*a*
Amsterdam, ...	584,978	„ 19,	257	137	12·2	.	.	5	.	2	.	.
Copenhagen, ...	468,000	„ 19,	229	105	11·7	1	.	.	2	.	1	4
Stockholm, ...	346,599	„ 19,	142	80	12·0	.	.	.	.	.	.	2*a*
Christiania, ...	247,488	„ 26,	114	47	9·8	.	.	.	.	.	.	2
St. Petersburg, ...	1,664,000	„ 5,	849	566	17·7	22	1	13	4	5	4†	56
Moscow, ...	1,617,157	„ 5,	.	604	19·5	4	.	6	15	4	16	102
Berlin, ...	2,082,256	„ 5,	805	504	12·7	1	.	1	5	2	9†	21
Hamburg, ...	953,079	„ 19,	.	253	13·8	.	.	3	.	3	13†	14*a*
Breslau, ...	530,484	„ 19,	.	169	16·6	1	.	.	1	2	.	8
Munich, ...	615,000	„ 26,	.	164	13·9	.	.	.	.	1	1†	7
Vienna (with suburbs),	2,098,225	„ 19,	680	645	16·0	2	.	3	.	4	1†	31*a*
Buda-Pesth, ...	910,548	„ 19,	416	266	15·2	1	.	.	20	1	5	12*a*
Prague and Faubourgs,	484,301	„ 5,	101	143	15·4	.	.	.	1	.	2†	8
		„ 12,	155	169	18·2	2	.	.	1	.	2†	7
Trieste, ...	239,549	„ 19,	121	61	13·3	1	.	2	.	.	.	2*a*
Rome, ...	569,809	Aug. 3,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Oct. 12,	2,293	1,393	14·1	15	.	.	4	7	19†	102*a*
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Oct. 26,	.	230	16·6	3	.	.	.	.	1	17

* Deaths from "fever," including 2 from enteric fever and 4 from plague in Bombay.

† Including deaths from croup.

‡ Including 4 deaths from cholera in Bombay and 10 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th November, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	2	1	.	.	.	5
" " 1, West, ...	.	2	.	.	2	.	.	2	.	.	.	1	7
" " 2, ...	.	1	.	.	.	.	.	1	3	.	.	1	6
" " 3, ...	.	2	.	.	1	.	.	1	.	.	.	2	6
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	3	.	.	1	.	.	1	3	.	.	.	8
" " 2, ...	.	.	.	.	1	.	.	.	.	.	.	1	2
" " 3, ...	.	.	.	.	1	.	.	.	1	.	.	2	4
" " 4, ...	.	.	.	.	3	.	.	2	.	.	.	.	5
New Kilmainham, ...	.	1	.	.	.	.	.	1	.	.	.	3	5
Total, ...	.	12	.	.	9	.	.	10	8	.	.	10	49

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th November, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th November.			
	Oct. 19.	Oct. 26.	Nov. 2.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	59	60	53	10	10	1	52
Typhus, ...	2	1	1	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	8	3	2	1	.	4
Scarlet Fever, ...	126	129	132	18	19	.	131*
Diphtheria, ...	44	62	73	20	19	1	73
Pneumonia, ...	27	23	25	8	9	3	21

* Exclusive of 24 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 9th November, 1912:—

"Generally favourable weather prevailed during this week, and in Ireland especially it was singularly mild for the time of year. On Sunday a ridge of high atmospheric pressure stretched from Iceland across Great Britain and France to Spain. Areas of much lower pressure lay over Northern Europe and on the Atlantic to the westward of Ireland. The latter system caused a light S.E. wind in this country and a considerable rise of temperature. The day was dull but fine in Dublin. In the course of Monday a V.-shaped depression arrived over Ireland from the Atlantic. Its trough reached Wales and Cornwall on Tuesday morning, by which time the wind had already veered to N.W. in Ireland after heavy rain but with no material fall of temperature. The meaning of this warm N.W. wind was that it was apparently drawn from the air forming the S.W. wind of a deep depression in which the barometer fell below 28·9 inches in Iceland on Tuesday afternoon. That and the following day were mild but cloudy in Dublin. A vast anticyclone now developed over Central Europe, stretching from Germany to England, France, Spain and Madeira. Its S.W. wind passed over Ireland on Thursday, sending the thermometer up to 64° in the shade at Birr Castle and in Dublin. During the following night the lowest temperature in the screen in Dublin was 54°. Friday was fine, mild and dry, though cloudy, in the east of Ireland and over the greater part of England, but heavy rain was reported from Co. Mayo—·99 inch being recorded at Blacksod Point. At 7 a.m. of that day the thermometer read 28° in Paris, but 53° at Kew, near London. On Saturday, the weather, while remaining mild till evening, fell into a changeable showery state owing to the spreading towards the British Isles of a large depression centred near Iceland. In Dublin the mean height of the barometer was 30·146 inches, the range of pressure being from 29·875 inches at 9 p.m. of Monday (wind, S.W.) to 30·307 inches at 9 a.m. of Friday (wind, W.S.W.). The mean temperature was 51·0°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 50·9°. The screened thermometers fell to 33·9° on Sunday and rose to 64·2° on Thursday. Rain fell in measurable quantity on 2 days to the amount of ·367 inch, of which ·351 inch was gathered on Monday. The dominant wind was S.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·105 inches. The highest reading (30·263) was on Sunday at 9 a.m., wind N.E., the lowest (29·874) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 49·6°, being 5·2° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Thursday, on which day the thermometer registered 64°, and was lowest on Sunday, the mercury having fallen to 27°. The mean of the Dry Bulb for the week was 50·9° and of the Wet Bulb, 48·9°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·515 inch.

At Greenwich the mean temperature for the week was 47·2°, the maximum 56·5°, and the minimum 28·7°; at Glasgow the maximum was 56·0°, the minimum 36·0°, and the mean 48·5°; and at Edinburgh the maximum was 58·4°, the minimum 35·2°, and the mean 48·0°. The rainfall at Greenwich measured 0·18 in.; at Glasgow 0·68 in.; and at Edinburgh 0·24 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 3,	30·260	50	27	38·5	46·2	45·1	·93	·3	0·0	·000	N.E.	Calm.
Monday, „ 4,	29·990	55	44	49·5	52·4	50·9	·90	·7	0·0	·470	S.W.	S.W.
Tuesday, „ 5,	29·950	54	45	49·5	50·1	49·4	·94	·4	0·5	·000	W.N.W.	W.N.W.
Wednesday, „ 6,	30·155	53	48	50·5	51·0	50·0	·93	·4	0·2	·000	W.	Calm.
Thursday, „ 7,	30·175	64	50	57·0	56·5	53·0	·79	·5	5·0	·000	Calm.	W.S.W.
Friday, „ 8,	30·220	57	52	54·5	53·0	51·4	·89	·5	0·0	·000	W.S.W.	W.S.W.
Saturday, „ 9,	29·985	53	43	48·0	47·0	42·5	·82	·7	0·0	·045	S.W.	W.
Mean, ...	30·105	55·1	44·1	49·6	50·9	48·9	·89	·5	Total 5·7	Total ·515	Prevailing Wind, S.W.	

Sunday—Day overcast; night cloudy. *Monday*—Day overcast, light and heavy rain at intervals 1.0 to 9.0 p.m.; night overcast, drizzling rain 9.0 p.m. to 3.30 a.m. *Tuesday*—A dull day; night overcast. *Wednesday*—A dull day; night cloudy. *Thursday*—A fine bright day; night cloudy. *Friday*—Day overcast; night overcast. *Saturday*—Day overcast, light rain at intervals 10.30 a.m. to 1.0 p.m.; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 9th November, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 3,	47·0	43·3	49·3	50	31	40·5	0·0	—
Monday, „ 4,	54·2	44·7	49·0	56	44	50	0·0	·350
Tuesday, „ 5,	53·4	47·0	48·8	55	48	51·5	0·5	—
Wednesday, „ 6,	51·0	47·9	48·8	54	49	51·5	0·0	—
Thursday, „ 7,	52·8	48·5	48·8	66	47	56·5	2·7	—
Friday, „ 8,	54·7	49·4	48·8	57	53	55	0·2	—
Saturday, „ 9,	51·2	49·9	49·0	55	44	49·5	0·1	·006
Weekly Mean, .	52·0	47·2	48·9	56·1	45·1	50·6	Total 3·5	Total ·356

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 16TH NOVEMBER, 1912. [No. 46.

General Register Office, Charlemont House,
Dublin, 18th November, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Oct. 26	Nov. 2	Nov. 9	Nov. 16	Average Rate for 4 weeks.	Towns, &c.	Week ending Oct. 26	Nov. 2	Nov. 9	Nov. 16	Average Rate for 4 weeks.
22 Town Districts, ...	**17·8**	**18·3**	**17·9**	**17·0**	**17·7**	Limerick	35·2	47·4	28·4	35·2	36·5
						Lisburn	12·6	4·2	21·0	8·4	11·6
Armagh	·	28·4	21·3	7·1	14·2	Londonderry	14·0	20·4	16·6	10·2	15·3
Ballymena	22·9	9·2	22·9	4·6	14·9	Lurgan	8·3	37·4	20·8	16·6	20·8
Belfast	16·8	16·8	16·8	16·1	16·6	Newry	17·4	17·4	21·8	21·8	19·6
Clonmel	35·8	5·1	5·1	30·6	19·1	Newtownards	10·9	10·9	21·8	16·3	15·0
Cork	23·1	17·0	15·6	15·6	17·8	Portadown	·	13·3	17·8	8·9	10·0
Drogheda	·	29·2	33·4	4·2	16·7	Queenstown	6·4	6·4	6·4	12·7	8·0
Dublin Reg. Area ...	18·3	18·5	18·0	18·7	18·4	Sligo	·	14·0	32·7	9·3	14·0
Dundalk	23·8	11·9	35·7	19·9	22·8	Tralee	10·1	10·1	15·2	10·1	11·4
Galway	3·9	27·5	11·8	23·6	16·7	Waterford	26·6	15·2	13·3	19·0	18·5
Kilkenny	14·9	19·8	5·0	14·9	13·7	Wexford	22·6	4·5	13·1	·	11·3

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 19·0 in Limerick, the 26 deaths from all causes for that district including 12 from measles, and 2 from diarrhœa and *enteritis* of children under 2 years. Among the 121 deaths from all causes for Belfast are 9 from measles, one from each of scarlet fever, whooping-cough, and diphtheria, and 4 from diarrhœa and *enteritis* of children under 2 years of age. Two of the 5 deaths from all causes for Dundalk are from measles.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—89 boys and 107 girls—and the deaths to 156—78 males and 78 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·7 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

During the forty-six weeks ending with Saturday last the death-rate averaged 20·5, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 156, represent an annual rate of 20·3 per 1,000 ; the annual rate for the past forty-six weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

The total deaths included 2* from enteric fever, 2 from whooping-cough, one death from each of influenza and dysentery, and 3 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were 2, 2, and 2 ; deaths from whooping-cough were one, one, and 0 ; deaths from influenza were 0, 0, and 0 ; deaths from dysentery were 0, 0, and 0 ; and deaths from diarrhœa and *enteritis* of children under 2 years were 4, 5, and 5.

The deaths from all forms of tuberculous disease, 24 in number, included 15 deaths from pulmonary tuberculosis, one death from tuberculous meningitis, 2 deaths from abdominal tuberculosis, one death from tuberculosis of the vertebral column, and 5 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from all forms of tuberculous disease numbered 26, 27, and 24 respectively.

There were 9 deaths from broncho-pneumonia, one death from lobar pneumonia, and 3 deaths from *pneumonia* (type not distinguished).

Seven deaths were assigned to cancer.

There was one death of an infant from *convulsions* ; there was also one death of an infant from a congenital defect ; the deaths of 3 infants were caused by prematurity, and the deaths of 3 infants were from congenital debility.

Organic diseases of the heart accounted for the deaths of 23 persons, and there 16 deaths from bronchitis.

Of 5 deaths from accidental causes, 2 were by burns and scalds, one of which was that of a child between the ages of 2 years and 5 years. There was one homicidal death, and one death by suicide were registered on the Coroner's certificates.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 3 infants under one year, and the deaths of 3 persons aged 65 years and upwards.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 6 were under one month old) and 51 were aged 65 years and upwards, including 42 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 4 (one male and 3 females) were stated to have been aged 97, 93, 96, and 104 years, respectively.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 13 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·7 per 1,000 ; the rate in the City was 18·5 (North City Districts, 21·2 ; South, 15·6) and in the Suburbs, 19·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 1·6, and in the South 0·4), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·1 per 1,000, and include one death from whooping-cough, one death from disseminated tuberculosis, one death from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 29·6 per 1,000. Enteric fever, influenza, and dysentery each caused one death; there were 4 deaths from tuberculous disease, one from *pneumonia*, 3 from bronchitis, one from diarrhœa of an infant, and one from burns.

No. 2 *North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Tuberculous disease caused 4 deaths ; there were 2 deaths from broncho-pneumonia, 2 deaths from bronchitis, and one death from diarrhœa of an infant.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·4 per 1,000. The deaths included one from pulmonary tuberculosis, one from broncho-pneumonia, and one from *pneumonia*

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 19·4 per 1,000 inhabitants ; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·9. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from pulmonary tuberculosis, and one was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (10) represent an annual rate of 13·0 per 1,000. Tuberculous disease caused 3 deaths ; there were 3 deaths from broncho-pneumonia, and one death from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one death from disseminated tuberculosis and 3 deaths from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·5 per 1,000. Pulmonary tuberculosis caused 2 deaths ; there were 3 deaths from broncho-pneumonia, one from lobar-pneumonia, and 3 deaths from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. The deaths include one from whooping-cough, 2 from tuberculous disease, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·5 per 1,000, and include one death from bronchitis and one accidental death.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·0 ; Pembroke, 14·0 ; Blackrock, 22·9 ; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhœa or *enteritis* of a child under 2 years for Kingstown. Of the 17 deaths from all causes for Rathmines and Rathgar there was one from each of pulmonary tuberculosis, *pneumonia*, bronchitis, and there was one death by suicide. Of the 6 deaths from all causes for Kingstown one was by homicide and one was from accidental scalds.

* See Note (*c*) Table II.

† See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 16th November, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Oct. 26,	.	—	—	13	.	.	12	.	2	5	6	.	—	—	.	—	13	.	51
	Nov. 2,	.	—	—	19	.	.	12	.	3	6	9	.	—	—	.	—	10	.	59
	Nov. 9,	.	—	—	12	.	.	9	.	.	10	8	.	—	—	.	—	10	.	49
	Nov. 16,	.	—	—	10	.	.	7	.	.	9	2	.	—	—	.	—	13	.	41
Rathmines and Rathgar Urban District.	Oct. 26,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	3
	Nov. 2,	.	—	—	5	.	.	6	.	.	.	.	.	—	—	—	—	—	—	11
	Nov. 9,	.	—	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	8
	Nov. 16,	.	—	—	1	.	.	2	.	.	1	1	.	—	—	—	—	—	—	5
Pembroke Urban District.	Oct. 26,	.	.	.	4	.	.	3	.	.	.	.	.	—	.	—	—	.	—	7
	Nov. 2,	.	.	.	4	.	.	.	.	.	.	.	.	—	1	—	—	.	—	5
	Nov. 9,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	—	—	.	—	3
	Nov. 16,	.	.	.	.	.	.	.	.	.	2	1	.	—	.	—	—	.	—	3
Blackrock Urban District.	Oct. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 2,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Oct. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Nov. 2,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	1	—	5
	Nov. 9,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	2	—	7
	Nov. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
City of Belfast.	Oct. 26,	.	—	—	40	.	.	4	.	.	1	4	.	—	—	—	—	5	—	54
	Nov. 2,	.	—	—	26	.	.	3	1	1	1	3	.	—	—	—	—	11	—	46
	Nov. 9,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	7	—	44
	Nov. 16,	.	—	—	28	.	.	4	.	.	1	2	.	—	—	—	—	7	—	42

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th November, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Eleven cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 57 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 60, 53, and 52.

Three cases of measles were admitted to hospital during the week, one was discharged, and 6 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 8, 3, and 4 respectively.

Twenty-three cases of scarlet fever were admitted to hospital, 32 were discharged, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 129, 132, and 131, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 62, 73, and 73, respectively, were 79 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 10 were discharged, there were 2 deaths, and 16 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 14·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 17·7, and for Edinburgh 14·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th November. From this Report it appears that of a total of 58 cases notified, 24 were phthisis, 21 scarlet fever, 8 diphtheria, and 5 erysipelas. Among the 361 cases of infectious diseases in hospital at the close of the week were 161 cases of scarlet fever, 89 of phthisis, 59 of diphtheria, 13 of erysipelas, 12 of whooping-cough, 11 of chicken-pox, 9 of measles, 4 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 16th November, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Enteritis and Diarrhœa of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Week ending 16th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 2nd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·2	17·0	1·9	536	377	59	104	1	...	...	23	1	3	1	1	30	12	19	32	51	11	...	13	16	102	15	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	° ...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	25·5	18·7	0·9	196	144	21	50	1	...	...	...	...	2	...	1	13	7	5	13	18	3	...	7	6	49	6	e52	33	43·0	0·18	e 64	27	49·6	0·52	e 59	23	43·4	0·30
CITY OF DUBLIN,	306,573	38·8	29·6	18·5	1·0	174	109	19	31	1	...	...	...	...	2	...	1	12	7	2	12	17	2	...	4	3	39	4	f52·5 g52·7	35·1 33·6	44·0 43·5	0·13 0·16	f64·2 g65·2	33·9 28·0	51·0 49·8	0·37 0·42	f57·0 g 59	30·9 25	46·1 45·6	0·38 0·42
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	13·5	23·0	.	10	17	1	8	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	2	5	2	...	...	...	...	...	...	...	...	.	...	...	...
PEMBROKE, ...	29,731	18·9	8·8	14·0	.	5	8	...	5	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	11·4	22·9	.	2	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	15·4	18·5	3·1	5	6	1	3	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	2	1	4	...	54	35	44·6	0·03	66	39	52·3	0·12	59	30	48·3	0·59
Urban Districts. BELFAST ...	391,974	26·2	24·4	16·1	2·1	184	121	24	25	...	..	...	9	1	1	1	...	11	2	5	10	20	4	...	5	7	28	3	53·5	36·5	45·1	0·98	57	28	47·1	1·33	54·5	28·5	45·1	1·16
CORK, ...	76,673	28·6	27·9	15·6	.	41	23	2	7	...	...	...	...	...	...	...	...	1	1	2	1	...	...	...	...	...	11	1	55	38	45·9	0·14	55	49	52·2	0·70	56	36	48·4	1·35
LONDONDERRY ...	40,891	15·9	14·0	10·2	1·3	11	8	...	3	...	...	...	...	...	...	...	...	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	25·7	35·2	19·0	19	26	6	...	...	...	...	12	...	...	...	...	1	...	2	...	4	2	...	...	...	4	...	52·8	34·0	43·3	0·17	62·5	40·1	51·2	0·39	55·8	23·6	43·9	0·75
WATERFORD, ...	27,464	19·1	20·9	19·0	1·9	11	10	1	6	...	.	...	...	...	...	...	...	1	...	1	...	2	1	...	...	1	2	1	...	...	...	...	..	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5	23·6	23·6	.	6	6	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	55	35	46	0·52	55	29	49·4	1·23	55	28	45	0·81
DUNDALK, ...	13,128	9·5	39·7	19·9	7·9	10	5	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	20·9	4·2	.	5	1	...	1	...	...	...	..	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,963	17·0	26·2	21·8	.	6	5	...	1	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	1	1	1	...	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32
LURGAN, ...	12,553	14·7	8·3	16·6	.	2	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32
LISBURN. ...	12,388	10·9	21·0	8·4	.	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	..	...	...	...	1	..	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32
WEXFORD. ...	11,531	22·8	27·1	.	.	6	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	18·3	4·6	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	46·7	9·3	.	10	2	..	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	52	34	44·0	0·88	57	38	50·0	2·03	56	25	42·0	1·14
KILKENNY, ...	10,514	11·4	19·8	14·9	.	4	3	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	53	35	43·2	0·30	62	33	50·5	0·30	56	27	44·9	0·59
CLONMEL, ...	10,209	7·8	15·3	30·6	.	3	6	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	22·2	8·9	.	5	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32
TRALEE, ...	10,300	17·4	15·2	10·1	.	3	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	.	16·3	.	.	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1	52	38	45·4	0·63	57	34	48·8	1·09	57	36	46·6	1·05
QUEENSTOWN, ...	8,209	14·7	12·7	12·7	.	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	38	45·9	0·14	55	49	52·2	0·70	56	36	48·4	1·35
ARMAGH. ...	7,356	21·8	21·3	7·1	.	3	1	...	...	...	...	...	...	...	...	...	...	..	...	1	...	...	...	...	...	...	...	...	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18	56·5	31·0	44·5	0·32

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 12 deaths of persons (including 2 under one year old and one at 66 years), admitted to hospital from localities outside the Area; one of the 12 deaths was from enteric fever. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of November, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.												URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	3	2	1	.	1	.	2	.	2	1	.	1	.	.	.	13	2
Tuberculous Disease. Other Forms,	1	1	2	.	.	.	.	1	1	.	1	.	.	.	.	.	7	2
Cancer,	.	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	5	2
Diseases of Nervous System,	2	.	.	1	.	1	.	1	.	.	.	1	3	1	1	1	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Circulatory System,	3	4	1	1	.	.	.	.	1	3	.	1	5	2	1	1	23	2
" Respiratory System. Pneumonia,	.	1	2	2	.	.	.	3	.	4	.	.	1	.	.	.	13	.
" Respiratory System. Others,	1	3	2	1	.	1	.	1	3	4	.	1	1	.	.	.	18	.
" Digestive System. Diarrhœa and *Enteritis*, under 2 years,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	3	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	4	.
" Genito-urinary System,	.	2	.	.	.	2	1	1	1	1	.	.	1	1	.	1	11	1
Puerperal Septicæmia, etc.,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	3	2	.	.	.	1	.	2	1	.	3	1	1	.	19	1
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	1	1	1	.	.	2	7	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Deaths from All Causes	12	23	16	9	.	5	1	10	6	16	7	4	17	8	4	6	144	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·1	29·6	29·9	13·4	.	19·4	4·9	13·0	17·1	19·5	11·0	21·5	23·0	14·0	22·9	18·5	18·7	.
	21·2							15·6					19·4					
	18·5																	
Ages at Death. Under 1 year,	3	3	2	.	.	.	.	2	.	5	4	.	1	.	.	1	21	2
1 and under 2 years,	.	1	.	1	.	.	.	3	1	1	.	.	.	.	.	.	7	.
2 " 5 "	.	.	2	1	.	.	.	.	.	.	.	.	2	.	.	1	6	.
5 " 15 "	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	6	1
15 " 25 "	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	5	1
25 " 45 "	1	3	3	2	.	.	.	3	.	2	1	2	5	1	.	1	24	4
45 " 65 "	2	7	2	2	.	3	.	2	1	1	.	1	1	2	1	.	25	3
65 and upwards,	2	6	4	3	.	2	1	.	4	7	1	1	8	5	3	3	50	1
Number of Uncertified Deaths,	1	1	.	.	.	.	.	.	.	1	.	1	2	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	4	2	.	.	.	1	.	1	1	1	4	.	.	1	20	9
Workhouse Hospitals,	2	3	2	4	.	.	.	1	3	7	2	.	1	.	1	3	29	3

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 16th November, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	47·9°	40·2°	45·8°	38·0°	42·9°	44·1°	45·4°	37·7°	38·2°	44·5°	42·5°	43·0°										
ALL CAUSES.	202	182	183	158	191	163	157	190	166	186	177·8	156	6	17	7	6	7	6	28	28	32	19
Enteric Fever, ...	4	2	2	.	1	2	2	.	.	.	1·3	2	.	.	.	.	.	.	.	2	.	.
Typhus, ...	2	.	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	10	.	8	.	9	3	1	.	1	5	3·7	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	.	1	.	.	.	.	2	2	·7	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	2	4	1	1	1	1	2	2	4	1·9	2	.	2	.	.	.	.	.	.	.	.
Diphtheria, ...	1	2	1	1	.	2	.	2	3	4	1·6	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	1	4	3	1	1	1	.	1	1·4	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	2	.	.	1	.	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	2	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	2	.	2	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	19	20	23	26	19	22	23	20	20	24	21·6	15	.	.	1	.	.	2	10	2	.	.
Tuberculous Meningitis, ...	2	5	2	3	.	4	3	2	2	3	2·6	1	.	1	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	2	2	2	.	.	1	1	2	1	2	1·3	2	.	1	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		1	.	.	.	.	1	.	.	.	.	.
Tuberculosis of Joints, ...	3	6	5	9	5	2	5	2	5	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										5		5	.	.	2	1	.	2	.	.	.	.
Venereal Diseases, ...	2	2	2	2	1	.	.	1	.	.	1·0	2	1	1	.	.	.	.	.	.	.	.
Cancer, ...	6	6	9	5	13	10	11	17	8	19	10·4	7	.	.	.	.	.	1	3	1	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	2	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	1	1	.	1	.	.	.	1	1	·6	1	.	.	.	.	.	.	.	.	.	1
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	1	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	5	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	1	.	1	.	.	.	.	2	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										2		3	.	.	.	.	2	.	.	1	.	.
Cerebral Hæmorrhage, *Apoplexy*.										1		2	.	.	.	.	.	.	.	1	1	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		2	.	.	.	.	.	.	.	1	1	.
Epilepsy, ...										1		1	.	.	.	.	.	.	.	.	1	.
Convulsions (non-puerperal),										4		1	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	53	45	40	34	41	38	27	45	37	3	38·7	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										12		23	.	.	.	.	.	.	2	5	11	5
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										2		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	26	31	21	24	31	26	21	21	23	20	24·4	16	.	1	.	.	.	.	.	5	6	4
Broncho-pneumonia, ...	2	9	6	6	4	5	13	9	9	4	6·7	9	.	4	4	1	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	2	3	5	.	5	2	.	.	1·8	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	7	8	9	5	3	5	4	7	7	4	5·9	3	.	.	.	1	1	.	1	.	.	.
Pleurisy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	1	2	3	1	2	1	3	.	2·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										2		2	.	.	.	.	.	.	.	1	1	.

FORTY-SIXTH WEEK ending Saturday, 16th November, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 46th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 16th November, 1912.										
													Deaths of Persons of the Ages of									
	Nov. 15, 1902.	Nov. 21, 1903.	Nov. 19, 1904.	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 47·9	° 40·2	° 45·8	° 38·0	° 42·9	° 44·1	° 45·4	° 37·7	° 38·2	° 44·5	° 42·5	° 43·0										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	4	—	1	.	1	.	.	.	.	.	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	6	7	4	9	4	9	8	6	5	6·3	3	.	3	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	.	3	.	1	.	1	1	1	.	1·6	3	.	.	.	.	.	1	.	1	1	.
Other Diseases of Liver, ...	1	2	1	.	.	2	.	.	1	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	1	.	.	.	.	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	8	5	4	3	5	2	5	6	4	3	4·5	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										6		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										2		8	.	.	.	.	.	.	1	4	2	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	3	7	3	2	3	2	12	5	.	5·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		3	.	.	.	.	.	.	1	.	.	2
Puerperal Septicæmia, &c., ...	.	1	1	.	.	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	2	.	1	1	.	1	.	.	1	1	·7	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	1	.	.	.	.	.	.
Premature Birth, ...	2	1	3	5	5	1	3	4	6	6	3·6	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	3	1	2	.	.	.	.	.	.	.	.
Old Age, ...	6	6	3	3	3	5	.	6	5	.	3·7	7	.	.	.	.	.	.	.	.	3	4
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	1	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	1	2	2	1	1	1	2	2	1 3	2	.	.	.	1	1	.	.	.	.	.
Drowning, ...	.	.	1	.	2	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	3	1	4	2	2	2	.	3	1·9	3	.	.	.	.	.	.	3	.	.	.
Total Deaths from Accident,	2	1	5	3	9	4	3	6	2	5	4·0	5	.	.	.	1	1	.	3	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	1	.	.	.	1	·3	1	.	.	.	.	.	.	1	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	6	—	1	.	.	.	.	.	.	.	.	1	.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered.	219	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196
Average Births in corresponding week of previous 10 years. ...	210	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201
DEATHS registered.	154	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156
Annual Death-rate per 1,000, ...	19·8	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3
Average Deaths in corresponding week of previous 10 years. ...	167	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178
Ages, Under 5 years, ...	45	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36
5—15 „ ...	9	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7
15—25 „ ...	7	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6
25—45 „ ...	30	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28
45—65 „ ...	34	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28
65—75 „ ...	21	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32
75 and upwards, ...	8	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19
Deaths from :—																										
Enteric Fever, ...	.	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	9	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.
Scarlet Fever, ...	1	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.
Whooping-cough, ...	2	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2
Diphtheria, ...	1	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.
Influenza, ...	2	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Tuberculous Disease, Phthisis, ...	20	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15
Tuberculous Disease, Other Forms,	9	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9
Cancer, ...	5	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7
Diseases of Circulatory System,	14	14	18	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25
Diseases of Respiratory System, Pneumonia,	12	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13
Diseases of Respiratory System, Others, ...	15	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18
Diarrhœa and *Enteritis*, under 2 years, ...	4	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3
Diarrhœa, 2 years and upwards,	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.
Violent Deaths, ...	2	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7
Number of Uncertified Deaths,	5	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6
Mean Temperature of the Air (Phœnix Park)	48·4	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0
Average Mean Temperature in corresponding week of previous 10 years, ...	51·3	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5
Rainfall in inches, ...	·650	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180
Mean Humidity of the Air, complete Saturation 1·0, ...	·87	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH NOVEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	156	36	7	6	28	28	32	19	2	.	.	.	.	2	.	1	15	9	7	1	13	18	3	.	7	78	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	20·9	7	.	.	.	1	1	2	3	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	4	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	1	.	1	5	4	8	7	.	.	.	.	.	.	.	.	3	1	.	.	.	1	.	.	.	21	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	10	3	.	8	6	6	.	.	.	.	.	.	1	.	1	3	1	4	1	4	8	1	.	2	7	3
IV.	GENERAL SERVICE CLASS, ...	154,279	19·6	58	17	4	3	9	13	9	3	2	.	.	.	.	1	.	.	4	3	1	.	7	6	1	.	4	29	3
V.	INMATES OF WORKHOUSES, ...	6,024	—	32	8	.	2	5	4	7	6	.	.	.	.	.	.	.	.	5	4	.	.	2	3	1	.	.	17	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	26·7	4	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	18·7	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	13·5	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	22,016	23·7	10	1	.	.	.	2	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	9	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	2	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	.	.	.	2	1	3	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	5·3	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	1	.	.	2	2	.	.	.	.	.	.	.	.	1	1	.	1	.	1	2	1	.	.	1	.
	10. Clothing Trades, ...	23,260	9·0	4	1	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	1
	11. Food Supply Trades	9,242	11·3	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	3	1	.	3	3	2	.	.	.	.	.	.	.	.	.	1	.	1	1	2	2	.	.	1	4	2
	13. Petty Shopkeepers	7,894	39·6	6	2	.	.	1	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	4	.	.	.	.	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	1
	15. Domestic Servants, ...	36,603	4·3	3	.	.	.	.	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	1	1	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	26·1	45	16	3	3	8	9	3	3	1	.	.	.	.	1	.	.	2	3	1	.	6	6	1	.	4	20	2
	INMATES OF WORKHOUSES.																													
V.	18. Workhouse Inmates, ...	6,024	—	32	8	.	2	5	4	7	6	.	.	.	.	.	.	.	.	5	4	.	.	2	3	1	.	.	17	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Sept. 28,	28·1	1·8	16	.	.	.	.	1	.	.	.	2	1	1	1	1	.	.	1	.
	Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
	„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
	„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
	„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Sept. 28,	29·6	1·3	23	1	.	.	.	.	.	.	.	2	.	3	1	5	.	.	1	.
	Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
	„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
	„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
	„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	1	.
	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
	„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Sept. 28,	13·1	.	7	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
	„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
	„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Sept. 28,	17·9	1·5	12	.	.	.	.	.	.	.	.	2	1	.	1	1	1	.	.	1
	Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
	„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
	„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
	„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Sept. 28,	26·0	3·9	20	.	.	.	1	1	.	1	.	2	1	1	1	3	.	.	.	2
	Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
	„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
	„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
	„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
	„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Sept. 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
	„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
	„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Sept. 28,	14·6	1·2	12	.	.	.	.	.	.	1	.	2	2	1	.	1	.	.	.	.
	Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
	„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
	„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
	„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Sept. 28,	18·9	1·6	12	.	.	.	.	.	.	.	.	1	1	1	.	2	1	.	2	.
	Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
	„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
	„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
	„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
	„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
	„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Sept. 28,	9·5	.	7	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.
	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
Pop. in 1912 (Est.) 38,495.	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
Pembroke Urban District.	Sept. 28,	17·5	.	10	.	.	.	.	.	.	.	.	1	.	3	2	1	.	.	.	.
	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
Pop. in 1912 (Est.) 29,731.	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Kingstown Urban District.	Sept. 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
Pop. in 1911 16,941.	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
Belfast.	Sept. 28,	14·0	1·2	105	.	.	.	.	2	.	1	.	12	9	2	5	12	3	3	3	.
	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
Pop. in 1912 (Est.) 391,974.	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
Cork.	Sept. 28,	12·9	.	19	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
Pop. in 1911 76,673.	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
Londonderry.	Sept. 28,	3·8	1·3	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Pop. in 1912 (Est.) 40,891.	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
Limerick.	Sept. 28,	21·7	6·8	16	.	.	.	4	.	1	.	.	1	.	.	1	.	.	.	.	2
	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
Pop. in 1911 38,518.	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
Waterford.	Sept. 28,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	1	1
	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
Pop. in 1911 27,464.	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th November, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercular Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	3	29·6	9·9	9	.	3	1	1	2	2	.	.	.	3	.	.	.	.	2	.	.	.	2	.	.	1	1	5	.
Do. 2 do.	49,500	34	13·7	5·3	13	2	6	.	1	1	3	.	.	.	4	.	.	.	.	2	.	.	.	4	1	.	.	.	1	.
Do. 3 do.	50,032	30	17·7	3·1	17	3	2	.	2	5	5	.	.	.	.	.	1	.	.	2	.	2	2	1	2	.	1	1	2	2
Do 4 do.	32,637	13	17·6	.	11	3	1	.	3	2	2	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	1	6	.
Do. 5 do.	16,112	6	16·2	3·2	5	1	1	2	.	.	1	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Do. 6 do.	37,293	14	8·4	1·4	6	1	1	.	1	1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 9 do.	24,427	8	10·7	2·1	5	1	1	1	1	1	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.	.	.	.
Do. 10 do.	28,958	18	19·8	1·8	11	2	.	1	1	5	2	.	.	.	1	.	.	.	.	.	.	.	1	2	.	.	1	2	3	.
Do. 11 do.	39,311	19	21·2	.	16	4	1	1	1	5	4	.	.	.	.	.	.	.	.	.	1	1	2	3	.	.	.	.	3	.
Do. 12 do.	38,076	16	21·9	.	16	5	2	3	2	1	3	.	.	.	.	.	.	.	.	2	.	1	1	5	.	.	1	1	2	1
Do. 13 do.	23,233	15	9·0	.	4	1	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	7	16·1	2·3	7	1	.	2	1	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	3	.
Total,	386,947	184	16·1	2·1	121	24	18	11	14	29	25	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	7	28	3
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	23·3	.	6	.	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	4	.
Do 2 do.	10,701	8	20·1	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do 3 do.	9,978	6	10·6	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 4 do.	8,666	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6 592	1	16·7	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	9	9·0	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do. 7 do.	16,616	9	22·7	.	7	.	1	1	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Total,	76,122	41	15·6	.	23	2	3	2	4	5	7	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	11	1

* See note (‡) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.
No. of weeks in Annual Series,	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...	259	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184
DEATHS registered, ...	128	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121
Annual Death rate per 1,000 of estimated population, ...	17·1	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1
AGES, Under 1 year, ...	17	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24
1—5 years, ...	20	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18
5—25 ,, ...	17	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11
25—45 ,, ...	24	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14
45—65 ,, ...	27	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29
65 and upwards, ...	23	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25
Deaths from :—																										
Enteric Fever, ...	.	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9
Scarlet Fever, ...	1	.	.	.	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1
Whooping-cough, ...	8	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1
Diphtheria, ...	.	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1
Dysentery, ...	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11
Tuberculous Disease. Other Forms,	9	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2
Cancer, ...	4	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5
Diseases of Respiratory System, Pneumonia,	13	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10
Diseases of Respiratory System, Others, ...	8	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20
Diarrhœa and *Enteritis*, under 2 years, ...	2	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4
Diarrhœa, 2 years and upwards,	.	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.	.
Violent Deaths, ...	2	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5
Number of Uncertified Deaths, ...	1	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Nov. 16,	2,102	1,250	14·4	3	.	59	9	11	9	20a
Edinburgh, ...	321,200	„ 16,	129	86	14·0	.	.	.	.	2	.	.
Glasgow, ...	785,600	„ 16,	386	266	17·7	1	.	.	2	3	5	5
Calcutta, ...	896,067	Oct. 5,	.	433	25·1	82	2	.	.	.	.	49‡
Bombay, ...	979,445	„ 12,	413	614	32·6	99*	2	1	.	.	.	92‡
Madras, ...	518,660	„ 19,	402	318	31·9	58*	1	1	?	?	?	79
Cairo, ...	704,956	Aug. 19,	629	711	52·6	6	.	19	.	?	11	228a
Paris, ...	2,847,229	Nov. 2,	883	737	13·2	2	.	2	2	4	4†	22a
Brussels, ...	745,380	Oct. 26,	193	157	11·0	.	.	1	2	.	2	6a
Antwerp, ...	308,618	Nov. 2,	106	56	9·4	.	.	.	.	.	.	6a
Amsterdam, ...	584,979	Oct. 26,	249	124	11·1	.	.	1	1	2	1†	1
Copenhagen, ...	468,000	„ 26,	201	104	11·6	.	.	.	1	.	1†	5a
Stockholm, ...	346,599	„ 26,	126	89	13·4	.	.	.	.	1	1	3
Christiania, ...	247,488	Nov. 2,	100	57	11·9	.	.	.	.	.	1	1
St. Petersburg, ...	1,664,000	Oct. 12,	627	581	18·2	24	1	13	5	8	4†	41
Moscow, ...	1,617,157	„ 12,	.	619	20·0	2	.	5	20	5	13	67
Berlin, ...	2,072,402	„ 12,	702	521	13·1	.	.	1	11	3	16†	44
Hamburg, ...	953,079	„ 26,	.	242	13·2	1	.	4	6	6	10	11
Breslau, ...	530,484	„ 26,	.	240	23·6	.	.	.	1	3	1	6
Munich, ...	615,000	Nov. 2,	.	171	14·5	.	.	1	.	.	.	5
Vienna (with suburbs),	2,098,225	Oct. 26,	647	566	14·0	.	.	5	3	1	3†	27a
Buda-Pesth, ...	910,548	„ 26,	438	296	16·9	1	.	1	7	.	3†	11a
Prague and Faubourgs,	484,301	„ 19,	166	147	15·8	.	.	.	1	1	2†	6a
		„ 26,	150	152	16·4	.	.	.	5	.	1†	1a
Trieste, ...	239,549	„ 26,	107	77	16·8	.	.	1	.	.	.	1a
Rome, ...	569,809	Aug. 3,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Oct. 19,	2,891	1,243	12·5	18	.	1	5	8	13†	83a
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Nov. 2,	.	197	14·3	1	.	1	.	1	1	21

* Deaths from "fever," including 8 deaths from enteric fever and 6 from plague in Calcutta, and 5 from enteric fever and 7 from plague in Bombay.

† Including deaths from croup.

‡ Including 8 deaths from cholera in Calcutta, 4 in Bombay, and 5 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th November, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	3	.	.	1	.	.	3	.	.	.	.	7
" " 1, West, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 2, ...	.	.	.	.	.	.	.	1	.	.	.	1	2
" " 3, ...	.	3	.	.	1	.	.	.	1	.	.	.	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	2	.	.	.	.	.	.	.	2
South City No. 1, ...	.	1	.	.	2	.	.	3	.	.	.	2	8
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	1	.	.	.	.	.	1	.	.	.	2	4
" " 4, ...	.	1	.	.	1	.	.	1	1	.	.	3	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
Total, ...	.	10	.	.	7	.	.	9	2	.	.	13	41

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th November, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th November.			
	Oct. 26.	Nov. 2.	Nov. 9.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	60	53	52	11	5	1	57
Typhus, ...	1	1	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	3	4	3	1	.	6
Scarlet Fever, ...	129	132	131	23	32	.	122*
Diphtheria, ...	62	73	73	15	7	2	79
Pneumonia, ...	23	25	21	7	10	2	16

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 16th November, 1912:—

"Two types of weather were experienced in sequence during this week. Until Thursday cyclonic conditions were in the ascendant, particularly over Great Britain. During the last three days the British Isles were covered by an anticyclone of vast size, though of no great intensity, which spread gradually in from the Atlantic Ocean over which it was centred from Tuesday. The week opened with the barometer below 29 inches in a deep depression off the east coast of Iceland. As atmospheric pressure exceeded 30·3 inches in Spain at the same time, gradients were steep for westerly winds, and accordingly fresh to strong gales from W.S.W., W., and finally N.W., swept over the British and Irish coasts in the course of Sunday. The disturbance moved south-eastwards, and in its periphery a very energetic secondary system rapidly developed, so that on Monday morning the barometer fell to 28·95 inches at Blaavands Huk, on the west coast of Jutland. Very tempestuous weather followed in the Irish Sea and along the east coast of Great Britain, the wind veering to N.W. and N. and blowing a heavy gale for some days in succession. Rain, hail, and sleet fell in large quantities at the east coast stations in England, and at Pembroke also ·53 inch of rain was measured on Wednesday morning. At that time the cyclonic system had passed away to the Baltic and was slowly dispersing. Meanwhile an anticyclone was coming in over Ireland from the Atlantic. As it was apparently charged with oceanic air, the weather fell into a mild, damp, and cloudy state, which lasted to the end of the week. Monday, Tuesday and Wednesday were very cold days in Dublin, but the precipitation was slight in this City. The mean height of the barometer was 29·987 inches, the range of pressure being from 29·503 inches at 2.40 p.m. of Sunday (wind, W.N.W.) to 30·261 inches at 9 p.m. of Friday (wind, W.N.W.). The mean temperature was 44·0°; the mean dry-bulb reading at 9 a.m. and 9 p.m. was 43·2°. The screened thermometers rose to 52·5° on Sunday and fell to 35·1° on Tuesday. N.W. winds prevailed, blowing strongly up to Wednesday. The rainfall was ·125 inch on 3 days, ·092 inch being measured on Sunday."

OMISSION.—The mean height of the barometer in the week ended Saturday, November 2, was 29·671 inches.

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·937 inches. The highest reading (30·197) was on Friday at 9 p.m., wind W.N.W., the lowest (29·614) on Monday at 9 a.m., wind W.N.W.

The mean temperature for the week was 43·0°, being 0·5° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Sunday and Friday, on which days the thermometer registered 52°, and was lowest on Tuesday, the mercury having fallen to 33°. The mean of the Dry Bulb for the week was 42·3° and of the Wet Bulb, 40·5°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·180 inch.

At Greenwich the mean temperature for the week was 43·3°, the maximum 50·9°, and the minimum 36·4°; at Glasgow the maximum was 55·0°, the minimum 30·9°, and the mean 42·7°; and at Edinburgh the maximum was 53·1°, the minimum 34·8°, and the mean 41·0°. The rainfall at Greenwich measured 0·17 in.; at Glasgow 0·41 in.; and at Edinburgh 0·29 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 10,	29·710	52	38	45·0	42·9	41·2	·87	·6	0·0	·135	W.S.W.	W.
Monday, „ 11,	29·670	43	36	39·5	38·2	35·8	·81	·6	4·0	·015	W.N.W.	W.N.W.
Tuesday, „ 12,	29·820	43	33	38·0	37·5	35·3	·81	·7	3·0	·000	N.N.W.	W.N.W.
Wednesday, „ 13,	29·950	47	34	40·5	40·0	38·3	·86	·5	3·2	·010	N.W.	N.W.
Thursday, „ 14,	30·075	50	36	43·5	45·6	44·4	·91	·5	0·0	·020	W.N.W.	N.W.
Friday, „ 15,	30·175	52	45	48·5	47·2	45·7	·90	·4	0·0	·000	W.	W.N.W.
Saturday, „ 16,	30·160	49	43	46·0	44·8	43·1	·88	·6	0·0	·000	Calm.	Calm.
Mean, ...	29·937	48·0	37·9	43·0	42·3	40·5	·86	·6	Total 10·2	Total ·180	Prevailing Wind, W.N.W.	

Sunday—Day overcast, drizzling at intervals 9.0 a.m. to 7.30 p.m.; night clear. *Monday*—Day bright a.m., cloudy p.m. drizzling at intervals p.m.; night clear. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day cloudy, fine; night cloudy, light rain 8.0 to 9.0 a.m. *Thursday*—Day overcast, light rain 9.0 to 11.0 a.m.; night cloudy. *Friday*—Day overcast; night clear to overcast. *Saturday*—Day overcast; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 16th November, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 10,	47·0	48·8	49·1	53	41	47	0·1	·103
Monday, „ 11,	40·3	47·2	49·3	44	37	40·5	2·8	—
Tuesday, „ 12,	41·7	45·4	49·3	44	36	40	1·2	—
Wednesday, „ 13,	42·9	44·2	49·1	48	34	41	2·3	—
Thursday, „ 14,	44·7	43·7	48·0	50	38	44	—	·023
Friday, „ 15,	47·7	44·9	48·5	52	45	48·5	—	—
Saturday, „ 16,	46·0	46·0	48·2	50	44	47	—	—
Weekly Mean, .	44·3	45·7	48·8	48·7	39·3	44·0	Total 6·4	Total ·126

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 23RD NOVEMBER, 1912. [No. 47.

General Register Office, Charlemont House,
Dublin, 25th November, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 2	Nov. 9	Nov. 16	Nov. 23	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 2	Nov. 9	Nov. 16	Nov. 23	Average Rate for 4 weeks.
22 Town Districts, ...	**18·3**	**17·9**	**17·0**	**18·5**	**17·9**	Limerick	47·4	28·4	35·2	42·0	38·2
						Lisburn	4·2	21·0	8·4	12·6	11·6
Armagh	28·4	21·3	7·1	28·4	21·3	Londonderry	20·4	16·6	10·2	16·6	16·0
Ballymena	9·2	22·9	4·6	18·3	13·8	Lurgan	37·4	20·8	16·6	12·5	21·8
Belfast	16·8	16·8	16·1	18·4	17·0	Newry	17·4	21·8	21·8	17·4	19·6
Clonmel	5·1	5·1	30·6	25·5	16·6	Newtownards	10·9	21·8	16·3	10·9	15·0
Cork	17·0	15·6	15·6	12·9	15·3	Portadown	13·3	17·8	8·9	8·9	12·2
Drogheda	29·2	33·4	4·2	12·5	19·8	Queenstown	6·4	6·4	12·7	12·7	9·6
Dublin Reg. Area ...	18·5	18·0	18·7	20·2	18·8	Sligo	14·0	32·7	9·3	4·7	15·2
Dundalk	11·9	35·7	19·9	11·9	19·8	Tralee	10·1	15·2	10·1	·	8·9
Galway	27·5	11·8	23·6	7·9	17·7	Waterford	15·2	13·3	19·0	17·1	16·2
Kilkenny	19·8	5·0	14·9	14·9	13·7	Wexford	4·5	18·1	·	13·6	9·1

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 12·2 in Limerick, the 31 deaths from all causes for that district including 9 from measles. Among the 138 deaths from all causes for Belfast are 13 from measles, 2 from scarlet fever, and 3 from diarrhœal diseases. One of the 19 deaths from all causes for Cork is from scarlet fever, and 2 of the 3 deaths for Dundalk are from measles. One of the 4 deaths from all causes for Ballymena is from whooping-cough, and included in the 5 deaths from all causes for Clonmel are one from whooping-cough, and one from diarrhœa of a child under 2 years.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—105 boys and 74 girls—and the deaths to 162—93 males and 69 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·2 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

During the forty-seven weeks ending with Saturday last the death-rate averaged 20·5, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 162, represent an annual rate of 21·1 per 1,000 ; the annual rate for the past forty-seven weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered there was one from each of the following diseases:—enteric fever, scarlet fever, whooping-cough, diphtheria, influenza, and dysentery, and there were 8 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were 2, 2, and 2 ; deaths from scarlet fever were 3, 0, and 0 ; deaths from whooping-cough were one, 0, and 2 ; deaths from diphtheria were 2, 4, and 0 ; deaths from influenza were 0, 0, and one ; deaths from dysentery were 0, 0, and one ; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 5, 5, and 3.

Of 31 deaths from tuberculosis (all forms), 21 were caused by pulmonary tuberculosis, 2 by tuberculous meningitis, 5 by abdominal tuberculosis, and 3 by disseminated tuberculosis. In the 3 weeks preceding the deaths from all forms of tuberculosis numbered 27, 24, and 24 respectively.

There were 11 deaths from broncho-pneumonia, one from lobar pneumonia, and 5 from *pneumonia* (type not distinguished).

The deaths of 6 persons were assigned to cancer.

Among the registered causes of deaths of infants under one year of age, there were 4 from *convulsions* one from a congenital defect ; 5 from prematurity ; and 4 from congenital debility.

Eleven deaths were attributed to organic diseases of the heart, and 17 to bronchitis.

There was one death of an infant from suffocation in bed.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 2 infants under one year of age, and the death of one person aged 80 years.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 15 were under one month old) and 35 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 8 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000 ; the rate in the City was 21·6 (North City Districts, 22·5 ; South, 20·6) and in the Suburbs, 15·5.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·9 (in the North City Districts 2·2, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·8 per 1,000 and include one from enteric fever, one from scarlet fever, 7 from tuberculous disease, and 2 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·4 per 1,000. Included in the total are 3 from tuberculous disease, one from broncho pneumonia, 4 from bronchitis, and 2 from diarrhœa of children under 2 years.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000, and include 3 from tuberculous disease, one from broncho-pneumonia, 3 from bronchitis, and one from diarrhœa of a child under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·4 per 1,000. Tuberculous disease caused 2 deaths, broncho-pneumonia 2 deaths, and there was one death of a child under 2 years from diarrhœa.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 15·5; and Finglas and Glasnevin, part of, 14·8. Of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from influenza ; and one of the 3 deaths from all causes for Finglas and Glasnevin, part of, was from diphtheria.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·7 per 1,000. Tuberculous disease caused 4 deaths, bronchitis 4 deaths, and diarrhœa of a child under 2 years one death.

No. 2 *South City District* (Castle-street).—The deaths (3) are equal to an annual rate of 8·5 per 1,000, and include 2 from diseases of the circulatory system.

No. 3 *South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·0 per 1,000, and include 5 from tuberculous disease, 4 from broncho-pneumonia, one from lobar pneumonia, one from bronchitis, and one death of an infant from suffocation in bed.

No. 4 *South City District* (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis 2 deaths, and there were 2 deaths of infants under 2 years of age from diarrhœa and *enteritis*.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·5 per 1,000. Tuberculous disease caused 2 deaths.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·6 ; Pembroke, 14·0 ; Blackrock, 11·4 ; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts include one from dysentery for Rathmines and Rathgar ; and one from diarrhœa of a child under 2 years for Pembroke. Among the 13 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, one from broncho-pneumonia, 2 from *pneumonia*, and 2 from bronchitis. Included in the 8 deaths from all causes for Pembroke are one from pulmonary tuberculosis and 2 from broncho-pneumonia. One of the 2 deaths from all causes for Blackrock is from *pneumonia* ; and of the 5 deaths from all causes for Kingstown one is from bronchitis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 23rd November, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 2,	.	—	—	19	.	.	12	.	3	6	9	.	—	—	.	—	10	.	59
	Nov. 9,	.	—	—	12	.	.	9	.	.	10	8	.	—	—	.	—	10	.	49
	Nov. 16,	.	—	—	10	.	.	7	.	.	9	2	.	—	—	.	—	13	.	41
	Nov. 23,	.	—	—	6	1	.	3	.	1	5	1	.	—	—	.	—	12	.	29
Rathmines and Rathgar Urban District.	Nov. 2,	.	—	—	5	.	.	6	.	.	.	.	.	—	—	—	—	—	—	11
	Nov. 9,	.	—	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	8
	Nov. 16,	.	—	—	1	.	.	2	.	.	1	1	.	—	—	—	—	—	—	5
	Nov. 23,	.	—	—	6	.	.	3	.	.	.	1	.	—	—	—	—	—	—	10
Pembroke Urban District.	Nov. 2,	.	.	.	4	.	.	.	.	.	.	.	.	—	1	—	—	.	—	5
	Nov. 9,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	—	—	.	—	3
	Nov. 16,	.	.	.	.	.	.	.	.	.	2	1	.	—	.	—	—	.	—	3
	Nov. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	.	—	1
Blackrock Urban District.	Nov. 2,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 23,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
Kingstown Urban District.	Nov. 2,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	1	—	5
	Nov. 9,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	2	—	7
	Nov. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Nov. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
City of Belfast.	Nov. 2,	.	—	—	26	.	.	3	1	1	1	3	.	—	—	—	—	11	—	46
	Nov. 9,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	7	—	44
	Nov. 16,	.	—	—	28	.	.	4	.	.	1	2	.	—	—	—	—	7	—	42
	Nov. 23,	.	—	—	28	.	.	4	.	.	1	4	.	—	—	—	—	8	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd November, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 10 were discharged, and 52 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 53, 52, and 57.

One case of typhus was admitted to hospital, and proved fatal, leaving no case under treatment at the close of the week.

One case of measles was admitted to hospital during the week, 2 were discharged, and 5 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 3, 4, and 6, respectively.

Twenty-one cases of scarlet fever were admitted to hospital, 21 were discharged, and 122* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 132, 131, and 122 respectively.

Nine cases of diphtheria were admitted to hospital during the week, 19 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 73, 73, and 79, respectively, were 68 at the close of last week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 2 were discharged, and 28 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 15·6), was equal to an average annual death-rate of 15·0 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 18·0 per 1,000, the rate for Glasgow being 19·8, and for Edinburgh 16·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd November. From this Report it appears that of a total of 74 cases notified, 29 were phthisis, 26 scarlet fever, 13 diphtheria, 5 erysipelas, and one enteric fever. Among the 371 cases of infectious diseases in hospital at the close of the week were 164 cases of scarlet fever, 94 of phthisis, 58 of diphtheria, 15 of whooping-cough, 12 of erysipelas, 11 of chicken-pox, 9 of measles, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 23rd November, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 23rd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 9th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·0	18·5	2·1	532	409	64	91	1	...	...	24	4	3	1	1	54	24	16	36	55	11	1	5	14	109	16	...	...	...	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	23·3	20·2	1·7	179	155	34	34	1	...	...	...	1	1	1	1	20	10	5	15	19	8	...	1	7	49	6	e 56	39	47·8	0·23	e 52	33	43·0	0·18	e 64	27	49·6	0·52
CITY OF DUBLIN.	306,573	38·8	25·9	21·6	1·9	152	127	31	24	1	...	...	...	1	1	1	...	18	10	4	9	16	7	...	1	6	45	5	f 56·2 g 55·8	41·1 39·4	48·8 48·2	0·16 0·23	f 52·5 g 52·7	35·1 33·6	44·0 43·5	0·13 0·16	f 64·2 g 65·2	33·9 28·0	51·0 49·8	0·37 0·42
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	9·5	17·6	1·4	7	13	...	6	...	...	...	...	...	...	...	1	1	...	...	3	2	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE. ...	29,731	18·9	17·5	14·0	1·8	10	8	1	3	...	...	...	...	...	...	...	...	1	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK. ...	9,125	8·4	17·1	11·4	.	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN. ...	16,941	11·6	21·5	15·4	.	7	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	57	42	49·1	0·11	54	35	44·6	0·03	66	39	52·3	0·12
Urban Districts. BELFAST ...	391,974	26·2	22·1	18·4	2·4	166	138	18	27	...	...	...	13	2	...	...	...	18	6	5	13	23	2	1	2	3	37	2	55	36	47·0	0·18	53·5	36·5	45·1	0·98	57	28	47·1	1·33
CORK, ...	76,673	28·6	34·0	12·9	0·7	50	19	1	6	...	...	...	...	1	...	...	...	5	2	1	1	1	...	...	...	1	5	...	58	43	48·7	0·39	55	38	45·9	0·14	55	49	52·2	0·70
LONDONDERRY...	40,891	15·9	30·6	16·6	.	24	13	1	3	...	...	...	...	...	...	...	...	3	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK. ...	38,518	16·1	29·8	42·0	12·2	22	31	4	3	...	...	...	9	...	...	...	...	5	1	...	2	5	...	...	...	...	6	3	58·0	36·2	48·9	0·28	52·8	34·0	43·3	0·17	62·5	40·1	51·2	0·39
WATERFORD, ...	27,464	19·1	24·7	17·1	.	13	9	1	2	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	1	2	5	2	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY. ...	13,255	2·5	35·4	7·9	.	9	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	...	53	38	48·7	1·14	55	35	46	0·52	55	29	49·4	1·23
DUNDALK, ...	13,128	9·5	11·9	11·9	7·9	3	3	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	12·5	12·5	.	3	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	.	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY. ...	11,963	17·0	34·9	17·4	.	8	4	...	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	...	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18
LURGAN, ...	12,553	14·7	16·6	12·5	.	4	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18
LISBURN. ...	12,388	10·9	21·0	12·6	.	5	3	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	..	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18
WEXFORD, ...	11,531	22·8	31·7	13·6	.	7	3	...	5	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	4·6	18·3	4·6	1	4	...	1	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO. ...	11,163	3·8	37·4	4·7	.	8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	56	37	43·0	0·54	52	34	44·0	0·88	57	38	50·0	2·03
KILKENNY, ...	10,514	11·4	5·0	14·9	.	1	3	..	1	...	...	...	...	...	...	...	...	...	...	1	...	1	..	...	...	...	...	1	56	38	48·2	0·21	53	35	43·2	0·30	62	33	50·5	0·30
CLONMEL, ...	10,209	7·8	46·0	25·5	10·2	9	5	2	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN. ...	11,727	15·3	8·9	8·9	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18
TRALEE. ...	10,300	17·4	35·4	.	.	7	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	16·3	10·9	.	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	55	34	46·6	0·07	52	38	45·4	0·63	57	34	48·8	1·09
QUEENSTOWN, ...	8,209	14·7	25·4	12·7	.	4	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	58	43	48·7	0·39	55	38	45·9	0·14	55	49	52·2	0·70
ARMAGH. ...	7,356	21·8	28·4	28·4	.	4	4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	..	1	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41	57·3	29·1	49·2	1·18

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page.

(c) Exclusive of 7 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area.

(d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of November, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Tuberculous Disease. — Pulmonary Tuberculosis,	5	1	2	1	.	.	.	2	.	4	2	1	1	1	.	.	20	1
Tuberculous Disease. — Other Forms,	2	2	1	1	.	.	.	2	.	1	.	1	.	.	.	.	10	.
Cancer,	.	.	1	.	.	.	.	1	.	2	.	.	.	1	.	.	5	1
Diseases of Nervous System,	.	1	2	.	.	1	.	1	.	2	.	1	.	1	.	3	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	2	1	.	.	.	2	2	1	.	1	1	1	1	.	13	.
" Respiratory System. — Pneumonia,	.	1	1	2	.	.	.	.	.	5	.	.	3	2	1	.	15	2
" Respiratory System. — Others,	3	4	3	.	.	.	.	4	.	2	.	.	2	.	.	1	19	.
" Digestive System. — Diarrhœa and *Enteritis*, under 2 years,	.	2	1	1	.	.	.	1	.	.	2	.	.	1	.	.	8	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
" Digestive System. — Others,	.	1	.	2	.	1	1	.	.	2	.	.	2	.	.	.	9	2
" Genito-urinary System,	2	2	2	.	.	.	.	.	1	.	2	.	1	.	.	.	10	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	1	.	3	1	1	.	4	.	3	1	.	1	1	.	1	20	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	2	.	.	.	.	1	2	.	.	.	.	.	.	.	.	5	.
Deaths from All Causes	17	19	15	11	1	4	3	19	3	23	8	4	13	8	2	5	155	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·8	24·4	28·1	16·4	9·7	15·5	14·8	24·7	8·5	28·0	12·6	21·5	17·6	14·0	11·4	15·4	20·2	.
	22·5							20·6					15·5					
	21·6																	
Ages at Death. — Under 1 year,	3	4	2	5	.	.	.	5	.	7	4	1	.	1	.	2	34	.
1 and under 2 years,	.	.	.	2	.	.	.	1	.	.	.	.	.	1	.	.	4	.
2 " 5 "	3	2	1	.	.	.	1	2	.	1	.	.	.	.	.	.	10	.
5 " 15 "	1	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	4	.
15 " 25 "	1	1	.	.	.	.	.	.	.	5	1	.	2	.	.	.	10	.
25 " 45 "	5	2	3	1	1	1	.	4	1	2	1	1	3	.	.	.	25	3
45 " 65 "	2	4	7	1	.	1	1	2	2	5	1	1	1	2	1	3	34	3
65 and upwards,	2	6	2	2	.	1	1	5	.	3	1	1	6	3	1	.	34	1
Number of Uncertified Deaths,	1	.	.	.	.	.	1	.	1	2	.	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	2	5	2	.	.	1	1	2	2	2	.	2	.	1	1	26	6
Workhouse Hospitals,	1	3	2	2	.	.	.	6	.	5	2	2	.	.	.	.	23	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 23rd November, 1912.										
													Deaths of Persons of the Ages of									
	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.		Mean Temp.	0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 42·2	° 39·1	° 41·4	° 47·8										
ALL CAUSES.	237	188	170	173	182	145	188	172	168	165	178·8	162	15	19	4	10	4	10	28	37	18	17
Enteric Fever, ...	2	5	.	.	1	2	3	1	2	2	1·8	1	.	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	19	.	12	.	9	.	8	2	1	4	5·5	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	5	.	1	1	.	1	.	1	1	2	1·2	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	3	4	3	2	.	4	.	6	3	2·5	1	.	1	.	.	.	.	.	.	.	.
Diphtheria, ...	4	1	.	.	1	.	1	1	2	.	1·0	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	2	.	.	3	1	3	2	2	.	1·4	1	.	.	.	.	.	.	.	.	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	1	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	1	.	3	1	.	.	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	21	28	15	20	27	26	20	17	14	19	20·7	21	.	.	.	.	.	6	8	6	1	.
Tuberculous Meningitis, ...	2	2	5	1	1	3	4	3	1	.	2·2	2	.	1	.	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	1	.	.	1	2	2	.	5	1·4	5	.	3	1	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,	7	6	7	6	6	3	4	1	5	.	5·1	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										5		3	.	.	.	1	.	.	2	.	.	.
Venereal Diseases, ...	1	.	2	4	3	2	1	2	.	.	1·5	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	8	7	10	5	8	9	7	14	7	8·4	6	.	.	.	.	.	.	.	2	2	2
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	.	1	1	.	.	.	.	2	·4	1	.	.	.	.	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	2	.	.	.	.	.	.	1	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	1	.	.	.
Alcoholism, ...	.	.	.	.	.	.	.	.	1	.	·1	1	.	.	.	.	.	.	.	1	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		3	.	.	.	.	.	1	.	2	.	.
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	1	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										6		4	4	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	55	57	38	37	34	27	35	37	34	2	38·2	3	.	.	.	.	.	.	2	1	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										13		11	.	.	.	.	.	1	1	3	2	4
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		2	.	.	.	.	.	.	2	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	33	23	21	31	23	10	27	23	28	20	23·9	17	.	1	.	2	.	.	2	6	3	3
Broncho-pneumonia, ...	7	6	9	7	8	2	9	4	10	8	7·0	11	2	1	1	3	1	.	.	1	1	1
Lobar pneumonia, ...	.	1	1	2	3	.	1	1	3	3	1·5	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	9	8	5	6	7	4	5	11	3	6	6·4	5	.	.	.	.	.	1	2	1	1	.
Pleurisy, ...										.		1	.	.	.	.	.	.	.	.	1	.
Pulmonary Congestion, Pulmonary Apoplexy	3	1	1	3	7	.	1	9	1	.	2·7	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

FORTY-SEVENTH WEEK ending Saturday, 23rd November, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 47th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 23rd November, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Nov. 22, 1902.	Nov. 28, 1903.	Nov. 26, 1904.	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 42·4	° 44·4	° 33·6	° 40·0	° 47·7	° 40·2	° 45·6	° 38·4	° 42·2	° 39·1	° 41·4	° 47·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	5	—	1	.	.	.	.	.	.	.	.	1	.
Diarrhœa and *Enteritis* of Children under 2 years.	10	5	5	7	7	10	9	6	7	7	7·4	8	1	6	1	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		1	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	4	.	.	.	.	.	.	1	2	.	1
Cirrhosis of Liver, ...	1	.	1	2	1	.	2	2	2	2	2·2	3	.	.	.	.	.	.	2	.	1	.
Other Diseases of Liver, ...	2	.	1	1	.	.	3	1	1	.		2	.	.	.	.	.	.	.	.	.	2
Peritonitis (cause unknown),	2	.	.	.	.	.	.	1	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	9	5	3	7	5	6	5	6	4	.	5·0	1	.	.	.	.	.	.	.	1	.	.
Acute Nephritis, ...	5	6	7	6	5	7	8	6	2	3	5·9	1	.	.	.	.	.	1	.	.	.	.
Chronic Bright's Disease, ...										3		9	.	.	.	.	.	.	2	4	3	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	.	.	.	.	2	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	4	2	3	2	2	4	3	1	4	5	3·0	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	2	4	8	3	3	3	1	5	5	4	3·8	2	.	.	.	.	.	.	.	.	.	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	2	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	3	2	.	2	1	1	2	2	1·3	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	2	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	.	3	1	3	3	1	1	.	2	1·6	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	2	1	8	3	3	7	2	2	2	5	3·5	1	.	1	.	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	1	1	1	.	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	2	—	5	.	.	1	.	.	.	.	1	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered.	203	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179
Average Births in corresponding week of previous 10 years, ...	248	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185
DEATHS registered, ...	153	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162
Annual Death-rate per 1,000, ...	19·6	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1
Average Deaths in corresponding week of previous 10 years, ...	153	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179
Ages, Under 5 years, ...	45	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48
5—15 " ...	8	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4
15—25 " ...	13	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10
25—45 " ...	22	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28
45—65 " ...	43	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37
65—75 " ...	10	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18
75 and upwards, ...	12	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17
Deaths from :—																										
Enteric Fever, ...	.	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	12	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.
Scarlet Fever, ...	1	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1
Whooping-cough, ...	1	2	1	1	.	1	.	.	1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1
Diphtheria, ...	3	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1
Influenza, ...	2	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1
Tuberculous Disease, Phthisis, ...	19	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21
Tuberculous Disease, Other Forms,	12	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10
Cancer, ...	13	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6
Diseases of Circulatory System,	14	18	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13
Diseases of Respiratory System, Pneumonia,	12	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17
Diseases of Respiratory System, Others, ...	12	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19
Diarrhœa and *Enteritis*, under 2 years, ...	3	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8
Diarrhœa, 2 years and upwards,	.	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.
Violent Deaths, ...	1	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1
Number of Uncertified Deaths,	9	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6
Mean Temperature of the Air (Phœnix Park)	51·1	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8
Average Mean Temperature in corresponding week of previous 10 years, ...	53·9	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4
Rainfall in inches, ...	·045	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225
Mean Humidity of the Air, complete Saturation 1·0, ...	·82	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD NOVEMBER, 1912.

Class.	Occupation or Social Position. (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	162	48	4	10	28	37	18	17	1	.	.	.	1	1	1	1	21	10	6	4	17	19	8	.	1	71	6
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	23·9	8	.	.	.	1	3	1	3	.	.	.	.	.	.	.	.	1	.	2	.	.	1	.	.	.	4	.
II.	MIDDLE CLASS, ...	87,188	16·1	2	4	1	2	4	7	4	5	.	.	.	.	.	.	.	.	.	1	1	.	3	3	2	.	.	17	2
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	16·5	35	6	.	3	6	10	6	4	1	.	.	.	.	.	.	.	6	4	2	1	3	3	.	.	.	15	2
IV.	GENERAL SERVICE CLASS, ...	154,279	23·0	68	30	3	2	11	13	5	4	.	.	.	.	1	1	1	1	7	1	.	3	11	9	4	.	1	28	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	8	.	3	6	4	2	1	.	.	.	.	.	.	.	.	7	4	1	.	.	3	2	.	.	7	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	40·1	6	.	.	.	1	3	1	1	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	3	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	.	1	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	5	.
	6. Clerks and Commercial Assistants, ...	30,432	17·1	10	3	.	2	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.	.	6	1
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	15·4	8	.	1	.	2	.	2	3	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	4	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	14·0	8	3	.	1	2	2	.	.	1	.	.	.	.	.	.	.	2	3	.	.	.	.	.	.	.	2	2
	10. Clothing Trades, ...	23,260	15·7	7	1	.	.	.	1	3	2	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	4	.
	11. Food Supply Trades	9,242	22·6	4	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	17·2	10	1	.	2	3	1	1	2	.	.	.	.	.	.	.	.	3	.	.	1	1	2	.	.	.	3	.
	13. Petty Shopkeepers	7,894	19·8	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	4	.	.	1	.	.	2	.	.	.	.	1	.	1	.	1	.	.	.	1	.	1	.	.	2	1
	15. Domestic Servants, ...	36,603	2·8	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	29·0	8	4	.	1	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	1	1	1	1	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	29·6	51	21	3	1	8	11	5	2	.	.	.	.	.	1	.	1	4	1	.	1	9	8	2	.	1	23	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	24	8	.	3	6	4	2	1	.	.	.	.	.	.	.	.	7	4	1	.	.	3	2	.	.	7	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Oct. 5,	15·8	.	9	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.
		„ 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
		„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
		„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
		Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
		„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
		„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
		„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Oct. 5,	24·4	1·3	19	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	3
		„ 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
		„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	.	1	.	.	.	1
		„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	1	1	2	.	1	.
		Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
		„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
		„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
		„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Oct. 5,	35·5	3·7	19	.	.	.	1	1	.	.	.	5	.	3	2	1	.	.	1	.
		„ 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
		„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
		„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
		Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
		„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
		„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
		„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Oct. 5,	10·4	1·5	7	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
		„ 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
		„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
		„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
		Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
		„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
		„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
		„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Oct. 5,	10·4	1·3	8	.	.	.	1	.	.	.	.	.	.	1	.	2	.	.	.	.
		„ 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
		„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
		„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
		Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
		„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
		„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
		„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Oct. 5,	22·7	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	2	.
		„ 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
		„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
		„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
		Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
		„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
		„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Oct. 5,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	2	1	.	.	1
		„ 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
		„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
		„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
		Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
		„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
		„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
		„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Oct. 5,	15·7	1·6	10	1	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
		„ 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
		„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
		„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
		Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
		„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
		„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
		„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Oct. 5,	13·5	1·4	10	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.
	„ 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Oct. 5,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	„ 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 5,	24·6	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	1
	„ 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Oct. 5,	14·9	1·9	112	.	.	.	3	2	.	.	.	11	4	7	8	9	8	1	6	2
	„ 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
Cork. Pop. in 1911 76,673.	Oct. 5,	17·7	0·7	26	.	.	.	.	.	.	.	.	4	2	.	1	2	1	.	1	.
	„ 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Oct. 5,	10·2	.	8	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	1
	„ 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
Limerick. Pop. in 1911 38,518.	Oct. 5,	33·8	9·5	25	.	.	.	7	.	.	.	.	2	.	.	1	2	.	.	.	4
	„ 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
Waterford. Pop. in 1911 27,464.	Oct. 5,	19·0	.	10	.	.	.	.	.	.	.	.	4	.	1	.	1	.	.	.	.
	„ 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd November, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	7	36·1	3·3	11	2	1	.	.	4	4	.	.	.	1	.	.	.	.	1	.	.	2	1	.	.	1	1	4	.
Do. 2 do.	49,500	21	15·8	2·1	15	.	5	2	2	3	3	.	.	.	2	.	.	.	.	.	.	1	1	5	.	.	.	.	4	.
Do. 3 do.	50,032	24	21·9	.	21	1	1	3	3	8	5	.	.	.	.	.	.	.	.	4	1	.	1	5	.	.	.	1	4	1
Do 4 do.	32,637	20	9·6	.	6	1	.	2	.	2	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	1	1	1	.
Do. 5 do.	16,112	7	22·7	.	7	.	1	.	2	1	3	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	5	.
Do. 6 do.	37,293	7	16·8	1·4	12	1	2	2	2	4	1	.	.	.	.	.	.	.	.	2	1	.	1	2	1	.	.	.	.	.
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	26·2	.	3	.	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Do. 9 do.	24,427	9	14·9	2·1	7	2	.	.	2	2	1	.	.	.	.	.	.	.	.	1	1	.	.	1	.	1	.	.	1	.
Do. 10 do.	28,958	19	25·2	1·8	14	2	4	3	.	1	4	.	.	.	1	.	.	.	.	1	1	1	1	1	.	.	.	.	4	1
Do. 11 do.	39,311	17	14·6	4·0	11	3	1	1	2	2	2	.	.	.	3	.	.	.	.	2	1	.	.	1	.	.	.	.	3	.
Do. 12 do.	38,076	13	21·9	6·8	16	1	7	1	1	4	2	.	.	.	4	1	.	.	.	1	1	1	2	3	.	.	.	.	6	.
Do. 13 do.	23,233	7	13·5	2·2	6	.	1	1	2	2	.	.	.	.	.	1	.	.	.	3	.	1	1	.	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	9	20·7	6·9	9	5	2	.	1	.	1	.	.	.	2	.	.	.	.	1	.	.	2	.	1	.	.	.	2	.
Total,	386,947	166	18·4	2·4	138	18	26	15	18	34	27	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	3	37	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	11·6	.	3	.	.	.	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do 2 do.	10,701	5	10·0	5·0	2	.	.	.	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 3 do.	9,978	11	10·6	.	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 4 do.	8,666	6	5·7	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6 592	3	25·0	.	3	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.
Do 6 do.	10,702	8	13·5	.	3	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.
Do. 7 do.	16,616	11	16·2	.	5	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	2	.
Total,	76,122	50	12·9	0·7	19	1	1	3	5	3	6	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	1	5	.

* See note (‡) at foot of first page

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.
No. of weeks in Annual Series,	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered, ...	210	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	181	166
DEATHS registered, ...	112	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138
Annual Death rate per 1,000 of estimated population, ...	14·9	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4
AGES, Under 1 year, ...	16	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18
1—5 years, ...	15	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26
5—25 „ ...	18	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15
25—45 „ ...	18	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18
45—65 „ ...	27	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34
65 and upwards, ...	18	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27
Deaths from :—																										
Enteric Fever, ...	.	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13
Scarlet Fever, ...	.	.	.	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2
Whooping-cough, ...	4	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Diphtheria, ...	1	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	23	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18
Tuberculous Disease. Other Forms,	8	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6
Cancer, ...	5	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5
Diseases of Respiratory System, Pneumonia,	7	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13
Diseases of Respiratory System, Others, ...	15	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23
Diarrhœa and *Enteritis*, under 2 years, ...	1	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2
Diarrhœa, 2 years and upwards,	1	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.	.	1
Violent Deaths, ...	.	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2
Number of Uncertified Deaths, ...	1	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Nov. 23,	2,125	1,354	15·6	2	.	75	6	12	5	27*a*
Edinburgh, ...	321,200	„ 23,	109	101	16·4	.	.	.	.	1	.	.
Glasgow, ...	785,600	„ 23,	362	298	19·8	.	.	1	3	10	6	5
Calcutta, ...	896,067	Oct. 12,	.	.	.	.	.	.	.	.	.	.
Bombay, ...	979,445	„ 19,	406	663	35·2	90*	1	1	.	.	.	83‡
Madras, ...	518,660	„ 26,	497	398	39·9	70*	1	1	?	?	?	97‡
Cairo, ...	704,956	Aug. 26,	594	635	47·0	5	.	11	.	?	15	199*a*
Paris, ...	2,847,229	Nov. 9,	967	805	14·4	5	.	3	5	2	3†	25*a*
Brussels, ...	745,380	„ 2,	206	175	12·2	.	.	.	1	.	.	7*a*
Antwerp, ...	308,618	„ 9,	115	77	13·0	1	.	1	1	2	.	9*a*
Amsterdam, ...	584,979	„ 2,	250	128	11·4	.	.	2	1	2	1†	2*a*
Copenhagen, ...	468,000	„ 2,	251	123	13·7	.	.	.	.	2	1†	5*a*
Stockholm, ...	346,599	„ 2,	128	84	12·6	.	.	.	.	1	1	2*a*
Christiania, ...	247,488	„ 9,	122	68	14·3	.	.	2	1	.	.	4
St. Petersburg, ...	1,664,000	Oct. 19,	675	610	19·1	21	2	10	15	9	5†	34
Moscow, ...	1,617,157	„ 19,	.	576	18·6	5	.	4	18	3	13	61
Berlin, ...	2,069,965	„ 19,	681	503	12·7	.	.	2	2	3	12†	32
Hamburg, ...	953,079	Nov. 2,	.	241	13·1	1	.	5	6	1	8†	19
Breslau, ...	530,484	„ 2,	.	134	13·2	1	.	.	.	1	.	5
Munich, ...	615,000	„ 9,	.	174	14·8	.	.	2	.	.	2†	7
Vienna (with suburbs),	2,098,225	„ 2,	673	560	13·9	.	.	9	1	1	4†	25*a*
Buda-Pesth, ...	910,548	„ 2,	402	279	15·9	4	.	.	15	1	8†	11*a*
Prague and Faubourgs,	484,301	„ 2,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	239,549	„ 2,	143	82	17·8	.	.	1	.	.	.	.
Rome, ...	569,809	Aug. 3,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Oct. 26,	2,550	1,238	12·5	11	.	2	1	4	12†	77*a*
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Nov. 9,	.	223	16·2	2	.	1	.	1	.	13

* Deaths from "fever," including one from enteric fever, and 6 from plague in Bombay.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Bombay, and 3 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd November, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	1	.	.	.	.	2
" " 1, West, ...	.	.	.	.	1	.	1	1	.	.	.	3	6
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1, ...	.	2	.	.	.	.	.	2	.	.	.	1	5
" " 2, ...	.	2	1	.	.	.	.	.	.	.	.	1	4
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	1	2
" " 4, ...	.	.	.	.	1	.	.	1	.	.	.	1	3
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	6	1	.	3	.	1	5	1	.	.	12	29

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd November, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd November.			
	Nov. 2.	Nov. 9.	Nov. 16.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	53	52	57	5	10	.	52
Typhus, ...	1	.	.	1	.	1	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	3	4	6	1	2	.	5
Scarlet Fever, ...	132	131	122	21	21	.	122*
Diphtheria, ...	73	73	79	9	19	1	68
Pneumonia, ...	25	21	16	14	2	.	28

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 23rd November, 1912:—

"Weather of the oceanic or westerly type prevailed throughout the week. At first temperature was seasonably low, but on and after Wednesday great mildness for the time of year was experienced. The change was brought about by a steepening of the baric gradient over the British Isles, and a consequent freshening of the wind, which at the same time backed from W.N.W. on Monday to S.W. on Friday. All through the period atmospheric depressions continued to pass across Iceland and the Norwegian Sea to Scandinavia and Northern Russia. On the other hand a high pressure system, or anticyclone, in which the barometer rose slightly above 30·5 inches on Tuesday and the two following days, surged north-eastwards from the south-eastern portion of the North Atlantic between the Azores and Spain to the Bay of Biscay and Central Europe. The distribution of pressure just described threw a warm moist air current on the British and Irish Coasts, the wind blowing strongly or with gale-force, along the shores of the North of Ireland and West and North of Scotland on Tuesday and Wednesday. Rain also fell frequently though not heavily. At 6 p.m. of Thursday the range of atmospheric pressure was from 28·71 inches at Isafjord, in the N.W. of Iceland, to 30·43 inches at Brest, in Brittany. Much cirrus and cirro-stratus cloud accompanied the S.W. current of the closing days of the week, and lunar halos and coronas were seen on the evenings of Thursday, Friday and Saturday. The planet Venus also was a beautiful object in the southwestern sky after sunset on Friday. In Dublin the mean height of the barometer was 30·178 inches, the range of pressure being from 30·297 inches at 9 p.m. of Thursday (wind, W.) to 30·016 inches at 4 p.m. of Saturday (wind, S.W.). The mean temperature was 48·8°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 48·6°. The screened thermometers fell to 41·1° on Sunday and rose to 56·2° on Saturday. Westerly winds prevailed. Rain fell on 4 days, the total measurement being ·156 inch, of which ·069 inch was recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·141 inches. The highest reading (30·235) was on Thursday at 9 p.m., wind W.S.W., the lowest (30·019) on Saturday at 9 p.m., wind W.

The mean temperature for the week was 47·8°, being 6·4° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Saturday, on which day the thermometer registered 56°, and was lowest on Sunday and Monday, the mercury having fallen to 39°. The mean of the Dry Bulb for the week was 47·8° and of the Wet Bulb, 46·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·225 inch.

At Greenwich the mean temperature for the week was 46·2°, the maximum 55·8°, and the minimum 34·2°; at Glasgow the maximum was 54·0°, the minimum 34·5°, and the mean 46·1°; and at Edinburgh the maximum was 53·0°, the minimum 35·4°, and the mean 45·3°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 0·57 in.; and at Edinburgh 0·10 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 17,	30·105	49	39	44·0	45·1	43·5	·89	·6	3·8	·035	W.S.W.	W.S.W.
Monday, " 18,	30·145	48	39	43·5	41·4	41·0	·96	·6	2·9	·020	W.	Calm.
Tuesday, " 19,	30·120	51	41	46·0	46·1	43·7	·81	·7	1·0	·000	W.	W.
Wednesday, " 20,	30·120	52	43	47·5	49·1	47·7	·90	·7	0·1	·085	W.	W.
Thursday, " 21,	30·215	54	48	51·0	51·3	49·2	·86	·7	0·0	·000	W.	W.S.W.
Friday, " 22,	30·215	54	50	52·0	51·6	48·6	·81	·6	0·9	·030	W.S.W.	S.W.
Saturday, " 23,	30·065	56	45	50·5	49·8	48·4	·91	·6	0·6	·055	S.W.	W.
Mean, ...	30·141	52·0	43·6	47·8	47·8	46·0	·88	·6	Total 9·3	Total ·225	Prevailing Wind, W.	

Sunday—Day cloudy, showers at intervals 2.0 to 7.0 p.m.; night cloudy. *Monday*—Day cloudy, fine; night cloudy, drizzling 4.15 to 4.50 a.m. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Day overcast, drizzling 11.0 a.m. to 7.0 p.m.; night overcast. *Thursday*—Day overcast; night cloudy. *Friday*—A dull day; night cloudy, showers at intervals. *Saturday*—A dull day, drizzling at intervals p.m.; night overcast, drizzling at intervals a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 23rd November, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 17,	44·0	46·1	48·1	50	41	45·5	3·2	·02
Monday, " 18,	42·5	45·9	48·1	49	41	45	2·0	·01
Tuesday, " 19,	49·0	45·9	48·1	51	42	46·5	0·9	—
Wednesday, " 20,	47·7	45·9	48·0	53	43	48	0·0	·05
Thursday, " 21,	52·8	47·0	48·0	56	50	53	0·0	—
Friday, " 22,	52·3	47·6	48·0	55	49	52	1·7	·02
Saturday, " 23,	55·3	47·9	48·1	57	46	51·5	1·4	·04
Weekly Mean, .	49·1	46·6	48·1	53	44·6	48·8	Total 9·2	Total ·14

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116. GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 30TH NOVEMBER, 1912. [No. 48.

General Register Office, Charlemont House,
Dublin, 2nd December, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 9	Week ending Nov. 16	Week ending Nov. 23	Week ending Nov. 30	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 9	Week ending Nov. 16	Week ending Nov. 23	Week ending Nov. 30	Average Rate for 4 weeks.
22 Town Districts, ...	**17·9**	**17·0**	**18·5**	**19·7**	**18·3**	Limerick	28·4	35·2	42·0	27·1	33·2
						Lisburn	21·0	8·4	12·6	8·4	12·6
Armagh	21·3	7·1	28·4	35·4	23·0	Londonderry	16·6	10·2	16·6	19·1	15·6
Ballymena	22·9	4·6	18·3	22·9	17·2	Lurgan	20·8	16·6	12·5	20·8	17·7
Belfast	16·8	16·1	18·4	18·5	17·5	Newry	21·8	21·8	17·4	21·8	20·7
Clonmel	5·1	30·6	25·5	25·5	21·7	Newtownards	21·8	16·3	10·9	21·8	17·7
Cork	15·6	15·6	12·9	18·4	15·6	Portadown	17·8	8·9	8·9	13·3	12·2
Drogheda	33·4	4·2	12·5	16·7	16·7	Queenstown	6·4	12·7	12·7	6·4	9·6
Dublin Reg. Area ...	18·0	18·7	20·2	18·9	18·9	Sligo	32·7	9·3	4·7	14·0	15·2
Dundalk	35·7	19·9	11·9	55·6	30·8	Tralee	15·2	10·1	·	25·3	12·7
Galway	11·8	23·6	7·9	31·5	18·7	Waterford	13·3	19·0	17·1	32·3	20·4
Kilkenny	5·0	14·9	14·9	9·9	11·2	Wexford	18·1	·	13·6	13·6	11·3

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in eleven of the districts to 27·8 in Dundalk, 7 of the 14 deaths from all causes for that district being from measles. Included in the 139 deaths from all causes for Belfast are 15 from measles, 2 from diphtheria, and 6 from diarrhœal diseases. Among the 27 deaths from all causes for Cork are one from scarlet fever, and one from dysentery, and included in the 15 deaths from all causes for Londonderry are one from diphtheria, and one from diarrhœa. Three of the 20 deaths from all causes for Limerick are from measles, and one of the 8 deaths from all causes for Galway is from enteric fever. The 4 deaths from all causes for Drogheda include one from whooping-cough, and the 5 deaths for Tralee include one from measles and one from diarrhœa.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—103 boys and 94 girls—and the deaths to 158—85 males and 73 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·9 per 1,000 of the population.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

During the forty-eight weeks ending with Saturday last the death-rate averaged 20·5, and was 1·5 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 158, represent an annual rate of 20·6 per 1,000; the annual rate for the past forty-eight weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

Included in the total number of deaths registered during the week were 2 from enteric fever, one from typhus, 3 from measles, one from scarlet fever, 2 from influenza, and 2 from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weekly periods deaths from enteric fever were 2, 2, and one; deaths from typhus were 0, 0, and 0; deaths from measles were one, 0, and 0; deaths from scarlet fever were 0, 0, and one; deaths from influenza were 0, one, and one; and deaths from diarrhœa and *enteritis* of children under 2 years of age were 5, 3, and 8.

The deaths of 35 persons were attributed to tuberculosis, namely, from pulmonary tuberculosis 24 deaths, from tuberculous meningitis, 5 deaths; from abdominal tuberculosis, 2 deaths; from tuberculosis of the vertebral column, 2 deaths; and from disseminated tuberculosis, 2 deaths. In each of the 3 preceding weeks deaths from all forms of tuberculous disease were 24, 24, and 31.

Of 10 deaths from pneumonia (all forms), 7 were from broncho-pneumonia, one was from lobar pneumonia, and 2 were from *pneumonia* (type not distinguished).

Eight deaths from cancer were registered.

There were 5 deaths from *convulsions*; 4 from premature birth; and 2 from congenital debility, all of infants under one year of age.

Organic diseases of the heart accounted for 15 deaths, and bronchitis was the cause of 19 deaths.

There was one death from exposure to cold, and one homicidal death.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 5 were under one month old) and 42 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom three (2 males and one female) were stated to have been aged 90, 90, and 92 years, respectively.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and 6 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·9 per 1,000; the rate in the City was 19·4 (North City Districts, 17·0; South, 22·1) and in the Suburbs, 17·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·0, and in the South 2·2), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·5 per 1,000, and include one death from influenza, one death from broncho-pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. The total includes one death from measles, 5 from tuberculous disease, one from broncho-pneumonia, 2 from bronchitis, and one of a child under 2 years of age from diarrhœa.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. There were 2 deaths from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·4 per 1,000. Measles caused one death; there were 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·6; and Finglas and Glasnevin, part of, 19·8. Of the 3 deaths from all causes for Coolock and Drumcondra, one is from tuberculosis of the vertebral column. Included in the 4 deaths from all causes for Finglas and Glasnevin, part of, are 2 from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·8 per 1,000. There was one death from each of the following diseases—enteric fever, typhus, and measles; there were 5 deaths from tuberculous disease and one death from diarrhœa of a child under 2 years of age.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include 2 deaths from pulmonary tuberculosis, one from *pneumonia*, and one death from exposure.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·7 per 1,000. Scarlet fever caused one death; there were 2 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, one death from lobar pneumonia, one from *pneumonia*, and 3 deaths from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (19) are equivalent to an annual rate of 29·9 per 1,000. Enteric fever and influenza each caused one death; there were 7 deaths from tuberculous disease, and 2 deaths from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 16·1 per 1,000, and were all caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·6; Pembroke, 12·3; Blackrock, 22·9; and Kingstown, 21·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. Among the 13 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis. Included in the 7 deaths from all causes for Pembroke are one from broncho-pneumonia and one from bronchitis. One of the 7 deaths from all causes for Kingstown is from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 30th November, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 9,	.	—	—	12	.	.	9	.	.	10	8	.	—	—	.	—	10	.	49
	Nov. 16,	.	—	—	10	.	.	7	.	.	9	2	.	—	—	.	—	13	.	41
	Nov. 23,	.	—	—	6	1	.	3	.	1	5	1	.	—	—	.	—	12	.	29
	Nov. 30,	.	—	—	7	.	.	7	.	.	3	8	.	—	—	.	—	11	.	36
Rathmines and Rathgar Urban District.	Nov. 9,	.	—	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	8
	Nov. 16,	.	—	—	1	.	.	2	.	.	1	1	.	—	—	—	—	—	—	5
	Nov. 23,	.	—	—	6	.	.	3	.	.	.	1	.	—	—	—	—	—	—	10
	Nov. 30,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Nov. 9,	.	.	.	2	.	.	.	.	.	1	.	.	—	.	—	—	.	—	3
	Nov. 16,	.	.	.	.	.	.	.	.	.	2	1	.	—	.	—	—	.	—	3
	Nov. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	.	—	1
	Nov. 30,	.	.	.	.	.	.	.	.	.	.	1	.	—	3	—	—	.	—	4
Blackrock Urban District.	Nov. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Nov. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 23,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Nov. 30,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	.	—	—	—	5
Kingstown Urban District.	Nov. 9,	.	—	—	3	.	.	1	.	.	.	1	.	—	—	—	—	2	—	7
	Nov. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Nov. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 30,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	1	—	4
City of Belfast.	Nov. 9,	.	—	—	22	.	.	6	.	1	.	8	.	—	—	—	—	7	—	44
	Nov. 16,	.	—	—	28	.	.	4	.	.	1	2	.	—	—	—	—	7	—	42
	Nov. 23,	.	—	—	28	.	.	4	.	.	1	4	.	—	—	—	—	8	—	45
	Nov. 30,	.	—	—	21	.	.	12	.	.	3	3	.	—	—	—	—	6	—	45

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th November, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 49 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 52, 57, and 52.

One case of measles was discharged from hospital, and 4 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 4, 6, and 5, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 20 were discharged, there was one death, and 119* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 131, 122, and 122 respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 14 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 73, 79, and 68, respectively, were 61 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 11 were discharged, there were 2 deaths, and 22 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·5), was equal to an average annual death-rate of 14·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·1 per 1,000, the rate for Glasgow being 20·5, and for Edinburgh 15·6.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th November. From this Report it appears that of a total of 53 cases notified, 24 were phthisis, 12 scarlet fever, 9 erysipelas, and 8 diphtheria. Among the 356 cases of infectious diseases in hospital at the close of the week were 157 cases of scarlet fever, 91 of phthisis, 54 of diphtheria, 14 of whooping-cough, 13 of chicken-pox, 11 of erysipelas, 9 of measles, 3 of enteric fever, and one of puerperal fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 30th November, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Annual Rate per 1,000 Persons Represented by. Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology (d) Week ending 30th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 16th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	22·5	19·7	2·3	498	437	66	113	3	1	...	29	2	1	3	1	52	20	21	28	56	8	4	5	13	127	20	...	...	...	...	...	...	...	...	...	...	..	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	25·6	18·9	1·2	197	145	27	40	2	1	...	3	1	...	...	...	20	11	7	10	19	2	...	1	...	59	4	e 53	21	36·7	0·79	e 56	39	47·8	0·23	e 52	33	43·0	0·18
CITY OF DUBLIN,	306,573	38·8	29·1	19·4	1·5	171	114	25	25	2	1	...	3	1	...	...	...	18	10	3	8	17	2	...	1	...	49	4	f 54·3 g 53·8	27·0 23·4	39·6 37·7	0·79 0·77	f 56·2 g 55·8	41·1 39·4	48·8 48·2	0·16 0·23	f 52·5 g 52·7	35·1 33·6	44·0 43·5	0·13 0·16
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	16·3	17·6	.	12	13	1	6	...	...	...	...	...	...	...	...	1	1	2	1	1	...	...	...	...	3	...	...	...	...	...	..	...	...	...	...	...	...	...
PEMBROKE, ...	29,731	18·9	14·0	12·3	.	8	7	1	2	...	...	...	...	...	...	...	...	..	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	11·4	22·9	.	2	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	12·3	21·5	.	4	7	...	4	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	6	...	58	28	42·4	0·55	57	42	49·1	0·11	54	35	44·6	0·03
Urban Districts. BELFAST ...	391,974	26·2	23·1	18·5	3·1	174	139	22	31	...	...	...	15	...	...	2	...	13	7	7	8	20	5	1	4	12	26	2	55	27	49·1	0·75	55	36	47·0	0·18	53·5	36·5	45·1	0·98
CORK, ...	76,673	28·6	15·0	18·4	1·4	22	27	2	8	...	...	...	...	1	...	...	1	6	1	1	2	3	...	...	...	1	11	1	53	33	42·7	0·97	58	43	48·7	0·39	55	38	45·9	0·14
LONDONDERRY ...	40,891	15·9	16·6	19·1	2·6	13	15	2	7	...	...	...	...	...	...	1	...	...	...	1	1	4	...	1	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	19·0	27·1	4·1	14	20	4	1	...	...	...	3	...	...	...	...	2	...	2	...	1	...	...	...	...	2	3	53·4	20·5	37·5	1·21	58·0	36·2	48·9	0·28	52·8	34·0	43·3	0·17
WATERFORD, ...	27,464	19·1	17·1	32·3	.	9	17	1	5	...	...	...	...	...	...	...	...	3	...	1	1	1	...	...	...	..	10	...	...	...	...	...	...	..	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	15·7	31·5	3·9	4	8	...	3	1	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	..	2	3	55	25	40	0·94	53	38	48·7	1·14	55	35	46	0·52
DUNDALK, ...	13,128	9·5	15·9	55·6	27·8	4	14	1	3	...	...	...	7	...	...	...	...	1	...	...	...	...	...	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	29·2	16·7	4·2	7	4	...	3	...	...	...	..	...	1	...	..	...	...	...	...	...	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	8·7	21·8	.	2	5	1	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	...	...	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41
LURGAN, ...	12,553	14·7	12·5	20·8	4·2	3	5	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	1	...	...	...	...	...	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41
LISBURN, ...	12,388	10·9	25·3	8·4	.	6	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41
WEXFORD, ...	11,531	22·8	13·6	13·6	.	3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	4·6	22·9	.	1	5	1	2	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	28·0	14·0	4·7	6	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	2	57	18	38·0	1·52	56	37	43·0	0·54	52	34	44·0	0·88
KILKENNY, ...	10,514	11·4	5·0	9·9	.	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	53	25	37·1	0·71	56	38	48·2	0·21	53	35	43·2	0·30
CLONMEL, ...	10,209	7·8	35·8	25·5	.	7	5	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	35·6	13·3	.	8	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41
TRALEE, ...	10,300	17·4	15·2	25·3	10·1	3	5	1	1	...	...	...	1	...	...	...	...	...	...	...	1	...	...	1	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	38·1	21·8	.	7	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	52	30	39·5	0·63	55	34	46·6	0·07	52	38	45·4	0·63
QUEENSTOWN, ...	8,209	14·7	31·8	6·4	.	5	1	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	..	...	53	33	42·7	0·97	58	43	48·7	0·39	55	38	45·9	0·14
ARMAGH, ...	7,356	21·8	14·2	35·4	.	2	5	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	1	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23	50·7	34·5	43·0	0·41

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of November, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																Total for Dublin Registration Area.	Deaths in Institutions of Persons admitted from without the Registration Area.
	City of Dublin.												Urban Districts of					
	Registration Districts in																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	North City No. 1 E.	North City No. 1 W.	North City No. 2.	North City No. 3.	Clontarf and Howth No. 1 (part of).	Coolock and Drumcondra (part of).	Finglas and Glasnevin (part of).	South City No. 1.	South City No. 2.	South City No. 3.	South City No. 4.	New Kilmainham.	Rathmines and Rathgar.	Pembroke.	Blackrock.	Kingstown.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	.	3	1	2	.	.	2	2	2	2	4	.	1	.	.	1	20	4
Tuberculous Disease. { Other Forms,	.	2	1	.	.	1	.	3	.	.	3	.	1	.	.	.	11	.
Cancer,	.	2	.	.	.	.	.	.	.	1	.	.	2	.	.	2	7	1
Diseases of Nervous System,	1	.	1	1	1	.	.	1	.	5	.	.	1	2	1	1	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	.	2	.	.	1	1	1	.	4	.	1	1	2	1	15	.
" Respiratory System. { Pneumonia,	1	1	1	1	.	.	.	.	1	3	.	.	1	1	.	.	10	.
" Respiratory System. { Others,	1	2	2	2	.	1	.	.	.	3	3	3	1	1	.	.	19	1
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	2
" Genito-urinary System,	.	1	.	.	.	.	.	1	.	.	1	.	1	1	.	1	6	1
Puerperal Septicæmia, etc.,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Other specified Causes,	1	4	.	.	.	1	1	4	.	1	2	.	3	1	1	1	20	2
Violent Deaths,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1
Ill-defined, &c. Causes,	1	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	3	.
Deaths from All Causes	6	20	8	11	1	3	4	16	6	17	19	3	13	7	4	7	145	13
Annual Rate of Mortality from All Causes in every 1,000 of the population.	10·5	25·7	15·0	16·4	9·7	11·6	19·8	20·8	17·1	20·7	29·9	16·1	17·6	12·3	22·9	21·5	18·9	.
	17·0							22·1					17·1					
	19·4																	
Ages at Death. { Under 1 year,	1	5	1	1	.	.	.	8	.	6	2	1	1	1	.	.	27	1
1 and under 2 years,	1	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	4	.
2 " 5 "	1	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	4	.
5 " 15 "	.	1	.	.	.	.	.	2	.	.	3	.	1	.	.	.	7	.
15 " 25 "	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	4	2
25 " 45 "	.	5	1	4	.	2	1	3	2	3	4	.	1	.	.	.	26	5
45 " 65 "	2	3	2	3	1	.	1	3	1	3	4	.	4	4	.	2	33	3
65 and upwards,	1	5	2	2	.	1	2	.	2	4	4	2	6	2	3	4	40	2
Number of Uncertified Deaths,	1	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	7	2	1	1	2	1	5	2	3	5	.	3	.	.	.	32	12
Workhouse Hospitals,	.	6	3	.	.	.	.	6	.	1	4	.	.	1	.	6	27	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 30th November, 1912.									
													Deaths of Persons of the Ages of								
												Mean Temp.	0—5.								
	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·4	° 42·1	° 36·7									
ALL CAUSES.	230	207	204	157	179	175	178	180	176	169	185·5	158	5	23	4	4	7	6	31	36	27	15
Enteric Fever, ...	4	2	2	2	3	.	.	1	.	1	1·5	2	.	.	.	.	.	.	2	.	.	.
Typhus, ...	.	1	.	.	.	.	.	.	.	1	·2	1	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	.	12	.	3	.	6	.	.	3	3·8	3	.	3	.	.	.	.	.	.	.	.
Scarlet Fever, ...	8	2	.	.	1	.	1	.	3	1	1·6	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	.	5	3	1	3	1	2	.	5	3	2·3	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, ...	4	2	1	.	2	.	2	1	4	3	1·9	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	3	2	.	1	2	1	.	3	4	1	1·7	2	.	.	.	.	.	.	.	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	.	.	.	.	1	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	22	23	29	18	13	16	26	22	16	17	20·2	24	.	.	.	.	1	6	12	5	.	.
Tuberculous Meningitis, ...	3	2	2	4	2	1	2	2	1	2	2·1	5	.	1	.	1	3	.	.	.	.	.
Abdominal Tuberculosis, ...	1	1	1	1	2	1	.	1	1	1	1·0	2	.	1	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		2	.	.	.	.	.	.	1	1	.	.
Tuberculosis of Joints, ...	8	5	10	5	8	4	11	4	5	1	6·3	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		2	.	1	.	.	1	.	.	.	.	.
Venereal Diseases, ...	2	1	1	1	3	4	4	2	1	1	2·0	3	.	2	1	.	.	.	.	.	.	.
Cancer, ...	9	11	9	8	9	8	6	11	3	6	8·0	8	.	.	.	.	.	.	.	5	3	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	1	.	.	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	1	1	.	1	.	.	2	.	.	·5	2	.	.	.	1	.	.	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	4	.	.	.	.	.	.	2	1	1	.
Alcoholism, ...	2	1	.	.	1	1	.	1	.	.	·6	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										4		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy*.										5		8	.	.	.	.	.	.	1	3	2	2
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										2		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										.		5	.	5	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	39	57	36	39	40	37	29	42	39	4	38·8	3	.	.	.	.	.	.	1	2	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										14		15	.	.	.	.	1	.	.	5	6	3
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										1		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	36	36	37	32	25	28	34	24	34	27	31·3	19	.	3	.	1	.	.	3	2	8	2
Broncho-pneumonia, ...	9	8	5	5	7	7	13	11	7	3	7·5	7	1	2	2	.	.	.	.	.	1	1
Lobar pneumonia, ...	.	.	3	1	.	.	2	1	1	.	·8	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	5	2	11	4	4	7	8	8	6	3	5·8	2	.	.	.	.	.	.	1	1	.	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	1	3	1	4	2	1	5	3	.	2·3	1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

FORTY-EIGHTH WEEK ending Saturday, 30th November, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 48th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 30th November, 1912.										
													Deaths of Persons of the Ages of									
	Nov. 29, 1902.	Dec. 5, 1903.	Dec. 3, 1904.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 43·5	° 34·6	° 41·3	° 44·1	° 49·1	° 39·4	° 48·2	° 41·8	° 37·0	° 42·4	° 42·1	° 36·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	.	.	.	.	.	1	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	9	1	4	8	7	6	5	7	8	6	6·3	2	1	1	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	5	1	3	2	.	2	.	1	3	.	2·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...		.	1	1	2	2	2	.	.	.		.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	1	.	.	1	1	.	1	.	2	·7	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	7	3	4	6	9	4	7	2	.	4·8	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										2		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										4		5	.	.	.	.	.	.	2	2	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	8	5	5	5	11	9	1	5	6	.	6·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										2		2	.	.	.	.	.	.	.	1	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	1	·2	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	1	1	.	.	1	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	3	.	.	.	.	1	.	.	.	1	1
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	2	1	4	2	3	1	4	7	2·8	4	3	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	2	—	2	.	2	.	.	.	.	.	.	.	.
Old Age, ...	5	5	7	4	4	5	2	3	4	5	4·4	6	.	.	.	.	.	.	.	.	1	5
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	1	2	.	.	1	2	.	·6	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	1	.	1	.	.	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	1	1	2	4	3	2	6	2·3	1	.	.	.	.	.	.	.	.	1	.
Total Deaths from Accident,	1	4	2	3	3	2	4	5	4	6	3·4	1	.	.	.	.	.	.	.	.	1	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	1	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	..	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.
Suicide, ...	1	.	.	.	.	.	1	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	5	—	3	.	.	.	.	.	.	1	1	.	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered.	236	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197
Average Births in corresponding week of previous 10 years, ...	224	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209
DEATHS registered, ...	170	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158
Annual Death-rate per 1,000, ...	21·8	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6
Average Deaths in corresponding week of previous 10 years, ...	151	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186
Ages, Under 5 years, ...	55	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36
5—15 „ ...	7	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7
15—25 „ ...	11	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6
25—45 „ ...	26	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31
45—65 „ ...	40	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36
65—75 „ ...	20	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27
75 and upwards, ...	11	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15
Deaths from :—																										
Enteric Fever, ...	.	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	14	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3
Scarlet Fever, ...	3	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1
Whooping-cough, ...	2	1	1	.	1	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.
Diphtheria, ...	.	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.
Influenza, ...	1	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
Tuberculous Disease, Phthisis, ...	20	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24
Tuberculous Disease, Other Forms,	7	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11
Cancer, ...	8	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8
Diseases of Circulatory System,	18	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15
Diseases of Respiratory System, Pneumonia,	18	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10
Diseases of Respiratory System, Others, ...	23	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20
Diarrhœa and *Enteritis*, under 2 years, ...	.	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2
Diarrhœa, 2 years and upwards,	.	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.
Violent Deaths, ...	5	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2
Number of Uncertified Deaths,	5	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4
Mean Temperature of the Air (Phœnix Park)	51·5	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7
Average Mean Temperature in corresponding week of previous 10 years, ...	53·7	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1
Rainfall in inches, ...	·865	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790
Mean Humidity of the Air, complete Saturation 1·0, ...	·88	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th November, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH NOVEMBER, 1912.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	158	36	7	6	31	36	27	15	2	1	.	3	1	.	.	.	24	11	8	5	10	20	2	.	2	69	4
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	12·0	4	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
II.	MIDDLE CLASS, ...	87,188	11·4	19	2	.	3	4	3	5	2	.	.	.	.	.	.	.	.	4	.	1	.	2	1	.	.	.	11	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	18·9	40	7	.	1	11	8	9	4	.	1	.	2	.	.	.	.	10	1	1	2	3	9	.	.	.	11	2
IV.	GENERAL SERVICE CLASS, ...	154,279	22·6	67	22	7	.	13	14	7	4	2	.	.	1	1	.	.	.	5	8	2	3	4	8	1	.	2	30	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	28	5	.	2	3	10	6	2	.	.	.	.	.	.	.	.	5	2	4	.	.	2	1	.	.	14	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	21·3	9	2	.	.	1	1	4	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	.	.	1	1	2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	9·6	5	.	.	2	2	.	1	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	1	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.
	9. Building and Furnishing Trades, ...	29,801	22·7	13	4	.	.	3	3	2	1	.	.	.	1	.	.	.	.	5	1	1	1	1	2	.	.	.	1	.
	10. Clothing Trades, ...	23,260	13·5	6	.	.	.	2	2	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	4	.
	11. Food Supply Trades	9,242	5·6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	24·1	14	3	.	1	3	2	4	1	.	1	.	1	.	.	.	.	2	.	.	1	2	2	.	.	.	5	1
	13. Petty Shopkeepers	7,894	19·8	3	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	27·2	7	1	.	.	2	3	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	5	1
	15. Domestic Servants, ...	36,603	8·5	6	.	.	.	2	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	1	.	.	.	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·9	48	20	7	.	9	7	5	.	.	.	.	1	1	.	.	.	5	7	2	3	3	7	1	.	2	16	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	28	5	.	2	3	10	6	2	.	.	.	.	.	.	.	.	5	2	4	.	.	2	1	.	.	14	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Oct. 12,	26·3	1·8	15	1	.	.	.	.	.	.	.	.	.	1	3	4	.	.	1	.
	„ 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
	„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
	„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
	„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Oct. 12,	18·0	1·3	14	.	.	.	.	.	.	.	.	3	.	.	1	.	.	1	.	1
	„ 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	1	1	.	.	.	1
	„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	.	1	2	.	1	.
	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
	„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
	„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
	„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Oct. 12,	35·5	3·7	19	.	.	.	.	.	.	.	.	1	.	.	4	.	2	.	5	1
	„ 19,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
	„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Oct. 12,	19·4	1·5	13	.	.	.	.	.	.	.	.	4	.	.	1	.	1	.	.	.
	„ 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
	„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
	„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Oct. 12,	24·7	3·9	19	.	.	.	1	.	.	2	.	4	.	2	1	1	.	.	1	.
	„ 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
	„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
	„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
	„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
	„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Oct. 12,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
	„ 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
	„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
	„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Oct. 12,	17·1	1·2	14	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.
	„ 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
	„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
	„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
	„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
	„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Oct. 12,	25·2	1·6	16	.	.	.	.	.	.	.	.	4	.	1	3	5	1	.	.	1
	„ 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
	„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
	„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
	„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
	„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
	„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.

* See note (‡) at foot of first page.

of Dublin, and of the Urban Districts of Rathmines and Rathgar, Pembroke, and Kingstown, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Oct. 12,	16·3	1·4	12	.	.	.	.	.	.	1	.	.	.	3	.	2	.	.	1	.
	„ 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Oct. 12,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	„ 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 12,	12·3	.	4	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	„ 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Oct. 12,	18·0	2·4	135	1	.	.	4	4	.	3	.	13	7	7	11	10	5	1	2	2
	„ 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
Cork. Pop. in 1911 76,673.	Oct. 12,	16·3	.	24	.	.	.	.	.	.	.	.	3	.	2	2	1	.	.	.	1
	„ 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,891.	Oct. 12,	12·8	.	10	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.
	„ 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
Limerick. Pop. in 1911 38,518.	Oct. 12,	29·8	20·3	22	.	.	.	15	.	.	.	.	.	.	1	.	3	.	.	.	.
	„ 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
Waterford. Pop. in 1911 27,464.	Oct. 12,	20·9	1·9	11	.	.	.	.	.	.	.	.	2	.	1	.	2	1	.	2	1
	„ 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th November, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	8	23·0	13·1	7	3	.	1	.	2	1	.	.	.	2	.	.	1	.	.	.	1	.	.	.	1	.	.	3	.
Do. 2 do.	49,500	16	20·0	5·3	19	3	5	2	3	4	2	.	.	.	3	.	.	1	.	4	1	.	1	3	1	.	.	1	6	.
Do. 3 do.	50,032	25	17·7	2·1	17	2	2	.	3	4	6	.	.	.	1	.	.	.	.	1	1	2	2	3	1	.	.	.	3	.
Do 4 do.	32,637	20	19·2	.	12	3	1	2	2	2	2	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	3	5	3	.
Do. 5 do.	16,112	4	19·4	3·2	6	.	2	2	.	1	1	.	.	.	1	.	.	.	.	.	1	.	2	.	.	.	.	.	2	.
Do. 6 do.	37,293	11	12·6	1·4	9	1	.	2	.	3	3	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	.	1	1	.
Do. 7 do.	2,681	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Do. 9 do.	24,427	12	19·2	2·1	9	1	1	1	1	1	4	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	2	.
Do. 10 do.	28,958	10	19·8	1·8	11	.	1	1	2	4	3	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.	1	2
Do. 11 do.	39,311	24	14·6	2·7	11	3	.	1	1	3	3	.	.	.	1	.	.	.	.	1	.	3	.	1	1	.	.	.	.	.
Do. 12 do.	38,076	17	35·6	8·2	26	5	9	3	3	4	2	.	.	.	6	.	.	.	.	.	.	1	2	5	.	.	1	5	5	.
Do. 13 do.	23,233	14	4·5	..	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	12	18·4	.	8	1	1	2	.	2	2	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.
Total,	386,947	174	18·5	3·1	139	22	22	18	15	31	31	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	12	26	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	4	15·5	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1	.
Do 2 do.	10,701	6	5·0	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	1	21·3	.	4	.	.	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	1	.
Do 4 do.	8,666	3	5·7	5·7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do 5 do.	6,592	.	41·7	.	5	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1	1
Do 6 do.	10,702	4	22·5	4·5	5	.	.	.	2	1	2	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.
Do. 7 do.	16,616	4	22·7	.	7	1	1	.	.	1	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	4	.
Total,	76,122	22	18·4	1·4	27	2	2	4	5	6	8	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1	11	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.
No. of weeks in Annual Series,	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered, ...	294	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174
DEATHS registered, ...	121	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139
Annual Death rate per 1,000 of estimated population, ...	16·1	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5
AGES, Under 1 year, ...	21	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22
1—5 years, ...	12	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22
5—25 „ ...	18	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18
25—45 „ ...	23	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15
45—65 „ ...	23	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31
65 and upwards, ...	24	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31
Deaths from :—																										
Enteric Fever, ...	.	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15
Scarlet Fever, ...	.	.	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.
Whooping-cough, ...	6	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
Diphtheria, ...	.	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	16	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13
Tuberculous Disease. Other Forms,	7	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7
Cancer, ...	12	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7
Diseases of Respiratory System, Pneumonia,	10	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8
Diseases of Respiratory System, Others, ...	10	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20
Diarrhœa and *Enteritis*, under 2 years, ...	2	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5
Diarrhœa, 2 years and upwards,	.	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.	.	1	1
Violent Deaths, ...	2	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4
Number of Uncertified Deaths, ...	.	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Nov. 30,	1,960	1,259	14·5	.	.	74	3	11	8	18*a*
Edinburgh, ...	321,200	„ 30,	105	96	15·6	.	.	.	1	1	.	1
Glasgow, ...	785,600	„ 30,	369	308	20·5	.	.	3	1	5	5	4
Calcutta, ...	896,067	Oct. 19,	.	465	26·9	90*	.	.	.	.	.	81‡
Bombay, ...	979,445	„ 26,	401	600	31·9	101*	1	1	.	1	.	97‡
Madras, ...	518,660	Nov. 2,	463	352	35·3	53*	1	2	?	?	?	70‡
Cairo, ...	704,956	Sept. 2,	673	542	40·1	5	1	4	2	?	20	164*a*
Paris, ...	2,847,229	Nov. 16,	937	849	15·2	8	.	4	1	.	5†	15*a*
Brussels, ...	745,380	„ 9,	236	189	13·2	.	.	1	.	1	2†	11*a*
Antwerp, ...	308,618	„ 16,	130	74	12·5	1	.	.	.	.	1†	9*a*
Amsterdam, ...	584,979	„ 9,	256	127	11·3	.	.	2	1	.	1†	4*a*
Copenhagen, ...	468,000	„ 9,	221	110	12·3	.	.	.	2	2	.	3*a*
Stockholm, ...	346,599	„ 9,	159	84	12·6	.	.	.	.	1	.	1*a*
Christiania, ...	247,488	„ 16,	108	50	10·5	.	.	2	.	.	1	2
St. Petersburg, ...	1,664,000	Oct. 26,	758	579	18·1	16	1	12	10	3	8†	43
Moscow, ...	1,617,157	„ 26,	.	621	20·0	5	.	2	15	4	8†	52
Berlin, ...	2,077,303	„ 26,	708	538	13·5	2	.	3	10	2	19†	23
Hamburg, ...	953,079	Nov. 9,	.	233	12·7	.	.	1	1	6	5†	10
Breslau, ...	530,484	„ 9,	.	163	16·0	.	.	1	2	.	.	6
Munich, ...	615,000	„ 16,	.	169	14·3	.	.	.	1	.	1†	6
Vienna (with suburbs),	2,098,225	„ 9,	651	544	13·5	1	.	6	1	2	8†	31*a*
Budá-Pesth, ...	910,548	„ 9,	468	292	16·7	1	.	2	8	3	3†	8*a*
Prague and Faubourgs,	484,301	„ 2,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	239,549	„ 9,	127	71	15·5	.	.	3	1	.	.	2
Rome, ...	569,809	Aug. 3,	309	179	16·4	3	.	1	.	1	2	30
		„ 10,	298	172	15·7	3	.	2	.	.	5	24
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Nov. 9,	2,800	1,302	13·1	14	.	1	3	3	17†	60*a*
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Nov. 16,	.	190	13·8	.	.	.	.	.	.	7

* Deaths from "fever," including 10 from enteric fever, and 3 from plague in Calcutta, 4 from enteric fever, and 4 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, 4 in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th November, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	1	.	.	1	3
" " 1, West, ...	.	3	.	.	.	.	.	.	.	.	.	1	4
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	.	.	.	.	.	.	.	.	.	.	3	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	2	.	.	.	.	2
South City No. 1, ...	.	.	.	.	2	.	.	.	5	.	.	1	8
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 4, ...	.	1	.	.	5	.	.	1	.	.	.	2	9
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	7	.	.	7	.	.	3	8	.	.	11	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th November, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th November.			
	Nov. 9.	Nov. 16.	Nov. 23.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	52	57	52	4	6	1	49
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	6	5	.	1	.	4
Scarlet Fever, ...	131	122	122	18	20	1	119*
Diphtheria, ...	73	79	68	7	14	.	61
Pneumonia, ...	21	16	28	7	11	2	22

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 30th November, 1912:—

"Very unsettled, changeable weather was experienced—the large range of temperature being especially noteworthy. Sunday opened fair and cool with moderate to fresh W.S.W. winds. In the afternoon the wind freshened, and the evening was mild and showery. At 7 a.m. of Monday a large and deep depression was centred between the Faeroe and Shetland Islands, with the barometer below 28·8 inches—another and still deeper cyclonic system was already approaching Ireland from the Atlantic. Stormy, warm, and rainy weather extended all over North-western Europe, the wind reaching hurricane-force at Aberdeen in a squall at 10 p.m. of Tuesday, when it blew from S.W. with a velocity of 75 miles an hour. At Wick on the same evening the barometer fell to 27·93 inches—the lowest pressure recorded in the British Isles since March 15, 1905, when the rare and very low reading of 27·91 inches was recorded at Malin Head, Co. Donegal. On Wednesday morning this notable disturbance was rapidly filling up off the west coast of Norway, but another depression had already arrived off the Kerry coast. In this way atmospheric pressure was equalised, the sky cleared, and temperature fell with extreme speed—an intense frost setting in over Scotland and fog forming in many large towns, as in London on Thursday. By Friday morning another deep depression had arrived over the south of England, with the barometer below 29·1 inches. It caused heavy gales in the English Channel—at first from S. afterwards from N.W. and abundant falls of rain, sleet and snow in many parts of England. At the same time the weather was frosty in Ireland, and keen frost occurred in Scotland, the screened thermometer falling to 13° at Nairn, 18° at Wick, and 19° at Aberdeen. Early on Saturday morning a minimum of 21° was reached at Birr Castle, King's County. A feature in the week's meteorology was the nightly development of lunar halos and coronas up to and including Wednesday. In Dublin the mean height of the barometer was 29·599 inches, the range of pressure being from 30·176 inches at 9 a.m. of Sunday (wind, W.S.W.) to 28·918 inches at 9 a.m. of Tuesday (wind, S.W., blowing a fresh gale). The mean temperature was 39·6°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 38·6°. On Tuesday the screened thermometers rose to 54·3°, on Saturday they fell to 27·0°. Westerly winds prevailed. The rainfall was ·790 inch on 5 days, ·370 inch being referred to Sunday. Hail fell on Monday and Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·586 inches. The highest reading (30·117) was on Sunday at 9 a.m., wind W.S.W., the lowest (28·963) on Tuesday at 9 a.m., wind S.S.W.

The mean temperature for the week was 36·7°, being 5·4° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday, on which day the thermometer registered 53°, and was lowest on Saturday, the mercury having fallen to 21°. The mean of the Dry Bulb for the week was 37·1° and of the Wet Bulb, 35·7°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·790 inch.

At Greenwich the mean temperature for the week was 40·4°, the maximum 52·9°, and the minimum 29·3°; at Glasgow the maximum was 53·2°, the minimum 13·5°, and the mean 36·3°; and at Edinburgh the maximum was 50·4°, the minimum 21·0°, and the mean 35·3°. The rainfall at Greenwich measured 1·06 ins.; at Glasgow 1·92 ins.; and at Edinburgh 0·96 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, November 24,	30·090	52	39	45·5	48·0	45·6	·82	·8	1·3	·365	W.S.W.	W.S.W.
Monday, „ 25,	29·705	52	40	46·0	43·0	41·5	·89	·8	2·7	·120	W.	S.W.
Tuesday, „ 26,	29·025	43	34	38·5	44·3	42·4	·86	·6	0·6	·160	S.S.W.	W.
Wednesday, „ 27,	29·450	38	29	33·5	33·0	32·5	·94	·3	1·3	·000	W.	W.N.W.
Thursday, „ 28,	29·595	39	26	32·5	33·7	33·2	·95	·4	0·0	·140	Calm.	W.S.W.
Friday, „ 29,	29·500	37	27	32·0	32·8	30·7	·80	·2	3·6	·000	Calm.	W.N.W.
Saturday, „ 30,	29·740	37	21	29·0	24·6	24·1	·88	·1	5·2	·005	W.N.W.	W.
Mean, ...	29·586	44·0	30·9	36·7	37·1	35·7	·88	·5	Total 14·7	Total ·790	Prevailing Wind, W.	

Sunday—Day cloudy, drizzling rain 1.0 to 3.0 p.m.; night cloudy, drizzling and heavy rain 5.0 to 9.0 a.m. *Monday*—Day overcast to cloudy, drizzling and heavy rain 9.0 to 10.0 a.m.; night cloudy, drizzling at intervals 3.0 to 9.0 a.m. *Tuesday*—A dull day, light rain 9.0 to 11.0 a.m.; night cloudy. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day overcast, drizzling rain 1.0 to 4.0 p.m. and 6.40 to 8.40 p.m.; night cloudy. *Friday*—Day cloudy, fine; night clear. *Saturday*—A fine bright day; night clear to overcast, snow from 8.0 to 9.0 a.m.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 30th November, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, November 24,	45·0	47·5	48·3	52·2	40·2	46	1·5	·342
Monday, „ 25,	45·3	47·2	48·3	52·3	41·1	46·5	2·4	·151
Tuesday, „ 26,	54·2	46·3	48·3	54·6	36·6	46	1·5	·102
Wednesday, „ 27,	33·8	44·9	48·3	39·1	31·0	35	0·7	—
Thursday, „ 28,	35·0	42·6	48·1	40·4	30·0	35	0·0	·120
Friday, „ 29,	33·4	41·9	48·0	39·9	30·0	35	0·1	—
Saturday, „ 30,	28·3	40·4	47·6	40·0	26·0	33	2·3	—
Weekly Mean, .	39·3	44·4	48·1	45·5	33·6	39·5	Total 8·5	Total ·715

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 7TH DECEMBER, 1912. [No. 49.

General Register Office, Charlemont House,
Dublin, 9th December, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 16	Nov. 23	Nov. 30	Dec. 7	Average Rate for 4 weeks.
22 Town Districts, ...	**17·0**	**18·5**	**19·7**	**22·0**	**19·3**
Armagh	7·1	28·4	35·4	28·4	24·8
Ballymena	4·6	18·3	22·9	18·3	16·0
Belfast	16·1	18·4	18·5	23·5	19·1
Clonmel	30·6	25·5	25·5	15·3	24·2
Cork	15·6	12·9	18·4	21·8	17·2
Drogheda	4·2	12·5	16·7	12·5	11·5
Dublin Reg. Area ...	18·7	20·2	18·9	21·7	19·9
Dundalk	19·9	11·9	55·6	43·7	32·8
Galway	23·6	7·9	31·5	35·4	24·6
Kilkenny	14·9	14·9	9·9	·	9·9
Limerick	35·2	42·0	27·1	31·1	33·8
Lisburn	8·4	12·6	8·4	21·0	12·6
Londonderry	10·2	16·6	19·1	17·9	16·0
Lurgan	16·6	12·5	20·8	20·8	17·7
Newry	21·8	17·4	21·8	·	15·3
Newtownards	16·3	10·9	21·8	21·8	17·7
Portadown	8·9	8·9	13·3	13·3	11·1
Queenstown	12·7	12·7	6·4	19·1	12·7
Sligo	9·3	4·7	14·0	9·3	9·3
Tralee	10·1	·	25·3	30·4	16·5
Waterford	19·0	17·1	32·3	13·3	20·4
Wexford	·	13·6	13·6	13·1	11·3

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in thirteen of the districts to 19·9 in Dundalk, the 11 deaths from all causes for that district including 5 from measles. Included in the 177 deaths from all causes for Belfast are 13 from measles, 4 from scarlet fever and 4 from diarrhœal diseases. Eight of the 23 deaths from all causes for Limerick are from measles, and one of the 3 deaths for Clonmel is from whooping-cough. Among the 6 deaths from all causes for Tralee is one from measles, and one of the 4 deaths for Newtownwards is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—99 boys and 100 girls—and the deaths to 176—87 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·7 per 1,000 of the population. During the forty-nine weeks ending with Saturday last the death-rate averaged 20·5, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

The total deaths registered, numbering 176, represent an annual rate of 22·9 per 1,000 ; the annual rate for the past forty-nine weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The total includes one death from each of the following diseases :—Enteric fever ; measles ; scarlet fever ; whooping-cough and influenza ; 2 deaths from diphtheria, and 5 deaths from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were 2, one, and 2 ; deaths from measles 0, 0, and 3 ; deaths from scarlet fever, were 0, one and one ; deaths from whooping-cough were 2, one, and 0 ; deaths from influenza were one, one, and 2 ; deaths from diphtheria were 0, one, and 0, and deaths from diarrhœa and *enteritis* of children were 3, 8, and 2.

Of 25 deaths caused by tuberculosis, 15 were from pulmonary tuberculosis, 5 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from other forms of the disease. In each of the 3 preceding weeks deaths from tuberculosis numbered 24, 31 and 35.

The deaths from pneumonia include 4 deaths from broncho-pneumonia, 3 from lobar pneumonia, and 6 from *pneumonia* (type not distinguished).

There were 8 deaths from cancer.

The deaths of 6 infants under one year of age were assigned to *convulsions* ; 11 to premature birth ; and 3 to congenital debility.

Eighteen deaths were caused by organic diseases of the heart, and there 21 deaths from bronchitis.

Two deaths from burns were registered, one being that of a child aged one year and 7 months.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 5 infants under one year of age and the deaths of 4 persons aged 65 years and upwards.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 14 were under one month old) and 34 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 10 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·7 per 1,000 ; the rate in the City was 24·0 (North City Districts, 23·1 ; South, 25·0) and in the Suburbs, 14·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·7 (in the North City Districts 1·9, and in the South 1·4), and for the Suburbs 0·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·1 per 1,000, and include one from influenza, 4 from bronchitis, and one from diarrhœa of a child.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 27·0 per 1,000. There was one death from diphtheria ; tuberculosis caused 5 deaths, bronchitis 3 deaths, and diarrhœa and *enteritis* of children 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 35·5 per 1,000. Scarlet fever caused one death ; there were 2 deaths from pulmonary tuberculosis, one from lobar pneumonia, one from *pneumonia*, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 22·4 per 1,000. Among the deaths there was one from pulmonary tuberculosis, one from broncho-pneumonia, two from *pneumonia*, one from bronchitis, and one from diarrhœa of a child.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are :—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 3·9 ; and Finglas and Glasnevin, part of, 9·9. One of the 2 deaths for the latter district was from tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 22·1 per 1,000. The total includes one death from enteric fever, 3 deaths from pulmonary tuberculosis, one from lobar pneumonia, and one death from bronchitis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Tuberculosis caused 3 deaths ; there was one death from broncho-pneumonia, 2 deaths from bronchitis, and one death by burning.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 23·1 per 1,000. There were 3 deaths from tuberculosis, one from lobar pneumonia, one from *pneumonia*, and 3 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (21) are equivalent to an annual rate of 33·0 per 1,000. Measles and diphtheria each caused one death ; there were 2 deaths from tuberculosis, one death from broncho-pneumonia, one death from bronchitis, and one death from diarrhœa of a child.

New Kilmainham District.—There was not any death recorded for this district.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are :—Rathmines and Rathgar, 19·0 ; Pembroke, 15·8 ; Blackrock, 5·7 ; and Kingstown, 6·2. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Pembroke. Of the 14 deaths from all causes for Rathmines and Rathgar one was from pulmonary tuberculosis, one from broncho-pneumonia, 2 were from *pneumonia*, 2 from bronchitis, and there was one death by burns. One death from bronchitis was included among the 9 deaths from all causes for Pembroke. Of the 2 deaths for Kingstown one is from tuberculous disease.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV., should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 7th December, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 16,	.	—	—	10	.	.	7	.	.	9	2	.	—	—	.	—	13	.	41
	Nov. 23,	.	—	—	6	1	.	3	.	1	5	1	.	—	—	.	—	12	.	29
	Nov. 30,	.	—	—	7	.	.	7	.	.	3	8	.	—	—	.	—	11	.	36
	Dec. 7,	.	—	—	17	.	.	4	.	.	3	3	.	—	—	.	—	3	.	30
Rathmines and Rathgar Urban District.	Nov. 16,	.	—	—	1	.	.	2	.	.	1	1	.	—	—	—	—	—	—	5
	Nov. 23,	.	—	—	6	.	.	3	.	.	.	1	.	—	—	—	—	—	—	10
	Nov. 30,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Dec 7,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
Pembroke Urban District.	Nov. 16,	.	.	.	.	.	.	.	.	.	2	1	.	—	.	—	—	.	—	3
	Nov. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	.	—	1
	Nov. 30,	.	.	.	.	.	.	.	.	.	.	1	.	—	3	—	—	.	—	4
	Dec. 7,	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	1	—	10
Blackrock Urban District.	Nov. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 23,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Nov. 30,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 7,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
Kingstown Urban District.	Nov. 16,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	—	3
	Nov. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 30,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	1	—	4
	Dec. 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	1	—	4
City of Belfast.	Nov. 16,	.	—	—	23	.	.	4	.	.	1	2	.	—	—	—	—	7	—	42
	Nov. 23,	.	—	—	28	.	.	4	.	.	1	4	.	—	—	—	—	8	—	45
	Nov. 30,	.	—	—	21	.	.	12	.	.	3	3	.	—	—	—	—	6	—	45
	Dec. 7,	.	—	—	30	.	.	7	.	.	.	2	.	—	—	—	—	1	—	40

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th December, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Four cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 42 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 57, 52, and 49.

Two cases of measles were discharged from hospital, and 2 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 6, 5, and 4, respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 123* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 122, and 119 respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 11 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 79, 68, and 61, respectively, were 60 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 6 were discharged, there was one death, and 21 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 17·2), was equal to an average annual death-rate of 16·5 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 22·0 per 1,000, the rate for Glasgow being 27·2, and for Edinburgh 19·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th December. From this Report it appears that of a total of 56 cases notified, 23 were scarlet fever, 20 phthisis, 8 diphtheria, and 5 erysipelas. Among the 347 cases of infectious diseases in hospital at the close of the week were 155 cases of scarlet fever, 92 of phthisis, 47 of diphtheria, 13 of whooping-cough, 13 of erysipelas, 12 of chicken-pox, 8 of measles, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 7th December, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 7th December, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 7th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 23rd November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·9	22·0	2·3	551	486	99	96	1	...	...	28	6	2	2	...	46	17	21	41	67	8	3	6	13	141	25	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	25·9	21·7	1·4	199	167	40	32	1	...	...	1	1	1	2	...	13	10	6	13	23	5	...	2	2	59	9	e55	25	44·7	0·10	e53	21	36·7	0·79	e56	39	47·8	0·23
CITY OF DUBLIN,	306,573	38·8	30·6	24·0	1·7	180	141	38	24	1	...	...	1	1	...	2	...	12	9	5	10	20	5	...	1	2	53	8	f56·1 g55·7	28·7 26·4	46·5 45·1	0·10 0·11	f54·3 g53·8	27·0 23·4	39·6 37·7	0·79 0·77	f56·2 g55·8	41·1 39·4	48·8 48·2	0·16 0·23
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	9·5	19·0	.	7	14	1	5	...	...	...	...	...	...	...	...	1	...	1	3	2	...	...	1	...	3	1	...	...	...	...	...	...	...	...	..	...	...	...
PEMBROKE, ...	29,731	18·9	7·0	15·8	1·8	4	9	1	3	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	11·4	5·7	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	18·5	6·2	.	6	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	55	29	46·9	0·25	58	28	42·4	0·55	57	42	49·1	0·11
Urban Districts. BELFAST ...	391,974	26·2	28·9	23·5	2·8	217	177	32	28	...	...	...	15	4	...	...	...	16	5	10	22	30	3	1	3	8	49	2	55·5	20·5	40·6	0·64	55	27	49·1	0·75	55	36	47·0	0·18
CORK, ...	76,673	28·6	23·8	21·8	.	35	32	8	6	...	...	...	...	...	...	...	...	4	1	1	1	3	...	...	...	...	15	2	52	31	47·0	0·95	53	33	42·7	0·97	58	43	48·7	0·39
LONDONDERRY...	40,891	15·9	24·2	17·9	.	19	14	2	2	...	...	...	...	...	...	...	...	3	...	...	1	2	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	16·2	31·1	10·8	12	23	6	3	...	...	...	8	...	...	...	...	2	...	...	...	6	...	...	...	2	6	...	57·4	22·8	45·2	0·66	53·4	20·5	37·5	1·21	58·0	36·2	48·9	0·28
WATERFORD, ...	27,464	19·1	19·0	13·3	.	10	7	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	..	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	23·6	35·4	.	6	9	1	6	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	3	3	56	25	44	1·11	55	25	40	0·94	53	38	48·7	1·14
DUNDALK, ...	13,128	9·5	19·9	43·7	19·9	5	11	1	1	...	...	...	5	...	...	...	...	3	1	...	...	...	...	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8·4	8·3	12·5	.	2	3	...	...	...	...	...	..	...	...	...	..	1	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	8·7	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	.	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23
LURGAN, ...	12,553	14·7	12·5	20·8	.	3	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23
LISBURN, ...	12,388	10·9	8·4	21·0	4·2	2	5	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	1	...	...	...	...	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23
WEXFORD, ...	11,531	22·8	9·0	18·1	.	2	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	13·7	18·3	.	3	4	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	37·4	9·3	4·7	8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	55	25	44·0	1·15	57	18	38·0	1·52	56	37	43·0	0·54
KILKENNY, ...	10,514	11·4	9·9	.	.	2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	..	55	23	45·7	0·99	53	25	37·1	0·71	56	38	48·2	0·21
CLONMEL, ...	10,209	7·8	15·3	15·3	5·1	3	3	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	35·6	13·3	.	8	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	51·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23
TRALEE, ...	10,300	17·4	15·2	30·4	5·1	3	6	3	1	...	...	...	1	...	...	...	...	..	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	27·2	21·8	5·4	5	4	...	2	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	2	...	53	27	43·4	0·76	52	30	39·5	0·63	55	34	46·6	0·07
QUEENSTOWN, ...	8,209	14·7	31·8	19·1	.	5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	31	47·0	0·95	53	33	42·7	0·97	58	43	48·7	0·39
ARMAGH, ...	7,356	21·8	.	28·4	.	.	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74	54·5	37·8	46·7	0·23

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 9 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of December, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diphtheria,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Pulmonary Tuberculosis,	.	3	2	1	.	.	.	3	2	.	1	.	1	.	.	.	13	2
Tuberculous Disease. Other Forms,	1	2	.	.	.	.	1	.	1	3	1	.	.	.	.	1	10	.
Cancer,	.	1	1	.	.	.	.	1	1	.	1	.	1	.	.	.	6	2
Diseases of Nervous System,	1	2	1	1	.	.	.	2	1	6	2	.	2	2	.	1	21	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	1	3	2	1	1	.	2	2	.	2	.	3	1	1	.	21	1
" Respiratory System. Pneumonia,	.	.	2	3	.	.	.	1	1	2	1	.	3	.	.	.	13	.
" Respiratory System. Others,	4	4	3	1	.	.	.	1	2	3	2	.	2	1	.	.	23	1
" Digestive System. Diarrhœa and *Enteritis*, under 2 years,	1	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	5	.
" Digestive System. Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. Others,	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	2	.
" Genito-urinary System,	1	.	4	1	.	.	.	1	.	2	.	.	.	2	.	.	11	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	5	2	4	1	.	1	2	1	1	5	.	.	2	.	.	25	1
Violent Deaths,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	2	1	.	1	.	.	.	5	.
Deaths from All Causes	12	21	19	15	2	1	2	17	12	19	21	.	14	9	1	2	167	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·1	27·0	35·5	22·4	19·3	3·9	9·9	22·1	34·1	23·1	33·0	.	19·0	15·8	5·7	6·2	21·7	.
	23·1							25·0					14·4					
	24·0																	
Ages at Death. Under 1 year,	5	6	3	4	1	.	1	2	2	7	7	.	1	1	.	.	40	1
1 and under 2 years,	.	1	1	1	.	.	.	.	1	.	2	.	.	.	.	.	6	.
2 " 5 "	1	.	1	1	.	.	.	.	.	1	3	.	2	1	.	.	10	.
5 " 15 "	1	.	2	1	.	.	.	1	.	1	1	.	.	.	.	1	8	.
15 " 25 "	.	4	.	1	.	.	.	2	.	.	1	.	2	2	.	.	12	.
25 " 45 "	.	3	4	3	.	.	1	3	3	.	2	.	.	1	.	.	20	3
45 " 65 "	3	1	6	3	.	.	.	6	3	7	3	.	4	1	1	1	39	3
65 and upwards,	2	6	2	1	1	1	.	3	3	3	2	.	5	3	.	.	32	2
Number of Uncertified Deaths,	1	2	.	.	.	.	.	.	.	3	2	.	1	.	.	.	9	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	5	2	1	.	1	3	.	7	5	.	2	2	.	.	34	9
Workhouse Hospitals,	.	3	2	5	.	.	.	7	1	2	3	.	1	1	.	.	25	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 7th December, 1912.										
													Deaths of Persons of the Ages of									
												Mean Temp.	0—5.									
	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.			Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 38·5	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 43·4	° 39·1	° 41·6	° 44·7										
ALL CAUSES.	196	186	192	168	169	207	185	177	188	157	182·5	176	14	27	6	10	8	12	23	42	20	1
Enteric Fever, ...	2	1	2	2	.	2	3	1	1	1	1·5	1	.	.	.	.	1	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	9	1	10	.	2	.	5	1	2	1	3·1	1	.	.	1	.	.	.	.	.	.	.
Scarlet Fever, ...	2	.	1	1	.	1	.	1	1	1	·8	1	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	7	.	2	5	3	2	2	11	3	3·5	1	.	.	.	1	.	.	.	.	.	.
Diphtheria, ...	2	.	1	1	.	2	.	.	.	1	·7	2	.	.	.	.	1	1	.	.	.	.
Croup, ...	1	.	1	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	5	1	2	4	.	2	1	2	2	2·0	1	.	.	.	.	.	.	.	1	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	1	.	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	2	1	.	.	.	1	.	1	.	1	·6	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	26	22	27	24	22	18	22	17	25	24	22·7	15	.	.	.	.	1	3	9	1	.	1
Tuberculous Meningitis, ...	3	4	2	1	3	4	3	3	1	3	2·7	5	1	1	.	.	1	1	1	.	.	.
Abdominal Tuberculosis, ...	1	.	2	.	1	.	1	1	3	1	1·0	2	.	1	.	.	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	3	5	8	3	9	2	5	4	7	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		1	.	.	.	.	.	.	1	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		2	.	1	.	.	.	1	.	.	.	.
Venereal Diseases, ...	.	1	1	2	2	2	.	.	1	2	1·1	2	1	.	.	.	.	.	1	.	.	.
Cancer, ...	9	8	8	6	7	11	6	10	12	12	8·9	8	.	.	.	.	.	.	.	7	1	.
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	2	.	2	.	1	2	.	.	.	·8	2	.	.	.	.	.	1	.	1	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	1	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										6		7	.	.	.	.	.	.	.	3	3	1
Softening of Brain, ...										.		1	.	.	.	.	.	.	.	.	1	.
Paralysis, without specified cause.										1		1	.	.	.	.	.	.	.	.	.	1
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		7	.	6	.	1	.	.	.	.	.	.
Other Diseases of Nervous System.	41	42	40	50	42	51	35	39	40	2	40·4	5	.	1	.	.	.	.	1	3	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		3	.	.	.	1	.	.	.	2	.	.
Organic Diseases of the Heart,										11		18	.	.	.	.	.	1	3	8	6	.
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	.	.	1	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	38	32	18	22	21	43	39	22	27	20	28·2	21	.	4	.	3	.	.	.	6	3	5
Broncho-pneumonia, ...	8	8	6	5	7	11	11	12	7	8	8·3	4	.	3	1	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	1	1	1	1	1	6	.	1	1·3	3	.	.	1	.	.	.	.	2	.	.
Pneumonia (type not distinguished)	4	10	8	4	5	8	6	10	8	4	6·7	6	.	1	.	.	1	1	1	2	.	.
Pleurisy, ...										1		1	.	.	.	.	.	.	1	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	2	2	4	.	.	2	.	1	.	1	1·3	1	.	.	.	.	.	.	.	.	.	1
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	.	.	1	.

FORTY-NINTH WEEK ending Saturday, 7th December, 1912, with, as far as practicable, the deaths from each cause 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 49th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 7th December, 1912.										
													Deaths of Persons of the Ages of									
	Dec. 6, 1902.	Dec. 12, 1903.	Dec. 10, 1904.	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.		Mean Temp.	0—5. Under 1 month.	0—5. 1 month and under a year.	0—5. 1—2.	0—5. 2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 38·5	° 40·9	° 40·4	° 46·6	° 44·3	° 41·5	° 41·8	° 39·1	° 43·4	° 39·1	° 41·6	° 44·7										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	1	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	3	4	2	5	2	5	8	5	2	5	4·1	5	.	3	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	.	2	1	3	.	.	.	.	2	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	3	2	1	.	.	2	2	1	1	.	1·2	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	2	.	.	.	2	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	8	9	3	3	6	5	.	1	4·2	1	.	.	.	1	.	.	.	.	.	.
Acute Nephritis, ...	8	6	9	7	4	4	6	4	6	1	6·0	2	.	.	.	.	1	1	.	.	.	.
Chronic Bright's Disease, ...										2		9	.	.	.	.	.	.	3	5	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										3		1	.	.	.	.	.	.	.	.	.	1
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	1	.	1	1	·5	1	.	.	.	.	.	1	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	2	.	.	.	.	1	.	.	·3	1	.	.	.	.	.	.	1	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	1	9	2	8	7	6	4	6	4	4·9	11	9	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	4	—	3	.	3	.	.	.	.	.	.	.	.
Old Age, ...	3	4	3	1	2	1	3	8	4	5	3·4	3	.	.	.	.	.	.	.	.	2	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	.	—	3	3	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	3	1	1	.	2	1	3	2	.	1·4	2	.	.	1	.	.	.	.	1	.	.
Drowning, ...	.	1	.	.	1	.	1	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	1	.	5	1	1	1	2	1·5	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	2	7	2	2	1	8	3	4	4	3	3·6	2	.	.	1	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	2	.	1	1	.	·4	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	7	—	5	.	.	.	1	.	.	.	.	1	3

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered.	184	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199
Average Births in corresponding week of previous 10 years, ...	210	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182
DEATHS registered, ...	190	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176
Annual Death-rate per 1,000, ...	24·4	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9
Average Deaths in corresponding week of previous 10 years, ...	150	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183
Ages, Under 5 years, ...	57	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57
5—15 " ...	9	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8
15—25 " ...	12	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12
25—45 " ...	34	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23
45—65 " ...	46	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42
65—75 " ...	19	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20
75 and upwards, ...	13	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14
Deaths from :—																										
Enteric Fever, ...	2	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	17	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1
Scarlet Fever, ...	.	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1
Whooping-cough, ...	1	1	.	1	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1
Diphtheria, ...	3	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2
Influenza, ...	.	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.
Tuberculous Disease, Phthisis, ...	19	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15
Tuberculous Disease, Other Forms,	8	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10
Cancer, ...	14	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8
Diseases of Circulatory System,	22	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22
Diseases of Respiratory System, Pneumonia,	20	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13
Diseases of Respiratory System, Others, ...	17	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24
Diarrhœa and *Enteritis*, under 2 years, ...	3	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5
Diarrhœa, 2 years and upwards,	.	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.
Violent Deaths, ...	4	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2
Number of Uncertified Deaths,	6	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9
Mean Temperature of the Air (Phœnix Park)	52·9	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7
Average Mean Temperature in corresponding week of previous 10 years, ...	53·8	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6
Rainfall in inches, ...	·995	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100
Mean Humidity of the Air, complete Saturation 1·0, ...	·81	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 7th December, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	Occupation or Social Position (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Registration of Deaths, Week ending Saturday, 7th December, 1912. Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	Ages. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Causes of Death. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	176	57	8	12	23	42	20	14	1	.	.	1	1	1	2	.	15	10	8	7	13	24	5	.	2	86	9
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	18·5	31	6	2	4	3	10	5	1	.	.	.	.	.	.	2	.	2	1	1	.	3	3	.	.	1	18	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	17·5	37	17	2	.	4	8	3	3	1	.	.	.	1	1	.	.	1	2	2	2	2	7	2	.	.	16	2
IV.	GENERAL SERVICE CLASS, ...	154,279	27·0	80	30	4	6	12	14	8	6	.	.	.	1	.	.	.	.	9	7	4	5	6	7	2	.	1	38	7
V.	INMATES OF WORKHOUSES, ...	6,024	—	25	4	.	2	4	8	3	4	.	.	.	.	.	.	.	.	3	.	1	.	1	7	1	.	.	12	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	6·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	14·2	6	1	.	.	.	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	6. Clerks and Commercial Assistants, ...	30,432	22·3	13	4	.	2	3	3	.	1	.	.	.	.	.	.	1	.	1	.	.	.	1	2	.	.	.	8	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	2	2	.	2	2	.	.	.	.	.	.	.	1	.	1	1	1	.	2	1	.	.	.	2	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	7·0	4	1	1	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	17·9	8	1	.	.	3	3	1	.	.	.	.	.	1	.	.	.	1	.	1	.	.	2	.	.	.	3	.
	11. Food Supply Trades	9,242	16·9	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	29·2	17	10	1	.	1	3	1	1	.	.	.	.	.	1	.	.	.	1	1	1	.	2	2	.	.	9	1
	13. Petty Shopkeepers	7,894	13·2	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	3·9	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	14·2	10	1	.	.	1	3	2	3	.	.	.	.	.	.	.	.	1	1	1	1	.	2	.	.	.	4	1
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	21·7	6	2	.	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	3	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	36·6	63	27	4	6	9	9	6	2	.	.	.	1	.	.	.	.	7	6	2	3	6	5	2	.	1	30	6
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	25	4	.	2	4	8	3	4	.	.	.	.	.	.	.	.	3	.	1	.	1	7	1	.	.	12	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number
Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Oct. 19,	26·3	.	15	.	.	.	.	.	.	.	.	3	.	.	2	1	.	.	.	1
	„ 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
	„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
	„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Oct. 19,	18·0	1·3	14	.	.	.	1	.	.	.	.	4	.	1	1	1	.	.	.	1
	„ 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	.	1	2	.	1	.
	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
	„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
	„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
	„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
	Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Oct. 12,	39·3	5·6	21	.	.	.	.	.	.	1	.	1	1	.	3	2	2	.	.	.
	„ 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
	„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	Dec. 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Oct. 19,	19·4	1·5	13	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	2	1
	„ 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
	„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
	Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Oct. 19,	27·3	1·3	21	.	.	.	.	.	.	.	.	3	2	2	1	2	1	.	.	1
	„ 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
	„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
	„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
	„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
	Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Oct. 19,	14·2	.	5	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	„ 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
	„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
	„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
	Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Oct. 19,	28·0	3·7	23	1	.	.	1	.	.	1	.	5	3	3	1	2	.	.	1	.
	„ 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
	„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
	„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
	„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
	Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Oct. 19,	18·9	3·1	12	.	.	.	.	.	1	.	.	4	.	.	3	1	1	.	.	.
	„ 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
	„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
	„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
	„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
	„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
	Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Oct. 19,	14·9	.	11	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	1	.
	„ 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Oct. 19,	8·8	3·5	5	1	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	„ 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·8	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 19,	18·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	„ 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Oct. 19,	14·2	1·6	107	.	.	.	8	1	.	.	.	12	3	9	9	16	3	.	2	2
	„ 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
Cork. Pop. in 1911 76,673.	Oct. 19,	16·3	.	24	.	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.
	„ 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
Londonderry. Pop. in 1912 (Est.) 40,891.	Oct. 19,	6·4	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	„ 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
Limerick. Pop. in 1911 38,518.	Oct. 19,	35·2	14·9	26	.	.	.	10	.	1	.	.	1	.	1	3	1	.	.	.	.
	„ 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10 8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
Waterford. Pop. in 1911 27,464.	Oct. 19,	17·1	3·8	9	.	.	.	.	.	.	.	.	.	.	.	1	3	2	.	.	2
	„ 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th December, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	11	55·8	9·9	17	7	4	.	1	4	1	.	.	.	2	.	.	.	.	1	.	.	2	5	1	.	1	1	5	.
Do. 2 do.	49,500	30	25·3	5·3	24	7	4	.	7	4	2	.	.	.	4	.	.	.	.	1	.	1	4	7	1	.	.	1	2	.
Do. 3 do.	50,032	27	27·1	2·1	26	1	2	5	8	8	2	.	.	.	.	1	.	.	.	5	2	1	2	3	.	1	1	2	8	2
Do 4 do.	32,637	26	22·4	.	14	2	2	1	3	5	1	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	1	1	8	.
Do. 5 do.	16,112	18	19·4	.	6	.	1	1	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	1	2	.
Do. 6 do.	37,293	15	12·6	.	9	2	.	.	1	3	3	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	1	2	.
Do. 7 do.	2,681	.	.	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 8 do.	5,964	.	17·5	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.
Do. 9 do.	24,427	8	14·9	.	7	1	1	.	.	2	3	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.
Do. 10 do.	28,958	22	16·2	1·8	9	1	1	2	1	1	3	.	.	.	1	.	.	.	.	.	.	1	2	1	.	.	.	1	2	.
Do. 11 do.	39,311	16	19·9	1·3	15	1	2	1	.	9	2	.	.	.	1	.	.	.	.	.	.	2	.	3	.	.	.	.	2	.
Do. 12 do.	38,076	23	26·0	9·6	19	4	8	1	.	4	2	.	.	.	5	1	.	.	.	1	.	1	2	5	1	.	.	.	8	.
Do. 13 do.	23,233	6	20·2	.	9	.	2	.	3	2	2	.	.	.	.	.	.	.	.	4	.	.	2	1	.	.	.	.	2	.
Do. 14 do.	175	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	14	41·4	4·6	18	5	2	1	2	5	3	.	.	.	.	2	.	.	.	3	1	.	2	1	.	.	.	.	6	.
Total,	386,947	217	23·5	2·8	177	32	29	12	26	50	28	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	8	49	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	27·1	.	7	3	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Do 2 do.	10,701	6	15·0	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	6	16·0	.	3	.	.	.	2	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	2	.
Do 4 do.	8,666	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 5 do.	6 592	.	16·7	.	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do 6 do.	10,702	3	18·0	.	4	1	.	.	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	2	.
Do. 7 do.	16,616	11	42·2	.	13	1	.	3	4	4	1	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	7	.
Total,	76,122	35	21·8	.	32	8	.	4	8	6	6	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	.	15	2

* See note (†) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.
No. of weeks in Annual Series,	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
BIRTHS registered, ...	201	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217
DEATHS registered, ...	108	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177
Annual Death rate per 1,000 of estimated population, ...	14·4	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5
AGES, Under 1 year, ...	16	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32
AGES, 1—5 years, ...	11	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29
AGES, 5—25 ,, ...	18	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12
AGES, 25—45 ,, ...	18	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26
AGES, 45—65 ,, ...	22	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50
AGES, 65 and upwards, ...	23	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28
Deaths from :—																										
Enteric Fever, ...	2	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13
Scarlet Fever, ...	.	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4
Whooping-cough, ...	1	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.
Diphtheria, ...	.	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	18	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16
Tuberculous Disease. Other Forms,	11	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5
Cancer, ...	9	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10
Diseases of Respiratory System, Pneumonia,	8	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22
Diseases of Respiratory System, Others, ...	13	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30
Diarrhœa and *Enteritis*, under 2 years, ...	1	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3
Diarrhœa, 2 years and upwards,	.	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.	.	1	1	1
Violent Deaths, ...	2	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3
Number of Uncertified Deaths, ...	1	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Dec. 7,	2,202	1,494	17·2	4	.	89	.	12	9	21*a*
Edinburgh, ...	321,200	„ 7,	133	118	19·2	.	.	1	.	1	.	.
Glasgow, ...	785,600	„ 7,	402	409	27·2	1	.	2	2	11	6	2
Calcutta, ...	896,067	Oct. 26,	.	430	24·9	93*	.	.	.	.	1†	64‡
Bombay, ...	979,445	Nov. 2,	464	562	29·8	78*	.	.	.	.	.	76‡
Madras, ...	518,660	„ 9,	462	363	36·4	61*	.	1	?	?	?	87
Cairo, ...	704,956	Sept. 9,	736	494	36·5	4	.	5	.	1	19	135*a*
Paris, ...	2,847,229	Nov. 23,	875	870	15·6	6	.	2	2	.	5†	10*a*
Brussels, ...	745,380	„ 16,	207	199	13·9	3	.	1	.	.	3†	8*a*
Antwerp, ...	308,618	„ 23,	121	50	8·4	.	.	.	.	1	.	4*a*
Amsterdam, ...	586,111	„ 16,	300	123	10·9	2	.	3	2	1	3†	1*a*
Copenhagen, ...	468,000	„ 16,	229	120	13·4	1	.	.	1	1	1	2*a*
Stockholm, ...	346,599	„ 16,	141	96	14·4	1	.	.	.	1	.	5*a*
Christiania, ...	247,488	„ 23,	102	56	11·8	.	.	3	1	.	.	.
St. Petersburg, ...	1,664,000	„ 2,	767	626	19·6	18	1	14	6	6	12†	42
Moscow, ...	1,617,157	„ 2,	.	603	19·4	2	.	11	16	5	8†	55
Berlin, ...	2,081,770	„ 2,	709	542	13·6	.	.	1	10	1	17†	21
Hamburg, ...	953,079	„ 16,	.	251	13·7	1	.	4	2	7	9†	13
Breslau, ...	534,235	„ 16,	.	161	15·7	.	.	.	.	2	.	6
Munich, ...	615,000	„ 23,	.	172	14·6	.	.	2	.	.	2†	5
Vienna (with suburbs),	2,098,225	„ 16,	740	600	14·9	1	.	10	6	.	11†	18*a*
Buda-Pesth, ...	910,548	„ 16,	399	339	19·4	1	.	4	11	1	4†	13*a*
Prague and Faubourgs,	484,301	„ 2,	130	130	14·0	1	.	.	.	1	3†	4*a*
		„ 9,	154	186	20·0	1	.	2	.	.	5†	11*a*
Trieste, ...	239,549	„ 16,	131	84	18·3	.	.	1	.	.	.	1
Rome, ...	569,809	Aug. 17,	287	154	14·1	.	.	.	.	.	1	24
		„ 24,	284	151	13·8	5	.	1	.	1	2	18
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Nov. 16,	.	.	.	.	.	.	.	.	.	.
Philadelphia, ...	1,606,105	Sept. 14,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Nov. 23,	.	212	15·4	1	.	2	.	2	2	7

* Deaths from "fever," including 3 from enteric fever, and 2 from plague in Calcutta, 4 from enteric fever, and one from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 25 deaths from cholera in Calcutta and one in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th December, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 1, West, ...	.	2	.	.	.	.	.	2	1	.	.	2	7
" " 2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 3, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	5	.	.	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	1	2
South City No. 1, ...	.	.	.	.	1	.	.	.	1	.	.	.	2
" " 2, ...	.	3	.	.	.	.	.	.	1	.	.	.	4
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
" " 4, ...	.	2	.	.	2	.	.	.	.	.	.	.	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	17	.	.	4	.	.	3	3	.	.	3	30

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th December, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th December.			
	Nov. 16.	Nov. 23.	Nov. 30.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	57	52	49	4	10	1	42
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	5	4	.	2	.	2
Scarlet Fever, ...	122	122	119	22	17	1	123*
Diphtheria, ...	79	68	61	11	13	1	58
Pneumonia, ...	16	28	22	6	6	1	21

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 7th December, 1912:—

"The severe 'cold-snap' of the closing days of November drew to a close in Ireland on Sunday, when the warm S.W. wind of a depression centred on the Atlantic off the coasts of Kerry and Clare caused a brisk increase of temperature throughout this country and a little later in Wales and over a great part of England also. In Dublin snow began to fall between 8 and 9 a.m., but this was quickly followed by sleet, rain and a little hail, the thermometer rising to 44° about midday. Far otherwise was it in Scotland, over the greater part of which country a thick snow-covering caused a very intense frost—in the course of Sunday night the thermometer sank in the screen to 20° at Wick, 9° at Aberdeen, and 8° at Nairn. On Sunday the highest temperature at the last-named station was 26°, and during Monday the highest was 27°, followed by a minimum of 7° at night. But the warm current spread finally all over Great Britain, and 53° was registered at Leith and Bath at 7 a.m. of Wednesday, being an advance of 24° in each case over Tuesday morning's readings. Wednesday was very warm in Dublin, the range of the screened thermometer being from 51·4° to 56·1°—a mean of 53·8°, or some 12° above the average for the time of year. The arrangement of the isobars over the Atlantic and the western seaboard of Europe during this mild spell was open—in longitudinal lines rather than in closed cyclonic curves—so that the warmth was carried northeastwards from very low latitudes—even south of the Azores and Canary Islands. The rainfall also was not heavy, save on the Mayo coasts—at Blacksod Point up to Saturday morning the measurement was no less than 2·96 inches, rain falling daily and to the large amount of 1·25 inches on Wednesday. In Dublin the mean height of the barometer was 29·809 inches, pressure ranging between 30·186 inches at 9 p.m. of Monday (wind, calm) and 29·420 inches at 6 a.m. of Friday (wind, S.W.). The corrected mean temperature was 46·5°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 46·4°. On Sunday the screened thermometers fell to 28·7°, on Wednesday they rose to 56·1°. Southerly winds prevailed on and after Tuesday. Rain fell on 4 days, but only to the amount of ·098 inch, of which ·047 inch was measured on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·786 inches. The highest reading (30·128) was on Monday at 9 p.m., air calm, the lowest (29·496) on Friday at 9 a.m., wind S.W.

The mean temperature for the week was 44·7°, being 3·1° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Tuesday and Wednesday, on which days the thermometer registered 55°, and was lowest on Sunday, the mercury having fallen to 25°. The mean of the Dry Bulb for the week was 45·5° and of the Wet Bulb, 43·4°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·100 inch.

At Greenwich the mean temperature for the week was 42·4°, the maximum 52·1°, and the minimum 26·2°; at Glasgow the maximum was 54·0°, the minimum 17·0°, and the mean 38·5°; and at Edinburgh the maximum was 52·5°, the minimum 23·4°, and the mean 38·3°. The rainfall at Greenwich measured 0·31 in.; at Glasgow 0·41 in.; and at Edinburgh 0·06 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 1,	29·590	44	25	34·5	35·9	34·5	·88	·6	0·0	·080	Calm.	W.S.W.
Monday, „ 2,	29·905	45	33	39·0	36·3	35·2	·87	·1	2·3	·000	W.S.W.	Calm.
Tuesday, „ 3,	30·110	55	30	42·5	52·3	50·0	·84	·6	0·0	·000	S.S.W.	S.W.
Wednesday, „ 4,	29·945	55	51	53·0	52·4	49·7	·82	·6	0·2	·000	S.W.	S.S.W.
Thursday, „ 5,	29·670	52	47	49·5	47·9	45·4	·83	·6	0·0	·010	S.S.E.	S.
Friday, „ 6,	29·605	50	42	46·0	44·6	42·1	·82	·6	4·6	·000	S.W.	S.S.W.
Saturday, „ 7,	29·675	54	43	48·5	49·0	47·1	·87	·5	0·0	·010	S.S.E.	S.S.W.
Mean, ...	29·786	50·7	38·7	44·7	45·5	43·4	·85	·5	Total 7·1	Total ·100	Prevailing Wind, S.S.W.	

Sunday—Day overcast, snow 9.0 to 10.5 a.m., drizzling rain 10.5 to 10.50 a.m., showers at intervals 12.45 to 4.15 p.m.; night clear. *Monday*—Day cloudy, fine; night overcast. *Tuesday*—Day overcast; night clear to overcast. *Wednesday*—A dull day; night cloudy. *Thursday*—Day overcast; night overcast, drizzling rain at intervals a.m. *Friday*—A fine bright day; night clear. *Saturday*—Day overcast, drizzling rain 9.0 to 11.0 a.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 7th December, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 1,	34·7	39·0	47·0	45	28	36·5	0·4	·040
Monday, „ 2,	41·8	39·3	46·7	46	37	41·5	0·5	—
Tuesday, „ 3,	52·0	39·7	46·1	56	32	44·0	0·3	—
Wednesday, „ 4,	55·0	42·5	45·9	57	51	54·0	—	—
Thursday, „ 5,	48·7	42·2	45·8	53	47	50·0	—	·030
Friday, „ 6,	47·0	44·8	45·8	53	44	48.5	3·2	—
Saturday, „ 7,	52·3	44·6	45·9	56	44	50·0	0·6	—
Weekly Mean, .	47·4	41·7	46·2	52·3	40·4	46·4	Total 5·0	Total ·070

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 14TH DECEMBER, 1912. [No. 50.

General Register Office, Charlemont House,
Dublin, 16*th December,* 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 23	Nov. 30	Dec. 7	Dec. 14	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 23	Nov. 30	Dec. 7	Dec. 14	Average Rate for 4 weeks.
22 Town Districts, ...	**18·5**	**19·7**	**22·0**	**18·4**	**19·6**	Limerick	42·0	27·1	31·1	20·3	30·1
						Lisburn	12·6	8·4	21·0	4·2	11·6
Armagh	28·4	35·4	28·4	14·2	26·6	Londonderry	16·6	19·1	17·9	20·4	18·5
Ballymena	18·3	22·9	18·3	18·3	19·5	Lurgan	12·5	20·8	20·8	12·5	16·7
Belfast	18·4	18·5	23·5	20·0	20·1	Newry	17·4	21·8	·	13·1	13·1
Clonmel	25·5	25·5	15·3	5·1	17·9	Newtownards	10·9	21·8	21·8	32·6	21·8
Cork	12·9	18·4	21·8	17·0	17·5	Portadown	8·9	13·3	13·3	4·4	10·0
Drogheda	12·5	16·7	12·5	20·9	15·7	Queenstown	12·7	6·4	19·1	12·7	12·7
Dublin Reg. Area ...	20·2	18·9	21·7	17·2	19·5	Sligo	4·7	14·0	9·3	18·7	11·7
Dundalk	11·9	55·6	43·7	35·7	36·7	Tralee	·	25·3	30·4	5·1	15·2
Galway	7·9	31·5	35·4	11·8	21·6	Waterford	17·1	32·3	13·3	20·9	20·9
Kilkenny	14·9	9·9	·	29·8	13·7	Wexford	13·6	13·6	18·1	36·2	20·4

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·2 per 1,000, the rates varying from 0·0 in nine of the districts to 6·8 in Limerick, 5 of the 15 deaths from all causes for that district being from measles. Included in the 150 deaths from all causes for Belfast are 20 from measles, one from scarlet fever, 3 from diphtheria and 2 from diarrhœa and *enteritis* of children under 2 years of age. Four of the 25 deaths from all causes for Cork are from enteric fever. Among the 11 deaths from all causes for Waterford are 2 from diarrhœa and *enteritis* of children under 2 years of age. One of the 3 deaths from all causes for Galway is from whooping-cough. One of the 9 deaths from all causes for Dundalk is from measles. Among the 5 deaths from all causes for Drogheda is one from whooping-cough. Included in the 3 deaths for Lurgan is one from scarlet fever, and one of the 6 deaths from all causes for Kilkenny is also from this disease. The only death for Clonmel is from whooping-cough, and one of the 6 deaths from all causes for Newtownards is from scarlet fever.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—98 boys and 86 girls—and the deaths to 142—65 males and 77 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhœal diseases

DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·2 per 1,000 of the population. During the fifty weeks ending with Saturday last the death-rate averaged 20·5, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 142, represent an annual rate of 18·5 per 1,000 ; the annual rate for the past fifty weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The deaths include one from scarlet fever, one from whooping-cough, 2 from influenza and 2 from diarrhœa and *enteritis* of infants under 2 years of age. In each of the 3 preceding weeks, deaths from scarlet fever were one, one, and one; deaths from whooping-cough were one, 0, and one ; deaths from influenza were one, 2, and one, and deaths from diarrhœa and *enteritis* of infants under 2 years were 8, 2, and 5.

The deaths from tuberculosis, in number 27, include 19 from pulmonary tuberculosis, 3 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from disseminated tuberculosis. In the 3 preceding weeks deaths from all forms of tuberculosis were 31, 35, and 25.

Pneumonia caused 17 deaths ; of this number, 7 were attributed to broncho-pneumonia, 3 to lobar pneumonia, and 7 to *pneumonia* (type not distinguished).

Nine deaths were caused by cancer.

There were 2 deaths from *convulsions*, 4 from premature birth, and 4 from congenital debility, all of infants under one year of age.

Organic diseases of the heart caused 9 deaths, and there were 18 deaths from bronchitis.

Of 2 accidental deaths one was by burning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness ; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the death of one person aged 71 years,

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old) and 40 were aged 65 years and upwards, including 36 persons aged 70 and upwards; among the latter were 20 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions ; of this number 17 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·2 per 1,000 ; the rate in the City was 19·6 (North City Districts, 20·9 ; South, 18·1) and in the Suburbs, 9·4.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·5 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 0·3, and in the South 1·1), and for the Suburbs 0·0 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·8 per 1,000. Influenza caused 2 deaths ; there were 3 deaths from tuberculous disease, and there was one death from broncho-pneumonia.

No. 1 *North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 24·4 per 1,000. There were 3 deaths from tuberculous disease, one from lobar pneumonia, one from *pneumonia*, and 3 from bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Tuberculosis caused 5 deaths ; there was one death from broncho-pneumonia, and there were 3 deaths from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (18) represent an annual rate of 26·9 per 1,000. The deaths included 4 from tuberculous disease, 2 from broncho-pneumonia, one from *pneumonia*, and 5 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 19·3 per 1,000 inhabitants ; Coolock and Drumcondra, part of, 11·6 ; and Finglas and Glasnevin, part of, 9·9. Of the 2 deaths for Clontarf and Howth, No. 1, part of, one is from scarlet fever ; and of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 per 1,000. There were 4 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, 2 deaths from bronchitis, and one from diarrhœa of a child.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000, and include one death from pulmonary tuberculosis.

No. 3 *South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·7 per 1,000. Broncho-pneumonia, lobar pneumonia, and *pneumonia*, each caused one death; there were 3 deaths from bronchitis, and one from diarrhœa of a child.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. The deaths include one from whooping-cough, 2 from tuberculosis, one from lobar pneumonia, one from *pneumonia*, and one from accidental burns.

New Kilmainham District.—The one death is equal to an annual rate of 5·4 per 1,000. There was no death from any of the general diseases.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·1 ; Pembroke, 15·8 ; Blackrock, 0·0 ; and Kingstown, 6·2. Of the 6 deaths from all causes for Rathmines and Rathgar is one from each of broncho-pneumonia and *pneumonia*. Included in the 9 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis and *pneumonia* ; and one of the 2 deaths for Kingstown is from pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 14th December, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 23,	.	—	—	6	1	.	3	.	1	5	1	.	—	—	.	—	12	.	29
	Nov. 30,	.	—	—	7	.	.	7	.	.	3	8	.	—	—	.	—	11	.	36
	Dec. 7,	.	—	—	17	.	.	4	.	.	3	3	.	—	—	.	—	3	.	30
	Dec. 14,	.	—	—	9	.	.	5	.	.	4	7	.	—	—	.	—	8	.	33
Rathmines and Rathgar Urban District.	Nov. 23,	.	—	—	6	.	.	3	.	.	.	1	.	—	—	—	—	—	—	10
	Nov. 30,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Dec. 7,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 14,	.	—	—	5	.	.	.	.	.	1	.	.	—	—	—	—	—	—	6
Pembroke Urban District.	Nov. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	.	—	1
	Nov. 30,	.	.	.	.	.	.	.	.	.	.	1	.	—	3	—	—	.	—	4
	Dec. 7,	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	1	—	10
	Dec. 14,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
Blackrock Urban District.	Nov. 23,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	.	—	—	—	3
	Nov. 30,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 7,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
Kingstown Urban District.	Nov. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	—	.
	Nov. 30,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	1	—	4
	Dec. 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	1	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	1	—	3
City of Belfast.	Nov. 23,	.	—	—	28	.	.	4	.	.	1	4	.	—	—	—	—	8	—	45
	Nov. 30,	.	—	—	21	.	.	12	.	.	3	3	.	—	—	—	—	6	—	45
	Dec. 7,	.	—	—	30	.	.	7	.	.	.	2	.	—	—	—	—	1	—	40
	Dec. 14,	.	—	—	27	.	.	9	.	.	.	5	.	—	—	—	—	3	—	44

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th December, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 10 were discharged, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 52, 49, and 42.

One case of measles was admitted to hospital, and 3 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 5, 4, and 2, respectively.

Thirteen cases of scarlet fever were admitted to hospital, 18 were discharged, and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 122, 119 and 123, respectively.

Eight cases of diphtheria were admitted to hospital during the week, and 13 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 68, 61, and 58, respectively, were 53 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 16·3), was equal to an average annual death-rate of 16·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 20·7 per 1,000, the rate for Glasgow being 23·3, and for Edinburgh 18·7.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th December. From this Report it appears that of a total of 74 cases notified, 31 were scarlet fever, 23 phthisis, 15 diphtheria, and 5 erysipelas. Among the 357 cases of infectious diseases in hospital at the close of the week were 159 cases of scarlet fever, 90 of phthisis, 53 of diphtheria, 16 of whooping-cough, 10 of chicken-pox, 9 of erysipelas, 7 of measles, and 3 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 14th December, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Districts	Towns and Districts.	Census Statistics of Districts. Population. Total.(a)	Population. Persons to an Acre.	Registration—Week ending Saturday, 14th December, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Births.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology.(d) Week ending 14th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 30th November, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	40)
	TOTAL OF 22 TOWN DISTRICTS, ..	1,154,150	19·8	23·0	18·4	2·2	509	408	76	109	4	...	...	26	5	4	5	...	36	15	18	39	55	6	1	3	12	115	18	° ...	° ...	° ...	...	° ...	° ...	° ..	...	° ...	° ...	° ...	...
	DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	400,865	29·2	23·9	17·2	0·5	181	132	25	39	...	...	...	...	1	1	...	...	16	8	6	16	19	2	...	1	1	55	7	e 57	32	46·4	0·60	e 55	25	44·7	0·10	e 53	21	36·7	0·79
	CITY OF DUBLIN,	306,573	38·8	27·0	19·6	0·7	159	115	22	34	...	...	...	...	1	1	...	...	14	8	5	13	19	2	...	1	1	54	6	f 57·2 g 55·8	38·2 32·0	48·4 48·2	0·62 0·52	f 56·1 g 55·7	28·7 26·4	46·5 45·1	0·10 0·11	f 54·3 g 53·8	27·0 23·4	39·6 37·7	0·79 0·77
Urban Districts.	RATHMINES AND RATHGAR.	38,495	22·5	12·2	8·1	.	9	6	2	2	...	...	...	...	...	...	...	..	...	...	1	2	...	...	...	...	...	...	1	..	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PEMBROKE, ...	29,731	18·9	19·3	15·8	.	11	9	1	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BLACKROCK, ...	9,125	8·4	5·7	.	.	1	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	KINGSTOWN, ...	16,941	11·6	12·3	6·2	.	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	58	36	48·1	0·30	55	29	46·9	0·25	58	28	42·4	0·55
Urban Districts.	BELFAST ...	391,974	26·2	22·2	20·0	3·5	167	150	34	24	...	...	...	20	1	...	3	...	10	6	8	16	25	2	...	1	6	31	...	57·0	32·8	45·1	1·01	55·5	20·5	40·6	0·64	55	27	49·1	0·75
Urban Districts.	CORK, ...	76,673	28·6	30·6	17·0	2·7	45	25	1	5	4	...	...	...	...	...	...	...	2	...	2	1	1	...	...	...	2	9	...	55	38	47·5	1·17	52	31	47·0	0·95	53	33	42·7	0·97
Urban Districts.	LONDONDERRY...	40,891	15·9	20·4	20·4	1·3	16	16	1	6	...	...	...	...	...	...	...	...	3	1	1	...	...	...	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LIMERICK, ...	38,518	16·1	23·0	20·3	6·8	17	15	2	1	...	...	...	5	...	...	...	...	1	...	...	1	1	...	...	1	2	1	...	56·5	30·1	46·3	0·78	57·4	22·8	45·2	0·66	53·4	20·5	37·5	1·21
Urban Districts.	WATERFORD, ...	27,464	19·1	15·2	20·9	3·8	8	11	4	4	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	..	6	2	...	..	...	...	...	...	...	...	...	...	...	...
Urban Districts.	GALWAY, ...	13,255	2·5	31·5	11·8	3·9	8	3	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	57	35	47·4	1·38	56	25	44	1·11	55	25	40	0·94
Urban Districts.	DUNDALK, ...	13,128	9·5	23·8	35·7	4·0	6	9	2	2	...	...	...	1	...	...	...	...	...	...	...	3	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	DROGHEDA, ...	12,501	8·4	16·7	20·9	4·2	4	5	1	2	...	...	...	..	...	1	...	..	...	...	...	...	1	..	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWRY, ...	11,963	17·0	4·4	13·1	.	1	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	.	55	35	44·6	1·19	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74
Urban Districts.	LURGAN, ...	12,553	14·7	12·5	12·5	4·2	3	3	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	1	...	55	35	44·6	1·19	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74
Urban Districts.	LISBURN, ...	12,388	10·9	16·8	4·2	.	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	35	44·6	1·19	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74
Urban Districts.	WEXFORD, ...	11,531	22·8	36·2	36·2	.	8	8	...	7	...	...	...	...	...	...	...	...	1	...	...	...	3	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BALLYMENA ..	11,381	9·3	18·3	18·3	.	4	4	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	.	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	SLIGO, ...	11,163	3·8	18·7	18·7	.	4	4	2	2	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	2	58	32	44·5	1·83	55	25	44·0	1·15	57	18	38·0	1·52
Urban Districts.	KILKENNY, ...	10,514	11·4	19·8	29·8	5·0	4	6	1	2	...	...	...	...	1	...	...	...	1	...	...	...	1	..	...	...	...	5	...	56	30	45·5	1·01	55	23	45·7	0·99	53	25	37·1	0·71
Urban Districts.	CLONMEL, ...	10,209	7·8	30·6	5·1	5·1	6	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PORTADOWN, ...	11,727	15·3	31·1	4·4	.	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	35	44·6	1·19	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74
Urban Districts.	TRALEE, ...	10,300	17·4	15·2	5·1	.	3	1	...	1	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	..	..	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWTOWNARDS,	9,587	20·1	43·5	32·6	5·4	8	6	2	4	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	2	1	56	36	45·9	0·66	53	27	43·4	0·76	52	30	39·5	0·63
Urban Districts.	QUEENSTOWN, ...	8,209	14·7	12·7	12·7	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	55	38	47·5	1·17	52	31	47·0	0·95	53	33	42·7	0·97
Urban Districts.	ARMAGH, ...	7,356	21·8	.	14·2	.	.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	55	35	44·6	1·19	54·9	25·0	43·3	0·47	50·3	21·0	37·2	0·74

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and one at 66 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of December, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	2	2	2	2	.	.	.	4	1	.	1	.	.	1	.	1	16	3
Tuberculous Disease. — Other Forms,	1	1	3	2	.	.	.	.	.	.	1	.	.	.	.	.	8	.
Cancer,	.	2	.	2	.	.	.	1	.	.	.	.	1	.	.	.	6	3
Diseases of Nervous System,	.	1	.	.	.	1	2	.	1	.	1	.	1	3	.	.	10	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	2	.	1	1	.	.	1	1	1	.	1	.	.	.	.	8	1
" Respiratory System. — Pneumonia,	1	2	1	3	.	.	.	1	.	3	2	.	2	1	.	.	16	1
" Respiratory System. — Others,	.	3	3	5	.	1	.	2	.	4	1	.	.	.	.	.	19	.
" Digestive System. — Diarrhœa and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	.	.	1	.	.	.	.	.	.	3	.	.	.	.	.	.	4	1
" Genito-urinary System,	.	3	.	.	.	.	.	1	.	1	3	.	.	.	.	1	9	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	2	2	.	.	.	2	2	3	.	.	1	3	.	.	20	.
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	1
Ill-defined, &c. Causes,	.	1	.	1	.	.	.	.	1	1	.	.	1	1	.	.	6	.
Deaths from All Causes	9	19	12	18	2	3	2	13	8	17	11	1	6	9	.	2	132	10
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·8	24·4	22·4	26·9	19·3	11·6	9·9	16·9	22·7	20·7	17·3	5·4	8·1	15·8	.	6·2	17·2	.
	20·9							18·1					9·4					
	19·6																	
Ages at Death. — Under 1 year,	3	3	4	1	.	.	.	2	2	7	.	.	2	1	.	.	25	1
1 and under 2 years,	.	1	.	3	1	.	.	.	.	.	1	.	.	.	.	.	6	.
2 " 5 "	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	3	.
5 " 15 "	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	1	4	.
15 " 25 "	.	2	.	1	.	.	.	1	.	.	1	.	.	.	.	.	5	2
25 " 45 "	2	2	1	3	.	.	.	2	1	4	2	.	.	2	.	1	20	5
45 " 65 "	1	4	4	1	.	1	1	3	4	3	3	.	2	3	.	.	30	1
65 and upwards,	2	6	2	9	1	2	1	4	1	3	2	1	2	3	.	.	39	1
Number of Uncertified Deaths,	2	1	.	.	.	.	.	.	1	2	.	.	1	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	2	2	.	.	.	1	1	5	5	.	.	1	.	.	25	9
Workhouse Hospitals,	1	4	5	6	.	1	.	5	5	1	2	.	.	.	.	.	30	1

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Lite from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 14th December, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905	Dec. 15, 1906	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911		Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 45·2	° 43·7	° 41·9	° 46·4										
ALL CAUSES.	219	193	197	148	171	180	179	158	165	180	179·0	142	8	18	6	3	4	7	25	31	20	20
Enteric Fever, ...	5	1	2	1	.	.	1	.	2	3	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	10	.	6	.	.	1	7	1	1	5	3·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	2	.	.	.	.	.	1	1	1	·6	1	.	.	1	.	.	.	.	.	.	.
Whooping-cough, ...	.	4	.	2	4	1	3	2	1	3	2·0	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	1	2	.	1	5	3	1	2	3	4	2·2	.	.	.	.	.	.	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	4	2	3	1	1	2	1	1	1	1·7	2	.	.	.	.	.	.	.	1	.	1
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	.	.	1	.	.	.	1	·2	1	.	.	.	.	.	.	.	.	.	1
Other Epidemic Diseases, ...	.	.	.	1	.	1	1	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	1	.	.	1	.	.	.	.	1	2	·5	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	18	16	30	9	15	18	23	15	14	12	17·0	19	.	.	.	.	.	4	10	4	1	.
Tuberculous Meningitis, ...	6	4	2	1	3	5	4	3	.	2	3·0	3	.	1	.	.	1	.	1	.	.	.
Abdominal Tuberculosis, ...	2	2	3	5	.	1	1	1	1	3	1·9	3	.	1	.	1	1	.	.	.	.	.
Tuberculosis of the Vertebral Column.										2		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	4	9	10	9	2	7	7	2	3	2	5·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										.		2	.	.	1	.	1	.	.	.	.	.
Venereal Diseases, ...	.	.	4	2	1	2	1	2	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	9	14	6	11	7	7	5	8	4	7	7·8	9	.	.	.	.	.	.	2	3	1	3
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	3	2	.	.	1	.	1	·8	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	.	1
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	4	—	3	.	.	.	.	.	.	.	3	.	.
Alcoholism, ...	1	.	.	.	1	1	.	2	1	.	·6	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	1	.	.	1	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										4		2	.	.	.	.	.	.	.	2	.	.
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										4		3	.	.	.	.	.	.	1	1	.	1
Epilepsy, ...										2		1	.	.	.	.	.	.	.	1	.	.
Convulsions (non-puerperal),										5		2	1	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	42	54	45	35	44	30	40	35	33	1	39·6	2	.	.	.	.	.	.	.	1	1	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										18		9	.	.	.	.	.	1	.	2	3	3
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										3		.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	1	.	1	.	.	.	.	.	.	.	.
Bronchitis, ...	37	26	26	16	24	37	31	23	25	30	27·5	18	.	.	.	1	.	1	.	5	7	4
Broncho-pneumonia, .	11	4	5	5	8	11	5	10	9	7	7·5	7	1	3	2	.	.	.	.	1	.	.
Lobar pneumonia, ..	.	.	2	.	1	1	1	3	4	.	1·2	3	.	1	.	.	.	1	1	.	.	.
Pneumonia (type not distinguished)	11	3	3	3	6	11	6	6	14	1	6·4	7	.	3	.	.	.	.	2	1	.	1
Pleurisy, ...										2		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	4	6	.	1	2	3	3	7	.	3·4	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										1		.	.	.	.	.	.	.	.	.	.	.

FIFTIETH WEEK ending Saturday, 14th December, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 50th Week of the 10 years, 1902–1911.	In the Week ending Saturday, 14th December, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 13, 1902.	Dec. 19, 1903.	Dec. 17, 1904.	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 40·0	° 41·7	° 42·6	° 43·0	° 37·3	° 42·7	° 41·1	° 41·4	° 45·2	° 43·7	° 41·9	° 46·4										
Diseases of the Pharynx, Tonsillitis.	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	3	.	1	.	.	.	.	2	.	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	6	4	3	2	6	5	3	4	3	3	4·0	2	.	2	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										1		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	3	1	.	1	1	1	1	1	.	.	·9	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	2	1	1	.	.	.	.	.	2	·8	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	1	.	.	1	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	7	5	2	8	5	8	5	3	2	5·2	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...										.		1	.	.	.	.	1	.	.	.	.	.
Chronic Bright's Disease, ...										6		8	.	.	.	.	.	.	2	3	2	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	6	8	4	6	6	8	8	5	4	.	6·1	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										.		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	1	.	1	.	.	.	1	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	.	.	.	1	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	.	1	1	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	1	3	6	6	6	2	5	2	5	8	4·4	4	4	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	4	2	2	.	.	.	.	.	.	.	.
Old Age, ...	9	8	7	8	2	3	1	1	4	8	5·1	5	.	.	.	.	.	.	.	.	2	3
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	1	1	3	.	.	2	2	1	1·0	1	.	.	.	1	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	1	4	1	.	1	1	2	4	2	1·7	1	.	.	.	.	.	.	1	.	.	.
Total Deaths from Accident,	1	1	5	2	3	2	1	4	7	3	2·9	2	.	.	.	1	.	.	1	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	1	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	5	—	6	.	1	1	.	.	.	.	1	2	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered.	215	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184
Average Births in corresponding week of previous 10 *years*, ...	224	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211
DEATHS registered, ...	131	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142
Annual Death-rate per 1,000, ...	16·8	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5
Average Deaths in corresponding week of previous 10 *years*, ...	145	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179
Ages, Under 5 years, ...	31	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35
5—15 " ...	6	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4
15—25 " ...	4	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7
25—45 " ...	31	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25
45—65 " ...	29	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31
65—75 " ...	16	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20
75 and upwards, ...	14	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20
Deaths from :—																										
Enteric Fever, ...	1	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	11	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.
Scarlet Fever, ...	.	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1
Whooping-cough, ...	1	.	1	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1
Diphtheria, ...	2	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.
Influenza, ...	.	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.
Tuberculous Disease, Phthisis, ...	20	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19
Tuberculous Disease, Other Forms,	3	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8
Cancer, ...	6	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9
Diseases of Circulatory System,	11	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9
Diseases of Respiratory System, Pneumonia,	12	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17
Diseases of Respiratory System, Others, ...	13	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19
Diarrhœa and *Enteritis*, under 2 years, ...	3	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2
Diarrhœa, 2 years and upwards,	.	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.
Violent Deaths, ...	3	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2
Number of Uncertified Deaths,	2	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7
Mean Temperature of the Air (Phœnix Park)	56·9	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4
Average Mean Temperature in corresponding week of previous 10 *years*, ...	55·6	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9
Rainfall in inches, ...	·690	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595
Mean Humidity of the Air, complete Saturation 1·0, ...	·83	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th December, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH DECEMBER, 1912.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	142	35	4	7	25	31	20	20	.	.	.	.	1	1	.	.	19	8	9	2	17	19	2	.	2	62	7
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	9·0	3	1	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	16·7	28	4	.	1	7	7	5	4	.	.	.	.	.	.	.	.	6	.	4	.	3	2	1	.	.	12	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	15·6	33	8	.	1	6	10	3	5	.	.	.	.	.	1	.	.	3	1	3	.	4	2	.	.	.	19	3
IV.	GENERAL SERVICE CLASS, ...	154,279	15·9	47	16	4	3	6	4	6	8	.	.	.	.	.	.	.	.	3	3	2	2	9	8	.	.	2	18	4
V.	INMATES OF WORKHOUSES, ...	6,024	—	31	6	.	2	6	10	5	2	.	.	.	.	.	.	.	.	7	4	.	.	1	7	1	.	.	11	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	1	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	28·4	12	3	.	.	2	4	1	2	.	.	.	.	.	.	.	.	2	.	2	.	2	1	1	.	.	4	.
	6. Clerks and Commercial Assistants, ...	30,432	15·4	9	1	.	1	2	1	3	1	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	4	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	11·6	6	.	.	.	3	1	1	1	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.
	9. Building and Furnishing Trades, ...	29,801	7·0	4	2	.	.	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.
	10. Clothing Trades, ...	23,260	17·9	8	2	.	.	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	6	1
	11. Food Supply Trades	9,242	28·2	5	1	.	.	1	1	1	1	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	.	1	1
	12. Other Trades and Callings ranking with Trades, ...	30,352	18·9	11	1	.	1	2	6	.	1	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	8	.
	13. Petty Shopkeepers	7,894	13·2	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	15. Domestic Servants, ...	36,603	8·5	6	.	1	2	1	1	.	1	.	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	22·0	38	16	3	1	5	2	6	5	.	.	.	.	.	.	.	.	.	2	1	2	8	8	.	.	2	15	4
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	31	6	.	2	6	10	5	2	.	.	.	.	.	.	.	.	7	4	.	.	1	7	1	.	.	11	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases*; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of), North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Oct. 26,	26·3	5·3	15	.	.	.	.	1	1	1	.	1	.	.	1	1	.	.	1	1
	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
	„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
	„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Oct. 26,	19·3	3·9	15	.	.	.	.	1	.	.	.	1	.	2	.	1	2	.	1	.
	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
	„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
	„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
	„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
	Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
	„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Oct. 26,	22·4	.	12	.	.	.	.	.	.	.	.	3	2	1	1	1	.	.	.	.
	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
	„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	Dec. 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
	„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Oct. 26,	17·9	.	12	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
	„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
	Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
	„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Oct. 26,	22·1	2·6	17	.	.	.	1	.	.	.	.	1	1	.	1	3	1	.	.	1
	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
	„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
	„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
	„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	.	.	.	.
	Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Oct. 26,	37·0	2·8	13	.	.	.	.	.	.	.	.	1	1	2	2	3	1	.	.	.
	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
	„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
	„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
	Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Oct. 26,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	2	3	2	.	.	.	.
	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
	„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
	„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
	„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
	Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
	„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Oct. 26,	12·6	.	8	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
	„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
	„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
	„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
	„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
	Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
	„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and *Enteritis* of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Oct. 26,	8·1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Oct. 26,	17·5	1·8	10	1	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.
	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·3	1·3	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Oct. 26,	27·7	.	9	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Oct. 26,	16·8	1·2	126	.	.	.	7	1	.	1	.	24	2	9	10	20	.	.	1	1
	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
Cork. Pop. in 1911 76,673.	Oct. 26,	23·1	.	34	.	.	.	.	.	.	.	.	5	1	3	1	1	.	.	.	1
	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
Londonderry. Pop. in 1912 (Est.) 40,891.	Oct. 26,	14·0	.	11	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
Limerick. Pop. in 1911 38,518.	Oct. 26,	35·2	14·9	26	.	.	.	11	.	.	.	.	2	.	1	.	5	.	.	.	1
	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
Waterford. Pop. in 1911 27,464.	Oct. 26,	26·6	.	14	.	.	.	.	.	.	.	.	3	1	1	2	3	.	.	1	.
	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th December, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	Ages at Death. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Deaths from Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	10	23·0	6·6	7	2	2	2	1	.	.	.	.	.	2	.	.	.	.	.	2	.	1	.	.	.	.	.	.	.
Do. 2 do.	49,500	37	27·4	4·2	26	2	6	2	4	5	7	.	.	.	3	.	.	.	.	3	.	2	3	6	1	.	.	.	4	.
Do. 3 do.	50,032	12	13·5	1·0	13	4	1	2	2	2	2	.	.	.	.	.	.	1	.	.	2	1	3	.	.	.	.	1	.	.
Do 4 do.	32,637	17	24·0	1·6	15	5	2	1	3	3	1	.	.	.	.	1	.	.	.	2	.	.	1	2	.	.	.	.	8	.
Do. 5 do.	16,112	3	32·4	.	10	2	1	2	.	3	2	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	3	.
Do. 6 do.	37,293	7	22·4	1·4	16	4	1	.	2	5	4	.	.	.	1	.	.	.	.	1	.	.	1	4	.	.	.	1	3	.
Do. 7 do.	2,681	1	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Do. 8 do.	5,964	1	8·7	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do. 9 do.	24,427	15	12·8	.	6	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	1	.
Do. 10 do.	28,958	8	14·4	1·8	8	1	1	1	3	2	.	.	.	.	1	.	.	.	.	1	.	2	.	1	.	.	.	.	2	.
Do. 11 do.	39,311	17	5·3	.	4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 12 do.	38,076	25	32·9	12·3	24	9	4	2	3	2	4	.	.	.	6	.	.	2	.	2	.	1	4	5	1	.	1	3	4	.
Do. 13 do.	23,233	4	6·7	6·7	3	.	2	1	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	10	36·8	9·2	16	4	5	2	.	4	1	.	.	.	4	.	.	.	.	.	1	.	3	2	.	.	.	.	4	.
Total,	386,947	167	20·0	3·5	150	34	27	17	19	29	24	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	6	31	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	6	31·0	7·8	8	.	.	1	2	3	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	3	.
Do 2 do.	10,701	5	25·1	5·0	5	.	1	.	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Do 3 do.	9,978	6	10·6	5·3	2	.	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Do 4 do.	8,666	10	17·1	.	3	1	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do 5 do.	6 592	5	8·3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Do 6 do.	10,702	7	9·0	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do. 7 do.	16,616	6	13·0	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Total,	76,122	45	17·0	2·7	25	1	1	4	6	8	5	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	2	9	.

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.
No. of weeks in Annual Series,	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
BIRTHS registered, ...	208	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167
DEATHS registered, ...	125	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150
Annual Death rate per 1,000 of estimated population, ...	16·7	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0
AGES, Under 1 year, ...	20	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34
1—5 years, ...	16	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27
5—25 „ ...	24	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17
25—45 „ ...	15	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19
45—65 „ ...	30	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29
65 and upwards, ...	20	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20
Scarlet Fever, ...	1	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1
Whooping-cough, ...	2	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Diphtheria, ...	.	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10
Tuberculous Disease. Other Forms,	12	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6
Cancer, ...	5	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8
Diseases of Respiratory System, Pneumonia,	16	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16
Diseases of Respiratory System, Others, ...	13	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25
Diarrhœa and *Enteritis*, under 2 years, ...	6	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2
Diarrhœa, 2 years and upwards,	.	1	.	1	1	.	.	.	.	1	.	.	.	.	3	1	1	.	.	.	.	.	1	1	1	.
Violent Deaths, ...	1	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1
Number of Uncertified Deaths, ...	4	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Dec. 14,	2,165	1,413	16·3	2	.	77	1	11	6	18*a*
Edinburgh, ...	321,200	„ 14,	102	115	18·7	.	.	.	1	1	.	.
Glasgow, ...	785,600	„ 14,	404	351	23·3	.	.	.	.	16	1	6
Calcutta, ...	896,067	Nov. 2,	.	481	27·9	92*	.	.	.	.	1†	85‡
Bombay, ...	979,445	„ 9,	396	574	30·5	75*	.	1	.	.	.	75‡
Madras, ...	518,660	„ 16,	482	427	42·8	92*	.	3	?	?	?	79
Cairo, ...	704,956	Sept. 16,	633	429	31·7	.	.	2	.	?	21	94*a*
Paris, ...	2,847,229	Nov. 30,	935	829	14·9	5	.	4	1	3	1†	17*a*
Brussels, ...	745,380	„ 23,	230	199	13·9	2	.	.	1	.	3†	6*a*
Antwerp, ...	308,618	„ 30,	108	62	10·4	.	.	.	.	.	.	1*a*
Amsterdam, ...	586,111	„ 23,	256	124	11·0	.	.	.	.	.	.	.
Copenhagen, ...	468,000	„ 23,	211	129	14·4	.	.	.	4	.	.	5*a*
Stockholm, ...	346,599	„ 23,	103	81	12·2	.	.	.	1	1	1	1*a*
Christiania, ...	247,488	„ 30,	100	67*b*	14·1	.	.	3	.	.	.	5
St. Petersburg, ...	1,664,000	„ 9,	898	625	19·6	22	1	12	10	11	5†	43
Moscow, ...	1,617,157	„ 9,	.	562	18·1	4	.	7	14	4	13†	41
Berlin, ...	2,085,339	„ 9,	681	507	12·7	.	.	2	8	4	26†	19
Hamburg, ...	953,079	„ 23,	.	254	13·9	1	.	5	5	9	6†	18
Breslau, ...	534,235	„ 23,	.	194	18·9	.	.	4	.	4	.	5
Munich, ...	615,000	„ 30,	.	182	15·4	.	.	4	.	1	3†	12
Vienna (with suburbs),	2,098,225	„ 23,	752	558	13·8	1	.	4	2	2	4†	16*a*
Buda-Pesth, ...	910,548	„ 23,	439	309	17·6	4	.	3	9	.	3†	19*a*
Prague and Faubourgs,	484,301	„ 16,	155	170	18·3	1	.	.	6	.	4†	7*a*
		„ 23,	177	159	17·1	.	.	.	2	1	2†	11*a*
Trieste, ...	239,549	„ 23,	134	81	17·6	2	.	2	2	1	1†	1*a*
Rome, ...	569,809	Aug. 31,	.	.	.	.	.	.	.	.	.	.
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Nov. 23,	2,475	1,354	13·7	14	.	1	8	4	26†	38*a*
Philadelphia, ...	1,606,105	Sept. 21,	.	430	13·9	5	.	.	.	3	3†	61
Boston, ...	720,031	Nov. 30,	.	214	15·5	1	.	2	.	2	3	8

* Deaths from "fever," including 5 from enteric fever, and 5 from plague in Calcutta, and 5 from enteric fever and 2 from plague in Bombay.

† Including deaths from croup.

‡ Including 20 deaths from cholera in Calcutta and one in Bombay.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including 3 deaths from epidemic cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th December, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
„ „ 1, West, ...	.	2	.	.	.	.	.	.	1	.	.	1	4
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1
„ „ 3, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	4	.	.	.	.	.	1	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	1	.	.	.	1
South City No. 1, ...	.	.	.	.	2	.	.	.	3	.	.	.	5
„ „ 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	2
„ „ 3, ...	.	.	.	.	.	.	.	1	2	.	.	2	5
„ „ 4, ...	.	1	.	.	.	.	.	2	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	3	3
Total, ...	.	9	.	.	5	.	.	4	7	.	.	8	33

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th December, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th December.			
	Nov. 23.	Nov. 30.	Dec. 7.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	52	49	42	3	10	.	35
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	4	2	1	.	.	3
Scarlet Fever, ...	122	119	123	13	18	.	118*
Diphtheria, ...	68	61	58	8	13	.	53
Pneumonia, ...	28	22	21	5	7	1	18

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 14th December, 1912:—

"The atmosphere over Northwestern Europe was in a very troubled state throughout this week. Over Iceland and the adjacent ocean the barometer was very low, falling on Wednesday evening to 27·93 inches at Seydisfjord in the east of that Island. When it is stated that at the same time atmospheric pressure was as high as 30·61 inches at the Azores (Horta), some idea of the steepness of the baric gradients over the Atlantic and Northwest of Europe may be gathered. A ridge of high pressure also stretched from the Peninsula to Central Europe. Within this latter area temperature was very low until Wednesday—at Munich, especially, hard frost at first prevailed, the night temperatures being 16°, 16°, 16°, 19°, 28°, 34° and 32° respectively. On the other hand, remarkably high temperatures were in the ascendant over the British Isles—57° being reached in the screen in Dublin on Wednesday, Friday and Saturday, and at Leith on Wednesday. On Saturday, at 7 a.m., 58° was recorded at North Shields. Fresh to strong southwesterly gales were felt on the Irish and British coasts almost daily, and fresh gales prevailed even in Dublin on both Wednesday and Friday. In this City the only cold weather of the period occurred on the mornings of Tuesday and Thursday in the comparatively calm intervals between the large and deep depressions which arrived in rapid succession from the Atlantic. On Wednesday night a thunderstorm took place at Blacksod Point, and lightning was seen at several western stations. Next night also lightning was reported from Wick, Stornoway and Liverpool. When the sky was clear, for example on the afternoons of Sunday and Thursday, the planet Venus was a resplendent object in the southwestern sky. The crescent Moon was seen near the planet on Thursday. The bodies had been in conjunction the previous evening. In Dublin the mean height of the barometer was 29·735 inches, the range of pressure being from 30·042 inches at 9 a.m. of Tuesday (wind, W.) to 29·375 inches at 9 p.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 48·4°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 47·7°. On Wednesday and Friday the screened thermometers rose to 57·2°, having fallen to 38·2° on Tuesday. S.W. winds prevailed, rising to gale force on Wednesday and Friday. Rain fell on 6 days to the amount of ·623 inch, ·190 inch being recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·725 inches. The highest reading (30·015) was on Sunday at 9 p.m., wind S.W., the lowest (29·457) on Wednesday at 9 a.m., wind S.W.

The mean temperature for the week was 46·4°, being 4·5° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Wednesday, on which day the thermometer registered 57°, and was lowest on Tuesday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 46·9° and of the Wet Bulb, 44·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·595 inch.

At Greenwich the mean temperature for the week was 49·0°, the maximum 56·5°, and the minimum 40·2°; at Glasgow the maximum was 56·0°, the minimum 38·0°, and the mean 45·9°; and at Edinburgh the maximum was 54·5°, the minimum 36·0°, and the mean 45·5°. The rainfall at Greenwich measured 0·62 in.; at Glasgow 2·12 ins.; and at Edinburgh 0·88 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 8,	29·950	51	40	45·5	47·0	44·5	·82	·7	2·5	·015	Calm.	S.W.
Monday, „ 9,	29·800	52	41	46·5	45·8	44·0	·88	·5	0·1	·080	S.S.W.	W.
Tuesday, „ 10,	29·890	47	32	39·5	39·7	38·0	·88	·6	1·2	·000	Calm.	S.S.W.
Wednesday, „ 11,	29·465	57	41	49·0	48·2	46·4	·87	·5	0·0	·125	S.W.	W.S.W.
Thursday, „ 12,	29·655	47	36	41·5	42·4	40·4	·84	·8	3·3	·035	W.	W.S.W.
Friday, „ 13,	29·615	56	42	49·0	51·9	49·8	·87	·7	0·0	·155	S.W.	W.S.W.
Saturday, „ 14,	29·700	56	51	53·5	53·0	50·9	·88	·7	0·0	·185	W.S.W.	W.
Mean, ...	29·725	52·3	40·4	46·4	46·9	44·9	·86	·6	Total 7·1	Total ·595	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, fine; night cloudy, drizzling rain 6.30 to 9.0 a.m. *Monday*—Day overcast, drizzling rain 9.0 a.m. to 2.0 p.m.; night clear. *Tuesday*—Day cloudy, fine; night cloudy. *Wednesday*—Day overcast, drizzling rain at intervals 9.30 a.m. to 3.0 p.m.; night overcast to clear. *Thursday*—Day cloudy, fine; night cloudy, showers at intervals. *Friday*—Day overcast, showers at intervals; night overcast, drizzling rain at intervals. *Saturday*—Day overcast, drizzling rain at intervals; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 14th December, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 8,	50·5	44·9	46·0	52	43	47·5	1·1	·011
Monday, „ 9,	51·2	44·4	46·1	54	43	48·5	0·1	·051
Tuesday, „ 10,	40·0	44·0	46·1	48	35	41·5	0·0	—
Wednesday, „ 11,	55·7	44·0	46·1	57	43	50	0·0	·140
Thursday, „ 12,	40·9	44·1	46·1	48	38	43	1·7	·014
Friday, „ 13,	49·9	43·8	46·1	57	45	51	0·0	·120
Saturday, „ 14,	53·0	46·1	46·1	58	52	55	1·3	·143
Weekly Mean, .	48·7	44·5	46·1	53	43	48	Total 4·2	Total ·479

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 21ST DECEMBER, 1912. [No. 51.

General Register Office, Charlemont House,
Dublin, 23rd December, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Nov. 30	Dec. 7	Dec. 14	Dec. 21	Average Rate for 4 weeks.	Towns, &c.	Week ending Nov. 30	Dec. 7	Dec. 14	Dec. 21	Average Rate for 4 weeks.
22 Town Districts, ...	**19·7**	**22·0**	**18·4**	**20·6**	**20·2**	Limerick	27·1	31·1	20·3	19·0	24·4
						Lisburn	8·4	21·0	4·2	33·7	16·8
Armagh	35·4	28·4	14·2	·	19·5	Londonderry	19·1	17·9	20·4	17·9	18·8
Ballymena	22·9	18·3	18·3	18·3	19·5	Lurgan	20·8	20·8	12·5	29·1	20·8
Belfast	18·5	23·5	20·0	23·5	21·4	Newry	21·8	·	13·1	17·4	13·1
Clonmel	25·5	15·3	5·1	15·3	15·3	Newtownards	21·8	21·8	32·6	32·6	27·2
Cork	18·4	21·8	17·0	17·0	18·6	Portadown	13·3	13·3	4·4	·	7·8
Drogheda	16·7	12·5	20·9	4·2	13·6	Queenstown	6·4	19·1	12·7	6·4	11·2
Dublin Reg. Area ...	18·9	21·7	17·2	20·8	19·7	Sligo	14·0	9·3	18·7	9·3	12·8
Dundalk	55·6	43·7	35·7	·	33·7	Tralee	25·3	30·4	5·1	40·5	25·3
Galway	31·5	35·4	11·8	23·6	25·6	Waterford	32·3	13·3	20·9	20·9	21·8
Kilkenny	9·9	·	29·8	9·9	12·4	Wexford	13·6	18·1	36·2	18·1	21·5

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 10·2 in Clonmel, 2 of the 3 deaths from all causes for that district being from whooping-cough. Among the 177 deaths from all causes for Belfast are 2 from enteric fever, 21 from measles, 2 from scarlet fever, 2 from whooping-cough, one from diphtheria, and 5 from diarrhœa and *enteritis* of children under 2 years of age. Included in the 14 deaths from all causes for Limerick are 2 from measles and one from whooping-cough. The 7 deaths from all causes for Lurgan include one from each of scarlet fever and diphtheria. One of the 8 deaths from all causes for Lisburn is from diphtheria. One of the 4 deaths for Ballymena is from whooping-cough, and the 8 deaths from all causes for Tralee include one from measles and one from diarrhœa of a child under 2 years of age.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—100 boys and 87 girls—and the deaths to 166—80 males and 86 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever whooping-cough, diphtheria, dysentery, and diarrhœal diseases

DEATHS.

The deaths registered, omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·8 per 1,000 of the population. During the fifty-one weeks ending with Saturday last the death-rate averaged 20·5, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 166, represent an annual rate of 21·6 per 1,000; the annual rate for the past fifty-one weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

The total deaths include one from enteric fever, 2 from scarlet fever, one from whooping-cough, one from diphtheria, 2 from influenza, and 11 from diarrhœa and *enteritis* of children under 2 years of age. In each of the 3 preceding weeks, deaths from enteric fever were 2, one, and 0; deaths from scarlet fever were one, one, and one; deaths from whooping-cough were 0, one, and one; deaths from diphtheria were 0, 2, and 0; deaths from influenza were 2, one, and 2, and deaths from diarrhœa and *enteritis* of infants under 2 years of age were 2, 5, and 2.

There were 39 deaths from all forms of tuberculous disease, including 29 deaths from pulmonary tuberculosis, 5 deaths from tuberculous meningitis, and 5 deaths from disseminated tuberculosis. In each of the 3 preceding weeks deaths from all forms of tuberculosis were 35, 25, and 27.

Of 9 deaths from pneumonia (all forms), 6 were attributed to broncho-pneumonia, one to lobar pneumonia, and 2 to *pneumonia* (type not distinguished).

The deaths caused by cancer were 8 in number.

Convulsions caused 4 deaths, 3 of this number being of infants under one year, and one between the ages of one year and two years; one infant succumbed from a congenital malformation; there were 5 deaths of infants from prematurity, and 7 from congenital debility.

Ten deaths were from organic diseases of the heart, and 17 were from bronchitis.

There was one accidental death.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age, and the death of one person aged 70 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 9 were under one month old) and 38 were aged 65 years and upwards, including 32 persons aged 70 and upwards; among the latter were 17 aged 75 and upwards.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 23·3 (North City Districts, 20·9; South, 26·1) and in the Suburbs, 12·7.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·6, and in the South 2·9), and for the Suburbs 1·7 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·1 per 1,000, and include one death from influenza, 4 deaths from pulmonary tuberculosis, and 2 deaths from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 25·7 per 1,000. There was one death from enteric fever; there were 3 deaths from tuberculosis, and one death of an infant from diarrhœa.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Tuberculosis caused 4 deaths and broncho-pneumonia one death; there were 4 deaths from bronchitis and 3 deaths from diarrhœa and *enteritis* of infants.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·4 per 1,000, and include one death from tuberculous meningitis, 2 deaths from broncho-pneumonia, and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·6; and Finglas and Glasnevin, part of, 24·7. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one is from bronchitis; and included in the 5 deaths from all causes for Finglas and Glasnevin, part of, are 2 from pulmonary tuberculosis and one from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (24) represent an annual rate of 31·2 per 1,000. There was one death from scarlet fever; there were 3 deaths from tuberculosis, one death from lobar pneumonia, 2 deaths from *pneumonia*, 2 deaths from bronchitis, and one death from diarrhœa of an infant.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Tuberculosis caused 3 deaths, and there was one death from diarrhœa of an infant.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·8 per 1,000. Tuberculosis caused 8 deaths, including 7 from pulmonary tuberculosis; there were 2 deaths from broncho-pneumonia, 4 deaths from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (18) are equivalent to an annual rate of 28·3 per 1,000, and include 4 deaths from pulmonary tuberculosis, and 5 deaths from diarrhœa and *enteritis* of infants under 2 years of age.

New Kilmainham District.—There was no death for this district registered during the week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·5; Pembroke, 14·0; Blackrock, 11·4; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from scarlet fever, one from whooping-cough, and one from diphtheria for Pembroke. Among the 7 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis. Of the 8 deaths from all causes for Pembroke is one from each of pulmonary tuberculosis and bronchitis. One of the 2 deaths for Blackrock is from bronchitis; and among the 6 deaths from all causes for Kingstown is one from each of influenza and pulmonary tuberculosis.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 21st December, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Nov. 30,	.	—	—	7	.	.	7	.	.	3	8	.	—	—	.	—	11	.	36
	Dec. 7,	.	—	—	17	.	.	4	.	.	3	3	.	—	—	.	—	3	.	30
	Dec. 14,	.	—	—	9	.	.	5	.	.	4	7	.	—	—	.	—	8	.	33
	Dec. 21,	.	—	—	7	.	.	7	.	.	7	2	.	—	—	.	—	6	.	29
Rathmines and Rathgar Urban District.	Nov. 30,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Dec. 7,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 14,	.	—	—	5	.	.	.	.	.	1	.	.	—	—	—	—	—	—	6
	Dec. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Nov. 30,	.	.	.	.	.	.	.	.	.	.	1	.	—	3	—	—	.	—	4
	Dec. 7,	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	1	—	10
	Dec. 14,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Dec. 21,	.	.	.	.	.	.	.	.	.	.	.	.	—		—	—	.	—	.
Blackrock Urban District.	Nov. 30,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	.	—	—	—	5
	Dec. 7,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 21,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
Kingstown Urban District.	Nov. 30,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	1	—	4
	Dec. 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	1	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	1	—	3
	Dec. 21,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
City of Belfast.	Nov. 30,	.	—	—	21	.	.	12	.	.	3	3	.	—	—	—	—	6	—	45
	Dec. 7,	.	—	—	30	.	.	7	.	.	.	2	.	—	—	—	—	1	—	40
	Dec. 14,	.	—	—	27	.	.	9	.	.	.	5	.	—	—	—	—	3	—	44
	Dec. 21,	.	—	—	24	.	.	5	.	.	4	5	.	—	—	—	—	3	—	41

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st December, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Three cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 49, 42, and 35.

One case of measles was discharged from hospital, and 2 cases remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 4, 2, and 3, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 15 were discharged, there were 3 deaths and 118* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 119, 123, and 118, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 5 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 61, 58, and 53, respectively, were 59 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 7 were discharged, and 18 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 15·4 per 1,000 persons living.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st December. From this Report it appears that of a total of 51 cases notified, 24 were phthisis, 15 scarlet fever, 10 diphtheria, and 2 erysipelas. Among the 343 cases of infectious diseases in hospital at the close of the week were 144 cases of scarlet fever, 98 of phthisis, 50 of diphtheria, 23 of whooping-cough, 11 of chicken-pox, 5 of erysipelas, 3 of enteric fever, and one of measles.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 21st December, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

	TOWNS AND DISTRICTS.	Census Statistics of Districts. Population. Total.(a)	Persons to an Acre.	REGISTRATION—WEEK ENDING SATURDAY, 21ST DECEMBER, 1912. Annual Rate per 1,000 Persons Represented by: Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.(b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	METEOROLOGY.(d) Week ending 21st December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 7th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
	TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	23·4	20·6	2·7	518	457	98	104	3	...	...	24	5	7	4	...	54	17	20	34	62	17	...	5	12	156	13	° ...	° ...	° ...	...	° ...	° ...	° ...	...	° ...	° ...	..	...
	DUBLIN REGISTRATION AREA:— TOTAL. (c.) ...	400,865	29·2	24·3	20·8	2·1	187	160	35	38	1	...	...	...	2	1	1	...	28	8	8	9	18	11	...	1	2	67	3	e 57	32	44·4	0·63	e 57	32	46·4	0·60	e55	25	44·7	0·10
	CITY OF DUBLIN,	306,573	38·8	27·0	23·3	2·2	159	137	32	30	1	...	...	...	1	...	...	...	24	8	5	9	15	11	...	1	2	58	3	f56·4 g57·9	35·1 34·2	45·5 44·8	0·43 0·52	f57·2 g55·8	38·2 32·0	48·4 48·2	0·62 0·52	f56·1 g55·7	28·7 26·4	46·5 45·1	0·10 0·11
Urban Districts.	RATHMINES AND RATHGAR.	38,495	22·5	23·0	9·5	.	17	7	...	4	...	...	...	...	...	...	...	..	2	...	1	...	...	...	...	...	...	3	...	...	...	...	...	..	...	...	...	...	...	...	...
Urban Districts.	PEMBROKE, ...	29,731	18·9	10·5	14·0	5·3	6	8	2	1	...	...	...	...	1	1	1	...	1	...	1	...	2	...	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BLACKROCK, ...	9,125	8·4	5·7	11·4	.	1	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	KINGSTOWN, ...	16,941	11·6	12·3	18·5	.	4	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	57	36	46·4	0·23	58	36	48·1	0·30	55	29	46·9	0·25
Urban Districts.	BELFAST ...	391,974	26·2	25·0	23·5	4·4	176	177	39	35	2	...	...	21	2	2	1	...	15	6	8	16	27	5	...	2	7	54	...	55	31	43·0	1·25	57·0	32·8	45·1	1·01	55·5	20·5	40·6	0·64
Urban Districts.	CORK, ...	76,673	28·6	19·0	17·0	.	28	25	5	5	...	...	...	...	...	...	...	...	3	...	...	2	2	...	...	...	1	10	1	52	38	46·2	0·66	55	38	47·5	1·17	52	31	47·0	0·95
Urban Districts.	LONDONDERRY ...	40,891	15·9	20·4	17·9	.	16	14	3	5	...	...	...	...	...	...	...	...	2	1	...	...	3	...	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	LIMERICK, ...	38,518	16·1	16·2	19·0	4·1	12	14	5	2	...	...	...	2	...	1	...	...	...	...	...	...	2	...	...	...	...	5	3	51·8	33·2	45·0	1·79	56·5	30·1	46·3	0·78	57·4	22·8	45·2	0·66
Urban Districts.	WATERFORD, ...	27,464	19·1	24·7	20·9	.	13	11	...	6	...	...	...	...	...	...	...	...	1	1	2	...	2	...	...	...	..	2	1	...	...	...	...	...	..	...	...	...	...	...	...
Urban Districts.	GALWAY, ...	13,255	2·5	19·7	23·6	.	5	6	...	...	...	...	...	...	...	...	...	...	...	1	2	1	1	...	...	...	...	5	...	52	32	41	1·47	57	35	47·4	1·38	56	25	44	1·11
Urban Districts.	DUNDALK, ...	13,128	9·5	11·9	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	DROGHEDA, ...	12,501	8·4	12·5	4·2	.	3	1	...	...	...	...	...	...	...	...	...	..	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWRY, ...	11,963	17·0	26·2	17·4	.	6	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	1	54·1	32·0	42·0	1·75	55	35	44·6	1·19	54·9	25·0	43·3	0·47
Urban Districts.	LURGAN, ...	12,553	14·7	29·1	29·1	8·3	7	7	2	2	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	1	2	...	54·1	32·0	42·0	1·75	55	35	44·6	1·19	54·9	25·0	43·3	0·47
Urban Districts.	LISBURN, ...	12,388	10·9	12·6	33·7	4·2	3	8	...	2	...	...	...	...	...	...	1	...	1	...	...	2	1	...	...	1	1	3	...	54·1	32·0	42·0	1·75	55	35	44·6	1·19	54·9	25·0	43·3	0·47
Urban Districts.	WEXFORD, ...	11,531	22·8	27·1	18·1	.	6	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	BALLYMENA ..	11,381	9·3	146·6	18·3	4·6	32	4	2	...	...	...	...	...	...	1	...	...	1	...	...	...	1	...	...	...	...	...	.	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	SLIGO, ...	11,163	3·8	4·7	9·3	.	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	..	...	..	...	...	...	..	2	54	31	41·0	1·54	58	32	41·5	1·83	55	25	44·0	1·15
Urban Districts.	KILKENNY, ...	10,514	11·4	59·5	9·9	.	12	2	..	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	57	32	43·0	0·73	56	30	45·5	1·01	55	23	45·7	0·99
Urban Districts.	CLONMEL, ...	10,209	7·8	5·1	15·3	10·2	1	3	2	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	PORTADOWN, ...	11,727	15·3	17·8	.	.	4	.	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	..	...	54·1	32·0	42·0	1·75	55	35	44·6	1·19	54·9	25·0	43·3	0·47
Urban Districts.	TRALEE, ...	10,300	17·4	10·1	40·5	10·1	2	8	2	2	...	...	...	1	...	...	...	...	...	...	...	2	1	1	...	...	...	2	..	...	...	...	...	...	...	...	...	...	...	...	...
Urban Districts.	NEWTOWNARDS,	9,587	20·1	5·4	32·6	.	1	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	.	...	1	1	53	32	42·8	0·95	56	36	45·9	0·66	53	27	43·4	0·76
Urban Districts.	QUEENSTOWN, ...	8,209	14·7	.	6·4	.	.	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	52	38	46·2	0·66	55	38	47·5	1·17	52	31	47·0	0·95
Urban Districts.	ARMAGH, ...	7,356	21·8	.	.	.	.	.	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	54·1	32·0	42·0	1·75	55	35	44·6	1·19	54·9	25·0	43·3	0·47

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 6 deaths of persons (including one under one year old), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus, the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of December, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN.												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. { Pulmonary Tuberculosis,	4	1	3	.	.	.	2	2	1	7	4	.	2	1	.	1	28	1
Tuberculous Disease. { Other Forms,	.	2	1	1	.	.	.	1	2	1	.	.	.	.	.	.	8	2
Cancer,	.	1	.	.	.	.	1	.	.	1	2	.	1	1	1	.	8	.
Diseases of Nervous System,	.	2	.	.	1	.	.	4	1	.	2	.	1	1	.	1	13	.
" Organs of Special Sense,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Circulatory System,	1	6	1	.	.	1	.	2	.	1	1	.	3	.	.	1	17	.
" Respiratory System. { Pneumonia,	.	.	1	2	.	.	1	3	.	2	.	.	.	.	.	.	9	.
" Respiratory System. { Others,	2	.	4	2	.	1	.	2	.	4	.	.	.	2	1	.	18	.
" Digestive System. { Diarrhœa and *Enteritis*, under 2 years,	.	1	3	.	.	.	.	1	1	.	5	.	.	.	.	.	11	.
" Digestive System. { Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. { Others,	.	.	.	.	.	1	1	2	.	.	1	.	.	.	.	.	5	2
" Genito-urinary System,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Other specified Causes,	3	4	1	4	.	.	.	5	1	4	3	.	.	.	.	1	26	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	.
Deaths from All Causes	12	20	15	9	1	3	5	24	8	22	18	.	7	8	2	6	160	6
Annual Rate of Mortality from All Causes in every 1,000 of the population.	21·1	25·7	28·1	13·4	9·7	11·6	24·7	31·2	22·7	26·8	28·3	.	9·5	14·0	11·4	18·5	20·8	.
	20·9							26·1					12·7					
	23·3																	
Ages at Death. { Under 1 year,	2	5	5	3	.	.	.	5	2	6	4	.	.	2	.	1	35	1
1 and under 2 years,	1	.	2	2	.	.	1	2	.	.	3	.	.	1	.	.	12	.
2 " 5 "	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	4	.
5 " 15 "	1	1	1	1	.	.	.	1	3	.	.	.	.	.	.	.	8	.
15 " 25 "	2	1	.	1	.	.	1	1	.	3	2	.	1	1	.	.	13	1
25 " 45 "	1	3	5	.	.	.	.	2	2	3	2	.	1	1	.	.	20	4
45 " 65 "	3	3	1	.	.	1	1	6	.	6	4	.	.	1	1	3	30	.
65 and upwards,	2	6	1	2	1	2	2	7	1	4	2	.	4	1	1	2	38	.
Number of Uncertified Deaths,	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

Public Hospitals, Prisons, and Lunatic Asylums,	1	4	2	1	.	.	1	4	2	6	6	.	2	3	1	1	34	6
Workhouse Hospitals,	.	5	4	2	.	.	.	8	3	6	3	.	1	1	.	.	33	.

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905	Dec. 22, 1906	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911	Averages in 51st Week of the 10 years, 1902–1911.	In the Week ending Saturday, 21st December, 1912. Mean Temp.	Deaths of Persons of the Ages of 0—5. Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·7	° 39·7	° 38·2	° 46·1	° 45·5	° 47·0	° 41·5	° 33·5	° 43·5	° 44·7	° 42·6	° 44·4										
ALL CAUSES.	235	153	184	171	217	195	143	155	178	168	179·9	166	9	27	12	4	8	14	24	30	21	17
Enteric Fever, ...	3	2	1	4	2	.	.	3	1	.	1·6	1	.	.	.	.	.	1	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	9	1	10	.	2	.	5	.	.	4	3·1	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	1	1	.	1	.	1	.	1	.	3	·8	2	.	.	.	.	1	1	.	.	.	.
Whooping-cough, ...	3	3	.	1	2	2	1	2	5	5	2·4	1	.	.	1	.	.	.	.	.	.	.
Diphtheria, ...	.	.	.	.	2	3	2	.	2	5	1·4	1	.	.	.	1	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	1	.	.	5	.	.	6	3	1	1·7	2	.	.	.	.	.	.	.	2	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	.	2	.	.	.	.	1	.	·3	1	.	.	.	.	.	.	1	.	.	.
Other Epidemic Diseases, ...	1	1	.	.	.	1	.	1	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	.	1	.	2	.	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	28	31	14	27	27	22	30	14	19	20	23·2	29	.	.	1	1	2	8	9	8	.	.
Tuberculous Meningitis, ...	2	3	.	1	2	2	2	4	.	1	1·7	5	.	1	.	.	4	.	.	.	.	.
Abdominal Tuberculosis, ...	1	.	1	.	2	3	3	.	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										1		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	8	6	8	3	5	3	4	.	7	.	4·7	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										2		5	.	1	1	1	.	1	1	.	.	.
Venereal Diseases, ...	.	3	.	1	1	.	1	1	1	1	·9	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	10	8	5	5	17	6	6	6	13	11	8·7	8	.	.	.	.	.	.	.	4	3	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	.	.	.	.	1	1	.	.	·2	2	.	.	.	.	1	1	.	.	.	.
Diabetes, ...	.	.	.	1	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	3	—	1	.	.	.	.	.	.	.	.	.	1
Alcoholism, ...	.	.	1	1	.	1	.	1	.	.	·4	1	.	.	.	.	.	.	1	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis. ...										.		2	.	.	1	1	.	.	.	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										5		5	.	.	.	.	.	.	.	3	.	2
Softening of Brain, ...										1		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										6		1	.	.	.	.	.	.	.	.	1	.
Epilepsy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal),										3		4	1	2	1	.	.	.	.	.	.	.
Other Diseases of Nervous System.	54	35	60	43	54	43	24	31	40	4	41·9	1	.	.	.	.	.	.	.	1	.	.
Pericarditis, ...										.		2	.	.	.	.	.	.	1	.	1	.
Acute Endocarditis, ...										1		.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart,										13		10	.	.	.	.	.	.	2	.	4	4
Embolism and Thrombosis (including Cerebral)										1		2	.	.	.	.	.	.	.	1	.	1
Other Diseases of Circulatory System.										1		3	.	.	.	.	.	.	2	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	40	16	26	24	22	37	20	28	23	19	25·5	17	.	3	1	.	.	.	3	1	5	4
Broncho-pneumonia, ...	7	4	9	5	11	15	9	11	9	6	8·6	6	1	2	3	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	.	.	2	3	4	.	3	3	1	1·6	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	6	5	7	4	9	5	3	6	6	9	6·0	2	.	.	.	.	.	.	.	1	1	.
Pleurisy, ...										.		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	5	.	5	1	3	6	1	2	3	1	2·7	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Respiratory System.										.		.	.	.	.	.	.	.	.	.	.	.

FIFTY-FIRST WEEK ending Saturday, 21st December, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 51st Week of the 10 years, 1902-1911.	In the Week ending Saturday, 21st December, 1912.									
													Deaths of Persons of the Ages of								
												Mean Temp.	0—5.								
	Dec. 20, 1902.	Dec. 26, 1903.	Dec. 24, 1904.	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911.			Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	46·7°	39·7°	38·2°	46·1°	45·5°	47·0°	41·5°	33·5°	43·5°	44·7°	42·6°	44·4°										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	2	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	.	—	2	.	.	.	.	.	.	1	1	.	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	1	4	6	5	6	5	2	2	2	3·9	11	1	8	2	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										2		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	1	.	.	.	2	.	1	.	2	2	·8	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Liver, ...	2	1	1	2	.	1	1	.	1	.	·9	1	.	.	.	.	.	.	.	1	.	.
Peritonitis (cause unknown),	.	.	1	.	3	.	1	.	.	.	·5	1	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	5	3	2	4	8	3	3	6	7	.	4·1	1	.	.	.	.	.	.	.	.	1	.
Acute Nephritis, ...										1		1	.	.	.	.	.	.	1	.	.	.
Chronic Bright's Disease, ...										4		1	.	.	.	.	.	.	.	.	1	.
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	7	9	6	10	5	7	2	5	5	1	6·3	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	1	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	.	.	.	1	1	.	2	1	1	2	·8	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	1	.	.	.	.	.	.	1	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	1	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	6	7	3	5	4	3	4	2	3·8	5	3	2	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	1	—	7	1	5	1	.	.	.	.	.	.	.
Old Age, ...	8	3	4	3	2	.	1	1	4	6	3·2	5	.	.	.	.	.	.	.	1	2	2
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	3	2	1	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	1	1	2	4	.	1	1	2	3	1·7	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	.	.	.	2	.	.	1	1	·5	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	.	5	2	1	4	1	1	1	.	1·9	1	.	.	.	.	.	.	.	1	.	.
Total Deaths from Accident,	6	2	6	4	5	6	3	2	4	4	4·2	1	.	.	.	.	.	.	.	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	2	1	1	.	.	.	.	.	·5	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	1	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	—	—	—	1	—	4	.	.	.	.	.	.	.	.	2	2

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered.	198	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187
Average Births in corresponding week of previous 10 years, ...	245	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176
DEATHS registered, ...	129	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166
Annual Death-rate per 1,000, ...	16·5	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6
Average Deaths in corresponding week of previous 10 years, ...	136	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180
Ages, Under 5 years, ...	41	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52
5—15 „ ...	11	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8
15—25 „ ...	10	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14
25—45 „ ...	17	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24
45—65 „ ...	31	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30
65—75 „ ...	13	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21
75 and upwards, ...	6	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.
Scarlet Fever, ...	1	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2
Whooping-cough, ...	.	1	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1
Diphtheria, ...	1	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1
Influenza, ...	.	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.
Tuberculous Disease, Phthisis, ...	16	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29
Tuberculous Disease, Other Forms,	6	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10
Cancer, ...	4	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8
Diseases of Circulatory System,	10	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17
Diseases of Respiratory System, Pneumonia,	12	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9
Diseases of Respiratory System, Others, ...	15	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18
Diarrhœa and *Enteritis*, under 2 years, ...	5	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11
Diarrhœa, 2 years and upwards,	2	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.
Violent Deaths, ...	5	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1
Number of Uncertified Deaths,	4	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3
Mean Temperature of the Air (Phœnix Park)	56·9	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4
Average Mean Temperature in corresponding week of previous 10 years, ...	56·5	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6
Rainfall in inches, ...	·800	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625
Mean Humidity of the Air, complete Saturation 1·0, ...	·84	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·83	·85

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st December, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST DECEMBER, 1912.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	166	52	8	14	24	30	21	17	1	.	.	.	2	1	1	.	29	10	8	4	9	18	11	.	1	71	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	15·0	5	.	.	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.
II.	MIDDLE CLASS, ...	87,188	15·5	26	5	2	2	3	6	3	5	.	.	.	.	.	.	.	.	4	1	2	.	1	1	.	.	.	17	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	14·6	31	7	2	2	4	7	5	4	.	.	.	.	.	.	.	.	6	3	1	1	1	4	1	.	.	14	2
IV.	GENERAL SERVICE CLASS, ...	154,279	24·0	71	32	4	9	7	10	7	2	1	.	.	.	2	1	1	.	12	5	1	3	4	9	6	.	1	25	1
V.	INMATES OF WORKHOUSES, ...	6,024	—	33	8	.	1	10	7	5	2	.	.	.	.	.	.	.	.	7	1	2	.	3	3	4	.	.	13	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	20·1	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	12·5	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	20·3	3	.	.	1	.	.	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·9	8	3	1	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	7	.
	6. Clerks and Commercial Assistants, ...	30,432	10·3	6	1	.	1	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	17·4	9	1	1	.	.	3	1	3	.	.	.	.	.	.	.	.	2	1	2	.	.	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	21·1	4	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	2	1
	9. Building and Furnishing Trades, ...	29,801	10·5	6	.	1	.	1	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	3	.
	10. Clothing Trades, ...	23,260	6·7	3	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	1	.
	11. Food Supply Trades	9,242	16·9	3	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	15·5	9	1	1	1	.	2	1	3	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	.	.	3	.
	13. Petty Shopkeepers	7,894	39·6	6	2	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	3	1
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	15·5	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	15. Domestic Servants, ...	36,603	10·0	7	.	.	1	2	1	2	1	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	18·1	5	1	.	2	1	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	31·9	55	30	4	6	3	8	4	.	1	.	.	.	1	1	1	.	10	4	.	3	3	5	6	.	1	19	1
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	33	8	.	1	10	7	5	2	.	.	.	.	.	.	.	.	7	1	2	.	3	3	4	.	.	13	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

City of Dublin (Part of), DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Nov. 2,	22·8	.	13	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	1
	„ 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
	„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
	„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
	„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
	„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Nov. 2,	28·3	5·1	22	.	.	.	1	.	1	.	.	1	.	.	1	7	2	.	.	1
	„ 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
	„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
	„ 23,	24·4	2·6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
	„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
	Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
	„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
	„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Nov. 2,	16·0	1·9	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	„ 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
	„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
	„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
	„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
	Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
	„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
	„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Nov. 2,	16·4	3·0	11	1	.	.	.	1	.	.	.	1	1	1	1	.	.	.	1	.
	„ 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
	„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
	„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
	„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
	Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
	„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
	„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Nov. 2,	20·8	3·9	16	1	.	.	1	.	.	.	.	3	3	1	.	2	.	1	.	.
	„ 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
	„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
	„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
	„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
	Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
	„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Nov. 2,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.	.	.
	„ 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
	„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
	Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
	„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Nov. 2,	20·7	1·2	17	.	.	.	.	.	.	.	.	4	1	1	2	3	1	.	1	.
	„ 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
	„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
	„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
	„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
	Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
	„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
	„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Nov. 2,	22·0	4·7	14	.	.	.	.	2	.	1	.	3	.	.	.	3	.	.	1	1
	„ 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
	„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
	„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
	„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
	Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
	„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
	„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District. Pop. in 1912 (Est.) 38,495.	Nov. 2,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	.	.
	„ 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
Pembroke Urban District. Pop. in 1912 (Est.) 29,731.	Nov. 2,	19·3	3·5	11	.	.	.	.	.	.	1	.	1	.	2	1	1	1	.	.	.
	„ 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·8	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
Kingstown Urban District. Pop. in 1911 16,941.	Nov. 2,	9·2	.	3	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	„ 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Belfast. Pop. in 1912 (Est.) 391,974.	Nov. 2,	16·8	2·7	126	.	.	.	12	2	.	1	.	17	7	8	8	14	5	.	3	.
	„ 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
Cork. Pop. in 1911 76,673.	Nov. 2,	17·0	2·0	25	.	.	.	.	.	.	.	.	3	2	.	.	2	3	.	.	.
	„ 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
Londonderry. Pop. in 1912 (Est.) 40,891.	Nov. 2,	20·4	1·3	16	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	1
	„ 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
Limerick. Pop. in 1911 38,518.	Nov. 2,	47·4	29·8	35	.	.	.	22	.	.	.	.	.	.	1	.	1	.	.	.	5
	„ 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
Waterford. Pop. in 1911 27,464.	Nov. 2,	15·2	.	8	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	2
	„ 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st December, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: Certain Epidemic Diseases.*	DEATHS. Total Number of DEATHS.	Ages at Death: Under 1 year.	Ages at Death: 1 year and under 5 years.	Ages at Death: 5 and under 25 years.	Ages at Death: 25 and under 45 years.	Ages at Death: 45 and under 65 years.	Ages at Death: 65 years and upwards.	Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	4	36·1	9·9	11	3	2	3	2	1	.	1	.	.	1	.	.	.	.	2	.	.	2	1	1	.	1	1	5	.
Do. 2 do.	49,500	18	21·1	2·1	20	3	3	1	1	6	6	.	.	.	2	.	.	.	.	3	.	2	1	3	.	.	.	2	5	.
Do. 3 do.	50,032	23	26·1	6·3	25	6	3	1	5	5	5	.	.	.	5	.	1	.	.	1	.	2	1	5	.	.	1	2	9	.
Do 4 do.	32,637	16	27·2	4·8	17	9	1	1	2	1	3	.	.	.	.	.	1	.	.	1	1	.	1	2	2	.	.	.	8	.
Do. 5 do.	16,112	7	29·1	.	9	2	.	1	1	3	2	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	.	3	.
Do. 6 do.	37,293	17	25·2	5·6	18	2	2	1	4	4	5	1	.	.	1	.	.	1	.	1	.	2	.	3	1	.	.	.	6	.
Do. 7 do.	2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	5	17·5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Do. 9 do.	24,427	15	21·3	2·1	10	3	.	.	2	1	4	.	.	.	1	.	.	.	.	1	.	.	1	1	.	.	.	1	2	.
Do. 10 do.	28,958	13	14·4	3·6	8	1	2	2	1	.	2	.	.	.	1	.	.	.	.	3	.	.	.	.	1	.	.	.	2	.
Do. 11 do.	39,311	22	14·6	2·7	11	2	2	.	2	3	2	.	.	.	2	.	.	.	.	.	.	1	.	3	.	.	.	.	2	.
Do. 12 do.	38,076	15	28·8	4·1	21	4	8	4	3	1	1	.	.	.	2	1	.	.	.	1	2	.	4	4	.	.	.	1	8	.
Do. 13 do.	23,233	15	18·0	2·2	8	1	1	1	.	1	4	.	.	.	.	1	.	.	.	.	1	1	.	3	.	.	.	.	1	.
Do. 14 do.	175	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	36·8	13·8	16	3	5	4	2	2	.	.	.	.	6	.	.	.	.	1	.	.	5	1	.	.	.	.	3	.
Total,	386,947	176	23·5	4·4	177	39	29	19	25	30	35	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	7	54	.
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	5	15·5	.	4	1	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Do 2 do.	10,701	3	5·0	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do 3 do.	9,978	5	10·6	.	2	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Do 4 do.	8,666	1	22·8	.	4	.	.	1	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	3	.
Do 5 do.	6 592	5	25·0	.	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Do 6 do.	10,702	2	36·0	.	8	2	3	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	5	.
Do. 7 do.	16,616	7	9·7	.	3	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total,	76,122	28	17·0	.	25	5	3	2	2	8	5	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1	10	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered, ...	185	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176
DEATHS registered, ...	96	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177
Annual Death rate per 1,000 of estimated population, ...	12·8	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5
AGES, Under 1 year, ...	14	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39
1—5 years, ...	11	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29
5—25 ,, ...	9	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19
25—45 ,, ...	15	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25
45—65 ,, ...	28	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30
65 and upwards, ...	19	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35
Deaths from :—																										
Enteric Fever, ...	.	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21
Scarlet Fever, ...	.	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2
Whooping-cough, ...	3	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2
Diphtheria, ...	.	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	13	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15
Tuberculous Disease. Other Forms,	7	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6
Cancer, ...	5	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8
Diseases of Respiratory System, Pneumonia,	7	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16
Diseases of Respiratory System, Others, ...	9	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27
Diarrhœa and *Enteritis*, under 2 years, ...	.	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5
Diarrhœa, 2 years and upwards,	1	.	1	1	.	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.
Violent Deaths, ...	1	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2
Number of Uncertified Deaths, ...	1	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Dec. 21,	2,197	1,252	14·4	1	.	57	3	14	5	26*a*
Edinburgh, ...	321,200	„ 21,	.	.	.	.	.	.	.	.	.	.
Glasgow, ...	785,600	„ 21,	.	.	.	.	.	.	.	.	1	.
Calcutta, ...	896,067	Nov. 9,	.	519	30·1	103*	.	2	.	.	.	64‡
Bombay, ...	979,445	„ 16,	453	654	34·7	76*	.	2	.	.	.	88‡
Madras, ...	518,660	„ 23,	470	395	39·6	65*	.	1	?	?	?	79‡
Cairo, ...	704,956	Sept. 23,	604	442	32·7	5	.	8	.	?	14	102*a*
Paris, ...	2,847,229	Dec. 7,	895	962	17·3	6	.	1	1	6	4†	13*a*
Brussels, ...	745,380	Nov. 30,	215	191	13·3	1	.	2	.	.	2†	1*a*
Antwerp, ...	308,618	Dec. 7,	112	72	12·2	.	.	1	.	1	1†	5*a*
Amsterdam, ...	586,111	Nov. 30,	271	113	10·1	1	.	1	1	.	3†	2*a*
Copenhagen, ...	468,000	„ 30,	233	120	13·4	.	.	.	3	1	.	7
Stockholm, ...	346,599	„ 30,	130	88	13·2	.	.	.	.	1	.	2*a*
Christiania, ...	247,488	Dec. 7,	147	68*b*	14·3	.	.	6	.	.	1	1
St. Petersburg, ...	1,664,000	Nov. 16,	765	639	20·0	24	2	10	8	6	8†	38
Moscow, ...	1,617,157	„ 16,	.	605	19·5	3	.	7	13	3	10†	54
Berlin, ...	2,085,292	„ 16,	757	562	14·1	.	.	.	8	8	10†	22
Hamburg, ...	953,079	„ 30,	.	269	14·7	1	.	1	3	2	12†	13
Breslau, ...	534,235	„ 30,	.	172	16·8	.	.	2	1	2	1	15
Munich, ...	615,000	Dec. 7,	.	.	.	.	.	.	.	.	.	.
Vienna (with suburbs),	2,098,225	Nov. 30,	688	589	14·6	.	.	8	3	2	4†	23*a*
Buda-Pesth, ...	910,548	„ 30,	479	325	18·6	2	.	2	10	2	4†	15*a*
Prague and Faubourgs,	484,301	„ 30,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	239,549	„ 30,	117	89	19·4	4	.	2	2	.	1†	.
Rome, ...	569,809	Aug. 31,	262	119	10·9	3	.	.	.	.	.	16
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Nov. 30,	2,233	1,251	12·6	9	.	5	2	3	22†	28*a*
Philadelphia, ...	1,606,105	Sept. 28,	.	.	.	.	.	.	.	.	.	.
Boston, ...	720,031	Dec. 7,	.	.	.	.	.	.	.	.	.	.

* Deaths from "fever," including 5 from enteric fever, and 7 from plague in Calcutta, and one from enteric fever and 9 from plague in Bombay.

† Including deaths from croup.

‡ Including 24 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

b Including one death from epidemic cerebro-spinal meningitis.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st December, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	.	2
„ „ 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	2	.	.	1	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	.	.	.	2	1	.	.	1	5
„ „ 2, ...	.	1	.	.	.	.	.	1	.	.	.	1	3
„ „ 3, ...	.	.	.		.	.	.	.	1	.	.	2	3
„ „ 4, ...	.	1	.	.	3	.	.	2	.	.	.	.	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	7	.	.	7	2	.	.	6	29

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st December, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st December.			
	Nov. 30.	Dec. 7.	Dec. 14.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	49	42	35	3	6	.	32
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	
Measles, ...	4	2	3	.	1	.	2
Scarlet Fever, ...	119	123	118	18	15	3	118*
Diphtheria, ...	61	58	53	13	5	2	59
Pneumonia, ...	22	21	18	7	7	.	18

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 21st December, 1912:—

"A continued prevalence of south-westerly winds led to a continuance of the open weather which had held since the beginning of December. In Dublin during Friday night the thermometer did not fall below 52·4° in the screen and 49·1° on the ground. The corresponding figures for the night of August 11th and 12th of the present year were 43·4° and 40·9° respectively. Up to Wednesday the isobars ran from W. to E. across the British Isles, the North Sea, and Germany. The main wind-direction was therefore westerly, and as the isobars were close together, the wind blew strongly—in fact, a violent gale was felt on Sunday over a great part of the Continent, and fresh gales were reported from Malin Head, Blacksod Point, Portland Bill, Dungeness, and Spurn Head. Monday was fine and cold—in Dublin the thermometer did not rise above 41·1° in the daytime. Tuesday was also cold, but increasing cirrus cloud and a freshening wind backing to S.W. heralded a change, and accordingly the evening proved rainy. Wednesday was fair and cold in Dublin, the thermometer rising only to 40·4° and marking 37·6° in the screen at 4 p.m. But the night proved mild, and on Thursday a large depression spread over the United Kingdom from the Atlantic, causing strong and squally S.W. winds and a brisk rise of temperature, so that at 7 a.m. of Friday the thermometer ranged in the British Isles from 53° at Scilly and Newquay to 45° at Yarmouth. The following night was wonderfully mild for the time of year, but with a downpour of rain after 11 a.m. of Saturday temperature gave way briskly. During most of the week the baric gradient over the North Atlantic eastern seaboard was very steep—for example, at 7 a.m. of Sunday the barometer read 28·67 inches at Bodö in Norway but was above 30·7 inches at Madrid. In Dublin the mean atmospheric pressure was 29·709 inches, the range being from 29·983 inches at 9 a.m. of Sunday (wind, S.W.) and 29·395 inches at 4 p.m. of Thursday (wind, S.W.). The corrected mean temperature was 45·5°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 44·7°. On Tuesday the screened thermometers fell to 35·1°, on Friday they rose to 56·4°. W. and S.W. winds prevailed. The rainfall was ·426 inch on 5 days, ·274 inch being recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·689 inches. The highest reading (29·919) was on Sunday at 9 a.m., wind S.W., the lowest (29·490) on Thursday at 9 p.m., wind S.W.

The mean temperature for the week was 44·4°, being 1·8° above the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday, on which day the thermometer registered 57°, and was lowest on Tuesday, the mercury having fallen to 32°. The mean of the Dry Bulb for the week was 43·7° and of the Wet Bulb, 41·8°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·625 inch.

At Greenwich the mean temperature for the week was 44·4°, the maximum 55·0°, and the minimum 34·4°. The rainfall at Greenwich measured 0·59 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 15,	29·845	56	43	49·5	45·4	42·7	·80	·7	2·0	·040	S.W.	W.
Monday, „ 16,	29·855	45	34	39·5	35·5	34·0	·86	·7	3·8	·000	W.S.W.	W.S.W.
Tuesday, „ 17,	29·680	44	32	38·0	37·5	36·4	·85	·8	1·4	·120	W.S.W,	S.W.
Wednesday, „ 18,	29·580	42	33	37·5	36·5	35·6	·92	·8	1·7	·055	W.S.W.	W.S.W.
Thursday, „ 19,	29·495	52	38	45·0	50·6	47·6	·81	·7	0·0	·000	S.S.W.	S.W.
Friday, „ 20,	29·610	57	50	53·5	53·1	51·0	·85	·7	1·3	·000	S.S.W.	S.S.W.
Saturday, „ 21,	29·760	54	41	47·5	47·6	45·4	·84	·3	0·0	·410	S.S.W.	S.W.
Mean, ...	29·689	50·0	38·7	44·4	43·7	41·8	·85	·7	Total 10·2	Total ·625	Prevailing Wind, W.S.W.	

Sunday—Day cloudy, showery p.m.; night clear. *Monday*—A fine day; night clear. *Tuesday*—Day cloudy, drizzling rain 2.0 to 3.0 p.m. and 6.0 to 9.0 p.m.; night overcast to clear, drizzling rain 9.0 p.m. to 10.35 p.m. *Wednesday*—Day cloudy, drizzling rain at intervals; night cloudy. *Thursday*—Day overcast; night cloudy. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day overcast, drizzling and heavy rain 10.0 a.m. to 5.0 p.m.; night cloudy.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 21st December, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°		°	°	°	hrs.	ins.
Sunday, December 15,	47·9	46·2	46·3	51·9	49·2	50·5	—	·044
Monday, „ 16,	38·0	46·2	46·1	52·0	34·6	43·3	2·9	—
Tuesday, „ 17,	37·1	42·6	46·5	51·1	34·0	42·5	1·0	·075
Wednesday, „ 18,	36·6	42·0	46·1	43·9	35 0	39·4	·7	·015
Thursday, „ 19,	51·0	41·9	46·0	53·2	39·0	46·1	1·4	—
Friday, „ 20,	54·0	43·8	46·0	57·7	50·0	53·8	1·4	—
Saturday, „ 21,	54·0	45·6	45·8	56·0	42·0	49·0	—	·300
Weekly Mean, .	45·5	44·0	46·1	52·3	40·5	46·4	Total 7·4	Total ·434

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23 FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] WEEK ENDING SATURDAY, 28TH DECEMBER, 1912. [No. 52.

General Register Office, Charlemont House,
Dublin, 30th December, 1912.

TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week as appertaining to the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,154,150.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

Towns, &c.	Week ending Dec. 7	Dec. 14	Dec. 21	Dec. 28	Average Rate for 4 weeks.
22 Town Districts, ...	**22·0**	**18·4**	**20·6**	**15·4**	**19·1**
Armagh	28·4	14·2	·	·	10·7
Ballymena	18·3	18·3	18·3	9·2	16·0
Belfast	23·5	20·0	23·5	19·3	21·6
Clonmel	15·3	5·1	15·3	·	8·9
Cork	21·8	17·0	17·0	16·3	18·0
Drogheda	12·5	20·9	4·2	4·2	10·5
Dublin Reg. Area ...	21·7	17·2	20·8	14·2	18·5
Dundalk	43·7	35·7	·	19·9	24·8
Galway	35·4	11·8	23·6	7·9	19·7
Kilkenny	·	29·8	9·9	24·8	16·1
Limerick	31·1	20·3	19·0	5·4	19·0
Lisburn	21·0	4·2	33·7	25·3	21·0
Londonderry	17·9	20·4	17·9	8·9	16·3
Lurgan	20·8	12·5	29·1	33·2	23·9
Newry	·	13·1	17·4	13·1	10·9
Newtownards	21·8	32·6	32·6	21·8	27·2
Portadown	13·3	4·4	·	8·9	6·7
Queenstown	19·1	12·7	6·4	·	9·6
Sligo	9·3	18·7	9·3	4·7	10·5
Tralee	30·4	5·1	40·5	15·2	22·8
Waterford	13·3	20·9	20·9	7·6	15·7
Wexford	18·1	36·2	18·1	27·1	24·9

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 10·1 in Tralee, the 3 deaths from all causes for that district including one from measles and one from diarrhœa of a child under 2 years. Among the 145 deaths from all causes for Belfast are 23 from measles, one from whooping-cough, and 5 from diarrhœal diseases. Included in the 24 deaths from all causes for Cork is one from diphtheria. One of the 4 deaths from all causes for Limerick is from measles. Of the 8 deaths from all causes for Lurgan 2 are from scarlet fever, and one death from whooping-cough is included in the 6 deaths from all causes for Lisburn.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 122—60 boys and 62 girls—and the deaths to 116—56 males and 60 females.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.
† See note (*a*) Table II.
‡ Enteric fever, typhus, small-pox, measles, scarlet fever whooping-cough, diphtheria, dysentery, and diarrhœal diseases.

DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·2 per 1,000 of the population. During the fifty-two weeks ending with Saturday last the death-rate averaged 20·5, and was 1·6 below the mean rate for the corresponding portions of the 10 years 1902–11.

The total deaths registered, numbering 116, represent an annual rate of 15·1 per 1,000; the annual rate for the past fifty-two weeks was 21·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

Included in the deaths (116) registered there were 2 from whooping-cough, 3 from diphtheria, and one from influenza. In each of the 3 preceding weeks, deaths from whooping-cough were one, one, and one; deaths from diphtheria were 2, 0, and one; and deaths from influenza were one, 2, and 2.

The deaths from all forms of tuberculosis numbered 21, having been 25, 27, and 39 respectively in the 3 preceding weeks. The 21 deaths include 15 from pulmonary tuberculosis, 2 from tuberculous meningitis, 2 from abdominal tuberculosis, one from tuberculosis of a joint, and one from disseminated tuberculosis.

There were 10 deaths from broncho-pneumonia, one from lobar pneumonia, and 3 from *pneumonia* (type not distinguished).

Cancer caused the deaths of 4 persons.

Congenital debility caused 4 deaths of infants, and there was one death of an infant from *convulsions*.

Organic diseases of the heart caused 10 deaths, and there were 20 deaths from bronchitis.

Of 4 deaths by accident 2 were by burns, and one was by being crushed by a cart.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all deaths of infants under one year of age.

Twenty-six of the persons whose deaths were registered during the week were under 5 years of age (14 being infants under one year, of whom 2 were under one month old) and 30 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 13 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·2 per 1,000; the rate in the City was 15·1 (North City Districts, 14·8; South, 15·6) and in the Suburbs, 11·1.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 1·0, and in the South 0·4), and for the Suburbs 0·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·8 per 1,000. Whooping-cough, diphtheria, and influenza each caused one death; there was one death from broncho-pneumonia, one death from *pneumonia*; there were 3 deaths from bronchitis and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (8) are equal to an annual rate of 10·3 per 1,000. Pulmonary tuberculosis caused 3 deaths; there was one death from broncho-pneumonia, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. There were 4 deaths from tuberculous disease, and one death from each of broncho-pneumonia and lobar pneumonia, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·4 per 1,000, and include one death from tuberculous meningitis and 2 deaths from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·6 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·9. Of the 3 deaths from all causes for Coolock and Drumcondra, part of, one was from diphtheria.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·6 per 1,000. There were 4 deaths from tuberculous disease, one death from broncho-pneumonia, and one death from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. The deaths include 3 from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·1 per 1,000, and include 5 deaths from tuberculous disease, 4 from broncho-pneumonia, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Among the deaths there was one from diphtheria; there were 2 from tuberculosis, one from *pneumonia*, and 2 from bronchitis.

New Kilmainham District.—The one death registered for this district is equal to an annual rate of 5·4 per 1,000. The death which was registered was caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 5·4; Pembroke, 21·0; Blackrock, 11·4; and Kingstown, 6·2. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Pembroke. Of the 4 deaths from all causes for Rathmines and Rathgar one is from *pneumonia*. Among the 12 deaths from all causes for Pembroke are one from pulmonary tuberculosis, 2 from broncho-pneumonia, and 2 from bronchitis. One of the 2 deaths for Blackrock is from accidental burns.

* See Columns 10–17 and 23–24 of Table II.

NOTE.—Names of causes of deaths printed in italics on this page and in Table IV. should be avoided when possible in Medical Certificates.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as set forth in the following Table, have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Executive Sanitary Officer for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the City of Belfast during the week ended 28th December, 1912, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

Cities and Urban Districts.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Tuberculous Phthisis (*Phthisis*).	Acute Poliomyelitis.	Total.
City of Dublin.	Dec. 7,	.	—	—	17	.	.	4	.	.	3	3	.	—	—	.	—	3	.	30
	Dec. 14,	.	—	—	9	.	.	5	.	.	4	7	.	—	—	.	—	8	.	33
	Dec. 21,	.	—	—	7	.	.	7	.	.	7	2	.	—	—	.	—	6	.	29
	Dec. 28,	.	—	—	7	.	.	7	.	1	2	2	1	—	—	.	—	2	.	22
Rathmines and Rathgar Urban District.	Dec. 7,	.	—	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	7
	Dec. 14,	.	—	—	5	.	.	.	.	.	1	.	.	—	—	—	—	—	—	6
	Dec. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 28,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Dec. 7,	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	1	—	10
	Dec. 14,	.	.	.	.	.	.	1	.	.	.	.	.	—	7	—	—	.	—	8
	Dec. 21,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	.	—	.
	Dec. 23,	.	.	.	5	.	.	1	.	.	.	.	.	—	2	—	—	.	—	8
Blackrock Urban District.	Dec. 7,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	.	—	—	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 21,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	.	—	—	—	3
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
Kingstown Urban District.	Dec. 7,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	1	—	4
	Dec. 14,	.	—	—	1	.	.	.	.	.	.	.	1	—	—	—	—	1	—	3
	Dec. 21,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	—	4
	Dec. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	1	—	1
City of Belfast.	Dec. 7,	.	—	—	30	.	.	7	.	.	.	2	.	—	—	—	—	1	—	40
	Dec. 14,	.	—	—	27	.	.	9	.	.	.	5	.	—	—	—	—	3	—	44
	Dec 21.	.	—	—	24	.	.	5	.	.	4	5	.	—	—	—	—	3	—	41
	Dec. 28,	.	—	—	16	.	.	8	.	.	.	3	.	—	—	—	—	1	—	28

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th December, 1912, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that :—

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the three preceding weeks being 42, 35, and 32.

One case of measles was discharged from hospital, and one case remained under treatment at the close of the week. At the end of the three preceding weeks such cases were 2, 3, and 2, respectively.

Eighteen cases of scarlet fever were admitted to hospital, 24 were discharged, and 112* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 123, 118, and 118, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 58, 53, and 59, respectively, were 55 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

ENGLAND AND SCOTLAND.

The mortality last week in 95 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 15·1 per 1,000 persons living; the average rate for 18 principal towns of Scotland was 17·1 per 1,000, the rate for Glasgow being 18·9, and for Edinburgh 18·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.SC., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th December. From this Report it appears that of a total of 49 cases notified, 29 were scarlet fever, 12 phthisis, 5 diphtheria, and 3 erysipelas. Among the 356 cases of infectious diseases in hospital at the close of the week were 151 cases of scarlet fever, 98 of phthisis, 58 of diphtheria, 23 of whooping-cough, 10 of chicken-pox, 6 of erysipelas, and 2 of measles.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the week ending Saturday, 28th December, 1912, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the week, and for each of the two Weeks immediately preceding.

Towns and Districts.	Census Statistics of Districts. Population. Total. (a)	Persons to an Acre.	Registration—Week ending Saturday, 28th December, 1912. Annual Rate per 1,000 Persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases. (b)	Numbers Registered. Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of the Respiratory System: Pneumonia.	Diseases of the Respiratory System: Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	Meteorology. (d) Week ending 28th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 21st December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.	Week ending 14th December, 1912. Air Temperature. Absolute Highest.	Absolute Lowest.	Mean.	Rainfall in Inches.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)
																													°	°	°		°	°	°		°	°	°	
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	15·5	15·4	1·9	344	341	67	80	...	...	...	25	2	4	4	...	30	14	6	39	46	4	2	8	19	95	10	...	...	..	...	...	...	...	...	...	...	...	...
DUBLIN REGISTRATION AREA:— TOTAL, (c.) ...	400,865	29·2	15·9	14·2	0·7	122	109	14	29	...	...	...	...	...	2	3	...	15	5	4	14	19	...	...	3	4	46	3	e56	28	41·8	0·69	e 57	32	44·4	0·63	e 57	32	46·4	0·60
CITY OF DUBLIN,	306,573	38·8	18·4	15·1	0·7	108	89	11	23	...	...	...	...	...	1	3	...	14	5	3	11	17	...	...	2	3	41	2	f56·3 g54·5	34·9 29·0	45·3 42·1	0·71 0·81	f56·4 g57·9	35·1 34·2	45·5 44·8	0·43 0·52	f57·2 g55·8	38·2 32·0	48·4 48·2	0·62 0·52
Urban Districts. RATHMINES AND RATHGAR.	38,495	22·5	6·8	5·4	.	5	4	...	1	...	...	...	...	...	...	...	..	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PEMBROKE, ...	29,731	18·9	8·8	21·0	1·8	5	12	3	3	...	...	...	...	...	1	...	...	1	...	...	2	2	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...
BLACKROCK, ...	9,125	8·4	11·4	11·4	.	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11·6	6·2	6·2	.	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	53	35	45·3	0·79	57	36	46·4	0·23	58	36	48·1	0·30
Urban Districts. BELFAST ...	391,974	26·2	19·2	19·3	3·9	144	145	35	31	...	...	...	23	...	1	...	...	8	6	2	14	18	3	2	1	7	31	2	53·0	29·6	43·0	1·25	55	31	43·0	1·25	57·0	32·8	45·1	1·01
CORK, ...	76,673	28·6	6·8	16·3	0·7	10	24	7	3	...	...	...	...	...	...	1	...	2	2	...	4	2	...	...	1	2	10	1	54	41	46·5	1·41	52	38	46·2	0·66	55	38	47·5	1·17
LONDONDERRY ...	40,891	15·9	12·7	8·9	.	10	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...
LIMERICK, ...	38,518	16·1	9·5	5·4	1·4	7	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	55·8	21·8	42·2	0·88	51·8	33·2	45·0	1·79	56·5	30·1	46·3	0·78
WATERFORD, ...	27,464	19·1	7·6	7·6	.	4	4	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...
GALWAY, ...	13,255	2·5	7·9	7·9	.	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	50	33	41	1·06	52	32	41	1·47	57	35	47·4	1·38
DUNDALK, ...	13,128	9·5	45·7	19·9	.	11	5	1	...	...	...	...	..	...	...	...	...	1	...	...	1	...	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..
DROGHEDA, ...	12,501	8·4	4·2	4·2	.	1	1	...	...	...	...	...	...	...	...	...	..	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17·0	4·4	13·1	.	1	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75	55	35	44·6	1·19
LURGAN, ...	12,553	14·7	8·3	33·2	8·3	2	8	1	2	...	...	...	...	2	...	...	...	...	...	...	1	2	...	...	1	1	2	1	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75	55	35	44·6	1·19
LISBURN, ...	12,388	10·9	16·8	25·3	4·2	4	6	...	3	...	...	...	...	...	1	...	...	1	...	...	2	...	...	...	...	2	2	...	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75	55	35	44·6	1·19
WEXFORD, ...	11,531	22·8	18·1	27·1	.	4	6	2	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9·3	9·2	9·2	.	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3·8	9·3	4·7	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	..	...	...	...	...	...	54	29	41·0	1·67	54	31	41·0	1·54	58	32	44·5	1·83
KILKENNY, ...	10,514	11·4	5·0	21·8	.	1	5	...	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	56	30	42·2	0·83	57	32	43·0	0·73	56	30	45·5	1·01
CLONMEL, ...	10,209	7·8	.	.	.	.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15·3	17·8	8·9	.	4	2	1	...	...	...	...	...	...	...	...	...	..	...	...	1	...	...	...	...	...	...	...	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75	55	35	44·6	1·19
TRALEE, ...	10,300	17·4	25·3	15·2	10·1	5	3	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS,	9,587	20·1	5·4	21·8	.	1	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	..	51	33	43·2	0·32	53	32	42·8	0·95	56	36	45·9	0·66
QUEENSTOWN, ...	8,209	14·7	19·1	.	.	3	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	54	41	46·5	1·41	52	38	46·2	0·66	55	38	47·5	1·17
ARMAGH, ...	7,356	21·8	28·4	.	.	4	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	51·8	30·0	42·3	0·61	54·1	32·0	42·0	1·75	55	35	44·6	1·19

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1912. (b) See note (‡) at foot of first page. (c) Exclusive of 7 deaths of persons (including one at 73 years), admitted to hospital from localities outside the Area. (d) It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. The readings for Limerick are supplied by Mungret College. (e) Observations at Ordnance Survey Office, Phœnix Park. (f) Observations by Sir John Moore taken at Fitzwilliam-square. (g) Observations by Sir Frederick W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of December, 1912, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	
	CITY OF DUBLIN. REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF				TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.
Diphtheria,	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. — Pulmonary Tuberculosis,	.	3	3	.	.	.	.	3	.	4	1	.	.	1	.	.	15	.
Tuberculous Disease. — Other Forms,	.	.	1	1	.	.	.	1	.	1	1	.	.	.	.	.	5	1
Cancer,	1	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	4	.
Diseases of Nervous System,	1	2	.	.	.	.	.	1	.	2	.	.	1	.	1	.	8	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	.	3	1	.	.	2	1	.	.	1	.	1	2	.	.	11	1
" Respiratory System. — Pneumonia,	2	1	2	.	.	.	.	1	.	4	1	.	1	2	.	.	14	.
" Respiratory System. — Others,	3	.	2	2	.	.	.	1	4	2	2	1	.	2	.	.	19	3
" Digestive System. — Diarrhœa and *Enteritis*, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — *Enteritis*, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System. — Others,	1	.	.	2	.	.	.	1	.	1	2	.	.	.	.	.	7	.
" Genito-urinary System,	.	1	.	.	.	.	.	1	1	.	1	.	.	1	.	.	5	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	.	2	1	.	1	.	1	.	.	1	.	.	2	.	.	9	.
Violent Deaths,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	1
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	3	.
Deaths from All Causes	13	8	13	7	.	3	2	12	5	14	11	1	4	12	2	2	109	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·8	10·3	24·3	10·4	.	11·6	9·9	15·6	14·2	17·1	17·3	5·4	5·4	21·0	11·4	6·2	14·2	.
	14·8							15·6					11·1					
	15·1																	
Ages at Death. — Under 1 year,	2	.	2	1	.	.	.	3	.	1	2	.	.	3	.	.	14	.
1 and under 2 years,	1	.	.	2	.	1	.	.	.	2	1	.	.	.	.	.	7	.
2 " 5 "	.	.	.	.	.	.	.	1	.	3		.	.	1	.	.	5	.
5 " 15 "	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.	.	5	1
15 " 25 "	.	2	.	.	.	.	.	2	.	.	1	.	.	1	.	.	6	1
25 " 45 "	1	1	5	.	.	.	.	3	1	2	2	.	.	1	1	.	17	2
45 " 65 "	6	2	3	1	.	1	.	1	.	4	1	.	3	3	1	.	26	2
65 and upwards,	2	2	2	3	.	1	2	2	4	1	3	1	1	3	.	2	29	1
Number of Uncertified Deaths,	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	6	2	.	1	.	.	.	3	3	.	.	2	2	.	24	5
Workhouse Hospitals,	1	4	3	2	.	.	.	4	2	3	2	.	.	1	.	.	22	2

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths** at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years,

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										52nd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 28th December, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910	Dec. 31, 1910.	Dec. 30, 1911.	Averages in Week of the 10 years, 1902–1911.	Mean Temp.	Under 1 month.	1 month and under 1 year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature.	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 43·8	° 41·9	° 41·8										
ALL CAUSES.	188	240	187	139	170	155	136	205	155	160	173·5	116	2	12	7	5	6	7	19	28	21	9
Enteric Fever, ...	3	1	2	3	1	1	1	2	.	1	1·5	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	1	16	.	2	.	3	.	1	3	3·3	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, ...	2	2	1	.	1	1	.	3	2	1	1·3	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, ...	1	12	2	1	3	2	2	1	7	4	3·5	2	.	.	1	1	.	.	.	.	.	.
Diphtheria, ...	3	.	.	2	1	1	1	1	.	3	1·2	3	.	.	2	.	1	.	.	.	.	.
Croup, ...	1	1	.	.	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	2	.	1	2	1	1	4	1	3	1·5	1	.	.	.	.	.	.	.	.	1	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	2	.	.	.	.	1	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	.	.	.	.	.	1	·3	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS:																						
Pulmonary Tuberculosis, ...	23	25	21	19	20	21	13	15	19	23	19·9	15	.	.	.	1	1	4	5	4	.	.
Tuberculous Meningitis, ...	4	3	3	.	6	2	5	3	1	3	3·0	2	.	.	1	.	1	.	.	.	.	.
Abdominal Tuberculosis, ...	2	1	1	.	1	1	2	.	1	1	1·0	2	.	1	.	1	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.										.		.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	7	7	5	1	5	6	5	3	3	.	4·5	1	.	.	.	.	.	1	.	.	.	.
Tuberculosis of other Organs,										.		.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...										.		.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...										3		1	.	.	.	1	.	.	.	.	.	.
Venereal Diseases, ...	.	3	3	2	1	2	.	2	.	.	1·3	1	.	1	.	.	.	.	.	.	.	.
Cancer, ...	5	8	7	6	10	5	3	4	6	5	5·9	4	.	.	.	.	.	.	.	2	1	1
Tumour, situation undefined,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Rheumatic Fever, ...	.	.	1	.	1	.	.	.	.	.	·2	1	.	.	.	.	.	.	1	.	.	.
Diabetes, ...	.	.	1	1	1	.	1	.	1	.	·5	1	.	.	.	.	.		1	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	—	—	—	1	—	1	.	.	.	.	.		.	1	.	.
Other General Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	3	.	2	1	.	.	3	.	1	1·0	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...										.		1	.	.	.	.	.	.	1	.	.	.
Cerebral Hæmorrhage, *Apoplexy.*										3		5	.	.	.	.	.	.	.	2	2	1
Softening of Brain, ...										.		.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.										1		.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...										.		1	.	.	.	.	1	.	.	.	.	.
Convulsions (non-puerperal),										4		1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	43	61	32	39	39	34	33	53	42	1	39·8	1	.	.	.	.	.	.	1	.	.	.
Pericarditis, ...										.		.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...										2		1	.	.	.	.	.	.	.	.	1	.
Organic Diseases of the Heart,										11		10	.	.	.	.	.	1	1	3	5	.
Embolism and Thrombosis (including Cerebral)										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Circulatory System.										.		1	.	.	.	.	.	.	1	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	25	34	30	19	17	32	25	39	23	16	26·0	20	.	.	1	.	.	.	1	8	7	3
Broncho-pneumonia, ...	7	10	5	8	6	7	10	15	5	5	7·8	10	1	4	2	1	.	1	.	1	.	.
Lobar pneumonia, ...	.	1	2	.	1	1	1	1	2	3	1·2	1	.	.	.	.	.	.	.	1	.	.
Pneumonia (type not distinguished)	8	10	5	3	5	4	5	6	4	5	5·5	3	.	.	.	.	1	.	.	1	.	1
Pleurisy, ...										1		.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pulmonary Apoplexy	1	3	5	1	3	3	.	2	2	.	2·1	1	.	1	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.										.		1	.	.	.	.	.	.	1	.	.	.

FIFTY-SECOND WEEK ending Saturday, 28th December, 1912, with, as far as practicable, the deaths from each cause in 1902-1911, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes *Registered* in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1902–1911.	In the Week ending Saturday, 28th December, 1912.										
													Deaths of Persons of the Ages of									
													0—5.									
	Dec. 27, 1902.	Jan. 2, 1904.	Dec. 31, 1904.	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.		Mean Temp.	Under 1 month.	1 month and under a year.	1—2.	2—5.	5—15.	15—25.	25—45.	45—65.	65—75.	75 and upwards.
Mean Temperature ...	° 46·5	° 36·3	° 44·1	° 45·7	° 31·8	° 39·4	° 44·8	° 45·9	° 40·9	° 43·8	° 41·9	° 41·8										
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	2	·2	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	—	—	—	1	—	4	.	1	.	.	.	.	1	1	1	.
Diarrhœa and *Enteritis* of Children under 2 years.	4	2	7	2	8	.	1	8	2	3	3·7	.	.	.	.	.	.	.	.	.	.	.
Diarrhœa 2 years and upwards,										.		.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards										.		.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	—	—	—	2	—	1	.	.	.	.	.	.	.	.	1	.
Cirrhosis of Liver, ...	1	.	1	2	2	.	1	2	.	1	1·0	2	.	.	.	.	.	.	.	1	1	.
Other Diseases of Liver, ...	1	3	.	2	.	3	2	1	1	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	2	1	.	.	1	.	.	.	.	1	·5	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	7	10	1	2	5	3	5	5	.	4·3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...										3		.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...										7		2	.	.	.	.	.	.	1	.	.	1
Urinary Calculi, ...										.		.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).	3	6	5	6	8	6	5	6	9	.	6·5	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous).										.		.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.										1		3	.	.	.	.	.	.	3	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	1	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth	1	2	.	1	1	.	1	.	.	.	·6	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System,	—	—	—	—	—	—	—	—	—	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	—	—	—	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	.	2	2	1	4	1	1	9	1	2	2·3	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	—	—	—	2	—	4	1	3	.	.	.	.	.	.	.	.
Old Age, ...	4	9	5	4	2	1	6	4	4	9	4·8	1	.	.	.	.	.	.	.	.	.	1
Other Specified Diseases, ...	—	—	—	—	—	—	—	—	—	2	—	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	4	1	2	.	2	1	1	1	1	1·5	2	.	.	.	.	1	.	.	1	.	.
Drowning, ...	1	1	.	1	.	.	.	.	.	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	1	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	6	1	1	2	4	2	.	.	3	6	2·5	2	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	9	6	2	5	5	4	1	2	4	7	4·5	4	.	.	.	.	1	.	1	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	.	.	1	1	.	.	.	1	1	·5	1	.	.	.	.	.	.	.	1	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	1	.	.	.	.	1	.	·3	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	1	.	·1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c. Causes, ...	—	—	—	—	—	—	—	—	—	6	—	3	.	.	.	.	.	.	.	1	1	1

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks, with the average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1912—WEEK ENDING																									
	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec 28.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered.	215	194	208	202	226	193	223	197	204	276	203	217	186	240	195	201	205	211	185	196	179	197	199	184	187	122
Average Births in corresponding week of previous 10 years, ...	209	204	218	223	211	214	222	220	210	233	208	215	249	195	189	208	200	217	211	201	185	209	182	211	176	186
DEATHS registered, ...	137	130	131	120	155	130	127	154	122	129	122	134	141	136	161	164	154	147	151	156	162	158	176	142	166	116
Annual Death-rate per 1,000, ...	17·6	16·7	16·8	15·4	19·9	16·7	16·3	20·0	15·9	16·8	15·9	17·4	18·3	17·7	20·9	21·3	20·0	19·1	19·6	20·3	21·1	20·6	22·9	18·5	21·6	15·1
Average Deaths in corresponding week of previous 10 years, ...	137	143	146	150	144	146	159	160	146	162	155	168	163	159	157	163	156	171	175	178	179	186	183	179	180	174
Ages, Under 5 years, ...	51	51	41	41	61	52	33	46	47	34	32	43	36	28	46	45	33	46	36	36	48	36	57	35	52	26
5—15 ,, ...	8	8	4	5	9	6	6	9	4	7	4	6	6	5	7	6	8	7	5	7	4	7	8	4	8	6
15—25 ,, ...	3	9	6	6	2	8	6	8	2	6	6	5	10	6	9	8	9	8	7	6	10	6	12	7	14	7
25—45 ,, ...	19	24	26	22	25	21	22	26	19	28	26	21	23	18	28	29	33	27	31	28	28	31	23	25	24	19
45—65 ,, ...	38	18	29	24	29	24	29	36	28	27	26	29	36	43	32	42	40	27	36	28	37	36	42	31	30	28
65—75 ,, ...	9	12	14	12	15	13	14	17	15	12	19	20	15	27	21	21	24	19	24	32	18	27	20	20	21	21
75 and upwards, ...	9	8	11	10	14	6	17	12	7	15	9	10	15	9	18	13	7	13	12	19	17	15	14	20	17	9
Deaths from :—																										
Enteric Fever, ...	.	.	.	1	.	1	2	2	.	.	.	1	1	2	1	2	2	2	2	2	1	2	1	.	1	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	7	8	7	10	4	4	2	2	.	1	3	1	2	1	2	1	2	1	.	.	3	1	.	.	.
Scarlet Fever, ...	3	.	.	.	1	1	1	2	2	.	1	1	2	1	.	.	2	3	.	.	1	1	1	1	2	.
Whooping-cough, ...	1	.		1	.	2	1	1	4	3	1	4	.	2	.	1	1	1	.	2	1	.	1	1	1	2
Diphtheria, ...	1	.	3	3	4	1	.	2	1	2	2	.	2	1	3	3	2	2	4	.	1	.	2	.	1	3
Influenza, ...	1	1	.	.	.	.	.	.	1	2	.	1	1	1	1	1	.	.	.	1	1	2	1	2	2	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.
Tuberculous Disease, Phthisis, ...	14	13	21	21	17	17	15	22	12	18	17	7	18	18	22	26	22	21	20	15	21	24	15	19	29	15
Tuberculous Disease, Other Forms,	6	9	7	4	9	10	2	13	6	5	5	6	7	4	2	8	4	6	4	9	10	11	10	8	10	6
Cancer, ...	10	9	11	8	12	8	9	8	7	10	6	6	14	15	12	8	14	13	14	7	6	8	8	9	8	4
Diseases of Circulatory System,	10	15	10	10	14	12	16	18	11	11	11	17	17	16	17	15	14	7	22	25	13	15	22	9	17	12
Diseases of Respiratory System, Pneumonia,	10	12	4	5	1	7	12	10	11	8	8	13	9	7	18	13	13	9	9	13	17	10	13	17	9	14
Diseases of Respiratory System, Others, ...	12	10	10	5	9	5	6	12	11	13	11	13	18	12	16	18	20	28	20	18	19	20	24	19	18	22
Diarrhœa and *Enteritis*, under 2 years, ...	4	7	7	8	17	13	7	11	6	8	2	3	2	1	5	7	4	5	5	3	8	2	5	2	11	.
Diarrhœa, 2 years and upwards,	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Violent Deaths, ...	1	3	2	1	4	3	3	1	1	3	.	5	4	4	10	4	2	4	4	7	1	2	2	2	1	4
Number of Uncertified Deaths,	4	6	5	7	4	4	2	2	3	4	4	4	3	7	3	4	3	3	1	6	6	4	9	7	3	3
Mean Temperature of the Air (Phœnix Park)	54·6	56·6	58·0	58·7	53·4	53·0	52·5	52·7	52·1	53·7	51·1	50·3	49·2	45·9	48·3	49·7	42·1	43·4	49·6	43·0	47·8	36·7	44·7	46·4	44·4	41·8
Average Mean Temperature in corresponding week of previous 10 years, ...	57·6	58·6	59·7	58·6	58·8	58·5	57·8	56·8	56·7	54·9	52·4	46·7*	53·1	52·1	50·4	49·8	46·6	45·8	44·4	42·5	41·4	42·1	41·6	41·9	42·6	41·9
Rainfall in inches, ...	·320	·490	·000	1·720	1·495	1·715	·560	1·105	1·375	·150	·000	·000	·190	·105	·030	·475	·775	·300	·515	·180	·225	·790	·100	·595	·625	·690
Mean Humidity of the Air, complete Saturation 1·0, ...	·85	·83	·81	·90	·82	·88	·88	·91	·90	·82	·85	·88	·79	·84	·85	·88	·92	·82	·89	·86	·88	·88	·85	·8[illegible]	·85	·88

* For 9 years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 28th December, 1912; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH DECEMBER, 1912.

CLASS.	OCCUPATION OR SOCIAL POSITION (The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged).	Population in each Class and Group in 1901.	Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	AGES. Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	CAUSES OF DEATH. Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Other.	Diarrhœa & *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS.	375,350	—	116	26	6	7	19	28	21	9	.	.	.	.	.	2	3	.	15	6	4	1	14	22	.	.	4	45	3
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	17,436	6·0	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
II.	MIDDLE CLASS, ...	87,188	9·6	16	1	1	1	1	6	3	3	.	.	.	.	.	.	2	.	1	1	2	.	2	1	.	.	.	7	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	110,423	10·4	22	4	.	2	3	6	6	1	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	1	13	1
IV.	GENERAL SERVICE CLASS, ...	154,279	17·6	52	18	5	3	11	8	6	1	.	.	.	.	.	2	1	.	5	3	.	1	11	8	.	.	3	18	2
V.	INMATES OF WORKHOUSES, ...	6,024	—	24	3	.	1	4	7	6	3	.	.	.	.	.	.	.	.	6	2	1	.	.	9	.	.	.	6	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,799	13·4	2	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	6·8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	7·1	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	6. Clerks and Commercial Assistants, ...	30,432	8·6	5	1	.	1	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	3	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	27,028	13·5	7	.	1	.	1	1	1	3	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.	.	.	3	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	15·8	3	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	29,801	8·7	5	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	1
	10. Clothing Trades, ...	23,260	2·2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	11. Food Supply Trades	9,242	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	30,352	20·6	12	.	.	2	2	5	3	.	.	.	.	.	.	.	.	.	2	.	1	.	.	3	.	.	1	5	.
	13. Petty Shopkeepers	7,894	6·6	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	13,425	7·8	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
	15. Domestic Servants, ...	36,603	5·7	4	.	1	1	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	10·9	3	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.
	17. Hawkers, Porters, Labourers, &c., ...	89,861	25·0	43	16	3	2	10	6	5	1	.	.	.	.	.	2	1	.	4	.	.	1	10	8	.	.	2	15	2
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	24	3	.	1	4	7	6	3	.	.	.	.	.	.	.	.	6	2	1	.	.	9	.	.	.	6	.

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of certain REGISTRARS' DISTRICTS in the CITY represented thereby, and by the Deaths from certain Epidemic Diseases* ; with the Mortality from the principal causes, and the number Statistics for each of the Provincial

	DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living: From All Causes	Annual Rate of Mortality per 1,000 Living: From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Tuberculous Disease: Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Diseases of Respiratory System: Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years and upwards.	Violence.	Number of Uncertified Deaths.
City of Dublin (Part of),	North City, No. 1 (E.) (*Office, Clarence-st. Nth.*) Pop. in 1912 (Est.) 29,697.	Nov. 9,	24·6	3·5	14	.	.	.	.	.	.	1	.	1	.	1	2	3	1	.	.	.
		„ 16,	21·1	1·8	12	.	.	.	.	.	1	.	.	.	1	.	.	1	.	.	1	1
		„ 23,	29·8	3·5	17	1	.	.	.	1	.	.	.	5	2	.	.	3	.	.	.	1
		„ 30,	10·5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
		Dec. 7,	21·1	1·8	12	.	.	.	.	.	.	.	.	.	1	.	.	4	1	.	.	1
		„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	2
		„ 21,	21·1	.	12	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.
		„ 28,	22·8	3·5	13	.	.	.	.	.	1	1	.	.	.	1	2	3	.	.	1	1
	North City, No. 1 (W.) (*Office, Summer-hill.*) Pop. in 1912 (Est.) 40,583.	Nov. 9,	19·3	1·3	15	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	1	.
		„ 16,	29·6	3·9	23	1	.	.	.	.	.	.	1	3	1	1	1	3	1	.	1	1
		„ 23,	24·4	2 6	19	.	.	.	.	.	.	.	.	1	2	.	1	4	2	.	.	.
		„ 30,	25·7	2·6	20	.	.	.	1	.	.	.	.	3	2	2	1	2	1	.	.	.
		Dec. 7,	27·0	3·9	21	.	.	.	.	.	.	1	.	3	2	1	.	4	2	.	.	2
		„ 14,	24·4	.	19	.	.	.	.	.	.	.	.	2	1	2	2	3	.	.	.	1
		„ 21,	25·7	2·6	20	1	.	.	.	.	.	.	.	1	2	1	.	.	1	.	.	2
		„ 28,	10·3	.	8	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	1	.
	North City, No. 2. (*Office, Lisburn-street.*) Pop. in 1912 (Est.) 27,883.	Nov. 9,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	1	.	.	2	1	.	1	.
		„ 16,	29·9	1·9	16	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.	.
		„ 23,	28·1	1·9	15	.	.	.	.	.	.	.	.	2	1	1	1	3	1	.	.	.
		„ 30,	15·0	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.	.
		Dec 7,	35·5	1·9	19	.	.	.	.	1	.	.	.	2	.	1	2	3	.	.	.	.
		„ 14,	22·4	.	12	.	.	.	.	.	.	.	.	2	3	.	1	3	.	.	.	.
		„ 21,	28·1	5·6	15	.	.	.	.	.	.	.	.	3	1	.	1	4	3	.	.	.
		„ 28,	24·3	.	13	.	.	.	.	.	.	.	.	3	1	.	2	2	.	.	.	.
	North City, No. 3. (*Office, Benburb-street.*) Pop. in 1912 (Est.) 34,937.	Nov. 9,	22·4	1·5	15	.	.	.	.	.	.	.	.	3	.	3	.	2	1	.	1	.
		„ 16,	13·4	.	9	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.
		„ 23,	16·4	1·5	11	.	.	.	.	.	.	.	.	1	1	.	2	.	1	.	.	.
		„ 30,	16·4	1·5	11	.	.	.	1	.	.	.	.	2	.	.	1	2	.	.	.	1
		Dec. 7,	22·4	1·5	15	.	.	.	.	.	.	.	.	1	.	.	3	1	1	.	.	.
		„ 14,	26·9	.	18	.	.	.	.	.	.	.	.	2	2	2	3	5	.	.	.	.
		„ 21,	13·4	.	9	.	.	.	.	.	.	.	.	.	1	.	2	2	.	.	.	.
		„ 28,	10·4	.	7	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.
	South City, No. 1. (*Office, Sth. Earl-street.*) Pop. in 1912. (Est.) 40,080.	Nov. 9,	14·3	1·3	11	.	.	.	1	.	.	.	.	1	.	.	.	3	.	.	.	.
		„ 16,	13·0	.	10	.	.	.	.	.	.	.	.	2	1	.	3	1	.	.	.	.
		„ 23,	24·7	1·3	19	.	.	.	.	.	.	.	.	2	2	1	.	4	1	.	.	.
		„ 30,	20·8	5·2	16	1	1	.	1	.	.	.	.	2	3	.	.	.	1	.	.	.
		Dec. 7,	22·1	1·3	17	1	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
		„ 14,	16·9	1·3	13	.	.	.	.	.	.	.	.	4	.	1	1	2	1	.	.	.
		„ 21,	31·2	2·6	24	.	.	.	.	1	.	.	.	2	1	.	3	2	1	.	.	.
		„ 28,	15·6	.	12	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	.	1
	South City, No. 2. (*Office, Castle-street.*) Pop. in 1912 (Est.) 18,341.	Nov. 9,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
		„ 16,	17·1	.	6	.	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.
		„ 23,	8·5	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
		„ 30,	17·1	.	6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1	.
		Dec. 7,	34·1	.	12	.	.	.	.	.	.	.	.	2	1	1	1	2	.	.	1	.
		„ 14,	22·7	.	8	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
		„ 21,	22·7	2·8	8	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	.
		„ 28,	14·2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	South City, No. 3. (*Office, Peter-street.*) Pop. in 1912 (Est.) 42,805.	Nov. 9,	19·5	.	16	.	.	.	.	.	.	.	.	4	.	1	2	1	.	.	1	.
		„ 16,	19·5	.	16	.	.	.	.	.	.	.	.	2	.	.	4	4	.	.	.	1
		„ 23,	28·0	.	23	.	.	.	.	.	.	.	.	4	1	2	5	2	.	.	1	2
		„ 30,	20·7	1·2	17	.	.	.	.	1	.	.	.	2	.	1	3	3	.	.	.	2
		Dec. 7,	23·1	.	19	.	.	.	.	.	.	.	.	.	3	.	2	3	.	.	.	3
		„ 14,	20·7	1·2	17	.	.	.	.	.	.	.	.	.	.	.	3	4	1	.	.	2
		„ 21,	26·8	.	22	.	.	.	.	.	.	.	.	7	1	1	2	4	.	.	1	1
		„ 28,	17·1	.	14	.	.	.	.	.	.	.	.	4	1	.	4	2	.	.	.	.
	South City, No. 4. (*Office, Grand Canal-st.*) Pop. in 1912 (Est.) 33,171.	Nov. 9,	20·4	1·6	13	.	.	.	.	.	.	.	.	2	1	1	3	.	1	.	.	.
		„ 16,	11·0	1·6	7	.	.	.	.	.	1	.	.	1	1	.	.	.	.	.	1	.
		„ 23,	12·6	4·7	8	.	.	.	.	.	1	.	.	2	.	.	.	.	2	.	.	.
		„ 30,	29·9	1·6	19	1	.	.	.	.	.	.	.	4	3	.	.	3	.	.	.	.
		Dec. 7,	33·0	4·7	21	.	.	.	1	.	.	1	.	1	1	1	1	2	1	.	.	2
		„ 14,	17·3	1·6	11	.	.	.	.	.	1	.	.	1	1	.	2	1	.	.	1	.
		„ 21,	28·3	7·9	18	.	.	.	.	.	.	.	.	4	.	2	.	.	5	.	.	.
		„ 28,	17·3	1·6	11	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.

* See note (‡) at foot of first page.

OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Population of Uncertified deaths, *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted;* also, similar County Boroughs in Ireland.

DISTRICTS.	1912. Week ending	Annual Rate of Mortality per 1,000 Living. From All Causes.	Annual Rate of Mortality per 1,000 Living. From Certain Epidemic Diseases.*	Total Deaths.	Number of Deaths from: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of Respiratory System. Pneumonia.	Diseases of Respiratory System. Others.	Diarrhœa and Enteritis of Children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Number of Uncertified Deaths.
Rathmines and Rathgar Urban District.	Nov. 9,	16·3	2·7	12	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	„ 16,	23·0	.	17	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	2
	„ 23,	17·6	1·4	13	.	.	.	.	.	.	.	1	1	.	.	3	2	.	.	.	1
	„ 30,	17·6	.	13	.	.	.	.	.	.	.	.	1	1	2	1	1	.	.	.	.
	Dec. 7,	19·0	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	1	1
Pop. in 1912 (Est.) 38,495.	„ 14,	8·1	.	6	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	1
	„ 21,	9·5	.	7	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	„ 28,	5·4	.	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.
Pembroke Urban District.	Nov. 9,	15·8	1·8	9	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.
	„ 16,	14·0	.	8	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	„ 23,	14·0	1·8	8	.	.	.	.	.	.	.	.	1	.	1	2	.	1	.	.	.
	„ 30,	12·3	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	Dec. 7,	15·8	1·8	9	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.
Pop. in 1912 (Est.) 29,731.	„ 14,	15·8	.	9	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	„ 21,	14·0	5·3	8	.	.	.	.	1	1	1	.	1	.	1	.	2	.	.	.	.
	„ 28,	21·0	1·8	12	.	.	.	.	.	1	.	.	1	.	.	2	2	.	.	.	1
Kingstown Urban District.	Nov. 9,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	18·5	3·1	6	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.
	„ 23,	15·4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	„ 30,	21·5	.	7	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	Dec. 7,	6·2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Pop. in 1911 16,941.	„ 14,	6·2	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 21,	18·5	.	6	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	„ 28,	6·2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Belfast.	Nov. 9,	16·8	1·3	126	.	.	.	8	2	.	.	.	16	7	2	15	22	.	.	2	1
	„ 16,	16·1	2·1	121	.	.	.	9	1	1	1	.	11	2	5	10	20	4	.	5	3
	„ 23,	18·4	2·4	138	.	.	.	13	2	.	.	.	18	6	5	13	23	2	1	2	2
	„ 30,	18·5	3·1	139	.	.	.	15	.	.	2	.	13	7	7	8	20	5	1	4	2
Pop. in 1912 (Est.) 391,974.	Dec. 7,	23·5	2·8	177	.	.	.	13	4	.	.	.	16	5	10	22	30	3	1	3	2
	„ 14,	20·0	3·5	150	.	.	.	20	1	.	3	.	10	6	8	16	25	2	.	1	.
	„ 21,	23·5	4·4	177	2	.	.	21	2	2	1	.	15	6	8	16	27	5	.	2	.
	„ 28,	19·3	3·9	145	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	2
Cork.	Nov. 9,	15·6	.	23	.	.	.	.	.	.	.	.	5	.	3	.	4	.	.	.	.
	„ 16,	15·6	.	23	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1
	„ 23,	12·9	0·7	19	.	.	.	.	1	.	.	.	5	2	1	1	1	.	.	.	.
	„ 30,	18·4	1·4	27	.	.	.	.	1	.	.	1	6	1	1	2	3	.	.	.	1
Pop. in 1911 76,673.	Dec. 7,	21·8	.	32	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	2
	„ 14,	17·0	2·7	25	4	.	.	.	.	.	.	.	2	.	2	1	1	.	.	.	.
	„ 21,	17·0	.	25	.	.	.	.	.	.	.	.	3	.	.	2	2	.	.	.	1
	„ 28,	16·3	0·7	24	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	1
Londonderry.	Nov. 9,	16·6	.	13	.	.	.	.	.	.	.	.	2	1	1	.	3	.	.	.	.
	„ 16,	10·2	1·3	8	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
	„ 23,	16·6	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	.
	„ 30,	19·1	2·6	15	.	.	.	.	.	.	1	.	.	.	1	1	4	.	1	.	.
Pop. in 1912 (Est.) 40,891.	Dec. 7,	17·9	.	14	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	1	.
	„ 14,	20·4	1·3	16	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	1
	„ 21,	17·9	.	14	.	.	.	.	.	.	.	.	2	1	.	.	3	.	.	.	1
	„ 28,	8·9	.	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Limerick.	Nov. 9,	28·4	19·0	21	.	.	.	14	.	.	.	.	.	.	.	3	.	.	.	.	.
	„ 16,	35·2	19·0	26	.	.	.	12	.	.	.	.	1	.	2	.	4	2	.	.	.
	„ 23,	42·0	12·2	31	.	.	.	9	.	.	.	.	5	1	.	2	5	.	.	.	3
	„ 30,	27·1	4·1	20	.	.	.	3	.	.	.	.	2	.	2	.	1	.	.	.	3
Pop. in 1911 38,518.	Dec. 7,	31·1	10·8	23	.	.	.	8	.	.	.	.	2	.	.	.	6	.	.	.	.
	„ 14,	20·3	6·8	15	.	.	.	5	.	.	.	.	1	.	.	1	1	.	.	1	.
	„ 21,	19·0	4·1	14	.	.	.	2	.	1	.	.	.	.	.	.	2	.	.	.	3
	„ 28,	5·4	1·4	4	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.
Waterford.	Nov. 9,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	„ 16,	19·0	1·9	10	.	.	.	.	.	.	.	.	1	.	1	.	2	1	.	.	1
	„ 23,	17·1	.	9	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	2
	„ 30,	32·3	.	17	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	.
Pop. in 1911 27,464.	Dec. 7,	13·3	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	„ 14,	20·9	3·8	11	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	2
	„ 21,	20·9	.	11	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	1
	„ 28,	7·6	.	4	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.

* See note (‡) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th December, 1912, Deaths in Public Institutions of Persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases.*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOUS DISEASE. Phthisis.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM. Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	6	19·7	3·3	6	2	2	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.
Do. 2 do.	49,500	7	25·3	3·2	24	5	6	.	2	3	8	.	.	.	3	.	.	.	.	.	1	1	2	5	.	.	.	1	6	.
Do. 3 do.	50,032	31	26·1	5·2	25	8	4	2	4	2	5	.	.	.	4	.	.	.	.	2	1	1	1	5	1	.	.	.	5	.
Do 4 do.	32,637	20	16·0	4·8	10	5	2	.	.	2	1	.	.	.	3	.	.	.	.	1	.	.	.	1	.	.	.	.	4	.
Do. 5 do.	16,112	5	25·9	6·5	8	1	3	.	1	1	2	.	.	.	.	.	.	.	.	1	.	.	3	.	.	2	.	.	2	.
Do. 6 do.	37,293	6	12·6	.	9	1	2	1	2	2	1	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	1	2
Do. 7 do.	2,681	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.	5,964	3	26·2	8·7	3	.	1	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.
Do. 9 do.	24,427	12	29·9	6·4	14	5	5	1	1	1	1	.	.	.	2	.	.	.	.	1	2	.	2	.	1	.	.	1	2	.
Do. 10 do.	28,958	13	9·0	5·4	5	1	2	1	.	.	1	.	.	.	2	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.
Do. 11 do.	39,311	9	9·3	.	7	.	.	3	1	1	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	3	.
Do. 12 do.	38,076	18	23·3	5·5	17	5	6	3	1	1	1	.	.	.	3	.	1	.	.	1	.	.	1	3	.	.	.	1	1	.
Do. 13 do.	23,233	9	11·2	4·5	5	1	.	1	.	1	2	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do. 14 do.	175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	5	27·6	4·6	12	1	2	.	2	3	4	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.
Total,	386,947	144	19·3	3·9	145	35	35	12	14	18	31	.	.	.	23	.	1	.	.	8	6	2	14	18	3	2	1	7	31	2
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	12,867	1	7·8	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do 2 do.	10,701	3	15·0	5·0	3	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1	3	.
Do 3 do.	9,978	2	31·9	.	6	2	.	.	3	.	1	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	2	.
Do 4 do.	8,666	2	11·4	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Do 5 do.	6 592	.	8·3	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Do 6 do.	10,702	.	27·0	.	6	3	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	2	1
Do. 7 do.	16,616	2	13·0	.	4	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Total,	76,122	10	16·3	0·7	24	7	1	2	7	4	3	.	.	.	.	.	.	1	.	2	2	.	4	2	.	.	1	2	10	1

* See note (‡) at foot of first page.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

BELFAST.	1912—WEEK ENDING																									
	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.
No. of weeks in Annual Series,	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
BIRTHS registered, ...	211	173	217	205	214	218	199	181	203	187	179	183	181	233	211	212	196	191	202	184	166	174	217	167	176	144
DEATHS registered, ...	91	119	109	117	99	92	83	95	93	82	95	96	105	112	135	107	126	126	126	121	138	139	177	150	177	145
Annual Death rate per 1,000 of estimated population, ...	12·1	15·9	14·5	15·6	13·2	12·3	11·1	12·6	12·4	10·9	12·6	12·8	14·0	14·9	18·0	14·2	16·8	16·8	16·8	16·1	18·4	18·5	23·5	20·0	23·5	19·3
AGES, Under 1 year, ...	23	18	23	21	18	26	17	14	14	14	15	14	21	18	22	19	18	20	19	24	18	22	32	34	39	35
1—5 years, ...	10	9	14	6	13	10	7	7	12	7	5	9	8	15	19	13	16	22	23	18	26	22	29	27	29	35
5—25 ,, ...	6	20	10	12	10	7	13	13	10	9	12	14	15	13	19	12	12	14	19	11	15	18	12	17	19	12
25—45 ,, ...	16	16	18	30	17	20	18	20	17	13	12	12	15	16	21	15	15	20	19	14	18	15	26	19	25	14
45—65 ,, ...	20	35	21	29	23	16	14	19	21	20	27	24	32	27	36	25	36	30	25	29	34	31	50	29	30	18
65 and upwards, ...	16	21	23	19	18	13	14	22	19	19	24	23	14	23	18	23	29	20	21	25	27	31	28	24	35	31
Deaths from :—																										
Enteric Fever, ...	.	1	.	.	2	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	3	1	.	3	.	1	1	.	.	.	.	3	4	8	7	12	8	9	13	15	13	20	21	23
Scarlet Fever, ...	.		.	1	1	.	.	.	1	4	1	4	2	2	4	1	1	2	2	1	2	.	4	1	2	.
Whooping-cough, ...	4	.	2	1	2	3	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	1
Diphtheria, ...	.	.	.	1	2	.	3	.	1	.	1	.	1	.	3	.	1	1	.	1	.	2	.	3	1	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculous Disease. Phthisis, ...	9	17	14	15	7	9	16	12	6	7	15	13	12	11	13	12	24	17	16	11	18	13	16	10	15	8
Tuberculous Disease. Other Forms,	5	7	9	3	11	6	6	5	7	4	2	2	9	4	7	3	2	7	7	2	6	7	5	6	6	6
Cancer, ...	4	9	10	11	7	4	2	4	5	5	4	7	2	7	7	9	9	8	2	5	5	7	10	8	8	2
Diseases of Respiratory System, Pneumonia,	4	10	3	2	9	5	5	3	7	2	5	6	5	8	11	9	10	8	15	10	13	8	22	16	16	14
Diseases of Respiratory System, Others, ...	5	16	8	9	8	9	7	9	6	6	6	8	12	9	10	16	20	14	22	20	23	20	30	25	27	18
Diarrhœa and *Enteritis*, under 2 years, ...	1	2	4	.	2	4	4	4	5	4	4	4	3	8	5	3	.	5	.	4	2	5	3	2	5	3
Diarrhœa, 2 years and upwards,	.	1	1	.	.	.	.	1	.	.	.		3	1	1	.	.	.	.	.	1	1	1	.	.	2
Violent Deaths, ...	4	.	1	3	2	3	2	2	4	2	2	2	3	6	2	2	1	3	2	5	2	4	3	1	2	1
Number of Uncertified Deaths, ...	4	.	2	2	1	.	.	1	.	.	3	3	.	2	2	2	1	.	1	3	2	2	2	.	.	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW, and certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return, 1912 — Week ending	Births. (Exclusive of Stillborn.)	Deaths. (Exclusive of Stillborn.)	Annual Death-rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhœal Diseases.
London, ...	4,519,754	Dec. 28,	1,434	1,249	14·4	3	.	68	5	16	9	17*a*
Edinburgh, ...	321,200	„ 21,	134	119	19·3	.	.	.	1	1	.	1
		„ 28,	123	111	18·0	1	.	.	.	3	.	.
Glasgow, ...	785,600	„ 21,	405	312	20·7	.	.	.	1	15	7	2
		„ 28,	391	285	18·9	1	.	3	4	7	3	2
Calcutta, ...	896,067	Nov. 16,	.	503	29·1	71*	.	1	.	.	.	73‡
Bombay, ...	979,445	„ 23,	446	668	35·5	63*	.	3	.	.	.	97‡
Madras, ...	518,660	„ 30,	428	414	41·5	68*	.	2	?	?	?	78‡
Cairo, ...	704,956	Sept. 30,	616	466	34·5	3	.	2	.	?	16	118*a*
Paris, ...	2,847,229	Dec. 14,	913	1,005	18·0	2	.	6	3	3	9†	20*a*
Brussels, ...	745,380	„ 7,	237	211	14·7	3	.	1	1	1	4†	4*a*
Antwerp, ...	308,618	„ 14,	108	76	12·8	.	.	2	.	.	1†	11*a*
Amsterdam, ...	586,111	„ 7,	259	146	12·9	1	.	4	.	2	3†	.
Copenhagen, ...	468,000	„ 7,	200	147	16·4	.	.	.	3	3	1	5
Stockholm, ...	346,599	„ 7,	132	114	17·1	1	.	.	.	.	.	2*a*
Christiania, ...	247,488	„ 14,	116	45	9·5	.	.	.	1	.	4	1
St. Petersburg, ...	1,664,000	Nov. 23,	1,210	589	18·5	11	.	12	10	7	3†	36
Moscow, ...	1,617,157	„ 23,	.	622	20·1	5	.	9	18	3	24†	50
Berlin, ...	2,088,598	„ 23,	685	540	13·5	1	.	3	7	3	13†	24
Hamburg, ...	953,079	Dec. 7,	..	277	15·1	1	.	.	.	3	14†	17
Breslau, ...	534,235	„ 7,	.	167	16·3	.	.	4	2	2	.	8
Munich, ...	615,000	„ 7,	.	169	14·3	.	.	5	1	1	4†	7
Vienna (with suburbs),	2,098,225	„ 7,	732	568	14·1	2	.	5	4	7	6†	28*a*
Buda-Pesth, ...	910,548	„ 7,	482	318	18·2	3	.	1	13	1	3†	10*a*
Prague and Faubourgs,	484,301	Nov. 30,	.	.	.	.	.	.	.	.	.	.
Trieste, ...	239,549	Dec. 7,	113	95	20·7	1	.	1	.	.	.	2*a*
Rome, ...	569,809	Sept. 7,	267	148	13·5	5	.	1	1	1	5	10
		„ 14,	257	150	13·7	5	.	1	.	.	.	20
Venice, ...	184,325	Jan. 6,	.	.	.	.	.	.	.	.	.	.
New York, ...	5,173,064	Dec. 7,	2,927	1,420	14·3	12	.	2	8	6	19†	29*a*
Philadelphia, ...	1,606,105	Oct. 7,	.	407	13·2	3	.	.	1	1	4	41*a*
Boston, ...	720,031	Dec. 7,	.	242	17·5	1	.	2	1	4	.	5

* Deaths from "fever," including 7 from enteric fever, and 4 from plague in Calcutta, and 5 from enteric fever and 5 from plague in Bombay.

† Including deaths from croup.

‡ Including 19 deaths from cholera in Calcutta, one in Bombay, and 8 in Madras.

a Deaths from diarrhœa and *enteritis* of children under two years of age.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th December, 1912.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—*Continued Fever.*	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Tuberculous Phthisis (*Phthisis*).	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	.	.	.	.	2
" " 1, West, ...	.	.	.	.	.	.	.	.	1	.	.	.	1
" " 2, ...	.	1	.	.	.	.	.	.	.	.	.	1	2
" " 3, ...	.	1	.	.	.	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	1	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	1	.	1	1	.	.	.	.	3
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3, ...	.	.	.		1	.	.	.	.	.	.	1	2
" " 4, ...	.	.	.	.	2	.	.	.	1	1	.	.	4
New Kilmainham, ...	.	1	.	.	1	.	.	1	.	.	.	.	3
Total, ...	.	7	.	.	7	.	1	2	2	1	.	2	22

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th December, 1912, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th December.			
	Dec. 7.	Dec. 14.	Dec. 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	42	35	32	2	4	1	29
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	3	2	.	1	.	1
Scarlet Fever, ...	123	118	118	18	24	.	112*
Diphtheria, ...	58	53	59	7	9	2	55
Pneumonia, ...	21	18	18	8	5	2	19

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.A., M.D., D.P.H., D.SC., F.R.MET.SOC., D.L., reports as follows on the weather during the week ending Saturday, 28th December, 1912:—

"Very unsettled and often tempestuous weather was experienced during the greater part of this week. Both atmospheric pressure and air temperature were exceedingly unsteady, and the rainfall was frequent and heavy. Sunday alone was a fine, quiet day, owing to an equalisation of atmospheric pressure between two depressions, one of which lay on the Norwegian Sea, while the other was approaching Ireland from Mid-Atlantic. The latter system afterwards skirted the western shores of Ireland and Scotland and then curved northwestwards, reaching the S.W. coast of Iceland on the morning of Christmas Eve. But at this time the barometer was once more falling rapidly in Ireland, as a new depression neared the Mayo coast. This disturbance proved to be a cyclonic system of great energy, so that violent gales from points between S.E. and W. swept over the greater part of the British Isles, causing much damage by both land and sea. Thunder and lightning and hail-storms were reported from the south of Ireland. Christmas Day was dreary and wet in most districts, but Dublin enjoyed fine weather except in the forenoon when rain fell for about an hour. At night a lunar halo heralded the near approach of a new disturbance, which reached Kerry on Thursday morning, the barometer falling to 28·75 inches at Valentia at 7 a.m. As pressure exceeded 30·6 inches at Madrid at the same time, the baric gradients were very steep and accordingly another southerly tempest swept over France and England and Ireland, thunder and lightning occurring in the S.E. of Ireland and S.W. of England. On Friday yet another though less energetic depression arrived from the Atlantic, sending the thermometer up to 56° in Dublin and to 59° at Bath. In the morning frost prevailed in Scotland, Nairn reporting a minimum of 27°. At 11 p.m. a lunar rainbow was seen in Dublin. Saturday proved fine and quiet after a fresh S.W. gale in the early morning hours. In Dublin the mean height of the barometer was 29·532 inches, pressure ranging between 29·801 inches at 9 a.m. of Sunday (wind, S.) and 28·966 inches at 9 a.m. of Thursday (wind, E.). The corrected mean temperature was 45·3°, the mean dry-bulb reading at 9 a.m. and 9 p.m. being 44·2°. The extreme temperatures were 56·3° and 34·9°—both recorded on Friday. S.W. was the dominant wind. Gales occurred on Tuesday, Thursday and Saturday (morning). Rain fell daily to the total amount of ·707 inch, of which ·420 inch was measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·532 inches. The highest reading (29·798) was on Sunday at 9 a.m., air calm, the lowest (29·020) on Thursday at 9 a.m., wind E.N.E.

The mean temperature for the week was 41·8°, being 0·1° below the average for the corresponding period of the 10 years, 1902–1911. The temperature* was highest on Friday, on which day the thermometer registered 56°, and was also lowest on that day, the mercury having fallen to 28°. The mean of the Dry Bulb for the week was 42·2° and of the Wet Bulb, 40·6°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·690 inch.

At Greenwich the mean temperature for the week was 48·1°, the maximum 56·3°, and the minimum 38·2°; and at Edinburgh the maximum was 51·0°, the minimum 31·7°, and the mean 41·7°. The rainfall at Greenwich measured 1·22 ins.; and at Edinburgh 0·71 in.

The information in the preceding paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK DUBLIN. (Height above mean sea level 155·3 feet.)

Furnished by direction of the Superintendent of the Ordnance Survey.

1912. Month and Day.	Barometer. Mean daily readings corrected and reduced to 32° Fahr. (Mean Sea Level.)	Thermometer.* Maximum.	Thermometer.* Minimum.	Thermometer.* Mean.	Hygrometer. Dry Bulb.	Hygrometer. Wet Bulb.	Hygrometer. Degree of Humidity, complete Saturation =1·0.	Ozone, 1·0.	Sunshine in hours and decimals.	Rain Gauge.	Direction of the Wind. 9 A.M.	Direction of the Wind. 9 P.M.
	(1.) In.	(2.) °	(3.) °	(4.) °	(5.) °	(6.) °	(7.)	(8.)	(9.)	(10.) Ins.		
Sunday, December 22,	29·785	47	31	39·0	37·4	36·5	·93	·5	2·7	·000	Calm.	Calm.
Monday, „ 23,	29·640	50	32	41·0	39·7	38·4	·90	·6	0·4	·055	S.W.	Calm.
Tuesday, „ 24,	29·495	53	32	42·5	46·9	44·0	·80	·7	0·0	·150	S.	W.S.W.
Wednesday, „ 25,	29·640	49	39	44·0	43·2	41·3	·86	·7	0·0	·300	S.S.W.	S.W.
Thursday, „ 26,	29·330	46	35	40·5	39·0	38·3	·94	·3	0·0	·080	E.N.E.	W.
Friday, „ 27,	29·375	56	28	42·0	48·5	46·7	·87	·6	0·0	·105	S.E.	S.S.W.
Saturday, „ 28,	29·460	53	34	43·5	40·8	38·8	·85	·6	2·3	·000	W.S.W.	S.W.
Mean, ...	29·532	50·6	33·0	41·8	42·2	40·6	·88	·6	Total 5·4	Total ·690	Prevailing Wind, S.W.	

Sunday—Day cloudy, fine; night clear. *Monday*—A dull day, drizzling at intervals a.m. and p.m.; night cloudy, heavy rain 8.40 to 9.0 a.m. *Tuesday*—Day overcast, heavy rain 9.0 to 11.0 a.m.; night clear to overcast, drizzling 10.0 p.m. to 2.40 a.m. *Wednesday*—Day overcast, drizzling at intervals a.m. and p.m.; night overcast, heavy rain 5.50 to 8.20 a.m. *Thursday*—Day overcast, drizzling at intervals a.m. and p.m.; night cloudy, heavy rain 7.45 to 8.30 a.m. *Friday*—Day overcast, drizzling at intervals a.m. and p.m.; night cloudy, 9.20 to 11.20 p.m. *Saturday*—Day cloudy, fine; night clear.

Note—The information in columns 1, 5, 6, and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

* The maximum and minimum temperatures are given in whole degrees, the whole degree nearest the corrected reading being taken.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine, and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, 28th December, 1912.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

1912. Month and Day.	Air Temperature in Shade, 9 a.m.	Earth Temperature, 9 a.m. 1 Foot.	Earth Temperature, 9 a.m. 4 Feet.	Air Temperature in Shade, read at 9 p.m. Max.	Air Temperature in Shade, read at 9 p.m. Min.	Air Temperature in Shade, read at 9 p.m. Mean.	Sunshine (Campbell-Stokes Recorder) read at 9 p.m.	Rainfall.
	°	°	°	°	°	°	hrs.	ins.
Sunday, December 22,	41·7	45·0	46·0	50·6	34·9	42·75	1·2	·01
Monday, „ 23,	46·5	43·6	46·0	50·7	38·3	44·5	1·8	·1
Tuesday, „ 24,	51·8	43·1	46·0	53·8	42·1	47·95	·4	·1
Wednesday, „ 25,	48·9	44·0	46·0	50·1	39·0	44·55	—	·42
Thursday, „ 26,	44·0	42·5	46·0	47·0	36·8	41·9	—	·06
Friday, „ 27,	45·8	42·0	45·7	57·7	32·3	45·0	—	·043
Saturday, „ 28,	45·8	43·6	45·5	54·2	39·0	46·6	1·0	·014
Weekly Mean, .	46·4	43·4	45·9	52·0	37·5	44·7	Total 4·4	Total ·747

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

33202. Wt. P. 360-45/139. 375. 10. 1912. G. III. Sch. c. 7.

FOR OFFICIAL USE.

Quarterly Summary of the Weekly Returns

OF

BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN & SONS, LTD., FETTER LANE, E.C.; or
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN;
or from the Agencies in the British Colonies and Dependencies,
the United States of America, the Continent of Europe and Abroad of
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN. *Price* 1½*d.*

VOL. XLIX.] QUARTER ENDING SATURDAY, 28TH DECEMBER, 1912. [No. 52A.

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,742 statute acres, and the population, estimated to the middle of 1912, 400,865, there were registered during the thirteen weeks ended on Saturday, 28th December, 1912, 2,499 births—1,273 boys and 1,226 girls—being equal to an annual ratio of 1 in 40·1, or 24·9 in every 1,000 of the population.

The number of births registered in the city was 2,182, equivalent to an annual rate of 28·5 in every 1,000 of the population; and in the urban districts named above, 317, equal to an annual rate of 13·4 in every 1,000 of the population.

There were registered in London during the same period 26,942 births—being equal to an annual birth-rate of 23·8 in every 1,000 of the estimated population; in Glasgow there were registered 5,194, being equal to 26·4 per 1,000; and in Edinburgh, 1,592—a number affording an annual birth-rate of 19·8 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (129) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,860, are equivalent to an annual rate of 18·6 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 22·4. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,989—1,003 males and 986 females—affording an annual ratio of 1 in 50·4 or 19·8 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1902–1911, in the Dublin Registration Area was 23·0 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the north city districts registered last quarter was 813, representing an annual mortality of 20·0 in every 1,000 of the population; and the number in the south city districts was 722, equivalent to a rate of 20·0 per 1,000. In the urban districts the number of deaths registered was 325, being equal to an annual death-rate of 13·8 in every 1,000.

* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

The number of deaths registered in London during the same period was 16,906—a number equal to an annual rate of mortality of 15·0 in every 1,000 of the inhabitants; in Glasgow the number was 3,643, equal to 18·5 in every 1,000; and in Edinburgh, 1,248, affording an annual death-rate of 15·5 in every 1,000 of the estimated population.

Diseases.—The number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area during last quarter was 142, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·42.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1902–1911:—

Names of Diseases.	No. of Deaths in December Quarter, 1912.	Average No. of Deaths in December Quarters, 1902–1911.
Enteric Fever, ...	18	22
Typhus, ...	1	1
Small-pox, ...	–	–
Measles, ...	13	43
Scarlet Fever, ...	12	12
Whooping-cough, ...	13	27
Diphtheria, ...	22	16

Enteric Fever.—Following 16, 10, and 8 deaths in the 3 preceding quarterly periods of the year 1912, there were 18 deaths from enteric fever registered in the period under notice; the average deaths for the corresponding quarter of the years 1902–1911 being 22. Of the deaths 7 belonged to Dublin city north, 6 to Dublin city south, 2 to Pembroke urban district, and 3 were of persons admitted to public institutions from without the Registration Area. In Table I. dealing with the hospital statistics for certain of the principal epidemic diseases and pneumonia, it will be seen that 11 deaths from enteric fever took place in hospitals during the quarter.

Typhus.—At the beginning of the period 4 cases of typhus were under treatment in hospital, 2 cases were admitted during the quarter, one died, and there was no case under treatment at the close of the quarter.

Small-pox.—There was no mortality or morbidity from small-pox reported to this department during the December quarter of 1912.

Measles.—There were 13 deaths from measles registered; in the preceding period the deaths from this disease numbered 56, in the June quarter 158, and in the March quarter 53. The deaths registered during the period under notice are 30 below the average for the corresponding quarter in the preceding 10 years.

Scarlet Fever.—Of 12 deaths from scarlet fever, 7 appertained to north Dublin city, 4 to south Dublin city, and one to Pembroke urban district. In each of the 3 preceding quarters deaths from scarlet fever were 21, 21, and 14, and the average for the corresponding period of the preceding 10 years is 12. From Table I. it appears that during the period under notice 260 cases of scarlet fever were admitted to hospitals, there having been 124 cases under treatment at the close of the preceding quarter, that 10 deaths from the disease occurred in and 262 cases were discharged from hospital during the December quarter.

Whooping-cough.—The deaths from whooping-cough numbered 13. Of this number 6 belonged to north Dublin city, 4 to south Dublin city, and 3 to Pembroke urban district. The deaths are 14 below the average, and also below the numbers registered in each of the 3 preceding quarters, namely, 42, 21, and 18.

* See note (*) p. 833h.

Diphtheria.—There was a decline of mortality from March quarter, in which 38 deaths were registered, to June quarter in which 29 deaths were registered; in September there was a further decline to 21 deaths, and in the period under notice the deaths from diphtheria numbered 22, the average being 16. There were altogether 226 cases of diphtheria under treatment in hospitals; of these 152 were discharged, and 19 died. Of the 22 deaths registered, 8 belonged to north Dublin city, 6 to south Dublin city, 3 to Rathmines and Rathgar urban district, 3 to Pembroke urban district, one to Blackrock urban district, and one death in the Dublin Registration Area was of a non-resident.

Diarrhœal Diseases.—The deaths of 58 children under 2 years of age from diarrhœa and *enteritis* are included in the total deaths assigned to this group.

Influenza.—The mortality from influenza was represented by 13 deaths, the average being 18, and the deaths from this disease in each of the 3 quarters preceding being 22, 30, and 7, respectively.

Cerebro-spinal Fever.—There was no record of a death from this disease.

Pneumonia.—Under the heading of pneumonia, there were 83 deaths from broncho-pneumonia; 23 from lobar pneumonia; and 56 from *pneumonia* (type not distinguished) registered.

Tuberculosis.—In the aggregate deaths from tuberculosis numbered 359, and are 11 over the number registered in the December quarter of 1911; the total is equal to an annual death-rate of 3.58 per 1,000 of the population of the Dublin Registration Area, estimated to the middle of the year 1912. The 359 deaths include 267 deaths from pulmonary tuberculosis, 26 from tuberculous meningitis, 25 from abdominal tuberculosis, 6 from tuberculosis of the vertebral column, 3 from tuberculosis of joints, 3 from tuberculosis of other organs, and 29 from disseminated tuberculosis. The following represent the death-rates for tuberculosis:—Dublin city, 3.89; north Dublin city, 3.35; south Dublin city, 4.50; the urban district of Rathmines and Rathgar, 1.35; Pembroke urban district, 1.08; Blackrock urban district, 0.44; and Kingstown urban district, 1.65 per 1,000 of the estimated population.

Cancer.—Altogether 126 deaths were assigned to cancer; this number is represented by an annual rate of 1.26 per 1,000.

Diseases of Brain and Nervous System.—Included in the total deaths (174) classified under this head there were 38 deaths of children under 5 years of age from *convulsions*, of whom 36 were infants under one year of age. The total represents an annual death rate of 1·74 per 1,000.

Diseases of the Circulatory System.—There were 204 deaths from diseases of the heart and blood-vessels; this figure is equal to an annual death-rate of 2.04 per 1,000.

Bronchitis.—This disease accounts for the deaths of 220 persons, and is equivalent to a death-rate of 2.20 per 1,000.

Congenital Malformations, Premature Birth, Congenital Debility.—There were 9 deaths of infants from congenital defects, 58 from premature birth, and 53 from congenital debility.

Violence:—

Accidental.—Forty-two persons lost their lives by accident or negligence; of this number 15 deaths were caused by burns and scalds (including 7 deaths of children under 5 years of age), 8 by vehicles and horses, and 2 by drowning.

Homicide.—There were 3 deaths attributed to homicide.

Suicide.—Two deaths by suicide were reported.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th December, 1912.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	53	96	109	11	29
Typhus, ...	4	2	5	1	–
Small-pox, ...	–	–	–	–	–
Measles, ...	8	20	21	6	1
Scarlet Fever, ...	124	260	262	10	112*
Diphtheria, ...	36	190	152	19	55
Pneumonia, ...	19	102	85	17	19

* Exclusive of 16 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 59 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 59 cases, 30 (or 50·8 per cent.) were deaths of children under 5 years of age; these 30 deaths form 5·7 per cent. of the total number of deaths of children of that age-period. Of the deaths of 109 infants under one month old registered, there were 11 (or 10·1 per cent.) regarding which the cause was uncertified.

From table II., on page 833*f*, it will be seen that, excluding 129 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,860, equal to an annual rate of 18·6 per 1,000 of the estimated population, and that 136 of these deaths, representing an annual rate of 1·4 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 20·0 per 1,000, and for the urban districts 13·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·5, and in the urban districts 0·8, the rates for the several districts varying from 0·0 in New Kilmainham to 2·8 in South city, No. 4, the 168 deaths from all causes for that district including 2 from enteric fever, one from measles, 2 from scarlet fever, 4 from whooping-cough, 3 from diphtheria, and 11 from diarrhœa and *enteritis* of children under 2 years of age.

OCCUPATIONS.—Table III., on page 833*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 12·2 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 15·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·4; and in the "General Service Class" it was 20·9.

AGES.—Of the 1,989 persons whose deaths were registered in the Dublin Registration Area during the quarter, 524 were under 5 years of age, including 358 infants under one year of age, the latter representing a rate of 143·3 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 51·2 in every 1,000 children at that age (according to the Census of 1911); 82 were between the ages of 5 and 15, representing an annual rate of 4·6 per 1,000 persons at that age-period; 109 were between the ages of 15 and 25, equivalent to an annual rate of 5·4 per 1,000; the total number under 25 years being equal to an annual mortality of 14·9 per 1,000 of the population at that age-period (according to the Census of 1911); 344, or 11·0 per 1,000 persons, were between 25 and 45; 452, or 30·7 per 1,000, between 45 and 65; 295, or 69·9 per 1,000, between 65 and 75; and 183, or 130·9 per 1,000, were aged 75 and upwards, including 14 persons aged 90 and upwards, of whom one (a female) was stated to have been aged 104 years.

PUBLIC INSTITUTIONS.—Of the 1,989 deaths recorded during the quarter, 875 or 44·0 per cent., occurred in public institutions, viz., 517 in the various hospitals, prisons, and lunatic asylums; 152 in the North Dublin Union Workhouse; 196 in the South Dublin Union Workhouse; and 10 (those of persons admitted from within the Dublin registration area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 45·0°. At Greenwich, for the quarter, it was 46·2°; at Glasgow, 44·3°; and at Edinburgh, 43·.8°

The rainfall at Dublin during the thirteen weeks measured 5·44 inches; at Greenwich, 8·32 inches; at Glasgow, 12·35 inches; and at Edinburgh, 8·61 inches.

† See note (*) p. 833*h*.

TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phœnix Park, Dublin,* for the thirteen weeks ended 28th December 1912.

Prepared in the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1912. Week Ended.	Barometer. Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Barometer. Difference from Average.	Thermometer. Mean of Maximum A.	Thermometer. Mean of Minimum B.	Thermometer. Mean of A. and B.	Thermometer. Difference from Average.	Thermometer. Highest.	Thermometer. Lowest.	Hygrometer. Mean of Dry Bulb.	Hygrometer. Mean of Wet Bulb.	Hygrometer. Mean Humidity.	Ozone. 1·0	Bright Sunshine. Mean Daily Duration in Hours.	Bright Sunshine. Difference from Average.	Bright Sunshine. Percentage of Possible.	Rainfall. Total Amount.	Rainfall. Difference from Average.	Rainfall. Number of Days.	Wind. Mean Velocity Recorded in Metres per Second.
	Inches.		° F	° F	° F		°F	° F		° F	Per cent.		Hours.	Hours.	Per cent.	Inches.	Inches,		m. p. s.
October 5th, ...	29·952	—	53·7	38·0	45·9	—	57	25	46·6	44·2	84	0·4	3·3	−0·7	29	·11	—	3	2·8
„ 12th, ...	30·178	—	59·7	36·9	48·3	—	62	29	49·4	46·9	85	0.4	5·6	+1·9	51	·03	—	1	1·8
„ 19th, ...	30·074	—	57·7	41·7	49·7	—	62	34	50·1	48·2	88	0.5	2·1	−1·4	20	·48	—	4	3·7
„ 26th, ...	29·425	—	51·9	32·4	42·2	—	55	24	41·3	40·1	92	0·2	3·4	+0·2	34	·78	—	5	2·1
November 2nd, ...	29·660	—	52·0	34·9	43·5	—	59	23	43·5	40·9	82	0·3	2·4	−0·6	26	·30	—	2	2·3
„ 9th, ...	30·130	—	55·1	44·1	49·6	—	64	27	50·9	49·2	89	0·5	0·8	−1·9	9	·52	—	2	2·8
„ 16th, ...	29·954	—	48·0	37·9	43·0	—	52	33	42·4	40·5	86	0·6	1·5	−0·9	17	·18	—	4	3·4
„ 23rd, ...	30·170	—	52·0	43·6	47·8	—	56	39	47·8	46·0	88	0·6	1·3	−0·9	16	·23	—	5	3·6
„ 30th, ...	29·583	—	41·0	30·9	37·5	—	53	21	37·1	35·7	88	0·5	2·1	+0·1	27	·75	—	5	4·1
December 7th, ...	29·812	—	50·7	38·7	44·7	—	55	25	45·5	43·4	85	0·5	1·0	−0·8	13	·10	—	3	4·5
„ 14th, ...	29·727	—	52·3	40·4	46·4	—	57	32	46·8	44·8	86	0·6	1·0	−0·7	14	·60	—	6	6·2
„ 21st, ...	29·709	—	50·0	38·7	44·4	—	57	32	43·7	41·8	85	0·7	1·5	−0·2	21	.63	—	4	5·1
„ 28th, ...	29·534	—	50·6	33·0	41·8	—	56	28	42·2	40·6	88	0·6	0·8	−0·9	11	·69	—	5	4·5
Mean, ...	29·839	−·046	52·1	37·8	45·0	+1·1	64	21	45·2	43·3	87	0·5	2·1	−0·5	22	5·44	−2·63	49	3·6

* Height above Mean Sea Level, Station H = 155 feet; Barometer Hb = 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the three calendar months October to December.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 28th December, 1912,** the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

QUARTER (13 WEEKS) ENDED 28TH DECEMBER, 1912.

REGISTRARS' DISTRICTS, &c.	Population, estimated to middle of 1912.†	Annual Rate of Mortality per 1,000 living represented by Deaths. From all causes	From certain Epidemic Diseases*	Total Deaths.	Deaths. Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Caused by: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms.	Cancer.	Diseases of Respiratory System: Pneumonia.	Others.	Diarrhœa and Enteritis of Children under 2 years.	Diarrhœa 2 years and upwards.	Violence.	Number of Uncertified Deaths.
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
North City.																													
North City, No. 1, E.,	29,697	21·8	1·6	162	31	6	10	12	6	22	41	34	2	.	.	.	2	3	3	.	18	5	4	14	28	2	.	4	10
" 1, W.,	40,583	22·6	2·3	229	46	6	10	12	13	41	43	58	3	.	.	3	1	2	1	1	29	10	12	11	26	11	1	5	12
" 2,	27,883	27·8	2·2	194	42	10	8	9	7	42	49	27	.	.	.	1	2	.	1	.	28	13	7	21	26	11	.	7	1
" 3,	34,937	17·3	1·0	151	24	15	8	5	10	25	26	38	1	.	.	1	1	1	.	.	17	7	7	16	18	5	.	4	2
Clontarf and Howth, No. 1, part of.	5,393	6·7	0·7	9	1	1	.	.	.	2	1	4	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Coolock and Drumcondra, part of,	13,435	11·3	0·6	38	3	1	1	1	.	4	14	14	.	.	.	.	.	.	2	.	3	1	3	.	6	.	.	.	.
Finglas and Glasnevin, part of,	10,542	11·4	0·8	30	4	1	2	.	1	6	6	10	1	.	.	.	.	.	1	.	4	1	2	2	2	.	.	.	1
South City.																													
South City, No. 1,	40,080	20·3	2·0	203	51	10	8	6	11	34	40	43	3	1	.	6	1	.	2	.	30	14	10	12	24	6	1	1	3
" 2,	18,341	19·8	0·4	91	17	2	2	6	1	18	22	23	.	.	.	.	.	.	.	.	11	7	5	5	18	2	.	4	2
" 3,	42,805	21·3	0·7	228	55	8	9	5	14	32	54	51	1	.	.	1	1	.	1	.	40	12	13	35	33	4	.	5	12
" 4,	33,171	20·3	2·8	168	31	13	12	10	10	25	41	26	2	.	.	1	2	4	3	.	33	8	7	13	18	11	.	3	6
New Kilmainham,	9,686	13·2	.	32	5	.	.	1	2	10	5	9	.	.	.	.	.	.	.	.	6	1	.	1	9	.	.	2	1
Urban Districts.																													
Rathmines and Rathgar,	38,495	13·7	0·5	132	14	.	6	4	9	19	25	55	.	.	.	.	.	.	3	1	12	1	12	13	17	1	.	4	5
Pembroke,	29,731	13·9	1·6	103	16	4	3	3	8	14	21	34	2	.	.	.	1	3	3	.	7	1	9	10	8	3	.	1	1
Blackrock,	9,125	11·0	0·4	25	.	.	1	.	1	2	8	13	.	.	.	.	.	.	1	.	1	.	5	1	2	.	.	1	.
Kingstown,	16,941	15·3	0·2	65	9	1	3	2	2	8	20	20	.	.	.	.	.	.	.	.	6	1	5	4	10	1	.	2	3
Total City, North,	162,490	20·0	1·6	813	151	40	39	39	37	142	180	185	7	.	.	5	7	6	8	1	99	37	36	64	106	29	1	20	26
Total City, South,	144,083	20·0	1·5	722	159	33	31	28	38	119	162	152	6	1	.	8	4	4	6	.	120	42	35	66	102	23	1	15	24
Total City, North and South,	306,573	20·0	1·5	1,535	310	73	70	67	75	261	342	337	13	1	.	13	11	10	14	1	219	79	71	130	208	52	2	35	50
Total Urban Districts,	91,292	13·8	0·8	325	39	5	13	9	20	43	74	122	2	.	.	.	1	3	7	1	26	3	31	28	37	5	.	8	9
Total Registration Area,	400,865	18·6	1·4	1,860	349	78	83	76	95	304	416	459	15	1	.	13	12	13	21	2	245	82	102	158	245	57	2	43	59
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).				129	9	3	2	6	14	40	36	19	3	.	.	.	.	.	1	1	22	10	24	4	9	1	.	4	.

* See note (*) on page 833*h*.

† See note (*) on page 833*i*.

TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 28th December, 1912;** the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

Class.	OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.]	Population in each Class and Group in 1901.	REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDING SATURDAY, 28TH DECEMBER, 1912.																											
					AGES.							CAUSES OF DEATH.																		
			Annual Death Rate per 1,000 of the Population in 1901.	Total Number of Deaths.	Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer	Convulsions.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and Enteritis of children under 2 years of age.	Diarrhœa 2 years of age and upwards	Violence.	Other Causes.	Number of Uncertified Deaths.
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
	ALL PERSONS, ...	375,350	—	1,989	524	82	109	344	52	295	183	18	1	.	13	12	13	22	3	267	92	126	38	162	254	58	2	47	861	59
	CLASSES.																													
	Deaths in Families of the—																													
I.	PROFESSIONAL AND INDEPENDENT CLASS,	17,436	12.2	53	3	.	.	3	14	11	22	.	.	.	.	1	.	1	.	1	.	10	.	4	4	.	.	1	31	.
II.	MIDDLE CLASS, ...	87,188	15·9	346	43	18	23	60	87	63	52	1	.	.	.	.	.	8	1	37	10	34	.	25	30	4	.	8	188	4
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS,	110,423	15·4	424	100	14	20	80	112	67	31	5	1	.	3	3	6	5	1	63	14	33	9	28	59	6	1	7	180	23
IV.	GENERAL SERVICE CLASS, ...	154,279	20·9	808	302	49	48	129	151	84	45	12	.	.	10	8	7	8	1	90	43	30	28	90	98	30	1	30	322	32
V.	INMATES OF WORKHOUSES, ...	6,024	—	358	76	1	18	72	88	70	33	.	.	.	.	.	.	.	.	76	25	19	1	15	63	18	.	1	140	.
I.	PROFESSIONAL AND INDEPENDENT CLASS,																													
	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments, ...	7,799	21·0	41		.	.	3	14	8	13	.	.	.	.	1	.	1	.	1	.	7	.	3	4	.	.	1	23	.
	2. Merchants and Manufacturers, Higher Class	1,277	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	8,360	5·7	12	.	.	.	.	.	3	9	.	.	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	8	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	7,712	10·9	21	.	.	1	2	9	5	4	.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	1	15	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	22,016	18·5	102	21	1	1	16	29	24	10	1	.	.	.	.	.	1	.	5	1	9	.	11	6	2	.	.	66	.
	6. Clerks and Commercial Assistants, ...	30,432	13·3	101	16	4	11	23	28	11	8	.	.	.	.	.	.	3	.	14	4	6	.	7	10	1	.	2	54	2
	7. Miscellaneous—including all Householders in Second Class Localities, not included in above, ...	27,028	18·1	122	6	13	10	19	21	23	30	.	.	.	.	.	.	4	1	17	5	16	.	6	14	1	.	5	53	1
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	9,874	19·0	47	17	1	4	10	6	6	3	1	.	.	.	.	1	1	.	7	4	2	.	3	5	1	.	2	20	2
	9. Building and Furnishing Trades, ...	29,801	11·8	88	26	4	3	13	27	12	3	3	.	.	1	1	2	.	1	15	5	6	2	5	9	2	1	2	33	5
	10. Clothing Trades, ...	23,260	11·3	66	10	1	1	19	16	13	6	.	.	.	.	1	.	.	.	10	1	7	.	4	9	.	.	.	34	4
	11. Food Supply Trades, ...	9,242	10·8	25	7	.	2	5	4	5	2	.	.	.	.	.	2	.	.	3	1	5	1	3	3	.	.	.	7	2
	12. Other Trades and Callings ranking with Trades, ...	30,352	21·6	164	32	7	10	27	50	25	13	1	1	.	2	1	1	3	.	25	2	12	5	12	23	2	.	2	72	7
	13. Petty Shopkeepers, ...	7,894	17·2	34	8	1	.	6	9	6	4	.	.	.	.	.	.	1	.	3	1	1	1	1	10	1	.	1	14	3
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery, and Prison Services, &c.	13,425	14·3	48	12	3	1	9	9	8	6	.	.	.	.	2	.	1	.	5	3	1	.	4	6	1	.	3	22	3
	15. Domestic Servants, ...	36,603	8·0	73	12	2	10	14	14	10	11	6	.	.	1	1	.	.	.	11	3	3	2	2	4	2	.	.	38	3
	16. Coach and Car Drivers, Vanmen, &c., ...	14,390	20·0	72	19	3	5	13	17	10	5	1	.	.	.	.	.	1	.	8	2	2	2	9	10	1	.	3	33	2
	17. Hawkers, Porters, Labourers, &c., ...	89,861	27·4	615	259	41	32	93	111	56	23	5	.	.	9	5	7	6	1	66	35	24	24	75	78	26	1	24	229	24
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	6,024	—	358	76	1	18	72	88	70	33	.	.	.	.	.	.	.	.	76	25	19	1	15	63	18	.	1	140	.

Twenty-two Principal Town Districts of Ireland.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin registration area and twenty-one of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18.0 per 1,000 persons, the respective rates for the several districts being as follow ranging in order from the lowest to the highest:—Portadown, 8.9; Queenstown, 9.3; Sligo 11·8; Drogheda, 12.5; Kilkenny, 12.9; Tralee, 13.2; Lisburn, 13.2; Londonderry, 14.7; Ballymena, 14.8; Newry, 15.0; Armagh, 15.8; Wexford, 16.0; Clonmel, 16.1; Cork, 17.3; Belfast, 18.2; Galway, 18.4; Dublin Registration Area, 18.6; Waterford, 18.6; Newtownards, 18.8; Lurgan, 20.4; Dundalk, 21.6; and Limerick, 29.9.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 2.1 per 1,000 of the population, the rates varying from 0.0 in 4 of the districts to 12.8 in Limerick, the 288 deaths from all causes for that district including 119 from measles, 2 from whooping-cough, and 2 from diarrhœa and *enteritis* of children under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and tables IV. and V. give in detail the results of the registration for the quarter:—

Enteric Fever.—There were 3 deaths for Belfast, 4 for Cork, and one death for each of Londonderry, Galway, Newry and Clonmel.

Typhus.—No death was recorded from typhus.

Small-Pox.—No death was recorded from small-pox.

Measles.—For Belfast 156 deaths, for Limerick 119 deaths, for Dundalk 17 deaths, and for Tralee 4 deaths from measles were registered.

Scarlet Fever.—Of 35 deaths, 22 were belonging to Belfast, 2 to Cork, 2 to Dundalk, 4 to Lurgan, one to Kilkenny, and 2 to each of Tralee and Newtownards.

Whooping-Cough.—The deaths from whooping-cough were as follows:—For Belfast 4, for Limerick 2, for Galway one, for Drogheda 2, for Newry one, for Lisburn one, for Ballymena 7, and for Clonmel 6.

Diphtheria.—Twelve deaths belonged to Belfast, 3 to Dundalk, and one to each of the following districts:—Cork, Londonderry, Lurgan, Lisburn, and Sligo.

Diarrhœa and Enteritis of Children under 2 Years of Age.—Of the deaths (68 in number), there were 45 for Belfast, 4 for Cork, one for Londonderry, 2 for Limerick, and 6 for Waterford.

Phthisis.—The annual death-rate from phthisis for the 22 towns in the aggregate, was 2·0 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·4 per 1,000, for Belfast county borough 1·9 per 1,000, and for the urban districts collectively (exclusive of Belfast and Dublin Registration Area), it was 1·8 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 28th December, 1912,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes and the number of Uncertified Deaths.

Towns and Districts.	Census Statistics of Districts.* Population. Total.	Population. Persons to an Acre.	Annual Rate per 1,000 persons Represented by Births.	Deaths. From all Causes.	Deaths. From certain Epidemic Diseases.†	Births. Total Number.	Deaths. Total Number.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease. Phthisis.	Tuberculous Disease. Other Forms.	Cancer.	Diseases of the Respiratory System. Pneumonia.	Diseases of the Respiratory System. Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
	REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 28TH DECEMBER, 1912. Numbers Registered. Deaths. Caused by																											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 22 TOWN DISTRICTS, ...	1,154,150	19·8	24·3	18·0	2·1	7,016	5,206	903	1,221	26	1	...	309	47	37	41	3	591	196	257	414	666	125	15	98	195	1,593	189
DUBLIN REGISTRATION AREA:— TOTAL	400,865	29·2	24·9	18·6	1·4	2,499	1,860	349	459	15	1	...	13	12	13	21	2	245	82	102	158	245	57	2	43	60	746	59
CITY OF DUBLIN, ...	306,573	38·8	28·5	20·0	1·5	2,182	1,535	310	337	13	1	...	13	11	10	14	1	219	79	71	130	208	52	2	35	49	658	50
Urban Districts. RATHMINES AND RATHGAR, ...	38,495	22·5	13·1	13·7	0·5	126	132	14	55	...	...	...	...	...	...	3	1	12	1	12	13	17	1	...	4	4	32	5
Urban Districts. PEMBROKE, ...	29,731	18·9	13·9	13·9	1·6	103	103	16	34	2	...	...	...	1	3	3	...	7	1	9	10	8	3	...	1	4	30	1
Urban Districts. BLACKROCK, ...	9,125	8·4	11·0	11·0	0·4	25	25	..	13	...	...	...	...	...	...	1	...	1	...	5	1	2	...	...	1	...	8	...
Urban Districts. KINGSTOWN, ...	16,941	11·6	14·9	15·3	0·2	63	65	9	20	...	...	...	...	...	...	...	...	6	1	5	4	10	1	...	2	3	18	3
Urban Districts. BELFAST, ...	391,974	26·2	25·2	18·2	2·5	2,473	1,779	320	335	3	..	...	156	22	4	12	...	184	68	87	160	254	45	7	34	86	457	19
Urban Districts. CORK, ...	76,673	28·6	23·2	17·3	0·6	444	331	39	101	4	...	...	...	2	...	1	1	44	12	16	18	25	4	...	2	13	135	8
Urban Districts. LONDONDERRY, ...	40,891	15·9	21·6	14·7	0·5	221	150	12	41	1	...	...	...	..	...	1	...	19	8	7	6	16	1	2	3	6	19	4
Urban Districts. LIMERICK, ...	38,518	16·1	22·7	29·9	12·8	219	288	59	27	...	...	...	119	...	2	...	...	16	1	8	10	32	2	...	1	9	59	19
Urban Districts. WATERFORD, ...	27,464	19·1	19·8	18·6	0·9	136	128	24	41	...	...	...	...	...	...	...	...	17	4	9	5	21	6	...	4	6	44	12
Urban Districts. GALWAY, ...	13,255	2·5	25·6	18·4	0·9	85	61	9	19	1	...	...	...	...	1	..	...	3	3	4	8	4	1	...	1	1	17	13
Urban Districts. DUNDALK, ...	13,128	9·5	29·3	21·6	6·7	96	71	10	10	...	...	...	17	2	...	3	...	8	1	1	12	...	..	...	...	...	12	2
Urban Districts. DROGHEDA, ...	12,501	8·4	13·4	12·5	0·6	42	39	3	16	...	...	...	...	...	2	...	...	5	...	2	...	6	...	...	...	...	11	3
Urban Districts. NEWRY, ...	11,963	17·0	21·7	15·0	0·7	65	45	7	16	1	...	...	...	...	1	...	...	5	1	3	7	5	...	...	1	1	7	2
Urban Districts. LURGAN, ...	12,553	14·7	20·1	20·4	2·2	63	64	7	18	...	...	...	...	4	...	1	..	5	2	4	7	7	2	...	2	2	16	1
Urban Districts. LISBURN, ...	12,388	10·9	20·0	13·2	1·3	62	41	7	10	...	...	...	...	...	1	1	...	5	...	2	5	6	1	1	3	6	10	2
Urban Districts. WEXFORD, ...	11,531	22·8	25·0	16·0	...	72	46	4	23	...	...	...	...	...	...	...	...	5	1	2	2	11	...	...	1	1	4	5
Urban Districts. BALLYMENA, ...	11,381	9·3	31·6	14·8	2·8	90	42	8	17	...	...	...	...	..	7	...	...	3	...	3	4	4	1	...	...	...	5	1
Urban Districts. SLIGO, ...	11,163	3·8	21·9	11·8	1·1	61	33	8	13	...	...	...	...	...	...	1	...	3	2	...	1	1	...	2	...	...	7	10
Urban Districts. KILKENNY, ...	10,514	11·4	21·3	12·9	0·4	56	34	2	17	...	...	...	...	1	...	...	...	6	1	1	3	4	...	...	1	...	8	3
Urban Districts. CLONMEL, ...	10,209	7·8	21·6	16·1	3·9	55	41	10	6	1	...	..	...	...	6	...	...	5	...	...	1	6	3	...	...	...	14	6
Urban Districts. PORTADOWN, ...	11,727	15·3	27·6	8·9	...	81	26	5	9	...	...	...	...	...	...	...	...	3	3	...	2	3	...	...	1	1	...	2
Urban Districts. TRALEE, ...	10,300	17·4	22·5	13·2	3·5	58	34	7	8	...	...	...	4	2	...	...	...	2	1	2	3	1	2	1	...	...	10	4
Urban Districts. NEWTOWNARDS, ...	9,587	20·1	22·9	18·8	0·8	55	45	7	20	...	...	...	...	2	...	...	...	6	1	1	...	8	...	...	1	3	8	8
Urban Districts. QUEENSTOWN, ...	8,209	14·7	23·9	9·3	...	49	19	3	5	...	...	...	...	...	...	...	...	...	2	1	...	2	...	...	...	...	...	...
Urban Districts. ARMAGH, ...	7,356	21·8	18·5	15·8	...	34	29	3	10	...	...	...	...	...	...	...	...	2	3	2	2	5	...	...	...	...	4	6

* The population given for the Dublin Registration Area and its component parts and the cities of Belfast and Londonderry, is that estimated to the middle of 1912; that for each of the other districts is the population according to the Census of 1911.

† See note (*) on page 833*h*.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 28th December, 1912**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c

CITIES AND REGISTRARS DISTRICTS.	Census Population in 1911	No. of BIRTHS.	DEATHS. Annual Rate† of Mortality per 1,000 of the Population in 1911, represented by Deaths from: All Causes.	Certain Epidemic Diseases*	Total Number of DEATHS.	AGES AT DEATH. Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	DEATHS FROM: Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous Disease: Phthisis.	Other Forms	Cancer.	Diseases of the Respiratory System: Pneumonia.	Other.	Diarrhœa and *Enteritis* of children under 2 years of age.	Diarrhœa 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																														
BELFAST URBAN No. 1 DISTRICT,	15,879	102	24·4	5·0	97	27	15	8	9	19	19	1	.	.	14	.	.	1	.	11	3	5	11	10	3	1	6	6	31	.
Do. 2 do.	49,500	310	19·0	3·2	235	32	53	15	36	49	50	1	.	.	29	1	.	1	.	24	5	12	17	47	6	1	2	10	51	1
Do. 3 do.	50,032	343	18·1	2·6	226	39	29	25	36	55	42	.	.	.	15	5	2	1	.	26	11	11	17	34	8	1	5	10	49	7
Do. 4 do.	32,637	283	18·8	1·1	153	41	12	16	30	31	23	.	.	.	3	1	1	.	.	17	4	7	11	16	4	.	8	10	72	.
Do. 5 do.	16,112	108	24·3	2·0	98	16	17	11	12	25	17	.	.	.	3	1	.	1	.	13	7	7	12	13	1	2	1	4	35	2
Do. 6 do.	37,293	165	14·1	1·0	131	18	12	11	16	36	38	1	.	.	3	1	.	1	.	8	6	5	10	20	3	.	2	6	27	3
Do. 7 do.	2,681	8	10·4	.	7	2	.	.	.	1	4	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.
Do. 8 do.	5,964	30	14·8	0·7	22	1	3	1	3	7	7	.	.	.	1	.	.	.	.	.	1	1	2	3	.	.	1	3	8	.
Do. 9 do.	24,427	158	17·2	1·3	105	22	12	11	18	22	20	.	.	.	3	.	.	1	.	17	7	4	11	10	3	1	1	5	20	.
Do. 10 do.	28,958	191	17·3	2·9	125	12	25	20	14	28	26	.	.	.	16	.	.	.	.	13	4	8	9	17	4	1	1	3	51	3
Do. 11 do.	39,311	238	14·7	1·4	144	25	14	18	15	44	28	.	.	.	7	2	.	1	.	10	6	9	12	18	4	.	1	5	35	1
Do. 12 do.	38,076	261	23·5	5·9	224	51	71	29	18	31	24	.	.	.	42	4	1	5	.	19	3	8	25	40	4	.	4	19	53	2
Do. 13 do.	23,233	141	12·2	1·9	71	7	9	8	12	20	15	.	.	.	5	5	.	.	.	12	2	5	5	14	1	.	1	3	10	.
Do. 14 do.	175	2	—	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.	22,669	133	24·7	3·7	140	27	22	20	18	32	21	.	.	.	15	2	.	.	.	14	9	4	17	12	4	.	1	1	35	.
Total	386,947	2,473	18·2	2·5	1,779	320	294	198	237	400	335	3	.	.	156	22	4	12	.	184	68	87	160	254	45	7	34	86	457	19
City of Cork.																														
CORK URBAN No. 1 DISTRICT,	13,455	70	15·8	0·6	53	6	.	2	7	16	22	2	.	.	.	.	.	.	.	5	.	3	3	4	.	.	.	3	23	2
Do. 2 do.	10,399	79	10·8	1·2	28	5	2	2	6	7	6	1	.	.	.	1	.	1	.	2	2	1	.	.	.	.	1	2	10	1
Do. 3 do.	9,793	62	19·6	1·2	48	8	1	8	10	10	11	1	.	.	.	.	.	.	.	12	.	3	3	8	2	.	.	1	13	1
Do. 4 do.	9,139	52	9·2	1·3	21	4	1	3	3	7	3	.	.	.	.	.	.	.	1	5	.	3	1	3	2	.	.	1	4	.
Do. 5 do.	6,250	29	21·8	.	34	3	1	3	5	9	13	.	.	.	.	.	.	.	.	2	2	2	4	3	.	.	1	2	14	2
Do. 6 do	11,581	56	23·1	0·3	67	7	9	9	10	12	20	.	.	.	.	1	.	.	.	10	5	2	3	4	.	.	.	1	34	1
Do. 7 do	16,056	96	19·9	.	80	6	3	7	13	25	26	.	.	.	.	.	.	.	.	8	3	2	4	3	.	.	.	3	37	1
Total,	76,673	444	17·3	0·6	331	39	17	34	54	86	101	4	.	.	.	2	.	1	1	44	12	16	18	25	4	.	2	13	135	8

GENERAL REGISTER OFFICE,
Charlemont House, Dublin,
12*th February*, 1913.

* See note (†) on page 833*h*.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

WILLIAM J. THOMPSON,
Registrar-General.

Printed by A. THOM & Co. (Ltd.) 33690. Wt. P. 360.—45/139. 375. 1. 1913. Sch. C. 9.